

GENERAL INFORMATION**OFFP - TCAR format****THA 00093/26 (17 AUG 26)**

COM INFO: SFP/OFP change format according to OM-A (TCAR version)

Due to identified limitations in the current OFP template,
the following temporary procedures shall apply with immediate effect:

1. RVSM - Standby Altimeter

The current OFP does not provide a dedicated line for Standby Altimeter recording as required by OMA 14.4.4.

Action: Record the Standby Altimeter value adjacent to the existing record row.

This procedure is mandatory to ensure compliance with OMA 14.4.4.

2. RAIM Information

RAIM shown in the OFP is for terminal operations only.

Action: For flights requiring NPA, crew shall verify RAIM availability separately using an approved RAIM Forecast Report.

3. RCFP - MINF at DP

the displayed MINF at DP may be incorrect.

Action: Disregard the displayed value and refer to the minimum fuel at DP provided in the eOFP application to maintain information consistency.

These instructions are mandatory until corrected in the next OFP version.

Company Fuel Guidelines ##**THA 00228/26 (17 AUG 26)**

COM INFO:--WEF 14AUG26,

Company Fuel Guidelines:

1) Flight Outbound from VTBS:

1.1) 15 mins:

-TG319

-ETA within TEMPO ± 1 hr with adverse weather condition

1.2) 5 mins:

-BLR (ONLY WHEN SINGLE RWY OPS)

-TG317, TG407, TG409

2) Flight Inbound to VTBS:

2.1) 20 mins:

ETA within TEMPO ± 2 hrs with adverse weather condition

2.2) 5 mins:

ETA 1400-1600 and 1730-2130* (BKK local time)

3) European Flights:

3.1) *All Outbound flight to European: CF 3 PERCENT*

3.2) Inbound flight to VTBS: RCFP + 05MINS*

4) Flight Level Plan for VTUK,

-Outbound from VTBS: FL250

-Inbound to VTBS: FL240

5) Planning for Arrival WADD:

To improve flight planning accuracy, for WADD arrivals,
after waypoint KOLTA, flights shall plan to DOBMA
and then follow DOBMA## STAR.

6) TG649: Flight level shall not be planned above FL380.

7) TG900: When ETA falls within TEMPO ± 2 hrs and adverse weather conditions, LTAC shall be designated as the destination alternate.

8) Destination VTUD:

Remove altitude restrictions and use the optimum altitude for planning.

Remark:

1) Pilot Management Department (PA)

1.1) Destinations ZBAA and ZSPD:

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 2/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

Flights shall be planned as Economic Tankage without company fuel, with the following conditions:

-Widebody aircraft shall be planned with far alternates (RKSI, RJFF).

-Narrowbody aircraft shall be planned with ZBTJ as the alternate; however, ZFW shall be restricted to ensure the carriage of at least 30 minutes of extra fuel.

1.2) Destination YPPH: ALTN YGEL
(*THE 05MINS OF EXTRA FUEL IS REMOVED*)

YGEL shall be used as ALTN airport effective 25 Apr 2026 following revision of OM-A section 8.3.26 (Operations at Uncontrolled Aerodromes)

2) Everything else regarding fuel planning policy remains the same as last month.

3) Adverse weather conditions*:
RA, TS or TSRA and visibility 5000M or less

(ISSUED 10AUG26/EMAIL Summary of Fuel Initiatives Meeting - AUG26
For Fuel Committee member/BKKPC)

// (COM-INFO) //

THA 00002/13 (31 JUL 26)

COM INFO:--All A350 and BOEING 787:
are now eligible and included in EUROCONTROL airspace CPDLC Logon list.
Action Required: Pilots are required to initiate CPDLC logon when entering European airspace.
(ISSUED 23MAR26/BKKPC2/UFN)

--IN CASE CANNOT BE CONTACTED BKKOC VIA TELEPHONE,
PILOTS MAY CONTACT VIA MS TEAMS CHANNEL: "OC.CENTER".
(ISSUED 30JUL24/BKKOC/UFN)

-- To improve CTOT for all flights both outbound from BKK and
inbound to BKK, pilots may contact TOCC when ready for departure to request an earlier CTOT
through any of the following channels:

- : MS Teams chat
- : LINE CLC-Pilot
- : CUT 129.325
- : Phone 02-137-1202

In addition to above contact channels, for DOMESTIC flight, pilots may also directly contact
ground staff to request earlier CTOT. (ISSUED 15FEB25/BKKOP/UFN)

--DELEGATED FUNCTIONS PHONE DIRECTORY (Direct Number)
1. OPEN BOARDING GATE : 02-137-1260
2. BUS GATE - REMOTE BAY & DOMESTIC V.V. : 02-137-1260
3. CREW BUS OPC-TERMINAL V.V. : 02-137-1019, 02-137-1020
4. CONFIRM BOARDING GATE/BAY/BELT : 02-137-1263
5. ZFW/WEIGHT & BALANCE/LOAD SHEET : 02-137-1291, 02-137-1292
6. TG LOST & FOUND : 02-134-5454
7. OTHER INQUIRIES/BKKOC : 02-137-1202
(ISSUED 17JUL22/BKKOC-INFO/UFN)

--If expected divert due to weather or traffic congestion at any TG destination airports,
please kindly advise TOCC, via ACARS using OPERATIONS prompt or SITA address BKKOPTG,
the current fuel on board immediately to keep close monitoring of the flight.
(ISSUED 08MAY25/BKKOP/UFN)

--In case of pilot receives information from ground staff to delay departure due to connecting
passenger, please kindly confirm with TOCC via CUT channel.
(ISSUED 27NOV24/BKKOP/UFN)

--FOR FLIGHTS PLANNED NAVIGATING THROUGH KABUL FIR,
ONCE FINAL FL TO ENTER KABUL FIR IS AVAILABLE,
PLEASE ACARS DOWNLINK ETO/ENTRY WPT/FL TO BKKOPTG
(ISSUED 12DEC24/BKKOC/UFN)

--Please kindly consider and issue recommendation for route P500 G500 as soon as possible in
order to reduce operational risk.

1. Due to limitation of passenger oxygen chemical type (22 minutes).
If weather deviation is required, pilots shall deviate west of route only.

2. In an event of critical in-flight emergency, the aircraft should follow ICAO emergency
descent procedures, broadcast status and intentions on 125.2 MHZ and 121.5 MHZ. Thereafter,
proceed at the discretion of the PIC until clear Kabul FIR and in contact with the ATC
responsible for the airspace.
(ISSUED 31JUL24/D1/OC/UFN)

--Any flight operation by TG into the uncontrolled airspace and conflict zone,

the latest operational information " Closures and Warnings" issued by means of ICAO State letters,
NOTAMs, AICs/AIPs, and EASA CZIB - TG are subject to strictly following the guidance/directions
from their national authority as well as their own risk assessment.
(ISSUED 15APR24 CORR/TN003/22/OW/UFN)

--WEF 01AUG26,
SUBJ: SPECIAL SECURITY ARRANGEMENT:SSA008/2026
ATTN ALL CONCERNED

THE AVIATION SECURITY COMMITTEE (ASC) MTG ON 23JUL2026
AGREED TO ANNOUNCE SSA008/2026 AS FLWS:

AA PLS BE INFM THT THIS SSA WILL SUPERSEDE SSA007/2026
FROM 01AUG2026 UNTIL FURTHER TLX ADV

BB FR FLT DEP FRM STATION EUROPE: ARN AMS BRU CDG CPH FRA IST
LHR MUC MXP OSL ZRH

LEVEL: LOW CMA PERFORM SSA ACCORDING TO EU REQUIREMENTS
AS FLWS:

A1 - A/C PRE-FLIGHT SECURITY SEARCH CONDUCTED BY PIC CMA
CABIN CREW CMA ASM/SMT/DELEGATED PERSONNEL N GROUND/
STATION ENGINEER
A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
CONDUCTED BY CABIN CREW

CC FR FLT DEP FRM STATION: DAC ISB KHI LHE RGN

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

DD FR DOM FLT DEP FRM STATION: HDY

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

EE FR FLT DEP FRM MAINBASE STATION: BKK

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW
F2 - IDENTITY CHECK OF CREW MEMBERS BEFORE BOARDING AT
BOARDING GATE
P2 - SECONDARY CHECK AT GATE
(APPLY ONLY FLT FRM BKK TO MEL PER N SYD)

FF THE FLWG SSA SHALL BE IMPLEMENTED FR ALL ROUTE AS NORMAL PROC
P5 - INTENSIVELY PERFORM IDENTITY CHECK N VERIFICATION OF PAX
BEFORE BOARDING A/C BY
- COMPARING PAX WZ PHOTOGRAPH N PASSPORT/TVL DOCS TO
ENSURE PAX IS BONA FIDE N
- VERIFYING THE NAMES IN THE TICKETS CORRESPOND TO THOSE
ON THE IDENTITY DOCS
V1 - ALERT STAFF TO OBSERVE UNUSUAL BEHAVIOR OF PAX N ALL
PERSONNEL INVOLVED N ANY SUSPICIOUS ITEM IN THE
OPERATING AREA

GG THOSE STN NOT ON THE LIST ABOVE ARE LOW LEVEL STP
APPLY NORMAL SECURITY PROC AS MENTIONED IN OPERATION MANUAL

ADDITIONAL INSTRUCTION.

FR FLT OPS TO BLR MAA N CCU PLS IMPLEMENT THE FLW MEASURES AT THE
CHK-IN COUNTERS;

1. PROV DEDICATED CHK-IN COUNTERS FR FLT TO BLR MAA N CCU
2. DISPLAY WARNING N INFO SIGNAGE AT:
 - CHK-IN COUNTERS
 - B/D GATE
 - FLT INFO DISPLAY SYSTEM (FIDS) AT CHK-IN COUNTERS
3. CONDUCT RANDOM X-RAY SCREENING OF SUSPICIOUS BAG AT CHK-IN
COUNTERS
4. CONDUCT RANDOM SCREENING BY USING SNIFFER DOGS IN THE CHK-IN AREA.

IN CASE OF THREAT SITU N EXTRA MEASURES ARE REQ CMA
STN MONITORING TEAM/SMT MAY RAISE UP MEASURES AS APPROPRIATE

ANY SECURITY INCIDENTS MAY OCCUR SHALL INFO MANAGEMENT CONCERNED
N BKKD1 ACCLY STP

REMARK
A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
WILL BE REVISED IN SPM NEXT REVISION

PLS ACK N CFM ACTUAL PERFORM TO OFC BKKD1-B
BRGDS/CAPT. CHINGCHEEP B./BKKD1 ASC CHAIRMAN

Minima for flight planning

THA 00136/26 (29 MAY 26)

COM INFO: Application of planning minima for flight planning

Due to limited space in the OFP fuel planning box, any display of "BASIC FUEL SCHEME" shall be interpreted as "BASIC FUEL SCHEME WITH VARIATION."

All THAI flights are planned using Basic Fuel Scheme with Variation, unless otherwise specified by Flight Dispatcher.

Alternate planning minima shall be applied in accordance with OMA 8.1.7.5.2.
Display format will be reviewed and updated following stakeholder discussion.

FLIGHT LEG INFORMATION

VTBSLSZH

## AIP SUP 006/26 ##	THA 00225/26 (11 AUG 26)
// (SEE ATTCH) //	
## AIP SUP 004/26 ##	THA 00130/26 (16 MAY 26)
// (SEE ATTCH) //	
## AIP SUP 001/26 ##	THA 00016/26 (11 AUG 26)
// (SEE ATTCH) //	

AERODROME INFORMATION

VTBS / BKK

VTBDH0959/26 (17 AUG 26)

17 AUG 2026 16:15-17 AUG 2026 16:45
AD DEP/ARR ACFT WILL BE DLA DUE TO VIP MOV

VTBDC4660/26 (17 AUG 26)

18 AUG 2026 19:00-19 AUG 2026 23:30
DAILY 1900-2330
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY F
-TWY F1 TO TWY F12
-TWY F15
-TWY W
-TWY Y
-TWY Z

*VTBDC4659/26 (17 AUG 26)

18 AUG 2026 19:00-19 AUG 2026 23:30
DAILY 1900-2330
RWY 02L/20R CLSD DUE TO WIP

VTBDC4658/26 (17 AUG 26)

17 AUG 2026 19:30-17 AUG 2026 22:00
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY G BTN TXL T9 AND TXL T13
-TWY H2

VTBDC4657/26 (17 AUG 26)

17 AUG 2026 19:00-17 AUG 2026 22:00
TXL CLSD DUE TO WIP DETAIL AS FLW:
-TXL T10 BEHIND ACFT STAND NR 305 TO 308
-TXL T11 BEHIND ACFT STAND NR E1 E3 E5 E7 E9
-TXL T12 BEHIND ACFT STAND NR D5 TO D8

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 5/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

VTBDC4653/26 (17 AUG 26)

18 AUG 2026 02:00-18 AUG 2026 09:00
ACFT STAND NR C7 AND NR C9 CLSD DUE TO WIP

*VTBDC4652/26 (17 AUG 26)

17 AUG 2026 19:00-20 AUG 2026 23:30
17 20 1900-2330
RWY 01/19 CLSD DUE TO WIP

VTBDC4616/26 (14 AUG 26)

16 AUG 2026 22:30-18 AUG 2026 08:00
TWY C9 CLSD DUE TO WIP

// (COM-INFO)//

THA 00064/25 (09 AUG 26)

VTBS:--REF AIP SUP A53/25:
RETIls U/S:
RWY 01/19: TWYs B3, B5, B7, B8, B10 and B11
RWY 02R/20L: TWYs E5, E7, E9, E12, E13, E15.

--REF AIP SUP A13/25:
1) The Visual Docking Guidance System (VDGS) at the ACFT stands 101 - 114 are U/S. (14 ACFT stands).
2) Airlines or Ground service providers shall provide a License Mechanic performed as Marshaller to guide the aircraft from taxilane to the parking position.
3) The ACFT are strongly advised to strictly follow the Marshaller's signal.

--REF AIP SUP A54/24:
DVOR/DME (SVB) (133932.5N 1004353.2E) (111.4 MHZ, CH51X) temporary suspended from 28 November 2024 at 0001 UTC to 02 October 2026 at 0949 UTC.

--REF AIP SUP A01/25:
Taxiway C between Taxilane T1 and Taxilane T2, Taxiway C1 closed.

OB Company Safety NOTAM-BKK##

THA 00161/26 (09 AUG 26)

// (SEE ATTCH)//

VTBDC4473/26 (07 AUG 26)

ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (A-VDGS)
ACFT STAND NR 119 505 AND 520 U/S DUE TO MAINT
RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

VTBDC4316/26 (05 AUG 26)

TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY E BTN TWY D1 AND TWY D2
-TWY D1
-TWY D BEHIND ACFT STAND NR 516-525

VTBDC4026/26 (20 JUL 26)

ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (A-VDGS)
ACFT STAND NR 501 U/S DUE TO MAINT
RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

VTBDC3521/26 (11 JUL 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
AD 2-VTBS-1 AD 2.4 HANDLING SER AND FAC
AD 2.20 LCA AD REGULATIONS

LSZH / ZRH

// (COM-INFO) //

THA 00226/26 (11 AUG 26)

LSZH:--Ref SUP 03/2026:
Replacement of GP RWY 28
Expected from 16 APR 2026 until 02 SEP 2026 included.
GP 28 back in OPR on 03 SEP 2026.

Due to its end of life, GP RWY 28 navaid will be replaced.
LOC and DME RWY 28 remain operational during the
GP RWY 28 replacement phase.

RWY 28
ILS RWY 28 CNL

The following Instrument Approach Procedures remain in force

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 6/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LOC RWY 28
RNP RWY 28

--REF AIP SUP 02/2026:
ACFT up to code letter C that are not able to accept tailwind
component up to 10KT to depart RWY 28 have to anticipate
extended start-up delays when requesting an alternate departure
RWY due to dependant RWY OPS.

--REF AIP SUP 06/25:
Until 2028 EST: TWY N MAX wingspan 36m/118ft east of stand B35.

// (COM-INFO)//

THA 00046/23 (11 AUG 26)

COM INFO:--The correct VHF frequency to contact
Swissport OCC at ZRH is 131.655
(ISSUED 01JUN26/REF EMAIL SMT ZRH/UFN)

--TG970; SUMMER SKED STA 0550Z /NOT APPLY ISTREAM PROCEDURE.
(ISSUED 28MAR23/REF TO EMAIL BKKOC/UFN)

LSSNA0613/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
TWY E BTN RWY 28 AND TWY E4 AND LINK 6 CLSD DUE TO WIP.
AREA MARKED AND LGTD.

LSSNA0612/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
EXIT TWY E NORTH FM RWY 28 CLSD DUE TO WIP. AREA MARKED AND LGT.

LSSNA0615/26 (11 AUG 26)

17 AUG 2026 19:00-27 OCT 2026 05:00
TWY E BTN RWY 28 AND TWY LINK 6 AND ALL TURNS THEREOF CL LGT MIS.

LSSNA0610/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
CODE F ACFT PARKED ON APN NORTH NO DEP RWY 34 POSS.

LSSNA0611/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
EXIT TWY E5 AND TWY B EAST FM RWY 16/34 CLSD DUE TO WIP.
AREA MARKED AND LGTD.

LSSNA0614/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
TWY B WEST OF RWY 16 EXP TAX TO APN NORTH VIA RWY 34.
REF AIP SUP 006/2026.

*LSSNA0607/26 (11 AUG 26)

17 AUG 2026 21:00-18 AUG 2026 04:00
AD CLSD DUE TO WIP AFT LAST SKED FLT.
ACTUAL CLOSURE BCST ON ATIS.

LSSNA0604/26 (11 AUG 26)

18 AUG 2026 03:00-25 NOV 2026 04:00
TWY K BTN TWY A AND TWY INNER NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 001/2026 PHASE II.

LSSNA0602/26 (11 AUG 26)

18 AUG 2026 03:00-25 NOV 2026 04:00
TWY INNER BTN TWY J AND TWY K AND TWY K SOUTH OF RWY 28 NO
SINGLE ENG OPS AVBL FOR MULTIENGINE ACFT.

LSSNA0603/26 (11 AUG 26)

18 AUG 2026 03:00-25 NOV 2026 04:00
TWY INNER EAST OF TWY K CLSD. REF AIP SUP 001/2026 PHASE II.

LSSNA0600/26 (11 AUG 26)

18 AUG 2026 03:00-25 NOV 2026 04:00
TWY INNER BTN TWY J AND TWY K NO CL LGT PROVIDED. TAX WITH CTN.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 7/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

REF AIP SUP 001/2026 PHASE II.

LSSNA0601/26 (11 AUG 26)

18 AUG 2026 03:00-25 NOV 2026 04:00
"ACFT STANDS H11, H12, H13 AND H14 CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE II."

LSSNA0592/26 (11 AUG 26)

TWY INNER RESTRICTED TO CODE C ACFT. USE MNM PWR ONLY.

LSSNA0593/26 (11 AUG 26)

TWY J SOUTH OF TWY A RESTRICTED TO CODE C ACFT.

LSSNA0589/26 (11 AUG 26)

"IAP ILS RWY 14 CAT I APCH MINIMA CHANGED:
NEW OCA (OCH) IN FT
CAT A 1565 (163), CAT B 1573 (171), CAT C 1583 (181),
CAT D 1595 (193), CAT DL 1605 (203)
NEW DA (DH) IN FT
CAT A/B/C/D 1602 (200), CAT DL 1605 (203)
DISREGARD NOTE 'RDO ALTIMETER READING AT CAT I DH 187FT, FOR LOWER
MINIMA PPR FOCA'.
REF AIP LSZH AD 2.24.10.1-3"

LSSNA0588/26 (11 AUG 26)

"IAP ILS RWY 14 CAT II APCH MINIMA CHANGED:
ALL OCA AND DA VALUES NOT APPLICABLE.
NEW OCH IN FT:
RDO ALTIMETER CAT A 67, CAT B 76, CAT C 87, CAT D 103, CAT DL 108
RDO ALTIMETER AND AUTOPILOT CAT A 63, CAT B 72, CAT C 85, CAT D 102
CAT DL 106.
NEW DH IN FT:
RDO ALTIMETER CAT A/B/C 100, CAT D 103, CAT DL 108
RDO ALTIMETER AND AUTOPILOT CAT A/B/C 100, CAT D 102, CAT DL 106.
DISREGARD NOTE 'RDO ALTIMETER READING AT CAT II DH 95FT, FOR LOWER
MINIMA PPR FOCA'.
REF AIP LSZH AD 2.24.10.1-3"

*LSSNA0569/26 (11 AUG 26)

"AD NOT TO BE PLANNED AS ALTN FOR ACFT CODE D, E AND F DUE TO
PRKG CONGESTION. EXC HOME BASED CARRIERS."

LSSNA0564/26 (11 AUG 26)

TWY A BTN TWY E AND TWY J CL LGT MIS.

LSSNA0560/26 (11 AUG 26)

"TWY E BTN TWY E9 AND ABM STAND D15 NO CL LGT PROVIDED.
TAX ON TEMPO MARKED TWY CL.
FOR ACFT CODE E SPECIAL RQMNTS WITH FLW ME FOR TAX.
REF AIP SUP 004/2026, AREA II."

LSSNA0559/26 (11 AUG 26)

CONST WIP AT HLP WEST. LOOSE MATERIAL MAY CAUSE DUST AND BROWNOUT
COND DRG ARR/DEP.

LSSNA0555/26 (11 AUG 26)

"ACFT STAND A44 AND B31 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

LSSNA0556/26 (11 AUG 26)

"TWY N EAST OF ACFT STAND B35 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

LSSNA0551/26 (11 AUG 26)

TWY E CLSD BTN TWY F AND LINK 6 DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

LSSNA0553/26 (11 AUG 26)

TWY LINK 7 CLSD DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

LSSNA0552/26 (11 AUG 26)

TWY E4 CLSD DUE TO WIP. AREA MARKED AND LGTD.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 8/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

I-STREAM PROC##

THA 00206/19 (10 JUL 26)

LSZH:--AFTER TOP OF CLIMB, PLEASE SEND ETO IAF
(THE LAST WAYPOINT OF THE ATC FLIGHT PLAN) TO BKKOP TO COMPLY WITH
LSZH I-STREAM PROCEDURE.
(ISSUED 29OCT25/BKKOC/UFN)

LSSNA0549/26 (10 JUL 26)

"SID RWY 16 - STRAIGHT AHEAD AND TURN:
SAT 2S PDG CHANGED TO 6.6 PCT TO 5000FT.
REF AIP LSZH AD 2.22, 1.1.6."

LSSNA0472/26 (10 JUL 26)

TWY P CL LGT MIS.

LSSNA0471/26 (10 JUL 26)

DE-ICING PAD F BTN TWY E AND LINK 6 CL LGT AND APN STOP BARS MIS.

LSSNA0473/26 (10 JUL 26)

22 JUN 2026 19:00-18 AUG 2026 04:00
TWY B EAST OF TWY K AND TWY Z CL LGT MIS.

LSSNA0470/26 (10 JUL 26)

IAC LOC RWY 28:
MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 5900FT DUE TO ASP
RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-5.

LSSNA0466/26 (10 JUL 26)

17 JUN 2026 11:33-18 AUG 2026 03:00
"ACFT STANDS H11, H12, H13 AND H14 CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I."

LSSNA0465/26 (10 JUL 26)

17 JUN 2026 11:32-18 AUG 2026 03:00
TWY INNER BTN TWY J AND TWY A NO SINGLE ENG OPS AVBL FOR
MULTIENGINE ACFT.

LSSNA0469/26 (10 JUL 26)

17 JUN 2026 11:34-18 AUG 2026 03:00
TWY K BTN TWY A AND TWY INNER CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I.

LSSNA0464/26 (10 JUL 26)

17 JUN 2026 11:30-18 AUG 2026 03:00
TWY INNER BTN TWY J AND TWY A NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 001/2026 PHASE I.

LSSNA0431/26 (10 JUL 26)

"IAC ILS RWY 14, IAC LOC RWY 14 AND IAC RNP RWY 14:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.1-3, LSZH AD 2.24.10.1-5 AND
LSZH AD 2.24.10.1-9."

LSSNA0432/26 (10 JUL 26)

IAC ILS RWY 16 AND IAC LOC RWY 16:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.2-3 AND LSZH AD 2.24.10.2-5.

LSSNA0430/26 (10 JUL 26)

IAC RNP RWY 28:
LNAV MISSED APCH: MNM CLIMB GRADIENT 4.8 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.
LNAV/VNAV MISSED APCH: MNM CLIMB GRADIENT 4.3 PCT UP TO 6100 DUE TO
ASP RESTRICTIONS CANCELLED.
LPV MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 9/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-7.

LSSNA0388/26 (01 JUN 26)

SID RWY 28 - RNAV 5:
DEGES 3W PDG CHANGED TO 6.6 PCT TO 2200 FT.
REF AIP LSZH AD 2.22 1.1.3.

*LSSNA0376/26 (01 JUN 26)

"SUN-THU 2100-2359, MON-FRI 0000-0400"
RWY 10/28 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

*LSSNA0375/26 (01 JUN 26)

"SUN-THU 2100-2359, MON-FRI 0000-0400"
RWY 16/34 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

LSSNA0345/26 (16 MAY 26)

TWY E BTN TWY E7 AND TWY E8 WIP. TAX ON TEMPO MARKED CL.
NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 004/2026 AREA I.

LSSNA0344/26 (16 MAY 26)

TEMPO TWY E RESTRICTED TO CODE E ONLY. MAX WING SPAN 65M.
REF AIP SUP 004/2026 AREA I.

LSSNA0165/26 (26 MAR 26)

REF AIP SUP 003/26:
RWY 28 ILS GP 333.050 U/S DUE TO RPLC.
IAC ILS RWY 28 (LSZH AD 2.24.10.3-3) CANCELLED.

LSSNA0041/26 (28 JAN 26)

"SID RWY 16 - RNAV 5:
VEBIT 4S PDG CHANGED TO 5.3 PCT TO 2100FT.
REF AIP LSZH 2.22, 1.1.2."

LSSNA0368/22 (09 NOV 23)

"SID RWY 16 VEBIT 1T NOT AVBL FOR BOEING 777 ACFT.
IN CASE SID RWY 16 VEBIT 4S ALSO NOT AVBL, BOEING 777 DEP ON
RWY 16 SHALL REFILE FPL VIA EXIT FIX DEGES."

EDDS / STR

EDDZA3523/26 (06 AUG 26)

"SID CHANGED DUE TO NAVAID COVERAGE OF LBU VOR/DME:
ROTWE 5B: ADD RMK: CLIMB WITH 4.5PCT (275 FT/NM) UNTIL PASSING 5000.
AFTER PASSING 5000 BRNAV EQPT NECESSARY.
GPS/FMS RNAV OVERLAYS REMAIN UNCHANGED.
REF AIP AD 2 EDDS 5-7-2 EFF 28 NOV 2024, 5-7-3 DATED 10 JUL 2025."
08 JUL 26 13:22 UNTIL 08 OCT 26 12:30 ESTIMATED

EDDZA1597/26 (07 JUN 26)

"LUBURG VOR/DME LBU 109.20MHZ/CH29X, VOR PART USABLE ONLY UP TO
29NM ON R277."

EDDZA1595/26 (07 JUN 26)

MISSED APCH PROC CHANGED DUE TO COVERAGE OF STG DVOR/DME:
ILS OR LOC AND VOR RWY 25: DISREGARD R277 STG. USE R223 LBU ONLY.
REF AIP AD2 EDDS 4-2-1 AND 4-3-1 BOTH DATED 10 JUL 2025.

EDDZA3608/22 (09 NOV 23)

"KARLSRUHE DVOR/DME KRH 115.95/CH106Y DME NOT USABLE:

IN SECTOR 68DEG TO 315DEG CW
0 NM - 10 NM BELOW 4000 FT MSL,
10 NM - 20 NM BELOW 7200 FT MSL,
20 NM - 30 NM BELOW 10600 FT MSL,
30 NM - 40 NM BELOW 14000 FT MSL,
40 NM - 50 NM BELOW 17700 FT MSL,
50NM - 60 NM BELOW 21400 FT MSL,

IN SECTOR 315DEG TO 68DEG CW
0 NM - 10 NM BELOW 2000 FT MSL,
10 NM - 20 NM BELOW 3300 FT MSL,
20 NM - 30 NM BELOW 4700 FT MSL,

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 10/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

30 NM - 40 NM BELOW 6200 FT MSL."

ADDITIONAL INFORMATION

LFSB / BSL

*LFFAA5242/26 (10 AUG 26)

17 AUG 2026 22:30-03 OCT 2026 03:00
MON-SAT 2230-0300
RWY 07/25 AND 15/33 CLOSED

LFFAA5179/26 (05 AUG 26)

TRIGGER NOTAM - AIP SUP 143/26 MODIFIED.
EVALUATION OF TWO RNP SID AND A PINS DEPARTURE FROM 'BASEL-MULHOUSE'
TO 'LFN JURA SUISSE'. THESE PROCEDURES ARE EXCLUSIVELY RESERVED FOR
SWISS AIR GUARD HELICOPTERS ('REGA').

NEW DATES OF VALIDITY : FM 01 OCT 2026 0000 TO 07 JUL 2027 2359.

THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA4422/26 (01 JUL 26)

"'RADIOCOMMUNICATIONS' INSTRUCTIONS ON DEPARTURE AND ON ARRIVAL,
FOR AIRCRAFT NOT 8.33KHZ EQUIPPED, HAVE BEEN REMOVED.
REF AIP FRANCE AD 2 LFSB.23.5"

// (COM-INFO)//

THA 00404/17 (19 JUN 26)

COM-INFO:--LFSB AERODROME IS CLASSIFIED AS GROUP B. (REF SAI)

LFFAA3963/26 (19 JUN 26)

"TWY E, F, G, H LIMITED TO ACFT WITH A WINGSPAN LESS THAN 36M ."

*LFFAA3407/26 (07 JUN 26)

RWY 07 : RWY CLOSED FOR TKOF

LFFAA3195/26 (07 JUN 26)

"OACI 1/500 000 CHART - SPACE CLASSES OF TMA BALE AND VERTICAL
LIMITS :
- BALE TMA AZ2 :
READ D CLASS FROM 5500 TO FL100 AND C CLASS FROM FL100 TO FL105
(INSTEAD OF E CLASS FROM 5500 TO FL100 AND D CLASS FROM FL100 TO
FL105)
- BALE TMA AZ3S :
READ E CLASS FROM 2000 TO 6500 AND C CLASS FROM 6500 TO FL105
(INSTEAD OF E CLASS FROM 2000 TO 6000 AND D CLASS FROM 6000 TO FL105)
- BALE TMA SW2 :
READ E CLASS FROM 1000 ASFC TO 4500, D CLASS FROM 4500 TO FL100, AND
C CLASS FROM FL100 TO FL115
(INSTEAD OF E CLASS FROM 4500 TO FL100 AND D CLASS FROM FL100 TO
FL115)"

LFFAA6927/25 (13 DEC 25)

TRIGGER NOTAM - AIRAC AIP SUP 208/25.
MODIFICATION OF RNAV SID RWY 15 (EVALUATION).
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA5135/25 (04 OCT 25)

"TRIGGER NOTAM - AIRAC AIP SUP 140/25 MODIFIED :
EVALUATION OF AN OPTIONAL IAF 'ZONPE' RWY 15.

CHANGE OF AIP SUP DATES :
START DATE : 25 SEPTEMBER 2025 (INSTEAD OF 04 SEPTEMBER 2025).
END DATE : NO CHANGE

MODIFICATION :
DUE TO LF-D253, THE MOCA IS 4000FT BETWEEN 'ZONPE' AND 'IVDEV'.

THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR"

LIMC / MXP

LIIAA4210/26 (17 AUG 26)

17 AUG 2026 23:00-18 AUG 2026 03:30

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 11/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

FLW TWY CLSD DUE TO WIP:
TWY K BTN APN TWY V (EXCLUDED) AND APN TWY Z (INCLUDED)
APN TWY Z BTN TWY W AND APN TWY Y (BOTH EXCLUDED)
RMK: ICAO SIGNALS PROVIDED
REF AIP AD 2 LIMC 2-1 AND 2-11

*LIIAA4209/26 (17 AUG 26)

17 AUG 2026 22:00-18 AUG 2026 03:30
RWY 17L/35R CLOSED DUE TO WIP.
RWY 17R/35L OPEN.
RMK: LGT SYSTEM RWY 17L/35R ON TEST.
REF AIP AD 2 LIMC 2-1

LIIAA4121/26 (09 AUG 26)

ACFT STANDS 511 AND 512 CLOSED DUE TO WIP
RMK: ICAO SIGNALS PROVIDED.
REF AIP AD 2 LIMC 2-9

LIIAA3917/26 (04 AUG 26)

MARSHALLING ASSISTANCE MANDATORY FOR ALL MOV TOWARDS
ACFT STANDS 715 AND 718 DUE TO UNAVAILABILITY OF
VISUAL DOCKING/PARKING GUIDANCE SYSTEM
REF AIP AD 2 LIMC 1-20 AND 2-11

LIIAA3617/26 (04 AUG 26)

TRANSITION SEGMENT TO ENROUTE (TSE)
FLW TRANSITION SEGMENT TO ENROUTE RWY 35R ARE SUSPENDED:
- VOG 7J
- ROBAS 5J
- OSKOR 6P
REF AIP AD 2 LIMC 6-39 AND 6-41
06 AUG 26 00:00 UNTIL 30 SEP 26 23:59 ESTIMATED

LIIAA3463/26 (10 JUL 26)

SUP S32/26 'MILANO/MALPENSA (LIMC): FIRST ROUND
ACTIVATION OF NOISE ABATEMENT INITIAL CLIMB PROCEDURES
AND SIDS RNAV 1 RWY35R AND RWY17L/R MODIFICATION AS
STATED BY MXP NOISE COMMISSION EX DM31/10/97 ON MARCH
17TH 2025' IS TO BE CONSIDERED CANCELED DUE TO COMING
IN FORCE OF AIRAC A08/2026

LIIAA3215/26 (10 JUL 26)

"TRIGGER NOTAM-PERM AIP AIRAC AMDT 8/26 EFFECTIVE DATE 06 AUG 2026
MILANO/MALPENSA AD
REVIEW, RENAMING, RENUMBERING OF SID AND IMPLEMENTATION OF THE FLW:
-SID RNAV 1 RWY 17L/R
-SID RWY 17L/R.
AIRAC IS POSTED AND AVBL ON WEBSITE WWW.ENAV.IT"

LIIAA3116/26 (10 JUL 26)

NIGHT RESTRICTIONS.
NOISE ABATEMENT SCENARIOS WILL BE IN FORCE FM HR 2200 TO 0400
WITHOUT 15 MINUTES TOLERANCE.
REF AIP AD 2 LIMC 1-31

LIIAA2954/26 (10 JUL 26)

"RUNWAY GUARD LIGHTS (RGL) CAT II/III LOCATED ON TWY CA, BE,
BW, EM, EW, DE, DM, F AND WB UNSERVICABLE
REF AIP AD 2 LIMC 2-1"

LIIAA2939/26 (10 JUL 26)

TWY K BTN APN TWY N AND APN TWY T (BOTH INCLUDED)
DOWNGRADED AND AVBL ONLY FOR ACFT WITH WINGSPAN UP TO 68.5M
REF AIP AD 2 LIMC 2-1 AND 2-19

LIIAA2783/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Z RWY 17R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1150 (386)
CAT B 1162 (398)
CAT C 1170 (406)
CAT D 1181 (417)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-45
04 JUN 26 14:15 UNTIL 01 SEP 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 12/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LIIAA2766/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP RWY 35R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1120 (429)
CAT B 1132 (441)
CAT C 1140 (449)
CAT D 1151 (460)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-21
04 JUN 26 13:24 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2767/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Y RWY 17R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1150 (386)
CAT B 1162 (398)
CAT C 1170 (406)
CAT D 1181 (417)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-49
04 JUN 26 13:25 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2764/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Y RWY 17L
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1124 (379)
CAT B 1135 (390)
CAT C 1147 (402)
CAT D 1158 (413)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-41
04 JUN 26 13:09 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2762/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Z RWY 17L
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1124 (379)
CAT B 1135 (390)
CAT C 1147 (402)
CAT D 1158 (413)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-37
04 JUN 26 12:45 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA6815/25 (22 JAN 26)

"INSTRUMENT APCH PROCEDURE CHARTS:
- ILS Z RWY35L
- RNP RWY35L
- ILS Z RWY35R
- RNP RWY35R
- ILS OR LOC Z RWY17L
- ILS OR LOC Y RWY17L
- VOR RWY17L
- RNP Z RWY17L
- RNP Y RWY17L
- RNP Z RWY17R
- RNP Y RWY17R
ALL VALUES OF MOCA (MINIMUM OBSTACLE CLEARANCE ALTITUDE) IN PROFILE
VIEW SHALL BE RAISED TO THE LOWER ALTITUDE OF THE RELATED SEGMENT
OF THE PROCEDURE.
REF AIP AD 2 LIMC 5-3, 5-9, 5-15, 5-21, 5-27, 5-31, 5-33, 5-37, 5-41,
5-45 AND 5-49"

LIIAA6307/22 (13 JUL 24)

"REF AIP AD 2 LIMC 1-9 ITEM 18 'ATS COMMUNICATION FACILITIES'
REFERRING TO SERVICE 'TWR' CALL SIGN 'MALPENSA TWR'
FREQUENCY 119.000MHZ CHANGE AS FLW:
- IN COLUMN 3 'FREQUENCY MHZ' TO READ 123.600MHZ INSTEAD
OF 119.000MHZ
MODIFY ACCORDINGLY TO THE ABOVE INFORMATIONS CONTENT OF RELEVANT
BOXES IN AIP AD 2 LIMC SECTION 1-1 AND FOLLOWING 2, 4, 5 AND 6"

LIIAA3475/22 (13 JUL 24)

REF AIP AD 2 LIMC 1-12 ITEM 20 'LOCAL TRAFFIC REGULATIONS'
BOX 2 'APRON' PARAGRAPH 2.1 'ORDERLY MOVEMENT OF AIRCRAFT ON
APRONS' INDENT 4 'SERVICES PROVIDED' POINT C) 'FOLLOW-ME ASSISTANCE

PROVIDED ON PILOT'S REQUEST AND MANDATORY IN CASE' ADD THE FOLLOWING
IN CASE:
- GENERAL AVIATION AIRCRAFT UP TO ICAO CODE B (MAXIMUM WINGSPAN 24 METERS) AND HELICOPTERS ARRIVING AND DEPARTING FROM STANDS 301 TO 320 AND FROM 330 TO 336.
ARR TAXI ROUTE: AFTER TWR INSTRUCTIONS VIA APN TAXIWAY P-K TO INTERMEDIATE HOLDING POSITION (IHP) K9 WHERE FOLLOW-ME CAR WILL BE WAITING.
DEP TAXI ROUTE: AFTER TWR INSTRUCTIONS AND WITH FOLLOW-ME ASSISTANCE VIA APN TAXIWAY N-K TO IHP K8

EDDM / MUC

EDDZA4152/26 (13 AUG 26)

"OCA(H) VALUES RAISED:
LPV RWY 08L: A 1748 (317), B 1793 (326), C 1802 (335), D 1868 (401)FT.
LPV RWY 08R: A 1909 (423), B 1917 (431), C 1925 (439), D 1934 (448)FT.
LPV RWY 26L: A 1785 (315), B 1794 (324), C 1803 (333), D 1888 (418)FT.
LPV RWY 26R: A 1908 (459), B 1917 (468), C 1925 (476), D 1933 (484)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT FOR SOME NAV SYSTEMS AUTHORISED FOR LPV OPS."
13 AUG 26 11:54 UNTIL 12 NOV 26 23:59 ESTIMATED

EDDZA4084/26 (11 AUG 26)

17 AUG 2026 08:00-18 AUG 2026 12:00
DAILY 0800-1200
"OTTERSBERG DVOR/DME OTT 112.30MHZ/CH70X, DME-PART ON MAINT. DO NOT USE, FALSE INDICATION POSS."

EDDZA4045/26 (07 AUG 26)

17 AUG 2026 08:00-18 AUG 2026 12:00
DAILY 0800-1200
"CHANGES TO STAR DUE TO MAINT OF OTT DME:
BETOS 1A/1B AND NAPSA 4A/1B: BRNAV EQUIPMENT NECESSARY.

HLDG PROC AT NAPSA, BETOS, ROKIL AND LANDU: BRNAV EQUIPMENT WITH HOLDING FUNCTIONALITY NECESSARY. IF UNABLE TO COMPLY, ADVISE ATC.

REF AIP PAGES AD 2 EDDM 3-1-1, 3-1-3, 3-1-5, 3-1-6, 3-1-7, 3-1-8 ALL DATED 02 OCT 2025, 3-1-2, 3-1-4 BOTH EFFECTIVE 12 AUG 2021."

EDDZA4044/26 (07 AUG 26)

17 AUG 2026 08:00-18 AUG 2026 12:00
DAILY 0800-1200
"CHANGES TO APCH DUE TO MAINT OF OTT DME:
RWY 08R: REPLACE 4.0 DME OTT BY 24.4 DME MAH.
REF AIP PAGES AD 2 EDDM 4-2-2, 4-4-2 BOTH EFF 28 NOV 2024."

EDDZA3304/26 (08 JUL 26)

MSA BASED ON MNW NDB RAISED TO 4000FT MSL.
INFORMATION WILL BE PUBLISHED PERM IN AIP EFF 29.10.2026.
13 JUL 26 00:00 UNTIL 13 OCT 26 23:29 ESTIMATED

EDDZA3102/26 (08 JUL 26)

TWY N3 CLSD.

EDDZA2968/26 (08 JUL 26)

ILS RWY 26L U/S.
08 JUN 26 07:00 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA2802/26 (08 JUL 26)

RWY 26L WIP WI LOC AND GP SAFETY ZONES.

EDDZA2752/26 (08 JUL 26)

TXL E2 CLSD BTN ACFT STAND 254 AND 256.

EDDZA2753/26 (08 JUL 26)

TXL CENTER2 LTD TO ACFT ICAO CODE LETTER C BTN ACFT STAND 254 AND 256.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 14/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

EDDZA2517/26 (08 JUL 26)

CHANGES TO APCH DUE TO RENEWAL OF ILS RWY 26L (IMSW):
RWY 26L: ILS AND LOC APCH TEMPO SUSPENDED.
RNP APPROACH AVAILABLE ONLY.
DURING PARALLEL OPERATIONS (ANOUNCED ON ATIS) LNAV NOT AUTHORIZED
LNAV/VNAV OR LPV TO BE USED ONLY. IF UNABLE INFORM ATC ON INITIAL
CONTACT.

EDDZA6255/25 (28 JAN 26)

"CHANGES TO SID DUE TO COVERAGE OF WLD DVOR/DME: RWY 26R: GIVMI 1N:
AMEND ON HEADING 299 DEG TO INTERCEPT R119 WLD, ON R119 WLD TO READ
ON TRACK 299 DEG. CLIMB WITH 4.9 PER CENT (300 FT/NM) UNTIL PASSING
3700. AFTER PASSING 3700 BRNAV EQUIPMENT NECESSARY. REF AIP AD 2
EDDM 5-7-37 EFF 23 MAY 2019, 5-7-41 DATED 02 OCT 2025."

EDDZA6227/25 (28 JAN 26)

"MUENCHEN ILS DME (IMNE) CH32X/109.5MHZ ASSOCIATED WITH ILS RWY
08L LOC COVERAGE UP TO 17NM IN SECTOR 33DEG (LEFT) TO 35DEG (RIGHT)
IN RELATION TO RCL AND DISTANCE TO LOC, MNM INTERCEPTION ALT IN THIS
AREA 3500FT AMSL."

ENROUTE INFORMATION

ASP / ASIA/PACIFIC

N I L

THA / THAILAND

N I L

VTBB / BANGKOK FIR

VTBDC4676/26 (17 AUG 26)

18 AUG 2026 00:00-18 AUG 2026 23:59
CDR Y5 (RNAV 2) AVBL FOR FLIGHT PLANNING AS FLW:
PERIOD : MEA LOWER/UPPER LIMITS
0000-2359 FL130/FL460

VTBDH0960/26 (17 AUG 26)

17 AUG 2026 16:15-17 AUG 2026 17:32
"THE AIRSPACE HERE UNDER UPGRADED TO PINK AWY, LATERAL LIMITS
5NM EITHER SIDE OF THE ROUTE AND THE MENTIONED AIRSPACE WILL BE
RELEASED AS VACATED 15MIN AFTER VIP ACFT HAS PASSED THE KNOWN
POSITION ALONG THE ESTABLISHED ROUTE:
AAA: VTBS/Y16/LIPLI FM GND UP TO FL390
BBB: LIPLI/Y16/BUTRA FM FL350 TO FL390"
F) GND
G) FL390

VTBDH0957/26 (17 AUG 26)

18 AUG 2026 01:15-18 AUG 2026 02:20
"THE AIRSPACE HEREUNDER UPGRADED TO PINK AWY, LATERAL LIMITS
5NM EITHER SIDE OF THE ROUTE AND THE MENTIONED AIRSPACE WILL BE
RELEASED AS VACATED 15 MIN AFTER VIP ACFT HAS PASSED THE KNOWN
POSITION ALONG THE ESTABLISHED ROUTE:
AAA: VTBD/A1/SELKA FM GND UP TO FL210
BBB: SELKA/A1/142558N1020944E FM FL170 TO FL210
CCC: 142558N1020944E/A1/TOPER/W42/RAMEI/W38/VTUO
FM GND UP TO FL210"
F) SFC
G) FL210

VTBDC4645/26 (16 AUG 26)

17 AUG 2026 00:00-17 AUG 2026 23:59
CDR Y5 (RNAV 2) AVBL FOR FLIGHT PLANNING AS FLW:
PERIOD : MEA LOWER/UPPER LIMITS
0000-2359 FL130/FL460

*VTBDJ6143/26 (13 AUG 26)

16 18 2200-1400
"GUN FRNG WILL TAKE PLACE WI AREA
145856.40N1005025.30E-145831.90N1005104.30E-145549.90N1004936.20E-
145621.80N1004857.80E-145856.40N1005025.30E (MUEANG,
PHATTHANA NIKHOM AND KHOK SAMRONG DISTRICT LOP BURI PROVINCE)"

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 15/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

F) GND
G) 15000FT AGL

// (COM-INFO)//

THA 00126/26 (10 AUG 26)

COM INFO:--REF AIP SUP A19/26;

1

INTRODUCTION

With effect from 14 May 2026 at 0001 UTC to 31 December 2026 at 0001 UTC, the purpose of this AIRAC AIP Supplement is to inform all concerned regarding Temporary suspension of SURAT THANI DVOR/DME (STN) due to relocation details are as follows.

2

THE PERIOD OF TEMPORARY SUSPENSION

STN DVOR/DME will be temporarily suspension from 14 May 2026 at 0001 UTC to 31 December 2026 at 0001 UTC.

3

FLIGHT PROCEDURE

A temporary reporting point name SAPUD (090746.24N 0990805.09E) will be established at the same coordinates of SURAT THANI DVOR/DME (STN) for ATS routes G458, W17, W24, W28, W32 and Y8 and a portion of ATS route G458 between STN and MENEX will be suspended until STN normal operations resume.

4

FLIGHT PLANNING PROCEDURES

Reference to the AIP-THAILAND part ENR 1.10 item 4.1.1.1, 4.1.1.2 a, 4.1.1.2 b, 4.1.1.3 a, 4.1.1.3 b non-RNAV2 approved aircraft. To maintain efficiency of ATS during SURAT THANI DVOR/DME (STN) relocation, non-RNAV approved aircraft that intend to operate on G458 between SAPUD and MENEX shall file flight plan, depending on ACFT capability.

5

CONTACT

Unit: Air Traffic Navigation Systems Engineering Department, Aeronautical Radio of Thailand Ltd.

Email: pariwat.ch@aerothai.co.th

6

VALIDITY

This AIRAC AIP Supplement will remain current until 31 December 2026 at 0001 UTC. Any changes to this AIRAC AIP Supplement will be notified by NOTAM.

VTBDJ6093/26 (10 AUG 26)

18 AUG 2026 01:00-20 AUG 2026 05:30

DAILY 0100-0530

GUN FRNG WILL TAKE PLACE WI AREA

145820N1004659E-145338N1004653E-145511N1004225E-145820N1004659E

(MUEANG AND KHOK SAMRONG DISTRICT LOP BURI PROVINCE)

RMK: ACFT MAY FILE FPL ON THE AFFECTED RTE BUT EXP RADAR VECTORED

BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC

F) GND

G) 18000FT AGL

VTBDJ5859/26 (10 AUG 26)

"TEMPO RESTRICTED AREA ACT RADIUS 10NM CENTRE 182802N0972620E

(MAE SARIANG DISTRICT MAE HONG SON PROVINCE,

EXCLUDING YANGON FIR)

RMK: ACFT MAY FILE FPL ON THE AFFECTED RTE BUT EXP RADAR

VECTORED BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) GND

G) UNL

*VTBDJ5792/26 (10 AUG 26)

TRIGGER NOTAM NON-AIRAC AIP SUP A28/26 WEF 10 AUG 2026

JOINT MIL AIR EXER IN BANGKOK FIR FALCON STRIKE 2026

F) GND

G) UNL

VTBDC4027/26 (10 AUG 26)

"DUE TO VT D41A ACT FPL PROC FOR ACFT OPR FM/TO VTCC DETAIL AS FLW:

1. PERIOD MON-FRI 0000-1100

DEP/OVERFLY DEST/OVERFLY

RTE

VTCC VTCT W12 IKISU W22

VTCC PONUK R207 IKISU W22 CTR A581

VTCT VTCC W22 IKISU W12

PONUK VTCC Y27 DUBEN Y28 CRIST R207 (FOR RNAV)

PONUK VTCC A581 CTR W22 IKISU R207 (FOR NON-RNAV)

2. PERIOD MON-FRI 1101-2359, SAT SUN H24

DEP/OVERFLY DEST/OVERFLY

RTE

VTCC VTCT W20

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 16/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

VTCC	PONUK	A581
VTCT	VTCC	W20
PONUK	VTCC	A581"

VTBDJ5614/26 (10 AUG 26)

DAILY 0100-0230 0600-1100

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA 3NM EITHER SIDE OF
A LINE: 143000.00N1022800.00E-143107.26N1051100.12E
(SI SAKET, UBON RATCHATHANI, BURIRAM, SURIN AND
NAKHON RATCHASIMA PROVINCE)
RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED
BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) FL200
G) FL250

VTBDJ5613/26 (10 AUG 26)

DAILY 0100-0230 0600-1100

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA 3NM EITHER SIDE OF
A LINE:151638.34N1001745.12E-145407.02N1004920.52E-
143000.00N1022800.00E
(CHAINAT, NAKHON SAWAN, SARABURI, LOP BURI, BURI RAM
AND NAKHON RATCHASIMA PROVINCE)
RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED
BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) FL150
G) FL200

VTBDJ5304/26 (10 AUG 26)

"JUN 29 0815-2359, JUN 30 0000-1659 2200-2359, JUL 01 2200-SEP 30
1659"

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA
144705N1033019E-143541N1051246E-142051N1051232E-
141826N1030616E-142521N1030558E-144705N1033019E
(SI SAKET, UBON RATCHATHANI, BURIRAM AND SURIN PROVINCE
EXCLUDING PHNOM PENH FIR)
RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED BY
ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) 8000FT AMSL
G) FL170

VTBDC3518/26 (10 AUG 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.

GEN 0.4 CHECKLIST OF AIP PAGES
GEN 3.2 ANC
GEN 4.1 AD/HLP CHARGES
ENR 1.8 REGIONAL SUPPLEMENTARY PROC
ENR 1.9 ATFM AND AIRSPACE MANAGEMENT

VTBDC2855/26 (10 AUG 26)

"AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM
THE DEMOCRATIC REPUBLIC OF THE CONGO AND THE REPUBLIC OF UGANDA
1. PURSUANT TO THE RESOLUTION OF THE NATIONAL COMMUNICABLE DISEASE
COMMITTEE, EFFECTIVE FROM 27 MAY 2026 AT 1800 HOURS (LOCAL TIME)
ONWARDS, PASSENGERS AND CREW MEMBERS DEPARTING FROM THE DEMOCRATIC
REPUBLIC OF THE CONGO (DR CONGO) AND THE REPUBLIC OF UGANDA SHALL BE
PERMITTED TO ENTER THE KINGDOM OF THAILAND ONLY VIA SUVARNABHUMI
AIRPORT AND SHALL BE SUBJECT TO A MANDATORY QUARANTINE PERIOD OF
TWENTY-ONE (21) DAYS, CALCULATED FROM THE DATE OF DEPARTURE FROM
THE AFFECTED AREAS, IN ACCORDANCE WITH THE PRESCRIBED PUBLIC
HEALTH PROCEDURES.
2. ALL AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM
THE ABOVE-MENTIONED AREAS ARE REQUESTED TO COMPLY WITH AND IMPLEMENT
THE PRESCRIBED MEASURES ACCORDINGLY."

MMR / MYANMAR
N I L

VYYF / YANGON FIR
N I L

IND / INDIA
N I L

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 17/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

VECF / KOLKATA FIR

*VECCA1726/26 (17 AUG 26)

18 AUG 2026 03:30-18 AUG 2026 10:30
0330-0630 0830-1030
"AERIAL ACT INPR WI AREA BOUNDED BY COORD:
POINT A- 213743.62N 0872834.92E
POINT B- 210849.56N 0881029.76E
POINT C- 204027.18N 0874245.12E
POINT D- 211706.60N 0864921.60E
AND
POINT A- 213743.62N 0872834.92E EXC COMMON AREA OF VED-53.
NO OVER FLY ACT IS APPROVED WI THE ABV MENTIONED DNG AREA. DRG THE
HR OF ACT, THE FLW ATS RTE/SEGMENTS ARE RERTE/NOT AVBL IN KOLKATA
FIR:
1. Q10 NOT AVBL BTN BUMRO AND CEA.
2. Q11 NOT AVBL BTN CEA AND MAVLA.
3. A465 NOT AVBL BTN LEGOS AND KAKID. ALTN RTE:
CEA-G450-JJS-DCT-JRS-DCT-VVZ. (BIDIRECTIONAL)
4. W41 NOT AVBL BTN LEGOS AND KAKID. ATLN RTE:
CEA-G450-JJS-DCT-JRS-W50-BBS. (BIDIRECTIONAL)"
F) SFC
G) 50000FT AMSL

VOMMA2550/26 (17 AUG 26)

18 AUG 2026 00:00-18 AUG 2026 23:59
AIRSPACE USE PLAN (AUP)
TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW:
NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL
1 TRA503(A) ?PUNE? 0130 1200 FL325 FL460
2 TRA503(A) ?PUNE? 1330 1730 FL325 FL460
3 TRA503(B) ?PUNE? 0130 1200 FL325 FL460
4 TRA503(B) ?PUNE? 1330 1730 FL325 FL460
5 TRA509A 0000 2359 SFC FL270
6 TRA509B 0230 1730 FL270 UNL
7 TRA509C 0230 1730 FL270 UNL
8 TRA601(A) ?PANAGARH? 0147 1041 GND 4000 FT AMSL
9 TRA601(A) ?PANAGARH? 1341 1830 GND 4000 FT AMSL
10 TRA601(B) ?PANAGARH? 0147 1041 GND FL105
11 TRA601(B) ?PANAGARH? 1341 1830 GND FL105
12 TRA601(C) ?PANAGARH? 0147 1041 GND FL105
13 TRA601(C) ?PANAGARH? 1341 1830 GND FL105
14 TRA604 ?TEZPUR? 0030 1200 FL130 FL380
15 TRA607(A) ?CHABUA? 0130 1700 FL325 FL460
16 TRA607(B) ?CHABUA? 0130 1700 FL325 FL460
17 TRA607(C) ?CHABUA? 0130 1700 FL325 FL460
18 TRA608 ?GORAKHPUR? 0330 1030 FL325 FL380
19 TRA609(A) ?HASHIMARA? 0230 1130 FL325 FL500
20 TRA609(A) ?HASHIMARA? 1300 1700 FL325 FL500
21 TRA609(B) ?HASHIMARA? 0230 1130 FL325 FL500
22 TRA609(B) ?HASHIMARA? 1300 1700 FL325 FL500
23 TRA610 ?GUWAHATI? 0230 1130 FL325 FL500
24 TRA610 ?GUWAHATI? 1300 1700 FL325 FL500
25 TRA612(A) ?TEZPUR? 0030 1200 FL325 FL380
26 TRA612(B) ?TEZPUR? 0030 1200 FL325 FL380
27 TRA612(C) ?TEZPUR? 0030 1200 FL325 FL380
28 TRA805(A) ?VISHAKHAPATNAM? 0000 2359 SFC 5500 FT AMSL
29 TRA805(B) ?VISHAKHAPATNAM? 0100 1700 FL145 FL235
30 TRA805(C) ?VISHAKHAPATNAM? 0100 1700 FL235 FL275
31 TRA806(A) ?COCHIN? 0300 1730 6000 FT AMSL 6000 FT AMSL
32 TRA806(B) ?COCHIN? 0300 1730 FL060 FL170
33 TRA806(C) ?COCHIN? 0300 1730 FL150 FL170
34 TRA806(D) ?COCHIN? 0300 2100 FL060 FL130
35 TRA806(E) ?COCHIN? 0300 2100 FL060 FL170
36 TRA806(F) ?COCHIN? 0300 2100 FL060 FL130
37 TRA806(G) ?COCHIN? 0300 2100 FL060 FL170
38 TRA807(A) ?SULUR? 0230 1159 GND 9000 FT AMSL
39 TRA807(D) ?SULUR? 0230 1129 FL275 FL400
40 TRA807(D) ?SULUR? 1330 1729 FL275 FL400
41 TRA807(E) ?SULUR? 0230 1829 GND 3000 FT AMSL
42 TRA807(E) CORRIDOR1?SULUR? 0230 1829 GND 3000 FT AMSL
43 TRA807(E) CORRIDOR2?SULUR? 0230 1829 GND 5000 FT AMSL
44 TSA602 ?DUDHKUNDI? 0000 2359 GND FL215
45 TSA801(B) ?THANJAVUR? 0330 0729 MSL FL135
46 TSA801(B) ?THANJAVUR? 0830 1029 MSL FL135
47 TSA801(B) ?THANJAVUR? 1500 1829 MSL FL135
48 TSA803(A) ?VISHAKHAPATNAM? 0100 1700 SFC FL235
49 TSA803(B) ?VISHAKHAPATNAM? 0100 1700 SFC FL145

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 18/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

50 TSA803(C) ?VISHAKHAPATNAM? 0100 1700 SFC FL235
CONDITIONAL ROUTE (CDR2) AVBL AS FLW:
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 0129 FL080 FL460
2 J1 0130 0329 FL290 FL460
3 J1 0631 1130 FL290 FL460
4 J1 1131 1359 FL080 FL460
5 J1 1626 1830 FL290 FL460
6 J4 0000 0030 FL110 FL460
7 J4 0031 1241 FL330 FL460
8 J4 1242 1829 FL250 FL460
9 J4 1830 2359 FL110 FL460
10 J5 0000 0129 FL260 FL460
11 J5 1201 1
329 FL260 FL460
12 J5 1731 2359 FL260 FL460
13 J13 1230 1329 FL140 FL400
14 J13 1730 1825 FL280 FL400
15 J14 0101 0229 FL110 FL460
16 J14 0230 1129 FL410 FL460
17 J14 1130 1159 FL280 FL460
18 J14 1200 1329 FL110 FL460
19 J14 1330 1729 FL410 FL460
20 J15 0000 0229 FL110 FL460
21 J15 0230 1129 FL410 FL460
22 J15 1130 1159 FL280 FL460
23 J15 1200 1329 FL110 FL460
24 J15 1330 1729 FL410 FL460
25 J15 1730 1829 FL280 FL460
26 J15 1830 2359 FL110 FL460
27 J16 0210 0229 FL110 FL400
28 J17 0015 0300 FL110 FL460
29 J17 1130 1320 FL110 FL460
30 J17 1435 1935 FL110 FL460
31 J18 0000 0300 FL110 FL460
32 J18 1130 2359 FL110 FL460
33 J26 0000 0030 FL145 FL460
34 J26 0031 1241 FL330 FL460
35 J26 1242 1829 FL250 FL460
36 J26 1830 2359 FL145 FL460
37 J27 0000 0030 FL110 FL460
38 J27 0031 1241 FL330 FL460
39 J27 1242 1829 FL250 FL460
40 J27 1830 2359 FL110 FL460
41 J29 0000 0129 FL150 FL250
42 J29 1201 1329 FL150 FL250
43 J29 1731 2359 FL150 FL250
44 J39 0000 0129 FL170 FL460
45 J39 0130 0329 FL290 FL460
46 J39 0631 1130 FL290 FL460
47 J39 1131 1359 FL170 FL460
48 J39 1626 1830 FL290 FL460
49 J39 1831 2359 FL170 FL460
50 J41 0100 0129 FL330 FL460
51 J41 1201 1329 FL330 FL460
52 J44 0000 0207 FL110 FL210
53 J44 1139 1800 FL110 FL210
54 J45 0000 0030 FL110 FL460
55 J45 0031 1241 FL330 FL460
56 J45 1242 1829 FL250 FL460
57 J45 1830 2359 FL110 FL460
58 J46 0000 0030 FL110 FL460
59 J46 0031 1241 FL330 FL460
60 J46 1242 1829 FL250 FL460
61 J46 1830 2359 FL110 FL460
62 J47 0100 0129 FL170 FL460
63 J47 0130 0329 FL290 FL460
64 J47 0631 1130 FL290 FL460
65 J47 1131 1300 FL170 FL460
66 J48 0631 0930 FL290 FL460
67 J56 0000 2359 FL080 FL250
68 J57 0200 0229 FL080 FL250
69 J57 0230 0329 FL220 FL250
70 J57 1031 1530 FL220 FL250
71 J59 0200 1530 FL110 FL410
72 J63 0000 0030 FL110 FL410
73 J63 0031 1829 FL255 FL410
74 J63 1830 2359 FL110 FL410
75 J65 0000 0129 FL150 FL460
76 J65 1201 1329 FL150 FL460
77 J65 1731 2359 FL150 FL460

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 19/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

78 J66 0000 0030 FL110 FL250
79 J66 1330 2359 FL110 FL250
80 J67 0000 0030 FL110 FL255
81 J67 1330 2359 FL110 FL255
82 J71 0200 0329 FL330 FL460
83 J71 0330 1030 FL400 FL460
84 J71 1031 1234 FL330 FL460
85 J71 1235 1449 FL220 FL460
86 J71 1450 1730 FL330 FL460
87 J71 1731 1930 FL250 FL460
88 J71 1931 2000 FL110 FL460
89 J73 0100 0329 FL330 FL460
90 J73 0631 1300 FL330 FL460
91 J75 0000 0030 FL110 FL400
92 J75 0031 1241 FL330 FL400
93 J75 1242 1829 FL250 FL400
94 J75 1830 2359 FL110 FL400
95 J82 0000 2359 FL330 FL400
96 J83 0200 1900 FL110 FL400
97 J89 0000 0030 FL110 FL245
98 J89 1830 2359 FL110 FL245
99 J92 0200 0229 FL110 FL380
100 J92 0230 0329 FL220 FL380
101 J92 1031 1400 FL220 FL380
102 J93 0000 0030 FL150 FL460
103 J93 1830 2359 FL150 FL460
104 J95 0000 0207 FL110 FL460
105 J95 0208 0300 FL255 FL460
106 J95 1130 1138 FL255 FL460
107 J95 1139 2359 FL110 FL460
108 J96 0000 0300 FL110 FL250
109 J96 1130 2359 FL110 FL250
110 J97 0000 0030 FL080 FL245
111 J97 1830 2359 FL080 FL245
112 J98 0000 0058 FL160 FL280
113 J98 1235 1449 FL220 FL280
114 J98 1731 1930 FL250 FL280
115 J98 1931 2359 FL160 FL280
116 J104 0000 0129 FL110 FL380
117 J104 1201 1329 FL110 FL380
118 J104 1731 2359 FL110 FL380
119 J105 0230 0329 FL220 FL460
120 J105 0330 1030 FL400 FL460
121 J105 1031 1300 FL220 FL460
122 J116 0000 0129 FL080 FL250
123 J116 1201 1329 FL080 FL250
124 J116 1731 2359 FL080 FL250
125 J120 0000 2359 FL085 FL460
126 J121 0000 2359 FL085 FL460
127 J122 0000 2359 FL085 FL460
128 Z2 0000 0329 FL330 FL460
129 Z2 0330 1030 FL400 FL460
130 Z2 1031 2359 FL330 FL460
131 Z5 0000 0129 FL290 FL460
132 Z5 1201 1329 FL290 FL460
133 Z5 1731 2359 FL290 FL460
134 Z12 0000 2359 FL330 FL460
135 Z13 0000 0229 FL110 FL410
136 Z13 0230 0329 FL220 FL410
137 Z13 0330 1030 FL400 FL410
138 Z13 1031 1630 FL220 FL410
139 Z13 1631 2359 FL110 FL410
140 Z14 0000 2359 FL330 FL460

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR
AIRSPACE CLOSURES.

F) SFC

G) UNL

*VECCA1718/26 (14 AUG 26)

0130-1430

AIR DEFENCE FRNG ACT INPR WI AREA:

POINT A 191436.00N 0845342.00E

POINT B 190723.43N 0853556.19E

THEN ALONG CLOCKWISE ARC OF CIRCLE OF RADIUS 40.50NM CENTERED AT
191436.00N 0845342.00E TO

POINT C 183336.66N 0845344.68E AND

POINT A 191436.00N 0845342.00E

AND

ARMY FLY INPR WI COORD:

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 20/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

POINT A 191740.33N 0845512.40E
POINT B 191044.80N 0844722.85E
POINT C 185601.96N 0845238.50E
POINT D 191219.81N 0851455.09E AND
POINT A 191740.33N 0845512.40E
DRG THE ACT FLW RTE/RTE SEGMENTS ARE NOT AVBL/RERTE IN KOLKATA FIR:
1.Q11 NOT AVBL BTN ONATI AND POTAS.
2.A465 NOT AVBL BTN LEMEX AND NIKIR. ALTN RTE:
KAKID-DCT-BBS-DCT-MEPOL-DCT-VVZ. BIDIRECTIONAL
3.W90 NOT AVBL BTN BBS AND ENVUK. ALTN RTE:
BBS-W41-MEPOL-DCT-ENVUK. BIDIRECTIONAL
4.P628 NOT AVBL BTN URKOK AND DORIL. ALTN RTE:
URKOK-DCT-NIKIR-DCT-OPASA. WB
5.L524 NOT AVBL BTN SANUG AND DORIL. ALTN RTE:
LAMBU-DCT-TATUX-DCT-DORIL. BIDIRECTIONAL
F) SFC
G) 80000FT AMSL

VOMMA2529/26 (14 AUG 26)

17 AUG 2026 00:00-17 AUG 2026 23:59

AIRSPACE USE PLAN (AUP)

TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW:

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1 TRA503(A) PUNE 0130 1200 FL325 FL460

2 TRA503(A) PUNE 1330 1730 FL325 FL460

3 TRA503(B) PUNE 0130 1200 FL325 FL460

4 TRA503(B) PUNE 1330 1730 FL325 FL460

5 TRA509A 0000 2359 SFC FL270

6 TRA509B 0230 1730 FL270 UNL

7 TRA509C 0230 1730 FL270 UNL

8 TRA601(A) PANAGARH 0146 1011 GND 4000 FT AMSL

9 TRA601(B) PANAGARH 0146 1011 GND FL105

10 TRA601(C) PANAGARH 0146 1011 GND FL105

11 TRA604 TEZPUR 0030 1200 FL130 FL380

12 TRA607(A) CHABUA 0130 1700 FL325 FL460

13 TRA607(B) CHABUA 0130 1700 FL325 FL460

14 TRA607(C) CHABUA 0130 1700 FL325 FL460

15 TRA608 GORAKHPUR 0330 1030 FL325 FL380

16 TRA609(A) HASHIMARA 0300 0900 FL325 FL500

17 TRA609(A) HASHIMARA 1330 1530 FL325 FL500

18 TRA609(B) HASHIMARA 0300 0900 FL325 FL500

19 TRA609(B) HASHIMARA 1330 1530 FL325 FL500

20 TRA610 GUWAHATI 0300 0900 FL325 FL500

21 TRA610 GUWAHATI 1330 1530 FL325 FL500

22 TRA612(A) TEZPUR 0030 1200 FL325 FL380

23 TRA612(B) TEZPUR 0030 1200 FL325 FL380

24 TRA612(C) TEZPUR 0030 1200 FL325 FL380

25 TRA805(A) VISHAKHAPATNAM 0000 2359 SFC 5500 FT AMSL

26 TRA805(B) VISHAKHAPATNAM 0100 1700 FL145 FL235

27 TRA805(C) VISHAKHAPATNAM 0100 1700 FL235 FL27528

TRA806(A) COCHIN 0300 1730 6000 FT AMSL 6000 FT AMSL

29 TRA806(B) COCHIN 0300 1730 FL060 FL170

30 TRA806(C) COCHIN 0300 1730 FL150 FL170

31 TRA806(D) COCHIN 0300 2100 FL060 FL130

32 TRA806(E) COCHIN 0300 2100 FL060 FL170

33 TRA806(F) COCHIN 0300 2100 FL060 FL130

34 TRA806(G) COCHIN 0300 2100 FL060 FL170

35 TRA807(A) SULUR 0230 1159 GND 9000 FT AMSL

36 TRA807(D) SULUR 0230 1129 FL275 FL400

37 TRA807(D) SULUR 1330 1729 FL275 FL400

38 TRA807(E) SULUR 0230 1829 GND 3000 FT AMSL

39 TRA807(E) CORRIDOR1 SULUR 0230 1829 GND 3000 FT AMSL

40 TRA807(E) CORRIDOR2 SULUR 0230 1829 GND 5000 FT AMSL

41 TSA602 DUDHKUNDI 0000 2359 GND FL215

42 TSA801(B) THANJAVUR 0330 0729 MSL FL135

43 TSA801(B) THANJAVUR 0830 1029 MSL FL135

44 TSA801(B) THANJAVUR 1500 1829 MSL FL135

45 TSA803(A) VISHAKHAPATNAM 0100 1700 SFC FL235

46 TSA803(B) VISHAKHAPATNAM 0100 1700 SFC FL145

47 TSA803(C) VISHAKHAPATNAM 0100 1700 SFC FL235

CONDITIONAL RTE (CDR2) AVBL AS FLW:

NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL

1 J1 0000 0129 FL080 FL460

2 J1 0130 0329 FL290 FL460

3 J1 0631 1130 FL290 FL460

4 J1 1131 1359 FL080 FL460

5 J1 1626 1830 FL290 FL460

6 J4 0000 0030 FL110 FL460

7 J4 0031 1241 FL330 FL460

8 J4 1242 1829 FL250 FL460

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 21/97

Trans ID: 5107759

Creation Time: 17.08.2026 14:16UTC

9 J4 1830 2359 FL110 FL460
10 J5 0000 0129 FL260 FL460
11 J5 1201 1329 FL260 FL460
12 J5 1731 2359 FL260 FL460
13 J13 1730 1825 FL280 FL400
14 J14 0101 0229 FL110 FL460
15 J14 0230 1129 FL410 FL460
16 J14 1130 1159 FL280 FL460
17 J14 1200 1329 FL110 FL460
18 J14 1330 1729 FL410 FL460
19 J15 0000 0229 FL110 FL460
20 J15 0230 1129 FL410 FL460
21 J15 1130 1159 FL280 FL460
22 J15 1200 1329 FL110 FL460
23 J15 1330 1729 FL410 FL460
24 J15 1730 1829 FL280 FL460
25 J15 1830 2359 FL110 FL460
26 J16 0101 0229 FL110 FL400
27 J17 0015 0300 FL110 FL460
28 J17 1130 1310 FL110 FL460
29 J17 1435 1935 FL110 FL460
30 J18 0000 0300 FL110 FL460
31 J18 1130 2359 FL110 FL460
32 J26 0000 0030 FL145 FL460
33 J26 0031 1241 FL330 FL460
34 J26 1242 1829 FL250 FL460
35 J26 1830 2359 FL145 FL460
36 J27 0000 0030 FL110 FL460
37 J27 0031 1241 FL330 FL460
38 J27 1242 1829 FL250 FL460
39 J27 1830 2359 FL110 FL460
40 J29 0000 0129 FL150 FL250
41 J29 1201 1329 FL150 FL250
42 J29 1731 2359 FL150 FL250
43 J39 0000 0129 FL170 FL460
44 J39 0130 0329 FL290 FL460
45 J39 0631 1130 FL290 FL460
46 J39 1131 1359 FL170 FL460
47 J39 1626 1830 FL290 FL460
48 J39 1831 2359 FL170 FL460
49 J41 0100 0129 FL330 FL460
50 J41 1201 1329 FL330 FL460
51 J44 0000 0207 FL110 FL210
52 J44 1139 1800 FL110 FL210
53 J45 0000 0030 FL110 FL460
54 J45 0031 1241 FL330 FL460
55 J45 1242 1829 FL250 FL460
56 J45 1830 2359 FL110 FL460
57 J46 0000 0030 FL110 FL460
58 J46 0031 1241 FL330 FL460
59 J46 1242 1829 FL250 FL460
60 J46 1830 2359 FL110 FL460
61 J47 0100 0129 FL170 FL460
62 J47 0130 0329 FL290 FL460
63 J47 0631 1130 FL290 FL460
64 J47 1131 1300 FL170 FL460
65 J48 0631 0930 FL290 FL460
66 J56 0000 2359 FL080 FL250
67 J57 0200 0229 FL080 FL250
68 J57 0230 0329 FL220 FL250
69 J57 1031 1530 FL220 FL250
70 J59 0200 1530 FL110 FL410
71 J63 0000 0030 FL110 FL410
72 J63 0031 1229 FL255 FL410
73 J63 1230 2359 FL110 FL410
74 J64 1230 1329 FL150 FL460
75 J65 0000 0129 FL150 FL460
76 J65 1201 1329 FL150 FL460
77 J65 1731 2359 FL150 FL460
78 J66 0000 0030 FL110 FL250
79 J66 1330 2359 FL110 FL250
80 J67 0000 0030 FL110 FL255
81 J67 1330 2359 FL110 FL255
82 J71 0200 0329 FL330 FL460
83 J71 0330 1030 FL400 FL460
84 J71 1031 1234 FL330 FL460
85 J71 1235 1449 FL220 FL460
86 J71 1450 1730 FL330 FL460
87 J71 1731 1930 FL250 FL460
88 J71 1931 2000 FL110 FL460
89 J73 0100 0329 FL330 FL460

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 22/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

90 J73 0631 1300 FL330 FL460
91 J75 0000 0030 FL110 FL400
92 J75 0031 1241 FL330 FL400
93 J75 1242 1829 FL250 FL400
94 J75 1830 2359 FL110 FL400
95 J82 0000 2359 FL330 FL400
96 J83 0200 1900 FL110 FL400
97 J89 0000 0030 FL110 FL245
98 J89 1230 2359 FL110 FL245
99 J92 0200 0229 FL110 FL380
100 J92 0230 0329 FL220 FL380
101 J92 1031 1400 FL220 FL380
102 J93 0000 0030 FL150 FL460
103 J93 1230 1329 FL150 FL460
104 J93 1731 2359 FL150 FL460
105 J95 0000 0207 FL110 FL460
106 J95 0208 0300 FL255 FL460
107 J95 11301138 FL255 FL460
108 J95 1139 2359 FL110 FL460
109 J96 0000 0300 FL110 FL250
110 J96 1130 2359 FL110 FL250
111 J97 0000 0030 FL080 FL245
112 J97 1230 2359 FL080 FL245
113 J98 0000 0057 FL160 FL280
114 J98 1235 1449 FL220 FL280
115 J98 1731 1930 FL250 FL280
116 J98 1931 2359 FL160 FL280
117 J104 0000 0129 FL110 FL380
118 J104 1201 1329 FL110 FL380
119 J104 1731 2359 FL110 FL380
120 J105 0230 0329 FL220 FL460
121 J105 0330 1030 FL400 FL460
122 J105 1031 1300 FL220 FL460
123 J116 0000 0129 FL080 FL250
124 J116 1201 1329 FL080 FL250
125 J116 1731 2359 FL080 FL250
126 J120 0000 2359 FL085 FL460
127 J121 0000 2359 FL085 FL460
128 J122 0000 2359 FL085 FL460
129 Z2 0000 0329 FL330 FL460
130 Z2 0330 1030 FL400 FL460
131 Z2 1031 2359 FL330 FL460
132 Z5 0000 0129 FL290 FL460
133 Z5 1201 1329 FL290 FL460
134 Z5 1731 2359 FL290 FL460
135 Z12 0000 2359 FL330 FL460
136 Z13 0000 0229 FL110 FL410
137 Z13 0230 0329 FL220 FL410
138 Z13 0330 1030 FL400 FL410
139 Z13 1031 1630 FL220 FL410
140 Z13 1631 2359 FL110 FL410
141 Z14 0000 2359 FL330 FL460

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR
AIRSPACE CLOSURES.

F) SFC
G) UNL

VIDPG0983/26 (11 AUG 26)

"REFER EAIP INDIA SECTION ENR 2.1, FOLLOWING AMENDEMENTS ARE MADE:

1. IN 2.1.2 CONTROL AREAS:

INSERT IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA UPPER
CONTROL AREA-
SECTOR URP 134.375 MHZ (BACKUP FREQUENCY)
AMEND ACCORDINGLY).

2. IN 2.1.1 FLIGHT INFORMATION REGION:

IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA FIR TEXT 120.1
MHZ

120.575MHZ 120.7 MHZ 125.9 MHZ 127.525 MHZ 132.25 MHZ 132.35 MHZ
133.75 MHZ IS

AMENDED AS 133.750 MHZ 126.100 MHZ 132.250 MHZ 120.100 MHZ 132.350
MHZ 132.450 MHZ 125.900 MHZ 134.375 MHZ 127.525 MHZ 125.775 MHZ
120.575 MHZ 120.700 MHZ 123.775 MHZ 132.700 MHZ 128.300 MHZ.
AMEND ACCORDINGLY."

VIDPG0982/26 (11 AUG 26)

"REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE

IN ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628, M875:

1. IN ATS ROUTE L759, UNDER REMARKS, TEXT 7. KOLKATA ACC: 132.450MHZ
120.100MHZ IS

AMENDED AS 7. KOLKATA ACC: 132.450MHZ 120.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

2. IN ATS ROUTE Q16, UNDER REMARKS, TEXT 6. (IV) KOLKATA ACC: 132.350MHZ 125.900MHZ 132.250MHZ IS AMENDED AS 6. (IV) KOLKATA ACC: 132.350MHZ 132.250MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

3. IN ATS ROUTE Q17, UNDER REMARKS, TEXT 6. (III) KOLKATA ACC: 133.750MHZ 132.250MHZ 125.900MHZ 132.350MHZ IS AMENDED AS 6. (III) KOLKATA ACC: 133.750MHZ 132.250MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP) 132.350MHZ

4. IN ATS ROUTE Q19, UNDER REMARKS, TEXT 6. UPPER RAIPUR ACC: 125.900MHZ IS AMENDED AS 6. UPPER RAIPUR ACC: 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

5. IN ATS ROUTE Q20, UNDER REMARKS, TEXT 6. UPPER RAIPUR ACC: 125.900MHZ IS AMENDED AS 6. UPPER RAIPUR ACC: 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

6. IN ATS ROUTE Q29, UNDER REMARKS, TEXT 6(C). KOLKATA ACC: 125.900MHZ 134.375MHZ IS AMENDED AS 6(C). KOLKATA ACC: 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

7. IN ATS ROUTE Z14, UNDER REMARKS, TEXT 7(C). KOLKATA ACC: 132.250MHZ (UKW), 120.575MHZ (UKE) IS AMENDED AS 7(C). KOLKATA ACC: 132.250MHZ (UKW), 120.575MHZ (UKE) 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).

8. IN ATS ROUTE Z14, UNDER REMARKS, DELETE TEXT 7(B). RAIPUR ACC: 125.900MHZ (URP), 123.500MHZ.

9. IN ATS ROUTE T1, UNDER REMARKS, TEXT 1. KOLKATA ACC: 132.450 MHZ IS AMENDED AS KOLKATA ACC: 132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

10. IN ATS ROUTE P628, UNDER REMARKS, TEXT 7. KOLKATA ACC: 132.450MHZ IS AMENDED AS 7. KOLKATA ACC: 132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

11. IN ATS ROUTE M875, UNDER REMARKS, TEXT 2. KOLKATA ACC: 120.100MHZ 125.900MHZ 132.450MHZ 126.100MHZ IS AMENDED AS 2. KOLKATA ACC: 120.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP) 132.450MHZ 126.100MHZ

AMEND ACCORDINGLY."

VIDPG0981/26 (11 AUG 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENTS ARE MADE IN ATS ROUTES W12, W49, W50, W66, W76, W100, W102, W108, W138, W140, W149, W150, W160, A791, V60, V62, V77, V78, V79, G450, J46, J75:

1. IN ATS ROUTE W12, UNDER REMARKS, TEXT 3. (I). KOLKATA ACC: 125.950MHZ 132.350MHZ 132.450MHZ IS AMENDED AS 3. (I). KOLKATA ACC: 132.350MHZ 132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

2. IN ATS ROUTE W49, UNDER REMARKS, INSERT KOLKATA ACC URP: 125.900MHZ (MAIN) 134.375MHZ (BACKUP).

3. IN ATS ROUTE W50, UNDER REMARKS, TEXT 3. KOLKATA ACC: 132.450MHZ 120.100MHZ 126.100MHZ IS AMENDED AS 3. KOLKATA ACC: 132.450MHZ 120.100MHZ 126.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)

4. IN ATS ROUTE W66, UNDER REMARKS, INSERT KOLKATA ACC URP: 125.900MHZ (MAIN) 134.375MHZ (BACKUP).

5. IN ATS ROUTE W76, UNDER REMARKS, TEXT 2(I). KOLKATA ACC:125.900MHZ 132.250MHZ 132.350MHZ 132.450MHZ IS AMENDED AS KOLKATA ACC: 132.250MHZ 132.350MHZ 132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).

6. IN ATS ROUTE W100, UNDER REMARKS, TEXT 3. KOLKATA URP:125.900MHZ IS AMENDED AS 3. KOLKATA URP:125.900MHZ (MAIN) 134.375MHZ (BACKUP).

7. IN ATS ROUTE W102, UNDER POINT NO. 2 OF REMARKS, INSERT KOLKATA ACC URP: 125.900MHZ (MAIN) 134.375MHZ (BACKUP).

8. IN ATS ROUTE W108, UNDER REMARKS, TEXT 2(C) KOLKATA ACC (URP): 125.900MHZ IS AMENDED AS 2(C) KOLKATA ACC (URP): 125.900MHZ (MAIN) 134.375MHZ (BACKUP).

9. IN ATS ROUTE W138, UNDER REMARKS, INSERT KOLKATA ACC URP: 125.900MHZ (MAIN) 134.375MHZ (BACKUP).

10. IN ATS ROUTE W140, UNDER REMARKS, INSERT KOLKATA ACC URP: 125.900MHZ (MAIN) 134.375MHZ (BACKUP).

11. IN ATS ROUTE W149, UNDER REMARKS, TEXT 1. KOLKATA ACC :132.450MHZ IS AMENDED AS 1. KOLKATA ACC:132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).

12. IN ATS ROUTE W150, UNDER REMARKS, TEXT 1. KOLKATA ACC

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 24/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

:132.450MHZ IS AMENDED AS 1. KOLKATA ACC:132.450MHZ 125.900MHZ (URP MAIN)
134.375MHZ (URP BACKUP).
13. IN ATS ROUTE W160, UNDER REMARKS, TEXT 2. KOLKATA ACC: 125.900MHZ IS AMENDED AS KOLKATA ACC: 125.900MHZ (URP MAIN)
134.375MHZ (URP BACKUP).
14. IN ATS ROUTE A791, UNDER REMARKS, TEXT 5. KOLKATA ACC: 120.100MHZ 126.100MHZ 125.900MHZ IS AMENDED AS 5. KOLKATA ACC: 120.100MHZ 126.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).
15. IN ATS ROUTE V60, UNDER REMARKS, TEXT 2. UPPER RAIPUR (URP) ACC: 125.900MHZ IS AMENDED AS 2. KOLKATA ACC: 125.900MHZ (URP MAIN)
134.375MHZ (URP BACKUP).
16. IN ATS ROUTE V62, UNDER REMARKS, TEXT 1. UPPER RAIPUR (URP) ACC:125.900MHZ IS AMENDED AS 1. KOLKATA ACC: 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).
17. IN ATS ROUTE V77, UNDER REMARKS, TEXT 2(I). KOLKATA ACC: 125.100MHZ 125.900MHZ 132.350MHZ 132.450MHZ 132.250MHZ IS AMENDED AS 2(I). KOLKATA ACC: 125.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP) 132.350MHZ 132.450MHZ 132.250MHZ
18. IN ATS ROUTE V78, UNDER REMARKS, TEXT 2(I). KOLKATA ACC: 120.100MHZ 125.900MHZ 132.350MHZ 132.250MHZ IS AMENDED AS 2(I). KOLKATA ACC: 120.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (BACKUP) 132.350MHZ 132.250MHZ.
19. IN ATS ROUTE V79, UNDER REMARKS, TEXT 2(I). KOLKATA ACC: 120.100MHZ 125.950MHZ 132.350MHZ 132.450MHZ 132.250MHZ IS AMENDED AS 2(I). KOLKATA ACC: 120.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URPBACKUP) 132.350MHZ 132.450MHZ 132.250MHZ
20. IN ATS ROUTE G450, UNDER REMARKS, TEXT 1. KOLKATA ACC: 120.100MHZ 126.100MHZ 125.900MHZ IS AMENDED AS 1. KOLKATA ACC: 120.100MHZ 126.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)
21. IN ATS ROUTE J46, UNDER REMARKS, TEXT 4 (A). KOLKATA ACC: 132.350MHZ 132.250MHZ IS AMENDED AS 1. KOLKATA ACC: 132.350MHZ 132.250MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)
22. IN ATS ROUTE J75, UNDER REMARKS, TEXT 4 (I). KOLKATA ACC: 132.450MHZ 120.100MHZ 126.100MHZ IS AMENDED AS 1. KOLKATA ACC: 132.450MHZ 120.100MHZ 126.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).
AMEND ACCORDINGLY."

// (COM-INFO)//

THA 00156/13 (10 AUG 26)

COM INFO:--1.Route P646 segment DOPID - Jamshedpur VOR (JJS) available only between 1630UTC to 2330UTC.

*VECCA1675/26 (10 AUG 26)

"08 10-14 0200-0329 0631-0829 1031-1200, 17-22 24-29 31 0200-1200"
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY
POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E EXC COMMON AREA OF VED-53"
F) SFC
G) 25000FT AMSL

*VIDPA1673/26 (10 AUG 26)

"AUG 03 05-06 10 12-13 17 19-20 24 27 31 0200-0700 1230-1629, AUG 04 11 18 25 0200-0700, AUG 07 14 21 28 0200-0730"
"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM (VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY ATC."
F) FL330
G) FL460

*VECCA1588/26 (10 AUG 26)

01 03-08 10-14 17-22 24-29 31 1201-1300
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 25/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E"
F) SFC
G) 25000FT AMSL

*VGHSA0243/26 (10 AUG 26)

MON TUE WED 0000-1600
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE
WI THE AREA VGD-34.
F) SFC
G) FL400

*VGHSA0241/26 (10 AUG 26)

MON TUE WED 0000-1600
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE
WI THE AREA VGD-32.
F) SFC
G) FL400

VIDPG0860/26 (10 AUG 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT AND ACFT
OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS INCLUDING
MILITARY FLIGHTS.
F) GND
G) UNL
21 JUL 26 12:00 UNTIL 23 AUG 26 23:59 ESTIMATED

VIDPG0840/26 (16 JUL 26)

"REF EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE
IN ATS ROUTES B209 AND V41:
1. COORD OF DURGAPUR DVOR DGP ARE AMENDED AS 233817.741N
0871402.027E.
2. ATS ROUTE B209 SEGMENT GOSBI - TR230/050 DEG(M) 4.0NM - DURGAPUR
DVOR/DME (DGP) - TR230/050 DEG(M) 14.8NM - OPESU IS AMENDED AS GOSBI
- TR231/051 DEG(M) 4.1NM - DURGAPUR DVOR/DME (DGP) - TR230/050
DEG(M) 14.7NM - OPESU
3. ATS ROUTE V41 SEGMENT OPESU - TR050/230 DEG(M) 14.8NM - DURGAPUR
DVOR/DME (DGP) - TR050/230 DEG(M) 4.0NM - GOSBI IS AMENDED AS OPESU-
TR050/230 DEG(M) 14.7NM - DURGAPUR DVOR/DME (DGP) - TR051/231 DEG(M)
4.1NM - GOSBI.
AMEND ACCORDINGLY."

VECCA1355/26 (16 JUL 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN KOLKATA FIR.
ALL ACFT TO EXER CTN.

VIDPG0740/26 (10 AUG 26)

"REFER AIPS 104/2026, FLW AMENDMENTS ARE MADE:
1. ATS ROUTE W32 SEGMENT BIDX - TR134/314 DEG(M) 303.8NM
3900FT(MOCA) - LEGIN IS AMENDED AS BIDX - TR134/314 DEG(M) 303.8NM
2000FT(MOCA) -LEGIN.
AMEND ACCORDINGLY."

VIDPG0739/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 4.4, FLW AMENDMENTS ARE MADE:
1. DELETE WAYPOINT AKSAN FROM ENR 4.4 NAME CODE DESIGNATORS FOR
SIGNIFICANT POINTS
2. DELETE WAYPOINT BITEM FROM ENR 4.4 NAME CODE DESIGNATORS FOR
SIGNIFICANT POINTS
AMEND ACCORDINGLY."

VIDPG0709/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 2.1, FOLLOWING AMENDEMENTS ARE MADE
IN 2.1.1 FLIGHT INFORMATION REGION:
1. INSERT IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA UPPER
CONTROL AREA-SECTOR URP 134.375 MHZ (BACKUP FREQUENCY)
AMEND ACCORDINGLY."

VIDPG0707/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENTS ARE MADE
IN REMARKS
COLUMN OF ATS ROUTES W12, W49, W50, W66, W76, W86, W100, W102, W108,
W138, W140, W149, W150, W160, A791, V15, V60, V62, V77, V78, V79,
G450, J46, J75:

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 26/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY:
134.375 MHZ
AMEND ACCORDINGLY"

VIDPG0708/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE
IN REMARKS
COLUMN OF ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628,
M875:
1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY:
134.375 MHZ.
AMEND ACCORDINGLY."

VECCA1154/26 (16 JUL 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC NORTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:
182558N 0861115E,
201507N 0872651E,182318N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY
TO 161035N 0920000E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER:KOLKATA OCAENIC NORTH FREQ 123.775 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC AND ACFT SHALL BE ADVISED
ACCORDINGLY.
FROM SFC TO UNL"

VECCA1153/26 (16 JUL 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC SOUTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:
182558N 0861115E, 161035N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY
TO 140000N 0920000E THEN ALONG KOLKATA-CHENNAI FIR BDRY TO 154200N
0855400E,163721N 0845647E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER:KOLKATA OCAENIC SOUTH FREQ 128.300 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC.
FROM SFC TO UNL"

VECCA1019/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER BHUBANESWAR (UBS)
INPR WI AREA BOUNDED BY:
P9: 195331.08N 0804815.53E
P10: 182447.34N 0800549.06E
SAPNU
XOPOX
P11: 160620.64N 0843429.68E
P12: 201517.19N 0872703.15E
P13: 205140.37N 0862158.87E
BBS VOR
P18: 195350.22N 0842614.93E
AND P9: 195331.08N 0804815.53E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 132.350 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT SHALL BE
ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1018/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER RAIPUR (URP) INPR WI
AREA BOUNDED BY:
P7: 223342.78N 0801441.50E
TEGIG
P8: 203427.40N 0810337.65E
P9: 195331.08N 0804815.53E
P18: 195350.22N 0842614.93E
BBS VOR
P13: 205140.37N 0862158.87E
P14: 224646.10N 0842032.87E
AND P7: 223342.78N 0801441.50E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL/KOLKATA RADAR
FREQ: 125.900 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1017/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER KHAJURAHO (UKJ) INPR W
I

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 27/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

AREA BOUNDED BY:
P3: 262359.43N 0801240.56E
P4: 251831.86N 0800851.21E
P5: 253601.78N 0793534.75E
P6: 250839.00N 0790132.87E
ASOPO
P7: 223342.78N 0801441.50E
P14: 224646.10N 0842032.87E
LAPAN
P15: 241326.46N 0840859.31E
ALH VOR
AND P3: 262359.43N 0801240.56E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 124.650 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT
SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1016/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER VARANASI (UBN) INPR WI

AREA BOUNDED BY:
P1: 273339.10N 0824136.34E?
P2: 270921.85N 0813515.75E?
P3: 262359.43N 0801240.56E?
ALH VOR?
P15: 241326.46N 0840859.31E?
GGC VOR?
P16: 244425.25N 0851849.17E?
P17: 265328.59N 0850151.53E?
THEN ALONG THE BORDER OF NEPAL AND INDIA TO
P1: 273339.10N 0824136.34E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 127.525 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

*VECCA0988/26 (16 JUL 26)

VED 232 LPR KHAMARIA JABALPUR ACT
F) SFC
G) 25000FT AMSL

VIDF / DELHI FIR

VIDPA1831/26 (17 AUG 26)

18 AUG 2026 00:00-18 AUG 2026 23:59
AIRSPACE USE PLAN (AUP)
TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :
NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL
1 TRA503(A) ?PUNE? 0130 1200 FL325 FL460
2 TRA503(A) ?PUNE? 1330 1730 FL325 FL460
3 TRA503(B) ?PUNE? 0130 1200 FL325 FL460
4 TRA503(B) ?PUNE? 1330 1730 FL325 FL460
5 TRA506(A) ?JAMNAGAR? 0330 0830 FL325 FL360
6 TRA506(B) ?JAMNAGAR? 0330 0830 FL325 FL360
7 TRA509A 0000 2359 SFC FL270
8 TRA509B 0230 1730 FL270 UNL
9 TRA509C 0230 1730 FL270 UNL
10 TSA701 (A) ?ADAMPUR? 0000 2359 FL145 FL280
11 TSA701 (B) ?ADAMPUR? 0000 2359 GND FL280
12 TRA702 (A) ?SRINAGAR? 0300 1130 FL170 FL310
13 TRA702 (A) ?SRINAGAR? 1400 1830 FL170 FL310
14 TRA702 (B) ?SRINAGAR? 0300 1130 GND FL310
15 TRA702 (B) ?SRINAGAR? 1400 1830 GND FL310
16 TRA705 ?AMBALA? 1330 1530 FL325 FL500
17 TRA706(A) ?GWALIOR? 0330 0630 FL325 FL460
18 TRA706(A) ?GWALIOR? 1400 1625 FL325 FL460
19 TRA706(B) ?GWALIOR? 0330 0630 FL325 FL460
20 TRA706(B) ?GWALIOR? 1400 1625 FL325 FL460
21 TRA706(C) ?GWALIOR? 0330 0630 FL325 FL460
22 TRA706(C) ?GWALIOR? 1400 1625 FL325 FL460
23 TRA709(C) ?JODHPUR? 0130 1200 FL325 FL380
24 TRA709(C) ?JODHPUR? 1300 1829 FL325 FL380
25 TRA711(A) ?AGRA? 0330 0630 FL325 FL460
26 TRA711(A) ?AGRA? 1400 1625 FL325 FL460
27 TRA711(B) ?AGRA? 0330 0630 FL325 FL460
28 TRA711(B) ?AGRA? 1400 1625 FL325 FL460

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 28/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

29 TRA 712(A) ?BHATINDA? 0230 0530 FL325 FL500
30 TRA 712(B) ?SURATGARH? 0230 0530 FL325 FL500
31 TRA 712(C) ?SIRSA? 0230 0530 FL325 FL500
32 TSA722 ?GRASS BIR - 13? 0130 1130 GND FL270
33 TRA 723 (HALWARA) 1330 1530 FL325 FL500

CONDITIONAL ROUTE

(CDR2) AVBL AS FLW :

NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL

1 J1 0000 0129 FL080 FL460
2 J1 0130 0329 FL290 FL460
3 J1 0631 1130 FL290 FL460
4 J1 1131 1359 FL080 FL460
5 J1 1626 1830 FL290 FL460
6 J2 0000 0129 FL110 FL460
7 J2 1201 1329 FL110 FL460
8 J2 1731 2359 FL110 FL460
9 J5 0000 0129 FL260 FL460
10 J5 1201 1329 FL260 FL460
11 J5 1731 2359 FL260 FL460
12 J6 0100 1600 FL140 FL460
13 J19 0231 0400 FL210 FL460
14 J20 0000 0129 FL110 FL460
15 J20 0130 0329 FL290 FL460
16 J20 0631 1130 FL290 FL460
17 J20 1131 1359 FL110 FL460
18 J20 1626 1830 FL290 FL460
19 J20 1831 2359 FL110 FL460
20 J21 0000 0059 FL140 FL460
21 J21 0100 1231 FL320 FL460
22 J21 1232 1329 FL140 FL460
23 J21 1531 1830 FL320 FL460
24 J21 1831 2359 FL140 FL460
25 J22 0000 2030 FL290 FL460
26 J24 0000 1329 FL345 FL460
27 J24 1531 2359 FL345 FL460
28 J29 0000 0129 FL150 FL250
29 J29 1201 1329 FL150 FL250
30 J29 1731 2359 FL150 FL250
31 J38 0100 0129 FL170 FL460
32 J38 0130 0329 FL290 FL460
33 J38 0631 1130 FL290 FL460
34 J38 1131 1300 FL170 FL460
35 J39 0000 0129 FL170 FL460
36 J39 0130 0329 FL290 FL460
37 J39 0631 1130 FL290 FL460
38 J39 1131 1359 FL170 FL460
39 J39 1626 1830 FL290 FL460
40 J39 1831 2359 FL170 FL460
41 J40 0000 0129 FL330 FL460
42 J40 1201 1329 FL330 FL460
43 J40 1731 2359 FL330 FL460
44 J41 0100 0129 FL330 FL460
45 J41 1201 1329 FL330 FL460
46 J43 0000 0129 FL170 FL460
47 J43 0130 0329 FL290 FL460
48 J43 0631 1130 FL290 FL460
49 J43 1131 1359 FL170 FL460
50 J43 1626 1700 FL290 FL460
51 J47 0100 0129 FL170 FL460
52 J47 0130 0329 FL290 FL460
53 J47 0631 1130 FL290 FL460
54 J47 1131 1300 FL170 FL460
55 J48 0631 0930 FL290 FL460
56 J50 0000 0129 FL110 FL460
57 J50 0130 1200 FL400 FL460
58 J50 1201 1259 FL110 FL460
59 J50 1300 1829 FL400 FL460
60 J50 1830 2359 FL110 FL460
61 J51 0000 0129 FL170 FL460
62 J51 0130 1200 FL400 FL460
63 J51 1201 1259 FL330 FL460
64 J51 1300 1829 FL400 FL460
65 J51 1830 2359 FL170 FL460
66 J52 0000 0129 FL110 FL460
67 J52 0130 0329 FL290 FL460
68 J52 0631 1130 FL290 FL460
69 J52 1131 1359 FL110 FL460
70 J52 1626 1830 FL290 FL460
71 J52 1831 2359 FL110 FL460
72 J53 0100 0229 FL080 FL250
73 J55 0000 0229 FL090 FL250

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 29/97

Trans ID: 5107759

Creation Time: 17.08.2026 14:16UTC

74 J55 1301 1359 FL090 FL250
75 J55 1731 2359 FL090 FL250
76 J56 0000 2359 FL080 FL250
77 J58 0100 1234 FL330 FL460
78 J58 1235 1300 FL110 FL460
79 J59 0200 1530 FL110 FL410
80 J60 0100 0129 FL170 FL460
81 J60 0130 0329 FL290 FL460
82 J60 0631 1130 FL290 FL460
83 J60 1131 1359 FL170 FL460
84 J61 0000 0229 FL110 FL460
85 J61 0230 0329 FL330 FL460
86 J61 0330 0830 FL380 FL460
87 J61 0831 1300 FL330 FL460
88 J61 1301 1359 FL110 FL460
89 J61 1400 1730 FL330 FL460
90 J61 1731 2359 FL110 FL460
91 J62 0000 0129 FL110 FL460
92 J62 0130 1200 FL400 FL460
93 J62 1201 1259 FL110 FL460
94 J62 1300 1829 FL400 FL460
95 J62 1830 2359 FL110 FL460
96 J65 0000 0129 FL150 FL460
97 J65 1201 1329 FL150 FL460
98 J65 1731 2359 FL150 FL460
99 J67 0000 0030 FL110 FL255
100 J67 1330 2359 FL110 FL255
101 J68 0231 0400 FL110 FL460
102 J69 0231 0400 FL110 FL460
103 J70 0231 0400 FL110 FL460
104 J71 0200 0329 FL330 FL460
105 J71 0330 1030 FL400 FL460
106 J71 1031 1234 FL330 FL460
107 J71 1235 1449 FL220 FL460
108 J71 1450 1730 FL330 FL460
109 J71 1731 1930 FL250 FL460
110 J71 1931 2000 FL110 FL460
111 J72 0100 1600 FL330 FL460
112 J73 0100 0329 FL330 FL460
113 J73 0631 1300 FL330 FL460
114 J74 0100 1600 FL330 FL460
115 J81 0100 1329 FL330 FL400
116 J81 1531 1600 FL330 FL400
117 J82 0000 2359 FL330 FL400
118 J83 0200 1900 FL110 FL400
119 J84 0000 0229 FL110 FL250
120 J84 1301 1359 FL110 FL250
121 J84 1731 2359 FL110 FL250
122 J85 0000 0229 FL110 FL250
123 J85 1301 1359 FL110 FL250
124 J85 1731 2359 FL110 FL250
125 J86 0000 0229 FL110 FL290
126 J86 1301 1359 FL110 FL290
127 J86 1731 2359 FL110 FL290
128 J87 0100 0229 FL110 FL290
129 J88 0100 0229 FL110 FL290
130 J89 0000 0030 FL110 FL245
131 J89 1830 2359 FL110 FL245
132 J93 0000 0030 FL150 FL460
133 J93 1830 2359 FL150 FL460
134 J94 0030 0229 FL110 FL250
135 J94 1301 1359 FL110 FL250
136 J98 0000 0058 FL160 FL280
137 J98 1235 1449 FL220 FL280
138 J98 1731 1930 FL250 FL280
139 J98 1931 2359 FL160 FL280
140 J100 0000 0229 FL080 FL280
141 J100 1301 1359 FL080 FL280
142 J100 1731 2359 FL080 FL280
143 J101 0100 0229 FL080 FL280
144 J102 0100 0229 FL080 FL280
145 J103 0000 0229 FL080 FL280
146 J103 1301 1359 FL080 FL280
147 J103 1731 2359 FL080 FL280
148 J104 0000 0129 FL110 FL380
149 J104 1201 1329 FL110 FL380
150 J104 1731 2359 FL110 FL380
151 J110 0000 1329 FL345 FL400
152 J110 1531 2359 FL345 FL400
153 J115 0100 0129 FL080 FL250
154 J115 1201 1329 FL080 FL250

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 30/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

155 J115 1731 2359 FL080 FL250
156 J116 0000 0129 FL080 FL250
157 J116 1201 1329 FL080 FL250
158 J116 1731 2359 FL080 FL250
159 J119 0000 0058 FL110 FL460
160 J119 0059 1234 FL330 FL460
161 J119 1235 1449 FL110 FL460
162 J119 1450 1730 FL330 FL460
163 L639 0000 2359 FL290 FL460
164 Z1 0000 0229 FL330 FL460
165 Z1 0531 2359 FL330 FL460
166 Z2 0000 0329 FL330 FL460
167 Z2 0330 1030 FL400 FL460
168 Z2 1031 2359 FL330 FL460
169 Z3 0231 0400 FL210 FL460
170 Z4 0231 0400 FL210 FL460
171 Z5 0000 0129 FL290 FL460
172 Z5 1201 1329 FL290 FL460
173 Z5 1731 2359 FL290 FL460
174 Z6 0000 0229 FL330 FL460
175 Z6 0531 2359 FL330 FL460
176 Z7 0000 0229 FL290 FL460
177 Z7 0531 2359 FL290 FL460
178 Z8 0000 0129 FL330 FL460
179 Z8 0130 1200 FL400 FL460
180 Z8 1201 1259 FL330 FL460
181 Z8 1300 1829 FL400 FL460
182 Z8 1830 2359 FL290 FL460
183 Z9 0200 1200 FL400 FL460
184 Z9 1201 1259 FL330 FL460
185 Z9 1300 1730 FL400 FL460
186 Z10 0000 2359 FL330 FL460
187 Z11 0231 0400 FL210 FL460
188 Z13 0000 0229 FL110 FL410
189 Z13 0230 0329 FL220 FL410
190 Z13 0330 1030 FL400 FL410
191 Z13 1031 1630 FL220 FL410
192 Z13 1631 2359 FL110 FL410
193 Z14 0000 2359 FL330 FL460
194 Z15 0000 0129 FL290 FL460
195 Z15 0130 1200 FL400 FL460
196 Z15 1201 1259 FL290 FL460
197 Z15 1300 1630 FL400 FL460
198 Z16 0000 0129 FL160 FL400
199 Z16 0130 0329 FL290 FL400
200 Z16 0631 1130 FL290 FL400
201 Z16 1131 1359 FL160 FL400
202 Z16 1626 1830 FL290 FL400
203 Z16 1831 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR

AIRSPACE CLOSURES.

F) SFC

G) UNL

VIDPA1821/26 (14 AUG 26)

17 AUG 2026 00:00-17 AUG 2026 23:59

AIRSPACE USE PLAN (AUP)

TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1 TRA503(A) PUNE 0130 1200 FL325 FL460
2 TRA503(A) PUNE 1330 1730 FL325 FL460
3 TRA503(B) PUNE 0130 1200 FL325 FL460
4 TRA503(B) PUNE 1330 1730 FL325 FL460
5 TRA506(A) JAMNAGAR 0330 0830 FL325 FL360
6 TRA506(B) JAMNAGAR 0330 0830 FL325 FL360
7 TRA509A 0000 2359 SFC FL270
8 TRA509B 0230 1730 FL270 UNL
9 TRA509C 0230 1730 FL270 UNL
10 TSA701 (A) ADAMPUR 0000 2359 FL145 FL280
11 TSA701 (B) ADAMPUR 0000 2359 GND FL280
12 TRA702 (A) SRINAGAR 0300 1130 FL170 FL310
13 TRA702 (A) SRINAGAR 1400 1830 FL170 FL310
14 TRA702 (B) SRINAGAR 0300 1130 GND FL310
15 TRA702 (B) SRINAGAR 1400 1830 GND FL310
16 TRA705 AMBALA 0800 1000 FL325 FL500
17 TRA706(A) ?GWALIOR? 0330 0630 FL325 FL460
18 TRA706(A) GWALIOR 1400 1625 FL325 FL460
19 TRA706(B) GWALIOR 0330 0630 FL325 FL460

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 31/97

Trans ID: 5107759

Creation Time: 17.08.2026 14:16UTC

20 TRA706(B) GWALIOR 1400 1625 FL325 FL460
21 TRA706(C) GWALIOR 0330 0630 FL325 FL460
22 TRA706(C) GWALIOR 1400 1625 FL325 FL460
23 TRA709(C) JODHPUR 0130 1200 FL325 FL380
24 TRA709(C) JODHPUR 1300 1829 FL325 FL380
25 TRA711(A) AGRA 0330 0630 FL325 FL460
26 TRA711(A) AGRA 1400 1625 FL325 FL460
27 TRA711(B) AGRA 0330 0630 FL325 FL460
28 TRA711(B) AGRA 1400 1625 FL325 FL460
29 TSA722 GRASS BIR - 13? 0130 1130 GND FL270
30 TRA 723 (HALWARA) 0800 1000 FL325 FL500
CONDITIONAL ROUTE (CDR2) AVBL AS FLW :
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 0129 FL080 FL460
2 J1 0130 0329 FL290 FL460
3 J1 0631 1130 FL290 FL460
4 J1 1131 1359 FL080 FL460
5 J1 1626 1830 FL290 FL460
6 J2 0000 0129 FL110 FL460
7 J2 1201 1329 FL110 FL460
8 J2 1731 2359 FL110 FL460
9 J5 0000 0129 FL260 FL460
10 J5 1201 1329 FL260 FL460
11 J5 1731 2359 FL260 FL460
12 J6 0100 1600 FL140 FL460
13 J19 0231 0400 FL210 FL460
14 J20 0000 0129 FL110 FL460
15 J20 0130 0329 FL290 FL460
16 J20 0631 1130 FL290 FL460
17 J20 1131 1359 FL110 FL460
18 J20 1626 1830 FL290 FL460
19 J20 1831 2359 FL110 FL460
20 J21 0000 0059 FL140 FL460
21 J21 0100 0759 FL320 FL460
22 J21 1001 1232 FL320 FL460
23 J21 1233 1432 FL140 FL460
24 J21 1433 1830 FL320 FL460
25 J21 1831 2359 FL140 FL460
26 J22 0000 2030 FL290 FL460
27 J24 0000 0759 FL345 FL460
28 J24 1001 2359 FL345 FL460
29 J29 0000 0129 FL150 FL250
30 J29 1201 1329 FL150 FL250
31 J29 1731 2359 FL150 FL250
32 J38 0100 0129 FL170 FL460
33 J38 0130 0329 FL290 FL460
34 J38 0631 1130 FL290 FL460
35 J38 1131 1300 FL170 FL460
36 J39 0000 0129 FL170 FL460
37 J39 0130 0329 FL290 FL460
38 J39 0631 1130 FL290 FL460
39 J39 1131 1359 FL170 FL460
40 J39 1626 1830 FL290 FL460
41 J39 1831 2359 FL170 FL460
42 J40 0000 0129 FL330 FL460
43 J40 1201 1329 FL330 FL460
44 J40 1731 2359 FL330 FL460
45 J41 0100 0129 FL330 FL460
46 J41 1201 1329 FL330 FL460
47 J43 0000 0129 FL170 FL460
48 J43 0130 0329 FL290 FL460
49 J43 0631 1130 FL290 FL460
50 J43 1131 1359 FL170 FL460
51 J43 1626 1700 FL290 FL460
52 J47 0100 0129 FL170 FL460
53 J47 0130 0329 FL290 FL460
54 J47 0631 1130 FL290 FL460
55 J47 1131 1300 FL170 FL460
56 J48 0631 0930 FL290 FL460
57 J50 0000 0129 FL110 FL460
58 J50 0130 1200 FL400 FL460
59 J50 1201 1259 FL110 FL460
60 J50 1300 1829 FL400 FL460
61 J50 1830 2359 FL110 FL460
62 J51 0000 0129 FL170 FL460
63 J51 0130 1200 FL400 FL460
64 J51 1201 1259 FL330 FL460
65 J51 1300 1829 FL400 FL460
66 J51 1830 2359 FL170 FL460
67 J52 0000 0129 FL110 FL460
68 J52 0130 0329 FL290 FL460

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 32/97

Trans ID: 5107759

Creation Time: 17.08.2026 14:16UTC

69 J52 0631 1130 FL290 FL460
70 J52 1131 1359 FL110 FL460
71 J52 1626 1830 FL290 FL460
72 J52 1831 2359 FL110 FL460
73 J53 0100 0229 FL080 FL250
74 J55 0000 0229 FL090 FL250
75 J55 1301 1359 FL090 FL250
76 J55 1731 2359 FL090 FL250
77 J56 0000 2359 FL080 FL250
78 J58 0100 1234 FL330 FL460
79 J58 1235 1300 FL110 FL460
80 J59 0200 1530 FL110 FL410
81 J60 0100 0129 FL170 FL460
82 J60 0130 0329 FL290 FL460
83 J60 0631 1130 FL290 FL460
84 J60 1131 1359 FL170 FL460
85 J61 0000 0229 FL110 FL460
86 J61 0230 0329 FL330 FL460
87 J61 0330 0830 FL380 FL460
88 J61 0831 1300 FL330 FL460
89 J61 1301 1359 FL110 FL460
90 J61 1400 1730 FL330 FL460
91 J61 1731 2359 FL110 FL460
92 J62 0000 0129 FL110 FL460
93 J62 0130 1200 FL400 FL460
94 J62 1201 1259 FL110 FL460
95 J62 1300 1829 FL400 FL460
96 J62 1830 2359 FL110 FL460
97 J64 1230 1329 FL150 FL460
98 J65 0000 0129 FL150 FL460
99 J65 1201 1329 FL150 FL460
100 J65 1731 2359 FL150 FL460
101 J67 0000 0030 FL110 FL255
102 J67 1330 2359 FL110 FL255
103 J68 0231 0400 FL110 FL460
104 J69 0231 0400 FL110 FL460
105 J70 0231 0400 FL110 FL460
106 J71 0200 0329 FL330 FL460
107 J71 0330 1030 FL400 FL460
108 J71 1031 1234 FL330 FL460
109 J71 1235 1449 FL220 FL460
110 J71 1450 1730 FL330 FL460
111 J71 1731 1930 FL250 FL460
112 J71 1931 2000 FL110 FL460
113 J72 0100 1600 FL330 FL460
114 J73 0100 0329 FL330 FL460
115 J73 0631 1300 FL330 FL460
116 J74 0100 1600 FL330 FL460
117 J81 0100 0759 FL330 FL400
118 J81 1001 1600 FL330 FL400
119 J82 0000 2359 FL330 FL400
120 J83 0200 1900 FL110 FL400
121 J84 0000 0229 FL110 FL250
122 J84 1301 1359 FL110 FL250
123 J84 1731 2359 FL110 FL250
124 J85 0000 0229 FL110 FL250
125 J85 1301 1359 FL110 FL250
126 J85 1731 2359 FL110 FL250
127 J86 0000 0229 FL110 FL290
128 J86 1301 1359 FL110 FL290
129 J86 1731 2359 FL110 FL290
130 J87 0100 0229 FL110 FL290
131 J88 0100 0229 FL110 FL290
132 J89 0000 0030 FL110 FL245
133 J89 1230 2359 FL110 FL245
134 J93 0000 0030 FL150 FL460
135 J93 1230 1329 FL150 FL460
136 J93 1731 2359 FL150 FL460
137 J94 0030 0229 FL110 FL250
138 J94 1301 1359 FL110 FL250
139 J98 0000 0057 FL160 FL280
140 J98 1235 1449 FL220 FL280
141 J98 1731 1930 FL250 FL280
142 J98 1931 2359 FL160 FL280
143 J100 0000 0229 FL080 FL280
144 J100 1301 1359 FL080 FL280
145 J100 1731 2359 FL080 FL280
146 J101 0100 0229 FL080 FL280
147 J102 0100 0229 FL080 FL280
148 J103 0000 0229 FL080 FL280
149 J103 1301 1359 FL080 FL280

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 33/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

150 J103 1731 2359 FL080 FL280
151 J104 0000 0129 FL110 FL380
152 J104 1201 1329 FL110 FL380
153 J104 1731 2359 FL110 FL380
154 J110 0000 0759 FL345 FL400
155 J110 1001 2359 FL345 FL400
156 J115 0100 0129 FL080 FL250
157 J115 1201 1329 FL080 FL250
158 J115 1731 2359 FL080 FL250
159 J116 0000 0129 FL080 FL250
160 J116 1201 1329 FL080 FL250
161 J116 1731 2359 FL080 FL250
162 J119 0000 0057 FL110 FL460
163 J119 0058 1234 FL330 FL460
164 J119 1235 1449 FL110 FL460
165 J119 1450 1730 FL330 FL460
166 L639 0000 2359 FL290 FL460
167 Z1 0000 2359 FL330 FL460
168 Z2 0000 0329 FL330 FL460
169 Z2 0330 1030 FL400 FL460
170 Z2 1031 2359 FL330 FL460
171 Z3 0231 0400 FL210 FL460
172 Z4 0231 0400 FL210 FL460
173 Z5 0000 0129 FL290 FL460
174 Z5 1201 1329 FL290 FL460
175 Z5 1731 2359 FL290 FL460
176 Z6 0000 2359 FL330 FL460
177 Z7 0000 2359 FL290 FL460
178 Z8 0000 0129 FL330 FL460
179 Z8 0130 1200 FL400 FL460
180 Z8 1201 1259 FL330 FL460
181 Z8 1300 1829 FL400 FL460
182 Z8 1830 2359 FL290 FL460
183 Z9 0200 1200 FL400 FL460
184 Z9 1201 1259 FL330 FL460
185 Z9 1300 1730 FL400 FL460
186 Z10 0000 2359 FL330 FL460
187 Z11 0231 0400 FL210 FL460
188 Z13 0000 0229 FL110 FL410
189 Z13 0230 0329 FL220 FL410
190 Z13 0330 1030 FL400 FL410
191 Z13 1031 1630 FL220 FL410
192 Z13 1631 2359 FL110 FL410
193 Z14 0000 2359 FL330 FL460
194 Z15 0000 0129 FL290 FL460
195 Z15 0130 1200 FL400 FL460
196 Z15 1201 1259 FL290 FL460
197 Z15 1300 1630 FL400 FL460
198 Z16 0000 0129 FL160 FL400
199 Z16 0130 0329 FL290 FL400
200 Z16 0631 1130 FL290 FL400
201 Z16 1131 1359 FL160 FL400
202 Z16 1626 1830 FL290 FL400
203 Z16 1831 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR
AIRSPACE CLOSURES.

F) SFC
G) UNL

VIDPA1810/26 (14 AUG 26)

18 AUG 2026 07:00-18 AUG 2026 08:00
DVOR CHI 116.800MHZ NOT AVBL DUE MAINT.

// (COM-INFO)//

THA 00123/12 (11 AUG 26)

COM INFO---ATS ROUTE RESTRICTIONS AS FOLLOWS:

-P646 (RNP10) DOPID-JJS AVAILABLE BETWEEN 1630-2330 UTC, (FL280/FL460),
-M875 (RNP10) KAKID-GUGAL AVAILABLE BETWEEN 1630-2230 UTC, (FL280/FL460),
-L509 (RNP10) GGC-SULOM AVAILABLE BETWEEN 1630-2230 UTC, (FL320/FL460),
-M770 (RNP10) BUBKO-JJS AVAILABLE ONLY BETWEEN 1630-2330 UTC.
-L333 (RNP10) KKJ-MERUN AVAILABLE BETWEEN 1630-0030 UTC, (FL300/FL460)
-B209 (CDR1) REALIGNED JJS-KKJ (H24-FL75/FL460)
RMK/ROUTE SEGMENT JJS-KKJ IS NOT AVAILABLE FOR AIRCRAFT INTENDING TO USE
L759 AFTER KKJ AND OVER-FLYING DELHI VOR (DPN)
-J1 ESTABLISHMENT OF CDR3 ROUTE J1 KKJ-JJP (FL75/FL460)
RMK/ROUTE TO BE FLOWN ON ATC INSTRUCTION ONLY, NOT AVBL FOR FLT PLANNING.
(REF AIP INDIA AND AIP SUP 76/14, 77/14/PERM)

--PILOTS FLYING ON AWY M890, L509, A466E, A466W, ARE REQUESTED TO CONTACT
ALPHA CONTROL ON 119.7MHZ PRIOR TO CROSSING THE DELHI AND LAHORE FIR

official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 34/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

BOUNDARIES. (ISSUED 15JAN07/TN074/07/CHECKED 07JAN22/OB/UFN)

VIDPG0963/26 (10 AUG 26)

"PERFORMANCE BASED LONGITUDINAL SEPARATION MINIMA OF 30NM/ 5MIN
BASED ON PBCS CRITERIA WILL BE APPLIED WITHIN WP AGELA AND IGOGU ON
ATS ROUTE N571 BTN ACFT HAVING FUNCTIONAL ADS-C AND CPDLC HAVING
OPERATIONAL APPROVAL FOR RNP2/RNP4, RCP240 AND RSP180 ON OPPORTUNITY
BASIS AS AN OPERATIONAL TRIAL. ACFT TO INDICATE RNP2/RNP4, ADS-C,
CPDLC, RCP240, RSP180 AVAILABILITY IN RESPECTIVE FIELDS OF FPL."
07 AUG 26 07:05 UNTIL 05 NOV 26 23:59 ESTIMATED

*VIDPA1673/26 (10 AUG 26)

"AUG 03 05-06 10 12-13 17 19-20 24 27 31 0200-0700 1230-1629, AUG
04 11 18 25 0200-0700, AUG 07 14 21 28 0200-0730"

"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM
(VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC)
AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED
DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR
ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE
ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING
THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF
ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD
OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY
ATC."

F) FL330
G) FL460

*VIDPA1672/26 (10 AUG 26)

"AUG 03-06 10-13 17-20 24-25 27 31 0330-0630 1400-1625, AUG 07 14
21 28 0330-0630"

AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE L759 BTN DELHI VOR (DPN) AND KHAJURAHO VOR (KKJ) NOT AVBL.
ALTN RTE AVBL: DPN DCT ALI G452 LKN KCH KKJ OR DPN-W19-BPL-W68-KKJ.
2. ATS RTE L760 BTN KHAJURAHO VOR (KKJ) AND DELHI VOR (DPN) NOT
AVBL.
ALTN RTE AVBL: KKJ-KCH- JAL-SSB-DPN OR KKJ-W68-BPL-W20-DPN.
3. ATS RTE W33 NOT AVBL.
4. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
5. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
6. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
7. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)FOR
ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL460

*VIDPA1670/26 (10 AUG 26)

"AUG 03-06 10-13 17-20 24-25 27 31 0130-0329 0631-1130 1626-1830,
AUG 07 14 21 28 0130-0329 0631-1130"

AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT
OPERATING BTN DELHI AND KKJ.
FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR DPN-ALI-PAVRU-LKN-KCH-KKJ AND
FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR KKJ-KCH-JAL-SSB-DPN.
2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)
FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL270

VIDPG0862/26 (10 AUG 26)

"LONGITUDINAL SEPARATION MINIMA OF 20NM BASED ON SPACE BASED ADS-B
SURVEILLANCE WILL BE APPLIED ON OPPORTUNITY BASIS FOR ACFT PASSING
WPT PARAR H24. ACFT WITH RNP2/RNP4 APPROVAL, FUNCTIONAL ADS-B OUT,
CPDLC WITH RCP240 CONNECTION ON VABF WILL BE SUBJ TO THIS
SEPARATION. THIS WILL BE APPLIED ON ATS RTE N571 BTN WPT PARAR AND
WPT SUGID ON TRIAL BASIS. ACFT TO INDICATE RNP2/RNP4, CPDLC, RCP240,

ADS-B AVAILABILITY IN RESPECTIVE FIELDS OF FPL."
23 JUL 26 06:05 UNTIL 21 OCT 26 23:59 ESTIMATED

VIDPG0860/26 (10 AUG 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT AND ACFT
OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS INCLUDING
MILITARY FLIGHTS.
F) GND
G) UNL
21 JUL 26 12:00 UNTIL 23 AUG 26 23:59 ESTIMATED

VIDPA1444/26 (16 JUL 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN DELHI FIR. ALL ACFT TO
EXER CTN.

VIDPG0760/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENT IS MADE IN
ATS ROUTE R218:
TEXT R218 (JJP-TASIB) IS AMENDED AS R218 (JJP-HIS)
AMEND ACCORDINGLY)."

VIDPG0757/26 (16 JUL 26)

REFER EAIP INDIA SECTION ENR 5.2 THE FOLLOWING CHANGES ARE MADE
IN REMARKS COLUMN:
1.IN TSA722 (GRASS BIR-13) REMARK 6: TSA VALID UNTIL 12TH JULY 2026
REPLACED BY TSA VALID UNTIL 12TH JULY 2029.
AMEND ACCORDINGLY.
F) SFC
G) UNL

VIDPG0738/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE :
1. DELETE ATS ROUTE V48 (BBZ - AKSAN)
AMEND ACCORDINGLY."

*VIDPA1320/26 (16 JUL 26)

VID 129 ACT. NO ACFT PERMITTED TO OVERFLY WI VID 129
F) GND
G) 20000FT AMSL

*VIDPA1300/26 (16 JUL 26)

DAILY 0030-1630
TSA707 MANDALTHANG FLD FRNG RANGE ACT.
F) GND
G) 40000FT AMSL

VIDPG0629/26 (29 MAY 26)

"REF SUP 84/2026 REGARDING ESTABLISHMENT OF TEMPO RESERVED AREA
TRA509A, TRA509B AND TRA509C. AT SERIAL NR 1, THE TEXT MUMBAI FIR IS
AMD AS MUMBAI AND CHENNAI FIRS."
F) SFC
G) UNL

MID / MIDDLE EAST
N I L

PAK / PAKISTAN
N I L

OPLR / LAHORE FIR

OPKCA0465/26 (08 AUG 26)

LAKPASS MSSR NOT AVBL WI 250NM AROUND LAKPASS
DUE OPR REASON. DRG THE PERIOD ADS-B DATA OF
LAKPASS AND MSSR/ADS-B DATA OF OTHER STATIONS
WILL REMAIN AVBL AT LAHORE AND KARACHI ACC.
NON-RADAR PROCEDURAL CONTROL WILL PROVIDED TO
NON ADS-B EQUIPPED ACFT IN AREAS WITH AFFECTED
SURVEILLANCE COVERAGE.
07 AUG 26 10:30 UNTIL 21 AUG 26 23:59 ESTIMATED

OPKCA0439/26 (05 AUG 26)

"TRIGGER NOTAM-NIL AIRAC AIP SUPPLEMENT/AIP AMDT
W.E.F 06TH AUGUST, 2026."

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 36/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

// (COM-INFO) //

THA 00124/12 (21 JUL 26)

COM INFO--AWY RESTRICTION AS FOLLOWS:

1) M875 SEGMENT (SITAX-SAJAN-DI-LEBIB-JHANG-NITIV-GUGAL V.V.)

AVAILABLE ONLY BETWEEN 1500-2359 UTC (FL290-FL410),

RMK/FL280 AVAILABLE BETWEEN 2000-2400 UTC.

1.1) AWY A466 (SULOM-SITAX V.V.) AVBL 24HRS

1.2) AWY N644 (DI-DOBAT V.V.) AVBL 24HRS,

2) L509 SEGMENT (SULOM-INDEX-NONIB-HANGU-LAJAK V.V.) AVAILABLE:

BETWEEN 1500-2359 UTC (FL300-410)

BETWEEN 1900-2359 UTC (FL280-410)

2.1) T400 (SULOM-PS V.V.) AVBL 24HRS

2.2) P500 (DI-MOTMO V.V.) AVBL 24HRS

(REF AIP PAKISTAN PAGE ENR 3.2/OW-INFO)

// (COM-INFO) //

THA 00049/26 (21 JUL 26)

COM INFO:--REF AIP SUP S09/26;

GPS (GNSS) RADIO FREQUENCY SIGNAL INTERFERENCE

1. From 1st January 2026 to 31st December, 2026.

2. OPRK / OPLR.

3. Occasionally GPS signal interferences have been reported 100NM around AIIAP Lahore (OPLA), IIAP Islamabad (OPIS), JIAP Karachi (OPKC), and also in some other parts of Karachi and Lahore FIRs. All pilots promptly report to ATC of such interference with appropriate details. During frequency interference, take necessary measures for safe and efficient continuation of flight navigation and in case of navigational difficulty, notify ATC for assistance.

--REF AIP SUP S-33/26,

NON AVAILABILITY OF AIR TRAFFIC SERVICES IN KABUL FIR

(Replaces AIP Supplement S-01/26)

1. From 1st July, 2026 to 31st December, 2026.

2. OPRK / OPLR.

3. GND / UNL.

4. During non-availability of Air Traffic Services (ATS) in Kabul FIR, all traffic entering Karachi and Lahore FIR shall contact Karachi, Lahore and Islamabad ACC 15 minutes prior as per following, details:

i. N636 SERKA KARACHI ACC WEST 128.350 MHz 121.650 MHz

ii. P628 ASLUM LAHORE ACC WEST 124.100 MHz 118.950 MHz

iii. L750 BIROS LAHORE ACC WEST 124.100 MHz 118.950 MHz

iv. N644 DOBAT LAHORE ACC WEST 124.100 MHz 118.950 MHz

v. L509 LAJAK ISLAMABAD ACC 120.750 MHz 125.750 MHz

vi. P500 MOTMO ISLAMABAD ACC 120.750 MHz 125.750 MHz

5. Flights entering / exiting via MOTMO (P500) will be accepted and / or handed over directly between Islamabad ACC and Dushanbe ACC.

6. Any flight intends to transit from Karachi or Lahore FIR to Kabul FIR at their own risk (except for ATS route P500 via MOTMO) will be provided ATS till transfer of control points. Fifteen (15) minutes separation will be applicable at same level (as per Kabul ATM contingency plan).

7. For availability of flight levels and TIBA procedures in Kabul FIR, see latest NOTAMs issued by Kabul NOF in this regard.

8. This AIP Supplement replaces AIP Supplement S-01/26 dated 01st January, 2026.

OPKCA0420/26 (08 AUG 26)

PAKISTAN AIRSPACE NOT AVBL FOR INDIAN REGISTERED ACFT AND ACFT OPERATED/OWNED OR LEASED BY INDIAN AIRLINES/OPERATORS INCLUDING MILITARY FLIGHTS.

F) GND

G) UNL

17 JUL 26 06:35 UNTIL 23 AUG 26 23:59 ESTIMATED

AFG / AFGHANISTAN

N I L

OAKX / KABUL FIR

// (COM-INFO)//

THA 00180/13 (07 AUG 26)

COM INFO--According to active NOTAMs below routes are not available:

A. LAJAK-L509-TAPIS-P173-DAVET (vice versa)

B. SITAX-M875-AMDAR (vice versa) (OW-INFO/UFN)

** G0282/26 **

OAKBG0282/26 (07 AUG 26)

"P173 ROUTE IS CLOSED, DUE TO CONGESTION WITH LOW AIRWAYS."

28 JUL 26 04:55 UNTIL 24 OCT 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 37/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

**** G0198/26 ****

OAKBG0198/26 (07 AUG 26)

ATS NOT AVAILABLE IN THE KABUL FIR.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

**** G0220/26****

***OAKBG0220/26 (07 AUG 26)**

ALL OVERFLIGHTS SHALL USE THE FOLLOWING LATERALLY DE-CONFLICTED
HIGH ROUTES (HIGH SECTOR) STARTING AT FL320-FL510 EXCEPT ON M875/L509
ROUTES SHALL USE FL300-FL510 AND P500 SHALL USE FL300-FL510
TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ 125.2MHZ
FOR THE TEMPORARY PURPOSE ONLY.
1. FIRUZ-P500-MOTMO (FL300-FL510)
2. AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
3. LEMOD-N644-DOBAT (FL320-FL510)
4. RANAH-L750-BIROS (FL320-FL510)
5. PAMTU-P628-ASLUM (FL320-FL510)
6. SOKAM-UL333-SERKA (FL320-FL510).
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

**** G0219/26****

***OAKBG0219/26 (07 AUG 26)**

ALL AIRCRAFT OPERATING INTO THE KABUL FIR SHALL FOLLOW BELOW HIGH
AND LOW SECTORS FLT LEVELS.
HIGH SECTOR:
AWY A453 CLOSED
AWY Z627 CLOSED
FIRUZ-P500-MOTMO (FL300-FL510)
AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
LEMOD-N644-DOBAT (FL320-FL510)
RANAH-L750-BIROS (FL320-FL510)
ASLUM-P628-PAMTU (FL320-FL510)
SOKAM-UL333-SERKA (FL320-FL510)
LOW SECTOR:
GADER-A453-TAPIS (FL170-FL290)
PAROD-G202-RIMPA (FL160-FL290)
GADER-G206 -TAPIS (FL180-FL290)
PAROD-M375-KHOLM (FL190-FL290)
SAKUX-V338-TAPIS (FL190-FL290)
PAROD-V390-SERKA (FL190-FL290)
SAKUX-V717-OLDEX (FL160-FL290)
RARNU-Z627-BUDBO (FL260-FL290).
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0272/26 (07 AUG 26)

ALL FLIGHTS ARRIVING OR DEPARTING FROM AERODROMES
IN KABUL FIR SHALL FILL FLIGHT PLAN AND OPERATE AT CRUISING LEVEL
AT OR BELOW FL290.
TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ 125.2MHZ
FOR THE TEMPORARY PURPOSE ONLY.
18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0271/26 (07 AUG 26)

"VFR ACFT WILL FLY IN ACCORDANCE WITH VFR PORTION OF THE
TABLE OF CRUISING LEVELS IN APPENDIX-3 OF ICAO ANNEX-2
(ALSO REFERRED TO AS SEMI-CIRCULAR CRUISING LEVELS 0-179
DEGREES ODD FLIGHT LEVELS, 180-359 DEGREES EVEN FLIGHT LEVELS."
18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0270/26 (07 AUG 26)

PILOTS IN COMMAND AND/OR AIRCRAFT OPERATORS ARE SOLELY
RESPONSIBLE FOR SAFETY AND SECURITY ASSESSMENT FOR ANY PLANNED
OPERATIONS IN THE KABUL FIR.
18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0269/26 (07 AUG 26)

FLIGHTS SHALL NOT CHANGE THEIR CRUISING FLIGHT LEVEL
OR CRUISING IAS/MACH NUMBER WITHIN THE KABUL FIR EXCEPT
IN CASE OF TRAFFIC AVOIDANCE OR EMERGENCY.
18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0263/26 (07 AUG 26)

KABUL FIR ATM CONTINGENCY PLAN NEW VERSION 4.0 IS ACTIVATED
REFERENCE PUBLISHED ON AIS MAIN WEBPAGE [HTTPS://WWW.AFGAIS.COM/](https://www.afgaiss.com/).
15 JUL 26 23:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0258/26 (07 AUG 26)

TRIGGER NOTAM - PERM- AIP ED 102 EFF 06 AUG 2026

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 38/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

PUBLISHED ON AIS MAIN WEBPAGE [HTTPS://WWW.AFGAIS.COM/](https://www.afgaais.com/).

OAKBG0221/26 (17 JUN 26)

NAVIGATION AND ANTI-COLLISION LIGHTS SHALL BE DISPLAYED
AT ALL TIMES.
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0222/26 (17 JUN 26)

"1: ALL AIRCRAFT FLYING ON M875 AMDAR-TAPIS L509-LAJAK SHALL
BE OFFSET 8NM TO THE RIGHT OF CENTER LINE AT DOSHI, AFTER PASSING
POSITION GIDOG RESUMED CENTRELINE, DUE TO ACTIVE PROHIBITED AREA
(OAP)201.
2: ALL AIRCRAFT FLYING ON L509 LAJAK- TAPIS- M875 AMDAR SHALL
BE OFFSET 8NM TO THE LEFT OF CENTERLINE AT POSITION GIDOG UNTIL
DOSHI, AFTER PASSING DOSHI RESUMED CENTRELINE, DUE TO ACTIVE
PROHIBITED AREA (OAP)201."
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0223/26 (17 JUN 26)

AFGHANISTAN FIR IS UNCONTROLLED CLASS G AIRSPACE.
ALL INTERNATIONAL AND DOMESTIC AIRLINES ARE REQUESTED TO FILL
FLIGHT PERMISSIONS FORM AT LEAST 72 HOURS PRIOR FLIGHT AND
SHALL EMAIL TO [FLIGHTPERMISSIONS.ACAA\(A\)GMAIL.COM](mailto:FLIGHTPERMISSIONS.ACAA(A)GMAIL.COM)
FOR PROCESSING PERMISSIONS.
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0216/26 (17 JUN 26)

"IN THE EVENT OF EMERGENCY DESCENT, THE PROCEDURES IN
ICAO DOC 4444 PANS-ATM SECTION 15.1.4.2 APPLY EXCEPT THAT
IN LIEU OF ADVISING ATS OF THE EMERGENCY DESCENT THE PILOT
SHALL BROADCAST ON THE RELEVANT TIBA FREQUENCY.
FLIGHTS OPERATING IN THE KABUL FIR SHALL COMPLY WITH TIBA
PROCEDURES DEFINED IN ICAO ANNEX-11 ATTACHMENT B AND
DESCRIBED USING THE FOLLOWING FREQUENCIES.
ALL OVERFLIGHTS SHALL COMPLY WITH TIBA PROCEDURE FOR
BROADCAST INTENTIONS ON FREQ 125.2MHZ 10 MINS PRIOR ENTERING
TO FIR. ARRIVAL AND DEPARTURE OPERATIONS AS FOLLOWS:
1. KABUL OAKB - 120.6MHZ
2. MAZAR-E-SHARIF OAMS - 135.35MHZ
3. KANDAHAR OAKN - 125.5MHZ
4. HERAT OAGR - 123.35MHZ
IN ADDITION TO THE ABOVE-MENTIONED TIBA BROADCASTS PILOTS
SHALL BROADCAST THEIR INTENTIONS INCLUDING RUNWAY, DEPARTURE
TRACK AND INTEND CRUISING LEVEL ON THE RELEVANT TIBA
FREQUENCIES NOT LESS THAN 10 MINUTES BEFORE TAKEOFF."
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0217/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR TERRAIN CLEARANCE.
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0218/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR SEPARATION FROM
OTHER TRAFFIC SSR TRANSPONDERS SHALL BE OPERATED AT ALL TIMES.
FLIGHTS ENTERING THE KABUL FIR SHALL CONTINUE TO SQUAWK THE LAST
ASSIGNED SSR CODE FLIGHTS DEPARTING AERODROMES WITH THE KABUL FIR
SHALL SQUAWK CODE A2000 (UNTIL ASSIGNED) A NEW CODE BY THE FIRST
RELEVANT ATS UNIT.
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0215/26 (17 JUN 26)

NON-RVSM OPERATIONS ARE NOT PERMITTED.
06 JUN 26 10:00 UNTIL 02 SEP 26 23:59 ESTIMATED

OAKBG0199/26 (17 JUN 26)

FLIGHTS MAY BE SUBJECT TO DELAYING ACTION PRIOR TO
ENTERING THE KABUL FIR TO ENSURE 15 MINUTES LONGITUDINAL
SPACING FROM PRECEDING TRAFFIC AT THE SAME LEVEL.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

OAKBG0197/26 (17 JUN 26)

"FLIGHTS DEPARTING THE KABUL FIR SHALL CONTACT THE RELEVANT
ACC IN THE NEXT FIR ENTERED NOT LESS THAN 15 MINUTES BEFORE THE
FIR BOUNDARY POINT, ON IN ACCORDANCE WITH ANY OTHER REQUIREMENT
SPECIFIED BY THE RELEVANT AUTHORITY FOR THE FIR."
23 MAY 26 05:45 UNTIL 18 AUG 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 39/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

OAKBG0193/26 (17 JUN 26)

22 MAY 2026 16:31-17 AUG 2026 23:59
ALL CLIMB AND DESCENT SHOULD BE CARRIED OUT 5NM TO THE RIGHT OF
TRACK EXCEPT FOR ARRIVING AND DEPARTING TRAFFIC WHILE OPERATING MSA
SHOULD FOLLOW THE PUBLISHED INSTRUMENT FLIGHT PROCEDURE.
22 MAY 26 16:31 UNTIL 17 AUG 26 23:59 ESTIMATED

EUR / EUROPE

N I L

UZB / UZBEKISTAN

N I L

UZSD / SAMARKAND FIR

UZTTD1251/26 (17 JUL 26)

"AT ALL CIVIL AVIATION AIRPORTS OF THE REPUBLIC OF UZBEKISTAN,
WHEN OAT IS PLUS 40 DEG C OR ABOVE, ACFT SHALL PERFORM 180-DEG TURNS
ONLY ON RWY TURNING PADS, STRICTLY IN ACCORDANCE WITH MARKINGS."
17 JUL 26 06:01 UNTIL 30 SEP 26 23:59 ESTIMATED

UZTTD1087/26 (24 JUN 26)

AIRAC EFFECTIVE DATE 06 AUG 2026 NIL.

*UZTTD1120/25 (15 OCT 25)

"ATS ROUTE Y300 SEGMENT GONAK-FIZLE CLOSED IN BOTH
DIRECTIONS WITHIN SAMARKAND SECTOR 6 DUE TO OPERATIONAL REASONS.
REF: AIP ENR 3.1-22, ENR 6.1-1."

UZTTD1025/25 (02 OCT 25)

"IN ACCORDANCE WITH THE LEGISLATION OF THE REPUBLIC OF UZBEKISTAN,
FROM JULY 1,2020 YEAR,A MANDATORY PROCEDURE HAS BEEN INTRODUCED FOR
PROVIDING PREMILINARY PASSENGER INFORMATION TO THE BORDER TROOPS OF
THE STATE SECURITY SERVICE OF THE REPUBLIC OF UZBEKISTAN FOR ALL
OPERATORS OF FOREIGN AIRCRAFT FLYING TO/FROM UZBEKISTAN.
FOR INFORMATION:A WEB PORTAL BORDERS TROOPS OF THE STATE SECURITY
SERVICE HAS BEEN CREATED TO OBTAIN PRELIMINARY INFORMATION ABOUT
PASSENGERS FROM OPERATORS OF FOREIGN AIRCRAFT HTTP:EBORDER.UZ,FTP
GATEWAY (HOST:EBORDER.UZ,PORT:21,SITATEX TYPE B GATEWAY (TASPIHY)AND
EMAIL ADDRESS API(AT)EBORDER.UZ
IN CASE OF NON-COMPLIANCE WITH THE REQUIREMENTS OF THE CURRENT
LEGISLATION OF THE REPUBLIC OF UZBEKISTAN IN ACCORDANCE WITH THE
INSTRUCTIONS ON THE PROCEDURE FOR ISSUING OPERATIONAL PERMITS TO
FOREIGN AIRCRAFT OPERATORS, THE OPERATIONAL PERMIT MAY BY TERMINATED,
AND CHARTER FLIGHTS TO THE REPUBLIC OF UZBEKISTAN WILL NOT BE
CONSIDERED."

UZTTD1024/25 (02 OCT 25)

"THE OPEN SKIES REGIME HAS BEEN EXTENDED AT SAMARKAND AIRPORT
SINCE OCTOBER 2024 UNTIL THE END OF THE IATA SUMMER 2027 SEASON.
THE SPECIFIED REGIME IS INTRODUCED WITH THE RIGHT TO FLY WITHOUT
FREQUENCY RESTRICTIONS TAKING INTO ACCOUNT THE TECHNICAL CAPABILITIES
OF THE AIRPORT, INCLUDING THE 5TH FREEDOM OF THE AIR, ON THE ROUTES
THAT ARE NOT OPERATED BY THE DESIGNATED CARRIES OF THE REPUBLIC OF
UZBEKISTAN.
ALL FOREIGN AIR OPERATORS OF THE ICAO MEMBER STATES WILLING TO
OBTAIN PERMISSION TO PERFORM REGULAR FLIGHTS TO SAMARKAND AIROPORT
SHOULD CONTACT CIVIL AVIATION AGENCY OF UZBEKISTAN AT THE FOLLOWING
ADRESS:

73-B, NUKUS STREET. AGENCY
100015, TASHKENT
REPUBLIC OF UZBEKISTAN
TEL.: (+998 71) 254 34 10
FAX: (+998 71) 254 14 82
E-MAIL: CAA(A)UZCAA.UZ."

TKM / TURKMENISTAN

N I L

UTAV / TURKMENABAT FIR

UUUUU00293/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0330-1700
"ATS RTE SEGMENTS CLSD:

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 40/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

A847 TURKMENABAT VORDME (LBA)-OLCHE,
B362 TURKMENABAT VORDME (LBA)-NURSA,
A230 DERKI-DUTAR,
A118 TURKMENABAT VORDME (LBA)-VATIN,
A117 TURKMENABAT VORDME (LBA)-DUTAR.
FROM SFC TO FL100"

*UUUUU00291/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
"FLW ATS RTE SEGMENTS CLSD:
B361 RAPTA-RARUN,
A125 RARUN-ABNEP.
FROM SFC TO FL170"

*UUUUU00292/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
RESTRICTED AREA ACT WI AREA:
3744N06457E-3748N06503E-3745N06503E-3745N06505E-3741N06509E-
3739N06505E-3744N06457E.
F) SFC
G) FL170

// (COM-INFO) //

THA 00182/13 (21 MAR 25)

COM INFO:--ACFT crews entering Turkmenistan airspace from airspace of Afganistan and Iran shall establish communication with Turkmenistan ATC units at 81-108NM before crossing FIR boundary.

ACFT crews entering Turkmenistan airspace from airspace of Azerbaijan, Kazakhstan and Uzbekistan
do not need to establish communication with Turkmenistan ATC units before crossing FIR boundary unless
otherwise instructed by ATC units.

ACFT flying from Kabul FIR to Turkmenabat FIR (A909 LEMOD, L750 RANAH)
must establish contact with Turkmenabat Control on 134.500MHz (backup 128.500MHz) within 10min
to the entrance to Turkmenabat FIR.

ACFT flying from Turkmenabat FIR to Kabul FIR, ATS service will be provided to the border of Turkmenabat
FIR with a 15min interval along one route and at one echelon.
(ISSUED 16JAN25/REF CRAR Turkmenistan/C-20/UFN)

UTAA / ASHGABAT FIR

UUUUU00293/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0330-1700
"ATS RTE SEGMENTS CLSD:
A847 TURKMENABAT VORDME (LBA)-OLCHE,
B362 TURKMENABAT VORDME (LBA)-NURSA,
A230 DERKI-DUTAR,
A118 TURKMENABAT VORDME (LBA)-VATIN,
A117 TURKMENABAT VORDME (LBA)-DUTAR.
FROM SFC TO FL100"

UUUUU00296/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
A909 NINOP-LEMOD,
B801 NINOP-RANAH.
FROM SFC TO FL070"

*UUUUU00290/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
ATS RTE A847 SEGMENT NINOP-OLADI CLSD.
FROM SFC TO FL230

*UUUUU00288/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
ATS RTE B449 SEGMENT KEMOR-ZAMIR CLSD.
FROM SFC TO FL170

*UUUUU00289/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
RESTRICTED AREA ACT:
CIRCLE CENTRE 3729N06140E RADIUS 5KM.
F) SFC

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 41/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

G) FL230

*UUUUU00287/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
FLW RESTRICTED AREA ACT:
3717N06016E-3721N06008E-3724N06011E-3720N06021E-3717N06016E.
F) SFC
G) FL170

UUUUU00284/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
ATS RTE P130 SEGMENT MAMED-ARBAT CLSD.
FROM SFC TO FL070

*UUUUU00275/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
P130 ARBAT-DOGAM,
B449 SAHET-ETRAP.
FROM SFC TO FL270"

UTAK / TURKMENBASHI FIR

UUUUU00305/26 (17 AUG 26)

18 AUG 2026 03:00-19 AUG 2026 13:00
18 19 0300-1300
"ATS RTE SEGMENTS CLSD:
B450 MARAL-TABAB,
B476 METKA-TABAB,
A240 TABAB-TURKMENBASHY KRS.
FROM SFC TO FL100"

*UUUUU00285/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
G667 NESIR-SAVUZ,
R373 TIMGA-TABUN,
B711 OGLID-NESIR.
FROM SFC TO FL120"

*UUUUU00280/26 (01 AUG 26)

04-07 11-14 18-21 0400-1600
RESTRICTED AREA ACT:
4008N05315E-4012N05314E-4014N05316E-4012N05320E-4009N05325E-
4007N05322E-4008N05315E.
F) SFC
G) FL240

*UUUUU00279/26 (01 AUG 26)

04-07 11-14 18-21 0400-1600
"FLW ATS RTE SEGMENTS CLSD:
A909 TUNEK-TUGTA,
A480 TURKMENBASHY KRS-IDRIS,
B738 TURKMENBASHY KRS-NEBIT.
FROM SFC TO FL240"

*UUUUU00276/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
FLW RESTRICTED AREA ACT:
3913N05518E-3913N05529E-3910N05529E-3906N05522E-3913N05518E.
F) SFC
G) FL270

*UUUUU00275/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
P130 ARBAT-DOGAM,
B449 SAHET-ETRAP.
FROM SFC TO FL270"

UUUUU00233/26 (17 JUN 26)

UTAK TAR U/S.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 42/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

AZE / AZERBAIJAN

N I L

UBBA / BAKU FIR

UBBUA0203/26 (30 JUN 26)

TEMPORARY RESTRICTION FOR FLIGHT OPERATIONS BETWEEN THE
AERODROMES OF THE REPUBLIC OF AZERBAIJAN AND THE FOLLOWING
AERODROMES OF THE RUSSIAN FEDERATION ARE APPLIED UNTIL FURTHER
NOTICE:
ASTRAKHAN - URWA
GROZNY - URMG
KAZAN - UWKD
MAKHACHKALA - URML
MINERALNYYE VODY - URMM
NIZHNY NOVGOROD - UWGG
SAMARA - UWWW
SARATOV - UWSG
SOCHI - URSS
UFA - UWUU
VLADIKAVKAZ - URMO
VOLGOGRAD - URWW
ANY FLIGHT REQUESTS WILL BE CONSIDERED AFTER AGREED FLIGHT ROUTES ON
AN EXCEPTIONAL BASIS.
RESTRICTION NOT APPLICABLE TO EMERGENCY LANDING.
30 JUN 26 13:00 UNTIL 30 SEP 26 23:59 ESTIMATED

// (COM-INFO) //

THA 00249/25 (05 APR 26)

COM INFO:--Dispatch Note:
Portion ADEKI-RASAM is not avilable for eastbound traffic.

GEO / GEORGIA

N I L

UGGG / TBILISI FIR

N I L

TUR / TURKEY

N I L

LTAA / ANKARA FIR

LTAAA3574/26 (14 AUG 26)

18 AUG 2026 09:30-20 AUG 2026 13:00
"18 0930-1030 1300-1400, 19 20 1200-1300"
SEE NOTAM: A3572/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING AIR DISPLAY AS FLW:
1. AWY N37 IFEMU-SARPI SEGMENT CLSD.
VERTICAL LIMITS: SFC-15000FT AMSL

LTAAA3573/26 (14 AUG 26)

18 AUG 2026 09:30-20 AUG 2026 13:00
"18 0930-1030 1300-1400, 19 20 1200-1300"
SEE NOTAM: A3572/26
ATS ROUTES AND SEGMENTS AFFECTED DURING AIR DISPLAY AS FLW:
1. AWY G67 IFEMU-SARPI SEGMENT CLSD.
VERTICAL LIMITS: SFC-15000FT AMSL

*LTAAA3572/26 (14 AUG 26)

18 AUG 2026 09:30-20 AUG 2026 13:00
"18 0930-1030 1300-1400, 19 20 1200-1300"
AIR DISPLAY WILL TAKE PLACE WI:
CENTERED ON 412115N0411833E WITH RADIUS 5NM
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC
G) 15000FT AMSL

LTAAA3542/26 (14 AUG 26)

URFA KORCIK MSSR UNRELIABLE BTN 250-360 DEGREES.

LTAAA3528/26 (14 AUG 26)

ERZURUM MSSR U/S BTN 270-360 DEGREES.
-DUE TO REFLECTIONS FROM MIL AND MET RADAR LOCATED NEARBY-

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 43/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LTAAA3526/26 (14 AUG 26)

MERZIFON MSSR UNSERVICEABLE BTN AZIMUT 252.77 - 268.54 DEGREES.
-DUE TO REFLECTIONS FROM MIL RADAR LOCATED NEARBY-

*LTAAA3114/26 (15 JUL 26)

JUL 16-17 21-23 28-29 AUG 04-06 18-20 25-26 SEP 01-03 08-09 15-17
22-23 29-30 OCT 01 06-07 13-15 1200-1500
SEE NOTAM: A3113/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FLW:
1- AWY UT244 EDASA-OKMOT SEGMENT CLSD.
2- AWY UL742 REDNO-OKMOT SEGMENT CLSD.
VERTICAL LIMITS: FL290-FL350

*LTAAA3113/26 (15 JUL 26)

JUL 16-17 21-23 28-29 AUG 04-06 18-20 25-26 SEP 01-03 08-09 15-17
22-23 29-30 OCT 01 06-07 13-15 1200-1500
EXERCISE WILL TAKE PLACE.
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 391123N0320151E 391021N0320352E 381800N0312936E
383114N0310744E 385023N0305859E 391123N0320151E
F) FL290
G) FL350

*LTAAA3075/26 (11 JUL 26)

RESTRICTED AREA: CENTERED ON 382049N0374741E WITH RADIUS 14NM
WI MALATYA MIL TMA.
VERTICAL LIMITS: SFC-80000FT AMSL

AIRSPACE IS NOT DECONFLICTED FROM CIVIL AIRSPACE. TURKIYE AIRSPACE
IS SOVEREIGN. USER IS RESPONSIBLE FOR OBTAINING CIVIL OR MILITARY
CLEARANCE TO ENTER AND OPERATE IN THIS AIRSPACE IN ACCORDANCE WITH
HOST NATION REGULATIONS. REFER TO SPINS FOR C2 DETAILS.
F) SFC
G) UNL

LTAAA3070/26 (11 JUL 26)

"RESTRICTED AREA WI KONYA MIL TMA
CENTERED ON 375725N0323312E WITH RADIUS 11NM
VERTICAL LIMITS: SFC-80000FT AMSL

NOTE1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI(10NM) OF
KONYA AD WILL BE DIRECTED TO LAND BY THE KONYA APCH, AND TFCS
OUTSIDE(10NM) WILL BE HELD AT POINTS OUTSIDE THE AREA AS DEEMED
APPROPRIATE BY KONYA APCH.
NECESSARY COORDINATIONS WILL BE ESTABLISHED TO ENSURE THAT FLIGHTS
FROM KTO KARATAY UNIVERSITY AIR PARK DO NOT AFFECT THE AREA.
DEPARTURES FROM KONYA AD WILL NOT BE PERMITTED.

NOTE3: DUE TO TWO-WAY COMMUNICATION IS MANDATORY IN THIS AREA,
MAINTAINING CONTINUOUS AND REAL-TIME RADIO CONTACT WITH ANKARA ACC
OR KONYA ATC IS CRITICAL. CONTINUOUS LISTENING WILL BE KEPT ON THE
GUARD CHANNEL."
F) SFC
G) UNL

*LTAAA2941/26 (01 JUL 26)

SEE NOTAM: A2940/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING FIRING EXERCISE AS FOLLOWS:
1. AWY UM860 NINVA-SRT SEGMENT CLSD.
2. AWY UM688 OTKEP-RATVO SEGMENT CLSD.
3. AWY UT332 OTKEP-KABAN SEGMENT CLSD.
4. AWY UT301 NARLI-LUMOM SEGMENT CLSD.
VERTICAL LIMITS: 31000FT AMSL-33000FT AMSL

*LTAAA2940/26 (01 JUL 26)

GUN FIRING WILL TAKE PLACE.
AREA: 371826N0424330E 372900N0423000E 374559N0423000E
373700N0443600E 372644N0443448E 371707N0444836E 371411N0444435E
371018N0444602E 371134N0443821E 370724N0443226E 365859N0441748E
370611N0441115E 371018N0441726E 371613N0441429E 372000N0440336E
371247N0435057E 371510N0433045E 372246N0430751E 371916N0425718E
372257N0424659E 371826N0424330E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 44/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

AREA CLSD TO TFC BTN FL310-FL330.
F) 31000FT AMSL
G) 33000FT AMSL

LTAAA2931/26 (01 JUL 26)

"RESTRICTED AREA WI ADANA MIL TMA:
CENTERED ON 370006N0352532E WITH RADIUS 14NM
VERTICAL LIMITS: SFC-80000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM)
OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD
WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH.
TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH
OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE
PERMITTED.

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS
AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS
ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."
F) SFC
G) UNL

LTAAA2930/26 (01 JUL 26)

"RESTRICTED AREA WI ADANA MIL TMA:
373949N0353344E 370015N0352513E 363911N0344154E 363221N0344838E
362534N0350031E 362238N0350823E 362051N0351638E 362013N0352514E
362051N0353345E 362234N0354204E 362538N0354952E 362935N0355657E
363422N0360318E 364006N0360817E 364619N0361201E 365316N0361414E
370006N0361513E 370704N0361427E 371351N0361214E 372003N0360840E
372559N0360350E 373059N0355726E 373453N0354956E 373819N0354208E
374002N0353342E 373949N0353344E
VERTICAL LIMITS: SFC-70000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM)
OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD
WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH.
TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH
OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE
PERMITTED.

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS
AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS
ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."
F) SFC
G) UNL

*LTAAA2899/26 (01 JUL 26)

"SEE NOTAM: A2896/26
RNAV ROUTE AND SEGMENTS AFFECTED DURING FIRING ACTIVITY AS FOLLOWS:
1. AWY M/UM860 NINVA-SRT SEGMENT CLOSED.
2. AWY M/UM688 OTKEP-RATVO SEGMENT CLOSED.
3. AWY T/UT332 OTKEP-KABAN SEGMENT CLOSED.
4. AWY UT301 INLAP-LUMOM SEGMENT CLOSED.
5. AWY T301 INLAP-YKV SEGMENT CLOSED.
VERTICAL LIMITS FOR ABOVE ROUTES: SFC-FL310
6. HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW) PLANNING TAKE
-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW,WHEN
DEEMED NECESSARY BY ATC
ROTA: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-
YKV VOR(373257N0441433E)
MAG TRACK: 137/317(VAN VOR-YKV VOR)
DISTANCE: BTN VAN VOR-RUPOM 48.1NM
BTN RUPOM-YKV VOR 22.0NM
FLIGHT LEVELS:BTN VAN VOR-RUPOM FL220
BTN RUPOM-YKV VOR MIN FL180"

LTAAA2897/26 (01 JUL 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED
OCCASSIONALLY IN SOME PARTS OF TURKISH AIRSPACE.
PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN
TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSSES.
30 JUN 26 08:00 UNTIL 30 SEP 26 08:00 ESTIMATED

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 45/97

Trans ID: 5107759

Creation Time: 17.08.2026 14:16UTC

*LTAAA2896/26 (01 JUL 26)

"FIRING EXERCISE WILL TAKE PLACE.

RMK: AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED.

AREA: 371830N0424330E 372900N0423000E 374600N0423000E

373700N0443600E 372652N0443448E 371708N0444846E 371412N0444435E

371018N0444604E 371142N0443823E 370725N0443227E 365859N0441749E

370611N0441117E 371018N0441726E 371613N0441429E 372001N0440344E

371247N0435057E 371512N0433045E 372247N0430752E 371916N0425718E

372258N0424706E 371830N0424330E

1ST NOTE: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV,LTCL, LTCW,
LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM
BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL
BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM.

2ND NOTE: FOLLOW ALONG BORDER OF TURKISH-IRAQ, TURKISH-IRAN. IT IS
STRICTLY ADVISED NOT TO MAKE AVOIDANCE MANEUVERES TOWARDS THIS AREA."

F) SFC

G) FL310

LTAAA2891/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026

CHANGES OF ENR 2.1 FIR,UIR,TMA, ENR 3.2 AREA NAVIGATION(RNAV)

ROUTES, ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS, ENR

5.1 PROHIBITED, RESTRICTED AND DANGER AREAS, ENR 6.1 ATS/RNAV ROUTE

CHART, GEN 0.2 RECORD OF AIP AMENDMENTS, GEN 0.3 RECORD OF AIP

SUPPLEMENTS, GEN 0.4 CHECKLIST OF AIP PAGES"

LTAAA2877/26 (29 JUN 26)

0300-0530

UNMANNED ACFT FLIGHT WILL TAKE PLACE WI: 381620N0333332E

383620N0332100E 383559N0334632E 382721N0335410E 381620N0333332E

F) SFC

G) 40000FT AMSL

*LTAAA2786/26 (25 JUN 26)

0500-1400 EXC SAT SUN

EXERCISE(SUPERSONIC SPEED) WILL TAKE PLACE WI ESKISEHIR MILITARY

TMA:393500N0310300E 393500N0314000E 392500N0314500E 391100N0310300E

393500N0310300E

F) 12000FT AMSL

G) 50000FT AMSL

*LTAAA2685/26 (23 JUN 26)

SEE NOTAM: A2677/26

ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT
FIRING) AS FOLLOWS

1.AWY W197 SRT-ABDIK SEGMENT CLOSED.

2.AWY R21 KABAN-SRT SEGMENT CLOSED.

VERTICAL LIMITS: FL170-FL260

*LTAAA2686/26 (23 JUN 26)

KABAN FIR BDRY CLSD TO ALL TFC AT AND BELOW FL310

*LTAAA2684/26 (23 JUN 26)

SEE NOTAM: A2677/26

RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT
FIRING) AS FOLLOWS

1.AWY T333 SRT-LESRI SEGMENT CLOSED.

2.AWY M860 EFFEZ-SRT SEGMENT CLOSED.

3.AWY T306 SRT-ABDIK SEGMENT CLOSED.

VERTICAL LIMITS: FL170-FL260

*LTAAA2683/26 (23 JUN 26)

"SEE NOTAM: A2679/26

RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT
FIRING) AS FOLLOWS

1.AWY L/UL614 ULSAB-DERIL SEGMENT CLOSED.

2.AWY M/UM860 RENGİ-EFFEZ SEGMENT CLOSED.

3.AWY M/UM688 ULTED-RATVO SEGMENT CLOSED.

4.AWY UT253 RENGİ-OTKEP SEGMENT CLOSED.

5.AWY UT301 ULTED-YKV SEGMENT CLOSED.

6.AWY T/UT36 ULTED-ALRAM SEGMENT CLOSED.

7.AWY UT888 ALRAM-BAYIR SEGMENT CLOSED.

8.AWY UL718 ULSAB-ESOTA SEGMENT CLOSED.

9.AWY T/UT333 BEYAZ-ESOTA SEGMENT CLOSED.

10.AWY T/UT332 BEYAZ-EFFEZ SEGMENT CLOSED.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 46/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

11.AWY T301 NARLI-YKV SEGMENT CLOSED.
12.AWY R/UR21 KABAN-SRT SEGMENT CLOSED.
13.AWY T/UT306 SRT-ABDIK SEGMENT CLOSED.
VERTICAL LIMITS FOR ABOVE RTS: FL240-FL310
14.HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW),ACFT PLANNING
TAKE-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW
WHEN DEEMED NECESSARY BY ATC
ROUTE: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-
YKV VOR(373257N0441433E)
MAG TRACK: 137/317(VAN VOR-YKV VOR)
DISTANCE:
BTN VAN VOR-RUPOM 48.1NM
BTN RUPOM-YKV VOR 22.0NM
FLIGHT LEVELS:
BTN VAN VOR-RUPOM FL220
BTN RUPOM-YKV VOR MIN FL180"

*LTAAA2679/26 (23 JUN 26)

"EXERCISE WILL TAKE PLACE (WITHOUT FIRING) (H24)
AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED
AREA: 373700N0443600E 375000N0413000E 382000N0413000E
382034N0432322E 375755N0441520E 375312N0441322E 375121N0441754E
375038N0442316E 374513N0442817E 374603N0443342E 374218N0443637E
373923N0443329E 373700N0443600E

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV ,LTCL, LTCW , LTCI
AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM
BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL
BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM.
THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE
THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC
UNIT IMMEDIATELY.
IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY WITHIN EXERCISE AREA
BY MEANS OF CIVIL/MILITARY COORDINATION
TRAFFIC FLYING ON AWYS G/UG8, T/UT888 AND T/UT36 SHALL MAKE
AVOIDANCE MANEUVERS TO THE NORTH OF THE AWY IN ORDER TO AVOID FIRING
EXERCISE AREAS."
F) 24000FT AMSL
G) 31000FT AMSL

*LTAAA2677/26 (23 JUN 26)

"EXERCISE WILL TAKE PLACE(WITHOUT FIRING) (H24) .
AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 375000N0413000E 372200N0413000E 372200N0423000E
374600N0423000E 375000N0413000E

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV, LTCL, LTCW, LTCI
AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM
BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL
BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM.
THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE
THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC
UNIT IMMEDIATELY. IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY
WITHIN EXERCISE AREA BY MEANS OF CIVIL/MILITARY COORDINATION.
TRAFFIC FLYING ON AWYS R/UR21, M/UM860 AND UT334 SHALL MAKE
AVOIDANCE MANEUVERS TO THE WEST OF THE AWY IN ORDER TO AVOID FIRING
EXERCISE AREAS."
F) 17000FT AMSL
G) 26000FT AMSL

LTAAA2369/26 (06 JUN 26)

RNAV AIR CORRIDOR IDENTIFIED AS UM861 REVISED AS FOLLOWS:

BTN NISAP-TEVDA TRACK MAG:318/138 EVEN/ODD
BTN TEVDA-BUK:317/137 EVEN/ODD
BTN BUK-RAKUR:339 EVEN

OTHER INFORMATIONS NOT CHANGED.

REF AIP ENR 3.2
03 JUN 26 14:15 UNTIL 03 SEP 26 13:00 ESTIMATED

LTAAA2362/26 (06 JUN 26)

03 JUN 2026 11:49-17 AUG 2026 20:59
"JUN 04 08 10 12 16 18 22 24 26 30 0600-2059, JUL 02 06 08 10 14
16 20 22 24 28 30 0600-2059, AUG 03 05 07 11 13 17 0600-2059"
UNMANNED ACFT TEST FLT WILL TAKE PLACE WI:
385513N0312028E 390936N0320156E 384213N0314248E 385513N0312028E
F) 13000FT AMSL

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 47/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

G) 35000FT AMSL

LTAAA2349/26 (06 JUN 26)

MON WED FRI 0915-1115
UNMANNED ACFT WILL TAKE PLACE
AREA: 381620N0333332E 382600N0332100E 383559N0334632E 382721N0335410E
381620N0333332E
F) SFC
G) 40000FT AMSL

*LTAAA2127/26 (21 MAY 26)

0700-1400 EXC SAT SUN
SEE NOTAM: A2125/26
ATS ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY W/UW100 SUMOL-INB SEGMENT CLSD.
2. AWY W/UW101 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2126/26 (21 MAY 26)

0700-1400 EXC SAT SUN
SEE NOTAM: A2125/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY M/UM854 SUMOL-INB SEGMENT CLSD.
2. AWY P/UP29 SUMOL-BIMVO SEGMENT CLSD.
3. AWY M/UM853 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2125/26 (21 MAY 26)

0700-1400 EXC SAT SUN
TEST FLT WILL TAKE PLACE WI(LTTSA-3R):
424456N0330020E 424432N0335425E 424030N0340849E 422530N0340633E
423400N0325953E 424456N0330020E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC
G) 40000FT AMSL

*LTAAA5879/25 (01 JAN 26)

"SEE NOTAM: A5860/25
RNAV ROUTE AND SEGMENTS AFFECTED BECAUSE OF THE AIR DEFENCE ZONE AND
ALTERNATIVE ROUTES ARE GIVEN BELOW:
A)
AWY UL601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA-TUNLA.
AWY L601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA
VERTICAL LIMITS:FL110-FL450

FLIGHTS SHALL BE PLANNED AS BELOW:
KEMER DCT ADKAR (364733N0351152E) OR
KEMER DCT ADKAR (364733N0351152E) DCT TUNLA OR
KEMER DCT ADKAR (364733N0351152E) T/UT470 MILBA OR
KEMER DCT ADKAR (364733N0351152E) DCT HTY. (MIN FL280)
DCT RAD ADKAR-MILBA SHALL NOT BE USED.
B)
CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE
EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS,
SIDES, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH
AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO
CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ."

*LTAAA5862/25 (01 JAN 26)

"SEE NOTAM: A5860/25
ATS ROUTE AND SEGMENTS AFFECTED DURING THE AIR DEFENCE ZONE ARE
GIVEN BELOW.
A)
AWY W/UW75 CLSD TO TFC BTN SEGMENTS KEMER-ADA.
AWY W/UW74 CLSD TO TFC BTN SEGMENTS MANAZ-ADA-MILBA.
AWY W/UW84 CLSD TO TFC BTN SEGMENTS YAPZU-ADA.
AWY W/UW717 CLSD TO TFC.
VERTICAL LIMITS: FL110-FL450

FLIGHTS SHALL BE PLANNED AS BELOW:
AWY W/UW75
KEMER DCT ADKAR (364733N-0351152E) OR
KEMER DCT ADKAR (364733N-0351152E) DCT TUNLA OR
KEMER DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
KEMER DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 48/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

AWY W/UW74
MANAZ DCT ADKAR (364733N-0351152E) OR
MANAZ DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT TUNLA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT KEMER OR
MANAZ DCT ADKAR (364733N-0351152E) DCT HTY
MIN FL280)

AWY W/UW84
YAPZU DCT ADKAR (364733N-0351152E) OR
YAPZU DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
YAPZU DCT ADKAR (364733N-0351152E) DCT KEMER OR
YAPZU DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

B)
CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE
EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS,
SIDS, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH
AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO
CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ.)"

*LTAAA5860/25 (01 JAN 26)

AIR DEFENCE ZONE ESTABLISHED WITH THE FOLLOWING COORDINATES:
AREA: 365846N0352254E 370023N0352409E 370015N0353134E
365745N0353101E 365527N0352837E 365424N0352528E 365358N0352133E
365846N0352254E
NOTE: AIR TRAFFIC FLOW REGULATIONS AND ALTERNATIVE ROUTES NOTAMS
SHALL BE ISSUED.
F) FL110
G) FL450

LTAAA1342/08 (08 SEP 25)

"WARNING
WITH REFERANS TO THE NOTE IN REMARKS COLUMN OF TURKISH AIP PAGES
ENR 3.1-5,ENR 3.1-25,ENR 3.2-5,ENR 3.2-25,ENR 3.3-16 AND ENR 3.4-16
THE SEGMENT OF ATS ROUTES A/UA 28 BTN MUT-DOREN,AND THE SEGMENT OF
ATS ROUTES N/UN131 AND W/UW83 BTN AYT VOR-DOREN WILL ONLY BE
AUTHORIZED FOR TRAFFIC TO OR FROM ERCAN AIRPORT (LCEN).
ALL OPERATORS SHALL FILE FLIGHT PLANS IN ACORDANCE WITH THESE
REGULATIONS."

LTAAA5712/22 (17 OCT 23)

"AMEND TO READ AWY B/UB545 MUT VOR COORDINATE AS 365146N0331730E
INSTEAD OF 373906N0321213E
REF AIP ENR 3.1.10 , ENR 3.2.10"

LTBB / ISTANBUL FIR

LTAAA2921/26 (01 JUL 26)

"PLEASE AMEND TO READ 'T/UT777(RNAV 5)' INSTEAD OF
'P/UP777(RNAV5)' AT AIP TURKIYE ENR 3.2

REF AIP TURKIYE ENR 3.2, 4.4, 6.1"

LTAAA2897/26 (01 JUL 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED
OCCASSIONALLY IN SOME PARTS OF TURKISH AIRSPACE.
PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN
TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSES.
30 JUN 26 08:00 UNTIL 30 SEP 26 08:00 ESTIMATED

LTAAA2891/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF ENR 2.1 FIR,UIR,TMA, ENR 3.2 AREA NAVIGATION(RNAV)
ROUTES, ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS, ENR
5.1 PROHIBITED, RESTRICTED AND DANGER AREAS, ENR 6.1 ATS/RNAV ROUTE
CHART, GEN 0.2 RECORD OF AIP AMENDMENTS, GEN 0.3 RECORD OF AIP
SUPPLEMENTS, GEN 0.4 CHECKLIST OF AIP PAGES"

*LTAAA2794/26 (25 JUN 26)

0500-1400 EXC SAT SUN
EXERCISE(SUPERSONIC SPEED) WILL TAKE PLACE WI IZMIR
TMA:391757N0263816E 392238N0265728E 390635N0265920E 390000N0270000E
385818N0265750E 390132N0264535E 391757N0263816E
F) 23000FT AMSL
G) 50000FT AMSL

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 49/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LTAAA2761/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE
AREA: 403640N0260513E 403419N0260304E 402537N0262018E
403032N0263635E 403757N0263201E 403605N0262720E 403640N0260513E
F) 10000FT AMSL
G) 35000FT AMSL

LTAAA2760/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE.
AREA: 404615N0261531E 403640N0260513E 403605N0262720E
404640N0265343E 404745N0265340E 404615N0261531E
F) 3000FT AMSL
G) 35000FT AMSL

LTAAA2762/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE WI AREA:
403757N0263201E 403032N0263635E 403554N0265013E
404330N0264547E 403757N0263201E
F) SFC
G) 35000FT AMSL

LTAAA3208/06 (27 SEP 25)

"NAVIGATIONAL WARNING TO ALL CONCERNED:
THE CONSIDERABLE PORTION OF THE AWYS G/UG18,L/UL609,R/UR19 AND
L/UL995 CROSS OVER THE SOVEREIGN AIR SPACE OF TURKEY AND REMAINS
WITHIN MILAS TMA.FOR THE SAFETY OF FLIGHTS AND SECURITY REASONS,
ALL AIRCRAFT USING LARKI 3723.9N-02650.3E RHODES PORTION OF THE AWYS
G/UG18,L/UL609,AND:KOPAR 3650.9N-02642.0E RHODES PORTION OF THE AWYS
R/UR19,L/UL995 SHALL ALWAYS FLY AT OR ABOVE FL250 DURING THEIR
FLIGHTS WITHIN TURKISH AIRSPACE."

BGR / BULGARIA

N I L

LBSR / SOFIA FIR

LBSFA0880/26 (06 AUG 26)

"UKRAINE CRISIS:
ONGOING MILITARY ACTIVITY IN UKRAINE AND
ALONG BORDER UKRAINE/RUSSIA AND ALONG BORDER UKRAINE/BELARUS
AS WELL AS THE USE OF WIDE RANGE OF GROUND AND AIRBORNE WARFARE
SYSTEMS POSES A HIGH RISK FOR CIVIL FLIGHTS OPERATING AT ALL
ALTITUDES AND FLIGHT LEVELS.
AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR SERVICE MANAGED
BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY THE REPUBLIC OF
BULGARIA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO
CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER
AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHTS PERFORMED WITH
BULGARIAN ACFT REGISTRATION ARE REQUESTED TO:
- NOT ENTER FIR LVIV /UKLV/, FIR KYIV /UKBV/, UIR KYIV /UKBU/,
FIR DNIPROPETROVSK /UKDV/, FIR SIMFEROPOL /UKFV/ AND
FIR ODESA /UKOV/."
30 JUL 26 11:53 UNTIL 27 OCT 26 23:59 ESTIMATED

LBSFA0879/26 (06 AUG 26)

"BULGARIAN AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR
SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY
BULGARIAN CAA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO
CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER
AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHTS PERFORMED WITH
BULGARIAN ACFT REGISTRATION, ARE NOT ALLOWED TO CONDUCT OPERATIONS
IN BELARUSIAN AIRSPACE /FIR MINSK - UMMV/ UNLESS THE USE OF THAT
AIRSPACE IS DEEMED NECESSARY TO ENSURE SAFE OPERATION IN CASE OF
UNFORESEEN CIRCUMSTANCES. FOREIGN AIR CARRIERS INBOUND EU ARE
RECOMMENDED TO AVOID BELARUS MINSK FIR /UMMV/."
30 JUL 26 11:48 UNTIL 27 OCT 26 23:59 ESTIMATED

LBSFA0867/26 (06 AUG 26)

GNSS JAMMING AND SPOOFING OCCURRENCES HAVE BEEN REPORTED
WITHIN LBSR FIR. CONVENTIONAL NAVAIDS AVAILABLE.
AIR CREWS TO REMAIN VIGILANT AND REPORT TO ATC.
27 JUL 26 07:57 UNTIL 26 OCT 26 12:00 ESTIMATED

LBSFA0830/26 (06 AUG 26)

"DME VIT CH 81Y RANGE OF OPR:

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 50/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

SECTOR 029DEG - 090DEG 100NM,
SECTOR 091DEG - 028DEG 160NM."
14 JUL 26 07:05 UNTIL 09 OCT 26 12:00 ESTIMATED

LBSFA0767/26 (06 AUG 26)

"AIRCRAFT OPERATED BY BELARUSIAN AIR CARRIERS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS, ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY TERRITORY OF THE REPUBLIC OF BULGARIA, EXCEPT IN THE CASE OF AN EMERGENCY LANDING, AN EMERGENCY OVERFLIGHT OR HUMANITARIAN FLIGHTS.

NOTE:

HUMANITARIAN FLIGHTS ARE REQUIRED TO OBTAIN PRIOR PERMISSION BY THE BULGARIAN MINISTRY OF FOREIGN AFFAIRS - CONSULAR DEPARTMENT FOR OPERATIONS TO/FROM THE AIRPORTS OR OVERFLYING THE TERRITORY OF REPUBLIC OF BULGARIA."

01 JUL 26 14:59 UNTIL 24 SEP 26 23:59 ESTIMATED

LBSFA0766/26 (06 AUG 26)

"UKRAINIAN CRISIS:

IT SHALL BE PROHIBITED FOR ANY ACFT OPERATED BY RUSSIAN AIR CARRIERS, OR FOR ANY RUSSIAN REGISTERED ACFT, OR FOR ANY NON-RUSSIAN-REGISTERED ACFT WHICH IS OWNED OR CHARTERED, OR OTHERWISE CONTROLLED BY ANY RUSSIAN NATURAL OR LEGAL PERSON, ENTITY OR BODY, TO LAND IN, TAKE-OFF FROM OR OVERFLY THE TERRITORY OF THE REPUBLIC OF BULGARIA.

THE PROHIBITION SHALL NOT APPLY IN THE CASE OF AN EMERGENCY LANDING OR AN EMERGENCY OVERFLIGHT AND TO ACFT THAT HAVE A MAXIMUM SEATING CAPACITY OF 4 PERSONS AND A MAXIMUM TAKE-OFF MASS OF NO MORE THAN 2000KG WHEN USED FOR PRIVATE, NON-CORPORATE, FLIGHTS FOR RECREATIONAL PURPOSES OR FOR THE PURPOSE OF TRAINING FOR PRIVATE PILOT LICENSES AND RELATED RATINGS WITH UNION TRAINING PROVIDERS."

01 JUL 26 14:57 UNTIL 24 SEP 26 23:59 ESTIMATED

ROU / ROMANIA

N I L

LRBB / BUCHAREST FIR

LRBBP4284/26 (17 AUG 26)

18 AUG 2026 07:00-18 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA68G

LRTRA68L

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL200

LRBBP4285/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA71G

LRTRA71L

LRTRA71M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

LRBBP4283/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA67L

LRTRA67M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) 5000FT AMSL

G) FL280

LRBBP4281/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA66G

LRTRA66L

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 51/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LRTRA66M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4280/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA65G
LRTRA65L
LRTRA65M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4287/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA73G
LRTRA73L
LRTRA73M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4279/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA64G
LRTRA64L
LRTRA64M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4286/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA72G
LRTRA72L
LRTRA72M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4278/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA63G
LRTRA63L
LRTRA63M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4272/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREA LRTRA53G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4271/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 52/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

TEMPORARY RESERVED AREA LRTRA52G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4262/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA36G
LRTRA36L
LRTRA36M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4265/26 (17 AUG 26)

18 AUG 2026 07:00-18 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA42G
LRTRA42L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4264/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREA LRTRA40 ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4267/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA44G
LRTRA44L
LRTRA44M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4266/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA43G
LRTRA43L
LRTRA43M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4277/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA62G
LRTRA62L
LRTRA62M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4276/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA61G

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 53/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LRTRA61L
LRTRA61M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4274/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA55L
LRTRA55M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBP4273/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA54L
LRTRA54M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBP4263/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA37G
LRTRA37L
LRTRA37M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4275/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA60G
LRTRA60L
LRTRA60M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4268/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA47L
LRTRA47M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL280

LRBBP4261/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA35L
LRTRA35M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL070
G) FL280

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 54/97

Trans ID: 5107759

Creation Time: 17.08.2026 14:16UTC

LRBBP4259/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA34L
LRTRA34M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL065
G) FL280

LRBBP4257/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA33G
LRTRA33L
LRTRA33M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4253/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA29G
LRTRA29L
LRTRA29M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4255/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA31G
LRTRA31L
LRTRA31M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4256/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA32G
LRTRA32L
LRTRA32M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4254/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA30G
LRTRA30L
LRTRA30M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4251/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA28G
LRTRA28L

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 55/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LRTRA28M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4245/26 (17 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA21L
LRTRA21M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL075
G) FL280

LRBBP4242/26 (17 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 17:20
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA12G
LRTRA12L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4241/26 (17 AUG 26)

18 AUG 2026 09:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA7G
LRTRA7L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4234/26 (17 AUG 26)

18 AUG 2026 07:30-18 AUG 2026 13:30
0730-1000 1100-1330
TEMPORARY RESERVED AREA LRTRA111C ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL280
G) FL660

LRBBP4236/26 (17 AUG 26)

18 AUG 2026 09:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA2G
LRTRA2L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4238/26 (17 AUG 26)

18 AUG 2026 09:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA4G
LRTRA4L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4237/26 (17 AUG 26)

18 AUG 2026 09:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA3G
LRTRA3L
MIL FLT

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 56/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4239/26 (17 AUG 26)

18 AUG 2026 09:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA5G
LRTRA5L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4240/26 (17 AUG 26)

18 AUG 2026 09:00-18 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA6G
LRTRA6L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBA4246/26 (02 AUG 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S
30 JUL 26 05:54 UNTIL 31 AUG 26 23:00 ESTIMATED

LRBBA4162/26 (02 AUG 26)

"FLIGHT RESTRICTIONS
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION - ROMANIAN
AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN ROMANIA SHALL
NOT ENTER FIR KYIV (UKBU), FIR LVIV (UKLV), FIR KYIV (UKBV),
FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV), FIR ODESA
(UKOV), FIR ROSTOV-NA-DONU (URRV).
SAID OPERATORS AND AICRAFT OWNERS SHALL ALSO AVOID FLIGHT
OPERATIONS WITHIN THE BUFFER ZONE EXTENDING OUT TO 200NM ALONG
THE UKRAINE/RUSSIA BORDER.
OPERATIONS WITHIN THE FIR CHISINAU (LUUU) AIRSPACE SHALL ONLY
BE UNDERTAKEN IN COMPLIANCE WITH APPLICABLE AERONAUTICAL
PUBLICATIONS ISSUED BY REPUBLIC OF MOLDOVA.
OPERATORS ARE REMINDED THAT OPERATIONS WITHIN FIR MINSK (UMMV)
ARE PROHIBITED IN ACCORDANCE WITH EASA SAFETY DIRECTIVES
SD-2021-02 AND SD-2021-03.
ADDITIONAL RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS SHALL
BE TAKEN BEFORE OPERATING IN THE FOLLOWING AIRSPACE:
MOSCOW (UUWV)"
27 JUL 26 06:59 UNTIL 27 OCT 26 23:59 ESTIMATED

LRBBA4161/26 (02 AUG 26)

"FLIGHT RESTRICTIONS.
UKRAINIAN CRISIS - ALL RUSSIAN REGISTERED AIRCRAFT AND AIRCRAFT
OWNED, CHARTERED OR OPERATED BY NATURAL OR LEGAL PERSONS FROM
THE RUSSIAN FEDERATION OR BY OPERATORS HOLDING AIR OPERATOR
CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION AUTHORITIES
ARE PROHIBITED TO ENTER, EXIT OR OVERFLY ROMANIAN AIRSPACE
EXCEPT HUMANITARIAN, SAR AND LEASED AIRCRAFT ONE-WAY RETURN
FLIGHTS WITH THE PERMISSION OF THE APPROPRIATE ROMANIAN
AUTHORITIES AND IN CASE OF EMERGENCY LANDING OR EMERGENCY
OVERFLIGHT."
27 JUL 26 06:58 UNTIL 27 OCT 26 23:59 ESTIMATED

LRBBA3810/26 (08 JUL 26)

"GNSS OUTAGE:
OCCASIONALLY GNSS SIGNAL JAMMING AND/OR POSSIBLE SPOOFING
WERE ENCOUNTERED AND REPORTED BY ACFT OVERFLYING OR LANDING IN
BUCURESTI FIR. AIRCREWS SHALL EXERCISE CAUTION WHEN USING
FLIGHT NAVIGATION BASED ON THESE SENSORS IN DIFFERENT
PHASES OF THE FLIGHT. IN BUCURESTI FIR CONVENTIONAL NAVIGATION
INFRASTRUCTURE AVAILABLE. FOR MORE INFORMATION, ALSO CONSULT
EASA SIB NO. 2022-02R4"

LRBBA3527/26 (25 JUN 26)

TRIGGER NOTAM - AIRAC AIP AMDT 08/26 EFFECTIVE DATE 06 AUG 2026

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 57/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

GEN - RECORD OF AIP SUPPLEMENTS UPDATED
ENR - NEW SIGNIFICANT POINT - EVJOG
AD - LRSP - CHANGE OF OPERATIONAL HOURS
- NEW OLS OBSTACLES
- CHANGE OF RWY PHYSICAL CHARACTERISTICS
- UPDATE OF LOCAL AERODROME REGULATIONS
- LRBV - NEW IAC - VOR RWY 21

LRBBA3459/26 (23 JUN 26)

"OPERATIONS IN FLIGHT INFORMATION REGIONS
ONGOING MILITARY ACTIVITY IN UKRAINE AND ALONG THE BORDER OF
UKRAINE/RUSSIA AND USE OF A WIDE RANGE OF GROUND AND AIRBORNE
WARFARE SYSTEMS POSES A HIGH RISK FOR CIVIL FLIGHTS OPERATING
AT ALL ALTITUDES AND FLIGHT LEVELS.
ROMANIAN AIR OPERATORS AND OWNERS OF ACFT REGISTERED IN ROMANIA
ARE ADVISED NOT TO ENTER FIR LVIV (UKLV), FIR KYIV (UKBV),
FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV),
FIR ODESA (UKOV), FIR ROSTOV (URRV) AND TO TAKE ALL POTENTIAL
RISK INTO ACCOUNT IN RISK ASSESSMENT AND FLIGHT PLANNING
DECISIONS WHEN OPERATING 200NM SURROUNDING THE BORDERS WITH
UKRAINE IN THE FIR MOSCOW (UUWW) AND FIR ROSTOV (URRV)."
22 JUN 26 06:37 UNTIL 21 SEP 26 23:59 ESTIMATED

HUN / HUNGARY

N I L

LHCC / BUDAPEST FIR

*LHBPA5540/26 (14 AUG 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS AND
UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING
COORD POINTS:
480305N0204807E
481105N0210601E
481610N0213840E
474622N0223329E
STATE BORDER
473104N0220055E
474137N0215008E
474730N0213710E
474559N0213335E
480305N0204807E (KP FIXW HIGH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA5541/26 (14 AUG 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY AND UNMANNED AIRCRAFT
OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481610N0213840E
482628N0213837E
STATE BORDER
482145N0215325E
475109N0224631E
474622N0223329E
481610N0213840E (WILEY CORRIDOR).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA5539/26 (14 AUG 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS AND
UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING
COORD POINTS:
480305N0204807E
474559N0213335E
474730N0213710E
474137N0215008E
473104N0220055E
STATE BORDER
471828N0215336E

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 58/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

474133N0203516E
480305N0204807E (KP FW SOUTH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA5526/26 (14 AUG 26)

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481635N0201511E
STATE BORDER
482803N0202838E
474133N0203516E
471828N0215336E
STATE BORDER
470908N0214816E
473429N0202124E
481635N0201511E (PITOK-MEGIK).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) FL245
G) FL315

LHBPA5515/26 (14 AUG 26)

18 AUG 2026 08:00-18 AUG 2026 12:00
SAJOHIDVEG DVOR/DME SAG DVOR PART FREQ 114.4MHZ OUT OF SERVICE
DUE TO MAINT.

LHBPA5489/26 (10 AUG 26)

"PILOTS OF UNMANNED AIRCRAFT ARE ADVISED THAT WITHIN 30 KM ZONE
ALONG THE UKRAINIAN STATE BORDER IN SZABOLCS-SZATMAR-BEREG COUNTY,
INTERFERENCE AFFECTING UAS COMMAND, CONTROL AND GNSS SIGNALS MAY
OCCUR.
THE INTERFERENCE MAY RESULT IN DEGRADED OR LOST COMMUNICATION,
NAVIGATION OR CONTROL CAPABILITIES OF UNMANNED AIRCRAFT, WHICH MAY
POSE A SAFETY RISK TO UAS OPERATIONS. UAS OPERATORS ARE STRONGLY
ADVISED TO AVOID OPERATIONS IN THE AFFECTED AREA DUE TO POSSIBLE
INTERFERENCE WITH COMMAND, CONTROL AND GNSS SIGNALS."
10 AUG 26 08:30 UNTIL 24 AUG 26 12:30 ESTIMATED

LHBPA4073/26 (25 JUN 26)

"HUNGARIAN ATC SERVICE IS NOT ELIGIBLE TO GIVE ENTRY OR CROSSING
CLEARANCE INTO THE UKRAINE AIRSPACE IN ANY CIRCUMSTANCES (E.G.
DURING THUNDERSTORM AVOIDING ACTION) UNLESS AIRCRAFT IS EXEMPTED
ACCORDING TO NOTAM REF NUMBER A0050/26 ISSUED BY UKKR NOF.
HUNGARIAN ATS AND SEARCH AND RESCUE IS PROVIDED ONLY WITHIN BUDAPEST
FIR. ATS IS NOT PROVIDED IN THE AIRSPACE OF UKRAINE ACCORDING TO
NOTAM REF NUMBER A0050/26 ISSUED BY UKKR NOF. ENTERING INTO THE
AIRSPACE OF UKRAINE CAN BE EXECUTED SOLELY AT PILOT DISCRETION,
HUNGARIAN ATS CANNOT GUARANTEE THE CONTACT AND/OR THE APPROVAL OF
THE UKRAINIAN ARMED FORCES FOR ENTERING INTO THE AIRSPACE OF
UKRAINE, IRRESPECTIVE OF THE REASON."
23 JUN 26 11:20 UNTIL 22 SEP 26 23:59 ESTIMATED

LHBPA4009/26 (25 JUN 26)

NATIONAL AIR SEARCH AND RESCUE SYSTEM AVAILABLE FACILITIES
CHANGED FROM FROM MI-17/H-145M TO H-145M/H-225M.
18 JUN 26 09:30 UNTIL 17 SEP 26 16:00 ESTIMATED

AUT / AUSTRIA
N I L

LOWV / VIENNA FIR

LOWWA2110/26 (17 AUG 26)

18 AUG 2026 07:40-18 AUG 2026 12:40
"0740-0900, 1120-1240"
"MILITARY TRAINING AREA MTA SCHOBER ACTIVATED:
REF AIP AUSTRIA, ENR 5.2-6.
FOR DETAILED INFORMATION ABOUT ACTIVITY CONTACT
WIEN INFORMATION FREQ 124.400MHZ, FREQ 134.625MHZ OR
MILITARY RADAR FREQ 131.030MHZ."
F) FL105

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 59/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

G) FL245

LOWWA1942/26 (05 AUG 26)

SSR WEST ON MAINTENANCE.
REF AIP AUSTRIA ENR 1.6

LOWWA1621/26 (29 JUN 26)

"REF AIP AUSTRIA, ENR 4.4, ENR 6.8, ENR 6.9.
REMARKS/FRA-RELEVANCE OF FRA SIGNIFICANT POINT GESGI SHALL READ:
FRA(I). FRA(AD): LOAN"

LOWWA1531/26 (25 JUN 26)

"REF AIP AUSTRIA, GEN 3.4 ITEM 3.4.
INCREASED CPDLC USAGE WILL BE ENDEAVOURED BY ATC IN THE AREA OF
RESPONSIBILITY OF ACC WIEN AND APP LOWW.
ALL DATA LINK EQUIPPED AIRCRAFT (CPDLC ATN VDL MODE 2) ARE REQUESTED
TO LOG ON TO ACC WIEN / APP WIEN. THE DATA LINK ADDRESS FOR ACC WIEN/
APP WIEN IS LOVV.
FLIGHT CREWS SHALL EXPECT TO RECEIVE UPLINK MESSAGES ESPECIALLY IN
SITUATIONS OF HIGH RTF FREQUENCY LOAD AND ARE REQUESTED TO REACT TO
THEM ASAP."

LOWWA1533/26 (25 JUN 26)

"FOR EN-ROUTE OPERATIONS THE RESPECTIVE VOR SHALL BE SELECTED FOR
NAVIGATION INSTEAD OF THE NDB IN CASE OF HOMONYMOUS IDENTIFIERS.
THIS APPLIES TO KFT.
FLIGHT CREWS ARE ADVISED TO MONITOR THE CORRECT SELECTION OF THE VOR
FOR EN-ROUTE OPERATIONS. IN CASE THE USAGE OF THE RESPECTIVE NDB IS
REQUIRED, ATC SHALL BE INFORMED UPON INITIAL CONTACT."

DEU / GERMANY
N I L

EDUU / RHEIN UIR
N I L

EDMM / MUNICH FIR

EDDZB0678/26 (17 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN JORDAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR AMMAN
(OJAC). POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY
OPERATIONS AND ARMED CONFLICTS."

EDDZB0673/26 (15 AUG 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO
THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
15 AUG 26 03:48 UNTIL 15 NOV 26 23:59 ESTIMATED

EDDZD2591/26 (08 AUG 26)

TRIGGER NOTAM - AIP SUP IFR 40/26 WEF 06 AUG 2026 - UFN.
DETERMINATION OF THE OUTER AND INNER AREAS FOR FLIGHTS WITH UNMANNED
AIRCRAFT IN CONTROL ZONES (CTR).

EDDZB0643/26 (08 AUG 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
04 AUG 26 14:05 UNTIL 03 NOV 26 23:59 ESTIMATED

EDDZB0634/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN IRAQ

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR
BAGDAD (ORBB). POTENTIAL RISK FROM MILITARY OPERATIONS,
ANTI-AVIATION WEAPONRY AND TERRORIST ATTACKS.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN CURRENTLY
APPLICABLE AIC."

EDDZB0628/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN SYRIA

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 60/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR DAMASCUS (OSTT) BELOW FL260. POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS.

CIVIL GERMAN AIR OPERATORS ARE ADVISED TO TAKE POTENTIAL RISK INTO ACCOUNT IN THEIR RISK ASSESSMENT AND ROUTING DECISIONS WITHIN FIR DAMASCUS (OSTT) AT AND ABOVE FL260. POTENTIAL RISK TO AVIATION FROM MILITARY OPERATIONS.

THIS NOTAM OVERRULES THE PROHIBITION AS PUBLISHED IN THE CURRENTLY APPLICABLE AIC."

EDDZB0592/26 (08 AUG 26)

"CORRECTION OF AIP SUP IFR 15/26 AND AIP SUP VFR 08/26 (RESTRICTED AREA EDR OTTOBEUREN) NEW TIMES OF ACTIVITY, PAGE 1 POINT 3 (TIMES OF ACTIVITY) SHOULD READ: 01 APR 2026 - 31 AUG 2026 DAILY 1930-0200."
F) GND
G) FL500

EDDZB0478/26 (23 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN TERRITORY:
IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT VALID OVERHEAD WIEN FIR (LOVV).
PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUAMM 14-44, EDMMZUG, EDMMTEG, EDMMTRU AND EDMMSTA ARE NOT AFFECTED.
(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZB0436/26 (23 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT. POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS."
03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (23 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY APPLICABLE AIC.
03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

EDGG / LANGEN FIR

EDDZB0678/26 (17 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN JORDAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR AMMAN (OJAC). POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS."

EDDZB0673/26 (15 AUG 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
15 AUG 26 03:48 UNTIL 15 NOV 26 23:59 ESTIMATED

EDDZB0670/26 (13 AUG 26)

16 AUG 2026 22:00-17 AUG 2026 22:00
RESTRICTED AREAS EDR112A AND EDR112B (SENNE) DEACTIVATED.
F) GND
G) FL140

EDDZD2591/26 (08 AUG 26)

TRIGGER NOTAM - AIP SUP IFR 40/26 WEF 06 AUG 2026 - UFN.
DETERMINATION OF THE OUTER AND INNER AREAS FOR FLIGHTS WITH UNMANNED AIRCRAFT IN CONTROL ZONES (CTR).

EDDZB0643/26 (08 AUG 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 61/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
04 AUG 26 14:05 UNTIL 03 NOV 26 23:59 ESTIMATED

EDDZB0634/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN IRAQ

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR
BAGDAD (ORBB). POTENTIAL RISK FROM MILITARY OPERATIONS,
ANTI-AVIATION WEAPONRY AND TERRORIST ATTACKS.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN CURRENTLY
APPLICABLE AIC."

EDDZB0628/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN SYRIA

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR DAMASCUS
(OSTT) BELOW FL260. POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY,
MILITARY OPERATIONS AND ARMED CONFLICTS.

CIVIL GERMAN AIR OPERATORS ARE ADVISED TO TAKE POTENTIAL RISK INTO
ACCOUNT IN THEIR RISK ASSESSMENT AND ROUTING DECISIONS WITHIN FIR
DAMASCUS (OSTT) AT AND ABOVE FL260. POTENTIAL RISK TO AVIATION
FROM MILITARY OPERATIONS.

THIS NOTAM OVERRULES THE PROHIBITION AS PUBLISHED IN THE CURRENTLY
APPLICABLE AIC."

EDDZB0603/26 (22 JUL 26)

DAILY SS PLUS30 - 2200

"PERPENDICULAR LASER 0.5NM RADIUS CENTERED ON 521511N 0075914E,
OSNABRUECK (11.4NM WNW OSNABRUECK DVOR OSN)."

F) GND
G) UNL

EDDZB0602/26 (22 JUL 26)

RESTRICTED AREA EDR132A (HEUBERG) DEACTIVATED.

F) GND
G) 18000FT AMSL

EDDZB0497/26 (23 JUN 26)

GEDERN TACAN GED 110.80MHZ/CH45X U/S.
25 JUN 26 06:00 UNTIL 25 SEP 26 06:00 ESTIMATED

EDDZB0483/26 (16 JUN 26)

MUENSTER/OSNABRUECK NDB MYN 371KHZ OUT OF SERVICE.

EDDZB0478/26 (23 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN
TERRITORY:

IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH
CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA
AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT
VALID OVERHEAD WIEN FIR (LOVV).

PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUAMM 14-44,
EDMMZUG, EDMTEG, EDMTRU AND EDMSTA ARE NOT AFFECTED.

(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZB0436/26 (23 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT.
POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND
ARMED CONFLICTS."

03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (23 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER
FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING
CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY
APPLICABLE AIC.

03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 62/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

EDDZB0237/26 (16 APR 26)

WIPPER VOR WYP 109.6MHZ OUT OF SERVICE.

EDDZC1537/22 (12 JUN 22)

HAMM DVOR/DME HMM 115.65 / CH103Y RANGE OF DVOR R199 LIMITED TO 39NM.

CHE / SWITZERLAND

N I L

LSAS / SWITZERLAND FIR/UIR

LSSNW2085/26 (17 AUG 26)

17 AUG 2026 19:11-17 AUG 2026 20:30
MIL NGT FLT WITH HEL WILL TAKE PLACE WI FLW TRG AREAS:
UZWIL ZUGERSEE ALPSTEIN KLAUSEN SARGANS
REF VFR MANUAL RAC 3-2-3 (MIL NGT FLT CHART).
UPPER LIMIT: AIRSPACE CLASS E OR MAX ACCORDING TO ITEM G.
F) GND
G) FL130

*LSSNW2079/26 (17 AUG 26)

18 AUG 2026 07:00-18 AUG 2026 14:00
0700-0900 1200-1400
R-AREA LSR39C STOOS ACT.
LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
F) 9000FT AMSL
G) FL130

*LSSNW2078/26 (17 AUG 26)

18 AUG 2026 07:00-18 AUG 2026 14:00
0700-0900 1200-1400
R-AREA LSR39B BRISEN ACT.
LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
F) 9000FT AMSL
G) FL130

LSSNB1396/26 (10 AUG 26)

LOW FLT NETWORK (LFN) RTE KY252 SEGMENT LS213-LS214
MOCA SHALL READ 5900FT INSTEAD OF 5700FT.
REF AIP SWITZERLAND ENR 3.3

LSSNA0597/26 (03 AUG 26)

"SWISS AIR CARRIERS AND COMMANDERS OF AIRCRAFT IN CHARGE OF AIR SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY SWITZERLAND, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHT PERFORMED WITH SWISS AIRCRAFT REGISTRATION, ARE REQUESTED TO CONSULT EASA SIB-2021-10 AND ARE REQUESTED TO AVOID MINSK FIR (UMMV).
FOREIGN AIR CARRIERS INBOUND SWITZERLAND ARE RECOMMENDED TO AVOID MINSK FIR (UMMV)."
03 AUG 26 11:29 UNTIL 01 NOV 26 23:59 ESTIMATED

LSSNA0598/26 (03 AUG 26)

"UKRAINIAN CRISIS
1. ALL AIRCRAFT OWNED, CHARTERED, OPERATED OR OTHERWISE CONTROLLED BY CITIZENS OF THE RUSSIAN FEDERATION AND ALL OPERATORS HOLDING AIR OPERATOR CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERFLY THE SWISS AIRSPACE EXC HUMANITARIAN FLT, SEARCH AND RESCUE FLT AND LEASED ACFT ONE-WAY RTN FLT WITH THE PERMISSION OF THE APPROPRIATE SWISS AUTHORITIES AND IN CASE OF EMERGENCY LDG OR EMERGENCY OVERFLIGHT.
FLIGHTS WITH A VALID DIPLOMATIC CLEARANCE NOT AFFECTED.
2. AIRCRAFT OPERATORS OF NON-SCHEDULED FLT BETWEEN RUSSIA AND SWITZERLAND, OPERATED DIRECTLY OR VIA A THIRD COUNTRY, MUST NOTIFY ALL RELEVANT INFORMATION CONCERNING THE FLT PRIOR TO THEIR OPERATION AND AT LEAST 48 HR IN ADVANCE TO THE FEDERAL OFFICE OF CIVIL AVIATION. CONTACT FOR NOTIFICATION AND DOCUMENTS
WWW.BAZL.ADMIN.CH/AVIATIONSANCTIONS."
03 AUG 26 11:30 UNTIL 01 NOV 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 63/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LSSNA0596/26 (03 AUG 26)

UKRAINIAN CRISIS
ALL ACFT AND ALL OPERATORS HOLDING AIR OPERATOR CERTIFICATE (AOC)
ISSUED BY BELARUSIAN AUTHORITIES PROHIBITED TO USE SWISS AIRPORTS EXC
WITH PERMISSION OF APPROPRIATE AUTHORITIES OF SWITZERLAND AND IN
CASE OF EMERG LDG. FLT WITH A VALID DIPLOMATIC CLR NOT AFFECTED.
03 AUG 26 11:29 UNTIL 01 NOV 26 23:59 ESTIMATED

LSSNB1368/26 (03 AUG 26)

"BALE TWR FREQ 118.300 CHANGED TO 118.305.
BALE INFO FREQ 130.900 CHANGED TO 130.905.
BALE INFO FREQ 135.850 CHANGED TO 135.855.
REF ICAO, GLIDER AND AREA CHARTS SWITZERLAND.
REF VFR MANUAL, RADIO FACILITY INDEXM, COM 2-APP1."

LSSNA0582/26 (29 JUL 26)

"UNAUTHORIZED RADIO TRANSMISSIONS RECEIVED ON SEVERAL FREQ IN THE
SOUTHEAST SWITZERLAND REGION AND BORDER AREA WITH ITALY.
TRANSMISSIONS ARE NOT FROM AN ATS UNIT.
PILOTS SHALL DISREGARD ANY NON-STANDARD CALLS AND IF IN DOUBT,
VERIFY THE CALL AND REPORT TIME, LOCATION AND FL OF THE OCCURRENCE
TO ATC UNIT IN CTC."
29 JUL 26 07:54 UNTIL 31 AUG 26 23:59 ESTIMATED

*LSSNW1895/26 (15 JUL 26)

18 AUG 2026 06:00-27 AUG 2026 16:00
"18-20 25-27 0600-1600, 21 0600-1000, 24 1100-1600"
R-AREA LSR49 VAL CRISTALLINA ACT DUE TO FRNG.
F) GND
G) 25500FT AMSL

LSSNA0211/26 (10 MAY 26)

ATS RTE T627: MAX IAS 250 KT FROM LUTIX.
REF AIP SWITZERLAND ENR 3.2.

AEROPLANE INFORMATION

AIRCRAFT CATEGORY = D

N I L

AIRCRAFT TYPE = B777

N I L

AIRCRAFT SUBTYPE = B773E

N I L

AIRCRAFT REGISTRATION = HSTKY

N I L

ADDITIONAL INFORMATION

LOWW / VIE

LOWWA1998/26 (05 AUG 26)

"LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.
RNP RWY 11, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-1
RNP RWY 29, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-2
RNP Z RWY 16, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-3
RNP RWY 34, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-4
NOTE: DUE TO ICAO ELECTRONIC BULLETIN 2026/13"
05 AUG 26 07:22 UNTIL 03 NOV 26 23:59 ESTIMATED

LOWWA1553/26 (16 JUL 26)

REF AIP LOWW AD 2 MAP 2-1
PRKG PSN E42 DIMENSION CHANGE
NEW MAX WINGSPAN 35.99M
NEW MAX LENGTH 52.00M
PRKG PSN E43 DIMENSION CHANGE
NEW MAX LENGTH 53.00M
PRKG PSN E44 DIMENSION CHANGE
NEW MAX LENGTH 53.00M
PRKG PSN E45 DIMENSION CHANGE

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 64/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

NEW MAX LENGTH 53.00M

LZIB / BTS

LZIBA1776/26 (16 AUG 26)

16 AUG 2026 20:50-17 AUG 2026 20:50
TWY B CLSD.

*LZIBA1772/26 (14 AUG 26)

18 AUG 2026 19:00-18 AUG 2026 23:59
RWY 13/31 CLSD.

LZIBA1636/26 (28 JUL 26)

"ACFT STANDS 42, 43, 44, 45, 46, 47 CLSD."
29 JUL 26 05:00 UNTIL 29 AUG 26 05:00 ESTIMATED

LZIBA1635/26 (28 JUL 26)

ACFT TAXIING FROM/TO ACFT STANDS 41-48 IN BOTH DIRECTIONS ON
APRON C VIA ADDITIONAL ORANGE CENTRE LINE MARKING WITH THE
ASSISTANCE OF FOLLOW ME ONLY.
29 JUL 26 05:00 UNTIL 29 AUG 26 05:00 ESTIMATED

LZIBA1052/26 (06 JUN 26)

"LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.
RNP RWY 22 ASC 2,5 PERCENT, REF PAGE AD 2-LZIB-7-5,
RNP RWY 31 ASC 2,5 PERCENT, REF PAGE AD 2-LZIB-7-17,
RNP RWY 31 ASC 4,0 PERCENT, REF PAGE AD 2-LZIB-7-17.
IN ACCORDANCE WITH ICAO ELECTRONIC BULLETIN 2026/13."
21 MAY 26 14:23 UNTIL 21 AUG 26 23:59 ESTIMATED

VTBD / DMK

VTBDC4677/26 (17 AUG 26)

17 AUG 2026 14:40-18 AUG 2026 01:00
TXL B BTN TWY D AND TWY E CLSD DUE TO TEMPO ACFT PRKG

VTBDH0956/26 (17 AUG 26)

18 AUG 2026 01:15-18 AUG 2026 01:45
AD DEP/ARR ACFT WILL BE DLA DUE TO VIP MOV

VTBDC4670/26 (17 AUG 26)

17 AUG 2026 16:00-17 AUG 2026 22:00
TWY C BTN TWY K AND TWY N CLSD DUE TO WIP

VTBDC4631/26 (15 AUG 26)

"16 2200-2359, 17 0000-0300, 22 1200-1400"
TXL T BTN TWY V AND TWY W CLSD DUE TO MIL OPS

*VTBDC4559/26 (11 AUG 26)

12 13 16 18 19 1600-2200
RWY 03R/21L CLSD DUE TO WIP

*VTBDC4558/26 (11 AUG 26)

11 AUG 2026 16:00-17 AUG 2026 22:00
11 14 15 17 1600-2200
RWY 03L/21R CLSD DUE TO WIP

// (COM-INFO) //

THA 00435/14 (04 AUG 26)

COM INFO:-- DMK TG LINE MAINTENANCE WILL PROVIDE RAMP HANDLING SERVICE ON
TG FLIGHTS DIVERTED TO DMK, WHILE PIC MUST PERFORM REDUCE LINE CHECK
TO RELEASE AIRCRAFT. PRIOR TO FLIGHT DIVERSION TO DMK PLS INFORM
TOCC COMMAND CENTER (OC) VIA CUT FREQUENCY 129.325 MHZ
TO COORDINATE WITH DMK TG LINE MAINTENANCE IN ADVANCE FOR SMOOTH
HANDLING UPON ARRIVAL AT DMK
CONTACT POINTS FOR DMK LINE MAINTENANCE IN (24hrs)
AT DMK ARE AS FLW
1. TEL: 02-563-8178 (66-8178, 9999)
2. Email dmkjcb@thaiairways.com
(ISSUED 12DEC24/OP/UFN)

// (COM-INFO) //

THA 00214/26 (04 AUG 26)

VTBD:--REF AIP SUP A25/26:
1 INTRODUCTION

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 65/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

With effect from 24 July 2026 at 0000 UTC, the purpose of this AIP Supplement is to inform pilots and operators concerning the unserviceability of Rapid Exit Taxiway Indicator Lights (RETILs) of runway 21R at Don Mueang International Airport.

2 DETAILS

RETILs for rapid exit taxiway 0 will be unserviceable.

3 CONTACT

Unit: Aeronautical Information Service Sub-Division, Airside Operations Division (VTBD)
Tel: +662 535 1782, +662 535 1793
Email: aisvtbd@airportthai.co.th

4 VALIDITY

This AIP Supplement supersedes NOTAM C3646/26, A2407/26 and will remain current until further advised. Any changes to this AIP Supplement will be notified through NOTAM.

VTBDJ5310/26 (04 AUG 26)

"TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE
135526.22N1003713.11E APPROVAL SHALL BE MADE BEFORE ENTERING,
EXCEPT DEP AND ARR ACFT AT VTBD PILOT IN COMMAND SHALL STRICTLY
COMPLY WITH ATC INSTRUCTION"

F) GND

G) 3000FT AGL

VTBDC3519/26 (04 AUG 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
AD 2-VTBD-1 AD 2.22 FLT PROC

VTBU / UTP

VTBDC4363/26 (03 AUG 26)

ILS RWY 18 U/S DUE TO MAINT

VTBDC4088/26 (20 JUL 26)

TWY EDGE LGT U/S DUE TO MAINT DETAIL AS FLW:

-TWY B

-TWY E BTN TWY B AND TWY F

// (COM-INFO)//

THA 00176/26 (15 JUL 26)

VTBU:--(NEW)+++Due to the unavailability of LAE at UTP Station.
In the event of a diversion to UTP, flight crews shall perform aircraft refueling in accordance with the applicable refueling procedures specified in the respective Fleet FCOM.
(ISSUED 02JUL26/BKKOC/UFN)

*VTBDC3302/26 (03 JUL 26)

PALS CAT 1 RWY 18 AND SALS RWY 36 U/S DUE TO MAINT

VTBDC3240/26 (03 JUL 26)

OBST MOBILE CRANE HGT 98.425FT AGL ERECTED DETAIL AS FLW:
PSN 1: 123937.98N1010027.35E
DIST 346.47M BFR THR RWY36 AND 455.00M RIGHT SIDE OF RCL
PSN 2: 124005.68N1010029.64E
DIST 507.53M BEYOND THR RWY 36 AND 454.95M RIGHT SIDE
OF RCL

*VTBDC2844/26 (07 JUN 26)

AD CATEGORY FOR FIRE FIGHTING AND RESCUE SERVICES
DOWNGRADED TO CAT 9.

VTBDC0333/23 (06 APR 24)

"IAC-ICAO-NDB RWY 36 CHANGED AS FLW:

-OCA/H : STRAIGHT-IN APPROACH

: READ 790(766)FT INSTEAD OF 750(726)FT

-OCA/H : CIRCLING APPROACH CAT A, B

: READ 1200(1141)FT INSTEAD OF 750(726)FT, 1190(1166)FT

-OCA/H : CIRCLING APPROACH CAT C, D

: READ 1450(1391)FT INSTEAD OF 1290(1266)FT, 1445(1421)FT

REF AIP VTBU AD 2.24, AD 2-VTBU-8-1"

VTCC / CNX

VTBDJ6200/26 (17 AUG 26)

TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE 184626N0985806E
(EXCLUDING LDG AND TKOF RWY 18/36)
F) GND
G) 3000FT AGL

VTBDJ6155/26 (14 AUG 26)

14 AUG 2026 22:00-17 AUG 2026 19:45
"14 2200-2315, 15 1845-2045 2200-2315, 16 1815-2015 2200-2315, 17
1745-1945"
UNMANNED AIRCRAFT WILL TAKE PLACE RADIUS 5NM CENTRE
184617N0985746E
F) GND
G) 2000FT AGL

// (COM-INFO)//

THA 00444/15 (09 AUG 26)

VTCC:--REF AIP SUP A19/25:
1 INTRODUCTION
With effect from 17 April 2025 at 1000 UTC,
the purpose of this AIP Supplement is to inform all concerned regarding the Aircraft stand
number 1 closed at Chiang Mai International Airport.
2 DETAILS
Aircraft stand number 1 closed for improvements to enhance aircraft parking compatibility.

VTBDC4220/26 (05 AUG 26)

RVR RWY 36 U/S

VTBDC4059/26 (20 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 3 U/S

VTBDC3965/26 (09 AUG 26)

OBST TOWER CRANE HGT 230FT AGL ERECTED AT
184725.38N0985815.11E DIST 1038M BFR THR
RWY 18 AND 854M LEFT SIDE OF EXTD RCL

VTBDC3956/26 (09 AUG 26)

"JUL 15 0210-1100, JUL 16-SEP 30 0100-1100"
OBST MOBILE CRANE HGT 82FT AGL ERECTED AT
184704.31N0985757.46E DIST 390M BFR THR
RWY 18 AND 328M LEFT SIDE OF EXTD RCL

VTBDC3306/26 (03 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS)
ACFT STAND NR 7 AND NR 8 U/S

VTUU / UBP

*VTBDC4619/26 (14 AUG 26)

"AD OPR HR ATS AND ARO HR SER CHANGED AS FLW:
AUG 14 1050-1500, 14-SEP 27 2300-1400"

// (COM-INFO) //

THA 00221/26 (11 AUG 26)

COM INFO:+++ (NEW) --UBP/VTUU:
TAKEOFF AND LANDING PERFORMANCE CALCULATION SHALL BE BASED ON TEMPORARY RUNWAY WHEN OPERATING
ON 05 and 23.

-Runway 05
Validity Period: 10AUG2026 - 09OCT2026

-Runway 23
Validity Period: 10AUG2026 - 09OCT2026

(ISSUE 11AUG26/BKKPC/TIL 09OCT26)

VTBDC4438/26 (06 AUG 26)

RWY 05/23 CLSD DIST 500M FM THR RWY 05 DUE TO WIP.
DECLARED DIST AS FLW:
RWY TORA (M) TODA (M) ASDA (M) LDA (M)
05 2500 2500 2560 2500
23 2500 2500 2500 2500
RMK: RWY 05 THE TORA WHEN ENTERING RWY FM TWY A IS 1950M AND

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 67/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

ASDA IS 2010M

VTBDC4439/26 (06 AUG 26)

TEMPO PAPI RWY 05 INSTL ON LEFT SIDE AT DIST 342M FM DTHR

VTBDC4321/26 (31 JUL 26)

ROAD CONSTRUCTION FROM FIRE STATION TO RUNWAY 05/23
AT UBON RATCHATHANI AIRPORT. EXTD TO 31 OCT 2026 AT 1500UTC.
REF AIRAC AIP SUP B06/26

VTBDC3533/26 (27 JUN 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
AD 2-VTUU-1 AD 2.2 AD GEOGRAPHICAL AND ADMINISTRATIVE DATA
AD 2.24 CHARTS RELATED TO AN AD
AD 2-VTUU-2 ADC-ICAO
ACFT PRKG/DCKG CHART-ICAO
AD GND MOV CHART-ICAO
AD 2-VTUU-6 SID-ICAO RNAV RWY 23

VTBDC3445/26 (24 JUN 26)

STRIP RWY 05/23 WIP FM THR RWY 05 TO DIST 442M
ON BOTH SIDES OF RWY 05

VTBDC3444/26 (24 JUN 26)

STRIP RWY 05/23 WIP FM THR RWY 23 TO DIST 442M
ON BOTH SIDES OF RWY 23

VTSP / HKT

VTBDC4606/26 (14 AUG 26)

ACFT STAND NR 7 CLSD DUE TO WIP

VTBDC4598/26 (13 AUG 26)

"VISUAL DOCKING GUIDANCE SYSTEM (VDGS)
ACFT STAND NR 1, NR 2 AND NR 3 U/S"

VTBDC4465/26 (07 AUG 26)

RWY 09/27 OPR BUT CTN ADZ DUE TO FRICTION BLW MNM LEVELS
DIST BTN 2200M-2600M FM THR RWY 09
(TDZ RWY 27 MAY BE SLIPPERY WHEN WET

// (COM-INFO) //

*THA 00215/26 (06 AUG 26)

VTSP:--REF AIP SUP A23/26:
SCHEDULE BETWEEN 1815-2330 DAILY ON 16-25AUG,
08,22SEP,
06, 15-24OCT,
10, 23-24NOV,
08, 14-23DEC,
05, 18-19JAN27,
02, 15-24FEB27,
09, 22-23MAR27,
RWY 09/27 CLOSED DUE TO WIP.

// (COM-INFO)//

THA 00094/26 (04 AUG 26)

VTSP:--REF AIP SUP A18/26:
1 INTRODUCTION
With effect from 5 May 2026 at 0101 UTC. The purpose of this AIP Supplement is to inform pilots and operators concerning the Visual Docking Guidance System (VDGS) of aircraft stand number 31 at Phuket International Airport (VTSP).
2 DETAILS
2.1 The Visual Docking Guidance System (VDGS) of aircraft stand number 31 is unserviceable.
2.2 The aircraft are strongly advised to strictly follow the Marshaller's signal.

VTBDC3719/26 (16 JUL 26)

ACFT STAND NR 5 AND NR 6 CLSD DUE TO WIP

*VTBDC3535/26 (16 JUL 26)

TRIGGER NOTAM AIRAC AIP SUP A23/26 WEF 06 AUG 2026 TIL
23 MAR 2027. RUNWAY CLOSURE FOR MAINTENANCE WORKS AT PHUKET
INTERNATIONAL AIRPORT (VTSP) (16 AUGUST 2026-23 MARCH 2027

YYYY / RGN

*VYYYYA0166/26 (17 AUG 26)

18 AUG 2026 05:20-18 AUG 2026 06:10
0520-0610
YYYY AD CLSD DUE TO MONTHLY RESCUE AND FIRE FIGHTING SERVICES
RESPONSE TIME DRILL WHICH WILL TAKE PLACE AT RWY 03 SIDE.

VYYYYA0163/26 (13 AUG 26)

1030-1029
YYYY AD
RAPID EXIT TWY R2 CLSD DUE TO MAINTENANCE WIP.
13 AUG 26 10:30 UNTIL 20 AUG 26 10:29 ESTIMATED

VYYYYA0158/26 (01 AUG 26)

AD TWY B PORTION BETWEEN RAPID EXIT TWY R2 AND B3 CLSD DUE TO
RENOVATION WIP.

VYYYYA0151/26 (25 JUL 26)

NEW ATM CENTER GHOSTING OPERATION CONTINUES.NO IMPACT TO ATS.
24 JUL 26 23:59 UNTIL 24 SEP 26 23:59 ESTIMATED

VGHS / DAC

VGHSA0263/26 (17 AUG 26)

CONST WORK OF BOX CULVERT WHICH DIST IS 376FT WEST SIDE OF THE RWY
CENTRE LINE AND 3460FT FM THR RWY-14 (TOWARDS RWY-32) IS IN
PROGRESS.ALL PILOTS ARE ADZ TO EXER CTN WHILE TK-OF AND LDG

VGHSA0256/26 (05 AUG 26)

SPORADIC LASER ILLUMINATION MAY TAKE PLACE FM UNKNOWN SOURCES OF
NEARBY POPULATED AREA OF THE AIRFIELD. ALL PILOTS ARE REQ TO
EXER CTN DRG THE DEFFERENT APCH PHASES AND INITIAL CLIMBING
PHASE WI 12NM DAC DVOR
04 AUG 26 23:59 UNTIL 04 NOV 26 23:59 ESTIMATED

VGHSA0252/26 (05 AUG 26)

DME FREQ 1161MHZ AND IDENT 'DAC' WILL REMAIN TEST OPERATION
DUE TO NEW DME INSTL
01 AUG 26 10:00 UNTIL 29 OCT 26 10:00 ESTIMATED

VGHSA0251/26 (05 AUG 26)

DVOR FREQ 112.7MHZ AND IDENT 'DAC' WILL REMAIN TEST OPERATION
DUE TO NEW DVOR INSTL
01 AUG 26 09:55 UNTIL 29 OCT 26 10:00 ESTIMATED

VGHSA0249/26 (05 AUG 26)

INSTRUMENT LANDING SYSTEM(ILS) FOR RWY-14 FREQ 109.5MHZ
IDENT 'IDA' IS NML IN OPR FOR CAT-I ONLY WITH
MET MINIMA VIS 1000M OR RVR 700M
31 JUL 26 23:59 UNTIL 29 OCT 26 23:59 ESTIMATED

VGHSA0245/26 (05 AUG 26)

"BAY NO.C2,C3,C25 AND C26 ARE NOT AVBL DUE TO RE-CONSTRUCTION WORK
OF SLAB"
29 JUL 26 03:00 UNTIL 26 OCT 26 17:59 ESTIMATED

** A0176/26 ** *VGHSA0176/26 (23 JUN 26)

THU SUN 2100-2230
RWY SHALL BE REMAIN CLSD DUE TO AGLS AND RWY SFC
MAINT WORK
01 JUL 26 21:00 UNTIL 30 SEP 26 22:30 ESTIMATED

VGHSA0149/26 (25 MAY 26)

"REF AIP BANGLADESH PAGE GEN 0.4-1,DATED 25
DEC 2025,PART 1(GEN) PLEASE READ GEN 4.1-1,DATE 23 JUN
2016 INSTEAD OF GEN 4.1-1 DATE 25 DEC 2025 AND REF PAGE
0.4-2,DATE 25 DEC 2025 PART2(ENR) PLEASE READ ENR 4.1-1
DATE 25 DEC 2025 INSTEAD OF ENR 4.1-1 DATE 02 OCT 2025.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH."

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 69/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

VGHSA0118/26 (02 MAY 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-8,DATED 16 APR 2026,PARA AD 2.18
(1) ROW 03,COLUMN 4,ACC HOURS OF OPERATION PLEASE READ AS, FM 1600 TO 0200 UTC (NEXT DAY) INSTEAD OF 1400 TO 0200 UTC (NEXT DAY) AND ROW 04,COLUMN 4,ACC(UPPER)HOURS OF OPERATION PLEASE READ AS, FM 0200 TO 1600 UTC INSTEAD OF H24.
(2) ROW 04,COLUMN 4,ACC(UPPER) FREQ PLEASE READ SRY 123.775MHZ INSTEAD OF SRY 129.700MHZ.
(3) ROW 05,COLUMN 4,ACC(LOWER) FREQ PLEASE READ SRY 120.750MHZ INSTEAD OF 130.700MHZ.
(4) ROW 06,COLUMN 4, DHAKA TWR AERODROME AND APPROACH CONTROL (NON-RADAR) FREQ PLEASE READ SRY 118.925MHZ INSTEAD OF SRY 119.300MHZ.
(5) ROW 08,COLUMN 4, SURFACE MOVEMENT CONTROL DHAKA GROUND FREQ PLEASE READ 121.675MHZ AS SRY 121.675MHZ FREQ.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION OF MENTIONED PAGES OF AIP BANGLADESH"

VGHSA0388/25 (05 APR 26)

"PORTION OF TWY 'C' FROM TWY 'N', AND TWY 'S' INTERSECTION TO APN,
TWY 'F' AND TWY 'E' WILL BE RENAMED AS TWY 'T7', TWY 'T9' AND TWY 'T10' RESPECTIVELY"

VGHSA0299/25 (05 APR 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-1 DATED 11 JULY 2024, PARA 2.2,SERIAL NO 3 AND AERODROME CHART-ICAO PAGE VGHS AD 2-15 DATED 11 JULY 2024.PLEASE READ AERODROME ELEV AS 26 FEET INSTEAD OF 27 FEET. PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION OF MENTIONED PAGES OF AIP BANGLADESH"

VGHSA0261/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025,PAGE ATTACHMENT B5.2,TABLE RNAV IKUGO 1B AND RNAV IBANU 1B,SL NO 03,COLUMN NO 09 AND PAGE ATTACHMENT B6.2,TABLE RNAV BELKU 1E,SL NO 02,COLUMN NO 09.PLEASE INSERT SPEED LIMIT '-250'.PLEASE MAKEHAND CORRECTION BY INSERTING INFORMATION IN THE MENTIONED AIP SUPP PAGE"

VGHSA0231/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025, REGARDING THE MSA DEPICTED IN PLAN VIEW FOR ALL RNAV SID AND STAR CHART RWY 14. PLEASE READ 'MSA 25NM ARP'INSTEAD OF 'MSA 25NM DAC ARP' AND 'MSA 25NM DAC'. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VGHSA0232/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025, ATTACHMENT-A 4.2, CODING TABLE OF VGHS RNAV SID IBANU IC, SL NO 01 AND SL 02. PLEASE DELETE THE SPEED LIMIT ON THE CA LEG AND CF LEG AT HS001. THERE WILL BE NO SPEED RESTRICTION. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VGHSA0227/25 (05 APR 26)

"REF AIP SUP 04/25 DATED 10 JUL 2025, APPENDIX-A. PLEASE READ CHART NAMING AS 'ILS Z RWY 14' INSTEAD OF 'VOR-DME ILS (CAT-II) RWY 14'. THIS PROCEDURE IS A STANDALONE PROCEDURE. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VECC / CCU

VECCA1727/26 (17 AUG 26)

17 AUG 2026 12:00-18 AUG 2026 11:30
PORTION OF TWY N4 BTN TWY B1 AND TWY B2 NOT AVBL FOR OPS.
RMK: TWY B2 AND TWY B1 AVBL FOR OPS.

VIDPG0995/26 (14 AUG 26)

"REFER EAIP INDIA, PAGE AD 2 VECC 2-105 REGARDING PROC ILS OR LOC RWY 01R OF KOLKATA AIRPORT. FOR LOC ONLY PROC:
I) THE SDF IS AMENDED AS 3.3 D (ICAL).

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 70/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

II) PROCEDURE ALTITUDE AT 3.3 D (ICAL) IS 1070FT."

VIDPG0988/26 (13 AUG 26)

REFER AIP SUP 27/2026 DATED 05 FEB 2026 REGARDING PROC ILS OR LOC
RWY 19L-KOLKATA AIRPORT. FOR LOC ONLY PROC:

I) LOC ONLY PROC SDF REMOVED

II) OCA(H) IS AMENDED AS 430(410)FT.

VECCA1697/26 (11 AUG 26)

RWY 19R AVBL FOR OPS WITH VOR Y APCH PROC ONLY. RMK: ALS OF RWY

19R

NOT AVBL.

*VECCA1686/26 (10 AUG 26)

TUE SAT 0530-1130

"RWY 19R/01L NOT AVBL FOR OPS DUE MAINT WIP.

RMK:

1.RET R1 AND TWY E NOT AVBL FOR OPS.

2.PILOTS TO EXER CTN DUE MEN AND MATERIAL CONFINED TO WORKSITE.

3.TWY B,RET R,TWY C,TWY D,TWY H,TWY J AND TWY A AVBL FOR OPS.

4.IN CASE OF URGENT RQMNTS 30 MIN PN FOR AVBL OF SITE."

VECCA1655/26 (05 AUG 26)

LEFT TURN FM TWY P ON RWY 19L NOT AVBL.

*VECCA1645/26 (03 AUG 26)

MON WED FRI SUN 0530-1030

RWY 19L/01R NOT AVBL FOR OPS DUE MAINT WIP WHEN VIS 1200M AND

ABV.

RMK:

1. TWY L AND JUNCTION OF RWY 01R WITH TWY C AVBL FOR OPS.

IN CASE OF URGENT RQMNTS 30MIN PN FOR AVBL OF RWY 19L/01R. PILOTS TO

EXER CTN DUE MEN AND MATERIAL CONFINED TO WORKSITE.

VECCA1604/26 (28 JUL 26)

"TORA,TODA FOR RWY 01L REDUCED TO 2404M AND LDA FOR RWY 01L
REDUCED TO 1966M.RWY 19R THR DISPLACED 867M.RWY 19R THR LAT
223928.48426N, LONG 0882645.86415E, TOP ELEV:19.08872FT, ELLIPSOID
HT(MS)167.155517FT,

TORA,TODA AND LDA FOR RWY 19R REDUCED TO 2404M.

RMK:1.GRADED RESA DIMENSION OF RWY 01L IS 90M?90M

2.RWY 19R/01L AVBL FOR OPS UPTO CODE C ACFT ONLY"

VECCA1601/26 (28 JUL 26)

"PORTION OF RWY 19R/01L FM BEGINNING OF RWY 19R TO 130M SOUTH OF IT
S

INT WITH TWY A NOT AVBL FOR OPS.

RMK: TWY Q1 TWY Q2, TWY K, RWY 19R-N HOLDING POINT AND PORTION OF

TWY A BTN RWY 19R/01L AND 19L/01R NOT AVBL FOR OPS. ACFT LDG RWY 01R

VACATE ONLY VIA TWY B OR TWY P."

VECCA1466/26 (21 JUL 26)

"OPPORTUNITY BASIS TRIAL OPS OF SMC(S) AND SMC(N) INPR

UNIT PROVIDING SER:KOLKATA GND

FREQ OF SMC(S): 121.900MHZ AND SMC(N): 121.725MHZ

UNLESS OTHERWISE SPECIFIED BY TWR, AFTER VACATING RWY, ARR ACFT LDG

ON RWY 19L/19R SHALL CTC GND ON FREQ 121.900MHZ AND ARR ACFT LDG ON

RWY 01R/01L SHALL CTC GND ON FREQ 121.725MHZ.

WHEN RELEASED BY CLR DELIVERY, DEP ACFT FM APN 2 AND 3 SHALL CTC GND

ON FREQ 121.900MHZ AND DEP ACFT FM APN 1 AND 4 SHALL CTC GND ON FREQ

121.725MHZ."

VIDPG0732/26 (23 JUN 26)

REF AIP SUP 28/2026 REGARDING VOR RWY 01L. THE OCA(H) WITH SDF

AMENDED AS 450(430)FT IN PLACE OF 440(420)FT.

AMEND ACCORDINGLY.

17 JUN 26 06:51 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0719/26 (23 JUN 26)

KOLKATA URP SECTOR (UPPER RAIPUR) VHF BACKUP FREQUENCY 134.375MHZ
AVBL.

INSERT FLW DETAILS IN VECC AD 2.18 OF EAIP INDIA.

1. SERVICE DESIGNATION: ACC

2. CALL SIGN: KOLKATA RADAR

3. CH/FREQUENCY: 134.375MHZ

4. SATVOICE NR: NIL
5. LOGON ADDRESS: NIL
6. HR OF OPS: H24
7. RMK: 1-UPPER RAIPUR
2-BACKUP FREQUENCY

VIDPG0674/26 (23 JUN 26)

"ILS RWY 19R IDENT IOKL (LOC 111.300MHZ, GP 332.300MHZ, DME IOKL CH50X) NOT AVBL DUE DISPLACEMENT OF THRESHOLD."
02 JUN 26 10:22 UNTIL 29 AUG 26 23:59 ESTIMATED

VIDPG0631/26 (23 JUN 26)

REF AIP SUP 198/2025 REGARDING INSTRUMENT APPROACH CHART - ILS OR LOC RWY 19R NETAJI SUBHASH CHANDRA BOSE INTERNATIONAL AIRPORT KOLKATA (VECC). PROC ILS OR LOC RWY 19R TEMPO WITHDRAWN DUE TEMPO DISPLACEMENT OF RWY 19R THR.
27 MAY 26 12:05 UNTIL 04 SEP 26 23:59 ESTIMATED

VIDPG0168/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-903 DATED 16 MAY 2024 REGARDING RNP Y RWY 01R PROC. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 470(450) FT IS APPLICABLE ONLY FOR SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

VIDPG0167/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-901 DATED 16 MAY 2024 REGARDING RNP Y RWY 01L PROC-KOLKATA AIRPORT. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 440(420) FT IS APPLICABLE ONLY FOR SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

VAAH / AMD

VABBA1205/26 (13 AUG 26)

RAPID EXIT TWY R5 AVBL FOR ACFT OPS
WITHOUT CENTRE LINE LGT

VABBA0953/26 (01 JUL 26)

"WIP IN FLW AREAS:
1) TAXIWAY M AND PORTION OF TWY K FROM RUNWAY EDGE TO TWY M CLSD DUE WIP.
2) AN ALTN ISOL ACFT PRKG PSN IS PROVIDED ON TWY P BTN TWY D AND TWY R4. REFER EAIP INDIA VAAH AD 2.8.6.5.
3) DRAIN WIP NORTH OF TWY P, BEYOND 35M FM TWY P CENTRELINE, BTN TWY B AND TWY R4. PERSONNEL AND MOVABLE MACHINERY UP TO 3M HGT WILL BE SHIFTED BEYOND 43.5M DRG CODE E OPS.
4) WIP AT 15M FM TWY L5. PILOTS TO EXER CTN"

// (COM-INFO) //

*THA 00320/17 (14 FEB 25)

COM INFO:--RWY MAINT: every WED 0530-0930. (REF AOI VAAH 1-10)

OPKC / KHI

OPKCA0445/26 (24 JUL 26)

PILOTS TO EXER CTN WHILE TKOF AND LDG RWY-25L/07R DRG WET
SFC COND

// (COM-INFO)//

THA 00696/15 (04 MAR 26)

COM INFO:--PLS contact SHAHEEN Operation on 131.2 to provide ETA prior landing. (ISSUE 02JUL25/REF Email KHIKP04JUN25/UFN)

VIDP / DEL

VIDPA1832/26 (17 AUG 26)

PARKING STAND 261 NOT AVBL FOR OPS.

*VIDPA1826/26 (15 AUG 26)

"15 1830-2130,18 22 25 29 1830-2330"
RWY 10/28 NOT AVBL FOR OPS DUE MAINT.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 72/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

VIDPG0971/26 (11 AUG 26)

"CAT (ROMAN) III ILS RWY 11R IDENT IDMR (LOC 111.300MHZ, GP 332.300MHZ, DME IDMR CH50X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
11 AUG 26 10:48 UNTIL 10 NOV 26 23:59 ESTIMATED

VIDPG0972/26 (11 AUG 26)

"CAT (ROMAN) III ILS RWY 29L IDENT IDGM (LOC 110.900MHZ, GP 330.800MHZ, DME IDGM CH46X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
11 AUG 26 10:50 UNTIL 10 NOV 26 23:59 ESTIMATED

VIDPG0965/26 (11 AUG 26)

REF EAIP PAGE AD 2 VIDP 2-131 DATED 27 NOV 2025 REGARDING ILS RWY 11R CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY 11R CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
10 AUG 26 05:09 UNTIL 10 NOV 26 23:59 ESTIMATED

VIDPG0966/26 (11 AUG 26)

REF EAIP PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025 REGARDING ILS OR LOC RWY 11R OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 11R PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
10 AUG 26 05:11 UNTIL 10 NOV 26 23:59 ESTIMATED

VIDPA1762/26 (11 AUG 26)

PARKING STANDS B15 AND B15L NOT AVBL FOR OPS.

VIDPG0922/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 3-911, PAGE AD 2 VIDP 3-912 AND PAGE AD 2 VIDP 3-913 DATED 17 APR 2025 REGARDING PROC RNP Y RWY 29L. PROC RNP Y RWY 29L WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY."

VIDPG0920/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 2-213, DATED 02 NOV 2023 REGARDING VOR RWY 29L. PROC VOR RWY 29L WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY."

VIDPG0916/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 2-117, DATED 27 NOV 2025 REGARDING ILS OR LOC RWY 29L. PROC ILS OR LOC RWY 29L WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY."

VIDPG0915/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 2-115, DATED 27 NOV 2025 REGARDING ILS RWY 29L CAT (ROMAN) II AND (ROMAN) III. PROC ILS RWY 29L CAT II AND III WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY."

*VIDPA1717/26 (11 AUG 26)

02 05 07 09 12 14 16 19 21 23 26 28 30 1830-2330
RWY 09/27 NOT AVBL FOR OPS DUE MAINT.

*VIDPA1719/26 (11 AUG 26)

03 06 10 13 17 20 24 27 31 1830-2330
RWY 11L/29R NOT AVBL FOR OPS DUE MAINT.

VIDPA1713/26 (11 AUG 26)

PORTION OF TWY M BTN TWY A AND TWY LINK 30 DOWNGRADED FOR ACFT UPTO CODE LETTER C. PORTION OF TWY LINK 30 BTN TWY K AND TWY M DOWNGRADED FOR ACFT UPTO CODE LETTER D

VIDPA1690/26 (11 AUG 26)

AERONAUTICAL GROUND LIGHT (AGL) FOR RWY 29L SWITCHED ON FOR TESTING. PILOT TO EXER CTN WHILE LDG/TKOF ON/FM RWY 11L/29R ACCORDINGLY.

VIDPG0779/26 (11 AUG 26)

TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 117/2026 WEF 06 AUG 2026. RADIO COMMUNICATION FAILURE PROCEDURES (RCF).

VIDPA1419/26 (11 AUG 26)

HIGH POWER ENGINE RUN-UP BAY 800 NOT AVBL FOR OPS.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 73/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

*VIDPA1405/26 (11 AUG 26)

"RWY 11R/29L NOT AVBL FOR OPS.
DURING THIS PERIOD FLW RESTRICTIONS SHALL APPLY:
1. PORTION OF TWY Z WEST OF TWY S6 NOT AVBL FOR OPS.
2. TWY S1, S2, S5, T4, T5, T6, T7, Y1, Y2, Y4, Y5, Y6, Y7, Y8, Z2,
Z3, Z4, Z5, Z6 AND Z7 NOT AVBL FOR OPS.
3. TWY S6, S7 AND S8 AVBL FOR OPS.
4. TWY CROSSINGS P6-S6, P7-S7 AND P8-S8 AVBL FOR OPS."

VIDPA1406/26 (11 AUG 26)

NOISE ABATEMENT PROCEDURES NOT ADHERED DUE TO REHABILITATION AND
ILS REPLACEMENT WORK AT RWY 11R/29L.

VIDPA1364/26 (11 AUG 26)

PORTION OF TWY C BTN TWY LINK 2 AND TWY LINK 3 NOT AVBL FOR OPS.
JUNCTION OF TWY LINK 2 AND TWY LINK 3 WITH TWY A AND TWY C AVBL
FOR OPS.
LEFT TURN VIA LINK 2 ON TWY C FROM APRON 32 NOT AVBL FOR OPS.
RIGHT TURN ON TWY C VIA LINK 3 FROM APRON 33A NOT AVBL FOR OPS.

VIDPA1277/26 (11 AUG 26)

"REFER E-AIP INDIA VIDP AD 2.22 FLIGHT PROCEDURES PARA 'I' RADIO
COMMUNICATION FAILURE PROCEDURE, AMEND THE FOLLOWING SUB-PARAS AS
BELOW:
SUBPARA 3.1: IN CASE OF ARRIVING ACFT, WHEN RWY FOR LANDING
HAS ALREADY BEEN ADVISED TO THE ACFT BY ATC, SUCH RWY SHALL BE
CONSIDERED AS ASSIGNED RWY, EXCEPT AS GIVEN IN PARA 3.3 BELOW. IN
CASE ARRIVING ACFT HAS NOT BEEN ADVISED ANY RWY, RWY 28 SHALL BE
CONSIDERED AS ASSIGNED RWY FOR SUCH ARRIVAL. DURING THE NOTIFIED
PERIODS OF MAINTENANCE/CLOSURE OF RWY 28, RWY 29L SHALL BE
CONSIDERED THE PRIMARY ASSIGNED RWY, AND RWY 29R SHALL BE
CONSIDERED THE SECONDARY ASSIGNED RWY.
SUBPARA 3.7: IRRESPECTIVE OF VISIBILITY/WEATHER CONDITIONS, RWY
AND APPROACH LIGHTS IN 'SWITCHED OFF' POSITION SHALL INDICATE NON-
AVAILABILITY OF SUCH RWY FOR ACFT EXPERIENCING RCF. IN SUCH
CASES, PRIMARY ALTERNATE RWY, AND IF PRIMARY ALTERNATE RWY IS NOT
AVAILABLE, THE SECONDARY ALTERNATE RWY, AS INDICATED BELOW, SHALL
BE MADE AVAILABLE FOR SUCH ACFT:
FOR RWY 28, THE PRIMARY ALTERNATE RWY SHALL BE RWY 29L AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29R.
FOR RWY 29L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29R.
FOR RWY 29R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29L.
FOR RWY 10, THE PRIMARY ALTERNATE RWY SHALL BE RWY 11R AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 11L.
FOR RWY 11R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 11L.
FOR RWY 11L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
SECONDARY
ALTERNATE RWY SHALL BE RWY 11R.
SUBPARA 4.2.1. CONTINUE ON ATS RTE, (RE-JOIN ATS RTE IF GIVEN
HEADING OR FLYING OFFSET), MAINTAINING/DESCENDING TO CLEARED FLIGHT
LEVEL OR FL 80 WHICHEVER IS HIGHER. AT 40 MILES TO 'DPN VOR' TAKE
A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR. IF
HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD.
SUBPARA 4.2.2. IF RCF TAKES PLACE WITHIN 40 NM OF 'DPN VOR',
CONTINUE TO 'DPN VOR' AND AT 10 MILES TO 'DPN VOR' TAKE A TURN
(AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR MAINTAINING LAST
ASSIGNED LEVEL OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB
AND REACH FL 80 BEFORE CROSSING 25 NM OUTBOUND FROM 'DPN VOR'. IF
HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD.
SUBPARA 4.2.3. LEAVE 'SKA' AT FL 80 TO CARRY OUT PUBLISHED ILS/VOR
DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL
20 DME DPN VOR.
SUBPARA 4.3. ARRIVING ACFT BEING RADAR VECTORED
ACFT BEING RADAR VECTORED FOR APPROACH, ON EXPERIENCING RCF, SHALL
MAINTAIN LAST ASSIGNED LEVEL AND HEADING FOR 3 MINUTES AFTER
DETECTING RCF OR SELECTING MODE A/C 7600, WHICHEVER IS LATER, AND
THEN TAKE A CONVENIENT TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO
'SKA' CLIMBING / MAINTAINING LAST ASSIGNED LEVEL, OR FL 80
WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE
CROSSING 25NM OUTBOUND FROM 'DPN VOR'. IF HIGHER, DESCEND TO FL 80
IN 'SKA' HOLD
4.3.1. LEAVE 'SKA' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME
ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20
DME DPN VOR.
SUBPARA 5.1. DEPARTURE INTENDING TO CONTINUE TO DESTINATION

ANY DEPARTING ACFT EXPERIENCING RCF AND INTENDING TO CONTINUE TO ITS FILED PLAN DESTINATION SHALL:

5.1.1. CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.1.2. THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER:

I. IF FOLLOWING ''SID'', CONTINUE ON SID TO JOIN ATS RTE AND CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN.

II. IF FOLLOWING RADAR HEADING, TURN (AVOIDING VIP 89) TO JOIN ATS RTE BY SHORTEST RTE MAINTAINING CLEARED FLIGHT LEVEL / FL80 AS PER PARA 5.1.1. AFTER JOINING ATS RTE, CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN. DEPARTURE FOLLOWING ATS RTE V18 AND G452/L760 SHALL PASS FL160 OR ABOVE BY 50 NM DPN AND ACFT FILED FLIGHT LEVEL BELOW FL150 SHALL CONTACT JEWAR APPROACH ON FREQ 120.825 MHZ, 122.175 MHZ AND JEWAR TWR ON FREQ 118.675 MHZ, 119.125 MHZ AFTER ASCERTAING THAT ACFT IS RCF WITH DELHI ATC.

SUBPARA 5.2 DEPARTURE INTENDING TO LAND BACK AT DELHI:

ANY DEPARTING ACFT EXPERIENCING RCF AFTER DEPARTURE AND INTENDING TO LAND BACK AT IGI AIRPORT SHALL

5.2.1 CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.2.2 THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER, TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR.

5.2.3 IF HIGHER, DESCEND TO FL80 IN ''SKA'' HOLD.

5.2.4 IF REQUIRED, JETTISON FUEL WHILE IN ''SKA'' HOLD, TAKING ALL

NECESSARY PRECAUTIONS.

5.2.5 LEAVE ''SKA'' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC

APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.

NOTE :-

1. IN CASE OF NON-AVAILABILITY OF SKA VOR ACFT REQUIRED TO HOLD AT SKA VOR MAY HOLD AT FOLLOWING FIX/WAY POINT:

A. R186/43 D (116.1 DPN)

B. 275054N0770030E

AMEND E-AIP ACCORDINGLY."

VIDPA1235/26 (11 AUG 26)

"LINK A3 AVBL FOR SFC MOV BY DAY ONLY. LINK FIT FOR ACFT WITH MAX WING SPAN 35M. ACFT TO CTC SMC, AIRFORCE GND ON 121.200MHZ BEFORE LANDING, TO COOR VACATION ON A3."

09 JUN 26 06:24 UNTIL 08 SEP 26 23:59 ESTIMATED

VIDPA1121/26 (11 AUG 26)

TWY T4 AND TWY S2 NOT AVBL FOR OPS.

VIDPG0298/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENTS ARE MADE IN IAP CHART OF VOR RWY 28- PAGE AD 2 VIDP 2-209 DATED 27 NOV 2025.

1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.

2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.

AMEND ACCORDINGLY.

VIDPG0299/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS MADE IN IAP CHART OF VOR RWY 11R- PAGE AD 2 VIDP 2-211 DATED 08 AUG 2024.

VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.

VIDPG0292/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 29R- PAGE AD 2 VIDP 2-127 DATED 16 MAY 2024.

1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.

2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.

AMEND ACCORDINGLY.

VIDPG0297/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN IAP CHART OF VOR RWY 10- PAGE AD 2 VIDP 2-207 DATED 27 NOV 2025.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 75/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0296/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 09- PAGE AD 2 VIDP 2-141 DATED 17 APR 2025.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0294/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 27- PAGE AD 2 VIDP 2-133 DATED 08 AUG 2024.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0295/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 11L- PAGE AD 2 VIDP 2-135 DATED 17 APR 2025.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0293/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 11R- PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025.

- 1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
 - 2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
- AMEND ACCORDINGLY.

VIDPG0112/26 (21 FEB 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT DELHI- VIDP. THE FOLLOWING AMENDEMENTS ARE MADE

1. ON THE STAR CHART AT PAGE NR 35 AT WAYPOINT DP507 AMEND ALTITUDE RESTRICTION FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.
2. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR BAVOX - 7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NO 40 IS AMENDED AS FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.
3. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR POSIG - 7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NO 30 IS AMENDED AS FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.

AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1135/25 (18 JAN 26)

"REF AIP SUP 194/2025 REGARDING IAP CHART - ILS OR LOC RWY 10, CAT (ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1136/25 (18 JAN 26)

"REF AIP SUP 195/2025 REGARDING IAP CHART - ILS OR LOC RWY 28, CAT (ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1116/25 (18 JAN 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT DELHI-VIDP. THE FOLLOWING AMENDEMENTS ARE MADE:

1. ON THE STAR CHART AT PAGE NR 32 AT WAYPOINT DP941 AMEND ALTITUDE RESTRICTION FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
2. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR ATRIN-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
3. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR BUBNU-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 50 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
4. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR LKA-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
5. ON PAGE NR 34 IN TABULAR DESCRIPTION OF STAR UKASO-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 76/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1058/24 (05 NOV 24)

"REFER E-AIP INDIA PAGE NR AD2 VIDP3-139 DT 13 JUNE 2024.
FOLLOWING AMENDMENT IS MADE
1. IN CHART OF SID OROTI6C AND SURAM 6C RWY 29R,
DEPICTION OF TRACK TO MUNUV AS 246DEG IS DELETED.
AMEND THE E-AIP ACCORDINGLY."

VIDPA1036/22 (06 NOV 23)

PORTION OF TWY N BTN TWY CW1 AND TWY LINK 34 COMPATIBLE FOR UP TO
CODE LETTER F ACFT RESTRICTED UPTO MAX WINGSPAN 73.30 M.
AMEND TWY COMPATIBILITY CHART OF E-AIP INDIA ACCORDINGLY.

VIAR / ATQ

// (COM-INFO) //

THA 00036/22 (10 AUG 26)

COM INFO--Pilots are required to exercise extreme vigilance in monitoring ATC
communications and comply fully with ATC instructions.
(ISSUED 02JUL25/BKKOP/UFN)

--RWY 16/34 not AVBL MON-FRI 1100-1300
due to SKED maintenance. AVBL in EMERG with 20min PN
(REF TO AOI VIAR PAGE 1-10)

AIP SUP 51/26##

*THA 00110/26 (10 AUG 26)

VIAR:--REF AIP SUP 51/26,
FROM 01 APRIL 2026 TO 27 SEPTEMBER 2026
1. Runway 16-34 not available for landing and take-off
from 1st April 2026 to 27th September 2026 daily,
between 0815 UTC to 1615 UTC
for work activities on portion of runway and runway strip
up to 41m from runway center line for runway 16-34 and on RESA.
2. CAT II/III operations shall not be available
from 01 April 2026 to 27 September 2026.
During this period, only VOR-based approaches shall be permitted,
and ILS approaches shall not be available.
3. CAT I operations shall not be available
from 01st April 2026 to 15th July 2026.

**Only VOR based approach shall be available during this period.
RESA demolition work shall be carried out during this period.
CAT I operations shall be resumed from 16th July 2026
and will be available from 16th July 2026 to 27th September 2026.

VIDPA1680/26 (10 AUG 26)

"ILS RWY 34 (LOC IAMR 109.500MHZ,GP 332.600MHZ AND DME IAMR
CH32X) CAT-I AVBL EXCEPT 0815UTC TO 1615UTC AS PER AIP SUPPLEMENT
51/2026."
29 JUL 26 08:00 UNTIL 27 SEP 26 23:59 ESTIMATED

VIDPA1445/26 (10 JUL 26)

"REFER EAIP VIAR AD 2.14. RWY 34 TDZ LIGHTS, RCL AND CAT III APCH
LIGHT BARRETTES 270M FM THR NOT AVBL DUE RWY RECARPETING WIP."

VIDPA1265/26 (10 JUL 26)

OBSERVATION OF EGPWS (ENHANCED GROUND PROXIMITY WARNING SYSTEM)
TERRAIN MAP SHIFT DUE TO SUSPECTED DISTURBANCE OF GPS SIGNAL CAUSING
TERRAIN WARNING HAS BEEN REPORTED OCCASIONALLY IN VICINITY OF
AMRITSAR AP. PILOTS TO EXER CTN AND TAKE ALL MEASURES TO ENSURE SAFE
AND EFFICIENT CONTINUATION OF NAV. IN CASE OF NAVIGATIONAL
DIFFICULTIES PILOTS TO NOTIFY ATC FOR ASSISTANCE.
FLIGHT CREW TO REPORT GNSS INTERFERENCE USING FORMAT GIVEN IN PARA
10 OF ENR 4.3 IN EAIP INDIA TO THE REPORTING CHANNEL GIVEN IN
APPENDIX 3 OF DIRECTORATE GENERAL OF CIVIL AVIATION (DGCA) ADVISORY
CIRCULAR 01 OF 2023.
11 JUN 26 13:28 UNTIL 09 SEP 26 13:30 ESTIMATED

VIDPG0312/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-101 DATED 17 APR 2025
REGARDING ILS Z RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM
BOX.
AMEND ACCORDINGLY"

VIDPG0311/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-203 DATED 25 JAN 2024
REGARDING VOR RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM BOX.
AMEND ACCORDINGLY."

VIDPG0310/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-201 DATED 25 JAN 2024
REGARDING VOR RWY 16 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM BOX.
AMEND ACCORDINGLY."

VIDPG0309/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-103 DATED 25 JAN 2024
REGARDING ILS Y RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM
BOX. AMEND ACCORDINGLY."

VIDPG0667/24 (18 APR 26)

REFER AIP AD 2 VIAR 2-105 DATED 31 DEC 2020
REGARDING ILS (CAT II/IIIA/IIB) RWY 34 - AMRITSAR AIRPORT.
FLW AMDT ARE MADE IN THE PLAN VIEW OF THE CHART: -
LEAD RADIAL L.R.147 IS AMENDED AS L.R.146
IF 11D(IAMR) IS AMENDED AS IF 11.1D(IAMR)
W30E IS AMENDED AS W21
W30W IS AMENDED AS W21
W108W IS AMENDED AS W25
FLW AMDT ARE MADE IN THE PROFILE VIEW OF THE CHART: -
MISSED APCH INSTRUCTION IS AMENDED AS - SPEED RESTRICTED TO 185
KIAS MAX. CLIMB STRAIGHT AHEAD UNTIL 4D(IAMR). CLIMBING TURN RIGHT
TO VOR TO JOIN HOLDING AT 2800 FT OR AS INSTRUCTED BY ATC.TURNING
POINT 4D(IAMR).
4D(IAMR) ALTITUDE IS AMENDED AS 2030.
OCA BOX IS AMENDED AS:
STRAIGHT IN CAT II OCA 852 FT AND RA 100.

OPLA / LHE

OPKCA0393/26 (01 JUL 26)

"ACFT PRKG BAYS 09,10 AND 11 CLSD DUE CIVIL WIP.
FLW ARRANGEMENTS MADE DRG NOTAM PERIOD.
- PROLONGED PRKG UNDER NO CIRCUMSTANCES BE PERMITTED.
- OPLA NOT BE DESIGNATED AS AN ALTN"

OPKCA0392/26 (01 JUL 26)

THE AIRSPACE CLASSIFICATION OF LAHORE CONTROL ZONE
IS REDESIGNATED AS CLASS C. AMEND AIP PAKISTAN
PAGE AD 2 OPLA-12 PARA OPLA 2.17 SUB PARA 3

OPKCA0389/26 (30 JUN 26)

IN VIEW OF MONSOON SEASON. HVY BIRD ACTIVITY AROUND
AIRFIELD BELOW 3000 FT IS OBSERVED. PILOTS ARE ADVISED
TO EXER CTN WHILE APCH AND TKOF PHASE. AIRLINES TO
CARRY ADEQUATE FUEL FOR ANTICIPATED HOLDING ON GROUND
AND IN AIR

*OPKCA0388/26 (30 JUN 26)

0001-0300
RWY 36R/18L AND 36L/18R CLSD DUE HVY BIRD ACT
PERSIST ON AND AROUND AIRFIELD. IN CASE OF EMERG
LDG RWY AVBL AT DISCRETION OF PILOT

// (COM INFO) //

THA 00175/26 (30 JUN 26)

COM INFO:--(NEW)+++ Whenever potable water is uplifted at LHE, pilot must report
potable water uplifted in technical logbook to inform maintenance to disinfect potable water
tank.
(ISSUED 30JUN26/OP/31DEC26/2359)

OPKCA0898/22 (28 NOV 23)

HOTEL TAXI TRACK IS OPERATIONAL.
FOLLOWING INFORMATIONS ARE AS UNDER:

REHABILITATED PORTION OF TWY H NORMAL PORTION OF TWY H

REHABILITATED PORTIONOF TWY H AFTER NORMAL NORMAL PORTION OF TWY H
FM THE EDGE OF RWY 36L/18R

PORTION HAS DIMENSIONS AS HAS DIMENSIONS AS GIVEN BELW
GIVEN BELOW

----- LENGTH 1758 FEET -----	----- LENGTH 810 FEET -----
----- WIDTH 75.5 FEET -----	----- WIDTH 75.5 FEET -----
----- PCN 49/F/C/X/T -----	----- PCN 10/F/D/Y/T (AS ALREADY MENTIONED IN AIP) -----

A. TWY EDGE LGT AVBL.
B. DAY AND NGT OPERATION IS AVBL FOR COMPATIBLE ACFT.
C. TWY EDGE MARKING AVBL.

OPIS / ISB

OPKCA0366/26 (19 JUN 26)

19 JUN 2026 14:50-18 AUG 2026 12:00
RWY-28L AND RWY-10R TOUCH DOWN ZONES ARE LIABLE TO BE
SLIPPERY WHEN WET DUE TO RUBBER DEPOSITS.
PILOTS TO EXER CTN WHILE LDG/TKOF

OPKCA0817/22 (28 NOV 23)

"OBSTACLE CLEARANCE ALTITUDE (OCA/H) OF ILS CAT-II
RWY 28L APPROACH FOR CATEGORY D AIRCRAFT AND FOR
ILS CAT-I RWY10R FOR CATEGORY C AND D AIRCRAFT HAS
BEEN REVISED AS PER FOLLOWING:

-----	-----	-----	-----
OCA/H	AB	C	D
-----	-----	-----	-----
ILS CAT-II RWY28L	1847FT (100FT)		1858FT (111FT)
-----	-----	-----	-----
OCA/HA	B	C	D
-----	-----	-----	-----
ILS CAT-I RWY10R	1933FT(200FT)	1942FT(209FT)	1952FT(219FT)
-----	-----	-----	-----

KINDLY INCORPORATE IN AIP PAKISTAN PAGES AD2.OPIS-49,
AD2.OPIS-53, AD2.OPIS-55 AND AD2.OPIS-59 ACCORDINGLY."

OAKB / KBL

OAKBG0303/26 (08 AUG 26)

"SOME UPDATES APPLICABLE TO OAKB ARE MISSED IN AIP
AFGHANISTAN ED 102, (EFF 06 AUG 2026).
FOR THE UP-TO-DATE AERONAUTICAL INFORMATION, USERS ARE
REQUESTED TO CONTACT THE OAKB AIS OFFICE VIA EMAIL AT
AIS.OAKB12 (A) GMAIL.COM."

OAKBG0302/26 (05 AUG 26)

"DUE TO THE CURRENT OPERATIONAL SITUATION, SPECIFICALLY THE
UNSERVICEABILITY OF THE TOWER LIGHT GUN, AIRCRAFT EXPERIENCING RADIO
COMMUNICATION FAILURE SHALL DISREGARD THE PUBLISHED VFR RADIO FAILURE
PROCEDURES AND IMMEDIATELY SWITCH TO IFR PROCEDURES IN ACCORDANCE
WITH AFGHANISTAN AIP (AERODROME EDITION / OAKB AD / LOST
COMMUNICATION / 2.22.13.B).
AS THE IFR RADIO FAILURE PROCEDURES DO NOT INCLUDE A VISUAL MEANS OF
IDENTIFYING THE AIRCRAFT TO ATC, THE FOLLOWING ADDITIONAL PROCEDURES
SHALL APPLY:
1. WHEN APPROACHING FINAL, FLASH THE LANDING LIGHTS DURING NIGHT AND
ROCK THE WINGS DURING DAY TO INDICATE RADIO FAILURE AND EXECUTE A LOW
APPROACH OVER THE RUNWAY AT OR ABOVE 500 FT AGL, AT THE PILOT'S
DISCRETION.
2. THEREAFTER, FOLLOW SID K4 AFTER LOBRE THEN PROCEED FOR AN
INSTRUMENT APPROACH AND MAKE A FULL-STOP LANDING.
3. AFTER LANDING, VACATE THE RUNWAY VIA TWY A OR TWY G, AS
APPROPRIATE FOR THE RUNWAY IN USE, AND SHALL NOT ENTER TWY B OR TWY H
WITHOUT ATC CLEARANCE VIA RADIO OR FOLLOW-ME VEHICLE GUIDANCE."

OAKBG0283/26 (30 JUL 26)

KABUL TOWER ATIS IS OUT OF SERVICE.
29 JUL 26 04:42 UNTIL 26 SEP 26 23:59 ESTIMATED

OAKBG0276/26 (21 JUL 26)

"STAND 23 ON APRON 4 CLOSED, DUE TO PAVEMENT SURFACE DAMAGED."

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 79/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

OAKBG0275/26 (21 JUL 26)

NO INSTRUMENT APPROACH OPERATION IS ALLOWED
AT KABUL INTERNATIONAL AIRPORT BELOW 800M (2600 FT)
VISIBILITY.UNLESS RVR INFORMATION IS PROVIDED.

OAKBG0277/26 (21 JUL 26)

STAND 24 IS AVAILABLE FOR PARKING BY CODE C AIRCRAFT
(B737 ONLY) DUE TO THE DAMAGED PAVEMENT SURFACE.

OAKBG0261/26 (14 JUL 26)

KABUL APPROACH CONTROL UNIT IS UNSERVICEABLE.
12 JUL 26 17:00 UNTIL 07 OCT 26 23:59 ESTIMATED

OAKBG0252/26 (07 JUL 26)

KABUL ATC TOWER LIGHT GUN U/S.

*OAKBG0245/26 (03 JUL 26)

AIRPORT HOURS OF OPERATION ARE NOW 2230-1830.

*OAKBG0244/26 (03 JUL 26)

RESCUE AND FIREFIGHTING SERVICES CHANGED TO CATEGORY 9.

OAKBG0230/26 (26 JUN 26)

"KABUL TOWER CONTROL ZONE 6NM 9500FT
ALL ARRIVING TRAFFIC TO CONTACT TOWER ON 125.4MHZ
NOT CLOSER THAN 30NM FROM CTR AND PASS FOLLOWING INFO:
1) CALL SIGN
2) TYPE OF AIRCRAFT
3) DEPARTURE AERODROME
4) POSITION: RADIAL, DME AND FL
5) INTENTIONS:
A) IFR APPROACH ILS, RNAV, VOR VISUAL APPROACH OR
B) VFR APPROACH DOWNWIND, BASE LEG, FINAL, STRAIGHT IN."
25 JUN 26 06:20 UNTIL 20 SEP 26 23:59 ESTIMATED

OAKBG0229/26 (26 JUN 26)

"OAKB CTR CLASS D AIRSPACE WITHIN 6NM RADIUS VERTICAL
LIMIT SURFACE TO 9500FT AMSL, TWR FREQ 125.4 AND GROUND
FREQ 120.6, ALL INTERNATIONAL AND DOMESTIC AIRLINES ARE
REQUESTED TO FILL FLIGHT PLAN AT LEAST 24 HOURS PRIOR TO
FLIGHT AND SHALL EMAIL TO FLIGHTPERMISSIONS.ACAA(A)GMAIL.COM
FOR PROCESSING FLIGHT PLAN."
25 JUN 26 06:20 UNTIL 20 SEP 26 23:59 ESTIMATED

OAKBG0225/26 (19 JUN 26)

SID TAPIS 2 NOT AUTHORIZED.
14 JUN 26 10:30 UNTIL 10 SEP 26 23:59 ESTIMATED

OAKBG0191/22 (15 APR 24)

CAUTION: TAXIWAY J IS CLOSED.

UTDD / DYU

UTDAA0089/26 (03 AUG 26)

"STANDS B1, B1W CLSD."

UTDAA0078/26 (22 JUL 26)

TWY B CLSD.

UTDAA0070/26 (08 JUL 26)

"TRIGGER NOTAM-POST AMD AIRAC 08/26. EFF 06 AUG 2026 FLW AMD
INTRODUCED ENR 4.4.1, AD2 UTDD-11, AD2 UTDD-12, AD2 UTDD-79,
AD2 UTDD -80, AD2 UTDD-101, AD2 UTDD-102, AD2 UTDD-115,
AD2 UTDD-116, AD2 UTDD-129, AD2 UTDD-130, AD2 UTDD-145,
AD2 UTDD-146, AD2 UTDL-55 , AD2 UTDK-55, GEN 0.4-1-2."

UTDAA0043/26 (01 JUN 26)

"CHART SID PUGUS 1A RENAMED INTO SID SX 1A.
REF AIP AD.2 UTDD-79,80."

UTDAA0047/26 (01 JUN 26)

"CHART STAR PUGUS 1E RENAMED INTO STAR SX 1E.
REF AIP AD.2 UTDD-129,130."

UTDAA0049/26 (01 JUN 26)

"CHART STAR PUGUS 1N RENAMED INTO STAR SX 1N.
REF AIP AD.2 UTDD-145,146."

UTDAA0045/26 (01 JUN 26)

"CHART SID PUGUS 1J RENAMED INTO SID SX 1J
REF AD.2 UTDD-101,102."

UZSS / SKD

UZTTD1309/26 (27 JUL 26)

"TAXIING ACFT TO STANDS 12-13 BEHING FOLLOW FOLLOW-ME
CAR, WITH EXCEPTION ACFT WITH WINGSPAN OF 36,0 METERS OR MORE."
27 JUL 26 14:58 UNTIL 27 OCT 26 23:59 ESTIMATED

UZTTD1310/26 (27 JUL 26)

"CLOSED RWY REMAINS SOUTH OF RWY 09/27.AVERAGE DISTANCE
BETWEEN ACTIVE AND CLOSED RWY CENTERLINES IS 110 METERS.
PILOTS MUST EXERCISE CAUTION TO AVOID RWY CONFUSING.
REF:AIP AD2.UZSS-11,UZSS-12,UZSS-27,UZSS-28,UZSS-29,UZSS-30,
UZSS-31,UZSS-32."
27 JUL 26 15:02 UNTIL 27 OCT 26 23:59 ESTIMATED

UZTTD1307/26 (27 JUL 26)

STANDS FOR ACFT CAT A-B-C AND MODIFICATIONS 12-24 (TAX INTO NOSE
TO
NORTH AND TAX OUT OF UNDER ENGINES POWER BY ASSISTANCE OF FOLLOW-ME
CAR.
27 JUL 26 14:50 UNTIL 27 OCT 26 23:59 ESTIMATED

UZTTD1035/25 (02 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZSS-10."

UZTTD1021/25 (02 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UZTT / TAS

UZTTD1402/26 (13 AUG 26)

"ACFT TAXIING OUT FROM STANDS B-6, B-7 TO STAND H-43 BY TOWIING
PROHIBITED."

UZTTD1376/26 (10 AUG 26)

TWY-4 CLSD.

UZTTD1367/26 (07 AUG 26)

"TAXIING INTO/OUT ACFT TO STANDS H48, H49, H50, H51, H52,
H53, H54, H55, H56, H57 USE BY TOWING FROM START-UP POINT N11.
MOVEMENT ACFT WITH TURNED OFF ENGINES.
START-UP ENGINES ON START-UP POINT N11."

UZTTD1306/26 (27 JUL 26)

STAND B3 CLSD.

UZTTD1214/26 (11 JUL 26)

STAND H-44 USE ONLY FOR TAXIING ACFT.

UZTTD1210/26 (10 JUL 26)

"RWY 08R/26L: 180 DEG TURN IS PROHIBITED, EXCEPT TURN AT
RWY 08R/26L WITH CROSSING TWY-7 AND TURN PAD, FOR VIP FLIGHTS,
CHECK FLIGHT AND ACFT MTOW OF 24 TONS AND LESS."

UZTTD1134/26 (30 JUN 26)

TAXIING ACFT FROM TWY-2 TO TWY-B AVLB WITH MAX ACFT WINGSPAN
60.60M THE WHITE DASHED LINE TO STAND B2 FOLLOW FOLLOW-ME CAR

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 81/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

IF STAND B8A IS NOT OCCUPIED.

UZTTD1133/26 (30 JUN 26)

"AT ACFT STANDS F94, F94A, F95, F96, F97, F97A:
ENGINE START-UP ONLY AT MTWY. TAXI IN AND TAXI OUT OF ACFT BY TOWING
ONLY."

UZTTD1132/26 (30 JUN 26)

"TAXIING INTO AND TAXIING OUT ACFT TO/FROM STANDS D23, D24, D25
USE BY TOWING."

UZTTD1130/26 (30 JUN 26)

"RWY 08L/26R: 180 DEG TURN IS PROHIBITED, EXCEPT TURN PAD
(08L/26R) FOR VIP FLIGHTS,CHECK FLIGHT I ACFT MTOW OF 24 TONS
AND LESS."

UZTTD1128/26 (30 JUN 26)

AIRCRAFT CREWS EXPECT DLA ON ARR AND DEP DUE TO CONSTRUCTION
WORKS AT THE AERODROME.

UZTTD1127/26 (30 JUN 26)

TAXIING ON TWY-B TO TWY-2 AND BACK AVLB WITH MAX ACFT WINGSPAN
MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE
FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.

UZTTD1126/26 (30 JUN 26)

TAXIING ON TWY-B TO TWY-1 AND BACK AVLB WITH MAX ACFT WINGSPAN
MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE
FOLLOW FOLLOW-ME CAR.

UZTTD1125/26 (30 JUN 26)

START-UP POINT N17 REPLACED ON ABEAM STAND E1.

UZTTD1124/26 (30 JUN 26)

"TAXIING INTO ACFT TO STAND B7 BY OWN POWER FOLLOW FOLLOW-ME CAR,
TAXIING OUT BACK BY TOWING TO TWY-H."

UZTTD1123/26 (30 JUN 26)

TEMPORARY STAND ESTABLISHED:
STAND B7 COORDINATES N411543.76 E0691609.60
MAX ACFT WINGSPAN 36M.
MAX ACFT LENGTH 46M.
PCN-47/F/B/X/T.

UZTTD1120/26 (30 JUN 26)

"SEGMENT TWY-B ABEAM STAND B-16, B-17 CLSD."

UZTTD1121/26 (30 JUN 26)

"TAXIING INTO ACFT TO STAND B-16, B-17 BY OWN POWER,
TAXIING OUT BACK BY TOWING."

UZTTD0978/26 (29 MAY 26)

"STANDS E69, E70 ARE AVLB FOR ACFTS WITH WING SPAN
NO MORE THAN 34,1M AND LENGTH NO MORE THAN 44,6M."

UZTTD0977/26 (29 MAY 26)

TWY-H FROM ABEAM STAND E1 TO ABEAM STAND B-7 CLSD.

UZTTD0975/26 (29 MAY 26)

"STAND E71 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 34.1M,
LENGTH
NO MORE THAN 37.57M, ONLY IF STAND E70A IS OCCUPIED BY ACFT WITH
WINGSPAN NO MORE THEN 60.3M LENGTH NO MORE THEN 63.7M."

UZTTD0973/26 (29 MAY 26)

TAXIING ACFT TO ABEAM STAND E1 AVLB WITH MAX ACFT WINGSPAN
36M AND LESS ALONG THE YELOW DASHED LINE FOLLOW FOLLOW-ME CAR.

UZTTD0972/26 (29 MAY 26)

"TAXIING INTO ACFT TO STAND B15 BY OWN POWER,
TAXIING OUT ACFT BACK BY TOWING ON MAIN TWY OR TOWING FORWARD
ON START-UP POINT N3."

UZTTD0904/26 (14 MAY 26)

"SID DVOR/DME RWY 08L/R PUBLISHED IN CHART SID DVOR/DME RWY 26R/L, RWY 08L/R (AIP UZTT AD2.24-4.15) TO BE ASSIGNED IN CASE OF GNSS FAILURE OR LOSS.
UNDER NORMAL CONDITIONS RNAV (GNSS) SID SHALL BE USED.
REF: AIP UZTT AD2.24-4.15 AIRAC AMDT 03/26 EFFECTIV DATE 14 MAY 2026."

UZTTD0864/26 (07 MAY 26)

"ON PAGE AD2.UZTT-7, ADD THE FOLLOWING VALUES TO TABLE 2.13 DECLARED DISTANCES:
RWY 08L:
TWY1: TORA 3750M, TODA 3900M, ASDA 3750M
RWY 26R:
TWY5: TORA 3750M, TODA 3900M, ASDA 3750M
TWY3: TORA 1200M, TODA 1350M, ASDA 1200M
RWY 08R:
TWY7: TORA 3555M, TODA 3705M, ASDA 3555M
RWY 26L:
TWY13: TORA 1300M, TODA 1450M, ASDA 1300M
TWY14: TODA 2500M INSTESD OF 2350M.
REF: AIP AD2. UZTT-7 AIRAC AMDT 05/25
EFFECTIV DATE 02 OCT 2025."

UZTTD0863/26 (07 MAY 26)

"ON PAGE UZTT AD2.24-1.0-1, MAKE THE FOLLOWING CORRECTIONS IN THE DECLARED DISTANCES TABLE:
RWY 08L: TWY1 INSTEAD OF THR1:
RWY 26R: TWY5 INSTEAD OF THR5:
RWY 08R: TWY7 INSTEAD OF THR7:
REF: AIP UZTT AD2.24-1.0-1 AIRAC AMDT 03/26
EFFECTIV DATE 14 MAY 2026."

UZTTD0360/26 (17 FEB 26)

"EFFECTIVE FROM 17 FEBRUARY 2026 ON A PERMANENT BASIS, ALL BUSINESS AVIATION OPERATORS PLANNING TO PERFORM CHARTER FLIGHTS TO THE CITY OF TASHKENT (REPUBLIC OF UZBEKISTAN) SHALL INDICATE TASHKENT-VOSTOCHNY AD(HUMO)-UZTP AS THE DESTINATION AD IN FLIGHT APPLICATIONS AND IN FLIGHT PLANS INSTEAD OF TASHKENT- I.KAROMOV- UZTT."

UZTTD1039/25 (29 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZTT-6."

UZTTD1020/25 (29 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UTAA / ASB

UUUUU0274/26 (30 JUL 26)

TWY E1 CLSD.

UTAK / KRW

*UUUUU0263/26 (15 JUL 26)

RWY 16L/34R CLSD.

UUUUU0231/26 (15 JUN 26)

NDB 34R WZ 911 KHZ U/S DUE TO REPAIR WIP.

UBBB / GYD

UBBUA0241/26 (15 AUG 26)

"RWY ENTRANCE LIGHTS AT INTERSECTION TWY H, TWY H2, TWY H4 AND TWY S WITH RWY 17/35 U/S."

UBBUA0231/26 (27 JUL 26)

ACFT STAND C7 CLOSED DUE TO CONSTRUCTION WORKS

UBBUA0230/26 (27 JUL 26)

ACFT STAND C6 CLOSED DUE TO CONSTRUCTION WORKS

UBBUA0229/26 (24 JUL 26)

SURFACE MOVEMENT RADAR U/S.

UBBUA0190/26 (01 JUN 26)

VALIDITY OF AD CERTIFICATION CHANGED TO 01.06.2026-31.05.2029
REF AIP AD 1.5

OITT / TBZ

OIIIA1724/26 (02 AUG 26)

"ILS (LOC,GP,DME) RWY 30R ITBZ CH36X NOT OPR DUE TO PWR"
02 AUG 26 12:46 UNTIL 02 OCT 26 07:00 ESTIMATED

*OIIIA1722/26 (02 AUG 26)

RWY 12L/30R CLSD DUE TO CONST WORK.
02 AUG 26 12:02 UNTIL 02 OCT 26 07:00 ESTIMATED

OIIIA1723/26 (02 AUG 26)

"TWY D, E AND F CLSD DUE TO CONST WORK."
02 AUG 26 12:08 UNTIL 02 OCT 26 07:00 ESTIMATED

OIIIA1462/26 (04 JUL 26)

ISOL ACFT PSN OCCUPIED BY DISABLED ACFT AND
TWY M CONSIDERED AS ISOL AREA.
04 JUL 26 09:43 UNTIL 10 SEP 26 10:00 ESTIMATED

OITR / OMH

OIIIA1373/26 (28 JUN 26)

OITR AMD (AIR MOVE DISPLAY) U/S
28 JUN 26 08:59 UNTIL 26 SEP 26 09:00 ESTIMATED

// (COM-INFO) // THA 00145/24 (10 SEP 24)

COM INFO: -- ATS HOURS 0330-1830, OTHER TIME O/R (LIDO AOI) (PC-INFO)

UDYZ / EVN

UDDDA0115/26 (29 JUL 26)

FROM 05 AUG 2026 AT 05:00 UTC TILL 20 AUG 2026 AT 16:00 UTC:
TAXIWAY B WILL BE CLOSED DUE TO CONSTRUCTION WORK.
CAT I AND CAT II WILL NOT BE OPERATIONAL DURING THIS PERIOD.

UDDDA0090/26 (25 JUN 26)

FOR UDYZ IAC RWY 08/26:

IN CASE OF COMMUNICATION FAILURE DURING RADAR VECTORING PROCEED TO
OKUDA AT LAST CLEARED ALTITUDE BUT NOT BELOW 7000 FT

REF AIP ARMENIA
UDYZ AD 2.2-13
UDYZ AD 2.2-41
UDYZ AD 2.2-43
UDYZ AD 2.2-47
UDYZ AD 2.2-53
UDYZ AD 2.2-57
UDYZ AD 2.2-59

UGTB / TBS

N I L

LTCC / DIY

*LTAAJ3106/26 (28 JUL 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

LTAAD1716/26 (27 JUL 26)

TWYS C1, H1, MIL F, MIL G, MIL H CLSD TO TFC.
27 JUL 26 13:32 UNTIL 27 OCT 26 14:00 ESTIMATED

*LTAAD1715/26 (27 JUL 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 84/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LTAAJ3083/26 (27 JUL 26)

"TWYS H1, K1, F1, E1, D1, C1, B1 AND MIL-D2 CLSD TO CIV TFC.
-DUE TO MAINT-"

LTAAJ3003/26 (21 JUL 26)

RAPCON ASR UNRELIABLE BTN RADIALS 201-255 AND BTN 9-22NM AT ALL ALTITUDE.

LTAAD1673/26 (21 JUL 26)

RAPCON AIRFIELD SURVEILLANCE RADAR (ASR) UNRELIABLE BTN RADIALS 201-255 AND BTN 9-22NM RADIUS AT ALL ALTITUDES.

LTAAJ2676/26 (26 JUN 26)

ILS IDBN RWY 34R U/S

LTAAJ2290/26 (04 JUN 26)

"TWY H2, TWY J, TWY W, TWY K OPN TO CIV TFC.
-ADVISE ATC INSTRUCTIONS.-"

*LTAAJ2268/26 (04 JUN 26)

RWY 16L/34R CLSD TO ALL TFC DUE TO RWY MAINT

*LTAAD1283/26 (04 JUN 26)

RWY 16L/34R CLSD TO TFC DUE TO RWY RENOVATION WORKS.

LTAAJ2178/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAD1221/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAJ2170/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1219/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1220/26 (25 MAY 26)

MIL-S POOL CLSD.

LTAR / VAS

LTAAA2885/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF LTAR AD 2.24 CHARTS RELATED TO SIVAS/NURI DEMIRAG
AERODROME , AD 2 LTAR STAR-1"

LTAAJ2589/26 (23 JUN 26)

"MOBILE VEHICLE PRESENCE EAST OF RWY 01/19 , 180M DISTANCE TO CL .
-DUE TO NEW RWY CONSTRUCTION WORK-
-ADVISE TOWER INSTRUCTIONS-"

LTAC / ESB

LTAAJ3322/26 (13 AUG 26)

TWY -E1- CLSD TO TFC.

LTAAJ3275/26 (07 AUG 26)

NDB ANK 356KHZ U/S.

LTAAJ3270/26 (07 AUG 26)

"ANKARA ESENBAGA AD:

STAR-2 (RWY 21R/C),
STAR-8 (RWY 03R),
STAR-9 (RWY 21L),
IAC-1 (NDB Z RWY 03C),
IAC-7 (NDB Z RWY 03L),

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 85/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

IAC-25 (ILS X CAT II RWY 03R),
IAC-27 (ILS W CAT I RWY 03R),
IAC-29 (ILS V CAT II RWY03R) PROCEDURES ARE SUSPENDED.

REF AIP AD 2 LTAC STAR-2, STAR-8, STAR-9, IAC-1, IAC-7 , IAC-25 ,
IAC-27, IAC-29"
07 AUG 26 12:00 UNTIL 07 NOV 26 12:00 ESTIMATED

LTAAA3502/26 (06 AUG 26)

"ESENBOGA AD,
1-AD 2.19 RADIO NAVIGATION AND LANDING AIDS SECTION:
AMEND TO READ IAEG ID 'LLZ 21L ILS CAT III' INSTEAD OF 'LLZ 21L ILS
CAT II'

2-AD 2.22 FLIGHT PROCEDURES SECTION:
ESENBOGA AD LOW VISIBILITY PROCEDURES: UNDER THE TITLE OF 'CAT II/III
AND LVTO' AMEND TO READ 'RWYS APPROVED FOR CAT II-III AND LVTO
OPERATIONS RWYS 03C-21L..... 'INSTEAD OF 'RWYS APPROVED FOR CAT
II-III AND LVTO OPERATIONS RWY 03C.....'

REF AIP TURKIYE AD 2 LTAC-9, LTAC-20"

LTAAJ3086/26 (27 JUL 26)

"DCL (DEPARTURE CLEARANCE) SYSTEM AVBL ON TEST. AIRCRAFT WITH THE
CAPABILITY SHALL TAKE ATC CLEARANCE FROM DCL SYSTEM, OTHERWISE MUST
CONTACT THE DELIVERY FREQ BROADCAST ON AUTOMATIC TERMINAL
INFORMATION SERVICE (ATIS) WITH THE REASON FOR 'REJECTION'."

LTAAJ3077/26 (27 JUL 26)

ILS GP IAES 330.8MHZ RWY 03R U/S.

LTAAJ3017/26 (22 JUL 26)

"ANKARA ESENBOGA AERODROME
03R ILS Z CAT I (IAC-22) AND 03R ILS Y CAT I (IAC-24) PROCEDURES ARE
SUSPENDED.
HOWEVER, 03R LOC Z (IAC-22) AND 03R LOC Y (IAC-24) PROCEDURES CAN BE
USED."
22 JUL 26 08:38 UNTIL 08 OCT 26 07:15 ESTIMATED

LTAAJ2837/26 (08 JUL 26)

ATIS (AUTOMATIC TERMINAL INFORMATION SERVICE) 129.200MHZ (DEP)
U/S.
ATIS (ARR) AND ATIS (DEP) BROADCASTS ARE PROVIDED ON 123.600MHZ.

LTAAJ2808/26 (06 JUL 26)

"ACFT STANDS 208, 209, 210, 211, 212, 213, 214 AND 215 ON APRON 2
SHALL BE USED BY ACFT WITH MAXIMUM WINGSPAN OF 36 METERS.
PILOTS MUST BE CAUTIOUS UNTIL AIP DATA PUBLISHED.
ADVISE TWR INSTRUCTIONS.
SEE NOTAM: J2510/26"

LTAAA2869/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF LTAC AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS
POSITIONS DATA, AD 2.19 RADIO NAVIGATION AND LANDING AIDS, AD 2.20
LOCAL AERODROMEREGULATIONS, AD 2 LTAC ADC, PRKG-2, PRKG-5, IAC-1,
IAC-2, IAC-4, IAC-6, IAC-7, IAC-8, IAC-9, IAC-10, IAC-11, IAC-13,
IAC-14, IAC-15, IAC-16, IAC-17, IAC-18, IAC-19, IAC-20, IAC-21,
IAC-22, IAC-23, IAC-24, IAC-25, IAC-26, IAC-27, IAC-28"

LTAAJ2510/26 (18 JUN 26)

"APRON 2 ACFT STANDS 1A, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
AND 14 RENAMED AS 201, 202, 203, 204, 205, 206, 207, 208, 209, 210,
211, 212, 213, 214 AND 215 RESPECTIVELY.
-DUE TO IMPLEMENTATION WORKS-
-BE CAUTIOUS UNTIL AIP DATA PUBLISHED-
-ADVISE TWR INSTRUCTIONS-"

LTAAA2303/26 (02 JUN 26)

ANKARA ESENBOGA AD:
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'CAT II/III
AND LVTO OPERATIONS' IN SECTION AD 2.22

RWY 03R LVTO HOLDING POSITION:
M1 TAXIWAY CAT II/III HOLDING POSITION:
400604.39N-0325918.62E

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 86/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

RWY 21L LVTO HOLDING POSITION:
M8 TAXIWAY CAT II/III HOLDING POSITION:
400741.73N-0330051.37E

REF AIP LTAC AD 2.22

LTAAA2300/26 (02 JUN 26)

"ANKARA ESENBAGA AERODROME
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'DE-ICING
ANTI-ICING PROCEDURES' IN SECTION AD 2.20
'FOR THE ALTERNATIVE TAXIWAY CENTERLINE DESIGNATED AS THE 'BLUE
LINE' IN DE-ICING AREAS 1 AND 2, SEE AD 2 LTAC ADC.'

THE UPDATED AD 2 LTAC ADC HAS BEEN PUBLISHED ON THE FOLLOWING
WEBPAGE AND WILL BE INCORPORATED INTO THE AIP VIA AIRAC ON AUGUST 6,
2026.

[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/MAIN.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/main.aspx)

LTFM / IST

LTAAB3130/26 (07 AUG 26)

PART OF TWY G1 BTN G1D TWY AND G2M TWY CLSD

*LTAAB3129/26 (07 AUG 26)

RWY 09 CLSD TO TFC.

LTAAB3041/26 (01 AUG 26)

"BIRD CONCENTRATION INFORMATION FOR ALL RWYS AND APPROACH SURFACES
AS FOLLOWS:

AT THE BEGINNING OF RWYS: 0-200M THE MOST DENSE
AT APPROACH SURFACES : 0-200M THE MOST DENSE, 200-400M DENSE,
400-1000M LOW DENSE
DENSITY LEVEL: 5
LOW ALTITUDE : SFC
HIGH ALTITUDE: 3000FT

1. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF SEAGULL(750-1500G)
AT BEGINNING OF RWYS AND APPROACH SURFACE, ESPECIALLY ON SUNRISE
SUNSET HOURS AND PARTIALLY DURING THE DAY.
2. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF STORK(2275-4400G) MOVING
FROM WEST-NORTHWEST TO EAST-SOUTHEAST DIRECTION.
3. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF HAWK(420-1760G),
KESTREL(136-314G), SWALLOW BIRD(14-20G), SWIFT BIRD(38-100G),
PIGEON(240-380G), JACKDAW(220-270G) AND STARLING(55-100G)."

*LTAAB2991/26 (29 JUL 26)

RWY 16L/34R CLSD TO LANDING TFC DUE TO CONST.

*LTAAB2990/26 (29 JUL 26)

RWY 17R/35L CLSD TO LANDING TFC DUE TO CONST.

LTAAA2879/26 (10 JUL 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF LTFM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS AND
POSITIONS DATA, AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM
AND MARKINGS, AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS, AD 2.13
DECLARED DISTANCES, AD 2.14 APPROACH AND RUNWAY LIGHTING, AD 2.18
ATS COMMUNICATION FACILITIES, AD 2.20 LOCAL AERODROME REGULATIONS,
AD 2.22 FLIGHT PROCEDURES, AD 2.24 CHARTS RELATED TO ISTANBUL
AIRPORT, AD 2 LTFM ADC, PRKG-3, GMC-15, GMC-16, GMC-17, GMC-18,
IAC-17, IAC-18, IAC-23, IAC-24, IAC-25, IAC-26, IAC-27, IAC-28
,REMOVAL OF AD 2 LTFM IAC-29, IAC-30, IAC-31, IAC-32 PAGES ,
INSERTION OF PAGES AD 2 LTFM GMC-19, AOC-6, SID-16, SID-16A, SID-17,
SID-17A, SID-18, SID-18A, SID-19, SID-19A, SID-20, SID-20A, SID-21,
SID-21A"

LTAAB2614/26 (10 JUL 26)

TWY G1 BTN TWY H AND TWY G1D SHALL BE USED BY ACFT UP TO
CATEGORY C(A B C). MAX WINGSPAN 36M

LTAAB2522/26 (10 JUL 26)

TWY T1 AND TWY T12 CLSD TO TFC

LTAAB2460/26 (10 JUL 26)

"ISTANBUL AD,

ALL PILOTS WHO OPERATES ON ISTANBUL AIRPORT (LTFM) MUST BE INFORMED ABOUT THE CONTENT OF THE 'TRO AWARENESS LEAFLET' ANNOUNCED ON THE DHMI GENERAL DIRECTORATE WEBSITE VIA THE [HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/ANASAYFA.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/anasayfa.aspx) LINK BEFORE THE FLIGHT AND MUST OPERATE ACCORDINGLY."
16 JUN 26 08:45 UNTIL 16 SEP 26 08:45 ESTIMATED

LBBG / BOJ

LBSFA0843/26 (17 JUL 26)

RWY PHYSICAL CHARACTERISTICS CHANGED:
RWY 04 PCN 117/F/C/X/T ASPHALT
RWY 22 PCN 117/F/C/X/T ASPHALT
REF AIP REPUBLIC OF BULGARIA LBBG AD 2.12

LBSFA0994/22 (17 OCT 23)

BURGAS APP UHF FREQ CHANGED FROM 283.925MHZ
TO 378.350MHZ.

LROP / OTP

LRBBA4572/26 (17 AUG 26)

17 AUG 2026 13:40-17 AUG 2026 17:40
"LOC 26R IRR 110.700MHZ ON TEST, DO NOT USE"
17 AUG 26 13:40 UNTIL 17 AUG 26 17:40 ESTIMATED

LRBBA4573/26 (17 AUG 26)

17 AUG 2026 13:41-17 AUG 2026 17:40
"GP 26R IRR 330.200MHZ ON TEST, DO NOT USE"
17 AUG 26 13:41 UNTIL 17 AUG 26 17:40 ESTIMATED

LRBBA4468/26 (10 AUG 26)

"ACFT STANDS 201-202 AVBL FOR MIL ACFT ONLY. MARSHALLING, PARKING
AND ACFT MANOEUVERING TO BE CARRIED OUT BY MIL PERSONNEL"

LRBBA4399/26 (07 AUG 26)

"SAFEGATE STANDS 103, 104, 107, 110,113 AND 114 U/S"

LRBBA4324/26 (03 AUG 26)

"ADVANCED TWR PROCEDURES IN FORCE:
DUE TO THE INFORMATION EXCHANGE FOR DEPARTURE FLIGHTS USING EUROPEAN STANDARD FOR A-CDM AIRPORTS, LROP WILL SEND A-DPI MESSAGES TO NMOC REPORTING TTOT IN ORDER TO IMPROVE TAKE-OFF TIME ESTIMATES. THE FPL OF ACFT THAT FOR ANY REASON RETURNS TO STAND AFTER EOBT WILL BE SUSPENDED IN THE ATM NETWORK WITH A C-DPI MESSAGE. THE AIRCRAFT OPERATOR WILL RECIEVE A FLS MESSAGE WITH REASON-SUSPENDED BY DEPARTURE AIRPORT- TO REVOKE THE SUSPENSION, OPERATORS SHALL UPDATE EOBT WITH A DLA OR CHG MESSAGE.
ACRONYMS:
A-CDM (AIRPORT COLLABORATIVE DECISION MAKING)
A-DPI (ATC DEPARTUR PLANNING INFORMATION)
ATFCM (AIR TRAFFIC FLOW CAPACITY MANAGEMENT)
C-DPI (CANCEL DEPARTURE PLANNING INFORMATION)
FLS (FLIGHT SUSPENSION)
NMOC (NETWORK MANAGER OPERATIONS CENTER)
TTOT (TARGET TAKE-OFF TIME)."
03 AUG 26 15:31 UNTIL 10 NOV 26 23:59 ESTIMATED

LRBBA4318/26 (03 AUG 26)

"REF AIP ROMANIA PAGE AD 2.5-22A/26 DEC 2024, INS COORD AT STAND 108
CHANGE AS FLW:
108-1: 443415.21N/0260457.12E - RMK: EXIT WITH PUSH-BACK ONLY
108-2: 443415.18N/0260456.78E - RMK: EXIT WITH PUSH-BACK ONLY
108-3: 443415.19N/0260456.64E - RMK: EXIT WITH PUSH-BACK ONLY
108-4: 443415.17N/0260456.49E - RMK: EXIT WITH PUSH-BACK ONLY,
AIP ROMANIA PAGE AD 2.5-22A/26 DEC 2024, INS COORD AT STAND 107
CHANGE AS FLW:
107-1: 443416.41N/0260456.34E - RMK: WITH PUSH-BACK ONLY
107-2: 443416.33N/0260456.25E - RMK: WITH PUSH-BACK ONLY

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 88/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

107-3: 443416.28N/0260456.20E - RMK: WITH PUSH-BACK ONLY
107-4: 443416.15N/0260456.04E - RMK: WITH PUSH-BACK ONLY
107-5: 443416.02N/0260455.90E - RMK: WITH PUSH-BACK ONLY"

LRBBA4304/26 (02 AUG 26)

"DUE TO RESTRICTED AIRPORT CAPACITY, PRIOR PERMISSION REQUIRED
(PPR) FROM AD OPERATOR IS MANDATORY FOR ALL
NON-SCHEDULED FLIGHTS."

LRBBA4247/26 (30 JUL 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S
30 JUL 26 05:56 UNTIL 31 AUG 26 23:00 ESTIMATED

LRBBA4243/26 (30 JUL 26)

NO ACFT PARKING POSITIONS AVBL BTN 1800-0500 FOR ALL NONSCHEDULED
FLIGHTS/DIVERTED FLIGHTS EXCEPT STATE/MIL ACFT AND
ACFT PARKED ON APRON 3 GENERAL AVIATION TERMINAL

LRBBA4242/26 (30 JUL 26)

"DUE TO LIMITED PARKING STANDS AVBL FOR NONSCHEDULED FLIGHTS,
BFR FILLING A FLT PLAN WITH LROP AS A DESTINATION/ALTERNATE,
MIN 72 HR PPR MUST BE OBTAINED FM AD ADMINISTRATION AT E-MAIL
'OPS AT CNAB.RO', EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

LRBBA4241/26 (30 JUL 26)

"DUE TO LIMITED PARKING STANDS AVBL, NONSCHEDULED FLIGHTS,
NONSCHEDULED CARGO FLIGHTS, NONSCHEDULED CARGO FLIGHTS CARRYING
MIL ARMY/MUNITIONS, WITHOUT PPR FM AD ADMINISTRATION WITH MIN 72
HR AT E-MAIL 'OPS AT CNAB.RO', NO PRKG STAND WILL BE ALLOCATED
AND NO HANDLING WILL BE PERMITTED.
EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

*LRBBA4063/26 (21 JUL 26)

EVERY TUE 0730-0930
RWY 08L/26R CLSD

LRBBA4027/26 (19 JUL 26)

TWY C1 CLSD ABEAM STANDS 204-206

LRBBA4028/26 (19 JUL 26)

"ACFT STANDS 204, 205 AND 206 EXIT ONLY WITH PUSHBACK DUE TO
TWY C1 CLSD ABEAM STANDS 204-206 FOR ACFT STORAGE FACILITY."

LRBBA3852/26 (09 JUL 26)

ACFT WITH WINGSPAN GREATER THAN 65M ARE NOT ALLOWED TO OPERATE
WITHOUT A SIGNED AGREEMENT BETWEEN AIRLINE AND AIRPORT AUTHORITY

LRBBA3779/26 (06 JUL 26)

"GROUND STAY MORE THAN 3 HOURS FOR ALL NONSCHEDULED FLIGHTS
IS NOT PERMITTED. NO PARKING SPACE AVBL FOR LONG TERM PARKING,
NO ACFT STORAGE AVBL. EXCEPT STATE/MIL ACFT AND ACFT PARKED ON
APRON 3 GENERAL AVIATION TERMINAL."

LRBBA3400/26 (19 JUN 26)

ON LROP THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED AS
RUSH HOURS:
0300-0600 / 0900-1200 / 1500-1800.
EXPECT RAMP CONGESTION AND DELAY.

LRBBA3267/26 (13 JUN 26)

BACKTRACK ON RWY 08R/26L IS PERMITTED ONLY AT 26L THR TURN PAD

LRBBA2970/26 (29 MAY 26)

TWY G CL LGTS LEAD IN/LEAD OUT TO/FROM RWY 08R U/S

LBSF / SOF

LBSFA0929/26 (17 AUG 26)

TWY R CLSD DUE TO OPR REASONS.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 89/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LBSFA0928/26 (14 AUG 26)

ILS ISF RWY 27 U/S.
14 AUG 26 08:53 UNTIL 20 SEP 26 08:00 ESTIMATED

LBSFA0904/26 (04 AUG 26)

12 19 1100-1230
TEMPO SEGREGATED AREA ESTABLISHED FOR PJE WI
1500M RADIUS CENTERED ON 423805N 0232549E.
SAFETY BUFFERS INCLUDED AS FLW:
- HORIZONTAL - 500M
- VERTICAL - 500M
CTR SOFIA AFFECTED.
F) GND
G) 7000FT AMSL

*LBSFA0903/26 (04 AUG 26)

12 19 0800-1300 1700-1930
TEMPO SEGREGATED AREA ESTABLISHED FOR PJE WI
2KM RADIUS CENTERED ON 425408N 0235453E.
SAFETY BUFFERS INCLUDED AS FLW:
- HORIZONTAL - 1KM
- VERTICAL - 1500FT.
TMA SOFIA AFFECTED.
F) GND
G) FL135

*LBSFA0898/26 (03 AUG 26)

06 AUG 2026 05:00-17 AUG 2026 19:00
"06 11 0500-1900, 17 0500-0900 1600-1900"
DANGER AREA ESTABLISHED FOR FIRING EXER WI:
431241N 0233213E-431207N 0233152E-
431219N 0233131E-431246N 0233203E-
431241N 0233213E.
SAFETY BUFFERS INCLUDED AS FLW:
- HORIZONTAL - 500M
- VERTICAL - 550M.
F) GND
G) 12000FT AMSL

LBSFA0783/26 (05 JUL 26)

ACFT STAND 14 USABLE OBLIGATORY WITH A MARSHALLER.

LBSFA0775/26 (02 JUL 26)

DE-ICING PAD LIMA AND DE-ICING PAD BRAVO ARE USED AS ACFT STANDS
DUE TO OPR REASONS.

LBSFA0774/26 (02 JUL 26)

ACFT STAND 25 USABLE OBLIGATORY WITH A MARSHALLER.

LYBE / BEG

*LYBBA4167/26 (14 AUG 26)

18 AUG 2026 00:20-18 AUG 2026 02:25
RWY 12L/30R CLSD EXC FOR EMERG LDG.

LYBBA4153/26 (13 AUG 26)

AVGAS 100LL NOT AVBL.

*LYBBA4085/26 (11 AUG 26)

18 AUG 2026 05:00-18 AUG 2026 17:00
0500-1700
AD FIRE AND RESCUE CAT UPGRADED TO 9.

LYBBA4084/26 (11 AUG 26)

"MAXIMUM TURN AROUND TIME/PARKING TIME FOR ALL AD-HOC FLIGHTS:
COMMERCIAL, CARGO, TECHNICAL AND GENERAL AVIATION FLIGHTS
LIMITED TO 2 HOURS."

ETOQV0592/26 (05 AUG 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE NOT AUTHORIZED ILS OR LOC RWY 12L

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 90/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

ETOQV0593/26 (05 AUG 26)

[US DOD PROCEDURAL NOTAM] STANDARD INSTRUMENT DEPARTURE (SID) NOT AUTHORIZED SID RWY 30L

LYBBA3762/26 (23 JUL 26)

"AD LYBE IAC, SPEED RESTRICTIONS AMENDED.
IN TEXT BOX FOR SPEED RESTRICTIONS INSTEAD OF:
4NM BEFORE THR AT 160KT IAS,
READ: FOR ACFT CAT C, D, E, F 4NM BEFORE THR AT 160KT IAS.
REF AIP, AD 2 LYBE 12.1-1, AD 2 LYBE 12.1-3, AD 2 LYBE 12.1-5,
AD 2 LYBE 12.2-1, AD 2 LYBE 12.2-3, AD 2 LYBE 12.2-5,
AD 2 LYBE 12.2-7, AD 2 LYBE 12.4-1, AD 2 LYBE 12.4-3,
AD 2 LYBE 12.4-5, AD 2 LYBE 12.4-7."

LYBBA3610/26 (10 JUL 26)

PART OF TWY T BTN ACFT STAND C14 AND SB T1 LTD TO ACFT WITH MAX
WINGSPAN UP TO 36M.
10 JUL 26 09:49 UNTIL 30 SEP 26 21:59 ESTIMATED

LYBBA3608/26 (10 JUL 26)

ACFT STAND C6 LTD TO ACFT WITH MAX WINGSPAN UP TO 28.72M.
10 JUL 26 09:46 UNTIL 30 SEP 26 21:59 ESTIMATED

LYBBA3609/26 (10 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM ON ACFT STAND C14 U/S.
FOLLOW ONLY MARSHALLER INSTRUCTIONS.
10 JUL 26 09:47 UNTIL 30 SEP 26 21:59 ESTIMATED

LYBBA3154/26 (17 JUN 26)

"DEPARTURE PLANNING INFORMATION MSG (A-DPI AND C-DPI)
PROVIDED TO NETWORK MANAGER OPERATIONS CENTER (NMOC).
1.1. ADS-B DATA REQUIRED
1.1.1. FOR ADS-B DATA USED BY THE AD OPERATOR AND EUROCONTROL,
PILOTS OF AIRCRAFT EQUIPPED WITH MODE S AND ADS-B FUNCTIONALITY
MUST, WHEN OPERATING ON THE GROUND:
A) SELECT AUTOMATIC MODE AND THE ASSIGNED MODE A, OR
B) IF AUTOMATIC MODE IS NOT AVAILABLE, SELECT ON AND THE ASSIGNED
MODE A
- FROM THE REQUEST OF PUSH-BACK.
- AFTER LANDING, UNTIL THE AIRCRAFT HAS STOPPED ON HIS STAND.
- WHEN THE AIRCRAFT IS FULLY PARKED, THE PILOT SHALL SELECT STBY.
1.1.2. WHEN THE AIRCRAFT IS CAPABLE OF COMMUNICATING ITS
IDENTIFICATION (I.E. THE CALLSIGN USED IN FLIGHT), THIS MUST BE
ENTERED (VIA THE FMS OR TRANSPONDER CONTROL PANEL) AT THE TIME OF
THE PUSH-BACK REQUEST.
1.1.3. THE CREW MUST USE THE FORMAT DEFINED BY ICAO TO ENTER THE
AIRCRAFT IDENTIFICATION.
1.1.4. IN ORDER NOT TO COMPROMISE THE PERFORMANCE OF SYSTEMS BASED
ON SSR FREQUENCIES (INCLUDING AIRBORNE TCAS AND SSR RADARS), TCAS
SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP, AND
SHOULD BE DESELECTED AFTER VACATING THE RUNWAY.
REF AIP, AD 2 LYBE 1.1, LYBE AD 2.22, ITEM 4.2"

LHBP / BUD

LHBPA5623/26 (17 AUG 26)

18 AUG 2026 21:00-19 AUG 2026 04:00
TWY C D CLSD DUE TO MAINT.

*LHBPA5624/26 (17 AUG 26)

17 AUG 2026 21:00-18 AUG 2026 04:00
RWY 13L/31R CLOSED DUE TO MAINT.

*LHBPA5626/26 (17 AUG 26)

18 AUG 2026 21:00-19 AUG 2026 04:00
RWY 13R/31L CLOSED DUE TO MAINT.

LHBPA5621/26 (17 AUG 26)

17 AUG 2026 21:00-18 AUG 2026 04:00
TWY A9 B5 K Y Z V CLSD DUE TO MAINT.

LHBPA5622/26 (17 AUG 26)

18 AUG 2026 00:00-19 AUG 2026 01:00
ILS FOR RWY 13R OUT OF SERVICE DUE TO MAINT.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 91/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LHBPA5620/26 (17 AUG 26)

17 AUG 2026 21:00-18 AUG 2026 04:00
OPERATION OF ACFT WITH WINGSPAN AT OR ABOVE 70M NOT ALLOWED DUE
TO CLOSURE OF RWY 13L/31R.

LHBPA5469/26 (07 AUG 26)

COMPASS CHECK POINT CLOSED DUE TO AIRCRAFT PARKING.
COMPASS CHECKS CAN BE MANAGED AT B5 HOLDING BAY.

LHBPA5312/26 (04 AUG 26)

"DEPARTURE PLANNING INFORMATION MSG (A-DPI AND C-DPI) PROVIDED TO
EUROCONTROL NETWORK MANAGER OPERATIONS CENTER (NMOC).
1.1. ADS-B DATA REQUIRED.
1.1.1. FOR ADS-B DATA USED BY THE AD OPERATOR AND EUROCONTROL,
PILOTS OF AIRCRAFT EQUIPPED WITH MODE S AND ADS-B FUNCTIONALITY MUST
BE USED, WHEN OPERATING ON THE GROUND:
A) SELECT AUTOMATIC MODE AND THE ASSIGNED MODE A, OR
B) IF AUTOMATIC MODE IS NOT AVAILABLE, SELECT ON AND THE ASSIGNED
MODE A
- FROM THE REQUEST OF PUSH-BACK.
- AFTER LANDING, UNTIL THE AIRCRAFT HAS STOPPED ON STAND.
- WHEN THE AIRCRAFT IS FULLY PARKED, THE PILOT SHALL SELECT STAND
BY.1.1.2. WHEN THE AIRCRAFT IS CAPABLE OF COMMUNICATING ITS
IDENTIFICATION (I.E. THE CALLSIGN USED IN FLIGHT), THIS MUST BE
ENTERED (VIA THE FMS OR TRANSPONDER CONTROL PANEL) AT THE TIME OF
THE PUSH-BACK REQUEST.
1.1.3. THE CREW MUST USE THE FORMAT DEFINED BY ICAO TO ENTER THE
AIRCRAFT IDENTIFICATION.
1.1.4. IN ORDER NOT TO COMPROMISE THE PERFORMANCE OF SYSTEMS BASED
ON SSR FREQUENCIES (INCLUDING AIRBORNE TCAS AND SSR RADARS),
TCAS SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP,
AND SHOULD BE DESELECTED AFTER VACATING THE RUNWAY.)"
04 AUG 26 08:18 UNTIL 26 NOV 26 23:59 ESTIMATED

LHBPA4617/26 (09 JUL 26)

THE COORDINATES OF PSN 45A IS 472604.25N 0191549.82E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.
09 JUL 26 15:00 UNTIL 03 SEP 26 23:59 ESTIMATED

LHBPA4616/26 (09 JUL 26)

THE COORDINATES OF PSN R280 IS 472600.01N 0191559.42E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.
09 JUL 26 15:00 UNTIL 03 SEP 26 23:59 ESTIMATED

LHBPA3951/26 (16 JUN 26)

THE PCN VALUE OF CONC PORTION OF TAXILANE G BEHIND STAND
R115-R117
CHANGED TO 106 R/A/W/T. REF AIP LHBP AD 2.8.

LHBPA3950/26 (16 JUN 26)

THE PCN VALUE OF ASPH PORTION OF TAXILANE G BEHIND STAND
R111-R114
CHANGED TO 51 R/B/W/T. REF AIP LHBP AD 2.8.

LDZA / ZAG

LDZAB1051/26 (17 AUG 26)

18 AUG 2026 10:00-21 AUG 2026 15:00
DAILY 1000-1500
UNMANNED AIRCRAFT FLIGHT WILL TAKE PLACE WI:
500M (0.27NM) RADIUS CENTRED ON 454421N 0160424E (LDZA).
FOR INFO ABOUT ACTUAL ACTIVITY CONTACT RELEVANT ATC UNIT
(ZAGREB TWR TEL +385 1 6259229).
F) GND
G) 131FT AGL

LDZAA2821/26 (17 AUG 26)

18 AUG 2026 06:00-25 AUG 2026 17:00
DAILY 0600-1700
TEMPORARY RESERVED AREA 'BISTRA' ACTIVATED WI FLW COORD:
455548N 0154929E - 455245N 0154849E - 455238N 0155239E -
455441N 0155451E - 455558N 0155448E - 455548N 0154929E
DUE TO UAS ACTIVITIES. DURING ACTIVITY PENETRATION NOT ALLOWED.
FOR INFO ABOUT ACTUAL ACTIVITY CONTACT RELEVANT ATS UNIT

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 92/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

(ZAGREB FIC AIRSPACE MANAGEMENT LEVEL 3 TEL +385 1 62593333).
F) GND
G) 2700FT AMSL

LDZAA2785/26 (14 AUG 26)

DAILY 0600-1600
TEMPORARY RESERVED AREA 'PREGRADA' ACTIVATED WI FLW COORD:
461046N 0153927E - 461111N 0154246E - 461026N 0154317E -
460900N 0154301E - 460848N 0154220E - 460955N 0154022E -
461046N 0153927E DUE TO UAS ACTIVITIES.
DURING ACTIVITY PENETRATION NOT ALLOWED.
FOR INFO ABOUT ACTUAL ACTIVITY CONTACT RELEVANT ATS UNIT
(ZAGREB FIC AIRSPACE MANAGEMENT LEVEL 3 TEL +385 1 62593333).
F) GND
G) 2400FT AMSL

LDZAB0995/26 (07 AUG 26)

DAILY 0600-1700
UNMANNED ACFT FLIGHT WILL TAKE PLACE WI AREA (LDZA)
DEFINED BY FLW COORD:
454315N 0160253E - 454418N 0160512E - 454530N 0160534E -
454532N 0160459E - 454337N 0160219E - 454315N 0160253E.
FOR INFO ABOUT ACTUAL ACTIVITY CONTACT RELEVANT ATC UNIT
(ZAGREB TWR TEL +385 1 6259229).
F) GND
G) 394FT AGL

*LDZAA2287/26 (29 JUN 26)

"FIREFIGHTING AND RESCUE CAT CHANGED AS FLW:
- CAT 7 AVBL H24
- CAT 8 AND 9 ALIGNED WITH CURRENT/APPROVED FLIGHT SCHEDULE AS
NEEDED OR ON REQUEST IN WRITTEN FORM NOT LATER THAN 24HR BEFORE
THE ACFT OPERATION, E-MAIL: KOORDINATORI(AT)ZAG.AERO
SEE LDZA AD 2.20.4
REF AIP LDZA AD 2-3, ITEM AD 2.6"

LDZAA2068/26 (27 JUN 26)

LDZA RNP RWY04
- LNAV A/B/C/D:
CHANGE OCA/H TO 750 (397) INSTEAD OF 720 (367)
- LNAV/VNAV:
CHANGE OCA/H AS FLW:
CAT A - 626 (273) INSTEAD OF 610 (257) FT
CAT B - 636 (283) INSTEAD OF 610 (257) FT
CAT C - 646 (293) INSTEAD OF 610 (257) FT
CAT D - 656 (303) INSTEAD OF 620 (267) FT
- LPV:
CHANGE OCA/H AS FLW:
CAT A - 626 (273) INSTEAD OF 610 (257) FT
CAT B - 636 (283) INSTEAD OF 610 (257) FT
CAT C - 646 (293) INSTEAD OF 610 (257) FT
CAT D - 656 (303) INSTEAD OF 620 (267) FT
REF AIP CHART:
LDZA AD 2.24.12 IAC RNP RWY04
13 JUN 26 04:00 UNTIL 13 SEP 26 22:00 ESTIMATED

EDDF / FRA

EDDZA4216/26 (17 AUG 26)

17 AUG 2026 21:00-22 AUG 2026 03:00
DAILY 2100-0300
TWY R CLSD BTN TWY S19 AND TWY S24.

EDDZA4215/26 (17 AUG 26)

17 AUG 2026 21:00-22 AUG 2026 05:00
DAILY 2100-0500
TWY R CLSD BTN TWY S10 AND TWY S19. TWY R CLSD BTN TWY S24 AND TWY
R15.

*EDDZA4214/26 (17 AUG 26)

17 AUG 2026 21:00-22 AUG 2026 03:00
DAILY 2100-0300
RWY 18 CLSD.

*EDDZA4213/26 (17 AUG 26)

17 AUG 2026 21:00-22 AUG 2026 05:00

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 93/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

DAILY 2100-0500
RWY 07R/25L CLSD.

*EDDZA4174/26 (14 AUG 26)

2100-0245
RWY 07L/25R CLSD.

EDDZA4143/26 (13 AUG 26)

"OCA(H) VALUES RAISED:
LPV APCH Z RWY 07C: A 652(324), B 665(337), C 692(364), D 701(373)FT.
LPV APCH Y RWY 07C: A 652(324), B 665(337), C 692(364), D 701(373)FT.
LPV APCH Z RWY 07R: A 652(325), B 665(338), C 673(346), D 715(388)FT.
LPV APCH Y RWY 07R: A 652(325), B 665(338), C 673(346), D 715(388)FT.
LPV APCH Z RWY 25L: A 726(365), B 738(377), C 747(386), D 757(396)FT.
LPV APCH Y RWY 25L: A 729(368), B 742(381), C 750(389), D 760(399)FT.
LPV APCH Z RWY 25C: A 691(328), B 700(337), C 706(343), D 714(351)FT.
LPV APCH Y RWY 25C: A 694(331), B 703(340), C 709(346), D 716(353)FT
DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT FOR
SOME NAV SYSTEMS AUTHORIZED FOR LPV OPS."
13 AUG 26 09:38 UNTIL 12 NOV 26 23:59 ESTIMATED

EDDZA4142/26 (13 AUG 26)

"LPV APCH Z RWY 07L SUSPENDED,
LPV APCH Y RWY 07L SUSPENDED,
LPV APCH Z RWY 25R SUSPENDED,
LPV APCH Y RWY 25R SUSPENDED
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APCH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPERATIONS."

EDDZA4090/26 (11 AUG 26)

ACFT STAND A30 CLSD DUE TO WIP.

// (COM-INFO)//

THA 00081/15 (11 AUG 26)

COM INFO:--EDDF NIGHT RESTRICTION 2300-0500LT (OP-INFO/UFN)

// (COM-INFO) //

THA 00227/26 (11 AUG 26)

EDDF:--REF AIP SUP 19/2026:Until DEC 2026
In SEP 2026, TWY R (BTN TWY R17 and RWY 18) and TWY Y (BTN TWY
R and S) will be opened. Both sections can be used by ACFT
MAX wingspan 80m/262ft.

--REF AIP SUP 20/2026: Until DEC 2026
In SEP 2026, CAT I/II/III HLDG point T8 on TWY T will be
relocated APRX 300m/984ft eastward.

EDDZA4027/26 (08 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 14:00
"FRED DME FRD 115.90MHZ/CH106X ON MAINT. DO NOT USE, FALSE
INDICATIONS POSS."

EDDZA4016/26 (08 AUG 26)

TWY DP2 CLSD.

EDDZA3964/26 (08 AUG 26)

18 AUG 2026 06:00-18 AUG 2026 14:00
SUSPENSION OF SID PROC DUE TO MAINT OF FRD DME: FKS 2C/2Q
SUSPENDED. REF AIP AD2 EDDF 5-7-132/-133 BOTH DATED 10 JUL 2025.

EDDZA3676/26 (08 AUG 26)

"ILS Y RWY 25R IFWR,
GP COVERAGE UP TO 15NM IN SECTOR -4DEG (LEFT) TO +2DEG (RIGHT) IN
RELATION TO RCL AND DISTANCE TO THR, MNM RECEPTION ALT IN THIS AREA
2800FT AMSL."

EDDZA3671/26 (08 AUG 26)

TWY L20 LTD TO MAX ACFT TYPE CODE C.

EDDZA3643/26 (08 AUG 26)

"ILS RWY 07C DOWNGRADED TO CAT I. OPPOSITE LOC RADIATING ADDN, ILS
INTERFERENCE BLW DH POSS, ILS NOT USEABLE FOR AUTOLAND (ICAO
CLASSIFICATION I/E/1)."

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 94/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

EDDZA3642/26 (08 AUG 26)

ILS RWY 25C DOWNGRADED TO CAT I. ILS NOT USABLE FOR AUTOLAND
(ICAO CLASSIFICATION I/E/1).

EDDZA3386/26 (08 JUL 26)

"SID CHANGED DUE TO FRD DME PSN AT 500147N 0083406E:
MARUN 8M, OBOKA 3M AND TOBAK 8M:
AMEND 1.0 DME FRD TO READ 2.1 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
MARUN 6H, OBOKA 3H AND TOBAK 6H:
AMEND 1.2 DME FRD TO READ 2.2 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
FKS 2C:
AMEND 6.9 DME FRD TO READ 6.0 DME FRD.
FKS 2Q:
AMEND 0.5 DME FRD TO READ 1.5 DME FRD.
REF AD 2 EDDF 5-7-11, 5-7-13, 5-7-132 AND 5-7-133 ALL DATED
10 JUL 2025, 5-7-36, 5-7-37 BOTH EFFECTIVE 10 JUL 2025."

EDDZA3387/26 (08 JUL 26)

"ILS APCH CHANGED DUE TO FRD DME PSN AT 500147N 0083406E.
ILS Z CAT II/III RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 16.0 DME FRD TO READ 17.1 DME FRD.
AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Z CAT II/III RWY 07C
AMEND 14.7 DME FRD TO READ 15.7 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
ILS CAT II/III RWY 07R
AMEND 14.9 DME FRD TO READ 15.9 DME FRD.
AMEND 11.7 DME FRD TO READ 12.7 DME FRD.
AMEND 4.2 DME FRD TO READ 5.2 DME FRD.
ILS CAT II/III RWY 25L
AMEND 16.3 DME FRD TO READ 15.4 DME FRD.
AMEND 13.2 DME FRD TO READ 12.2 DME FRD.
AMEND 5.8 DME FRD TO READ 4.8 DME FRD.
ILS Z CAT II/III RWY 25C
AMEND 16.5 DME FRD TO READ 15.5 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
ILS Z CAT II/III RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 14.5 DME FRD TO READ 13.6 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS Y RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 15.1 DME FRD TO READ 16.2 DME FRD.
AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Y RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 13.6 DME FRD TO READ 12.7 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS X CAT II/III OR LOC RWY 07C
AMEND 26.7 DME FRD TO READ 27.3 DME FRD.
AMEND 16.5 DME FRD TO READ 17.5 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 8.0 DME FRD TO READ 9.0 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
AMEND 0.2 DME FRD TO READ 1.3 DME FRD.
ILS X CAT II/III OR LOC RWY 25C
AMEND 26.0 DME FRD TO READ 24.8 DME FRD.
AMEND 18.3 DME FRD TO READ 17.3 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 8.9 DME FRD TO READ 8.0 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
AMEND 2.0 DME FRD TO READ 1.2 DME FRD.
REF AD 2 EDDF 4-2-1, 4-2-7 BOTH DATED 30 OCT 2025, 4-2-2 THRU 4-2-6
AND 4-2-8 THRU 4-2-10 ALL EFF 10 JUL 2025."

EDDZA3316/26 (08 JUL 26)

RWY 07C DECLARED DISTANCES FOR INTERSECTION TKOF CHANGED.
NEW DECLARED DISTANCES FOR INTERSECTION TKOF FROM TWY L20:
TORA 3939M - TODA 3939M - ASDA 3939M.
DISREGARD DECLARED DISTANCES FOR INTERSECTION TAKE OFF FROM TWY L20.
REF AIP AD2 EDDF 1-10.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 95/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

EDDZA3137/26 (08 JUL 26)

RWY 07L/25R CENTRE LINE LIGHTS:
LIGHT EMITTING DIODE (LED) LIGHTS USED IN THE FULL LENGTH OF THE
RWY CENTRELINE.

EDDZA3138/26 (08 JUL 26)

RWY 07L/25R TOUCHDOWN ZONE LIGHTING SYSTEM:
LIGHT EMITTING DIODE (LED) LIGHTS USED.

EDDZA3046/26 (08 JUL 26)

USE OF RWY HLDG PSN T6 NOT PERMITTED FOR AIRCRAFT WITH WINGSPAN
BTN 36M AND 65M (UP TO BUT NOT INCLUDING).

EDDZA3047/26 (08 JUL 26)

TWY W SOUTH OF DP2 CLSD. TWY W9 CLSD.

EDDZA4054/25 (11 SEP 25)

SURFACE TEST AREAS INSTALLED WITHIN TOUCHDOWN ZONE RWY 07L.
SURFACE TEXTURE AND FRICTION MAY DIFFER SLIGHTLY FROM ADJACENT
PAVEMENT.
NO IMPACT ON RWY USABILITY.

LFPG / CDG

LFFAA5320/26 (17 AUG 26)

TWY 'F' NOT AVBL FOR FOUR-ENGINE AIRPLANES BETWEEN TWY 'FN1'
EXCLUDED AND TWY 'E' EXCLUDED.

// (COM-INFO) //

THA 00196/26 (03 AUG 26)

COM INFO:+++ (NEW) --CDG/LFPG:
TAKEOFF AND LANDING PERFORMANCE CALCULATION
SHALL BE BASED ON TEMPORARY RUNWAY WHEN OPERATING ON 09R.

Runway 09R
Validity Period: 11 MAY 2026 - 31 AUG 2026

(REVISED 03AUG26/BKKPC/TILL 31AUG26)

LFFAA5076/26 (06 AUG 26)

"TWY EM3, MD2 AND M CLSD BTN STAND I30 AND EM3 INCLUDED."

LFFAA5024/26 (06 AUG 26)

AIP SUP 096/26 - PHASE 2 ACTIVATED

// (COM-INFO) //

THA 00133/12 (20 JUL 26)

COM INFO--PILOT SHOULD PLAN TO LAND AT CDG AFTER 0600LT,
TO AVOID EXTRA CHARGES.
RMK/1. A/C ON BLOCK DUE 2200-0600LT,
HIGHER RATE OF PARKING FEE WILL BE APPLIED.
2. NOISE TAX FOR FLT MOVEMENT DUR 2200-0600LT,
HIGHER RATE WILL BE APPLIED. (ISSUED/28JUN/TN028/14/OS-A380/UFN)

LFFAA4549/26 (10 JUL 26)

AIP SUP 124/26 : WORKS PHASE ACTIVATED

LFFAA4458/26 (10 JUL 26)

18 AUG 2026 00:00-01 OCT 2026 23:59
TRIGGER NOTAM - AIRAC AIP SUP 152/26.
MODIFICATION OF ACFT STANDS ON J AREA.
ACTIVATION OF PHASES CONFIRMED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA4164/26 (10 JUL 26)

TWY MD2 CLSD.

LFFAA3923/26 (10 JUL 26)

STAR RNAV ENORI 9J RWY 26L 26R 27L 27R NOT AVBL.

LFFAA3857/26 (10 JUL 26)

TRIPLE AXIS TWY A4 NOT AVBL
USE ONLY CENTRAL AXIS A4.

Official Pilot Briefing

THA970 17AUG26 HSTKY B773E VTBS 1805 LSZH 0550+

Page 96/97
Trans ID: 5107759
Creation Time: 17.08.2026 14:16UTC

LFFAA3840/26 (10 JUL 26)

"FLW STAR MODIFIED- REF AIP FRANCE :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP 9E 9D
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9W 9V
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9P
READ :
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
READ :
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING LUKIP 2000FT,
MOCA HOLDING MOPAR 2200FT,
MOCA HOLDING ROU 2400FT."

LFFAA3740/26 (10 JUL 26)

IMPLEMENTATION OF A NEW DEPARTURE SEQUENCING SYSTEM (GLD) : THE
DEPARTURE SEQUENCING ALGORITHM AND TSAT CALCULATION ARE MODIFIED.
RULES RELATED TO TOBT/EOBT MANAGEMENT AND SEQUENCE EXIT CONDITIONS
(SEQOUT) ARE UPDATED.
PLEASE REFER TO : WWW.CDMPARIS.NET WEBSITE FOR FURTHER INFORMATION

LFFAA3623/26 (06 JUN 26)

TRIGGER NOTAM - AIRAC AIP SUP 124/26.
REHABILITATION WORKS OF PART OF TWY T WITH CLOSURE OF A PART OF THE
TWY AND W4 AND W5 HIGH SPEED TURN-OFFS CLOSURE.
WORKS ACTIVATION PHASE ANNOUNCED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA2935/26 (06 JUN 26)

TRIGGER NOTAM - AIRAC AIP SUP 096/26.
PHASED REHABILITATION OF THE M TAXIWAY.
WORKS PHASES WILL BE ACTIVATED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAF0822/26 (06 JUN 26)

DME 'CGN' CH100Y U/S.

LFFAA2208/26 (12 APR 26)

TWY BD4 CLSD

LFFAA4055/25 (04 OCT 25)

TWY EM5 LIMITED TO ACFT WITH A MAXIMUM WINGSPAN OF 36M FROM STAND
EN81.
REF AD 2 LFPG.20-3.3.2.2 LIMITATIONS ACCESSIBILITY.

LFFAA3549/25 (04 JUL 25)

"REF :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP
AD2 LFPG STAR RWY EAST RNAV EPL TRO
AD2 LFPG STAR RWY EAST RNAV KEPER ROMGO
AD2 LFPG STAR RWY EAST RNAV MATIX VEDUS
AD2 LFPG STAR RWY EAST RNAV MOPIL VEDUS
AD2 LFPG STAR RWY EAST RNAV TINIL
AD2 LFPG STAR RWYWEST RNAV BIBAX LUKIP 01
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 02
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIPH
AD2 LFPG STAR RWY WEST RNAV EPL TRO
AD2 LFPG STAR RWY WEST RNAV KEPER
AD2 LFPG STAR RWY WEST RNAV KEPER ROMGO
AD2 LFPG STAR RWY WEST RNAV MATIX VEDUS
READ :
MSA BANOX 2700FT,
MSA LORNI 2700FT,
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
MSA OKIPA 2300FT,.
LIRE
MOCA HOLDING BANOX 2700FT,
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING ENORI 2400FT,
MOCA HOLDING LORNI 2100FT,
MOCA HOLDING LUKIP 2000FT,
MOCAHOLDING MOPAR 2200FT,
MOCA HOLDING NANOP 2900FT,
MOCA HOLDING OKIPA 2300FT,

MOCA HOLDING ROMGO 2700FT,
MOCA HOLDING ROU 2400FT,
MOCA HOLDING XERAN 2800FT."

LFFAF0990/22 (09 NOV 23)

VOR PART OF VOR/DME PGS 117.050MHZ NOT AVBL (COMPLETELY WITHDRAWN

LKPR / PRG

LKPRA1216/26 (07 AUG 26)

ILS RWY 24 DOWNGRADED TO CAT I. GUIDED TAKE-OFF NOT AVAILABLE.

LKPRA1176/26 (31 JUL 26)

STAND 17 - VDGS U/S.

LKPRA0973/26 (30 JUN 26)

STAND 15 - VDGS U/S

LKPRA0966/26 (29 JUN 26)

VDGS ON STAND 7 U/S.

LKPRA0959/26 (29 JUN 26)

STAND 22A - VDGS U/S.
29 JUN 26 07:07 UNTIL 29 SEP 26 22:00 ESTIMATED

LKPRA0926/26 (25 JUN 26)

"TRIGGER NOTAM - PERM AIP AIRAC AMDT 6/26 WEF 6 AUG 2026
CONTAINS:
PRAHA/RUZYNE (LKPR) - GP 24 AND DME 24 (PR) LOCATION, GP 24 RDH, DME
24 (PR) ELEVATION, RESTRICTION ADDED TO SIDS DOBEN4A, DOBEN5B,
DOBEN8E, DOBEN6H, OBSTACLES UPDATED ON THE CHART, CIRCLING APPROACH
WITHDRAWN."

LKPRA0890/26 (22 JUN 26)

VDGS ON STAND 20 U/S.

THA970 17AUG26/1805 VTBS/LSZH
N I L