

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 1/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

GENERAL INFORMATION

Company Fuel Guidelines

THA 00228/26 (11 AUG 26)

COM INFO:--WEF 14AUG26,

Company Fuel Guidelines:

1) Flight Outbound from VTBS:

1.1) 15 mins:

-TG319

-ETA within TEMPO ± 1 hr with adverse weather condition

1.2) 5 mins:

-BLR (ONLY WHEN SINGLE RWY OPS)

-TG317, TG407, TG409

2) Flight Inbound to VTBS:

2.1) 20 mins:

ETA within TEMPO ± 2 hrs with adverse weather condition

2.2) 5 mins:

ETA 1400-1600 and 1730-2130* (BKK local time)

3) European Flights:

3.1) *All Outbound flight to European: CF 3 PERCENT*

3.2) Inbound flight to VTBS: RCFP + 05MINS*

4) Flight Level Plan for VTUK,

-Outbound from VTBS: FL250

-Inbound to VTBS: FL240

5) Planning for Arrival WADD:

To improve flight planning accuracy, for WADD arrivals, after waypoint KOLTA, flights shall plan to DOBMA and then follow DOBMA## STAR.

6) TG649: Flight level shall not be planned above FL380.

7) TG900: When ETA falls within TEMPO ± 2 hrs and adverse weather conditions, LTAC shall be designated as the destination alternate.

8) Destination VTUD:

Remove altitude restrictions and use the optimum altitude for planning.

9) *MXP fuel uplift quota:

Restriction remains in effect *until 18 Aug 2026.*

Fuel Tankering is required to stay within the quota

Remark:

1) Pilot Management Department (PA)

1.1) Destinations ZBAA and ZSPD:

Flights shall be planned as Economic Tankage without company fuel, with the following conditions:

-Widebody aircraft shall be planned with far alternates (RKSI, RJFF).

-Narrowbody aircraft shall be planned with ZBTJ as the alternate; however, ZFW shall be restricted to ensure the carriage of at least 30 minutes of extra fuel.

1.2) Destination YPPH: ALTN YGEL

(*THE 05MINS OF EXTRA FUEL IS REMOVED*)

YGEL shall be used as ALTN airport effective 25 Apr 2026 following revision of OM-A section 8.3.26 (Operations at Uncontrolled Aerodromes)

2) Everything else regarding fuel planning policy remains the same as last month.

3) Adverse weather conditions*:

RA, TS or TSRA and visibility 5000M or less

(ISSUED 10AUG26/EMAIL Summary of Fuel Initiatives Meeting - AUG26
For Fuel Committee member/BKKPC)

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 2/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

// (COM-INFO) //

THA 00002/13 (31 JUL 26)

COM INFO:--All A350 and BOEING 787:
are now eligible and included in EUROCONTROL airspace CPDLC Logon list.
Action Required: Pilots are required to initiate CPDLC logon when entering European airspace.
(ISSUED 23MAR26/BKKPC2/UFN)

--IN CASE CANNOT BE CONTACTED BKKOC VIA TELEPHONE,
PILOTS MAY CONTACT VIA MS TEAMS CHANNEL: "OC.CENTER".
(ISSUED 30JUL24/BKKOC/UFN)

-- To improve CTOT for all flights both outbound from BKK and
inbound to BKK, pilots may contact TOCC when ready for departure to request an earlier CTOT
through any of the following channels:
: MS Teams chat
: LINE CLC-Pilot
: CUT 129.325
: Phone 02-137-1202

In addition to above contact channels, for DOMESTIC flight, pilots may also directly contact
ground staff to request earlier CTOT. (ISSUED 15FEB25/BKKOP/UFN)

--DELEGATED FUNCTIONS PHONE DIRECTORY (Direct Number)
1. OPEN BOARDING GATE : 02-137-1260
2. BUS GATE - REMOTE BAY & DOMESTIC V.V. : 02-137-1260
3. CREW BUS OPC-TERMINAL V.V. : 02-137-1019, 02-137-1020
4. CONFIRM BOARDING GATE/BAY/BELT : 02-137-1263
5. ZFW/WEIGHT & BALANCE/LOAD SHEET : 02-137-1291, 02-137-1292
6. TG LOST & FOUND : 02-134-5454
7. OTHER INQUIRIES/BKKOC : 02-137-1202
(ISSUED 17JUL22/BKKOC-INFO/UFN)

--If expected divert due to weather or traffic congestion at any TG destination airports,
please kindly advise TOCC, via ACARS using OPERATIONS prompt or SITA address BKKOPTG,
the current fuel on board immediately to keep close monitoring of the flight.
(ISSUED 08MAY25/BKKOP/UFN)

--In case of pilot receives information from ground staff to delay departure due to connecting
passenger, please kindly confirm with TOCC via CUT channel.
(ISSUED 27NOV24/BKKOP/UFN)

--FOR FLIGHTS PLANNED NAVIGATING THROUGH KABUL FIR,
ONCE FINAL FL TO ENTER KABUL FIR IS AVAILABLE,
PLEASE ACARS DOWNLINK ETO/ENTRY WPT/FL TO BKKOPTG
(ISSUED 12DEC24/BKKOC/UFN)

--Please kindly consider and issue recommendation for route P500 G500 as soon as possible in
order to reduce operational risk.

1.Due to limitation of passenger oxygen chemical type (22 minutes).
If weather deviation is required, pilots shall deviate west of route only.

2.In an event of critical in-flight emergency, the aircraft should follow ICAO emergency
descent procedures, broadcast status and intentions on 125.2 MHZ and 121.5 MHZ. Thereafter,
proceed at the discretion of the PIC until clear Kabul FIR and in contact with the ATC
responsible for the airspace.
(ISSUED 31JUL24/D1/OC/UFN)

--Any flight operation by TG into the uncontrolled airspace and conflict zone,
the latest operational information "Closures and Warnings" issued by means of ICAO State
letters,
NOTAMs, AICs/AIPs, and EASA CZIB - TG are subject to strictly following the
guidance/directions
from their national authority as well as their own risk assessment.
(ISSUED 15APR24 CORR/TN003/22/OW/UFN)

--WEF 01AUG26,
SUBJ: SPECIAL SECURITY ARRANGEMENT:SSA008/2026
ATTN ALL CONCERNED

THE AVIATION SECURITY COMMITTEE (ASC) MTG ON 23JUL2026
AGREED TO ANNOUNCE SSA008/2026 AS FLWS:

AA PLS BE INFM THT THIS SSA WILL SUPERSEDE SSA007/2026
FROM 01AUG2026 UNTIL FURTHER TLX ADV

BB FR FLT DEP FRM STATION EUROPE: ARN AMS BRU CDG CPH FRA IST
LHR MUC MXP OSL ZRH

LEVEL: LOW CMA PERFORM SSA ACCORDING TO EU REQUIREMENTS
AS FLWS:

A1 - A/C PRE-FLIGHT SECURITY SEARCH CONDUCTED BY PIC CMA

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 3/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

CABIN CREW CMA ASM/SMT/DELEGATED PERSONNEL N GROUND/
STATION ENGINEER
A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
CONDUCTED BY CABIN CREW

CC FR FLT DEP FRM STATION: DAC ISB KHI LHE RGN

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

DD FR DOM FLT DEP FRM STATION: HDY

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

EE FR FLT DEP FRM MAINBASE STATION: BKK

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW
F2 - IDENTITY CHECK OF CREW MEMBERS BEFORE BOARDING AT
BOARDING GATE
P2 - SECONDARY CHECK AT GATE
(APPLY ONLY FLT FRM BKK TO MEL PER N SYD)

FF THE FLWG SSA SHALL BE IMPLEMENTED FR ALL ROUTE AS NORMAL PROC
P5 - INTENSIVELY PERFORM IDENTITY CHECK N VERIFICATION OF PAX
BEFORE BOARDING A/C BY
- COMPARING PAX WZ PHOTOGRAPH N PASSPORT/TVL DOCS TO
ENSURE PAX IS BONA FIDE N
- VERIFYING THE NAMES IN THE TICKETS CORRESPOND TO THOSE
ON THE IDENTITY DOCS
V1 - ALERT STAFF TO OBSERVE UNUSUAL BEHAVIOR OF PAX N ALL
PERSONNEL INVOLVED N ANY SUSPICIOUS ITEM IN THE
OPERATING AREA

GG THOSE STN NOT ON THE LIST ABOVE ARE LOW LEVEL STP
APPLY NORMAL SECURITY PROC AS MENTIONED IN OPERATION MANUAL

ADDITIONAL INSTRUCTION.

FR FLT OPS TO BLR MAA N CCU PLS IMPLEMENT THE FLW MEASURES AT THE
CHK-IN COUNTERS;

1. PROV DEDICATED CHK-IN COUNTERS FR FLT TO BLR MAA N CCU
2. DISPLAY WARNING N INFO SIGNAGE AT:
-CHK-IN COUNTERS
-B/D GATE
-FLT INFO DISPLAY SYSTEM (FIDS) AT CHK-IN COUNTERS
3. CONDUCT RANDOM X-RAY SCREENING OF SUSPICIOUS BAG AT CHK-IN
COUNTERS
4. CONDUCT RANDOM SCREENING BY USING SNIFFER DOGS IN THE CHK-IN AREA.

IN CASE OF THREAT SITU N EXTRA MEASURES ARE REQ CMA
STN MONITORING TEAM/SMT MAY RAISE UP MEASURES AS APPROPRIATE

ANY SECURITY INCIDENTS MAY OCCUR SHALL INFO MANAGEMENT CONCERNED
N BKKD1 ACCLY STP

REMARK

A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
WILL BE REVISED IN SPM NEXT REVISION

PLS ACK N CFM ACTUAL PERFORM TO OFC BKKD1-B
BRGDS/CAPT. CHINGCHEEP B./BKKD1 ASC CHAIRMAN

Minima for flight planning

THA 00136/26 (29 MAY 26)

COM INFO: Application of planning minima for flight planning

Due to limited space in the OFF fuel planning box, any display of "BASIC FUEL SCHEME" shall be interpreted as "BASIC FUEL SCHEME WITH VARIATION."

All THAI flights are planned using Basic Fuel Scheme with Variation, unless otherwise specified by Flight Dispatcher.

Alternate planning minima shall be applied in accordance with OMA 8.1.7.5.2.
Display format will be reviewed and updated following stakeholder discussion.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 4/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

OFP - TCAR format

THA 00093/26 (18 MAY 26)

COM INFO: SFP/OFP change format according to OM-A (TCAR version)

Due to identified limitations in the current OFP template,
the following temporary procedures shall apply with immediate effect:

1. RVSM - Standby Altimeter

The current OFP does not provide a dedicated line for Standby Altimeter recording as required by OMA 14.4.4.

Action: Record the Standby Altimeter value adjacent to the existing record row.

This procedure is mandatory to ensure compliance with OMA 14.4.4.

2. RAIM Information

RAIM shown in the OFP is for terminal operations only.

Action: For flights requiring NPA, crew shall verify RAIM availability separately using an approved RAIM Forecast Report.

3. RCFP - MINF at DP

the displayed MINF at DP may be incorrect.

Action: Disregard the displayed value and refer to the minimum fuel at DP provided in the eOFP application to maintain information consistency.

These instructions are mandatory until corrected in the next OFP version.

FLIGHT LEG INFORMATION

VTBSLSZH

AIP SUP 006/26

THA 00225/26 (11 AUG 26)

17 AUG 2026 00:00-28 OCT 2026 00:00
// (SEE ATTCH) //

AIP SUP 004/26

THA 00130/26 (16 MAY 26)

// (SEE ATTCH) //

AIP SUP 001/26

THA 00016/26 (11 AUG 26)

// (SEE ATTCH) //

AERODROME INFORMATION

VTBS / BKK

VTBDC4617/26 (14 AUG 26)

17 AUG 2026 02:00-17 AUG 2026 09:00
ACFT STAND NR C9 CLSD DUE TO WIP

VTBDC4616/26 (14 AUG 26)

16 AUG 2026 22:30-18 AUG 2026 08:00
TWY C9 CLSD DUE TO WIP

VTBDC4615/26 (14 AUG 26)

16 AUG 2026 19:00-16 AUG 2026 22:30
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY B BTN TWY C6 AND TWY B13
-TWY B5 TO TWY B13
-TWY C BTN TWY C8 AND TWY C9
-TWY C7 TO TWY C9
-TWY J BTN TWY C AND TWY J2
-TXL T19 BTN TWY C AND BEHIND ACFT STAND NR S102

VTBDC4613/26 (14 AUG 26)

15 AUG 2026 19:00-17 AUG 2026 11:00
ACFT STAND NR E4 CLSD DUE TO WIP

*VTBDC4597/26 (13 AUG 26)

15 AUG 2026 20:30-16 AUG 2026 22:30
"15 2030-2145, 16 1900-2230"
RWY 01/19 CLSD DUE TO WIP

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 5/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

// (COM-INFO)//

THA 00064/25 (09 AUG 26)

VTBS:--REF AIP SUP A53/25:

RETILs U/S:

RWY 01/19: TWYs B3, B5, B7, B8, B10 and B11

RWY 02R/20L: TWYs E5, E7, E9, E12, E13, E15.

--REF AIP SUP A13/25:

1) The Visual Docking Guidance System (VDGS) at the ACFT stands 101 - 114 are U/S. (14 ACFT stands).

2) Airlines or Ground service providers shall provide a License Mechanic performed as Marshaller to guide the aircraft from taxilane to the parking position.

3) The ACFT are strongly advised to strictly follow the Marshaller's signal.

--REF AIP SUP A54/24:

DVOR/DME (SVB) (133932.5N 1004353.2E) (111.4 MHZ, CH51X) temporary suspended from 28 November 2024 at 0001 UTC to 02 October 2026 at 0949 UTC.

--REF AIP SUP A01/25:

Taxiway C between Taxilane T1 and Taxilane T2, Taxiway C1 closed.

OB Company Safety NOTAM-BKK##

THA 00161/26 (09 AUG 26)

// (SEE ATTCH)//

VTBDC4473/26 (07 AUG 26)

ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (A-VDGS)

ACFT STAND NR 119 505 AND 520 U/S DUE TO MAINT

RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

VTBDC4316/26 (05 AUG 26)

TWY CLSD DUE TO WIP DETAIL AS FLW:

-TWY E BTN TWY D1 AND TWY D2

-TWY D1

-TWY D BEHIND ACFT STAND NR 516-525

VTBDC4026/26 (20 JUL 26)

ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (A-VDGS)

ACFT STAND NR 501 U/S DUE TO MAINT

RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

VTBDC3521/26 (11 JUL 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.

AD 2-VTBS-1 AD 2.4 HANDLING SER AND FAC

AD 2.20 LCA AD REGULATIONS

LSZH / ZRH

// (COM-INFO) //

THA 00226/26 (11 AUG 26)

LSZH:--Ref SUP 03/2026:

Replacement of GP RWY 28

Expected from 16 APR 2026 until 02 SEP 2026 included.

GP 28 back in OPR on 03 SEP 2026.

Due to its end of life, GP RWY 28 navaid will be replaced.

LOC and DME RWY 28 remain operational during the

GP RWY 28 replacement phase.

RWY 28

ILS RWY 28 CNL

The following Instrument Approach Procedures remain in force

LOC RWY 28

RNP RWY 28

--REF AIP SUP 02/2026:

ACFT up to code letter C that are not able to accept tailwind

component up to 10KT to depart RWY 28 have to anticipate

extended start-up delays when requesting an alternate departure RWY due to dependant RWY OPS.

--REF AIP SUP 06/25:

Until 2028 EST: TWY N MAX wingspan 36m/118ft east of stand B35.

// (COM-INFO)//

THA 00046/23 (11 AUG 26)

COM INFO:--The correct VHF frequency to contact

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 6/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

Swissport OCC at ZRH is 131.655
(ISSUED 01JUN26/REF EMAIL SMT ZRH/UFN)

--TG970; SUMMER SKED STA 0550Z /NOT APPLY ISTREAM PROCEDURE.
(ISSUED 28MAR23/REF TO EMAIL BKKOC/UFN)

LSSNA0613/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
TWY E BTN RWY 28 AND TWY E4 AND LINK 6 CLSD DUE TO WIP.
AREA MARKED AND LGTD.

LSSNA0612/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
EXIT TWY E NORTH FM RWY 28 CLSD DUE TO WIP. AREA MARKED AND LGT.

LSSNA0615/26 (11 AUG 26)

17 AUG 2026 19:00-27 OCT 2026 05:00
TWY E BTN RWY 28 AND TWY LINK 6 AND ALL TURNS THEREOF CL LGT MIS.

LSSNA0610/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
CODE F ACFT PARKED ON APN NORTH NO DEP RWY 34 POSS.

LSSNA0611/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
EXIT TWY E5 AND TWY B EAST FM RWY 16/34 CLSD DUE TO WIP.
AREA MARKED AND LGTD.

LSSNA0614/26 (11 AUG 26)

17 AUG 2026 19:00-23 OCT 2026 04:00
"SUN-THU 1900-2359, MON-FRI 0000-0400"
TWY B WEST OF RWY 16 EXP TAX TO APN NORTH VIA RWY 34.
REF AIP SUP 006/2026.

*LSSNA0607/26 (11 AUG 26)

17 AUG 2026 21:00-18 AUG 2026 04:00
AD CLSD DUE TO WIP AFT LAST SKED FLT.
ACTUAL CLOSURE BCST ON ATIS.

LSSNA0592/26 (11 AUG 26)

TWY INNER RESTRICTED TO CODE C ACFT. USE MNM PWR ONLY.

LSSNA0593/26 (11 AUG 26)

TWY J SOUTH OF TWY A RESTRICTED TO CODE C ACFT.

LSSNA0589/26 (11 AUG 26)

"IAP ILS RWY 14 CAT I APCH MINIMA CHANGED:
NEW OCA (OCH) IN FT
CAT A 1565 (163), CAT B 1573 (171), CAT C 1583 (181),
CAT D 1595 (193), CAT DL 1605 (203)
NEW DA (DH) IN FT
CAT A/B/C/D 1602 (200), CAT DL 1605 (203)
DISREGARD NOTE 'RDO ALTIMETER READING AT CAT I DH 187FT, FOR LOWER
MINIMA PPR FOCA'.
REF AIP LSZH AD 2.24.10.1-3"

LSSNA0588/26 (11 AUG 26)

"IAP ILS RWY 14 CAT II APCH MINIMA CHANGED:
ALL OCA AND DA VALUES NOT APPLICABLE.
NEW OCH IN FT:
RDO ALTIMETER CAT A 67, CAT B 76, CAT C 87, CAT D 103, CAT DL 108
RDO ALTIMETER AND AUTOPILOT CAT A 63, CAT B 72, CAT C 85, CAT D 102
CAT DL 106.
NEW DH IN FT:
RDO ALTIMETER CAT A/B/C 100, CAT D 103, CAT DL 108
RDO ALTIMETER AND AUTOPILOT CAT A/B/C 100, CAT D 102, CAT DL 106.
DISREGARD NOTE 'RDO ALTIMETER READING AT CAT II DH 95FT, FOR LOWER
MINIMA PPR FOCA'.
REF AIP LSZH AD 2.24.10.1-3"

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 7/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

*LSSNA0569/26 (11 AUG 26)

"AD NOT TO BE PLANNED AS ALTN FOR ACFT CODE D, E AND F DUE TO PRKG CONGESTION. EXC HOME BASED CARRIERS."

LSSNA0564/26 (11 AUG 26)

TWY A BTN TWY E AND TWY J CL LGT MIS.

LSSNA0560/26 (11 AUG 26)

"TWY E BTN TWY E9 AND ABM STAND D15 NO CL LGT PROVIDED.
TAX ON TEMPO MARKED TWY CL.
FOR ACFT CODE E SPECIAL RQMNTS WITH FLW ME FOR TAX.
REF AIP SUP 004/2026, AREA II."

LSSNA0559/26 (11 AUG 26)

CONST WIP AT HLP WEST. LOOSE MATERIAL MAY CAUSE DUST AND BROWNOUT
COND DRG ARR/DEP.

LSSNA0555/26 (11 AUG 26)

"ACFT STAND A44 AND B31 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

LSSNA0556/26 (11 AUG 26)

"TWY N EAST OF ACFT STAND B35 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

LSSNA0551/26 (11 AUG 26)

TWY E CLSD BTN TWY F AND LINK 6 DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

LSSNA0553/26 (11 AUG 26)

TWY LINK 7 CLSD DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

LSSNA0552/26 (11 AUG 26)

TWY E4 CLSD DUE TO WIP. AREA MARKED AND LGTD.
14 JUL 26 05:19 UNTIL 16 OCT 26 04:00 ESTIMATED

I-STREAM PROC##

THA 00206/19 (10 JUL 26)

LSZH:-AFTER TOP OF CLIMB, PLEASE SEND ETO IAF
(THE LAST WAYPOINT OF THE ATC FLIGHT PLAN) TO BKKOP TO COMPLY WITH
LSZH I-STREAM PROCEDURE.
(ISSUED 29OCT25/BKKOC/UFN)

LSSNA0549/26 (10 JUL 26)

"SID RWY 16 - STRAIGHT AHEAD AND TURN:
SAT 2S PDG CHANGED TO 6.6 PCT TO 5000FT.
REF AIP LSZH AD 2.22, 1.1.6."

LSSNA0472/26 (10 JUL 26)

TWY P CL LGT MIS.

LSSNA0471/26 (10 JUL 26)

DE-ICING PAD F BTN TWY E AND LINK 6 CL LGT AND APN STOP BARS MIS.

LSSNA0473/26 (10 JUL 26)

TWY B EAST OF TWY K AND TWY Z CL LGT MIS.

LSSNA0470/26 (10 JUL 26)

IAC LOC RWY 28:
MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 5900FT DUE TO ASP
RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-5.

LSSNA0466/26 (10 JUL 26)

"ACFT STANDS H11, H12, H13 AND H14 CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I."

LSSNA0465/26 (10 JUL 26)

TWY INNER BTN TWY J AND TWY A NO SINGLE ENG OPS AVBL FOR

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 8/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

MULTIENGINE ACFT.

LSSNA0469/26 (10 JUL 26)

TWY K BTN TWY A AND TWY INNER CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I.

LSSNA0464/26 (10 JUL 26)

TWY INNER BTN TWY J AND TWY A NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 001/2026 PHASE I.

LSSNA0431/26 (10 JUL 26)

"IAC ILS RWY 14, IAC LOC RWY 14 AND IAC RNP RWY 14:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.1-3, LSZH AD 2.24.10.1-5 AND
LSZH AD 2.24.10.1-9."

LSSNA0432/26 (10 JUL 26)

IAC ILS RWY 16 AND IAC LOC RWY 16:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.2-3 AND LSZH AD 2.24.10.2-5.

LSSNA0430/26 (10 JUL 26)

IAC RNP RWY 28:
LNAV MISSED APCH: MNM CLIMB GRADIENT 4.8 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.
LNAV/VNAV MISSED APCH: MNM CLIMB GRADIENT 4.3 PCT UP TO 6100 DUE TO
ASP RESTRICTIONS CANCELLED.
LPV MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-7.

LSSNA0388/26 (01 JUN 26)

SID RWY 28 - RNAV 5:
DEGES 3W PDG CHANGED TO 6.6 PCT TO 2200 FT.
REF AIP LSZH AD 2.22 1.1.3.

*LSSNA0376/26 (01 JUN 26)

"SUN-THU 2100-2359, MON-FRI 0000-0400"
RWY 10/28 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

*LSSNA0375/26 (01 JUN 26)

"SUN-THU 2100-2359, MON-FRI 0000-0400"
RWY 16/34 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

LSSNA0345/26 (16 MAY 26)

TWY E BTN TWY E7 AND TWY E8 WIP. TAX ON TEMPO MARKED CL.
NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 004/2026 AREA I.

LSSNA0344/26 (16 MAY 26)

TEMPO TWY E RESTRICTED TO CODE E ONLY. MAX WING SPAN 65M.
REF AIP SUP 004/2026 AREA I.

LSSNA0165/26 (26 MAR 26)

REF AIP SUP 003/26:
RWY 28 ILS GP 333.050 U/S DUE TO RPLC.
IAC ILS RWY 28 (LSZH AD 2.24.10.3-3) CANCELLED.

LSSNA0041/26 (28 JAN 26)

"SID RWY 16 - RNAV 5:
VEBIT 4S PDG CHANGED TO 5.3 PCT TO 2100FT.
REF AIP LSZH 2.22, 1.1.2."

LSSNA0368/22 (09 NOV 23)

"SID RWY 16 VEBIT 1T NOT AVBL FOR BOEING 777 ACFT.
IN CASE SID RWY 16 VEBIT 4S ALSO NOT AVBL, BOEING 777 DEP ON
RWY 16 SHALL REFILE FPL VIA EXIT FIX DEGES."

LFSB / BSL

*LFFAA5242/26 (10 AUG 26)

17 AUG 2026 22:30-03 OCT 2026 03:00
MON-SAT 2230-0300
RWY 07/25 AND 15/33 CLOSED

LFFAA5179/26 (05 AUG 26)

TRIGGER NOTAM - AIP SUP 143/26 MODIFIED.
EVALUATION OF TWO RNP SID AND A PINS DEPARTURE FROM 'BASEL-MULHOUSE'
TO 'LFN JURA SUISSE'. THESE PROCEDURES ARE EXCLUSIVELY RESERVED FOR
SWISS AIR GUARD HELICOPTERS ('REGA').

NEW DATES OF VALIDITY : FM 01 OCT 2026 0000 TO 07 JUL 2027 2359.

THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA4422/26 (01 JUL 26)

"'RADIOCOMMUNICATIONS' INSTRUCTIONS ON DEPARTURE AND ON ARRIVAL,
FOR AIRCRAFT NOT 8.33KHZ EQUIPPED, HAVE BEEN REMOVED.
REF AIP FRANCE AD 2 LFSB.23.5"

// (COM-INFO)//

THA 00404/17 (19 JUN 26)

COM-INFO:--LFSB AERODROME IS CLASSIFIED AS GROUP B. (REF SAI)

LFFAA3963/26 (19 JUN 26)

"TWY E, F, G, H LIMITED TO ACFT WITH A WINGSPAN LESS THAN 36M ."

*LFFAA3407/26 (07 JUN 26)

RWY 07 : RWY CLOSED FOR TKOF

LFFAA3195/26 (07 JUN 26)

"OACI 1/500 000 CHART - SPACE CLASSES OF TMA BALE AND VERTICAL
LIMITS :
- BALE TMA AZ2 :
READ D CLASS FROM 5500 TO FL100 AND C CLASS FROM FL100 TO FL105
(INSTEAD OF E CLASS FROM 5500 TO FL100 AND D CLASS FROM FL100 TO
FL105)
- BALE TMA AZ3S :
READ E CLASS FROM 2000 TO 6500 AND C CLASS FROM 6500 TO FL105
(INSTEAD OF E CLASS FROM 2000 TO 6000 AND D CLASS FROM 6000 TO FL105)
- BALE TMA SW2 :
READ E CLASS FROM 1000 ASFC TO 4500, D CLASS FROM 4500 TO FL100, AND
C CLASS FROM FL100 TO FL115
(INSTEAD OF E CLASS FROM 4500 TO FL100 AND D CLASS FROM FL100 TO
FL115)"

LFFAA6927/25 (13 DEC 25)

TRIGGER NOTAM - AIRAC AIP SUP 208/25.
MODIFICATION OF RNAV SID RWY 15 (EVALUATION).
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA5135/25 (04 OCT 25)

"TRIGGER NOTAM - AIRAC AIP SUP 140/25 MODIFIED :
EVALUATION OF AN OPTIONAL IAF 'ZONPE' RWY 15.

CHANGE OF AIP SUP DATES :
START DATE : 25 SEPTEMBER 2025 (INSTEAD OF 04 SEPTEMBER 2025).
END DATE : NO CHANGE

MODIFICATION :
DUE TO LF-D253, THE MOCA IS 4000FT BETWEEN 'ZONPE' AND 'IVDEV'.

THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR"

ADDITIONAL INFORMATION

EDDS / STR

*EDDZA4184/26 (15 AUG 26)

16 AUG 2026 22:30-17 AUG 2026 03:30
RWY 07/25 CLSD.

EDDZA4183/26 (15 AUG 26)

16 AUG 2026 21:30-17 AUG 2026 03:30
TWY I CLSD BTN TWY S AND RWY 07/25.

EDDZA3523/26 (06 AUG 26)

"SID CHANGED DUE TO NAVAID COVERAGE OF LBU VOR/DME:
ROTWE 5B: ADD RMK: CLIMB WITH 4.5PCT (275 FT/NM) UNTIL PASSING 5000.
AFTER PASSING 5000 BRNAV EQPT NECESSARY.
GPS/FMS RNAV OVERLAYS REMAIN UNCHANGED.
REF AIP AD 2 EDDS 5-7-2 EFF 28 NOV 2024, 5-7-3 DATED 10 JUL 2025."
08 JUL 26 13:22 UNTIL 08 OCT 26 12:30 ESTIMATED

EDDZA1597/26 (07 JUN 26)

"LUBURG VOR/DME LBU 109.20MHZ/CH29X, VOR PART USABLE ONLY UP TO
29NM ON R277."

EDDZA1595/26 (07 JUN 26)

MISSED APCH PROC CHANGED DUE TO COVERAGE OF STG DVOR/DME:
ILS OR LOC AND VOR RWY 25: DISREGARD R277 STG. USE R223 LBU ONLY.
REF AIP AD2 EDDS 4-2-1 AND 4-3-1 BOTH DATED 10 JUL 2025.

EDDZA3608/22 (09 NOV 23)

"KARLSRUHE DVOR/DME KRH 115.95/CH106Y DME NOT USABLE:

IN SECTOR 68DEG TO 315DEG CW
0 NM - 10 NM BELOW 4000 FT MSL,
10 NM - 20 NM BELOW 7200 FT MSL,
20 NM - 30 NM BELOW 10600 FT MSL,
30 NM - 40 NM BELOW 14000 FT MSL,
40 NM - 50 NM BELOW 17700 FT MSL,
50NM - 60 NM BELOW 21400 FT MSL,

IN SECTOR 315DEG TO 68DEG CW
0 NM - 10 NM BELOW 2000 FT MSL,
10 NM - 20 NM BELOW 3300 FT MSL,
20 NM - 30 NM BELOW 4700 FT MSL,
30 NM - 40 NM BELOW 6200 FT MSL."

LIMC / MXP

LIIAA4200/26 (16 AUG 26)

16 AUG 2026 23:00-17 AUG 2026 03:30
FLW TWY CLSD DUE TO WIP:
- TWY W BTN APN TWY V (EXCLUDED) AND APN TWY Z (INCLUDED)
- APN TWY Z BTN TWY W (INCLUDED) AND TWY K (EXCLUDED)
- TWY WB
RMK: ICAO SIGNALS PROVIDED
REF AIP AD 2 LIMC 2-1

*LIIAA4201/26 (16 AUG 26)

16 AUG 2026 22:00-17 AUG 2026 03:30
"RWY 17R/35L CLSD DUE TO WIP.
RWY 17L/35R OPEN.
RMK: LGT SYSTEM RWY 17R/35L ON TEST,
CROSSING RWY 17R/35L AVBL ON TACTICAL BASIS.
REF AIP AD 2 LIMC 2-1"

LIIAA4121/26 (09 AUG 26)

ACFT STANDS 511 AND 512 CLOSED DUE TO WIP
RMK: ICAO SIGNALS PROVIDED.
REF AIP AD 2 LIMC 2-9

LIIAA3917/26 (04 AUG 26)

MARSHALLING ASSISTANCE MANDATORY FOR ALL MOV TOWARDS
ACFT STANDS 715 AND 718 DUE TO UNAVAILABILITY OF
VISUAL DOCKING/PARKING GUIDANCE SYSTEM
REF AIP AD 2 LIMC 1-20 AND 2-11

LIIAA3617/26 (04 AUG 26)

TRANSITION SEGMENT TO ENROUTE (TSE)
FLW TRANSITION SEGMENT TO ENROUTE RWY 35R ARE SUSPENDED:
- VOG 7J
- ROBAS 5J
- OSKOR 6P

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 11/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

REF AIP AD 2 LIMC 6-39 AND 6-41
06 AUG 26 00:00 UNTIL 30 SEP 26 23:59 ESTIMATED

LIIAA3463/26 (10 JUL 26)

SUP S32/26 'MILANO/MALPENSA (LIMC): FIRST ROUND
ACTIVATION OF NOISE ABATEMENT INITIAL CLIMB PROCEDURES
AND SIDS RNAV 1 RWY35R AND RWY17L/R MODIFICATION AS
STATED BY MXP NOISE COMMISSION EX DM31/10/97 ON MARCH
17TH 2025' IS TO BE CONSIDERED CANCELED DUE TO COMING
IN FORCE OF AIRAC A08/2026

LIIAA3215/26 (10 JUL 26)

"TRIGGER NOTAM-PERM AIP AIRAC AMDT 8/26 EFFECTIVE DATE 06 AUG 2026
MILANO/MALPENSA AD
REVIEW, RENAMING, RENUMBERING OF SID AND IMPLEMENTATION OF THE FLW:
-SID RNAV 1 RWY 17L/R
-SID RWY 17L/R.
AIRAC IS POSTED AND AVBL ON WEBSITE WWW.ENAV.IT"

LIIAA3116/26 (10 JUL 26)

NIGHT RESTRICTIONS.
NOISE ABATEMENT SCENARIOS WILL BE IN FORCE FM HR 2200 TO 0400
WITHOUT 15 MINUTES TOLERANCE.
REF AIP AD 2 LIMC 1-31

LIIAA2954/26 (10 JUL 26)

"RUNWAY GUARD LIGHTS (RGL) CAT II/III LOCATED ON TWY CA, BE,
BW, EM, EW, DE, DM, F AND WB UNSERVICABLE
REF AIP AD 2 LIMC 2-1"

LIIAA2939/26 (10 JUL 26)

TWY K BTN APN TWY N AND APN TWY T (BOTH INCLUDED)
DOWNGRADED AND AVBL ONLY FOR ACFT WITH WINGSPAN UP TO 68.5M
REF AIP AD 2 LIMC 2-1 AND 2-19

LIIAA2783/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Z RWY 17R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1150 (386)
CAT B 1162 (398)
CAT C 1170 (406)
CAT D 1181 (417)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-45
04 JUN 26 14:15 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2766/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP RWY 35R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1120 (429)
CAT B 1132 (441)
CAT C 1140 (449)
CAT D 1151 (460)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-21
04 JUN 26 13:24 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2767/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Y RWY 17R
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1150 (386)
CAT B 1162 (398)
CAT C 1170 (406)
CAT D 1181 (417)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-49
04 JUN 26 13:25 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2764/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Y RWY 17L
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1124 (379)
CAT B 1135 (390)
CAT C 1147 (402)
CAT D 1158 (413)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 12/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

REF AIP AD 2 LIMC 5-41
04 JUN 26 13:09 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA2762/26 (10 JUL 26)

INSTRUMENT APPROACH PROCEDURE RNP Z RWY 17L
MINIMA OCA(OCH) LPV FOR STRAIGHT IN APPROACH AS FLW:
CAT A 1124 (379)
CAT B 1135 (390)
CAT C 1147 (402)
CAT D 1158 (413)
DUE TO ICAO ELECTRONIC BULLETIN 2026/13 IMPLEMENTATION
REF AIP AD 2 LIMC 5-37
04 JUN 26 12:45 UNTIL 01 SEP 26 23:59 ESTIMATED

LIIAA6815/25 (22 JAN 26)

"INSTRUMENT APCH PROCEDURE CHARTS:
- ILS Z RWY35L
- RNP RWY35L
- ILS Z RWY35R
- RNP RWY35R
- ILS OR LOC Z RWY17L
- ILS OR LOC Y RWY17L
- VOR RWY17L
- RNP Z RWY17L
- RNP Y RWY17L
- RNP Z RWY17R
- RNP Y RWY17R
ALL VALUES OF MOCA (MINIMUM OBSTACLE CLEARANCE ALTITUDE) IN PROFILE
VIEW SHALL BE RAISED TO THE LOWER ALTITUDE OF THE RELATED SEGMENT
OF THE PROCEDURE.
REF AIP AD 2 LIMC 5-3, 5-9, 5-15, 5-21, 5-27, 5-31, 5-33, 5-37, 5-41,
5-45 AND 5-49"

LIIAA6307/22 (13 JUL 24)

"REF AIP AD 2 LIMC 1-9 ITEM 18 'ATS COMMUNICATION FACILITIES'
REFERRING TO SERVICE 'TWR' CALL SIGN 'MALPENSA TWR'
FREQUENCY 119.000MHZ CHANGE AS FLW:
- IN COLUMN 3 'FREQUENCY MHZ' TO READ 123.600MHZ INSTEAD
OF 119.000MHZ
MODIFY ACCORDINGLY TO THE ABOVE INFORMATIONS CONTENT OF RELEVANT
BOXES IN AIP AD 2 LIMC SECTION 1-1 AND FOLLOWING 2, 4, 5 AND 6"

LIIAA3475/22 (13 JUL 24)

REF AIP AD 2 LIMC 1-12 ITEM 20 'LOCAL TRAFFIC REGULATIONS'
BOX 2 'APRON' PARAGRAPH 2.1 'ORDERLY MOVEMENT OF AIRCRAFT ON
APRONS' INDENT 4 'SERVICES PROVIDED' POINT C) 'FOLLOW-ME ASSISTANCE
PROVIDED ON PILOT'S REQUEST AND MANDATORY IN CASE' ADD THE FOLLOWING
IN CASE:
- GENERAL AVIATION AIRCRAFT UP TO ICAO CODE B (MAXIMUM WINGSPAN 24
METERS) AND HELICOPTERS ARRIVING AND DEPARTING FROM STANDS 301 TO 320
AND FROM 330 TO 336.
ARR TAXI ROUTE: AFTER TWR INSTRUCTIONS VIA APN TAXIWAY P-K TO
INTERMEDIATE HOLDING POSITION (IHP) K9 WHERE FOLLOW-ME CAR WILL
BE WAITING.
DEP TAXI ROUTE: AFTER TWR INSTRUCTIONS AND WITH FOLLOW-ME
ASSISTANCE VIA APN TAXIWAY N-K TO IHP K8

EDDM / MUC

EDDZA4152/26 (13 AUG 26)

"OCA(H) VALUES RAISED:
LPV RWY 08L: A 1748 (317), B 1793 (326), C 1802 (335),
D 1868 (401)FT.
LPV RWY 08R: A 1909 (423), B 1917 (431), C 1925 (439),
D 1934 (448)FT.
LPV RWY 26L: A 1785 (315), B 1794 (324), C 1803 (333),
D 1888 (418)FT.
LPV RWY 26R: A 1908 (459), B 1917 (468), C 1925 (476),
D 1933 (484)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT
FOR SOME NAV SYSTEMS AUTHORISED FOR LPV OPS."
13 AUG 26 11:54 UNTIL 12 NOV 26 23:59 ESTIMATED

EDDZA4084/26 (11 AUG 26)

17 AUG 2026 08:00-18 AUG 2026 12:00
DAILY 0800-1200
"OTTERSBERG DVOR/DME OTT 112.30MHZ/CH70X, DME-PART ON MAINT. DO

NOT
USE, FALSE INDICATION POSS."

EDDZA4045/26 (07 AUG 26)

17 AUG 2026 08:00-18 AUG 2026 12:00
DAILY 0800-1200
"CHANGES TO STAR DUE TO MAINT OF OTT DME:
BETOS 1A/1B AND NAPSA 4A/1B: BRNAV EQUIPMENT NECESSARY.

HLDG PROC AT NAPSA, BETOS, ROKIL AND LANDU: BRNAV EQUIPMENT WITH
HOLDING FUNCTIONALITY NECESSARY. IF UNABLE TO COMPLY, ADVISE ATC.

REF AIP PAGES AD 2 EDDM 3-1-1, 3-1-3, 3-1-5, 3-1-6, 3-1-7, 3-1-8 ALL
DATED 02 OCT 2025, 3-1-2, 3-1-4 BOTH EFFECTIVE 12 AUG 2021."

EDDZA4044/26 (07 AUG 26)

17 AUG 2026 08:00-18 AUG 2026 12:00
DAILY 0800-1200
"CHANGES TO APCH DUE TO MAINT OF OTT DME:
RWY 08R: REPLACE 4.0 DME OTT BY 24.4 DME MAH.
REF AIP PAGES AD 2 EDDM 4-2-2, 4-4-2 BOTH EFF 28 NOV 2024."

EDDZA3304/26 (08 JUL 26)

MSA BASED ON MNW NDB RAISED TO 4000FT MSL.
INFORMATION WILL BE PUBLISHED PERM IN AIP EFF 29.10.2026.
13 JUL 26 00:00 UNTIL 13 OCT 26 23:29 ESTIMATED

EDDZA3102/26 (08 JUL 26)

TWY N3 CLSD.

EDDZA2968/26 (08 JUL 26)

ILS RWY 26L U/S.
08 JUN 26 07:00 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA2802/26 (08 JUL 26)

RWY 26L WIP WI LOC AND GP SAFETY ZONES.

EDDZA2752/26 (08 JUL 26)

TXL E2 CLSD BTN ACFT STAND 254 AND 256.

EDDZA2753/26 (08 JUL 26)

TXL CENTER2 LTD TO ACFT ICAO CODE LETTER C BTN ACFT STAND 254 AND
256.

EDDZA2517/26 (08 JUL 26)

CHANGES TO APCH DUE TO RENEWAL OF ILS RWY 26L (IMSW):
RWY 26L: ILS AND LOC APCH TEMPO SUSPENDED.
RNP APPROACH AVAILABLE ONLY.
DURING PARALLEL OPERATIONS (ANOUNCED ON ATIS) LNAV NOT AUTHORIZED
LNAV/VNAV OR LPV TO BE USED ONLY. IF UNABLE INFORM ATC ON INITIAL
CONTACT.

EDDZA6255/25 (28 JAN 26)

"CHANGES TO SID DUE TO COVERAGE OF WLD DVOR/DME: RWY 26R: GIVMI 1N:
AMEND ON HEADING 299 DEG TO INTERCEPT R119 WLD, ON R119 WLD TO READ
ON TRACK 299 DEG. CLIMB WITH 4.9 PER CENT (300 FT/NM) UNTIL PASSING
3700. AFTER PASSING 3700 BRNAV EQUIPMENT NECESSARY. REF AIP AD 2
EDDM 5-7-37 EFF 23 MAY 2019, 5-7-41 DATED 02 OCT 2025."

EDDZA6227/25 (28 JAN 26)

"MUENCHEN ILS DME (IMNE) CH32X/109.5MHZ ASSOCIATED WITH ILS RWY
08L LOC COVERAGE UP TO 17NM IN SECTOR 33DEG (LEFT) TO 35DEG (RIGHT)
IN RELATION TO RCL AND DISTANCE TO LOC, MNM INTERCEPTION ALT IN THIS
AREA 3500FT AMSL."

ENROUTE INFORMATION

ASP / ASIA/PACIFIC
N I L

THA / THAILAND
N I L

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 14/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

VTBB / BANGKOK FIR

VTBDH0955/26 (16 AUG 26)

17 AUG 2026 01:45-17 AUG 2026 03:16

"THE AIRSPACE HEREUNDER UPGRADED TO PINK AWY, LATERAL LIMITS
5NM EITHER SIDE OF THE ROUTE AND THE MENTIONED AIRSPACE WILL BE
RELEASED AS VACATED 15MIN AFTER VIP ACFT HAS PASSED THE KNOWN
POSITION ALONG THE ESTABLISHED ROUTE
AAA: VTBD/M904/BUT FM GND UP TO FL350
BBB: BUT/M904/TIDAR FM FL310 TO FL350"

F) GND

G) FL350

*VTBDJ6143/26 (13 AUG 26)

16 AUG 2026 22:00-19 AUG 2026 14:00

16 18 2200-1400

"GUN FRNG WILL TAKE PLACE WI AREA
145856.40N1005025.30E-145831.90N1005104.30E-145549.90N1004936.20E-
145621.80N1004857.80E-145856.40N1005025.30E (MUEANG,
PHATTHANA NIKHOM AND KHOK SAMRONG DISTRICT LOP BURI PROVINCE)"

F) GND

G) 15000FT AGL

// (COM-INFO)//

THA 00126/26 (10 AUG 26)

COM INFO:--REF AIP SUP A19/26;

1

INTRODUCTION

With effect from 14 May 2026 at 0001 UTC to 31 December 2026 at 0001 UTC, the purpose of this
AIRAC AIP Supplement is to inform all
concerned regarding Temporary suspension of SURAT THANI DVOR/DME (STN) due to relocation
details are as follows.

2

THE PERIOD OF TEMPORARY SUSPENSION

STN DVOR/DME will be temporarily suspension from 14 May 2026 at 0001 UTC to 31 December 2026
at 0001 UTC.

3

FLIGHT PROCEDURE

A temporary reporting point name SAPUD (090746.24N 0990805.09E) will be established at the
same coordinates of SURAT THANI DVOR/
DME (STN) for ATS routes G458, W17, W24, W28, W32 and Y8 and a portion of ATS route G458
between STN and MENEX will be suspended
until STN normal operations resume.

4

FLIGHT PLANNING PROCEDURES

Reference to the AIP-THAILAND part ENR 1.10 item 4.1.1.1, 4.1.1.2 a, 4.1.1.2 b, 4.1.1.3 a,
4.1.1.3 b non-RNAV2 approved aircraft. To maintain
efficiency of ATS during SURAT THANI DVOR/DME (STN) relocation, non-RNAV approved aircraft
that intend to operate on G458 between
SAPUD and MENEX shall file flight plan, depending on ACFT capability.

5

CONTACT

Unit: Air Traffic Navigation Systems Engineering Department, Aeronautical Radio of Thailand
Ltd.

Email: pariwat.ch@aerothai.co.th

6

VALIDITY

This AIRAC AIP Supplement will remain current until 31 December 2026 at 0001 UTC. Any changes
to this AIRAC AIP Supplement will be
notified by NOTAM.

VTBDJ5859/26 (10 AUG 26)

"TEMPO RESTRICTED AREA ACT RADIUS 10NM CENTRE 182802N0972620E
(MAE SARIANG DISTRICT MAE HONG SON PROVINCE,
EXCLUDING YANGON FIR)
RMK: ACFT MAY FILE FPL ON THE AFFECTED RTE BUT EXP RADAR
VECTORED BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) GND

G) UNL

*VTBDJ5792/26 (10 AUG 26)

TRIGGER NOTAM NON-AIRAC AIP SUP A28/26 WEF 10 AUG 2026

JOINT MIL AIR EXER IN BANGKOK FIR FALCON STRIKE 2026

F) GND

G) UNL

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 15/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

VTBDC4027/26 (10 AUG 26)

"DUE TO VT D41A ACT FPL PROC FOR ACFT OPR FM/TO VTCC DETAIL AS FLW:

1. PERIOD MON-FRI 0000-1100

DEP/OVERFLY	DEST/OVERFLY	RTE
VTCC	VTCT	W12 IKISU W22
VTCC	PONUK	R207 IKISU W22 CTR A581
VTCT	VTCC	W22 IKISU W12
PONUK	VTCC	Y27 DUBEN Y28 CRIST R207 (FOR RNAV)
PONUK	VTCC	A581 CTR W22 IKISU R207 (FOR NON-RNAV)

2. PERIOD MON-FRI 1101-2359, SAT SUN H24

DEP/OVERFLY	DEST/OVERFLY	RTE
VTCC	VTCT	W20
VTCC	PONUK	A581
VTCT	VTCC	W20
PONUK	VTCC	A581"

VTBDJ5614/26 (10 AUG 26)

DAILY 0100-0230 0600-1100

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA 3NM EITHER SIDE OF

A LINE: 143000.00N1022800.00E-143107.26N1051100.12E

(SI SAKET, UBON RATCHATHANI, BURIRAM, SURIN AND
NAKHON RATCHASIMA PROVINCE)

RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED
BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) FL200

G) FL250

VTBDJ5613/26 (10 AUG 26)

DAILY 0100-0230 0600-1100

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA 3NM EITHER SIDE OF

A LINE: 151638.34N1001745.12E-145407.02N1004920.52E-
143000.00N1022800.00E

(CHAINAT, NAKHON SAWAN, SARABURI, LOP BURI, BURI RAM
AND NAKHON RATCHASIMA PROVINCE)

RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED
BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) FL150

G) FL200

VTBDJ5304/26 (10 AUG 26)

"JUN 29 0815-2359, JUN 30 0000-1659 2200-2359, JUL 01 2200-SEP 30
1659"

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA

144705N1033019E-143541N1051246E-142051N1051232E-

141826N1030616E-142521N1030558E-144705N1033019E

(SI SAKET, UBON RATCHATHANI, BURIRAM AND SURIN PROVINCE
EXCLUDING PHNOM PENH FIR)

RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED BY
ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) 8000FT AMSL

G) FL170

VTBDC3518/26 (10 AUG 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.

GEN 0.4 CHECKLIST OF AIP PAGES

GEN 3.2 ANC

GEN 4.1 AD/HLP CHARGES

ENR 1.8 REGIONAL SUPPLEMENTARY PROC

ENR 1.9 ATFM AND AIRSPACE MANAGEMENT

VTBDC2855/26 (10 AUG 26)

"AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM

THE DEMOCRATIC REPUBLIC OF THE CONGO AND THE REPUBLIC OF UGANDA

1. PURSUANT TO THE RESOLUTION OF THE NATIONAL COMMUNICABLE DISEASE

COMMITTEE, EFFECTIVE FROM 27 MAY 2026 AT 1800 HOURS (LOCAL TIME)

ONWARDS, PASSENGERS AND CREW MEMBERS DEPARTING FROM THE DEMOCRATIC

REPUBLIC OF THE CONGO (DR CONGO) AND THE REPUBLIC OF UGANDA SHALL BE

PERMITTED TO ENTER THE KINGDOM OF THAILAND ONLY VIA SUVARNABHUMI

AIRPORT AND SHALL BE SUBJECT TO A MANDATORY QUARANTINE PERIOD OF

TWENTY-ONE (21) DAYS, CALCULATED FROM THE DATE OF DEPARTURE FROM

THE AFFECTED AREAS, IN ACCORDANCE WITH THE PRESCRIBED PUBLIC

HEALTH PROCEDURES.

2. ALL AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM

THE ABOVE-MENTIONED AREAS ARE REQUESTED TO COMPLY WITH AND IMPLEMENT

THE PRESCRIBED MEASURES ACCORDINGLY."

MMR / MYANMAR
N I L

VYYF / YANGON FIR
N I L

IND / INDIA
N I L

VECF / KOLKATA FIR

*VECCA1718/26 (14 AUG 26)

17 AUG 2026 01:30-26 AUG 2026 14:30
0130-1430
AIR DEFENCE FRNG ACT INPR WI AREA:
POINT A 191436.00N 0845342.00E
POINT B 190723.43N 0853556.19E
THEN ALONG CLOCKWISE ARC OF CIRCLE OF RADIUS 40.50NM CENTERED AT
191436.00N 0845342.00E TO
POINT C 183336.66N 0845344.68E AND
POINT A 191436.00N 0845342.00E
AND
ARMY FLY INPR WI COORD:
POINT A 191740.33N 0845512.40E
POINT B 191044.80N 0844722.85E
POINT C 185601.96N 0845238.50E
POINT D 191219.81N 0851455.09E AND
POINT A 191740.33N 0845512.40E
DRG THE ACT FLW RTE/RTE SEGMENTS ARE NOT AVBL/RERTE IN KOLKATA FIR:
1.Q11 NOT AVBL BTN ONATI AND POTAS.
2.A465 NOT AVBL BTN LEMEX AND NIKIR. ALTN RTE:
KAKID-DCT-BBS-DCT-MEPOL-DCT-VVZ. BIDIRECTIONAL
3.W90 NOT AVBL BTN BBS AND ENVUK. ALTN RTE:
BBS-W41-MEPOL-DCT-ENVUK. BIDIRECTIONAL
4.P628 NOT AVBL BTN URKOK AND DORIL. ALTN RTE:
URKOK-DCT-NIKIR-DCT-OPASA. WB
5.L524 NOT AVBL BTN SANUG AND DORIL. ALTN RTE:
LAMBU-DCT-TATUX-DCT-DORIL. BIDIRECTIONAL
F) SFC
G) 80000FT AMSL

VOMMA2529/26 (14 AUG 26)

17 AUG 2026 00:00-17 AUG 2026 23:59
AIRSPACE USE PLAN (AUP)
TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW:
NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL
1 TRA503(A) PUNE 0130 1200 FL325 FL460
2 TRA503(A) PUNE 1330 1730 FL325 FL460
3 TRA503(B) PUNE 0130 1200 FL325 FL460
4 TRA503(B) PUNE 1330 1730 FL325 FL460
5 TRA509A 0000 2359 SFC FL270
6 TRA509B 0230 1730 FL270 UNL
7 TRA509C 0230 1730 FL270 UNL
8 TRA601(A) PANAGARH 0146 1011 GND 4000 FT AMSL
9 TRA601(B) PANAGARH 0146 1011 GND FL105
10 TRA601(C) PANAGARH 0146 1011 GND FL105
11 TRA604 TEZPUR 0030 1200 FL130 FL380
12 TRA607(A) CHABUA 0130 1700 FL325 FL460
13 TRA607(B) CHABUA 0130 1700 FL325 FL460
14 TRA607(C) CHABUA 0130 1700 FL325 FL460
15 TRA608 GORAKHPUR 0330 1030 FL325 FL380
16 TRA609(A) HASHIMARA 0300 0900 FL325 FL500
17 TRA609(A) HASHIMARA 1330 1530 FL325 FL500
18 TRA609(B) HASHIMARA 0300 0900 FL325 FL500
19 TRA609(B) HASHIMARA 1330 1530 FL325 FL500
20 TRA610 GUWAHATI 0300 0900 FL325 FL500
21 TRA610 GUWAHATI 1330 1530 FL325 FL500
22 TRA612(A) TEZPUR 0030 1200 FL325 FL380
23 TRA612(B) TEZPUR 0030 1200 FL325 FL380
24 TRA612(C) TEZPUR 0030 1200 FL325 FL380
25 TRA805(A) VISHAKHAPATNAM 0000 2359 SFC 5500 FT AMSL
26 TRA805(B) VISHAKHAPATNAM 0100 1700 FL145 FL235
27 TRA805(C) VISHAKHAPATNAM 0100 1700 FL235 FL27528
TRA806(A) COCHIN 0300 1730 6000 FT AMSL 6000 FT AMSL
29 TRA806(B) COCHIN 0300 1730 FL060 FL170
30 TRA806(C) COCHIN 0300 1730 FL150 FL170
31 TRA806(D) COCHIN 0300 2100 FL060 FL130

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 17/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

32 TRA806(E) COCHIN 0300 2100 FL060 FL170
33 TRA806(F) COCHIN 0300 2100 FL060 FL130
34 TRA806(G) COCHIN 0300 2100 FL060 FL170
35 TRA807(A) SULUR 0230 1159 GND 9000 FT AMSL
36 TRA807(D) SULUR 0230 1129 FL275 FL400
37 TRA807(D) SULUR 1330 1729 FL275 FL400
38 TRA807(E) SULUR 0230 1829 GND 3000 FT AMSL
39 TRA807(E) CORRIDOR1 SULUR 0230 1829 GND 3000 FT AMSL
40 TRA807(E) CORRIDOR2 SULUR 0230 1829 GND 5000 FT AMSL
41 TSA602 DUDHKUNDI 0000 2359 GND FL215
42 TSA801(B) THANJAVUR 0330 0729 MSL FL135
43 TSA801(B) THANJAVUR 0830 1029 MSL FL135
44 TSA801(B) THANJAVUR 1500 1829 MSL FL135
45 TSA803(A) VISHAKHAPATNAM 0100 1700 SFC FL235
46 TSA803(B) VISHAKHAPATNAM 0100 1700 SFC FL145
47 TSA803(C) VISHAKHAPATNAM 0100 1700 SFC FL235

CONDITIONAL RTE (CDR2) AVBL AS FLW:

NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL

1 J1 0000 0129 FL080 FL460
2 J1 0130 0329 FL290 FL460
3 J1 0631 1130 FL290 FL460
4 J1 1131 1359 FL080 FL460
5 J1 1626 1830 FL290 FL460
6 J4 0000 0030 FL110 FL460
7 J4 0031 1241 FL330 FL460
8 J4 1242 1829 FL250 FL460
9 J4 1830 2359 FL110 FL460
10 J5 0000 0129 FL260 FL460
11 J5 1201 1329 FL260 FL460
12 J5 1731 2359 FL260 FL460
13 J13 1730 1825 FL280 FL400
14 J14 0101 0229 FL110 FL460
15 J14 0230 1129 FL410 FL460
16 J14 1130 1159 FL280 FL460
17 J14 1200 1329 FL110 FL460
18 J14 1330 1729 FL410 FL460
19 J15 0000 0229 FL110 FL460
20 J15 0230 1129 FL410 FL460
21 J15 1130 1159 FL280 FL460
22 J15 1200 1329 FL110 FL460
23 J15 1330 1729 FL410 FL460
24 J15 1730 1829 FL280 FL460
25 J15 1830 2359 FL110 FL460
26 J16 0101 0229 FL110 FL400
27 J17 0015 0300 FL110 FL460
28 J17 1130 1310 FL110 FL460
29 J17 1435 1935 FL110 FL460
30 J18 0000 0300 FL110 FL460
31 J18 1130 2359 FL110 FL460
32 J26 0000 0030 FL145 FL460
33 J26 0031 1241 FL330 FL460
34 J26 1242 1829 FL250 FL460
35 J26 1830 2359 FL145 FL460
36 J27 0000 0030 FL110 FL460
37 J27 0031 1241 FL330 FL460
38 J27 1242 1829 FL250 FL460
39 J27 1830 2359 FL110 FL460
40 J29 0000 0129 FL150 FL250
41 J29 1201 1329 FL150 FL250
42 J29 1731 2359 FL150 FL250
43 J39 0000 0129 FL170 FL460
44 J39 0130 0329 FL290 FL460
45 J39 0631 1130 FL290 FL460
46 J39 1131 1359 FL170 FL460
47 J39 1626 1830 FL290 FL460
48 J39 1831 2359 FL170 FL460
49 J41 0100 0129 FL330 FL460
50 J41 1201 1329 FL330 FL460
51 J44 0000 0207 FL110 FL210
52 J44 1139 1800 FL110 FL210
53 J45 0000 0030 FL110 FL460
54 J45 0031 1241 FL330 FL460
55 J45 1242 1829 FL250 FL460
56 J45 1830 2359 FL110 FL460
57 J46 0000 0030 FL110 FL460
58 J46 0031 1241 FL330 FL460
59 J46 1242 1829 FL250 FL460
60 J46 1830 2359 FL110 FL460
61 J47 0100 0129 FL170 FL460
62 J47 0130 0329 FL290 FL460
63 J47 0631 1130 FL290 FL460

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 18/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

64 J47 1131 1300 FL170 FL460
65 J48 0631 0930 FL290 FL460
66 J56 0000 2359 FL080 FL250
67 J57 0200 0229 FL080 FL250
68 J57 0230 0329 FL220 FL250
69 J57 1031 1530 FL220 FL250
70 J59 0200 1530 FL110 FL410
71 J63 0000 0030 FL110 FL410
72 J63 0031 1229 FL255 FL410
73 J63 1230 2359 FL110 FL410
74 J64 1230 1329 FL150 FL460
75 J65 0000 0129 FL150 FL460
76 J65 1201 1329 FL150 FL460
77 J65 1731 2359 FL150 FL460
78 J66 0000 0030 FL110 FL250
79 J66 1330 2359 FL110 FL250
80 J67 0000 0030 FL110 FL255
81 J67 1330 2359 FL110 FL255
82 J71 0200 0329 FL330 FL460
83 J71 0330 1030 FL400 FL460
84 J71 1031 1234 FL330 FL460
85 J71 1235 1449 FL220 FL460
86 J71 1450 1730 FL330 FL460
87 J71 1731 1930 FL250 FL460
88 J71 1931 2000 FL110 FL460
89 J73 0100 0329 FL330 FL460
90 J73 0631 1300 FL330 FL460
91 J75 0000 0030 FL110 FL400
92 J75 0031 1241 FL330 FL400
93 J75 1242 1829 FL250 FL400
94 J75 1830 2359 FL110 FL400
95 J82 0000 2359 FL330 FL400
96 J83 0200 1900 FL110 FL400
97 J89 0000 0030 FL110 FL245
98 J89 1230 2359 FL110 FL245
99 J92 0200 0229 FL110 FL380
100 J92 0230 0329 FL220 FL380
101 J92 1031 1400 FL220 FL380
102 J93 0000 0030 FL150 FL460
103 J93 1230 1329 FL150 FL460
104 J93 1731 2359 FL150 FL460
105 J95 0000 0207 FL110 FL460
106 J95 0208 0300 FL255 FL460
107 J95 11301138 FL255 FL460
108 J95 1139 2359 FL110 FL460
109 J96 0000 0300 FL110 FL250
110 J96 1130 2359 FL110 FL250
111 J97 0000 0030 FL080 FL245
112 J97 1230 2359 FL080 FL245
113 J98 0000 0057 FL160 FL280
114 J98 1235 1449 FL220 FL280
115 J98 1731 1930 FL250 FL280
116 J98 1931 2359 FL160 FL280
117 J104 0000 0129 FL110 FL380
118 J104 1201 1329 FL110 FL380
119 J104 1731 2359 FL110 FL380
120 J105 0230 0329 FL220 FL460
121 J105 0330 1030 FL400 FL460
122 J105 1031 1300 FL220 FL460
123 J116 0000 0129 FL080 FL250
124 J116 1201 1329 FL080 FL250
125 J116 1731 2359 FL080 FL250
126 J120 0000 2359 FL085 FL460
127 J121 0000 2359 FL085 FL460
128 J122 0000 2359 FL085 FL460
129 Z2 0000 0329 FL330 FL460
130 Z2 0330 1030 FL400 FL460
131 Z2 1031 2359 FL330 FL460
132 Z5 0000 0129 FL290 FL460
133 Z5 1201 1329 FL290 FL460
134 Z5 1731 2359 FL290 FL460
135 Z12 0000 2359 FL330 FL460
136 Z13 0000 0229 FL110 FL410
137 Z13 0230 0329 FL220 FL410
138 Z13 0330 1030 FL400 FL410
139 Z13 1031 1630 FL220 FL410
140 Z13 1631 2359 FL110 FL410
141 Z14 0000 2359 FL330 FL460

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR
AIRSPACE CLOSURES.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 19/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

F) SFC
G) UNL

VOMMA2525/26 (14 AUG 26)

16 AUG 2026 00:00-16 AUG 2026 23:59
USE PLAN (AUP)
TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW:
NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL
1 TRA503(A) PUNE 0130 1200 FL325 FL460
2 TRA503(B) PUNE 0130 1200 FL325 FL460
3 TRA509A 0000 2359 SFC FL270
4 TRA509B 0230 1730 FL270 UNL
5 TRA509C 0230 1730 FL270 UNL
6 TRA805(A) VISHAKHAPATNAM 0000 2359 SFC 5500 FT AMSL
7 TRA806(A) COCHIN 0300 1730 6000 FT AMSL 6000 FT AMSL
8 TRA806(B) COCHIN 0300 1730 FL060 FL170
9 TRA806(C) COCHIN 0300 1730 FL150 FL170
10 TRA806(D) COCHIN 0300 2100 FL060 FL130
11 TRA806(E) COCHIN 0300 2100 FL060 FL170
12 TRA806(F) COCHIN 0300 2100 FL060 FL130
13 TRA806(G) COCHIN 0300 2100 FL060 FL170
CONDITIONAL RTE (CDR2) AVBL AS FLW:
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 1830 FL080 FL460
2 J3 0000 2359 FL100 FL250
3 J4 0000 2359 FL110 FL460
4 J5 0000 0129 FL260 FL460
5 J5 1201 2359 FL260 FL460
6 J7 0500 1030 FL130 FL320
7 J8 0145 1215 FL130 FL380
8 J10 0215 1200 FL130 FL380
9 J11 0230 1200 FL130 FL380
10 J13 0240 0440 FL140 FL400
11 J13 0655 0855 FL140 FL400
12 J13 1230 1430 FL140 FL400
13 J13 1440 1825 FL140 FL400
14 J15 0000 2359 FL110 FL460
15 J17 0015 0550 FL110 FL460
16 J17 0600 0800 FL110 FL460
17 J17 0945 1310 FL110 FL460
18 J17 1435 1935 FL110 FL460
19 J18 0000 2359 FL110 FL460
20 J23 0330 1130 FL210 FL300
21 J26 0000 2359 FL145 FL460
22 J27 0000 2359 FL110 FL460
23 J29 0000 0129 FL150 FL250
24 J29 1201 2359 FL150 FL250
25 J36 0000 2359 FL110 FL245
26 J37 0200 0800 FL110 FL280
27 J39 0000 2359 FL170 FL460
28 J41 0100 0129 FL330 FL460
29 J41 1201 1400 FL330 FL460
30 J42 0000 2359 FL110 FL245
31 J44 0000 1800 FL110 FL210
32 J45 0000 2359 FL110 FL460
33 J46 0000 2359 FL110 FL460
34 J47 0100 1300 FL170 FL460
35 J48 0400 0930 FL110 FL460
36 J56 0000 2359 FL080 FL250
37 J57 0200 1530 FL080 FL250
38 J59 0200 1530 FL110 FL410
39 J63 0000 2359 FL110 FL410
40 J64 0100 0129 FL150 FL460
41 J64 1201 1400 FL150 FL460
42 J65 0000 0129 FL150 FL460
43 J65 1201 2359 FL150 FL460
44 J66 0000 2359 FL110 FL250
45 J67 0000 2359 FL110 FL255
46 J71 0200 1730 FL110 FL460
47 J71 1731 1930 FL250 FL460
48 J71 1931 2000 FL110 FL460
49 J73 0100 1300 FL330 FL460
50 J75 0000 2359 FL110 FL400
51 J82 0000 2359 FL330 FL400
52 J83 0200 1900 FL110 FL400
53 J89 0000 2359 FL110 FL245
54 J92 0200 1400 FL110 FL380
55 J93 0000 0129 FL150 FL460
56 J93 1201 2359 FL150 FL460
57 J95 0000 2359 FL110 FL460

58 J96 0000 2359 FL110 FL250
59 J97 0000 2359 FL080 FL245
60 J98 0000 1730 FL160 FL280
61 J98 1731 1930 FL250 FL280
62 J98 1931 2359 FL160 FL280
63 J104 0000 0129 FL110 FL380
64 J104 1201 2359 FL110 FL380
65 J105 0230 1300 FL075 FL460
66 J107 0000 2359 FL110 FL255
67 J116 0000 0129 FL080 FL250
68 J116 1201 2359 FL080 FL250
69 J120 0000 2359 FL085 FL460
70 J121 0000 2359 FL085 FL460
71 J122 0000 2359 FL085 FL460
72 Z2 0000 2359 FL330 FL460
73 Z5 0000 0129 FL290 FL460
74 Z5 1201 2359 FL290 FL460
75 Z12 0000 2359 FL330 FL460
76 Z13 0000 2359 FL110 FL410
77 Z14 0000 2359 FL330 FL460

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR
AIRSPACE CLOSURES.

F) SFC

G) UNL

VIDPG0983/26 (11 AUG 26)

"REFER EAIP INDIA SECTION ENR 2.1, FOLLOWING AMENDEMENTS ARE MADE:

1. IN 2.1.2 CONTROL AREAS:

INSERT IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA UPPER
CONTROL AREA-
SECTOR URP 134.375 MHZ (BACKUP FREQUENCY)
AMEND ACCORDINGLY).

2. IN 2.1.1 FLIGHT INFORMATION REGION:

IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA FIR TEXT 120.1
MHZ

120.575MHZ 120.7 MHZ 125.9 MHZ 127.525 MHZ 132.25 MHZ 132.35 MHZ
133.75 MHZ IS

AMENDED AS 133.750 MHZ 126.100 MHZ 132.250 MHZ 120.100 MHZ 132.350
MHZ 132.450 MHZ 125.900 MHZ 134.375 MHZ 127.525 MHZ 125.775 MHZ
120.575 MHZ 120.700 MHZ 123.775 MHZ 132.700 MHZ 128.300 MHZ.
AMEND ACCORDINGLY."

VIDPG0982/26 (11 AUG 26)

"REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE
IN ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628, M875:

1. IN ATS ROUTE L759, UNDER REMARKS, TEXT 7. KOLKATA ACC: 132.450MHZ
120.100MHZ IS

AMENDED AS 7. KOLKATA ACC: 132.450MHZ 120.100MHZ 125.900MHZ (URP
MAIN) 134.375MHZ (URP BACKUP)

2. IN ATS ROUTE Q16, UNDER REMARKS, TEXT 6. (IV) KOLKATA ACC:
132.350MHZ 125.900MHZ 132.250MHZ IS AMENDED AS 6. (IV) KOLKATA
ACC: 132.350MHZ 132.250MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP
BACKUP)

3. IN ATS ROUTE Q17, UNDER REMARKS, TEXT 6. (III) KOLKATA ACC:
133.750MHZ 132.250MHZ 125.900MHZ 132.350MHZ IS AMENDED AS 6.
(III) KOLKATA ACC: 133.750MHZ 132.250MHZ 125.900MHZ (URP MAIN)
134.375MHZ (URP BACKUP) 132.350MHZ

4. IN ATS ROUTE Q19, UNDER REMARKS, TEXT 6. UPPER RAIPUR ACC:
125.900MHZ IS AMENDED AS 6. UPPER RAIPUR ACC: 125.900MHZ (URP
MAIN) 134.375MHZ (URP BACKUP)

5. IN ATS ROUTE Q20, UNDER REMARKS, TEXT 6. UPPER RAIPUR ACC:
125.900MHZ IS AMENDED AS 6. UPPER RAIPUR ACC: 125.900MHZ (URP
MAIN) 134.375MHZ (URP BACKUP)

6. IN ATS ROUTE Q29, UNDER REMARKS, TEXT 6(C). KOLKATA ACC:
125.900MHZ 134.375MHZ IS AMENDED AS 6(C). KOLKATA ACC: 125.900MHZ
(URP MAIN) 134.375MHZ (URP BACKUP)

7. IN ATS ROUTE Z14, UNDER REMARKS, TEXT 7(C). KOLKATA ACC:
132.250MHZ (UKW), 120.575MHZ (UKE) IS AMENDED AS 7(C). KOLKATA ACC:
132.250MHZ (UKW), 120.575MHZ (UKE) 125.900MHZ (URP MAIN) 134.375MHZ
(URP BACKUP).

8. IN ATS ROUTE Z14, UNDER REMARKS, DELETE TEXT 7(B). RAIPUR ACC:
125.900MHZ (URP), 123.500MHZ.

9. IN ATS ROUTE T1, UNDER REMARKS, TEXT 1. KOLKATA ACC: 132.450 MHZ
IS

AMENDED AS KOLKATA ACC: 132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ
Z

(URP BACKUP)

10. IN ATS ROUTE P628, UNDER REMARKS, TEXT 7. KOLKATA ACC:

132.450MHZ IS AMENDED AS 7. KOLKATA ACC: 132.450MHZ 125.900MHZ (URP

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 21/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

MAIN)
134.375MHZ (URP BACKUP)
11. IN ATS ROUTE M875, UNDER REMARKS, TEXT 2. KOLKATA ACC:
120.100MHZ 125.900MHZ 132.450MHZ 126.100MHZ IS AMENDED AS 2. KOLKATA
ACC:
120.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP) 132.450MHZ
126.100MHZ
AMEND ACCORDINGLY."

VIDPG0981/26 (11 AUG 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENTS ARE MADE
IN ATS ROUTES W12, W49, W50, W66, W76, W100, W102, W108, W138, W140,
W149, W150, W160, A791, V60, V62, V77, V78, V79, G450, J46, J75:
1. IN ATS ROUTE W12, UNDER REMARKS, TEXT 3. (I). KOLKATA ACC:
125.950MHZ 132.350MHZ 132.450MHZ IS AMENDED AS 3. (I). KOLKATA
ACC: 132.350MHZ 132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP
BACKUP)
2. IN ATS ROUTE W49, UNDER REMARKS, INSERT KOLKATA ACC URP:
125.900MHZ (MAIN) 134.375MHZ (BACKUP).
3. IN ATS ROUTE W50, UNDER REMARKS, TEXT 3. KOLKATA ACC: 132.450MHZ
120.100MHZ 126.100MHZ IS AMENDED AS 3. KOLKATA ACC: 132.450MHZ
120.100MHZ 126.100MHZ
125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)
4. IN ATS ROUTE W66, UNDER REMARKS, INSERT KOLKATA ACC URP:
125.900MHZ (MAIN) 134.375MHZ (BACKUP).
5. IN ATS ROUTE W76, UNDER REMARKS, TEXT 2(I). KOLKATA
ACC:125.900MHZ 132.250MHZ
132.350MHZ 132.450MHZ IS AMENDED AS KOLKATA ACC: 132.250MHZ
132.350MHZ 132.450MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).
6. IN ATS ROUTE W100, UNDER REMARKS, TEXT 3. KOLKATA URP:125.900MHZ
IS AMENDED AS 3. KOLKATA URP:125.900MHZ (MAIN) 134.375MHZ
(BACKUP).
7. IN ATS ROUTE W102, UNDER POINT NO. 2 OF REMARKS, INSERT KOLKATA
ACC URP: 125.900MHZ (MAIN) 134.375MHZ (BACKUP).
8. IN ATS ROUTE W108, UNDER REMARKS, TEXT 2(C) KOLKATA ACC (URP):
125.900MHZ IS AMENDED AS 2(C) KOLKATA ACC (URP): 125.900MHZ (MAIN)
134.375MHZ (BACKUP).
9. IN ATS ROUTE W138, UNDER REMARKS, INSERT KOLKATA ACC URP:
125.900MHZ (MAIN)
134.375MHZ (BACKUP).
10. IN ATS ROUTE W140, UNDER REMARKS, INSERT KOLKATA ACC URP:

125.900MHZ (MAIN) 134.375MHZ (BACKUP).
11. IN ATS ROUTE W149, UNDER REMARKS, TEXT 1. KOLKATA ACC
:132.450MHZ IS AMENDED AS 1. KOLKATA ACC:132.450MHZ 125.900MHZ (URP
MAIN)
134.375MHZ (URP BACKUP).
12. IN ATS ROUTE W150, UNDER REMARKS, TEXT 1. KOLKATA ACC
:132.450MHZ IS AMENDED AS 1. KOLKATA ACC:132.450MHZ 125.900MHZ (URP
MAIN)
134.375MHZ (URP BACKUP).
13. IN ATS ROUTE W160, UNDER REMARKS, TEXT 2. KOLKATA ACC:
125.900MHZ IS AMENDED AS KOLKATA ACC: 125.900MHZ (URP MAIN)
134.375MHZ
(URP BACKUP).
14. IN ATS ROUTE A791, UNDER REMARKS, TEXT 5. KOLKATA ACC:
120.100MHZ 126.100MHZ 125.900MHZ IS AMENDED AS 5. KOLKATA ACC:
120.100MHZ 126.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).
15. IN ATS ROUTE V60, UNDER REMARKS, TEXT 2. UPPER RAIPUR (URP) ACC:
125.900MHZ IS AMENDED AS 2. KOLKATA ACC: 125.900MHZ (URP MAIN)
134.375MHZ (URP BACKUP).
16. IN ATS ROUTE V62, UNDER REMARKS, TEXT 1. UPPER RAIPUR (URP)
ACC:125.900MHZ IS
AMENDED AS 1. KOLKATA ACC: 125.900MHZ (URP MAIN) 134.375MHZ (URP
BACKUP).
17. IN ATS ROUTE V77, UNDER REMARKS, TEXT 2(I). KOLKATA ACC:
125.100MHZ 125.900MHZ 132.350MHZ 132.450MHZ 132.250MHZ IS AMENDED AS
2(I). KOLKATA ACC: 125.100MHZ 125.900MHZ (URP MAIN) 134.375MHZ
(URP BACKUP) 132.350MHZ 132.450MHZ 132.250MHZ
18. IN ATS ROUTE V78, UNDER REMARKS, TEXT 2(I). KOLKATA ACC:
120.100MHZ 125.900MHZ
132.350MHZ 132.250MHZ IS AMENDED AS 2(I). KOLKATA ACC: 120.100MHZ
125.900MHZ
(URP MAIN) 134.375MHZ (BACKUP) 132.350MHZ 132.250MHZ.
19. IN ATS ROUTE V79, UNDER REMARKS, TEXT 2(I). KOLKATA ACC:
120.100MHZ 125.950MHZ
132.350MHZ 132.450MHZ 132.250MHZ IS AMENDED
AS 2(I). KOLKATA ACC:
120.100MHZ
125.900MHZ (URP MAIN) 134.375MHZ (URPBACKUP) 132.350MHZ 132.450MHZ

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 22/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

132.250MHZ
20. IN ATS ROUTE G450, UNDER REMARKS, TEXT 1. KOLKATA ACC:
120.100MHZ 126.100MHZ 125.900MHZ IS AMENDED AS 1. KOLKATA ACC:
120.100MHZ 126.100MHZ 125.900MHZ
(URP MAIN) 134.375MHZ (URP BACKUP)
21. IN ATS ROUTE J46, UNDER REMARKS, TEXT 4 (A). KOLKATA ACC:
132.350MHZ 132.250MHZ IS AMENDED AS 1. KOLKATA ACC: 132.350MHZ
132.250MHZ 125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP)
22. IN ATS ROUTE J75, UNDER REMARKS, TEXT 4 (I). KOLKATA ACC:
132.450MHZ 120.100MHZ 126.100MHZ IS AMENDED AS 1. KOLKATA ACC:
132.450MHZ 120.100MHZ 126.100MHZ
125.900MHZ (URP MAIN) 134.375MHZ (URP BACKUP).
AMEND ACCORDINGLY."

// (COM-INFO)//

THA 00156/13 (10 AUG 26)

COM INFO:--1.Route P646 segment DOPID - Jamshedpur VOR (JJS)
available only between 1630UTC to 2330UTC.

*VECCA1675/26 (10 AUG 26)

"08 10-14 0200-0329 0631-0829 1031-1200, 17-22 24-29 31 0200-1200"
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY
POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E EXC COMMON AREA OF VED-53"
F) SFC
G) 25000FT AMSL

*VIDPA1673/26 (10 AUG 26)

"AUG 03 05-06 10 12-13 17 19-20 24 27 31 0200-0700 1230-1629, AUG
04 11 18 25 0200-0700, AUG 07 14 21 28 0200-0730"
"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM
(VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC)
AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED
DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR
ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE
ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING
THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF
ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD
OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY
ATC."
F) FL330
G) FL460

*VECCA1588/26 (10 AUG 26)

01 03-08 10-14 17-22 24-29 31 1201-1300
"ARTILLERY FRNG ACT BY PXE INPR WI AREA BOUNDED BY
POINT A 212730.00N 0870200.00E,
POINT C 211140.00N 0871900.00E,
POINT B 210400.00N 0865130.00E AND THEN ALONG THE COASTLINE TO
POINT A 212730.00N 0870200.00E"
F) SFC
G) 25000FT AMSL

*VGHSA0243/26 (10 AUG 26)

MON TUE WED 0000-1600
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE
WI THE AREA VGD-34.
F) SFC
G) FL400

*VGHSA0241/26 (10 AUG 26)

MON TUE WED 0000-1600
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE
WI THE AREA VGD-32.
F) SFC
G) FL400

VIDPG0860/26 (10 AUG 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT AND ACFT
OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS INCLUDING
MILITARY FLIGHTS.
F) GND
G) UNL
21 JUL 26 12:00 UNTIL 23 AUG 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 23/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

VIDPG0840/26 (16 JUL 26)

"REF EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE
IN ATS ROUTES B209 AND V41:
1. COORD OF DURGAPUR DVOR DGP ARE AMENDED AS 233817.741N
0871402.027E.
2. ATS ROUTE B209 SEGMENT GOSBI - TR230/050 DEG(M) 4.0NM - DURGAPUR
DVOR/DME (DGP) - TR230/050 DEG(M) 14.8NM - OPESU IS AMENDED AS GOSBI
- TR231/051 DEG(M) 4.1NM - DURGAPUR DVOR/DME (DGP) - TR230/050
DEG(M) 14.7NM - OPESU
3. ATS ROUTE V41 SEGMENT OPESU - TR050/230 DEG(M) 14.8NM - DURGAPUR
DVOR/DME (DGP) - TR050/230 DEG(M) 4.0NM - GOSBI IS AMENDED AS OPESU-
TR050/230 DEG(M) 14.7NM - DURGAPUR DVOR/DME (DGP) - TR051/231 DEG(M)
4.1NM - GOSBI.
AMEND ACCORDINGLY."

VECCA1355/26 (16 JUL 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN KOLKATA FIR.
ALL ACFT TO EXER CTN.

VIDPG0740/26 (10 AUG 26)

"REFER AIPS 104/2026, FLW AMENDMENTS ARE MADE:
1. ATS ROUTE W32 SEGMENT BIDX - TR134/314 DEG(M) 303.8NM
3900FT(MOCA) - LEGIN IS AMENDED AS BIDX - TR134/314 DEG(M) 303.8NM
2000FT(MOCA) -LEGIN.
AMEND ACCORDINGLY."

VIDPG0739/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 4.4, FLW AMENDMENTS ARE MADE:
1. DELETE WAYPOINT AKSAN FROM ENR 4.4 NAME CODE DESIGNATORS FOR
SIGNIFICANT POINTS
2. DELETE WAYPOINT BITEM FROM ENR 4.4 NAME CODE DESIGNATORS FOR
SIGNIFICANT POINTS
AMEND ACCORDINGLY."

VIDPG0709/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 2.1, FOLLOWING AMENDEMENTS ARE MADE
IN 2.1.1 FLIGHT INFORMATION REGION:
1. INSERT IN COLUMN NAME FREQUENCY/PURPOSE OF ROW NAME KOLKATA UPPER
CONTROL AREA-SECTOR URP 134.375 MHZ (BACKUP FREQUENCY)
AMEND ACCORDINGLY."

VIDPG0707/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENTS ARE MADE
IN REMARKS
COLUMN OF ATS ROUTES W12, W49, W50, W66, W76, W86, W100, W102, W108,
W138, W140, W149, W150, W160, A791, V15, V60, V62, V77, V78, V79,
G450, J46, J75:
1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY:
134.375 MHZ
AMEND ACCORDINGLY"

VIDPG0708/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.2, FOLLOWING AMENDMENTS ARE MADE
IN REMARKS
COLUMN OF ATS ROUTES L759, Q16, Q17, Q19, Q20, Q29, Z14, T1, P628,
M875:
1. INSERT KOLKATA URP SECTOR (UPPER RAIPUR) BACKUP FREQUENCY:
134.375 MHZ.
AMEND ACCORDINGLY."

VECCA1154/26 (16 JUL 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC NORTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:
182558N 0861115E,
201507N 0872651E,182318N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY
TO 161035N 0920000E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER:KOLKATA OCAENIC NORTH FREQ 123.775 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC AND ACFT SHALL BE ADVISED
ACCORDINGLY.
FROM SFC TO UNL"

VECCA1153/26 (16 JUL 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC SOUTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 24/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

182558N 0861115E, 161035N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY
TO 140000N 0920000E THEN ALONG KOLKATA-CHENNAI FIR BDRY TO 154200N
0855400E, 163721N 0845647E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER: KOLKATA OCAENIC SOUTH FREQ 128.300 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC.
FROM SFC TO UNL"

VECCA1019/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER BHUBANESWAR (UBS)
INPR WI AREA BOUNDED BY:
P9: 195331.08N 0804815.53E
P10: 182447.34N 0800549.06E
SAPNU
XOPOX
P11: 160620.64N 0843429.68E
P12: 201517.19N 0872703.15E
P13: 205140.37N 0862158.87E
BBS VOR
P18: 195350.22N 0842614.93E
AND P9: 195331.08N 0804815.53E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 132.350 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT SHALL BE
ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1018/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER RAIPUR (URP) INPR WI
AREA BOUNDED BY:
P7: 223342.78N 0801441.50E
TEGIG
P8: 203427.40N 0810337.65E
P9: 195331.08N 0804815.53E
P18: 195350.22N 0842614.93E
BBS VOR
P13: 205140.37N 0862158.87E
P14: 224646.10N 0842032.87E
AND P7: 223342.78N 0801441.50E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL/KOLKATA RADAR
FREQ: 125.900 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1017/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER KHAJURAHO (UKJ) INPR W
I
AREA BOUNDED BY:
P3: 262359.43N 0801240.56E
P4: 251831.86N 0800851.21E
P5: 253601.78N 0793534.75E
P6: 250839.00N 0790132.87E
ASOPO
P7: 223342.78N 0801441.50E
P14: 224646.10N 0842032.87E
LAPAN
P15: 241326.46N 0840859.31E
ALH VOR
AND P3: 262359.43N 0801240.56E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 124.650 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT
SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1016/26 (16 JUL 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER VARANASI (UBN) INPR WI
AREA BOUNDED BY:
P1: 273339.10N 0824136.34E?
P2: 270921.85N 0813515.75E?
P3: 262359.43N 0801240.56E?
ALH VOR?
P15: 241326.46N 0840859.31E?
GGC VOR?
P16: 244425.25N 0851849.17E?

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 25/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

P17: 265328.59N 0850151.53E?
THEN ALONG THE BORDER OF NEPAL AND INDIA TO
P1: 273339.10N 0824136.34E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 127.525 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

*VECCA0988/26 (16 JUL 26)

VED 232 LPR KHAMARIA JABALPUR ACT
F) SFC
G) 25000FT AMSL

VIDF / DELHI FIR

VIDPA1821/26 (14 AUG 26)

17 AUG 2026 00:00-17 AUG 2026 23:59
AIRSPACE USE PLAN (AUP)
TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :
NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL
1 TRA503(A) PUNE 0130 1200 FL325 FL460
2 TRA503(A) PUNE 1330 1730 FL325 FL460
3 TRA503(B) PUNE 0130 1200 FL325 FL460
4 TRA503(B) PUNE 1330 1730 FL325 FL460
5 TRA506(A) JAMNAGAR 0330 0830 FL325 FL360
6 TRA506(B) JAMNAGAR 0330 0830 FL325 FL360
7 TRA509A 0000 2359 SFC FL270
8 TRA509B 0230 1730 FL270 UNL
9 TRA509C 0230 1730 FL270 UNL
10 TSA701 (A) ADAMPUR 0000 2359 FL145 FL280
11 TSA701 (B) ADAMPUR 0000 2359 GND FL280
12 TRA702 (A) SRINAGAR 0300 1130 FL170 FL310
13 TRA702 (A) SRINAGAR 1400 1830 FL170 FL310
14 TRA702 (B) SRINAGAR 0300 1130 GND FL310
15 TRA702 (B) SRINAGAR 1400 1830 GND FL310
16 TRA705 AMBALA 0800 1000 FL325 FL500
17 TRA706(A) ?GWALIOR? 0330 0630 FL325 FL460
18 TRA706(A) GWALIOR 1400 1625 FL325 FL460
19 TRA706(B) GWALIOR 0330 0630 FL325 FL460
20 TRA706(B) GWALIOR 1400 1625 FL325 FL460
21 TRA706(C) GWALIOR 0330 0630 FL325 FL460
22 TRA706(C) GWALIOR 1400 1625 FL325 FL460
23 TRA709(C) JODHPUR 0130 1200 FL325 FL380
24 TRA709(C) JODHPUR 1300 1829 FL325 FL380
25 TRA711(A) AGRA 0330 0630 FL325 FL460
26 TRA711(A) AGRA 1400 1625 FL325 FL460
27 TRA711(B) AGRA 0330 0630 FL325 FL460
28 TRA711(B) AGRA 1400 1625 FL325 FL460
29 TSA722 GRASS BIR - 13? 0130 1130 GND FL270
30 TRA 723 (HALWARA) 0800 1000 FL325 FL500
CONDITIONAL ROUTE (CDR2) AVBL AS FLW :
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 0129 FL080 FL460
2 J1 0130 0329 FL290 FL460
3 J1 0631 1130 FL290 FL460
4 J1 1131 1359 FL080 FL460
5 J1 1626 1830 FL290 FL460
6 J2 0000 0129 FL110 FL460
7 J2 1201 1329 FL110 FL460
8 J2 1731 2359 FL110 FL460
9 J5 0000 0129 FL260 FL460
10 J5 1201 1329 FL260 FL460
11 J5 1731 2359 FL260 FL460
12 J6 0100 1600 FL140 FL460
13 J19 0231 0400 FL210 FL460
14 J20 0000 0129 FL110 FL460
15 J20 0130 0329 FL290 FL460
16 J20 0631 1130 FL290 FL460
17 J20 1131 1359 FL110 FL460
18 J20 1626 1830 FL290 FL460
19 J20 1831 2359 FL110 FL460
20 J21 0000 0059 FL140 FL460
21 J21 0100 0759 FL320 FL460
22 J21 1001 1232 FL320 FL460
23 J21 1233 1432 FL140 FL460
24 J21 1433 1830 FL320 FL460
25 J21 1831 2359 FL140 FL460
26 J22 0000 2030 FL290 FL460

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 26/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

27 J24 0000 0759 FL345 FL460
28 J24 1001 2359 FL345 FL460
29 J29 0000 0129 FL150 FL250
30 J29 1201 1329 FL150 FL250
31 J29 1731 2359 FL150 FL250
32 J38 0100 0129 FL170 FL460
33 J38 0130 0329 FL290 FL460
34 J38 0631 1130 FL290 FL460
35 J38 1131 1300 FL170 FL460
36 J39 0000 0129 FL170 FL460
37 J39 0130 0329 FL290 FL460
38 J39 0631 1130 FL290 FL460
39 J39 1131 1359 FL170 FL460
40 J39 1626 1830 FL290 FL460
41 J39 1831 2359 FL170 FL460
42 J40 0000 0129 FL330 FL460
43 J40 1201 1329 FL330 FL460
44 J40 1731 2359 FL330 FL460
45 J41 0100 0129 FL330 FL460
46 J41 1201 1329 FL330 FL460
47 J43 0000 0129 FL170 FL460
48 J43 0130 0329 FL290 FL460
49 J43 0631 1130 FL290 FL460
50 J43 1131 1359 FL170 FL460
51 J43 1626 1700 FL290 FL460
52 J47 0100 0129 FL170 FL460
53 J47 0130 0329 FL290 FL460
54 J47 0631 1130 FL290 FL460
55 J47 1131 1300 FL170 FL460
56 J48 0631 0930 FL290 FL460
57 J50 0000 0129 FL110 FL460
58 J50 0130 1200 FL400 FL460
59 J50 1201 1259 FL110 FL460
60 J50 1300 1829 FL400 FL460
61 J50 1830 2359 FL110 FL460
62 J51 0000 0129 FL170 FL460
63 J51 0130 1200 FL400 FL460
64 J51 1201 1259 FL330 FL460
65 J51 1300 1829 FL400 FL460
66 J51 1830 2359 FL170 FL460
67 J52 0000 0129 FL110 FL460
68 J52 0130 0329 FL290 FL460
69 J52 0631 1130 FL290 FL460
70 J52 1131 1359 FL110 FL460
71 J52 1626 1830 FL290 FL460
72 J52 1831 2359 FL110 FL460
73 J53 0100 0229 FL080 FL250
74 J55 0000 0229 FL090 FL250
75 J55 1301 1359 FL090 FL250
76 J55 1731 2359 FL090 FL250
77 J56 0000 2359 FL080 FL250
78 J58 0100 1234 FL330 FL460
79 J58 1235 1300 FL110 FL460
80 J59 0200 1530 FL110 FL410
81 J60 0100 0129 FL170 FL460
82 J60 0130 0329 FL290 FL460
83 J60 0631 1130 FL290 FL460
84 J60 1131 1359 FL170 FL460
85 J61 0000 0229 FL110 FL460
86 J61 0230 0329 FL330 FL460
87 J61 0330 0830 FL380 FL460
88 J61 0831 1300 FL330 FL460
89 J61 1301 1359 FL110 FL460
90 J61 1400 1730 FL330 FL460
91 J61 1731 2359 FL110 FL460
92 J62 0000 0129 FL110 FL460
93 J62 0130 1200 FL400 FL460
94 J62 1201 1259 FL110 FL460
95 J62 1300 1829 FL400 FL460
96 J62 1830 2359 FL110 FL460
97 J64 1230 1329 FL150 FL460
98 J65 0000 0129 FL150 FL460
99 J65 1201 1329 FL150 FL460
100 J65 1731 2359 FL150 FL460
101 J67 0000 0030 FL110 FL255
102 J67 1330 2359 FL110 FL255
103 J68 0231 0400 FL110 FL460
104 J69 0231 0400 FL110 FL460
105 J70 0231 0400 FL110 FL460
106 J71 0200 0329 FL330 FL460
107 J71 0330 1030 FL400 FL460

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 27/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

108 J71 1031 1234 FL330 FL460
109 J71 1235 1449 FL220 FL460
110 J71 1450 1730 FL330 FL460
111 J71 1731 1930 FL250 FL460
112 J71 1931 2000 FL110 FL460
113 J72 0100 1600 FL330 FL460
114 J73 0100 0329 FL330 FL460
115 J73 0631 1300 FL330 FL460
116 J74 0100 1600 FL330 FL460
117 J81 0100 0759 FL330 FL400
118 J81 1001 1600 FL330 FL400
119 J82 0000 2359 FL330 FL400
120 J83 0200 1900 FL110 FL400
121 J84 0000 0229 FL110 FL250
122 J84 1301 1359 FL110 FL250
123 J84 1731 2359 FL110 FL250
124 J85 0000 0229 FL110 FL250
125 J85 1301 1359 FL110 FL250
126 J85 1731 2359 FL110 FL250
127 J86 0000 0229 FL110 FL290
128 J86 1301 1359 FL110 FL290
129 J86 1731 2359 FL110 FL290
130 J87 0100 0229 FL110 FL290
131 J88 0100 0229 FL110 FL290
132 J89 0000 0030 FL110 FL245
133 J89 1230 2359 FL110 FL245
134 J93 0000 0030 FL150 FL460
135 J93 1230 1329 FL150 FL460
136 J93 1731 2359 FL150 FL460
137 J94 0030 0229 FL110 FL250
138 J94 1301 1359 FL110 FL250
139 J98 0000 0057 FL160 FL280
140 J98 1235 1449 FL220 FL280
141 J98 1731 1930 FL250 FL280
142 J98 1931 2359 FL160 FL280
143 J100 0000 0229 FL080 FL280
144 J100 1301 1359 FL080 FL280
145 J100 1731 2359 FL080 FL280
146 J101 0100 0229 FL080 FL280
147 J102 0100 0229 FL080 FL280
148 J103 0000 0229 FL080 FL280
149 J103 1301 1359 FL080 FL280
150 J103 1731 2359 FL080 FL280
151 J104 0000 0129 FL110 FL380
152 J104 1201 1329 FL110 FL380
153 J104 1731 2359 FL110 FL380
154 J110 0000 0759 FL345 FL400
155 J110 1001 2359 FL345 FL400
156 J115 0100 0129 FL080 FL250
157 J115 1201 1329 FL080 FL250
158 J115 1731 2359 FL080 FL250
159 J116 0000 0129 FL080 FL250
160 J116 1201 1329 FL080 FL250
161 J116 1731 2359 FL080 FL250
162 J119 0000 0057 FL110 FL460
163 J119 0058 1234 FL330 FL460
164 J119 1235 1449 FL110 FL460
165 J119 1450 1730 FL330 FL460
166 L639 0000 2359 FL290 FL460
167 Z1 0000 2359 FL330 FL460
168 Z2 0000 0329 FL330 FL460
169 Z2 0330 1030 FL400 FL460
170 Z2 1031 2359 FL330 FL460
171 Z3 0231 0400 FL210 FL460
172 Z4 0231 0400 FL210 FL460
173 Z5 0000 0129 FL290 FL460
174 Z5 1201 1329 FL290 FL460
175 Z5 1731 2359 FL290 FL460
176 Z6 0000 2359 FL330 FL460
177 Z7 0000 2359 FL290 FL460
178 Z8 0000 0129 FL330 FL460
179 Z8 0130 1200 FL400 FL460
180 Z8 1201 1259 FL330 FL460
181 Z8 1300 1829 FL400 FL460
182 Z8 1830 2359 FL290 FL460
183 Z9 0200 1200 FL400 FL460
184 Z9 1201 1259 FL330 FL460
185 Z9 1300 1730 FL400 FL460
186 Z10 0000 2359 FL330 FL460
187 Z11 0231 0400 FL210 FL460
188 Z13 0000 0229 FL110 FL410

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 28/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

189 Z13 0230 0329 FL220 FL410
190 Z13 0330 1030 FL400 FL410
191 Z13 1031 1630 FL220 FL410
192 Z13 1631 2359 FL110 FL410
193 Z14 0000 2359 FL330 FL460
194 Z15 0000 0129 FL290 FL460
195 Z15 0130 1200 FL400 FL460
196 Z15 1201 1259 FL290 FL460
197 Z15 1300 1630 FL400 FL460
198 Z16 0000 0129 FL160 FL400
199 Z16 0130 0329 FL290 FL400
200 Z16 0631 1130 FL290 FL400
201 Z16 1131 1359 FL160 FL400
202 Z16 1626 1830 FL290 FL400
203 Z16 1831 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR
AIRSPACE CLOSURES.

F) SFC

G) UNL

VIDPA1819/26 (14 AUG 26)

16 AUG 2026 00:00-16 AUG 2026 23:59

AIRSPACE USE PLAN (AUP)

TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1 TRA503(A) PUNE 0130 1200 FL325 FL460

2 TRA503(B) PUNE 0130 1200 FL325 FL460

3 TRA509A 0000 2359 SFC FL270

4 TRA509B 0230 1730 FL270 UNL

5 TRA509C 0230 1730 FL270 UNL

6 TSA701 (A) ADAMPUR 0000 2359 FL145 FL280

7 TSA701 (B) ADAMPUR 0000 2359 GND FL280

8 TRA702 (A) SRINAGAR 0300 1130 FL170 FL310

9 TRA702 (A) SRINAGAR 1400 1830 FL170 FL310

10 TRA702 (B) SRINAGAR 0300 1130 GND FL310

11 TRA702 (B) SRINAGAR 1400 1830 GND FL310

CONDITIONAL ROUTE (CDR2) AVBL AS FLW :

NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL

1 J1 0000 1830 FL080 FL460

2 J2 0000 0129 FL110 FL460

3 J2 1201 2359 FL110 FL460

4 J3 0000 2359 FL100 FL250

5 J5 0000 0129 FL260 FL460

6 J5 1201 2359 FL260 FL460

7 J6 0100 1600 FL140 FL460

8 J20 0000 2359 FL110 FL460

9 J21 0000 2359 FL140 FL460

10 J22 0000 2030 FL290 FL460

11 J24 0000 2359 FL345 FL460

12 J29 0000 0129 FL150 FL250

13 J29 1201 2359 FL150 FL250

14 J36 0000 2359 FL110 FL245

15 J37 0200 0800 FL110 FL280

16 J38 0100 1300 FL170 FL460

17 J39 0000 2359 FL170 FL460

18 J40 0000 0129 FL330 FL460

19 J40 1201 2359 FL330 FL460

20 J41 0100 0129 FL330 FL460

21 J41 1201 1400 FL330 FL460

22 J42 0000 2359 FL110 FL245

23 J43 0000 1700 FL170 FL460

24 J47 0100 1300 FL170 FL460

25 J48 0400 0930 FL110 FL460

26 J50 0000 2359 FL110 FL460

27 J51 0000 2359 FL170 FL460

28 J52 0000 2359 FL110 FL460

29 J53 0100 1200 FL080 FL250

30 J55 0000 2359 FL090 FL250

31 J56 0000 2359 FL080 FL250

32 J58 0100 1300 FL110 FL460

33 J59 0200 1530 FL110 FL410

34 J60 0100 1440 FL170 FL460

35 J61 0000 2359 FL110 FL460

36 J62 0000 2359 FL110 FL460

37 J64 0100 0129 FL150 FL460

38 J64 1201 1400 FL150 FL460

39 J65 0000 0129 FL150 FL460

40 J65 1201 2359 FL150 FL460

41 J67 0000 2359 FL110 FL255

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 29/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

42 J71 0200 1730 FL110 FL460
43 J71 1731 1930 FL250 FL460
44 J71 1931 2000 FL110 FL460
45 J72 0100 1600 FL330 FL460
46 J73 0100 1300 FL330 FL460
47 J74 0100 1600 FL330 FL460
48 J81 0100 1600 FL330 FL400
49 J82 0000 2359 FL330 FL400
50 J83 0200 1900 FL110 FL400
51 J84 0000 2359 FL110 FL250
52 J85 0000 2359 FL110 FL250
53 J86 0000 2359 FL110 FL290
54 J87 0100 1300 FL110 FL290
55 J88 0100 1300 FL110 FL290
56 J89 0000 2359 FL110 FL245
57 J93 0000 0129 FL150 FL460
58 J93 1201 2359 FL150 FL460
59 J94 0030 1430 FL110 FL250
60 J98 0000 1730 FL160 FL280
61 J98 1731 1930 FL250 FL280
62 J98 1931 2359 FL160 FL280
63 J100 0000 2359 FL080 FL280
64 J101 0100 1300 FL080 FL280
65 J102 0100 1300 FL080 FL280
66 J103 0000 2359 FL080 FL280
67 J104 0000 0129 FL110 FL380
68 J104 1201 2359 FL110 FL380
69 J107 0000 2359 FL110 FL255
70 J110 0000 2359 FL345 FL400
71 J115 0100 0129 FL080 FL250
72 J115 1201 2359 FL080 FL250
73 J116 0000 0129 FL080 FL250
74 J116 1201 2359 FL080 FL250
75 J119 0000 1730 FL110 FL460
76 L639 0000 2359 FL290 FL460
77 Z1 0000 2359 FL330 FL460
78 Z2 0000 2359 FL330 FL460
79 Z5 0000 0129 FL290 FL460
80 Z5 1201 2359 FL290 FL460
81 Z6 0000 2359 FL330 FL460
82 Z7 0000 2359 FL290 FL460
83 Z8 0000 1829 FL330 FL460
84 Z8 1830 2359 FL290 FL460
85 Z9 0200 1730 FL330 FL460
86 Z10 0000 2359 FL330 FL460
87 Z13 0000 2359 FL110 FL410
88 Z14 0000 2359 FL330 FL460
89 Z15 0000 1630 FL290 FL460
90 Z16 0000 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR
AIRSPACE CLOSURES.

F) SFC
G) UNL

// (COM-INFO)//

THA 00123/12 (11 AUG 26)

COM INFO---ATS ROUTE RESTRICTIONS AS FOLLOWS:

-P646 (RNP10) DOPID-JJS AVAILABLE BETWEEN 1630-2330 UTC, (FL280/FL460),
-M875(RNP10) KAKID-GUGAL AVAILABLE BETWEEN 1630-2230 UTC, (FL280/FL460),
-L509 (RNP10) GGC-SULOM AVAILABLE BETWEEN 1630-2230 UTC, (FL320/FL460),
-M770 (RNP10) BUBKO-JJS AVAILABLE ONLY BETWEEN 1630-2330 UTC.
-L333 (RNP10) KKJ-MERUN AVAILABLE BETWEEN 1630-0030 UTC, (FL300/FL460)
-B209 (CDR1) REALIGNED JJS-KKJ (H24-FL75/FL460)
RMK/ROUTE SEGMENT JJS-KKJ IS NOT AVAILABLE FOR AIRCRAFT INTENDING TO USE
L759 AFTER KKJ AND OVER-FLYING DELHI VOR (DPN)
-J1 ESTABLISHMENT OF CDR3 ROUTE J1 KKJ-JJP (FL75/FL460)
RMK/ROUTE TO BE FLOWN ON ATC INSTRUCTION ONLY, NOT AVBL FOR FLT PLANNING.
(REF AIP INDIA AND AIP SUP 76/14, 77/14/PERM)

--PILOTS FLYING ON AWY M890, L509, A466E, A466W, ARE REQUESTED TO CONTACT
ALPHA CONTROL ON 119.7MHZ PRIOR TO CROSSING THE DELHI AND LAHORE FIR
BOUNDARIES. (ISSUED 15JAN07/TN074/07/CHECKED 07JAN22/OB/UFN)

VIDPG0963/26 (10 AUG 26)

"PERFORMANCE BASED LONGITUDINAL SEPARATION MINIMA OF 30NM/ 5MIN
BASED ON PBCS CRITERIA WILL BE APPLIED WITHIN WP AGELA AND IGOGU ON
ATS ROUTE N571 BTN ACFT HAVING FUNCTIONAL ADS-C AND CPDLC HAVING
OPERATIONAL APPROVAL FOR RNP2/RNP4, RCP240 AND RSP180 ON OPPORTUNITY
BASIS AS AN OPERATIONAL TRIAL. ACFT TO INDICATE RNP2/RNP4, ADS-C,
CPDLC, RCP240, RSP180 AVAILABILITY IN RESPECTIVE FIELDS OF FPL."

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 30/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

07 AUG 26 07:05 UNTIL 05 NOV 26 23:59 ESTIMATED

***VIDPA1673/26 (10 AUG 26)**

"AUG 03 05-06 10 12-13 17 19-20 24 27 31 0200-0700 1230-1629, AUG 04 11 18 25 0200-0700, AUG 07 14 21 28 0200-0730"

"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM (VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY ATC."

F) FL330

G) FL460

***VIDPA1672/26 (10 AUG 26)**

"AUG 03-06 10-13 17-20 24-25 27 31 0330-0630 1400-1625, AUG 07 14 21 28 0330-0630"

AIRSPACE BOUNDED WI COORD (EX-ROMEO):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE L759 BTN DELHI VOR (DPN) AND KHAJURAHO VOR (KKJ) NOT AVBL.
ALTN RTE AVBL: DPN DCT ALI G452 LKN KCH KKJ OR DPN-W19-BPL-W68-KKJ.
2. ATS RTE L760 BTN KHAJURAHO VOR (KKJ) AND DELHI VOR (DPN) NOT AVBL.

ALTN RTE AVBL: KKJ-KCH- JAL-SSB-DPN OR KKJ-W68-BPL-W20-DPN.

3. ATS RTE W33 NOT AVBL.

4. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.

5. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.

6. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.

7. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF) FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.

F) GND

G) FL460

***VIDPA1670/26 (10 AUG 26)**

"AUG 03-06 10-13 17-20 24-25 27 31 0130-0329 0631-1130 1626-1830, AUG 07 14 21 28 0130-0329 0631-1130"

AIRSPACE BOUNDED WI COORD (EX-ROMEO):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:

1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT OPERATING BTN DELHI AND KKJ.

FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR DPN-ALI-PAVRU-LKN-KCH-KKJ AND FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR KKJ-KCH-JAL-SSB-DPN.

2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.

3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.

4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.

5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF) FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.

F) GND

G) FL270

VIDPG0862/26 (10 AUG 26)

"LONGITUDINAL SEPARATION MINIMA OF 20NM BASED ON SPACE BASED ADS-B SURVEILLANCE WILL BE APPLIED ON OPPORTUNITY BASIS FOR ACFT PASSING WPT PARAR H24. ACFT WITH RNP2/RNP4 APPROVAL, FUNCTIONAL ADS-B OUT, CPDLC WITH RCP240 CONNECTION ON VABF WILL BE SUBJ TO THIS SEPARATION. THIS WILL BE APPLIED ON ATS RTE N571 BTN WPT PARAR AND WPT SUGID ON TRIAL BASIS. ACFT TO INDICATE RNP2/RNP4, CPDLC, RCP240, ADS-B AVAILABILITY IN RESPECTIVE FIELDS OF FPL."
23 JUL 26 06:05 UNTIL 21 OCT 26 23:59 ESTIMATED

VIDPG0860/26 (10 AUG 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT AND ACFT OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS INCLUDING MILITARY FLIGHTS.

F) GND

G) UNL

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 31/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

21 JUL 26 12:00 UNTIL 23 AUG 26 23:59 ESTIMATED

VIDPA1444/26 (16 JUL 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN DELHI FIR. ALL ACFT TO EXER CTN.

VIDPG0760/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FOLLOWING AMENDMENT IS MADE IN
ATS ROUTE R218:
TEXT R218 (JJP-TASIB) IS AMENDED AS R218 (JJP-HIS)
AMEND ACCORDINGLY."

VIDPG0757/26 (16 JUL 26)

REFER EAIP INDIA SECTION ENR 5.2 THE FOLLOWING CHANGES ARE MADE
IN REMARKS COLUMN:
1. IN TSA722 (GRASS BIR-13) REMARK 6: TSA VALID UNTIL 12TH JULY 2026
REPLACED BY TSA VALID UNTIL 12TH JULY 2029.
AMEND ACCORDINGLY.
F) SFC
G) UNL

VIDPG0738/26 (16 JUL 26)

"REFER EAIP INDIA SECTION ENR 3.1, FLW AMENDMENTS ARE MADE :
1. DELETE ATS ROUTE V48 (BBZ - AKSAN)
AMEND ACCORDINGLY."

*VIDPA1320/26 (16 JUL 26)

VID 129 ACT. NO ACFT PERMITTED TO OVERFLY WI VID 129
F) GND
G) 20000FT AMSL

*VIDPA1300/26 (16 JUL 26)

DAILY 0030-1630
TSA707 MANDALTHANG FLD FRNG RANGE ACT.
F) GND
G) 40000FT AMSL

VIDPG0629/26 (29 MAY 26)

"REF SUP 84/2026 REGARDING ESTABLISHMENT OF TEMPO RESERVED AREA
TRA509A, TRA509B AND TRA509C. AT SERIAL NR 1, THE TEXT MUMBAI FIR IS
AMD AS MUMBAI AND CHENNAI FIRS."
F) SFC
G) UNL

MID / MIDDLE EAST

N I L

PAK / PAKISTAN

N I L

OPLR / LAHORE FIR

OPKCA0465/26 (08 AUG 26)

LAKPASS MSSR NOT AVBL WI 250NM AROUND LAKPASS
DUE OPR REASON. DRG THE PERIOD ADS-B DATA OF
LAKPASS AND MSSR/ADS-B DATA OF OTHER STATIONS
WILL REMAIN AVBL AT LAHORE AND KARACHI ACC.
NON-RADAR PROCEDURAL CONTROL WILL PROVIDED TO
NON ADS-B EQUIPPED ACFT IN AREAS WITH AFFECTED
SURVEILLANCE COVERAGE.
07 AUG 26 10:30 UNTIL 21 AUG 26 23:59 ESTIMATED

OPKCA0439/26 (05 AUG 26)

"TRIGGER NOTAM-NIL AIRAC AIP SUPPLEMENT/AIP AMDT
W.E.F 06TH AUGUST, 2026."

// (COM-INFO) //

THA 00124/12 (21 JUL 26)

COM INFO--AWY RESTRICTION AS FOLLOWS:
1) M875 SEGMENT (SITAX-SAJAN-DI-LEBIB-JHANG-NITIV-GUGAL V.V.)
AVAILABLE ONLY BETWEEN 1500-2359 UTC (FL290-FL410),
RMK/FL280 AVAILABLE BETWEEN 2000-2400 UTC.
1.1) AWY A466 (SULOM-SITAX V.V.) AVBL 24HRS
1.2) AWY N644 (DI-DOBAT V.V.) AVBL 24HRS,

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 32/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

2) L509 SEGMENT (SULOM-INDEX-NONIB-HANGU-LAJAK V.V.) AVAILABLE:
BETWEEN 1500-2359 UTC (FL300-410)
BETWEEN 1900-2359 UTC (FL280-410)
2.1) T400 (SULOM-PS V.V.) AVBL 24HRS
2.2) P500 (DI-MOTMO V.V.) AVBL 24HRS
(REF AIP PAKISTAN PAGE ENR 3.2/OW-INFO)

// (COM-INFO) //

THA 00049/26 (21 JUL 26)

COM INFO:--REF AIP SUP S09/26;
GPS (GNSS) RADIO FREQUENCY SIGNAL INTERFERENCE
1. From 1st January 2026 to 31st December, 2026.
2. OPKR / OPLR.
3. Occasionally GPS signal interferences have been reported 100NM around AIIAP Lahore (OPLA), IIAP Islamabad (OPIS), JIAP Karachi (OPKC), and also in some other parts of Karachi and Lahore FIRs. All pilots promptly report to ATC of such interference with appropriate details. During frequency interference, take necessary measures for safe and efficient continuation of flight navigation and in case of navigational difficulty, notify ATC for assistance.

--REF AIP SUP S-33/26,
NON AVAILABILITY OF AIR TRAFFIC SERVICES IN KABUL FIR
(Replaces AIP Supplement S-01/26)
1. From 1st July, 2026 to 31st December, 2026.
2. OPKR / OPLR.
3. GND / UNL.
4. During non-availability of Air Traffic Services (ATS) in Kabul FIR, all traffic entering Karachi and Lahore FIR shall contact Karachi, Lahore and Islamabad ACC 15 minutes prior as per following, details:

i. N636 SERKA KARACHI ACC WEST 128.350 MHz 121.650 MHz
ii. P628 ASLUM LAHORE ACC WEST 124.100 MHz 118.950 MHz
iii. L750 BIROS LAHORE ACC WEST 124.100 MHz 118.950 MHz
iv. N644 DOBAT LAHORE ACC WEST 124.100 MHz 118.950 MHz
v. L509 LAJAK ISLAMABAD ACC 120.750 MHz 125.750 MHz
vi. P500 MOTMO ISLAMABAD ACC 120.750 MHz 125.750 MHz
5. Flights entering / exiting via MOTMO (P500) will be accepted and / or handed over directly between Islamabad ACC and Dushanbe ACC.
6. Any flight intends to transit from Karachi or Lahore FIR to Kabul FIR at their own risk (except for ATS route P500 via MOTMO) will be provided ATS till transfer of control points. Fifteen (15) minutes separation will be applicable at same level (as per Kabul ATM contingency plan).
7. For availability of flight levels and TIBA procedures in Kabul FIR, see latest NOTAMS issued by Kabul NOF in this regard.
8. This AIP Supplement replaces AIP Supplement S-01/26 dated 01st January, 2026.

OPKCA0420/26 (08 AUG 26)

PAKISTAN AIRSPACE NOT AVBL FOR INDIAN REGISTERED
ACFT AND ACFT OPERATED/OWNED OR LEASED BY INDIAN
AIRLINES/OPERATORS INCLUDING MILITARY FLIGHTS.
F) GND
G) UNL
17 JUL 26 06:35 UNTIL 23 AUG 26 23:59 ESTIMATED

AFG / AFGHANISTAN

N I L

OAKX / KABUL FIR

// (COM-INFO) //

THA 00180/13 (07 AUG 26)

COM INFO--According to active NOTAMs below routes are not available:
A. LAJAK-L509-TAPIS-P173-DAVET (vice versa)
B. SITAX-M875-AMDAR (vice versa) (OW-INFO/UFN)

** G0282/26 **

OAKBG0282/26 (07 AUG 26)

"P173 ROUTE IS CLOSED, DUE TO CONGESTION WITH LOW AIRWAYS."
28 JUL 26 04:55 UNTIL 24 OCT 26 23:59 ESTIMATED

** G0198/26 **

OAKBG0198/26 (07 AUG 26)

ATS NOT AVAILABLE IN THE KABUL FIR.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

** G0220/26**

*OAKBG0220/26 (07 AUG 26)

ALL OVERFLIGHTS SHALL USE THE FOLLOWING LATERALLY DE-CONFLICTED
HIGH ROUTES (HIGH SECTOR) STARTING AT FL320-FL510 EXCEPT ON M875/L509
ROUTES SHALL USE FL300-FL510 AND P500 SHALL USE FL300-FL510
TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ 125.2MHZ
FOR THE TEMPORARY PURPOSE ONLY.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 33/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

1. FIRUZ-P500-MOTMO (FL300-FL510)
 2. AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
 3. LEMOD-N644-DOBAT (FL320-FL510)
 4. RANAH-L750-BIROS (FL320-FL510)
 5. PAMTU-P628-ASLUM (FL320-FL510)
 6. SOKAM-UL333-SERKA (FL320-FL510).
- 12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

**** G0219/26****

***OAKBG0219/26 (07 AUG 26)**

ALL AIRCRAFT OPERATING INTO THE KABUL FIR SHALL FOLLOW BELOW HIGH AND LOW SECTORS FLT LEVELS.

HIGH SECTOR:

AWY A453 CLOSED

AWY Z627 CLOSED

FIRUZ-P500-MOTMO (FL300-FL510)

AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)

LEMOD-N644-DOBAT (FL320-FL510)

RANAH-L750-BIROS (FL320-FL510)

ASLUM-P628-PAMTU (FL320-FL510)

SOKAM-UL333-SERKA (FL320-FL510)

LOW SECTOR:

GADER-A453-TAPIS (FL170-FL290)

PAROD-G202-RIMPA (FL160-FL290)

GADER-G206 -TAPIS (FL180-FL290)

PAROD-M375-KHOLM (FL190-FL290)

SAKUX-V338-TAPIS (FL190-FL290)

PAROD-V390-SERKA (FL190-FL290)

SAKUX-V717-OLDEX (FL160-FL290)

RARNU-Z627-BUDBO (FL260-FL290).

12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0272/26 (07 AUG 26)

ALL FLIGHTS ARRIVING OR DEPARTING FROM AERODROMES IN KABUL FIR SHALL FILL FLIGHT PLAN AND OPERATE AT CRUISING LEVEL AT OR BELOW FL290.

TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ 125.2MHZ FOR THE TEMPORARY PURPOSE ONLY.

18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0271/26 (07 AUG 26)

"VFR ACFT WILL FLY IN ACCORDANCE WITH VFR PORTION OF THE TABLE OF CRUISING LEVELS IN APPENDIX-3 OF ICAO ANNEX-2 (ALSO REFERRED TO AS SEMI-CIRCULAR CRUISING LEVELS 0-179 DEGREES ODD FLIGHT LEVELS, 180-359 DEGREES EVEN FLIGHT LEVELS."

18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0270/26 (07 AUG 26)

PILOTS IN COMMAND AND/OR AIRCRAFT OPERATORS ARE SOLELY RESPONSIBLE FOR SAFETY AND SECURITY ASSESSMENT FOR ANY PLANNED OPERATIONS IN THE KABUL FIR.

18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0269/26 (07 AUG 26)

FLIGHTS SHALL NOT CHANGE THEIR CRUISING FLIGHT LEVEL OR CRUISING IAS/MACH NUMBER WITHIN THE KABUL FIR EXCEPT IN CASE OF TRAFFIC AVOIDANCE OR EMERGENCY.

18 JUL 26 07:16 UNTIL 14 OCT 26 23:59 ESTIMATED

OAKBG0263/26 (07 AUG 26)

KABUL FIR ATM CONTINGENCY PLAN NEW VERSION 4.0 IS ACTIVATED REFERENCE PUBLISHED ON AIS MAIN WEBPAGE [HTTPS://WWW.AFGAIS.COM/](https://www.afgaais.com/).

15 JUL 26 23:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0258/26 (07 AUG 26)

TRIGGER NOTAM - PERM- AIP ED 102 EFF 06 AUG 2026
PUBLISHED ON AIS MAIN WEBPAGE [HTTPS://WWW.AFGAIS.COM/](https://www.afgaais.com/).

OAKBG0221/26 (17 JUN 26)

NAVIGATION AND ANTI-COLLISION LIGHTS SHALL BE DISPLAYED AT ALL TIMES.

12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0222/26 (17 JUN 26)

"1: ALL AIRCRAFT FLYING ON M875 AMDAR-TAPIS L509-LAJAK SHALL BE OFFSET 8NM TO THE RIGHT OF CENTER LINE AT DOSHI, AFTER PASSING POSITION GIDOG RESUMED CENTRELINE, DUE TO ACTIVE PROHIBITED AREA

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 34/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

(OAP)201.

2: ALL AIRCRAFT FLYING ON L509 LAJAK- TAPIS- M875 AMDAR SHALL BE OFFSET 8NM TO THE LEFT OF CENTERLINE AT POSITION GIDOG UNTIL DOSHI, AFTER PASSING DOSHI RESUMED CENTRELINE, DUE TO ACTIVE PROHIBITED AREA (OAP)201."

12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0223/26 (17 JUN 26)

AFGHANISTAN FIR IS UNCONTROLLED CLASS G AIRSPACE.
ALL INTERNATIONAL AND DOMESTIC AIRLINES ARE REQUESTED TO FILL FLIGHT PERMISSIONS FORM AT LEAST 72 HOURS PRIOR FLIGHT AND SHALL EMAIL TO FLIGHTPERMISSIONS.ACAA(A)GMAIL.COM FOR PROCESSING PERMISSIONS.

12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0216/26 (17 JUN 26)

"IN THE EVENT OF EMERGENCY DESCENT, THE PROCEDURES IN ICAO DOC 4444 PANS-ATM SECTION 15.1.4.2 APPLY EXCEPT THAT IN LIEU OF ADVISING ATS OF THE EMERGENCY DESCENT THE PILOT SHALL BROADCAST ON THE RELEVANT TIBA FREQUENCY. FLIGHTS OPERATING IN THE KABUL FIR SHALL COMPLY WITH TIBA PROCEDURES DEFINED IN ICAO ANNEX-11 ATTACHMENT B AND DESCRIBED USING THE FOLLOWING FREQUENCIES.
ALL OVERFLIGHTS SHALL COMPLY WITH TIBA PROCEDURE FOR BROADCAST INTENTIONS ON FREQ 125.2MHZ 10 MINS PRIOR ENTERING TO FIR. ARRIVAL AND DEPARTURE OPERATIONS AS FOLLOWS:

1. KABUL OAKB - 120.6MHZ
2. MAZAR-E-SHARIF OAMS - 135.35MHZ
3. KANDAHAR OAKN - 125.5MHZ
4. HERAT OADR - 123.35MHZ

IN ADDITION TO THE ABOVE-MENTIONED TIBA BROADCASTS PILOTS SHALL BROADCAST THEIR INTENTIONS INCLUDING RUNWAY, DEPARTURE TRACK AND INTEND CRUISING LEVEL ON THE RELEVANT TIBA FREQUENCIES NOT LESS THAN 10 MINUTES BEFORE TAKEOFF."

10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0217/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR TERRAIN CLEARANCE.
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0218/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR SEPARATION FROM OTHER TRAFFIC SSR TRANSPONDERS SHALL BE OPERATED AT ALL TIMES. FLIGHTS ENTERING THE KABUL FIR SHALL CONTINUE TO SQUAWK THE LAST ASSIGNED SSR CODE FLIGHTS DEPARTING AERODROMES WITH THE KABUL FIR SHALL SQUAWK CODE A2000 (UNTIL ASSIGNED) A NEW CODE BY THE FIRST RELEVANT ATS UNIT.

10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0215/26 (17 JUN 26)

NON-RVSM OPERATIONS ARE NOT PERMITTED.
06 JUN 26 10:00 UNTIL 02 SEP 26 23:59 ESTIMATED

OAKBG0199/26 (17 JUN 26)

FLIGHTS MAY BE SUBJECT TO DELAYING ACTION PRIOR TO ENTERING THE KABUL FIR TO ENSURE 15 MINUTES LONGITUDINAL SPACING FROM PRECEDING TRAFFIC AT THE SAME LEVEL.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

OAKBG0197/26 (17 JUN 26)

"FLIGHTS DEPARTING THE KABUL FIR SHALL CONTACT THE RELEVANT ACC IN THE NEXT FIR ENTERED NOT LESS THAN 15 MINUTES BEFORE THE FIR BOUNDARY POINT, ON IN ACCORDANCE WITH ANY OTHER REQUIREMENT SPECIFIED BY THE RELEVANT AUTHORITY FOR THE FIR."
23 MAY 26 05:45 UNTIL 18 AUG 26 23:59 ESTIMATED

OAKBG0193/26 (17 JUN 26)

ALL CLIMB AND DESCENT SHOULD BE CARRIED OUT 5NM TO THE RIGHT OF TRACK EXCEPT FOR ARRIVING AND DEPARTING TRAFFIC WHILE OPERATING MSA SHOULD FOLLOW THE PUBLISHED INSTRUMENT FLIGHT PROCEDURE.
22 MAY 26 16:31 UNTIL 17 AUG 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 35/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

UZB / UZBEKISTAN

N I L

UZSD / SAMARKAND FIR

UZTTD1251/26 (17 JUL 26)

"AT ALL CIVIL AVIATION AIRPORTS OF THE REPUBLIC OF UZBEKISTAN,
WHEN OAT IS PLUS 40 DEG C OR ABOVE, ACFT SHALL PERFORM 180-DEG TURNS
ONLY ON RWY TURNING PADS, STRICTLY IN ACCORDANCE WITH MARKINGS."
17 JUL 26 06:01 UNTIL 30 SEP 26 23:59 ESTIMATED

UZTTD1087/26 (24 JUN 26)

AIRAC EFFECTIVE DATE 06 AUG 2026 NIL.

*UZTTD1120/25 (15 OCT 25)

"ATS ROUTE Y300 SEGMENT GONAK-FIZLE CLOSED IN BOTH
DIRECTIONS WITHIN SAMARKAND SECTOR 6 DUE TO OPERATIONAL REASONS.
REF: AIP ENR 3.1-22, ENR 6.1-1."

UZTTD1025/25 (02 OCT 25)

"IN ACCORDANCE WITH THE LEGISLATION OF THE REPUBLIC OF UZBEKISTAN,
FROM JULY 1,2020 YEAR,A MANDATORY PROCEDURE HAS BEEN INTRODUCED FOR
PROVIDING PREMILINARY PASSENGER INFORMATION TO THE BORDER TROOPS OF
THE STATE SECURITY SERVICE OF THE REPUBLIC OF UZBEKISTAN FOR ALL
OPERATORS OF FOREIGN AIRCRAFT FLYING TO/FROM UZBEKISTAN.
FOR INFORMATION:A WEB PORTAL BORDERS TROOPS OF THE STATE SECURITY
SERVICE HAS BEEN CREATED TO OBTAIN PRELIMINARY INFORMATION ABOUT
PASSENGERS FROM OPERATORS OF FOREIGN AIRCRAFT HTTP:EBORDER.UZ,FTP
GATEWAY (HOST:EBORDER.UZ,PORT:21,SITATEX TYPE B GATEWAY (TASPIHY)AND
EMAIL ADDRESS API(AT)EBORDER.UZ
IN CASE OF NON-COMPLIANCE WITH THE REQUIREMENTS OF THE CURRENT
LEGISLATION OF THE REPUBLIC OF UZBEKISTAN IN ACCORDANCE WITH THE
INSTRUCTIONS ON THE PROCEDURE FOR ISSUING OPERATIONAL PERMITS TO
FOREIGN AIRCRAFT OPERATORS, THE OPERATIONAL PERMIT MAY BY TERMINATED,
AND CHARTER FLIGHTS TO THE REPUBLIC OF UZBEKISTAN WILL NOT BE
CONSIDERED."

UZTTD1024/25 (02 OCT 25)

"THE OPEN SKIES REGIME HAS BEEN EXTENDED AT SAMARKAND AIRPORT
SINCE OCTOBER 2024 UNTIL THE END OF THE IATA SUMMER 2027 SEASON.
THE SPECIFIED REGIME IS INTRODUCED WITH THE RIGHT TO FLY WITHOUT
FREQUENCY RESTRICTIONS TAKING INTO ACCOUNT THE TECHNICAL CAPABILITIES
OF THE AIRPORT, INCLUDING THE 5TH FREEDOM OF THE AIR, ON THE ROUTES
THAT ARE NOT OPERATED BY THE DESIGNATED CARRIES OF THE REPUBLIC OF
UZBEKISTAN.

ALL FOREIGN AIR OPERATORS OF THE ICAO MEMBER STATES WILLING TO
OBTAIN PERMISSION TO PERFORM REGULAR FLIGHTS TO SAMARKAND AIROPORT
SHOULD CONTACT CIVIL AVIATION AGENCY OF UZBEKISTAN AT THE FOLLOWING
ADRESS:

73-B, NUKUS STREET. AGENCY
100015, TASHKENT
REPUBLIC OF UZBEKISTAN
TEL.: (+998 71) 254 34 10
FAX: (+998 71) 254 14 82
E-MAIL: CAA(A)UZCAA.UZ."

TKM / TURKMENISTAN

N I L

UTAV / TURKMENABAT FIR

UUUUU0293/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0330-1700
"ATS RTE SEGMENTS CLSD:
A847 TURKMENABAT VORDME (LBA)-OLCHE,
B362 TURKMENABAT VORDME (LBA)-NURSA,
A230 DERKI-DUTAR,
A118 TURKMENABAT VORDME (LBA)-VATIN,
A117 TURKMENABAT VORDME (LBA)-DUTAR.
FROM SFC TO FL100"

*UUUUU0291/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
"FLW ATS RTE SEGMENTS CLSD:
B361 RAPTA-RARUN,

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 36/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

A125 RARUN-ABNEP.
FROM SFC TO FL170"

*UUUUU00292/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
RESTRICTED AREA ACT WI AREA:
3744N06457E-3748N06503E-3745N06503E-3745N06505E-3741N06509E-
3739N06505E-3744N06457E.
F) SFC
G) FL170

// (COM-INFO) //

THA 00182/13 (21 MAR 25)

COM INFO:--ACFT crews entering Turkmenistan airspace from airspace of Afganistan and Iran shall establish communication with Turkmenistan ATC units at 81-108NM before crossing FIR boundary.

ACFT crews entering Turkmenistan airspace from airspace of Azerbaijan, Kazakhstan and Uzbekistan
do not need to establish communication with Turkmenistan ATC units before crossing FIR boundary unless
otherwise instructed by ATC units.

ACFT flying from Kabul FIR to Turkmenabat FIR (A909 LEMOD, L750 RANAH)
must establish contact with Turkmenabat Control on 134.500MHz (backup 128.500MHz) within 10min
to the entrance to Turkmenabat FIR.

ACFT flying from Turkmenabat FIR to Kabul FIR, ATS service will be provided to the border of Turkmenabat
FIR with a 15min interval along one route and at one echelon.
(ISSUED 16JAN25/REF CRAR Turkmenistan/C-20/UFN)

UTAA / ASHGABAT FIR

UUUUU00293/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0330-1700
"ATS RTE SEGMENTS CLSD:
A847 TURKMENABAT VORDME (LBA)-OLCHE,
B362 TURKMENABAT VORDME (LBA)-NURSA,
A230 DERKI-DUTAR,
A118 TURKMENABAT VORDME (LBA)-VATIN,
A117 TURKMENABAT VORDME (LBA)-DUTAR.
FROM SFC TO FL100"

UUUUU00296/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
A909 NINOP-LEMOD,
B801 NINOP-RANAH.
FROM SFC TO FL070"

*UUUUU00290/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
ATS RTE A847 SEGMENT NINOP-OLADI CLSD.
FROM SFC TO FL230

*UUUUU00288/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
ATS RTE B449 SEGMENT KEMOR-ZAMIR CLSD.
FROM SFC TO FL170

*UUUUU00289/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
RESTRICTED AREA ACT:
CIRCLE CENTRE 3729N06140E RADIUS 5KM.
F) SFC
G) FL230

*UUUUU00287/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0200-1700
FLW RESTRICTED AREA ACT:
3717N06016E-3721N06008E-3724N06011E-3720N06021E-3717N06016E.
F) SFC
G) FL170

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 37/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

UUUUU00284/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
ATS RTE P130 SEGMENT MAMED-ARBAT CLSD.
FROM SFC TO FL070

*UUUUU00275/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
P130 ARBAT-DOGAM,
B449 SAHET-ETRAP.
FROM SFC TO FL270"

UTAK / TURKMENBASHI FIR

*UUUUU00285/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
G667 NESIR-SAVUZ,
R373 TIMGA-TABUN,
B711 OGLID-NESIR.
FROM SFC TO FL120"

*UUUUU00280/26 (01 AUG 26)

04-07 11-14 18-21 0400-1600
RESTRICTED AREA ACT:
4008N05315E-4012N05314E-4014N05316E-4012N05320E-4009N05325E-
4007N05322E-4008N05315E.
F) SFC
G) FL240

*UUUUU00279/26 (01 AUG 26)

04-07 11-14 18-21 0400-1600
"FLW ATS RTE SEGMENTS CLSD:
A909 TUNEK-TUGTA,
A480 TURKMENBASHY KRS-IDRIS,
B738 TURKMENBASHY KRS-NEBIT.
FROM SFC TO FL240"

*UUUUU00276/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
FLW RESTRICTED AREA ACT:
3913N05518E-3913N05529E-3910N05529E-3906N05522E-3913N05518E.
F) SFC
G) FL270

*UUUUU00275/26 (01 AUG 26)

03-07 10-14 17-21 24-28 31 0300-1700
"ATS RTE SEGMENTS CLSD:
P130 ARBAT-DOGAM,
B449 SAHET-ETRAP.
FROM SFC TO FL270"

UUUUU00233/26 (17 JUN 26)

UTAK TAR U/S.

AZE / AZERBAIJAN

N I L

UBBA / BAKU FIR

UBBUA0203/26 (30 JUN 26)

TEMPORARY RESTRICTION FOR FLIGHT OPERATIONS BETWEEN THE
AERODROMES OF THE REPUBLIC OF AZERBAIJAN AND THE FOLLOWING
AERODROMES OF THE RUSSIAN FEDERATION ARE APPLIED UNTIL FURTHER
NOTICE:
ASTRAKHAN - URWA
GROZNY - URMG
KAZAN - UWKD
MAKHACHKALA - URML
MINERALNYYE VODY - URMM
NIZHNY NOVGOROD - UWGG
SAMARA - UWWW
SARATOV - UWSG
SOCHI - URSS

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 38/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

UFA - UWUU
VLADIKAVKAZ - URMO
VOLGOGRAD - URWW
ANY FLIGHT REQUESTS WILL BE CONSIDERED AFTER AGREED FLIGHT ROUTES ON
AN EXCEPTIONAL BASIS.
RESTRICTION NOT APPLICABLE TO EMERGENCY LANDING.
30 JUN 26 13:00 UNTIL 30 SEP 26 23:59 ESTIMATED

// (COM-INFO) //

THA 00249/25 (05 APR 26)

COM INFO:--Dispatch Note:
Portion ADEKI-RASAM is not available for eastbound traffic.

ARM / ARMENIA

N I L

UDDD / YEREVAN FIR

UDDDA0089/26 (13 JUN 26)

AIRAC EFFECTIVE DATE 06 AUG 2026-NIL

TUR / TURKEY

N I L

LTAA / ANKARA FIR

LTAAA3542/26 (14 AUG 26)

URFA KORCIK MSSR UNRELIABLE BTN 250-360 DEGREES.

LTAAA3528/26 (14 AUG 26)

ERZURUM MSSR U/S BTN 270-360 DEGREES.
-DUE TO REFLECTIONS FROM MIL AND MET RADAR LOCATED NEARBY-

LTAAA3526/26 (14 AUG 26)

MERZIFON MSSR UNSERVICEABLE BTN AZIMUT 252.77 - 268.54 DEGREES.
-DUE TO REFLECTIONS FROM MIL RADAR LOCATED NEARBY-

*LTAAA3114/26 (15 JUL 26)

JUL 16-17 21-23 28-29 AUG 04-06 18-20 25-26 SEP 01-03 08-09 15-17
22-23 29-30 OCT 01 06-07 13-15 1200-1500
SEE NOTAM: A3113/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FLW:
1- AWY UT244 EDASA-OKMOT SEGMENT CLSD.
2- AWY UL742 REDNO-OKMOT SEGMENT CLSD.
VERTICAL LIMITS: FL290-FL350

*LTAAA3113/26 (15 JUL 26)

JUL 16-17 21-23 28-29 AUG 04-06 18-20 25-26 SEP 01-03 08-09 15-17
22-23 29-30 OCT 01 06-07 13-15 1200-1500
EXERCISE WILL TAKE PLACE.
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 391123N0320151E 391021N0320352E 381800N0312936E
383114N0310744E 385023N0305859E 391123N0320151E
F) FL290
G) FL350

*LTAAA3075/26 (11 JUL 26)

RESTRICTED AREA: CENTERED ON 382049N0374741E WITH RADIUS 14NM
WI MALATYA MIL TMA.
VERTICAL LIMITS: SFC-80000FT AMSL

AIRSPACE IS NOT DECONFLICTED FROM CIVIL AIRSPACE. TURKIYE AIRSPACE
IS SOVEREIGN. USER IS RESPONSIBLE FOR OBTAINING CIVIL OR MILITARY
CLEARANCE TO ENTER AND OPERATE IN THIS AIRSPACE IN ACCORDANCE WITH
HOST NATION REGULATIONS. REFER TO SPINS FOR C2 DETAILS.
F) SFC
G) UNL

LTAAA3070/26 (11 JUL 26)

"RESTRICTED AREA WI KONYA MIL TMA
CENTERED ON 375725N0323312E WITH RADIUS 11NM
VERTICAL LIMITS: SFC-80000FT AMSL

NOTE1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI(10NM) OF KONYA AD WILL BE DIRECTED TO LAND BY THE KONYA APCH, AND TFCS OUTSIDE(10NM) WILL BE HELD AT POINTS OUTSIDE THE AREA AS DEEMED APPROPRIATE BY KONYA APCH.
NECESSARY COORDINATIONS WILL BE ESTABLISHED TO ENSURE THAT FLIGHTS FROM KTO KARATAY UNIVERSITY AIR PARK DO NOT AFFECT THE AREA.
DEPARTURES FROM KONYA AD WILL NOT BE PERMITTED.

NOTE3: DUE TO TWO-WAY COMMUNICATION IS MANDATORY IN THIS AREA, MAINTAINING CONTINUOUS AND REAL-TIME RADIO CONTACT WITH ANKARA ACC OR KONYA ATC IS CRITICAL. CONTINUOUS LISTENING WILL BE KEPT ON THE GUARD CHANNEL."

F) SFC

G) UNL

*LTAAA2941/26 (01 JUL 26)

SEE NOTAM: A2940/26

RNAV ROUTES AND SEGMENTS AFFECTED DURING FIRING EXERCISE AS FOLLOWS:

1. AWY UM860 NINVA-SRT SEGMENT CLSD.
2. AWY UM688 OTKEP-RATVO SEGMENT CLSD.
3. AWY UT332 OTKEP-KABAN SEGMENT CLSD.
4. AWY UT301 NARLI-LUMOM SEGMENT CLSD.

VERTICAL LIMITS: 31000FT AMSL-33000FT AMSL

*LTAAA2940/26 (01 JUL 26)

GUN FIRING WILL TAKE PLACE.

AREA: 371826N0424330E 372900N0423000E 374559N0423000E
373700N0443600E 372644N0443448E 371707N0444836E 371411N0444435E
371018N0444602E 371134N0443821E 370724N0443226E 365859N0441748E
370611N0441115E 371018N0441726E 371613N0441429E 372000N0440336E
371247N0435057E 371510N0433045E 372246N0430751E 371916N0425718E
372257N0424659E 371826N0424330E

RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.

AREA CLSD TO TFC BTN FL310-FL330.

F) 31000FT AMSL

G) 33000FT AMSL

LTAAA2931/26 (01 JUL 26)

"RESTRICTED AREA WI ADANA MIL TMA:
CENTERED ON 370006N0352532E WITH RADIUS 14NM
VERTICAL LIMITS: SFC-80000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM) OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH.
TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE PERMITTED.

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."

F) SFC

G) UNL

LTAAA2930/26 (01 JUL 26)

"RESTRICTED AREA WI ADANA MIL TMA:
373949N0353344E 370015N0352513E 363911N0344154E 363221N0344838E
362534N0350031E 362238N0350823E 362051N0351638E 362013N0352514E
362051N0353345E 362234N0354204E 362538N0354952E 362935N0355657E
363422N0360318E 364006N0360817E 364619N0361201E 365316N0361414E
370006N0361513E 370704N0361427E 371351N0361214E 372003N0360840E
372559N0360350E 373059N0355726E 373453N0354956E 373819N0354208E
374002N0353342E 373949N0353344E
VERTICAL LIMITS: SFC-70000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM) OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH.
TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE PERMITTED.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 40/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."

F) SFC

G) UNL

*LTAAA2899/26 (01 JUL 26)

"SEE NOTAM: A2896/26

RNAV ROUTE AND SEGMENTS AFFECTED DURING FIRING ACTIVITY AS FOLLOWS:

1. AWY M/UM860 NINVA-SRT SEGMENT CLOSED.
2. AWY M/UM688 OTKEP-RATVO SEGMENT CLOSED.
3. AWY T/UT332 OTKEP-KABAN SEGMENT CLOSED.
4. AWY UT301 INLAP-LUMOM SEGMENT CLOSED.
5. AWY T301 INLAP-YKV SEGMENT CLOSED.

VERTICAL LIMITS FOR ABOVE ROUTES: SFC-FL310

6. HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW) PLANNING TAKE-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW, WHEN DEEMED NECESSARY BY ATC

ROTA: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-

YKV VOR(373257N0441433E)

MAG TRACK: 137/317(VAN VOR-YKV VOR)

DISTANCE: BTN VAN VOR-RUPOM 48.1NM

BTN RUPOM-YKV VOR 22.0NM

FLIGHT LEVELS:BTN VAN VOR-RUPOM FL220

BTN RUPOM-YKV VOR MIN FL180"

LTAAA2897/26 (01 JUL 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED OCCASSIONALLY IN SOME PARTS OF TURKISH AIRSPACE. PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSSES. 30 JUN 26 08:00 UNTIL 30 SEP 26 08:00 ESTIMATED

*LTAAA2896/26 (01 JUL 26)

"FIRING EXERCISE WILL TAKE PLACE.

RMK: AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED.

AREA: 371830N0424330E 372900N0423000E 374600N0423000E
373700N0443600E 372652N0443448E 371708N0444846E 371412N0444435E
371018N0444604E 371142N0443823E 370725N0443227E 365859N0441749E
370611N0441117E 371018N0441726E 371613N0441429E 372001N0440344E
371247N0435057E 371512N0433045E 372247N0430752E 371916N0425718E
372258N0424706E 371830N0424330E

1ST NOTE: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV,LTCL, LTCW, LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM.

2ND NOTE: FOLLOW ALONG BORDER OF TURKISH-IRAQ, TURKISH-IRAN. IT IS STRICTLY ADVISED NOT TO MAKE AVOIDANCE MANEUVERES TOWARDS THIS AREA."

F) SFC

G) FL310

LTAAA2891/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026

CHANGES OF ENR 2.1 FIR,UIR,TMA, ENR 3.2 AREA NAVIGATION(RNAV) ROUTES, ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS, ENR 5.1 PROHIBITED, RESTRICTED AND DANGER AREAS, ENR 6.1 ATS/RNAV ROUTE CHART, GEN 0.2 RECORD OF AIP AMENDMENTS, GEN 0.3 RECORD OF AIP SUPPLEMENTS, GEN 0.4 CHECKLIST OF AIP PAGES"

LTAAA2877/26 (29 JUN 26)

0300-0530

UNMANNED ACFT FLIGHT WILL TAKE PLACE WI: 381620N0333332E

383620N0332100E 383559N0334632E 382721N0335410E 381620N0333332E

F) SFC

G) 40000FT AMSL

*LTAAA2786/26 (25 JUN 26)

0500-1400 EXC SAT SUN

EXERCISE(SUPERSONIC SPEED) WILL TAKE PLACE WI ESKISEHIR MILITARY

TMA:393500N0310300E 393500N0314000E 392500N0314500E 391100N0310300E

393500N0310300E

F) 12000FT AMSL

G) 50000FT AMSL

*LTAAA2685/26 (23 JUN 26)

SEE NOTAM: A2677/26

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 41/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT FIRING) AS FOLLOWS
1.AWY W197 SRT-ABDIK SEGMENT CLOSED.
2.AWY R21 KABAN-SRT SEGMENT CLOSED.
VERTICAL LIMITS: FL170-FL260

*LTAAA2686/26 (23 JUN 26)

KABAN FIR BDRY CLSD TO ALL TFC AT AND BELOW FL310

*LTAAA2684/26 (23 JUN 26)

SEE NOTAM: A2677/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT FIRING) AS FOLLOWS
1.AWY T333 SRT-LESRI SEGMENT CLOSED.
2.AWY M860 EFFEZ-SRT SEGMENT CLOSED.
3.AWY T306 SRT-ABDIK SEGMENT CLOSED.
VERTICAL LIMITS: FL170-FL260

*LTAAA2683/26 (23 JUN 26)

"SEE NOTAM: A2679/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT FIRING) AS FOLLOWS
1.AWY L/UL614 ULSAB-DERIL SEGMENT CLOSED.
2.AWY M/UM860 RENGİ-EFFEZ SEGMENT CLOSED.
3.AWY M/UM688 ULTED-RATVO SEGMENT CLOSED.
4.AWY UT253 RENGİ-OTKEP SEGMENT CLOSED.
5.AWY UT301 ULTED-YKV SEGMENT CLOSED.
6.AWY T/UT36 ULTED-ALRAM SEGMENT CLOSED.
7.AWY UT888 ALRAM-BAYIR SEGMENT CLOSED.
8.AWY UL718 ULSAB-ESOTA SEGMENT CLOSED.
9.AWY T/UT333 BEYAZ-ESOTA SEGMENT CLOSED.
10.AWY T/UT332 BEYAZ-EFFEZ SEGMENT CLOSED.
11.AWY T301 NARLI-YKV SEGMENT CLOSED.
12.AWY R/UR21 KABAN-SRT SEGMENT CLOSED.
13.AWY T/UT306 SRT-ABDIK SEGMENT CLOSED.
VERTICAL LIMITS FOR ABOVE RTS: FL240-FL310
14.HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW),ACFT PLANNING TAKE-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW WHEN DEEMED NECESSARY BY ATC
ROUTE: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-
YKV VOR(373257N0441433E)
MAG TRACK: 137/317(VAN VOR-YKV VOR)
DISTANCE:
BTN VAN VOR-RUPOM 48.1NM
BTN RUPOM-YKV VOR 22.0NM
FLIGHT LEVELS:
BTN VAN VOR-RUPOM FL220
BTN RUPOM-YKV VOR MIN FL180"

*LTAAA2679/26 (23 JUN 26)

"EXERCISE WILL TAKE PLACE (WITHOUT FIRING) (H24)
AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED
AREA: 373700N0443600E 375000N0413000E 382000N0413000E
382034N0432322E 375755N0441520E 375312N0441322E 375121N0441754E
375038N0442316E 374513N0442817E 374603N0443342E 374218N0443637E
373923N0443329E 373700N0443600E

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV ,LTCL, LTCW , LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM. THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC UNIT IMMEDIATELY.
IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY WITHIN EXERCISE AREA BY MEANS OF CIVIL/MILITARY COORDINATION
TRAFFIC FLYING ON AWYS G/UG8, T/UT888 AND T/UT36 SHALL MAKE AVOIDANCE MANEUVERS TO THE NORTH OF THE AWY IN ORDER TO AVOID FIRING EXERCISE AREAS."
F) 24000FT AMSL
G) 31000FT AMSL

*LTAAA2677/26 (23 JUN 26)

"EXERCISE WILL TAKE PLACE(WITHOUT FIRING) (H24) .
AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 375000N0413000E 372200N0413000E 372200N0423000E
374600N0423000E 375000N0413000E

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 42/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV, LTCL, LTCW, LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM. THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC UNIT IMMEDIATELY. IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY WITHIN EXERCISE AREA BY MEANS OF CIVIL/MILITARY COORDINATION. TRAFFIC FLYING ON AWYS R/UR21, M/UM860 AND UT334 SHALL MAKE AVOIDANCE MANEUVERS TO THE WEST OF THE AWY IN ORDER TO AVOID FIRING EXERCISE AREAS."

F) 17000FT AMSL
G) 26000FT AMSL

LTAAA2369/26 (06 JUN 26)

RNAV AIR CORRIDOR IDENTIFIED AS UM861 REVISED AS FOLLOWS:

BTN NISAP-TEVDA TRACK MAG:318/138 EVEN/ODD
BTN TEVDA-BUK:317/137 EVEN/ODD
BTN BUK-RAKUR:339 EVEN

OTHER INFORMATION NOT CHANGED.

REF AIP ENR 3.2
03 JUN 26 14:15 UNTIL 03 SEP 26 13:00 ESTIMATED

LTAAA2362/26 (06 JUN 26)

"JUN 04 08 10 12 16 18 22 24 26 30 0600-2059, JUL 02 06 08 10 14 16 20 22 24 28 30 0600-2059, AUG 03 05 07 11 13 17 0600-2059"
UNMANNED ACFT TEST FLT WILL TAKE PLACE WI:
385513N0312028E 390936N0320156E 384213N0314248E 385513N0312028E
F) 13000FT AMSL
G) 35000FT AMSL

LTAAA2349/26 (06 JUN 26)

MON WED FRI 0915-1115
UNMANNED ACFT WILL TAKE PLACE
AREA: 381620N0333332E 382600N0332100E 383559N0334632E 382721N0335410E
381620N0333332E
F) SFC
G) 40000FT AMSL

*LTAAA2127/26 (21 MAY 26)

0700-1400 EXC SAT SUN
SEE NOTAM: A2125/26
ATS ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY W/UW100 SUMOL-INB SEGMENT CLSD.
2. AWY W/UW101 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2126/26 (21 MAY 26)

0700-1400 EXC SAT SUN
SEE NOTAM: A2125/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY M/UM854 SUMOL-INB SEGMENT CLSD.
2. AWY P/UP29 SUMOL-BIMVO SEGMENT CLSD.
3. AWY M/UM853 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2125/26 (21 MAY 26)

0700-1400 EXC SAT SUN
TEST FLT WILL TAKE PLACE WI (LTSA-3R):
424456N0330020E 424432N0335425E 424030N0340849E 422530N0340633E
423400N0325953E 424456N0330020E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC
G) 40000FT AMSL

*LTAAA5879/25 (01 JAN 26)

"SEE NOTAM: A5860/25
RNAV ROUTE AND SEGMENTS AFFECTED BECAUSE OF THE AIR DEFENCE ZONE AND ALTERNATIVE ROUTES ARE GIVEN BELOW:
A)
AWY UL601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA-TUNLA.
AWY L601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA
VERTICAL LIMITS:FL110-FL450

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 43/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

FLIGHTS SHALL BE PLANNED AS BELOW:
KEMER DCT ADKAR (364733N0351152E) OR
KEMER DCT ADKAR (364733N0351152E) DCT TUNLA OR
KEMER DCT ADKAR (364733N0351152E) T/UT470 MILBA OR
KEMER DCT ADKAR (364733N0351152E) DCT HTY. (MIN FL280)
DCT RAD ADKAR-MILBA SHALL NOT BE USED.

B)

CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS, SIDS, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ."

*LTAAA5862/25 (01 JAN 26)

"SEE NOTAM: A5860/25

ATS ROUTE AND SEGMENTS AFFECTED DURING THE AIR DEFENCE ZONE ARE GIVEN BELOW.

A)

AWY W/UW75 CLSD TO TFC BTN SEGMENTS KEMER-ADA.
AWY W/UW74 CLSD TO TFC BTN SEGMENTS MANAZ-ADA-MILBA.
AWY W/UW84 CLSD TO TFC BTN SEGMENTS YAPZU-ADA.
AWY W/UW717 CLSD TO TFC.
VERTICAL LIMITS: FL110-FL450

FLIGHTS SHALL BE PLANNED AS BELOW:

AWY W/UW75
KEMER DCT ADKAR (364733N-0351152E) OR
KEMER DCT ADKAR (364733N-0351152E) DCT TUNLA OR
KEMER DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
KEMER DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

AWY W/UW74
MANAZ DCT ADKAR (364733N-0351152E) OR
MANAZ DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT TUNLA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT KEMER OR
MANAZ DCT ADKAR (364733N-0351152E) DCT HTY
MIN FL280)

AWY W/UW84
YAPZU DCT ADKAR (364733N-0351152E) OR
YAPZU DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
YAPZU DCT ADKAR (364733N-0351152E) DCT KEMER OR
YAPZU DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

B)

CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS, SIDS, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ.)"

*LTAAA5860/25 (01 JAN 26)

AIR DEFENCE ZONE ESTABLISHED WITH THE FOLLOWING COORDINATES:
AREA: 365846N0352254E 370023N0352409E 370015N0353134E
365745N0353101E 365527N0352837E 365424N0352528E 365358N0352133E
365846N0352254E

NOTE: AIR TRAFFIC FLOW REGULATIONS AND ALTERNATIVE ROUTES NOTAMS SHALL BE ISSUED.

F) FL110

G) FL450

LTAAA1342/08 (08 SEP 25)

"WARNING

WITH REFERANS TO THE NOTE IN REMARKS COLUMN OF TURKISH AIP PAGES ENR 3.1-5, ENR 3.1-25, ENR 3.2-5, ENR 3.2-25, ENR 3.3-16 AND ENR 3.4-16 THE SEGMENT OF ATS ROUTES A/UA 28 BTN MUT-DOREN, AND THE SEGMENT OF ATS ROUTES N/UN131 AND W/UW83 BTN AYT VOR-DOREN WILL ONLY BE AUTHORIZED FOR TRAFFIC TO OR FROM ERCAN AIRPORT (LCEN). ALL OPERATORS SHALL FILE FLIGHT PLANS IN ACORDANCE WITH THESE REGULATIONS."

LTAAA5712/22 (17 OCT 23)

"AMEND TO READ AWY B/UB545 MUT VOR COORDINATE AS 365146N0331730E INSTEAD OF 373906N0321213E
REF AIP ENR 3.1.10 , ENR 3.2.10"

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 44/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LTBB / ISTANBUL FIR

LTAAA2921/26 (01 JUL 26)

"PLEASE AMEND TO READ 'T/UT777(RNAV 5)' INSTEAD OF
'P/UP777(RNAV5)' AT AIP TURKIYE ENR 3.2

REF AIP TURKIYE ENR 3.2, 4.4, 6.1"

LTAAA2897/26 (01 JUL 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED
OCCASSIONALLY IN SOME PARTS OF TURKISH AIRSPACE.
PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN
TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSSES.
30 JUN 26 08:00 UNTIL 30 SEP 26 08:00 ESTIMATED

LTAAA2891/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF ENR 2.1 FIR,UIR,TMA, ENR 3.2 AREA NAVIGATION(RNAV)
ROUTES, ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS, ENR
5.1 PROHIBITED, RESTRICTED AND DANGER AREAS, ENR 6.1 ATS/RNAV ROUTE
CHART, GEN 0.2 RECORD OF AIP AMENDMENTS, GEN 0.3 RECORD OF AIP
SUPPLEMENTS, GEN 0.4 CHECKLIST OF AIP PAGES"

*LTAAA2794/26 (25 JUN 26)

0500-1400 EXC SAT SUN
EXERCISE(SUPERSONIC SPEED) WILL TAKE PLACE WI IZMIR
TMA:391757N0263816E 392238N0265728E 390635N0265920E 390000N0270000E
385818N0265750E 390132N0264535E 391757N0263816E
F) 23000FT AMSL
G) 50000FT AMSL

LTAAA2761/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE
AREA: 403640N0260513E 403419N0260304E 402537N0262018E
403032N0263635E 403757N0263201E 403605N0262720E 403640N0260513E
F) 10000FT AMSL
G) 35000FT AMSL

LTAAA2760/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE.
AREA: 404615N0261531E 403640N0260513E 403605N0262720E
404640N0265343E 404745N0265340E 404615N0261531E
F) 3000FT AMSL
G) 35000FT AMSL

LTAAA2762/26 (25 JUN 26)

UNMANNED ACFT WILL TAKE PLACE WI AREA:
403757N0263201E 403032N0263635E 403554N0265013E
404330N0264547E 403757N0263201E
F) SFC
G) 35000FT AMSL

LTAAA3208/06 (27 SEP 25)

"NAVIGATIONAL WARNING TO ALL CONCERNED:
THE CONSIDERABLE PORTION OF THE AWYS G/UG18,L/UL609,R/UR19 AND
L/UL995 CROSS OVER THE SOVEREIGN AIR SPACE OF TURKEY AND REMAINS
WITHIN MILAS TMA.FOR THE SAFETY OF FLIGHTS AND SECURITY REASONS,
ALL AIRCRAFT USING LARKI 3723.9N-02650.3E RHODES PORTION OF THE AWYS
G/UG18,L/UL609,AND:KOPAR 3650.9N-02642.0E RHODES PORTION OF THE AWYS
R/UR19,L/UL995 SHALL ALWAYS FLY AT OR ABOVE FL250 DURING THEIR
FLIGHTS WITHIN TURKISH AIRSPACE."

BGR / BULGARIA

N I L

LBSR / SOFIA FIR

LBSFA0880/26 (06 AUG 26)

"UKRAINE CRISIS:
ONGOING MILITARY ACTIVITY IN UKRAINE AND
ALONG BORDER UKRAINE/RUSSIA AND ALONG BORDER UKRAINE/BELARUS
AS WELL AS THE USE OF WIDE RANGE OF GROUND AND AIRBORNE WARFARE
SYSTEMS POSES A HIGH RISK FOR CIVIL FLIGHTS OPERATING AT ALL
ALTITUDES AND FLIGHT LEVELS.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 45/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY THE REPUBLIC OF BULGARIA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHTS PERFORMED WITH BULGARIAN ACFT REGISTRATION ARE REQUESTED TO:
- NOT ENTER FIR LVIV /UKLV/, FIR KYIV /UKBV/, UIR KYIV /UKBU/,
FIR DNIPROPETROVSK /UKDV/, FIR SIMFEROPOL /UKFV/ AND
FIR ODESA /UKOV/."
30 JUL 26 11:53 UNTIL 27 OCT 26 23:59 ESTIMATED

LBSFA0879/26 (06 AUG 26)

"BULGARIAN AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY BULGARIAN CAA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHTS PERFORMED WITH BULGARIAN ACFT REGISTRATION, ARE NOT ALLOWED TO CONDUCT OPERATIONS IN BELARUSIAN AIRSPACE /FIR MINSK - UMMV/ UNLESS THE USE OF THAT AIRSPACE IS DEEMED NECESSARY TO ENSURE SAFE OPERATION IN CASE OF UNFORESEEN CIRCUMSTANCES. FOREIGN AIR CARRIERS INBOUND EU ARE RECOMMENDED TO AVOID BELARUS MINSK FIR /UMMV/."
30 JUL 26 11:48 UNTIL 27 OCT 26 23:59 ESTIMATED

LBSFA0867/26 (06 AUG 26)

GNSS JAMMING AND SPOOFING OCCURRENCES HAVE BEEN REPORTED WITHIN LBSR FIR. CONVENTIONAL NAVAIDS AVAILABLE.
AIR CREWS TO REMAIN VIGILANT AND REPORT TO ATC.
27 JUL 26 07:57 UNTIL 26 OCT 26 12:00 ESTIMATED

LBSFA0830/26 (06 AUG 26)

"DME VIT CH 81Y RANGE OF OPR:
SECTOR 029DEG - 090DEG 100NM,
SECTOR 091DEG - 028DEG 160NM."
14 JUL 26 07:05 UNTIL 09 OCT 26 12:00 ESTIMATED

LBSFA0767/26 (06 AUG 26)

"AIRCRAFT OPERATED BY BELARUSIAN AIR CARRIERS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS, ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY TERRITORY OF THE REPUBLIC OF BULGARIA, EXCEPT IN THE CASE OF AN EMERGENCY LANDING, AN EMERGENCY OVERFLIGHT OR HUMANITARIAN FLIGHTS.
NOTE:
HUMANITARIAN FLIGHTS ARE REQUIRED TO OBTAIN PRIOR PERMISSION BY THE BULGARIAN MINISTRY OF FOREIGN AFFAIRS - CONSULAR DEPARTMENT FOR OPERATIONS TO/FROM THE AIRPORTS OR OVERFLYING THE TERRITORY OF REPUBLIC OF BULGARIA."
01 JUL 26 14:59 UNTIL 24 SEP 26 23:59 ESTIMATED

LBSFA0766/26 (06 AUG 26)

"UKRAINIAN CRISIS:
IT SHALL BE PROHIBITED FOR ANY ACFT OPERATED BY RUSSIAN AIR CARRIERS, OR FOR ANY RUSSIAN REGISTERED ACFT, OR FOR ANY NON-RUSSIAN-REGISTERED ACFT WHICH IS OWNED OR CHARTERED, OR OTHERWISE CONTROLLED BY ANY RUSSIAN NATURAL OR LEGAL PERSON, ENTITY OR BODY, TO LAND IN, TAKE-OFF FROM OR OVERFLY THE TERRITORY OF THE REPUBLIC OF BULGARIA.
THE PROHIBITION SHALL NOT APPLY IN THE CASE OF AN EMERGENCY LANDING OR AN EMERGENCY OVERFLIGHT AND TO ACFT THAT HAVE A MAXIMUM SEATING CAPACITY OF 4 PERSONS AND A MAXIMUM TAKE-OFF MASS OF NO MORE THAN 2000KG WHEN USED FOR PRIVATE, NON-CORPORATE, FLIGHTS FOR RECREATIONAL PURPOSES OR FOR THE PURPOSE OF TRAINING FOR PRIVATE PILOT LICENSES AND RELATED RATINGS WITH UNION TRAINING PROVIDERS."
01 JUL 26 14:57 UNTIL 24 SEP 26 23:59 ESTIMATED

ROU / ROMANIA
N I L

LRBB / BUCHAREST FIR

LRBBP4218/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 18:00
"DANGER AREA ACTIVATED:
SPORT FLT AND PJE WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF COORD 463200N0243145E WITH 5KM RADIUS
DANGER AREA ACTIVATED, CONTACT ON 119.080
SPORTS ACT OF ACFT AND PJE

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 46/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

EXPECT RADAR VECTORING"
F) GND
G) FL110

LRBBP4209/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 12:00
DANGER AREA ACTIVATED
PJE WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF
COORD 441201N0260824E WITH 4.7NM RADIUS
EXPECT RADAR VECTORING
F) GND
G) FL110

LRBBF8714/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:59
TEMPORARY SEGREGATED AREA ACTIVATED.
UNMANNED ACFT FLT WILL TAKE PLACE INTO THE FLW AREA:
451312N0272538E-451155N0272838E-451107N0273029E-450954N0272929E
450556N0272613E-450753N0272117E-451312N0272538E
RESERVED AREA CONTACT 119.080
ACT UAV
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL130

LRBBP4213/26 (16 AUG 26)

17 AUG 2026 04:00-17 AUG 2026 17:35
DANGER AREA ACTIVATED.
SPORT FLT AND PJE WILL TAKE PLACE INTO THE FLW AREA:
454308N0253253E-454056N0253039E-453921N0253347E-454129N0253605E
454308N0253253E
RESERVED AREA SPORTS ACT OF ACFT AND PJE CONTACT ON 135.210
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4212/26 (16 AUG 26)

17 AUG 2026 06:30-17 AUG 2026 17:20
DANGER AREA ACTIVATED:
SPORT FLT AND PJE WILL TAKE PLACE INTO A CIRCLE CENTERED
ON POINT OF COORD 441800N0255600E WITH 6NM RADIUS
RESERVED AREA CONTACT ON 128.305
SPORTS ACT OF ACFT AND PJE
EXPECT RADAR VECTORING
F) FL060
G) FL130

LRBBP4208/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 17:20
DANGER AREA LRD105 ZARNESTI ACTIVATED. PJE
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL120

LRBBP4205/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 17:20
DANGER AREA ACTIVATED
PJE WILL TAKE PLACE INTO THE FLW AREA:
453351N0251259E-453403N0251241E-453445N0251345E-453429N0251405E
453351N0251259E
EXPECT RADAR VECTORING
F) GND
G) FL150

LRBBP4207/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 17:20
DANGER AREA ACTIVATED.
PJE WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF
COORD 454138N0253047E WITH 6NM RADIUS
EXPECT RADAR VECTORING
F) GND
G) FL150

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 47/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LRBBP4206/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 17:20
DANGER AREA ACTIVATED
PJE WILL TAKE PLACE INTO THE FLW AREA:
452045N0252908E-452053N0252757E-452313N0252832E-452309N0252942E
452045N0252908E
EXPECT RADAR VECTORING
F) GND
G) FL150

LRBBP4204/26 (16 AUG 26)

17 AUG 2026 07:45-17 AUG 2026 14:00
0745-0945 1130-1400
DANGER AREA ACTIVATED.
MIL FLT WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT
OF COORD 453437N0275451E WITH 20NM RADIUS
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL150

LRBBP4201/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
DANGER AREA LRD38B SMARDAN-MALINA ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4199/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
DANGER AREA LRD10B CINCU ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4198/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
DANGER AREA LRD08B CINCU ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4203/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
0500-0745 0945-1130 1400-2000
DANGER AREA LRD39B SMARDAN-MALINA ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4195/26 (16 AUG 26)

17 AUG 2026 00:00-17 AUG 2026 23:59
DANGER AREA LRD06B CAP MIDIA (CONSTANTA) ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4197/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
DANGER AREA LRD07B CAP MIDIA 2 (CONSTANTA) ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4193/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
DANGER AREA LRD03B BOGATA-TURDA (CLUJ-ALBA) ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 48/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

F) GND
G) FL285

LRBBP4192/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
DANGER AREA LRD01B BABADAG (TULCEA) ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBM4798/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO THE FLW AREA:
460308N0275815E-452835N0275040E-453052N0264117E-460300N0264925E
460308N0275815E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 300FT AGL
G) 2000FT AGL

LRBBM4797/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-442146N0272328E-450200N0263522E-453535N0262054E
454842N0264553E-452920N0272912E-443512N0275617E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 300FT AGL
G) 2000FT AGL

LRBBM4796/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-444821N0274110E-445734N0270900E
445804N0264843E-451400N0262927E-451426N0262207E-452900N0261517E
454000N0260100E-455123N0260816E-452928N0260711E-460213N0260331E
460408N0261802E-455123N0260816E-454000N0260100E-452900N0261517E
451426N0262207E-451400N0262927E-445804N0264843E-445734N0270900E
444821N0274110E-440919N0273125E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM4795/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442332N0274336E-443800N0274600E-450952N0272551E-453030N0275250E
454011N0275448E-454100N0274500E-451542N0275850E-443800N0274600E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM4794/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-451300N0265800E-453440N0255602E
460943N0242117E-463015N0235320E-471454N0215135E-463015N0235320E
471611N0245425E-462304N0245800E-460943N0242117E-453440N0255602E
451300N0265800E-443828N0274613E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM4791/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-441240N0275755E-434900N0283800E-435900N0284100E
441200N0284200E-445000N0285600E-445112N0285308E-444151N0283737E
443300N0280200E-442332N0274336E

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 49/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM4790/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443820N0283150E-445225N0285721E-444118N0285943E
441200N0284200E-435900N0284100E-434900N0283800E-441240N0275755E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM4793/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-451712N0252918E-450952N0272551E
454100N0271200E-463100N0265400E-454100N0271800E-461132N0280706E
451131N0275407E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM4792/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-441757N0275415E-442332N0274336E-453052N0264117E
451917N0275213E-451416N0273818E-451300N0265800E-463100N0265400E
463000N0235300E-445707N0260844E-442151N0282903E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBP4188/26 (16 AUG 26)

17 AUG 2026 07:45-17 AUG 2026 14:00
0745-0945 1130-1400
TEMPORARY RESERVED AREA LRTRA111A ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL065
G) FL280

LRBBP4186/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA73G
LRTRA73L
LRTRA73M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4184/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA71G
LRTRA71L
LRTRA71M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4190/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREA ACTIVATED.
MIL FLT WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF
COORD 463009N0235310E WITH 6NM RADIUS
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL075

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 50/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

G) FL280

LRBBP4183/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA68G
LRTRA68L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4185/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA72G
LRTRA72L
LRTRA72M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBM4788/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443800N0274600E-450952N0272551E-451312N0272538E
443800N0274600E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM4786/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 16:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442100N0282700E-443248N0281248E-452948N0263340E-452906N0262616E
462304N0245800E-452948N0263340E-443248N0281248E-442100N0282700E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM4785/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 16:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442100N0282700E-441757N0275415E-453346N0272307E-451917N0275213E
451416N0273818E-450703N0274405E-451300N0265800E-463100N0265400E
462912N0253532E-463015N0235320E-444143N0265843E-443921N0273917E
442332N0274336E-442151N0282903E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM4784/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 16:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442100N0282700E-443248N0281248E-444926N0280552E-453346N0272307E
451917N0275213E-451416N0273818E-444926N0280552E-443248N0281248E
442100N0282700E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM4783/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 16:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442100N0282700E-443820N0283150E-444151N0283737E-444534N0282900E
444151N0283737E-443820N0283150E-442100N0282700E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 51/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LRBBM4789/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:

442332N0274336E-442151N0282903E-450952N0272551E-454100N0271200E

463100N0265400E-454100N0271200E-450952N0272551E-442151N0282903E

442332N0274336E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) 500FT AGL G) FL105

LRBBM4787/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:

442332N0274336E-443300N0280200E-442151N0282903E-451300N0265800E

443828N0274613E-442332N0274336E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) 1500FT AGL G) FL105

LRBBM4782/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 19:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:

451300N0265800E-452254N0270722E-451400N0271700E-452935N0272114E

452400N0275500E-452800N0275700E-452400N0275500E-452000N0274000E

451400N0271700E-452254N0270722E-451300N0265800E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) 1000FT AGL G) FL105

LRBBM4781/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 17:20

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF
COORD 463119N0265437E WITH 15NM RADIUS

FLT WILL BE COOR BTN CIV AND MIL ATC

F) GND G) FL105

LRBBP4178/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA64G

LRTRA64L

LRTRA64M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

LRBBP4177/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA63G

LRTRA63L

LRTRA63M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

LRBBP4180/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA66G

LRTRA66L

LRTRA66M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 52/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LRBBP4176/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA62G
LRTRA62L
LRTRA62M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4179/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA65G
LRTRA65L
LRTRA65M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4170/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREA LRTRA52G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4174/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA60G
LRTRA60L
LRTRA60M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4169/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 19:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA51G
LRTRA51L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4166/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA47L
LRTRA47M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL280

LRBBP4175/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA61G
LRTRA61L
LRTRA61M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 53/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

G) FL280

LRBBP4173/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA55L
LRTRA55M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBP4172/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA54L
LRTRA54M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBP4182/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA67L
LRTRA67M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL280

LRBBP4171/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREA LRTRA53G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4156/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA36G
LRTRA36L
LRTRA36M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4162/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA44G
LRTRA44L
LRTRA44M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4161/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREA LRTRA43M ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL200
G) FL280

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 54/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LRBBP4158/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREA LRTRA40 ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4157/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA37G
LRTRA37L
LRTRA37M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4160/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA43G
LRTRA43L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4154/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA34L
LRTRA34M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL065
G) FL280

LRBBP4155/26 (16 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 21:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA35L
LRTRA35M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL070
G) FL280

LRBBP4159/26 (16 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA42G
LRTRA42L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4149/26 (16 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 17:20
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA12G
LRTRA12L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 55/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LRBBP4148/26 (16 AUG 26)

17 AUG 2026 07:45-17 AUG 2026 14:00
0745-0945 1130-1400
TEMPORARY RESERVED AREA LRTRA111C ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL280
G) FL660

LRBBP4130/26 (15 AUG 26)

16 AUG 2026 06:30-16 AUG 2026 17:30
DANGER AREA ACTIVATED:
SPORT FLT AND PJE WILL TAKE PLACE INTO A CIRCLE CENTERED
ON POINT OF COORD 441800N0255600E WITH 6NM RADIUS
RESERVED AREA CONTACT ON 128.305
SPORTS ACT OF ACFT AND PJE
EXPECT RADAR VECTORING
F) FL060
G) FL130

LRBBP4137/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 18:00
"DANGER AREA ACTIVATED:
SPORT FLT AND PJE WILL TAKE PLACE INTO A CIRCLE CENTERED
ON POINT OF COORD 463200N0243145E WITH 5KM RADIUS
DANGER AREA ACTIVATED, CONTACT ON 119.080
SPORTS ACT OF ACFT AND PJE
EXPECT RADAR VECTORING"
F) GND
G) FL110

LRBBP4127/26 (15 AUG 26)

16 AUG 2026 06:00-16 AUG 2026 18:00
DANGER AREA ACTIVATED:
PJE WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT
OF COORD 435907N0283649E WITH 3.5NM RADIUS
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4126/26 (15 AUG 26)

16 AUG 2026 06:30-16 AUG 2026 17:50
DANGER AREA ACTIVATED
PJE WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF
COORD 462854N023553E WITH 1.5NM RADIUS
EXPECT RADAR VECTORING
F) GND
G) FL140

LRBBP4125/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
DANGER AREA LRD39B SMARDAN-MALINA ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4123/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
DANGER AREA LRD38B SMARDAN-MALINA ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4121/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
DANGER AREA LRD07B CAP MIDIA 2 (CONSTANTA) ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4119/26 (15 AUG 26)

16 AUG 2026 00:00-16 AUG 2026 23:59

official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 56/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

DANGER AREA LRD06B CAP MIDIA (CONSTANTA) ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBP4117/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
DANGER AREA LRD01B BABADAG (TULCEA) ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL285

LRBBM4780/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO THE FLW AREA:
460308N0275815E-452835N0275040E-453052N0264117E-460300N0264925E
460308N0275815E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 300FT AGL G) 2000FT AGL

LRBBM4779/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-442146N0272328E-450200N0263522E-453535N0262054E
454842N0264553E-452920N0272912E-443512N0275617E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 300FT AGL G) 2000FT AGL

LRBBM4778/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-444821N0274110E-445734N0270900E
445804N0264843E-451400N0262927E-451426N0262207E-452900N0261517E
454000N0260100E-455123N0260816E-452928N0260711E-460213N0260331E
460408N0261802E-455123N0260816E-454000N0260100E-452900N0261517E
451426N0262207E-451400N0262927E-445804N0264843E-445734N0270900E
444821N0274110E-440919N0273125E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM4777/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442332N0274336E-443800N0274600E-450952N0272551E-453030N0275250E
454011N0275448E-454100N0274500E-451542N0275850E-443800N0274600E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM4776/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-451300N0265800E-453440N0255602E
460943N0242117E-463015N0235320E-471454N0215135E-463015N0235320E
471611N0245425E-462304N0245800E-460943N0242117E-453440N0255602E
451300N0265800E-443828N0274613E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM4775/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-451712N0252918E-450952N0272551E
454100N0271200E-463100N0265400E-454100N0271800E-461132N0280706E

451131N0275407E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM4774/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-441757N0275415E-442332N0274336E-453052N0264117E
451917N0275213E-451416N0273818E-451300N0265800E-463100N0265400E
463000N0235300E-445707N0260844E-442151N0282903E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM4773/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-441240N0275755E-434900N0283800E-435900N0284100E
441200N0284200E-445000N0285600E-445112N0285308E-444151N0283737E
443300N0280200E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM4772/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443820N0283150E-445225N0285721E-444118N0285943E
441200N0284200E-435900N0284100E-434900N0283800E-441240N0275755E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM4771/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-442151N0282903E-450952N0272551E-454100N0271200E
463100N0265400E-454100N0271200E-450952N0272551E-442151N0282903E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM4769/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443300N0280200E-442151N0282903E-451300N0265800E
443828N0274613E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM4770/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443800N0274600E-450952N0272551E-451312N0272538E
443800N0274600E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM4764/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 19:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
451300N0265800E-452254N0270722E-451400N0271700E-452935N0272114E
452400N0275500E-452800N0275700E-452400N0275500E-452000N0274000E
451400N0271700E-452254N0270722E-451300N0265800E
FLT WILL BE COOR BTN CIV AND MIL ATC

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 58/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

F) 1000FT AGL G) FL105

LRBBM4763/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 17:20

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF

COORD 463119N0265437E WITH 15NM RADIUS

FLT WILL BE COOR BTN CIV AND MIL ATC

F) GND G) FL105

LRBBP4113/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA72G

LRTRA72L

LRTRA72M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

LRBBP4111/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA68G

LRTRA68L

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL200

LRBBP4107/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA65G

LRTRA65L

LRTRA65M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

LRBBP4108/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA66G

LRTRA66L

LRTRA66M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

LRBBP4112/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA71G

LRTRA71L

LRTRA71M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

EXPECT RADAR VECTORING

F) GND

G) FL280

LRBBP4106/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00

TEMPORARY RESERVED AREAS ACTIVATED:

LRTRA64G

LRTRA64L

LRTRA64M

MIL FLT

FLT WILL BE COOR BTN CIV AND MIL ATC

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 59/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4110/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA67L
LRTRA67M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL280

LRBBP4114/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA73G
LRTRA73L
LRTRA73M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4103/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA61G
LRTRA61L
LRTRA61M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4099/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREA LRTRA53G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4094/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREA LRTRA43M ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL200
G) FL280

LRBBP4100/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA54L
LRTRA54M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBP4097/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 19:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA51G
LRTRA51L
MIL FLT AND PJE
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 60/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LRBBP4105/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA63G
LRTRA63L
LRTRA63M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4095/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 17:20
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA44G
LRTRA44L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBP4104/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA62G
LRTRA62L
LRTRA62M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4101/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA55L
LRTRA55M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBP4102/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA60G
LRTRA60L
LRTRA60M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4098/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREA LRTRA52G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBP4092/26 (15 AUG 26)

16 AUG 2026 07:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA42G
LRTRA42L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 61/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LRBBP4091/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREA LRTRA40 ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBP4093/26 (15 AUG 26)

16 AUG 2026 05:00-16 AUG 2026 20:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA43G
LRTRA43L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBA4246/26 (02 AUG 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S
30 JUL 26 05:54 UNTIL 31 AUG 26 23:00 ESTIMATED

LRBBA4162/26 (02 AUG 26)

"FLIGHT RESTRICTIONS
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION - ROMANIAN
AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN ROMANIA SHALL
NOT ENTER FIR KYIV (UKBU), FIR LVIV (UKLV), FIR KYIV (UKBV),
FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV), FIR ODESA
(UKOV), FIR ROSTOV-NA-DONU (URRV).
SAID OPERATORS AND AICRAFT OWNERS SHALL ALSO AVOID FLIGHT
OPERATIONS WITHIN THE BUFFER ZONE EXTENDING OUT TO 200NM ALONG
THE UKRAINE/RUSSIA BORDER.
OPERATIONS WITHIN THE FIR CHISINAU (LUUU) AIRSPACE SHALL ONLY
BE UNDERTAKEN IN COMPLIANCE WITH APPLICABLE AERONAUTICAL
PUBLICATIONS ISSUED BY REPUBLIC OF MOLDOVA.
OPERATORS ARE REMINDED THAT OPERATIONS WITHIN FIR MINSK (UMMV)
ARE PROHIBITED IN ACCORDANCE WITH EASA SAFETY DIRECTIVES
SD-2021-02 AND SD-2021-03.
ADDITIONAL RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS SHALL
BE TAKEN BEFORE OPERATING IN THE FOLLOWING AIRSPACE:
MOSCOW (UUWV)"
27 JUL 26 06:59 UNTIL 27 OCT 26 23:59 ESTIMATED

LRBBA4161/26 (02 AUG 26)

"FLIGHT RESTRICTIONS.
UKRAINIAN CRISIS - ALL RUSSIAN REGISTERED AIRCRAFT AND AIRCRAFT
OWNED, CHARTERED OR OPERATED BY NATURAL OR LEGAL PERSONS FROM
THE RUSSIAN FEDERATION OR BY OPERATORS HOLDING AIR OPERATOR
CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION AUTHORITIES
ARE PROHIBITED TO ENTER, EXIT OR OVERFLY ROMANIAN AIRSPACE
EXCEPT HUMANITARIAN, SAR AND LEASED AIRCRAFT ONE-WAY RETURN
FLIGHTS WITH THE PERMISSION OF THE APPROPRIATE ROMANIAN
AUTHORITIES AND IN CASE OF EMERGENCY LANDING OR EMERGENCY
OVERFLIGHT."
27 JUL 26 06:58 UNTIL 27 OCT 26 23:59 ESTIMATED

LRBBA3810/26 (08 JUL 26)

"GNSS OUTAGE:
OCCASIONALLY GNSS SIGNAL JAMMING AND/OR POSSIBLE SPOOFING
WERE ENCOUNTERED AND REPORTED BY ACFT OVERFLYING OR LANDING IN
BUCURESTI FIR. AIRCREWS SHALL EXERCISE CAUTION WHEN USING
FLIGHT NAVIGATION BASED ON THESE SENSORS IN DIFFERENT
PHASES OF THE FLIGHT. IN BUCURESTI FIR CONVENTIONAL NAVIGATION
INFRASTRUCTURE AVAILABLE. FOR MORE INFORMATION, ALSO CONSULT
EASA SIB NO. 2022-02R4"

LRBBA3527/26 (25 JUN 26)

TRIGGER NOTAM - AIRAC AIP AMDT 08/26 EFFECTIVE DATE 06 AUG 2026
GEN - RECORD OF AIP SUPPLEMENTS UPDATED
ENR - NEW SIGNIFICANT POINT - EVJOG
AD - LRSP - CHANGE OF OPERATIONAL HOURS
- NEW OLS OBSTACLES
- CHANGE OF RWY PHYSICAL CHARACTERISTICS
- UPDATE OF LOCAL AERODROME REGULATIONS
- LRBV - NEW IAC - VOR RWY 21

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 62/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LRBBA3459/26 (23 JUN 26)

"OPERATIONS IN FLIGHT INFORMATION REGIONS

ONGOING MILITARY ACTIVITY IN UKRAINE AND ALONG THE BORDER OF UKRAINE/RUSSIA AND USE OF A WIDE RANGE OF GROUND AND AIRBORNE WARFARE SYSTEMS POSES A HIGH RISK FOR CIVIL FLIGHTS OPERATING AT ALL ALTITUDES AND FLIGHT LEVELS.

ROMANIAN AIR OPERATORS AND OWNERS OF ACFT REGISTERED IN ROMANIA ARE ADVISED NOT TO ENTER FIR LVIV (UKLV), FIR KYIV (UKBV), FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV), FIR ODESA (UKOV), FIR ROSTOV (URRV) AND TO TAKE ALL POTENTIAL RISK INTO ACCOUNT IN RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS WHEN OPERATING 200NM SURROUNDING THE BORDERS WITH UKRAINE IN THE FIR MOSCOW (UUWW) AND FIR ROSTOV (URRV)."

22 JUN 26 06:37 UNTIL 21 SEP 26 23:59 ESTIMATED

HUN / HUNGARY

N I L

LHCC / BUDAPEST FIR

LHBPA5619/26 (16 AUG 26)

17 AUG 2026 05:30-17 AUG 2026 09:30

SAR HELICOPTER IN EAST SECTOR IS NOT AVBL FOR ALERTING.
WEST SECTOR SAR AT LHPA IS RESPONSIBLE IN LHCC FIR.

*LHBPA5540/26 (14 AUG 26)

17 AUG 2026 00:00-23 AUG 2026 23:59

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS AND UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:

480305N0204807E
481105N0210601E
481610N0213840E
474622N0223329E

STATE BORDER

473104N0220055E
474137N0215008E
474730N0213710E
474559N0213335E

480305N0204807E (KP FIXW HIGH).

THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP HUNGARY ENR 5.3.

FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.

F) 9500FT AMSL

G) FL315

*LHBPA5541/26 (14 AUG 26)

17 AUG 2026 00:00-23 AUG 2026 23:59

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY AND UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:

481610N0213840E
482628N0213837E
STATE BORDER

482145N0215325E
475109N0224631E
474622N0223329E

481610N0213840E (WILEY CORRIDOR).

THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP HUNGARY ENR 5.3.

FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.

F) 9500FT AMSL

G) FL315

*LHBPA5539/26 (14 AUG 26)

17 AUG 2026 00:00-23 AUG 2026 23:59

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS AND UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:

480305N0204807E
474559N0213335E
474730N0213710E
474137N0215008E
473104N0220055E

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 63/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

STATE BORDER
471828N0215336E
474133N0203516E
480305N0204807E (KP FW SOUTH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA5526/26 (14 AUG 26)

17 AUG 2026 00:00-23 AUG 2026 23:59
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481635N0201511E
STATE BORDER
482803N0202838E
474133N0203516E
471828N0215336E
STATE BORDER
470908N0214816E
473429N0202124E
481635N0201511E (PITOK-MEGIK).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) FL245
G) FL315

LHBPA5489/26 (10 AUG 26)

"PILOTS OF UNMANNED AIRCRAFT ARE ADVISED THAT WITHIN 30 KM ZONE
ALONG THE UKRAINIAN STATE BORDER IN SZABOLCS-SZATMAR-BEREG COUNTY,
INTERFERENCE AFFECTING UAS COMMAND, CONTROL AND GNSS SIGNALS MAY
OCCUR.
THE INTERFERENCE MAY RESULT IN DEGRADED OR LOST COMMUNICATION,
NAVIGATION OR CONTROL CAPABILITIES OF UNMANNED AIRCRAFT, WHICH MAY
POSE A SAFETY RISK TO UAS OPERATIONS. UAS OPERATORS ARE STRONGLY
ADVISED TO AVOID OPERATIONS IN THE AFFECTED AREA DUE TO POSSIBLE
INTERFERENCE WITH COMMAND, CONTROL AND GNSS SIGNALS."
10 AUG 26 08:30 UNTIL 24 AUG 26 12:30 ESTIMATED

*LHBPA5235/26 (05 AUG 26)

10 AUG 2026 00:00-16 AUG 2026 23:59
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO UNMANNED ACFT AND MILITARY
OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
480305N0204807E
481105N0210601E
481610N0213840E
474622N0223329E
STATE BORDER
473104N0220055E
474137N0215008E
474730N0213710E
474559N0213335E
480305N0204807E (KP FIXW HIGH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

*LHBPA5237/26 (05 AUG 26)

10 AUG 2026 00:00-16 AUG 2026 23:59
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO UNMANNED ACFT AND MILITARY
OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
480305N0204807E
474559N0213335E
474730N0213710E
474137N0215008E
473104N0220055E
STATE BORDER
471828N0215336E
474133N0203516E
480305N0204807E (KP FW SOUTH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 64/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

***LHBPA5231/26 (05 AUG 26)**

10 AUG 2026 00:00-16 AUG 2026 23:59
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION AIRSPACE
RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS AND UNMANNED
AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD
POINTS:
481635N0201511E
STATE BORDER
482803N0202838E
474133N0203516E
471828N0215336E
470908N0214816E
473429N0202124E
481635N0201511E (PITOK-MEGIK).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) FL245
G) FL315

***LHBPA5230/26 (31 JUL 26)**

10 AUG 2026 00:00-16 AUG 2026 23:59
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY AND UNMANNED AIRCRAFT
OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481610N0213840E
482628N0213837E
STATE BORDER
482145N0215325E
475109N0224631E
474622N0223329E
481610N0213840E (WILEY CORRIDOR).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

LHBPA4073/26 (25 JUN 26)

"HUNGARIAN ATC SERVICE IS NOT ELIGIBLE TO GIVE ENTRY OR CROSSING
CLEARANCE INTO THE UKRAINE AIRSPACE IN ANY CIRCUMSTANCES (E.G.
DURING THUNDERSTORM AVOIDING ACTION) UNLESS AIRCRAFT IS EXEMPTED
ACCORDING TO NOTAM REF NUMBER A0050/26 ISSUED BY UKKR NOF.
HUNGARIAN ATS AND SEARCH AND RESCUE IS PROVIDED ONLY WITHIN BUDAPEST
FIR. ATS IS NOT PROVIDED IN THE AIRSPACE OF UKRAINE ACCORDING TO
NOTAM REF NUMBER A0050/26 ISSUED BY UKKR NOF. ENTERING INTO THE
AIRSPACE OF UKRAINE CAN BE EXECUTED SOLELY AT PILOT DISCRETION,
HUNGARIAN ATS CANNOT GUARANTEE THE CONTACT AND/OR THE APPROVAL OF
THE UKRAINIAN ARMED FORCES FOR ENTERING INTO THE AIRSPACE OF
UKRAINE, IRRESPECTIVE OF THE REASON."
23 JUN 26 11:20 UNTIL 22 SEP 26 23:59 ESTIMATED

LHBPA4009/26 (25 JUN 26)

NATIONAL AIR SEARCH AND RESCUE SYSTEM AVAILABLE FACILITIES
CHANGED FROM FROM MI-17/H-145M TO H-145M/H-225M.
18 JUN 26 09:30 UNTIL 17 SEP 26 16:00 ESTIMATED

AUT / AUSTRIA
N I L

LOWV / VIENNA FIR

LOWWA2082/26 (14 AUG 26)

17 AUG 2026 07:45-17 AUG 2026 08:55
"MILITARY TRAINING AREA MTA PYHRN ACTIVATED:
REF AIP AUSTRIA, ENR 5.2-4.
FOR DETAILED INFORMATION ABOUT ACTIVITY CONTACT
WIEN INFORMATION FREQ 124.400MHZ, FREQ 134.625MHZ OR
MILITARY RADAR FREQ 131.030MHZ."
F) FL125
G) FL305

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 65/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LOWWA1942/26 (05 AUG 26)

17 AUG 2026 05:30-19 AUG 2026 14:00
SSR WEST ON MAINTENANCE.
REF AIP AUSTRIA ENR 1.6

LOWWA1621/26 (29 JUN 26)

"REF AIP AUSTRIA, ENR 4.4, ENR 6.8, ENR 6.9.
REMARKS/FRA-RELEVANCE OF FRA SIGNIFICANT POINT GESGI SHALL READ:
FRA(I). FRA(AD): LOAN"

LOWWA1531/26 (25 JUN 26)

"REF AIP AUSTRIA, GEN 3.4 ITEM 3.4.
INCREASED CPDLC USAGE WILL BE ENDEAVOURED BY ATC IN THE AREA OF
RESPONSIBILITY OF ACC WIEN AND APP LOWW.
ALL DATA LINK EQUIPPED AIRCRAFT (CPDLC ATN VDL MODE 2) ARE REQUESTED
TO LOG ON TO ACC WIEN / APP WIEN. THE DATA LINK ADDRESS FOR ACC WIEN/
APP WIEN IS LOVV.
FLIGHT CREWS SHALL EXPECT TO RECEIVE UPLINK MESSAGES ESPECIALLY IN
SITUATIONS OF HIGH RTF FREQUENCY LOAD AND ARE REQUESTED TO REACT TO
THEM ASAP."

LOWWA1533/26 (25 JUN 26)

"FOR EN-ROUTE OPERATIONS THE RESPECTIVE VOR SHALL BE SELECTED FOR
NAVIGATION INSTEAD OF THE NDB IN CASE OF HOMONYMOUS IDENTIFIERS.
THIS APPLIES TO KFT.
FLIGHT CREWS ARE ADVISED TO MONITOR THE CORRECT SELECTION OF THE VOR
FOR EN-ROUTE OPERATIONS. IN CASE THE USAGE OF THE RESPECTIVE NDB IS
REQUIRED, ATC SHALL BE INFORMED UPON INITIAL CONTACT."

DEU / GERMANY

N I L

EDUU / RHEIN UIR

N I L

EDMM / MUNICH FIR

EDDZB0673/26 (15 AUG 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO
THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
15 AUG 26 03:48 UNTIL 15 NOV 26 23:59 ESTIMATED

EDDZB0666/26 (12 AUG 26)

14 AUG 2026 16:00-16 AUG 2026 22:00
"14 1600-2200, 15 16 0500-2200"
RESTRICTED AREA EDR95A OHRDRUF ADDN ACTIVE.
F) GND
G) 13500FT AMSL

EDDZD2591/26 (08 AUG 26)

TRIGGER NOTAM - AIP SUP IFR 40/26 WEF 06 AUG 2026 - UFN.
DETERMINATION OF THE OUTER AND INNER AREAS FOR FLIGHTS WITH UNMANNED
AIRCRAFT IN CONTROL ZONES (CTR).

EDDZB0643/26 (08 AUG 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
04 AUG 26 14:05 UNTIL 03 NOV 26 23:59 ESTIMATED

EDDZB0634/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN IRAQ

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR
BAGDAD (ORBB). POTENTIAL RISK FROM MILITARY OPERATIONS,
ANTI-AVIATION WEAPONRY AND TERRORIST ATTACKS.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN CURRENTLY
APPLICABLE AIC."

EDDZB0628/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN SYRIA

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 66/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR DAMASCUS (OSTT) BELOW FL260. POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS.

CIVIL GERMAN AIR OPERATORS ARE ADVISED TO TAKE POTENTIAL RISK INTO ACCOUNT IN THEIR RISK ASSESSMENT AND ROUTING DECISIONS WITHIN FIR DAMASCUS (OSTT) AT AND ABOVE FL260. POTENTIAL RISK TO AVIATION FROM MILITARY OPERATIONS.

THIS NOTAM OVERRULES THE PROHIBITION AS PUBLISHED IN THE CURRENTLY APPLICABLE AIC."

EDDZB0601/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN JORDAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR AMMAN (OJAC). POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS."

EDDZB0592/26 (08 AUG 26)

"CORRECTION OF AIP SUP IFR 15/26 AND AIP SUP VFR 08/26 (RESTRICTED AREA EDR OTTOBEUREN) NEW TIMES OF ACTIVITY, PAGE 1 POINT 3 (TIMES OF ACTIVITY) SHOULD READ: 01 APR 2026 - 31 AUG 2026 DAILY 1930-0200."
F) GND
G) FL500

EDDZB0478/26 (23 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN TERRITORY:
IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT VALID OVERHEAD WIEN FIR (LOVV).
PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUUAAM 14-44, EDMMZUG, EDMMTEG, EDMMTRU AND EDMMSTA ARE NOT AFFECTED.
(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZB0436/26 (23 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT. POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND ARMED CONFLICTS."
03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (23 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY APPLICABLE AIC.
03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

EDGG / LANGEN FIR

EDDZB0673/26 (15 AUG 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
15 AUG 26 03:48 UNTIL 15 NOV 26 23:59 ESTIMATED

EDDZB0670/26 (13 AUG 26)

16 AUG 2026 22:00-17 AUG 2026 22:00
RESTRICTED AREAS EDR112A AND EDR112B (SENNE) DEACTIVATED.
F) GND
G) FL140

EDDZB0660/26 (10 AUG 26)

OSNABRUECK TACAN OSB CH20Y (108.35MHZ) OUT OF SERVICE.
10 AUG 26 10:14 UNTIL 17 AUG 26 10:00 ESTIMATED

EDDZD2591/26 (08 AUG 26)

TRIGGER NOTAM - AIP SUP IFR 40/26 WEF 06 AUG 2026 - UFN.
DETERMINATION OF THE OUTER AND INNER AREAS FOR FLIGHTS WITH UNMANNED AIRCRAFT IN CONTROL ZONES (CTR).

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 67/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

EDDZB0643/26 (08 AUG 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
04 AUG 26 14:05 UNTIL 03 NOV 26 23:59 ESTIMATED

EDDZB0634/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN IRAQ

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR
BAGDAD (ORBB). POTENTIAL RISK FROM MILITARY OPERATIONS,
ANTI-AVIATION WEAPONRY AND TERRORIST ATTACKS.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN CURRENTLY
APPLICABLE AIC."

EDDZB0628/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN SYRIA

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR DAMASCUS
(OSTT) BELOW FL260. POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY,
MILITARY OPERATIONS AND ARMED CONFLICTS.

CIVIL GERMAN AIR OPERATORS ARE ADVISED TO TAKE POTENTIAL RISK INTO
ACCOUNT IN THEIR RISK ASSESSMENT AND ROUTING DECISIONS WITHIN FIR
DAMASCUS (OSTT) AT AND ABOVE FL260. POTENTIAL RISK TO AVIATION
FROM MILITARY OPERATIONS.

THIS NOTAM OVERRULES THE PROHIBITION AS PUBLISHED IN THE CURRENTLY
APPLICABLE AIC."

EDDZB0603/26 (22 JUL 26)

DAILY SS PLUS30 - 2200

"PERPENDICULAR LASER 0.5NM RADIUS CENTERED ON 521511N 0075914E,
OSNABRUECK (11.4NM WNW OSNABRUECK DVOR OSN)."

F) GND
G) UNL

EDDZB0602/26 (22 JUL 26)

17 AUG 2026 04:00-28 AUG 2026 16:00
RESTRICTED AREA EDR132A (HEUBERG) DEACTIVATED.
F) GND
G) 18000FT AMSL

EDDZB0601/26 (08 AUG 26)

"SECURITY - HAZARDOUS SITUATION IN JORDAN

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR AMMAN
(OJAC). POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY
OPERATIONS AND ARMED CONFLICTS."

EDDZB0497/26 (23 JUN 26)

GEDERN TACAN GED 110.80MHZ/CH45X U/S.
25 JUN 26 06:00 UNTIL 25 SEP 26 06:00 ESTIMATED

EDDZB0483/26 (16 JUN 26)

MUENSTER/OSNABRUECK NDB MYN 371KHZ OUT OF SERVICE.

EDDZB0478/26 (23 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN
TERRITORY:

IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH
CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA
AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT
VALID OVERHEAD WIEN FIR (LOVV).

PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUAMM 14-44,
EDMMZUG, EDMTEG, EDMTRU AND EDMSTA ARE NOT AFFECTED.

(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZB0436/26 (23 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON

CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT.
POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 68/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

ARMED CONFLICTS."
03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (23 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER
FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING
CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY
APPLICABLE AIC.
03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0237/26 (16 APR 26)

WIPPER VOR WYP 109.6MHZ OUT OF SERVICE.

EDDZC1537/22 (12 JUN 22)

HAMM DVOR/DME HMM 115.65 / CH103Y RANGE OF DVOR R199 LIMITED TO
39NM.

CHE / SWITZERLAND

N I L

LSAS / SWITZERLAND FIR/UIR

*LSSNW2072/26 (14 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 14:00
0700-0900 1200-1400
R-AREA LSR39C STOOS ACT.
LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
F) 9000FT AMSL
G) FL130

*LSSNW2071/26 (14 AUG 26)

17 AUG 2026 07:00-17 AUG 2026 14:00
0700-0900 1200-1400
R-AREA LSR39B BRISEN ACT.
LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
F) 9000FT AMSL
G) FL130

LSSNB1396/26 (10 AUG 26)

LOW FLT NETWORK (LFN) RTE KY252 SEGMENT LS213-LS214
MOCA SHALL READ 5900FT INSTEAD OF 5700FT.
REF AIP SWITZERLAND ENR 3.3

LSSNA0597/26 (03 AUG 26)

"SWISS AIR CARRIERS AND COMMANDERS OF AIRCRAFT IN CHARGE OF AIR
SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY
SWITZERLAND, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO
CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER AGREEMENT
OR WITH CODE SHARING AND TO ALL FLIGHT PERFORMED WITH SWISS AIRCRAFT
REGISTRATION, ARE REQUESTED TO CONSULT EASA SIB-2021-10 AND ARE
REQUESTED TO AVOID MINSK FIR (UMMV).
FOREIGN AIR CARRIERS INBOUND SWITZERLAND ARE RECOMMENDED TO AVOID
MINSK FIR (UMMV)."
03 AUG 26 11:29 UNTIL 01 NOV 26 23:59 ESTIMATED

LSSNA0598/26 (03 AUG 26)

"UKRAINIAN CRISIS
1. ALL AIRCRAFT OWNED, CHARTERED, OPERATED OR OTHERWISE CONTROLLED
BY CITIZENS OF THE RUSSIAN FEDERATION AND ALL OPERATORS HOLDING AIR
OPERATOR CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION
AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERFLY THE
SWISS AIRSPACE EXC HUMANITARIAN FLT, SEARCH AND RESCUE FLT AND
LEASED ACFT ONE-WAY RTN FLT WITH THE PERMISSION OF THE APPROPRIATE
SWISS AUTHORITIES AND IN CASE OF EMERGENCY LDG OR EMERGENCY
OVERFLIGHT.
FLIGHTS WITH A VALID DIPLOMATIC CLEARANCE NOT AFFECTED.
2. AIRCRAFT OPERATORS OF NON-SCHEDULED FLT BETWEEN RUSSIA AND
SWITZERLAND, OPERATED DIRECTLY OR VIA A THIRD COUNTRY, MUST NOTIFY
ALL RELEVANT INFORMATION CONCERNING THE FLT PRIOR TO THEIR OPERATION
AND AT LEAST 48 HR IN ADVANCE TO THE FEDERAL OFFICE OF CIVIL
AVIATION. CONTACT FOR NOTIFICATION AND DOCUMENTS
WWW.BAZL.ADMIN.CH/AVIATIONSANCTIONS."
03 AUG 26 11:30 UNTIL 01 NOV 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 69/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LSSNA0596/26 (03 AUG 26)

UKRAINIAN CRISIS

ALL ACFT AND ALL OPERATORS HOLDING AIR OPERATOR CERTIFICATE (AOC)
ISSUED BY BELARUSIAN AUTHORITIES PROHIBITED TO USE SWISS AIRPORTS EXC
WITH PERMISSION OF APPROPRIATE AUTHORITIES OF SWITZERLAND AND IN
CASE OF EMERG LDG. FLT WITH A VALID DIPLOMATIC CLR NOT AFFECTED.
03 AUG 26 11:29 UNTIL 01 NOV 26 23:59 ESTIMATED

LSSNB1368/26 (03 AUG 26)

"BALE TWR FREQ 118.300 CHANGED TO 118.305.
BALE INFO FREQ 130.900 CHANGED TO 130.905.
BALE INFO FREQ 135.850 CHANGED TO 135.855.
REF ICAO, GLIDER AND AREA CHARTS SWITZERLAND.
REF VFR MANUAL, RADIO FACILITY INDEXM, COM 2-APP1."

LSSNA0582/26 (29 JUL 26)

"UNAUTHORIZED RADIO TRANSMISSIONS RECEIVED ON SEVERAL FREQ IN THE
SOUTHEAST SWITZERLAND REGION AND BORDER AREA WITH ITALY.
TRANSMISSIONS ARE NOT FROM AN ATS UNIT.
PILOTS SHALL DISREGARD ANY NON-STANDARD CALLS AND IF IN DOUBT,
VERIFY THE CALL AND REPORT TIME, LOCATION AND FL OF THE OCCURRENCE
TO ATC UNIT IN CTC."
29 JUL 26 07:54 UNTIL 31 AUG 26 23:59 ESTIMATED

LSSNA0211/26 (10 MAY 26)

ATS RTE T627: MAX IAS 250 KT FROM LUTIX.
REF AIP SWITZERLAND ENR 3.2.

FRA / FRANCE
N I L

LFEE / REIMS FIR

LFFAF1680/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR
SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY
FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING
CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A
CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT
REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE
AIRSPACE OF JORDAN (FIR AMMAN (OJAC))."

LFFAF1678/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR
SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY
FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING
CARRIERS OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A
CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT
REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE
AIRSPACE OF KUWAIT (FIR KUWAIT (OKAC))."

LFFAF1679/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR
SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY
FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING
CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A
CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT
REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE
AIRSPACE OF BAHRAIN (FIR BAHRAIN (OBBB))."

LFFAF1677/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR
SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY
FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING
CARRIERS OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A
CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT
REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE
AIRSPACE OF QATAR (FIR DOHA (OTDF))."

LFFAF1675/26 (12 AUG 26)

17 AUG 2026 05:45-17 AUG 2026 07:00
ATC NOT PROVIDED BY NANCY OCHEY WITHIN CTR OCHEY AND TMA NANCY

official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 70/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LFFAF1625/26 (30 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE AIRSPACE OF LIBYA (FIR TRIPOLI (HLLL)) EXCEPT OF :

- THE TWO-WAY ROUTES SEGMENTS M999 (ZARZAITINE SEBHA) AND G655 (SEBHA GARIN), ON WHICH A FLIGHT LEVEL ABOVE OR EQUAL TO FL320 IS REQUESTED TO BE MAINTAINED AT ALL TIMES.
- THE ROUTE R778 (DITAR-KUFRA-TONBA), ON WHICH A FLIGHT LEVEL ABOVE OR EQUAL TO FL320 IS REQUESTED TO BE MAINTAINED AT ALL TIMES.

THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING IN LIBYAN AIRSPACE.

THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING LIBYA AIRSPACE (FIR TRIPOLI (HLLL)) ISSUED IN PARAGRAPH 3.3 LIBYA OF THE AIC A011/26 CURRENTLY IN EFFECT."

LFFAF1624/26 (30 JUL 26)

"RUSSIA AND BELARUS RESTRICTIONS :

- 1- ALL AIRCRAFT REGISTERED IN RUSSIA OR OPERATED BY RUSSIAN AIR CARRIERS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS OR OWNED, CHARTERED OR OPERATED BY A RUSSIAN NATURAL OR LEGAL PERSON, ENTITY OR BODY ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY THE FRENCH SOVEREIGN AIRSPACE EXCEPT IN CASE OF EMERGENCY LANDING OR EMERGENCY OVERFLIGHT AND EXCEPT FOR FLIGHTS HOLDING A PERMISSION DELIVERED IN ACCORDANCE WITH THE APPROPRIATE EU REGULATION BY THE FRENCH AUTHORITIES
- 2- ALL AIRCRAFT OPERATED BY BELARUSIAN AIR CARRIERS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS, ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY THE FRENCH SOVEREIGN AIRSPACE EXCEPT IN CASE OF EMERGENCY LANDING OR EMERGENCY OVERFLIGHT AND EXCEPT FOR FLIGHTS HOLDING A PERMISSION DELIVERED IN ACCORDANCE WITH THE APPROPRIATE EU REGULATION BY THE FRENCH AUTHORITIES
- 3- IT SHALL BE PROHIBITED TO PARTICIPATE, KNOWINGLY AND INTENTIONALLY, IN ACTIVITIES THE OBJECT OR EFFECT OF WHICH IS TO CIRCUMVENT THESE PROHIBITIONS."

*LFFAF1523/26 (10 JUL 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
WITHDRAWAL OF PORTION 'LIMGO' - 'AMPUM' ON ATS ROUTE Z110

LFFAF1497/26 (06 JUL 26)

FBZ CREATION : LFTRA22A2Z
COORDINATES :
485631N 0064951E - 490200N 0065000E - 491303N 0064109E -
491314N 0064123E - FRENCH-GERMANY BORDER - 490731N 0070854E -
485631N 0064951E
VERTICAL LIMITS : FL195/UNL
HOURS : ACT SCHEDULES STATED IN FRANCE AUP/UUP.
TYPE OF RESTRICTION : ONLY FOR FLIGHT PLANNING PURPOSES.
RAD RESTRICTION : TRA22A2ZR

LFFAF1454/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO EXERCISE GREAT CAUTION WHEN OPERATING INTO THE AIRSPACE OF SAUDI ARABIA (FIR JEDDAH (OEJD)).

THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING THIS AIRSPACE OF SAUDI ARABIA.

THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING SAUDI ARABIA AIRSPACE (FIR JEDDAH (OEJD)) ISSUED IN PARAGRAPH 3.13. SAUDI ARABIA OF THE AIC NR A011/26 CURRENTLY IN EFFECT."

LFFAF1449/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A

CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF LEBANON (FIR BEIRUT (OLBB))."

LFFAF1455/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO EXERCISE GREAT CAUTION WHEN OPERATING INTO THE AIRSPACE OF OMAN (FIR MUSCAT (OOMM)). THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING THIS AIRSPACE OF OMAN."

LFFAF1456/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO EXERCISE GREAT CAUTION WHEN OPERATING INTO THE AIRSPACE OF UNITED ARAB EMIRATES (FIR EMIRATES (OMAE)). THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING THIS AIRSPACE OF UNITED ARAB EMIRATES."

LFFAF1446/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF IRAN (FIR TEHRAN (OIIX)). THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING IRAN AIRSPACE (FIR TEHRAN (OIIX)) ISSUED IN PARAGRAPH 3.14 IRAN OF THE AIC NR A011/26 CURRENTLY IN EFFECT."

LFFAF1447/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF IRAQ (FIR BAGHDAD (ORBB)). THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING IRAQ AIRSPACE (FIR BAGHDAD (ORBB)) ISSUED IN PARAGRAPH 3.2 IRAQ OF THE AIC NR A011/26 CURRENTLY IN EFFECT."

LFFAF1408/26 (10 JUL 26)

"DUE TO SECURITY SITUATION IN MALI, FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO MAINTAIN AT ALL TIMES A FLIGHT LEVEL ABOVE OR EQUAL TO FL320 IN THE PART OF FIR DAKAR (GOOO) AND IN THE PART OF FIR NIAMEY (DRRR) LOCATED ABOVE THE MALIAN TERRITORY AND NOT TO SERVE OR IDENTIFY AS ALTERNATE BAMAKO MODIBO - KEITA AERODROME (GABS). THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING MALI ISSUED IN PARAGRAPH 3.11 MALI OF THE AIC NR A11/26 CURRENTLY IN EFFECT."

LFFAR1190/26 (10 JUL 26)

"MISSING AREAS ON 1:500,000 MAP :
ADD THE FOLLOWING AREAS : LF-CBA16B, EU-C25SL, EU-C25SLZ, EU-C25SLP, EU-C25SLPZ ET EU-CBAC25FW.
REFERENCE AIP FRANCE 5.2-17 AND 22."
F) FL065
G) FL115

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 72/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LFFAR1163/26 (16 APR 26)

TRIGGER NOTAM - AIP SUP 070/26 :
CREATION OF 5 TEMPORARY RESTRICTED AREAS ('ZRT') FOR
'PHALSBURG-BOURSCHEID' AD.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR
F) 2000FT AMSL
G) FL115

LFFAR1000/26 (10 JUL 26)

TRIGGER NOTAM - AIP SUP 053/26 :
CREATION OF 95 TEMPORARY RESTRICTED AREAS ('ZRT') AND OF 4 TEMPORARY
DANGEROUS AREAS ('ZDT') AT MEDIUM AND HIGH ALTITUDE FOR THE TRANSIT
AND EVOLUTION OF STATE DRONES IN THE NORTH OF FRANCE.
THE 'ZRT' ARE ACTIVABLE BY NOTAM WITH 0600 NOTICE WHEN ACTIVATED FOR
SECURITY REASONS AND AT D-1 BEFORE 1100 (SUM -1HR) FOR EXERCISE OR
TRAINING PURPOSES.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR
F) FL125
G) FL215

LFFAF1665/25 (10 JUL 26)

"EUROCONTROL LOGON LIST FUNCTIONALITY SET UP FOR THE EN-ROUTE
CENTRES OF BORDEAUX ACC, BREST ACC, MARSEILLE ACC, PARIS ACC AND
REIMS ACC.
ONLY AIRCRAFT VALIDATED BY EUROCONTROL IN THE LOGON LIST CAN CONNECT
TO THE CPDLC SERVICES OF THESE ACC."

LFFAR1032/25 (01 JUL 25)

TRIGGER NOTAM - AIP SUP 233/24 MODIFIED :
REMOTELY PILOTED AIRCRAFT FLYING OVER FRANCE UPPER AIRSPACE
REQUIRING THE CREATION OF A TEMPORARY DANGEROUS AREA AND TEMPORARY
RESTRICTED AREAS.
THESE AREAS ARE ACTIVATED BY NOTAM 48HR BEFORE (ON WORKING DAY).

CORRECT FOR READ :
RELEVANT AUTHORITIES CONTACT DETAILS
'CDC LYON MONT VERDUN' (RAMBERT) : +33 4 87 65 61 99

THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR
F) FL490
G) FL550

LFFF / PARIS FIR

*LFFAR2407/26 (14 AUG 26)

17 AUG 2026 06:30-17 AUG 2026 15:30
LFCBA-16B ACTIVATED.
F) FL065
G) FL115

LFFAM2780/26 (13 AUG 26)

17 AUG 2026 06:00-21 AUG 2026 11:30
"17 18 20 21 0600-1130, 19 0900-1130"
"FLOW MANAGEMENT LIMITED TO 4 MOVES (EXCLUDING VFR TRANSITS),
AFFECTED AREAS : LF-R20 (B1, B2, B3, B4, B5, H1, H3, H4), 'AVORD'
TMA 1.1, TMA 1.2 AND CTR. ALL GAT IFR OR OAT INDIA FLIGHTS MUST BE
APPROVED BY THE AD WATCH SUPERVISOR BY CALLING +33 2 34 34 71 36."

LFFAF1680/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR
SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY
FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING
CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A
CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT
REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE
AIRSPACE OF JORDAN (FIR AMMAN (OJAC))."

LFFAF1678/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR
SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY
FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING
CARRIERS OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A
CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT
REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE
AIRSPACE OF KUWAIT (FIR KUWAIT (OKAC))."

official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 73/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LFFAF1679/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF BAHRAIN (FIR BAHRAIN (OBBB))."

LFFAF1677/26 (12 AUG 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF QATAR (FIR DOHA (OTDF))."

LFFAF1675/26 (12 AUG 26)

17 AUG 2026 05:45-17 AUG 2026 07:00

ATC NOT PROVIDED BY NANCY OCHEY WITHIN CTR OCHEY AND TMA NANCY

LFFAF1648/26 (02 AUG 26)

"03-05 07 10 11 13-16 19-22 24 25 30 31 0800-1830, 06 08 17 23 26 28 0930-1830, 09 12 18 27 29 0930-1430 1730-1830"

"'RENNES' FIS AREA NOT AVBL ON FREQUENCIES 134.000MHZ ('RENNES SUD' FIS AREA PARTS A AND B), 126.950MHZ ('RENNES NORD' FIS AREA), 134.200MHZ ('COTENTIN' FIS AREA PART A 'RENNES' AND 'COTENTIN' FIS AREA PART B 'RENNES')) AND 120.350MHZ ('COTENTIN' FIS AREA PART A 'RENNES' AND 'COTENTIN' FIS AREA PART C 'RENNES'))
- VFR : PLAN FLIGHT AVOIDING ENTRY IN 'RENNES' TMA/CTA CLASS D
- CONSIDER ALL ACTIVITIES AND AREAS AS ACTIVATED
- IN CASE OF EMERGENCY, CONTACT 'RENNES APP'."

LFFAF1637/26 (31 JUL 26)

"01 06 11 12 17 1100-1800, 10 0700-1600"

FLIGHT INFORMATION SERVICE DOWNGRADED WITHIN 'CLERMONT' FIS 1 TO 7 :
- ALERT SERVICE PROVIDED
- VFR TRANSIT : PLAN A FLIGHT AVOIDING CLASS 'D' AIRSPACE ENTRY.

LFFAF1625/26 (30 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE AIRSPACE OF LIBYA (FIR TRIPOLI (HLLL)) EXCEPT OF :

-THE TWO-WAY ROUTES SEGMENTS M999 (ZARZAITINE SEBHA) AND G655 (SEBHA GARIN), ON WHICH A FLIGHT LEVEL ABOVE OR EQUAL TO FL320 IS REQUESTED TO BE MAINTAINED AT ALL TIMES.

-THE ROUTE R778 (DITAR-KUFRA-TONBA), ON WHICH A FLIGHT LEVEL ABOVE OR EQUAL TO FL320 IS REQUESTED TO BE MAINTAINED AT ALL TIMES.

THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING IN LIBYAN AIRSPACE.

THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING LIBYA AIRSPACE (FIR TRIPOLI (HLLL)) ISSUED IN PARAGRAPH 3.3 LIBYA OF THE AIC A011/26 CURRENTLY IN EFFECT."

LFFAF1624/26 (30 JUL 26)

"RUSSIA AND BELARUS RESTRICTIONS :

1- ALL AIRCRAFT REGISTERED IN RUSSIA OR OPERATED BY RUSSIAN AIR CARRIERS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS OR OWNED, CHARTERED OR OPERATED BY A RUSSIAN NATURAL OR LEGAL PERSON, ENTITY OR BODY ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY THE FRENCH SOVEREIGN AIRSPACE EXCEPT IN CASE OF EMERGENCY LANDING OR EMERGENCY OVERFLIGHT AND EXCEPT FOR FLIGHTS HOLDING A PERMISSION DELIVERED IN ACCORDANCE WITH THE APPROPRIATE EU REGULATION BY THE FRENCH AUTHORITIES

2- ALL AIRCRAFT OPERATED BY BELARUSIAN AIR CARRIERS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS, ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY THE FRENCH SOVEREIGN AIRSPACE

EXCEPT IN CASE OF EMERGENCY LANDING OR EMERGENCY OVERFLIGHT AND

EXCEPT FOR FLIGHTS HOLDING A PERMISSION DELIVERED IN ACCORDANCE WITH THE APPROPRIATE EU REGULATION BY THE FRENCH AUTHORITIES
3- IT SHALL BE PROHIBITED TO PARTICIPATE, KNOWINGLY AND INTENTIONALLY, IN ACTIVITIES THE OBJECT OR EFFECT OF WHICH IS TO CIRCUMVENT THESE PROHIBITIONS."

*LFFAF1523/26 (10 JUL 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
WITHDRAWAL OF PORTION 'LIMGO' - 'AMPUM' ON ATS ROUTE Z110

*LFFAR2064/26 (10 JUL 26)

TRIGGER NOTAM - AIP SUP 153/26.
CREATION OF A TEMPORARY RESTRICTED AREA ('ZRT') IN THE 'BLOIS' AREA FOR DRONE EVOLUTIONS.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR
F) FL050
G) FL110

LFFAF1454/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO EXERCISE GREAT CAUTION WHEN OPERATING INTO THE AIRSPACE OF SAUDI ARABIA (FIR JEDDAH (OEJD)). THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING THIS AIRSPACE OF SAUDI ARABIA. THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING SAUDI ARABIA AIRSPACE (FIR JEDDAH (OEJD)) ISSUED IN PARAGRAPH 3.13. SAUDI ARABIA OF THE AIC NR A011/26 CURRENTLY IN EFFECT."

LFFAF1449/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF LEBANON (FIR BEIRUT (OLBB))."

LFFAF1455/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO EXERCISE GREAT CAUTION WHEN OPERATING INTO THE AIRSPACE OF OMAN (FIR MUSCAT (OOMM)). THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING THIS AIRSPACE OF OMAN."

LFFAF1456/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO EXERCISE GREAT CAUTION WHEN OPERATING INTO THE AIRSPACE OF UNITED ARAB EMIRATES (FIR EMIRATES (OMAE)). THE AIR OPERATOR MUST CARRY OUT A ROBUST RISK ASSESSMENT TO ENSURE THAT THE FLIGHT CAN BE CONDUCTED UNDER SATISFACTORY SAFETY AND SECURITY CONDITIONS BEFORE ENTERING THIS AIRSPACE OF UNITED ARAB EMIRATES."

LFFAF1446/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF IRAN (FIR TEHRAN (OIIX)). THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING IRAN AIRSPACE (FIR

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 75/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

TEHRAN (OIIX)) ISSUED IN PARAGRAPH 3.14 IRAN OF THE AIC NR A011/26
CURRENTLY IN EFFECT."

LFFAF1447/26 (10 JUL 26)

"FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED NOT TO PENETRATE INTO THE ENTIRE AIRSPACE OF IRAQ (FIR BAGHDAD (ORBB)).
THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING IRAQ AIRSPACE (FIR BAGHDAD (ORBB)) ISSUED IN PARAGRAPH 3.2 IRAQ OF THE AIC NR A011/26 CURRENTLY IN EFFECT."

LFFAF1408/26 (10 JUL 26)

"DUE TO SECURITY SITUATION IN MALI, FRENCH AIR CARRIERS AND CAPTAINS OF AIRCRAFT IN CHARGE OF AIR SERVICES OPERATED BY CARRIERS HOLDING AN OPERATING LICENSE ISSUED BY FRANCE, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR OPERATING CARRIERS, OR PERFORMING AIR SERVICES THROUGH A WET LEASE OR A CODESHARE AGREEMENT AS WELL AS FOR ANY FLIGHT MADE WITH AN AIRCRAFT REGISTERED IN FRANCE ARE REQUESTED TO MAINTAIN AT ALL TIMES A FLIGHT LEVEL ABOVE OR EQUAL TO FL320 IN THE PART OF FIR DAKAR (GOOO) AND IN THE PART OF FIR NIAMEY (DRRR) LOCATED ABOVE THE MALIAN TERRITORY AND NOT TO SERVE OR IDENTIFY AS ALTERNATE BAMAKO MODIBO - KEITA AERODROME (GABS).
THIS NOTAM SUPERSEDES THE RESTRICTIONS CONCERNING MALI ISSUED IN PARAGRAPH 3.11 MALI OF THE AIC NR A11/26 CURRENTLY IN EFFECT."

LFFAF1334/26 (10 JUL 26)

VOR BNE 113.800MHZ U/S.

*LFFAF1206/26 (10 JUL 26)

AWY B3 RLP-VATRI SEGMENT ONLY AVAILABLE ON ATC INSTRUCTION

LFFAF1170/26 (10 JUL 26)

REVERSAL OF THE PARITY OF THE LOWER ROUTE R50 :
- EVEN IN THE DIRECTION CAN-OKRUZ-ABB-OBIVA-CMB
- ODD IN THE DIRECTION CMB-OBIVA-ABB-OKRUZ-CAN
REF AIP FRANCE ENR 3.2

LFFAF1081/26 (10 JUL 26)

POSSIBLE IMPLEMENTATION OF AN AUTOMATIC AREA INFORMATION TRANSMITTER ON ONE OR SEVERAL 'NANTES INFO' FREQ OF 'NANTES' FIS AREA.

LFFAR1190/26 (10 JUL 26)

"MISSING AREAS ON 1:500,000 MAP :
ADD THE FOLLOWING AREAS : LF-CBA16B, EU-C25SL, EU-C25SLZ, EU-C25SLP, EU-C25SLPZ ET EU-CBAC25FW.
REFERENCE AIP FRANCE 5.2-17 AND 22."
F) FL065
G) FL115

LFFAR1000/26 (10 JUL 26)

TRIGGER NOTAM - AIP SUP 053/26 :
CREATION OF 95 TEMPORARY RESTRICTED AREAS ('ZRT') AND OF 4 TEMPORARY DANGEROUS AREAS ('ZDT') AT MEDIUM AND HIGH ALTITUDE FOR THE TRANSIT AND EVOLUTION OF STATE DRONES IN THE NORTH OF FRANCE.
THE 'ZRT' ARE ACTIVABLE BY NOTAM WITH 0600 NOTICE WHEN ACTIVATED FOR SECURITY REASONS AND AT D-1 BEFORE 1100 (SUM -1HR) FOR EXERCISE OR TRAINING PURPOSES.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR
F) FL125
G) FL215

LFFAR0936/26 (10 JUL 26)

TRIGGER NOTAM - AIP SUP 094/25 :
PARACHUTING WITH CANOPY DRIFTING IN THE ROMORANTIN AREA REQUIRING THE CREATION OF 4 TEMPORARY RESTRICTED AREAS.
ACTIVITY FORECAST BY NOTAM WITH PPR 48HR.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR
F) SFC
G) FL285

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 76/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LFFAR0446/26 (10 JUL 26)

"TRIGGER NOTAM - AIRAC AIP SUP 023/26 :
CREATION OF TWO TEMPORARY RESERVED AREAS (TRA) IN UIR, TRA90NL AND
TRA90NH, AND ASSOCIATED FBZ.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR"
F) FL195
G) FL335

LFFAF1665/25 (10 JUL 26)

"EUROCONTROL LOGON LIST FUNCTIONALITY SET UP FOR THE EN-ROUTE
CENTRES OF BORDEAUX ACC, BREST ACC, MARSEILLE ACC, PARIS ACC AND
REIMS ACC.
ONLY AIRCRAFT VALIDATED BY EUROCONTROL IN THE LOGON LIST CAN CONNECT
TO THE CPDLC SERVICES OF THESE ACC."

LFFAR1032/25 (01 JUL 25)

TRIGGER NOTAM - AIP SUP 233/24 MODIFIED :
REMOTELY PILOTED AIRCRAFT FLYING OVER FRANCE UPPER AIRSPACE
REQUIRING THE CREATION OF A TEMPORARY DANGEROUS AREA AND TEMPORARY
RESTRICTED AREAS.
THESE AREAS ARE ACTIVATED BY NOTAM 48HR BEFORE (ON WORKING DAY).

CORRECT FOR READ :
RELEVANT AUTHORITIES CONTACT DETAILS
'CDC LYON MONT VERDUN' (RAMBERT) : +33 4 87 65 61 99

THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR
F) FL490
G) FL550

AEROPLANE INFORMATION

AIRCRAFT CATEGORY = D

N I L

AIRCRAFT TYPE = B777

N I L

AIRCRAFT SUBTYPE = B773E

N I L

AIRCRAFT REGISTRATION = HSTKQ

N I L

ADDITIONAL INFORMATION

VTBU / UTP

VTBDC4363/26 (03 AUG 26)

ILS RWY 18 U/S DUE TO MAINT

VTBDC4088/26 (20 JUL 26)

TWY EDGE LGT U/S DUE TO MAINT DETAIL AS FLW:
-TWY B
-TWY E BTN TWY B AND TWY F

// (COM-INFO)//

THA 00176/26 (15 JUL 26)

VTBU:--(NEW)+++Due to the unavailability of LAE at UTP Station.
In the event of a diversion to UTP, flight crews shall perform aircraft refueling in
accordance with the applicable refueling procedures specified in the respective Fleet FCOM.
(ISSUED 02JUL26/BKKOC/UFN)

*VTBDC3302/26 (03 JUL 26)

PALS CAT 1 RWY 18 AND SALS RWY 36 U/S DUE TO MAINT

VTBDC3240/26 (03 JUL 26)

OBST MOBILE CRANE HGT 98.425FT AGL ERECTED DETAIL AS FLW:
PSN 1: 123937.98N1010027.35E
DIST 346.47M BFR THR RWY 36 AND 455.00M RIGHT SIDE OF RCL
PSN 2: 124005.68N1010029.64E
DIST 507.53M BEYOND THR RWY 36 AND 454.95M RIGHT SIDE
OF RCL

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 77/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

*VTBDC2844/26 (07 JUN 26)

AD CATEGORY FOR FIRE FIGHTING AND RESCUE SERVICES
DOWNGRADED TO CAT 9.

VTBDC0333/23 (06 APR 24)

"IAC-ICAO-NDB RWY 36 CHANGED AS FLW:
-OCA/H : STRAIGHT-IN APPROACH
: READ 790(766)FT INSTEAD OF 750(726)FT
-OCA/H : CIRCLING APPROACH CAT A, B
: READ 1200(1141)FT INSTEAD OF 750(726)FT, 1190(1166)FT
-OCA/H : CIRCLING APPROACH CAT C, D
: READ 1450(1391)FT INSTEAD OF 1290(1266)FT, 1445(1421)FT
REF AIP VTBU AD 2.24, AD 2-VTBU-8-1"

VTBD / DMK

VTBDH0954/26 (16 AUG 26)

17 AUG 2026 01:45-17 AUG 2026 02:15
AD DEP/ARR ACFT WILL BE DLA DUE TO VIP MOV

VTBDC4631/26 (15 AUG 26)

16 AUG 2026 22:00-22 AUG 2026 14:00
"16 2200-2359, 17 0000-0300, 22 1200-1400"
TXL T BTN TWY V AND TWY W CLSD DUE TO MIL OPS

*VTBDC4559/26 (11 AUG 26)

12 13 16 18 19 1600-2200
RWY 03R/21L CLSD DUE TO WIP

*VTBDC4558/26 (11 AUG 26)

11 AUG 2026 16:00-17 AUG 2026 22:00
11 14 15 17 1600-2200
RWY 03L/21R CLSD DUE TO WIP

// (COM-INFO) //

THA 00435/14 (04 AUG 26)

COM INFO:-- DMK TG LINE MAINTENANCE WILL PROVIDE RAMP HANDLING SERVICE ON
TG FLIGHTS DIVERTED TO DMK, WHILE PIC MUST PERFORM REDUCE LINE CHECK
TO RELEASE AIRCRAFT. PRIOR TO FLIGHT DIVERSION TO DMK PLS INFORM
TOCC COMMAND CENTER (OC) VIA CUT FREQUENCY 129.325 MHZ
TO COORDINATE WITH DMK TG LINE MAINTENANCE IN ADVANCE FOR SMOOTH
HANDLING UPON ARRIVAL AT DMK
CONTACT POINTS FOR DMK LINE MAINTENANCE IN (24hrs)
AT DMK ARE AS FLW
1. TEL: 02-563-8178 (66-8178, 9999)
2. Email dmkjcb@thaiairways.com
(ISSUED 12DEC24/OP/UFN)

// (COM-INFO) //

THA 00214/26 (04 AUG 26)

VTBD:--REF AIP SUP A25/26:

1 INTRODUCTION

With effect from 24 July 2026 at 0000 UTC, the purpose of this AIP Supplement is to inform pilots and operators concerning the unserviceability of Rapid Exit Taxiway Indicator Lights (RETILs) of runway 21R at Don Mueang International Airport.

2 DETAILS

RETILs for rapid exit taxiway O will be unserviceable.

3 CONTACT

Unit: Aeronautical Information Service Sub-Division, Airside Operations Division (VTBD)
Tel: +662 535 1782, +662 535 1793
Email: aisvtbd@airportthai.co.th

4 VALIDITY

This AIP Supplement supersedes NOTAM C3646/26, A2407/26 and will remain current until further advised. Any changes to this AIP Supplement will be notified through NOTAM.

VTBDJ5310/26 (04 AUG 26)

"TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE
135526.22N1003713.11E APPROVAL SHALL BE MADE BEFORE ENTERING,
EXCEPT DEP AND ARR ACFT AT VTBD PILOT IN COMMAND SHALL STRICTLY
COMPLY WITH ATC INSTRUCTION"
F) GND

G) 3000FT AGL

VTBDC3519/26 (04 AUG 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
AD 2-VTBD-1 AD 2.22 FLT PROC

VTCC / CNX

VTBDJ6155/26 (14 AUG 26)

14 AUG 2026 22:00-17 AUG 2026 19:45
"14 2200-2315, 15 1845-2045 2200-2315, 16 1815-2015 2200-2315, 17 1745-1945"
UNMANNED AIRCRAFT WILL TAKE PLACE RADIUS 5NM CENTRE
184617N0985746E
F) GND
G) 2000FT AGL

// (COM-INFO)//

THA 00444/15 (09 AUG 26)

VTCC:--REF AIP SUP A19/25:
1 INTRODUCTION
With effect from 17 April 2025 at 1000 UTC,
the purpose of this AIP Supplement is to inform all concerned regarding the Aircraft stand
number 1 closed at Chiang Mai International Airport.
2 DETAILS
Aircraft stand number 1 closed for improvements to enhance aircraft parking compatibility.

VTBDC4220/26 (05 AUG 26)

RVR RWY 36 U/S

VTBDC4059/26 (20 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 3 U/S

VTBDC3965/26 (09 AUG 26)

OBST TOWER CRANE HGT 230FT AGL ERECTED AT
184725.38N0985815.11E DIST 1038M BFR THR
RWY 18 AND 854M LEFT SIDE OF EXTD RCL

VTBDC3956/26 (09 AUG 26)

"JUL 15 0210-1100, JUL 16-SEP 30 0100-1100"
OBST MOBILE CRANE HGT 82FT AGL ERECTED AT
184704.31N0985757.46E DIST 390M BFR THR
RWY 18 AND 328M LEFT SIDE OF EXTD RCL

VTBDC3306/26 (03 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS)
ACFT STAND NR 7 AND NR 8 U/S

VTBDJ4315/26 (07 JUN 26)

TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE 184626N0985806E
(EXCLUDING LDG AND TKOF RWY 18/36)
F) GND
G) 3000FT AGL

VGHS / DAC

VGHSA0263/26 (16 AUG 26)

CONST WORK OF BOX CULVERT WHICH DIST IS 376FT WEST SIDE OF THE RWY
CENTRE LINE AND 3460FT FM THR RWY-14 (TOWARDS RWY-32) IS IN
PROGRESS.ALL PILOTS ARE ADZ TO EXER CTN WHILE TK-OF AND LDG

VGHSA0256/26 (05 AUG 26)

SPORADIC LASER ILLUMINATION MAY TAKE PLACE FM UNKNOWN SOURCES OF
NEARBY POPULATED AREA OF THE AIRFIELD. ALL PILOTS ARE REQ TO
EXER CTN DRG THE DEFFERENT APCH PHASES AND INITIAL CLIMBING
PHASE WI 12NM DAC DVOR
04 AUG 26 23:59 UNTIL 04 NOV 26 23:59 ESTIMATED

VGHSA0252/26 (05 AUG 26)

DME FREQ 1161MHZ AND IDENT 'DAC' WILL REMAIN TEST OPERATION
DUE TO NEW DME INSTL
01 AUG 26 10:00 UNTIL 29 OCT 26 10:00 ESTIMATED

VGHSA0251/26 (05 AUG 26)

DVOR FREQ 112.7MHZ AND IDENT 'DAC' WILL REMAIN TEST OPERATION
DUE TO NEW DVOR INSTL
01 AUG 26 09:55 UNTIL 29 OCT 26 10:00 ESTIMATED

VGHSA0249/26 (05 AUG 26)

INSTRUMENT LANDING SYSTEM(ILS) FOR RWY-14 FREQ 109.5MHZ
IDENT 'IDA' IS NML IN OPR FOR CAT-I ONLY WITH
MET MINIMA VIS 1000M OR RVR 700M
31 JUL 26 23:59 UNTIL 29 OCT 26 23:59 ESTIMATED

VGHSA0245/26 (05 AUG 26)

"BAY NO.C2,C3,C25 AND C26 ARE NOT AVBL DUE TO RE-CONSTRUCTION WORK
OF SLAB"
29 JUL 26 03:00 UNTIL 26 OCT 26 17:59 ESTIMATED

**** A0176/26 **** *VGHSA0176/26 (23 JUN 26)

THU SUN 2100-2230
RWY SHALL BE REMAIN CLSD DUE TO AGLS AND RWY SFC
MAINT WORK
01 JUL 26 21:00 UNTIL 30 SEP 26 22:30 ESTIMATED

VGHSA0149/26 (25 MAY 26)

"REF AIP BANGLADESH PAGE GEN 0.4-1,DATED 25
DEC 2025,PART 1(GEN) PLEASE READ GEN 4.1-1,DATE 23 JUN
2016 INSTEAD OF GEN 4.1-1 DATE 25 DEC 2025 AND REF PAGE
0.4-2,DATE 25 DEC 2025 PART2(ENR) PLEASE READ ENR 4.1-1
DATE 25 DEC 2025 INSTEAD OF ENR 4.1-1 DATE 02 OCT 2025.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH."

VGHSA0118/26 (02 MAY 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-8,DATED 16 APR
2026,PARA AD 2.18
(1) ROW 03,COLUMN 4,ACC HOURS OF OPERATION PLEASE READ AS,
FM 1600 TO 0200 UTC (NEXT DAY) INSTEAD OF 1400 TO 0200 UTC
(NEXT DAY) AND ROW 04,COLUMN 4,ACC(UPPER)HOURS OF OPERATION
PLEASE READ AS, FM 0200 TO 1600 UTC INSTEAD OF H24.
(2) ROW 04,COLUMN 4,ACC(UPPER) FREQ PLEASE READ SRY 123.775MHZ
INSTEAD OF SRY 129.700MHZ.
(3) ROW 05,COLUMN 4,ACC(LOWER) FREQ PLEASE READ SRY 120.750MHZ
INSTEAD OF 130.700MHZ.
(4) ROW 06,COLUMN 4, DHAKA TWR AERODROME AND APPROACH CONTROL
(NON-RADAR) FREQ PLEASE READ SRY 118.925MHZ INSTEAD OF SRY
119.300MHZ.
(5) ROW 08,COLUMN 4, SURFACE MOVEMENT CONTROL DHAKA GROUND FREQ
PLEASE READ 121.675MHZ AS SRY 121.675MHZ FREQ.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH"

VGHSA0388/25 (05 APR 26)

"PORTION OF TWY 'C' FROM TWY 'N', AND TWY 'S' INTERSECTION TO APN,

TWY 'F' AND TWY 'E' WILL BE RENAMED AS TWY 'T7', TWY 'T9' AND
TWY 'T10' RESPECTIVELY"

VGHSA0299/25 (05 APR 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-1 DATED 11 JULY 2024,
PARA 2.2,SERIAL NO 3 AND AERODROME CHART-ICAO PAGE VGHS
AD 2-15 DATED 11 JULY 2024.PLEASE READ AERODROME ELEV AS
26 FEET INSTEAD OF 27 FEET. PLEASE MAKE HAND CORRECTION BY
INSERTING THE EFFECTIVE INFORMATION OF MENTIONED PAGES OF
AIP BANGLADESH"

VGHSA0261/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025,PAGE
ATTACHMENT B5.2,TABLE RNAV IKUGO 1B AND RNAV IBANU 1B,SL NO
03,COLUMN NO 09 AND PAGE ATTACHMENT B6.2,TABLE RNAV BELKU 1E,SL
NO 02,COLUMN NO 09.PLEASE INSERT SPEED LIMIT '-250'.PLEASE MAKEHAND CORRECTION BY INSERTING
INFORMATION IN THE MENTIONED AIP
SUPP PAGE"

VGHSA0231/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025,

REGARDING THE MSA DEPICTED IN PLAN VIEW FOR ALL RNAV SID AND STAR CHART RWY 14. PLEASE READ 'MSA 25NM ARP' INSTEAD OF 'MSA 25NM DAC ARP' AND 'MSA 25NM DAC'. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VGHSA0232/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025, ATTACHMENT-A 4.2, CODING TABLE OF VGHS RNAV SID IBANU IC, SL NO 01 AND SL 02. PLEASE DELETE THE SPEED LIMIT ON THE CA LEG AND CF LEG AT HS001. THERE WILL BE NO SPEED RESTRICTION. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VGHSA0227/25 (05 APR 26)

"REF AIP SUP 04/25 DATED 10 JUL 2025, APPENDIX-A. PLEASE READ CHART NAMING AS 'ILS Z RWY 14' INSTEAD OF 'VOR-DME ILS (CAT-II) RWY 14'. THIS PROCEDURE IS A STANDALONE PROCEDURE. PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VECC / CCU

VECCA1721/26 (15 AUG 26)

15 AUG 2026 11:31-17 AUG 2026 06:30
PORTION OF TWY N4 BTN TWY B1 AND TWY B2 NOT AVBL FOR OPS.TWY N4-B2 INT AVBL FOR OPS AND TWY B1 AVBL FOR OPS.

VIDPG0995/26 (14 AUG 26)

"REFER EAIP INDIA, PAGE AD 2 VECC 2-105 REGARDING PROC ILS OR LOC RWY 01R OF KOLKATA AIRPORT. FOR LOC ONLY PROC:
I) THE SDF IS AMENDED AS 3.3 D (ICAL).
II) PROCEDURE ALTITUDE AT 3.3 D (ICAL) IS 1070FT."

VIDPG0988/26 (13 AUG 26)

REFER AIP SUP 27/2026 DATED 05 FEB 2026 REGARDING PROC ILS OR LOC RWY 19L-KOLKATA AIRPORT. FOR LOC ONLY PROC:
I) LOC ONLY PROC SDF REMOVED
II) OCA(H) IS AMENDED AS 430(410)FT.

VECCA1697/26 (11 AUG 26)

RWY 19R AVBL FOR OPS WITH VOR Y APCH PROC ONLY. RMK: ALS OF RWY 19R
NOT AVBL.

*VECCA1686/26 (10 AUG 26)

TUE SAT 0530-1130
"RWY 19R/01L NOT AVBL FOR OPS DUE MAINT WIP.
RMK:
1.RET R1 AND TWY E NOT AVBL FOR OPS.
2.PILOTS TO EXER CTN DUE MEN AND MATERIAL CONFINED TO WORKSITE.
3.TWY B,RET R,TWY C,TWY D,TWY H,TWY J AND TWY A AVBL FOR OPS.
4.IN CASE OF URGENT RQMNTS 30 MIN PN FOR AVBL OF SITE."

VECCA1655/26 (05 AUG 26)

LEFT TURN FM TWY P ON RWY 19L NOT AVBL.

*VECCA1645/26 (03 AUG 26)

MON WED FRI SUN 0530-1030
RWY 19L/01R NOT AVBL FOR OPS DUE MAINT WIP WHEN VIS 1200M AND ABV.
RMK:
1. TWY L AND JUNCTION OF RWY 01R WITH TWY C AVBL FOR OPS.
IN CASE OF URGENT RQMNTS 30MIN PN FOR AVBL OF RWY 19L/01R. PILOTS TO EXER CTN DUE MEN AND MATERIAL CONFINED TO WORKSITE.

VECCA1604/26 (28 JUL 26)

"TORA,TODA FOR RWY 01L REDUCED TO 2404M AND LDA FOR RWY 01L REDUCED TO 1966M.RWY 19R THR DISPLACED 867M.RWY 19R THR LAT 223928.48426N, LONG 0882645.86415E, TOP ELEV:19.08872FT, ELLIPSOID HT(MS) 167.155517FT,
TORA,TODA AND LDA FOR RWY 19R REDUCED TO 2404M.
RMK:1.GRADED RESA DIMENSION OF RWY 01L IS 90M*90M
2.RWY 19R/01L AVBL FOR OPS UPTO CODE C ACFT ONLY"

VECCA1601/26 (28 JUL 26)

"PORTION OF RWY 19R/01L FM BEGINNING OF RWY 19R TO 130M SOUTH OF IT
S
INT WITH TWY A NOT AVBL FOR OPS.
RMK: TWY Q1 TWY Q2, TWY K, RWY 19R-N HOLDING POINT AND PORTION OF
TWY A BTN RWY 19R/01L AND 19L/01R NOT AVBL FOR OPS. ACFT LDG RWY 01R
VACATE ONLY VIA TWY B OR TWY P."

VECCA1466/26 (21 JUL 26)

"OPPORTUNITY BASIS TRIAL OPS OF SMC(S) AND SMC(N) INPR
UNIT PROVIDING SER:KOLKATA GND
FREQ OF SMC(S): 121.900MHZ AND SMC(N): 121.725MHZ
UNLESS OTHERWISE SPECIFIED BY TWR, AFTER VACATING RWY, ARR ACFT LDG
ON RWY 19L/19R SHALL CTC GND ON FREQ 121.900MHZ AND ARR ACFT LDG ON
RWY 01R/01L SHALL CTC GND ON FREQ 121.725MHZ.
WHEN RELEASED BY CLR DELIVERY, DEP ACFT FM APN 2 AND 3 SHALL CTC GND
ON FREQ 121.900MHZ AND DEP ACFT FM APN 1 AND 4 SHALL CTC GND ON FREQ
121.725MHZ."

VIDPG0732/26 (23 JUN 26)

REF AIP SUP 28/2026 REGARDING VOR RWY 01L. THE OCA(H) WITH SDF
AMENDED AS 450(430)FT IN PLACE OF 440(420)FT.
AMEND ACCORDINGLY.
17 JUN 26 06:51 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0719/26 (23 JUN 26)

KOLKATA URP SECTOR (UPPER RAIPUR) VHF BACKUP FREQUENCY 134.375MHZ
AVBL.
INSERT FLW DETAILS IN VECC AD 2.18 OF EAIP INDIA.
1. SERVICE DESIGNATION: ACC
2. CALL SIGN: KOLKATA RADAR
3. CH/FREQUENCY: 134.375MHZ
4. SATVOICE NR: NIL
5. LOGON ADDRESS: NIL
6. HR OF OPS: H24
7. RMK: 1-UPPER RAIPUR
2-BACKUP FREQUENCY

VIDPG0674/26 (23 JUN 26)

"ILS RWY 19R IDENT IOKL (LOC 111.300MHZ, GP 332.300MHZ, DME IOKL
CH50X) NOT AVBL DUE DISPLACEMENT OF THRESHOLD."
02 JUN 26 10:22 UNTIL 29 AUG 26 23:59 ESTIMATED

VIDPG0631/26 (23 JUN 26)

REF AIP SUP 198/2025 REGARDING INSTRUMENT APPROACH CHART - ILS OR
LOC RWY 19R NETAJI SUBHASH CHANDRA BOSE INTERNATIONAL AIRPORT
KOLKATA (VECC). PROC ILS OR LOC RWY 19R TEMPO WITHDRAWN DUE TEMPO
DISPLACEMENT OF RWY 19R THR.
27 MAY 26 12:05 UNTIL 04 SEP 26 23:59 ESTIMATED

VIDPG0168/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-903 DATED 16 MAY 2024 REGARDING
RNP Y RWY 01R PROC. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 470(450) FT IS APPLICABLE ONLY FOR
SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

VIDPG0167/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-901 DATED 16 MAY 2024 REGARDING
RNP Y RWY 01L PROC-KOLKATA AIRPORT. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 440(420) FT IS APPLICABLE ONLY FOR
SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

EDDF / FRA

*EDDZA4173/26 (14 AUG 26)

15 AUG 2026 21:00-17 AUG 2026 03:00
DAILY 2100-0300
RWY 07C/25C CLSD.

*EDDZA4174/26 (14 AUG 26)

16 AUG 2026 21:00-22 AUG 2026 02:45
2100-0245

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 82/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

RWY 07L/25R CLSD.

EDDZA4172/26 (14 AUG 26)

16 AUG 2026 21:00-17 AUG 2026 03:00
TWY M CLSD BTN TWY M8 AND TWY M9. TWY M10 CLSD.

EDDZA4143/26 (13 AUG 26)

"OCA(H) VALUES RAISED:
LPV APCH Z RWY 07C: A 652(324), B 665(337), C 692(364), D 701(373)FT.
LPV APCH Y RWY 07C: A 652(324), B 665(337), C 692(364), D 701(373)FT.
LPV APCH Z RWY 07R: A 652(325), B 665(338), C 673(346), D 715(388)FT.
LPV APCH Y RWY 07R: A 652(325), B 665(338), C 673(346), D 715(388)FT.
LPV APCH Z RWY 25L: A 726(365), B 738(377), C 747(386), D 757(396)FT.
LPV APCH Y RWY 25L: A 729(368), B 742(381), C 750(389), D 760(399)FT.
LPV APCH Z RWY 25C: A 691(328), B 700(337), C 706(343), D 714(351)FT.
LPV APCH Y RWY 25C: A 694(331), B 703(340), C 709(346), D 716(353)FT
DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT FOR
SOME NAV SYSTEMS AUTHORIZED FOR LPV OPS."
13 AUG 26 09:38 UNTIL 12 NOV 26 23:59 ESTIMATED

EDDZA4142/26 (13 AUG 26)

"LPV APCH Z RWY 07L SUSPENDED,
LPV APCH Y RWY 07L SUSPENDED,
LPV APCH Z RWY 25R SUSPENDED,
LPV APCH Y RWY 25R SUSPENDED
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APCH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPERATIONS."

EDDZA4090/26 (11 AUG 26)

ACFT STAND A30 CLSD DUE TO WIP.

// (COM-INFO)//

THA 00081/15 (11 AUG 26)

COM INFO:--EDDF NIGHT RESTRICTION 2300-0500LT (OP-INFO/UFN)

// (COM-INFO) //

THA 00227/26 (11 AUG 26)

EDDF:--REF AIP SUP 19/2026:Until DEC 2026
In SEP 2026, TWY R (BTN TWY R17 and RWY 18) and TWY Y (BTN TWY
R and S) will be opened. Both sections can be used by ACFT
MAX wingspan 80m/262ft.

--REF AIP SUP 20/2026: Until DEC 2026
In SEP 2026, CAT I/II/III HLDG point T8 on TWY T will be
relocated APRX 300m/984ft eastward.

EDDZA4016/26 (08 AUG 26)

TWY DP2 CLSD.

EDDZA3676/26 (08 AUG 26)

"ILS Y RWY 25R IFWR,
GP COVERAGE UP TO 15NM IN SECTOR -4DEG (LEFT) TO +2DEG (RIGHT) IN
RELATION TO RCL AND DISTANCE TO THR, MNM RECEPTION ALT IN THIS AREA
2800FT AMSL."

EDDZA3671/26 (08 AUG 26)

TWY L20 LTD TO MAX ACFT TYPE CODE C.

EDDZA3643/26 (08 AUG 26)

"ILS RWY 07C DOWNGRADED TO CAT I. OPPOSITE LOC RADIATING ADDN, ILS
INTERFERENCE BLW DH POSS, ILS NOT USEABLE FOR AUTOLAND (ICAO
CLASSIFICATION I/E/1)."

EDDZA3642/26 (08 AUG 26)

ILS RWY 25C DOWNGRADED TO CAT I. ILS NOT USABLE FOR AUTOLAND
(ICAO CLASSIFICATION I/E/1).

EDDZA3386/26 (08 JUL 26)

"SID CHANGED DUE TO FRD DME PSN AT 500147N 0083406E:
MARUN 8M, OBOKA 3M AND TOBAK 8M:
AMEND 1.0 DME FRD TO READ 2.1 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
MARUN 6H, OBOKA 3H AND TOBAK 6H:
AMEND 1.2 DME FRD TO READ 2.2 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
FKS 2C:

AMEND 6.9 DME FRD TO READ 6.0 DME FRD.
FKS 2Q:
AMEND 0.5 DME FRD TO READ 1.5 DME FRD.
REF AD 2 EDDF 5-7-11, 5-7-13, 5-7-132 AND 5-7-133 ALL DATED
10 JUL 2025, 5-7-36, 5-7-37 BOTH EFFECTIVE 10 JUL 2025."

EDDZA3387/26 (08 JUL 26)

"ILS APCH CHANGED DUE TO FRD DME PSN AT 500147N 0083406E.
ILS Z CAT II/III RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 16.0 DME FRD TO READ 17.1 DME FRD.
AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Z CAT II/III RWY 07C
AMEND 14.7 DME FRD TO READ 15.7 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
ILS CAT II/III RWY 07R
AMEND 14.9 DME FRD TO READ 15.9 DME FRD.
AMEND 11.7 DME FRD TO READ 12.7 DME FRD.
AMEND 4.2 DME FRD TO READ 5.2 DME FRD.
ILS CAT II/III RWY 25L
AMEND 16.3 DME FRD TO READ 15.4 DME FRD.
AMEND 13.2 DME FRD TO READ 12.2 DME FRD.
AMEND 5.8 DME FRD TO READ 4.8 DME FRD.
ILS Z CAT II/III RWY 25C
AMEND 16.5 DME FRD TO READ 15.5 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
ILS Z CAT II/III RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 14.5 DME FRD TO READ 13.6 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS Y RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 15.1 DME FRD TO READ 16.2 DME FRD.
AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Y RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 13.6 DME FRD TO READ 12.7 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS X CAT II/III OR LOC RWY 07C
AMEND 26.7 DME FRD TO READ 27.3 DME FRD.
AMEND 16.5 DME FRD TO READ 17.5 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 8.0 DME FRD TO READ 9.0 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
AMEND 0.2 DME FRD TO READ 1.3 DME FRD.
ILS X CAT II/III OR LOC RWY 25C
AMEND 26.0 DME FRD TO READ 24.8 DME FRD.
AMEND 18.3 DME FRD TO READ 17.3 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 8.9 DME FRD TO READ 8.0 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
AMEND 2.0 DME FRD TO READ 1.2 DME FRD.
REF AD 2 EDDF 4-2-1, 4-2-7 BOTH DATED 30 OCT 2025, 4-2-2 THRU 4-2-6
AND 4-2-8 THRU 4-2-10 ALL EFF 10 JUL 2025."

EDDZA3316/26 (08 JUL 26)

RWY 07C DECLARED DISTANCES FOR INTERSECTION TKOF CHANGED.
NEW DECLARED DISTANCES FOR INTERSECTION TKOF FROM TWY L20:
TORA 3939M - TODA 3939M - ASDA 3939M.
DISREGARD DECLARED DISTANCES FOR INTERSECTION TAKE OFF FROM TWY L20.
REF AIP AD2 EDDF 1-10.

EDDZA3137/26 (08 JUL 26)

RWY 07L/25R CENTRE LINE LIGHTS:
LIGHT EMITTING DIODE (LED) LIGHTS USED IN THE FULL LENGTH OF THE
RWY CENTRELINE.

EDDZA3138/26 (08 JUL 26)

RWY 07L/25R TOUCHDOWN ZONE LIGHTING SYSTEM:
LIGHT EMITTING DIODE (LED) LIGHTS USED.

EDDZA3046/26 (08 JUL 26)

USE OF RWY HLDG PSN T6 NOT PERMITTED FOR AIRCRAFT WITH WINGSPAN
BTN 36M AND 65M (UP TO BUT NOT INCLUDING).

EDDZA3047/26 (08 JUL 26)

TWY W SOUTH OF DP2 CLSD. TWY W9 CLSD.

EDDZA1646/26 (05 APR 26)

BREAK-AWAYS 1 AND 2 INSTALLED ON TWY S19. REF AIP SUP IFR 03/26.

EDDZA4054/25 (11 SEP 25)

SURFACE TEST AREAS INSTALLED WITHIN TOUCHDOWN ZONE RWY 07L.
SURFACE TEXTURE AND FRICTION MAY DIFFER SLIGHTLY FROM ADJACENT
PAVEMENT.
NO IMPACT ON RWY USABILITY.

EDDZA2357/25 (18 MAY 25)

BREAK-AWAY AREAS 3 AND 5 INSTALLED ON TWY S13.

EDDK / CGN

EDDZA4154/26 (13 AUG 26)

"OCA(H) VALUES RAISED:
LPV RWY 06: A 553 (324), B 564 (335), C 591 (362), D 601 (372)FT.
LPV RWY 13L: A 607 (378), B 617 (388), C 624 (395), D 633 (404)FT.
LPV RWY 13R: A 581 (361), B 591 (371), C 598 (378), D 607 (387)FT.
LPV RWY 24: A 721 (450), B 734 (463), C 742 (471), D 752 (481)FT.
LPV RWY 31L: A 655 (397), B 667 (409), C 675 (417), D 685 (427)FT.
LPV RWY 31R: A 651 (351), B 664 (364), C 672 (372), D 682 (382)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT
FOR SOME NAV SYSTEMS AUTHORISED FOR LPV OPS."
13 AUG 26 12:04 UNTIL 12 NOV 26 23:59 ESTIMATED

EDDZA4145/26 (13 AUG 26)

17 AUG 2026 05:00-17 AUG 2026 16:00
IFR APCH PROC RWY 06 AND RWY 24 NOT AVBL.

EDDZA4075/26 (10 AUG 26)

"OCA(H) VALUES RAISED AS FOLLOWS:
SRA RWY 13L ACFT CAT A-D:
930 (700)FT. TEMPERATURE COR DOWN TO +10DEG CELSIUS.
960 (730)FT. TEMPERATURE COR DOWN TO 0DEG CELSIUS.
980 (750)FT. TEMPERATURE COR DOWN TO MINUS 10DEG CELSIUS.
DUE TO HIGH CRANE 7.3NM BEFORE THR 13L, 1560M SW OF EXTD RCL,
PSN 505738N 0065855E. ELEV 671FT, MARKED AND LIGHTED."
10 AUG 26 13:59 UNTIL 30 OCT 26 23:59 ESTIMATED

EDDZA3593/26 (08 AUG 26)

"OMNIDIRECTIONAL INSTRUMENT DEP PROC EDDK 1M AND EDDK 1E FOR RWY
13R/31L TEMPO SUSPENDED DUE TO MISSING FLIGHT VALIDATION.
REF AIP PAGES AD 2 EDDK 5-7-1, 5-7-4, 5-7-6 EFFECTIVE 16 APR 2026."
13 JUL 26 09:01 UNTIL 13 OCT 26 08:00 ESTIMATED

EDDZA3592/26 (08 AUG 26)

"ALL RNP APCH PROC RWY 13R/31L TEMPO SUSPENDED DUE TO MISSING
FLIGHT VALIDATION. REF AIP PAGES AD 2 EDDK 4-6-7, 4-6-13 BOTH DATED
14 MAY 2026, 4-6-8, 4-6-9, 4-6-14, 4-6-15 ALL EFFECTIVE 16 APR 2026."
13 JUL 26 09:00 UNTIL 13 OCT 26 08:00 ESTIMATED

EDDZA3567/26 (08 AUG 26)

TWY T CLSD BTN TXL K3 AND TWY B. TAXIING ON APRON V ONLY WITH
MARSHALLER GUIDANCE.
10 JUL 26 10:40 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA3566/26 (08 AUG 26)

TWY B CLSD BTN THR 13R AND PRKG PSN A10.
10 JUL 26 10:38 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA2728/26 (06 JUN 26)

"NOERVENICH DVORTAC NVO 116.20MHZ/CH109X, DVOR PART NO USABLE
OPERATIONAL COVERAGE IN SECT 070DEG TO 130DEG (CLOCKWISE) UP TO 20NM
AT OR BELOW 3000FT AMSL."
27 MAY 26 15:10 UNTIL 27 AUG 26 15:00 ESTIMATED

EDDZA1660/26 (05 APR 26)

COLA DVOR/DME COL 108.80MHZ/CH25X RADIAL 250 UNUSABLE FROM

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 85/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

ONM - 31NM BELOW 6000FT AMSL.

EDDZA3910/25 (04 OCT 25)

NEW ACFT STANDS INSTALLED:
A25: 505234.79095N 0070710.85488E
A27: 505235.25636N 0070709.11813E
A29: 505235.28775N 0070707.14353E
A31: 505237.18196N 0070706.22441E
A33: 505237.20853N 0070708.26597E
A35: 505237.20688N 0070710.33309E

EDDL / DUS

*EDDZA4168/26 (14 AUG 26)

17 AUG 2026 04:00-23 AUG 2026 19:59
"RWY 05L/23R AVBL ONLY DURING UNPLANNED CLOSURES OF RWY 05R/23L
AND DURING THE FOLLOWING TIMES:
AUG 17 0400-0559, 0700-1359, 1900-1959
AUG 18 0400-0559, 0800-1159, 1900-1959
AUG 19 0400-0559, 0800-0859, 1300-1359, 1500-1659, 1900-1959
AUG 20 0400-0559, 0800-1359, 1900-1959
AUG 21 0400-0559, 0800-0859, 1000-1359, 1500-1559, 1900-1959
AUG 22 0400-0559, 0800-0859, 1300-1359, 1900-1959
AUG 23 0400-0559, 0800-1059, 1300-1359, 1700-1959."

EDDZA4165/26 (14 AUG 26)

17 AUG 2026 21:00-20 AUG 2026 03:30
DAILY 2100-0330
TWY P2 BTN ACFT STAND A10 AND A13 CLSD.

EDDZA4139/26 (13 AUG 26)

"OCA(H) VALUES RAISED AS FOLLOWS:
LPV RWY 05L: A 518 (402), B 527 (411), C 532 (416), D 539 (423)FT.
LPV RWY 05R: A 560 (440), B 572 (452), C 581 (461), D 591 (471)FT.
LPV RWY 23L: A 420 (282), B 433 (295), C 452 (314), D 479 (341)FT.
LPV RWY 23R: A 415 (292), B 428 (305), C 447 (324), D 474 (351)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APCH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPERATIONS."

EDDZA4131/26 (13 AUG 26)

ILS LOC RWY 05L:
LOC COVERAGE UP TO 15NM IN THE AREA 029DEG(L)/033DEG(R) IN RELATION
TO RCL AND DIST TO LOC. MNM RECEPTION ALT IN THIS AREA 4000FT AMSL.
13 AUG 26 07:21 UNTIL 13 NOV 26 08:00 ESTIMATED

*EDDZA4031/26 (07 AUG 26)

10 AUG 2026 04:00-16 AUG 2026 19:59
"RWY 05L/23R AVBL ONLY DURING UNPLANNED CLOSURES OF RWY 05R/23L AND
DURING THE FOLLOWING TIMES:
AUG 10 0400-1359, 1900-1959
AUG 11 0400-0559, 0800-0859, 1100-1159, 1500-1559, 1900-1959
AUG 12 0400-0559, 0800-0859, 1300-1359, 1500-1659, 1900-1959
AUG 13 0400-0559, 0800-1159, 1300-1359, 1600-1659, 1900-1959
AUG 14 0400-0559, 0800-0859, 1000-1159, 1300-1359, 1500-1659,
1900-1959
AUG 15 0400-0559, 0800-0959, 1900-1959
AUG 16 0400-0559, 0800-1159, 1700-1959."

EDDZA3929/26 (03 AUG 26)

TWY P4 LTD TO ACFT MAX ICAO CODE LETTER E BTN TWY M AND TWY R.
03 AUG 26 04:56 UNTIL 30 OCT 26 21:59 ESTIMATED

EDDZA3928/26 (03 AUG 26)

ACFT STAND V63 PUSH BACK ONLY.
03 AUG 26 04:56 UNTIL 30 OCT 26 21:59 ESTIMATED

EDDZA3892/26 (31 JUL 26)

DAILY 2000-0330
"TWY P4 BTN ACFT STAND V63 AND TWY R, TWY R BTN ACFT STAND C01 AND
ACFT STAND C03 TAXI WITH MARSHALLER GUIDANCE ONLY."

EDDZA3779/26 (24 JUL 26)

ACFT STANDS V44A AND V45A CLSD.
24 JUL 26 04:44 UNTIL 21 SEP 26 22:59 ESTIMATED

EDDZA3289/26 (25 JUN 26)

FUEL 100 LL NOT AVBL.
25 JUN 26 11:46 UNTIL 24 SEP 26 22:59 ESTIMATED

EDDZA2882/26 (03 JUN 26)

"STAR DOMUX 1A ADD RMK: BRNAV EQUIPMENT NECESSARY.
REF AD 2 EDDL 3-1-1 DATED 19 MAR 2026, 3-1-2 EFF 28 NOV 2024."
03 JUN 26 07:27 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZA2729/26 (27 MAY 26)

"NOERVENICH DVORTAC NVO 116.20MHZ/CH109X, DVOR PART NO USABLE
OPERATIONAL COVERAGE IN SECT 070DEG TO 130DEG (CLOCKWISE) UP TO 20NM
AT OR BELOW 3000FT AMSL."
27 MAY 26 15:14 UNTIL 27 AUG 26 15:00 ESTIMATED

EDDZA1661/26 (02 APR 26)

COLA DVOR/DME COL 108.80MHZ/CH25X RADIAL 250 UNUSABLE FROM
0NM - 31NM BELOW 6000FT AMSL.

EDDZA5876/25 (02 MAR 26)

ACFT STAND A09 WITHOUT SAFEDOCKSYSTEM.

EDDZA4699/25 (04 OCT 25)

"RWY 05L/23R:
TDZ REVISED AND SHORTENED TO 631M.
REMOVED MARKINGS PARTIALLY VISIBLE, CAN BE IRRITATING. PAY
ATTENTION. RWY AIMING POINTS NOT ALIGNED WITH PAPI.
RWY 05L - 81.87M IN FRONT OF PAPI.
RWY 23R - 99.61M IN FRONT OF PAPI.
RWY 05L/23R: ILS GP AND PAPI GP TOUCHDOWN POINT LOCATED BEYOND AIMING
POINT MARKINGS.
RWY 05R/23L:
RWY AIMING POINTS NOT ALIGNED WITH PAPI.
RWY 05R - 15.96M IN FRONT OF PAPI.
RWY 23L - 114.18M IN FRONT OF PAPI.
RWY 05R/23L: ILS GP AND PAPI GP TOUCHDOWN POINT LOCATED BEYOND AIMING
POINT MARKINGS."

EDDZA5060/22 (02 DEC 23)

ACFT STAND V91 AND V92 LAYOUT AS SUP 25/22 FROM 08 SEP 2022.

EDDZA5561/22 (02 DEC 23)

TWY G1 RENAMED TO TWY G.

EDDZA5542/22 (02 DEC 23)

TWY W RENAMED TO TWY R.

LFPG / CDG

LFFAA5312/26 (14 AUG 26)

14 AUG 2026 15:29-17 AUG 2026 10:00
TWY Q CLOSED BETWEEN QB2 EXCLUSIVE AND QB4 EXCLUSIVE AND QB3
CLOSED.

LFFAA5268/26 (11 AUG 26)

11 AUG 2026 18:56-17 AUG 2026 09:00
TWY F NOT AVAILABLE TO B747 AND A380 BETWEEN FN1 AND TWY E. FN1
AND E
EXCLUDED.

// (COM-INFO) //

THA 00196/26 (03 AUG 26)

COM INFO:+++ (NEW) --CDG/LFPG:
TAKEOFF AND LANDING PERFORMANCE CALCULATION
SHALL BE BASED ON TEMPORARY RUNWAY WHEN OPERATING ON 09R.

Runway 09R
Validity Period: 11 MAY 2026 - 31 AUG 2026

(REVISED 03AUG26/BKKPC/TILL 31AUG26)

LFFAA5076/26 (06 AUG 26)

"TWY EM3, MD2 AND M CLSD BTN STAND I30 AND EM3 INCLUDED."

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 87/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LFFAA5024/26 (06 AUG 26)

AIP SUP 096/26 - PHASE 2 ACTIVATED

// (COM-INFO) //

THA 00133/12 (20 JUL 26)

COM INFO--PILOT SHOULD PLAN TO LAND AT CDG AFTER 0600LT,
TO AVOID EXTRA CHARGES.
RMK/1. A/C ON BLOCK DUE 2200-0600LT,
HIGHER RATE OF PARKING FEE WILL BE APPLIED.
2. NOISE TAX FOR FLT MOVEMENT DUR 2200-0600LT,
HIGHER RATE WILL BE APPLIED. (ISSUED/28JUN/TN028/14/OS-A380/UFN)

LFFAA4549/26 (10 JUL 26)

AIP SUP 124/26 : WORKS PHASE ACTIVATED

LFFAA4458/26 (10 JUL 26)

18 AUG 2026 00:00-01 OCT 2026 23:59
TRIGGER NOTAM - AIRAC AIP SUP 152/26.
MODIFICATION OF ACFT STANDS ON J AREA.
ACTIVATION OF PHASES CONFIRMED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA4164/26 (10 JUL 26)

TWY MD2 CLSD.

LFFAA3923/26 (10 JUL 26)

STAR RNAV ENORI 9J RWY 26L 26R 27L 27R NOT AVBL.

LFFAA3857/26 (10 JUL 26)

TRIPLE AXIS TWY A4 NOT AVBL
USE ONLY CENTRAL AXIS A4.

LFFAA3840/26 (10 JUL 26)

"FLW STAR MODIFIED- REF AIP FRANCE :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP 9E 9D
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9W 9V
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9P
READ :
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
READ :
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING LUKIP 2000FT,
MOCA HOLDING MOPAR 2200FT,
MOCA HOLDING ROU 2400FT."

LFFAA3740/26 (10 JUL 26)

IMPLEMENTATION OF A NEW DEPARTURE SEQUENCING SYSTEM (GLD) : THE
DEPARTURE SEQUENCING ALGORITHM AND TSAT CALCULATION ARE MODIFIED.
RULES RELATED TO TOBT/EOBT MANAGEMENT AND SEQUENCE EXIT CONDITIONS
(SEQOUT) ARE UPDATED.
PLEASE REFER TO : WWW.CDMPARIS.NET WEBSITE FOR FURTHER INFORMATION

LFFAA3623/26 (06 JUN 26)

TRIGGER NOTAM - AIRAC AIP SUP 124/26.
REHABILITATION WORKS OF PART OF TWY T WITH CLOSURE OF A PART OF THE
TWY AND W4 AND W5 HIGH SPEED TURN-OFFS CLOSURE.
WORKS ACTIVATION PHASE ANNOUNCED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA2935/26 (06 JUN 26)

TRIGGER NOTAM - AIRAC AIP SUP 096/26.
PHASED REHABILITATION OF THE M TAXIWAY.
WORKS PHASES WILL BE ACTIVATED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAF0822/26 (06 JUN 26)

DME 'CGN' CH100Y U/S.

LFFAA2208/26 (12 APR 26)

TWY BD4 CLSD

LFFAA4055/25 (04 OCT 25)

TWY EM5 LIMITED TO ACFT WITH A MAXIMUM WINGSPAN OF 36M FROM STAND EN81.
REF AD 2 LFPG.20-3.3.2.2 LIMITATIONS ACCESSIBILITY.

LFFAA3549/25 (04 JUL 25)

"REF :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP
AD2 LFPG STAR RWY EAST RNAV EPL TRO
AD2 LFPG STAR RWY EAST RNAV KEPER ROMGO
AD2 LFPG STAR RWY EAST RNAV MATIX VEDUS
AD2 LFPG STAR RWY EAST RNAV MOPII VEDUS
AD2 LFPG STAR RWY EAST RNAV TINIL
AD2 LFPG STAR RWYWEST RNAV BIBAX LUKIP 01
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 02
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIPH
AD2 LFPG STAR RWY WEST RNAV EPL TRO
AD2 LFPG STAR RWY WEST RNAV KEPER
AD2 LFPG STAR RWY WEST RNAV KEPER ROMGO
AD2 LFPG STAR RWY WEST RNAV MATIX VEDUS
READ :
MSA BANOX 2700FT,
MSA LORNI 2700FT,
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
MSA OKIPA 2300FT,.
LIRE
MOCA HOLDING BANOX 2700FT,
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING ENORI 2400FT,
MOCA HOLDING LORNI 2100FT,
MOCA HOLDING LUKIP 2000FT,
MOCAHOLDING MOPAR 2200FT,
MOCA HOLDING NANOP 2900FT,
MOCA HOLDING OKIPA 2300FT,
MOCA HOLDING ROMGO 2700FT,
MOCA HOLDING ROU 2400FT,
MOCA HOLDING XERAN 2800FT."

LFFAF0990/22 (09 NOV 23)

VOR PART OF VOR/DME PGS 117.050MHZ NOT AVBL (COMPLETELY WITHDRAWN

LFPO / ORY

LFFAA5318/26 (16 AUG 26)

ILS RWY 02 U/S.

LFFAA5236/26 (09 AUG 26)

"RVR THR 06, MEDIAN AND 24 NOT AVBL."

LFFAA5208/26 (07 AUG 26)

AIRAC AIP SUP 147/26 - PHASE 1 ACT

LFFAA5186/26 (05 AUG 26)

AIRAC AIP SUP 085/26 - ARRIVAL PROCEDURES SUSPENDED :
QFU 25 :
- IAC FNA ILS CAT123 RWY25
- IAC FNA ILS Z CAT 123 RWY25
- IAC FNA LOC RWY25
- IAC FNA LOC Z RWY25
- IAC FNA RNP RWY25
- IAC FNA RNP Z RWY25
QFU 06 : ALL ARRIVAL PROCEDURES
- IAC FNA ILS CAT123 RWY06
- IAC FNA LOC RWY06
- IAC FNA RNP RWY06
QFU 24 : ALL ARRIVAL PROCEDURES
- IAC FNA ILS CAT123 RWY24
- IAC FNA LOC RWY24
- IAC FNA RNP RWY24
DEPARTURE PROCEDURES SUSPENDED :
QFU 20 :
-SID 2Y
-SID 2S
QFU 06 : ALL DEPARTURE PROCEDURES
-SID 2F

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 89/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

-SID 2H
QFU 24 : ALL DEPARTURE PROCEDURES
-SID 2W
-SID 2Q
PROCEDURES IN FORCE : SEE AIRAC AIP SUP 085/26
CONFIRMATION ON ATIS AND ORLY APP 123.875MHZ

*LFFAA5166/26 (04 AUG 26)

RWY 20 LDG PROHIBITED FOR ACFT WITH WINGSPAN GREATER OR EQUAL TO
36M DUE TO OBST

LFFAA5164/26 (04 AUG 26)

FLW HEL ROUTES CLOSED WHEN 'ORLY' RWY 02/20 IS USED :
- IH3-OH-OH1
- OH2-OH3
- 'SAMU' AND STATE ACFT ON A MISSION : TRANSIT ACCORDING TO ATC
CLEARANCE
- CONFIRMATION ON ATIS AND ORLY TWR 118.700MHZ.

LFFAA4534/26 (06 JUL 26)

"ALL ECONOMICAL CLIMB OF TYPE 'OPTICLIMB' MUST BE ANNOUNCED ON
FIRST CONTACT WITH ORLY DEP, THEN ON FIRST CONTACT WITH
PARIS ACC FOR ATC AGREEMENT.
SPEED MUST BE REPORTED DURING THESE CONTACTS."

LFFAA4247/26 (25 JUN 26)

TRIGGER NOTAM - AIRAC AIP SUP 147/26.
RESTRICTION OF USE OF AD LFPO DUE TO REPAIR WORK ON RUNWAY 06/24.
WORKS PHASES WILL BE ACTIVATED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA3704/26 (18 JUN 26)

IMPLEMENTATION OF A NEW DEPARTURE SEQUENCING SYSTEM (GLD) : THE
DEPARTURE SEQUENCING ALGORITHM AND TSAT CALCULATION ARE MODIFIED.
RULES RELATED TO TOBT/EOBT MANAGEMENT AND SEQUENCE EXIT CONDITIONS
(SEQOUT) ARE UPDATED.
PLEASE REFER TO : WWW.CDMPARIS.NET WEBSITE FOR FURTHER INFORMATION.

LFFAA2740/26 (18 JUN 26)

"TRIGGER NOTAM - AIRAC AIP SUP 085/26.
AD PARIS ORLY (LFPO) : DUE TO THE CLOSURE OF RUNWAY 06/24 FROM
AUGUST 10 TO DECEMBER 17, TEMPORARY APPROACH PROCEDURES ON RUNWAY 25
AND DEPARTURE PROCEDURES ON RUNWAY 20 ARE IMPLEMENTED.
PROCEDURES WILL BE SUSPENDED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR"

LFFAA1905/26 (18 JUN 26)

LNAV-VNAV MINIMA OPS IFR APCH PROC MODIFIED :
- RNP RWY 02 :
CAT DA(H) RVR
A 670(380) 1300
B 680(390) 1400
C 690(400) 1400
D 690(400) 1400
- RNP RWY 06 :
CAT DA(H) RVR
A 660(380) 1000
B 670(390) 1100
C 680(400) 1100
D 690(410) 1200
- RNP RWY 07 :
CAT DA(H) RVR
A 660(380) 1000
B 670(390) 1100
C 680(400) 1100
D 710(430) 1300
- RNP RWY 24 :
CAT DA(H) RVR
A 690(400) 1400
B 700(410) 1500
C 720(430) 1600
D 720(430) 1600
REFERENCE AIP FRANCE :
AD2 LFPO IAC RWY02 FNA RNP
AD2 LFPO IAC RWY06 FNA RNP
AD2 LFPO IAC RWY07 FNA RNP
AD2 LFPO IAC RWY24 FNA RNP

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 90/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LOWW / VIE

LOWWA1998/26 (05 AUG 26)

"LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.
RNP RWY 11, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-1
RNP RWY 29, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-2
RNP Z RWY 16, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-3
RNP RWY 34, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-4
NOTE: DUE TO ICAO ELECTRONIC BULLETIN 2026/13"
05 AUG 26 07:22 UNTIL 03 NOV 26 23:59 ESTIMATED

LOWWA1553/26 (16 JUL 26)

REF AIP LOWW AD 2 MAP 2-1
PRKG PSN E42 DIMENSION CHANGE
NEW MAX WINGSPAN 35.99M
NEW MAX LENGTH 52.00M
PRKG PSN E43 DIMENSION CHANGE
NEW MAX LENGTH 53.00M
PRKG PSN E44 DIMENSION CHANGE
NEW MAX LENGTH 53.00M
PRKG PSN E45 DIMENSION CHANGE
NEW MAX LENGTH 53.00M

LBSF / SOF

LBSFA0928/26 (14 AUG 26)

ILS ISF RWY 27 U/S.
14 AUG 26 08:53 UNTIL 20 SEP 26 08:00 ESTIMATED

LBSFA0904/26 (04 AUG 26)

12 19 1100-1230
TEMPO SEGREGATED AREA ESTABLISHED FOR PJE WI
1500M RADIUS CENTERED ON 423805N 0232549E.
SAFETY BUFFERS INCLUDED AS FLW:
- HORIZONTAL - 500M
- VERTICAL - 500M
CTR SOFIA AFFECTED.
F) GND
G) 7000FT AMSL

*LBSFA0903/26 (04 AUG 26)

12 19 0800-1300 1700-1930
TEMPO SEGREGATED AREA ESTABLISHED FOR PJE WI
2KM RADIUS CENTERED ON 425408N 0235453E.
SAFETY BUFFERS INCLUDED AS FLW:
- HORIZONTAL - 1KM
- VERTICAL - 1500FT.
TMA SOFIA AFFECTED.
F) GND
G) FL135

*LBSFA0898/26 (03 AUG 26)

06 AUG 2026 05:00-17 AUG 2026 19:00
"06 11 0500-1900, 17 0500-0900 1600-1900"
DANGER AREA ESTABLISHED FOR FIRING EXER WI:
431241N 0233213E-431207N 0233152E-
431219N 0233131E-431246N 0233203E-
431241N 0233213E.
SAFETY BUFFERS INCLUDED AS FLW:
- HORIZONTAL - 500M
- VERTICAL - 550M.
F) GND
G) 12000FT AMSL

LBSFA0783/26 (05 JUL 26)

ACFT STAND 14 USABLE OBLIGATORY WITH A MARSHALLER.

LBSFA0775/26 (02 JUL 26)

DE-ICING PAD LIMA AND DE-ICING PAD BRAVO ARE USED AS ACFT STANDS
DUE TO OPR REASONS.

LBSFA0774/26 (02 JUL 26)

ACFT STAND 25 USABLE OBLIGATORY WITH A MARSHALLER.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 91/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LYBE / BEG

LYBBA4153/26 (13 AUG 26)

AVGAS 100LL NOT AVBL.

LYBBA4084/26 (11 AUG 26)

"MAXIMUM TURN AROUND TIME/PARKING TIME FOR ALL AD-HOC FLIGHTS:
COMMERCIAL, CARGO, TECHNICAL AND GENERAL AVIATION FLIGHTS
LIMITED TO 2 HOURS."

ETOQV0592/26 (05 AUG 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE NOT AUTHORIZED ILS OR LOC RWY 12L

ETOQV0593/26 (05 AUG 26)

[US DOD PROCEDURAL NOTAM] STANDARD INSTRUMENT DEPARTURE (SID) NOT AUTHORIZED SID RWY 30L

LYBBA3762/26 (23 JUL 26)

"AD LYBE IAC, SPEED RESTRICTIONS AMENDED.
IN TEXT BOX FOR SPEED RESTRICTIONS INSTEAD OF:
4NM BEFORE THR AT 160KT IAS,
READ: FOR ACFT CAT C, D, E, F 4NM BEFORE THR AT 160KT IAS.
REF AIP, AD 2 LYBE 12.1-1, AD 2 LYBE 12.1-3, AD 2 LYBE 12.1-5,
AD 2 LYBE 12.2-1, AD 2 LYBE 12.2-3, AD 2 LYBE 12.2-5,
AD 2 LYBE 12.2-7, AD 2 LYBE 12.4-1, AD 2 LYBE 12.4-3,
AD 2 LYBE 12.4-5, AD 2 LYBE 12.4-7."

LYBBA3610/26 (10 JUL 26)

PART OF TWY T BTN ACFT STAND C14 AND SB T1 LTD TO ACFT WITH MAX
WINGSPAN UP TO 36M.
10 JUL 26 09:49 UNTIL 30 SEP 26 21:59 ESTIMATED

LYBBA3608/26 (10 JUL 26)

ACFT STAND C6 LTD TO ACFT WITH MAX WINGSPAN UP TO 28.72M.
10 JUL 26 09:46 UNTIL 30 SEP 26 21:59 ESTIMATED

LYBBA3609/26 (10 JUL 26)

VISUAL DOCKING GUIDANCE SYSTEM ON ACFT STAND C14 U/S.
FOLLOW ONLY MARSHALLER INSTRUCTIONS.
10 JUL 26 09:47 UNTIL 30 SEP 26 21:59 ESTIMATED

LYBBA3154/26 (17 JUN 26)

"DEPARTURE PLANNING INFORMATION MSG (A-DPI AND C-DPI)
PROVIDED TO NETWORK MANAGER OPERATIONS CENTER (NMOC).
1.1. ADS-B DATA REQUIRED
1.1.1. FOR ADS-B DATA USED BY THE AD OPERATOR AND EUROCONTROL,
PILOTS OF AIRCRAFT EQUIPPED WITH MODE S AND ADS-B FUNCTIONALITY
MUST, WHEN OPERATING ON THE GROUND:
A) SELECT AUTOMATIC MODE AND THE ASSIGNED MODE A, OR
B) IF AUTOMATIC MODE IS NOT AVAILABLE, SELECT ON AND THE ASSIGNED
MODE A
- FROM THE REQUEST OF PUSH-BACK.
- AFTER LANDING, UNTIL THE AIRCRAFT HAS STOPPED ON HIS STAND.
- WHEN THE AIRCRAFT IS FULLY PARKED, THE PILOT SHALL SELECT STBY.
1.1.2. WHEN THE AIRCRAFT IS CAPABLE OF COMMUNICATING ITS
IDENTIFICATION (I.E. THE CALLSIGN USED IN FLIGHT), THIS MUST BE
ENTERED (VIA THE FMS OR TRANSPONDER CONTROL PANEL) AT THE TIME OF
THE PUSH-BACK REQUEST.
1.1.3. THE CREW MUST USE THE FORMAT DEFINED BY ICAO TO ENTER THE
AIRCRAFT IDENTIFICATION.
1.1.4. IN ORDER NOT TO COMPROMISE THE PERFORMANCE OF SYSTEMS BASED
ON SSR FREQUENCIES (INCLUDING AIRBORNE TCAS AND SSR RADARS), TCAS
SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP, AND
SHOULD BE DESELECTED AFTER VACATING THE RUNWAY.
REF AIP, AD 2 LYBE 1.1, LYBE AD 2.22, ITEM 4.2"

LHBP / BUD

*LHBPA5480/26 (07 AUG 26)

16 AUG 2026 21:00-17 AUG 2026 04:00
RWY 13L/31R CLOSED DUE TO MAINT.

LHBPA5477/26 (07 AUG 26)

16 AUG 2026 21:00-17 AUG 2026 04:00

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 92/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

TWY A9 B5 K Y Z V CLSD DUE TO MAINT.

LHBPA5475/26 (07 AUG 26)

16 AUG 2026 21:00-17 AUG 2026 04:00
OPERATION OF ACFT WITH WINGSPAN AT OR ABOVE 70M NOT ALLOWED DUE
TO CLOSURE OF RWY 13L/31R.

LHBPA5469/26 (07 AUG 26)

COMPASS CHECK POINT CLOSED DUE TO AIRCRAFT PARKING.
COMPASS CHECKS CAN BE MANAGED AT B5 HOLDING BAY.

LHBPA5312/26 (04 AUG 26)

"DEPARTURE PLANNING INFORMATION MSG (A-DPI AND C-DPI) PROVIDED TO
EUROCONTROL NETWORK MANAGER OPERATIONS CENTER (NMOC).
1.1. ADS-B DATA REQUIRED.
1.1.1. FOR ADS-B DATA USED BY THE AD OPERATOR AND EUROCONTROL,
PILOTS OF AIRCRAFT EQUIPPED WITH MODE S AND ADS-B FUNCTIONALITY MUST
BE USED, WHEN OPERATING ON THE GROUND:
A) SELECT AUTOMATIC MODE AND THE ASSIGNED MODE A, OR
B) IF AUTOMATIC MODE IS NOT AVAILABLE, SELECT ON AND THE ASSIGNED
MODE A
- FROM THE REQUEST OF PUSH-BACK.
- AFTER LANDING, UNTIL THE AIRCRAFT HAS STOPPED ON STAND.
- WHEN THE AIRCRAFT IS FULLY PARKED, THE PILOT SHALL SELECT STAND
BY.1.1.2. WHEN THE AIRCRAFT IS CAPABLE OF COMMUNICATING ITS
IDENTIFICATION (I.E. THE CALLSIGN USED IN FLIGHT), THIS MUST BE
ENTERED (VIA THE FMS OR TRANSPONDER CONTROL PANEL) AT THE TIME OF
THE PUSH-BACK REQUEST.
1.1.3. THE CREW MUST USE THE FORMAT DEFINED BY ICAO TO ENTER THE
AIRCRAFT IDENTIFICATION.
1.1.4. IN ORDER NOT TO COMPROMISE THE PERFORMANCE OF SYSTEMS BASED
ON SSR FREQUENCIES (INCLUDING AIRBORNE TCAS AND SSR RADARS),
TCAS SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP,
AND SHOULD BE DESELECTED AFTER VACATING THE RUNWAY.)"
04 AUG 26 08:18 UNTIL 26 NOV 26 23:59 ESTIMATED

LHBPA4617/26 (09 JUL 26)

THE COORDINATES OF PSN 45A IS 472604.25N 0191549.82E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.
09 JUL 26 15:00 UNTIL 03 SEP 26 23:59 ESTIMATED

LHBPA4616/26 (09 JUL 26)

THE COORDINATES OF PSN R280 IS 472600.01N 0191559.42E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.
09 JUL 26 15:00 UNTIL 03 SEP 26 23:59 ESTIMATED

LHBPA3951/26 (16 JUN 26)

THE PCN VALUE OF CONC PORTION OF TAXILANE G BEHIND STAND
R115-R117
CHANGED TO 106 R/A/W/T. REF AIP LHBP AD 2.8.

LHBPA3950/26 (16 JUN 26)

THE PCN VALUE OF ASPH PORTION OF TAXILANE G BEHIND STAND
R111-R114
CHANGED TO 51 R/B/W/T. REF AIP LHBP AD 2.8.

LDZA / ZAG

LDZAA2785/26 (14 AUG 26)

17 AUG 2026 06:00-21 AUG 2026 16:00
DAILY 0600-1600
TEMPORARY RESERVED AREA 'PREGRADA' ACTIVATED WI FLW COORD:
461046N 0153927E - 461111N 0154246E - 461026N 0154317E -
460900N 0154301E - 460848N 0154220E - 460955N 0154022E -
461046N 0153927E DUE TO UAS ACTIVITIES.
DURING ACTIVITY PENETRATION NOT ALLOWED.
FOR INFO ABOUT ACTUAL ACTIVITY CONTACT RELEVANT ATS UNIT
(ZAGREB FIC AIRSPACE MANAGEMENT LEVEL 3 TEL +385 1 6259333).
F) GND
G) 2400FT AMSL

LDZAB0995/26 (07 AUG 26)

DAILY 0600-1700
UNMANNED ACFT FLIGHT WILL TAKE PLACE WI AREA (LDZA)
DEFINED BY FLW COORD:

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 93/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

454315N 0160253E - 454418N 0160512E - 454530N 0160534E -
454532N 0160459E - 454337N 0160219E - 454315N 0160253E.
FOR INFO ABOUT ACTUAL ACTIVITY CONTACT RELEVANT ATC UNIT
(ZAGREB TWR TEL +385 1 6259229).
F) GND
G) 394FT AGL

*LDZAA2287/26 (29 JUN 26)

"FIREFIGHTING AND RESCUE CAT CHANGED AS FLW:
- CAT 7 AVBL H24
- CAT 8 AND 9 ALIGNED WITH CURRENT/APPROVED FLIGHT SCHEDULE AS
NEEDED OR ON REQUEST IN WRITTEN FORM NOT LATER THAN 24HR BEFORE
THE ACFT OPERATION, E-MAIL: KOORDINATORI(AT)ZAG.AERO
SEE LDZA AD 2.20.4
REF AIP LDZA AD 2-3, ITEM AD 2.6"

LDZAA2068/26 (27 JUN 26)

LDZA RNP RWY04
- LNAV A/B/C/D:
CHANGE OCA/H TO 750 (397) INSTEAD OF 720 (367)
- LNAV/VNAV:
CHANGE OCA/H AS FLW:
CAT A - 626 (273) INSTEAD OF 610 (257) FT
CAT B - 636 (283) INSTEAD OF 610 (257) FT
CAT C - 646 (293) INSTEAD OF 610 (257) FT
CAT D - 656 (303) INSTEAD OF 620 (267) FT
- LPV:
CHANGE OCA/H AS FLW:
CAT A - 626 (273) INSTEAD OF 610 (257) FT
CAT B - 636 (283) INSTEAD OF 610 (257) FT
CAT C - 646 (293) INSTEAD OF 610 (257) FT
CAT D - 656 (303) INSTEAD OF 620 (267) FT
REF AIP CHART:
LDZA AD 2.24.12 IAC RNP RWY04
13 JUN 26 04:00 UNTIL 13 SEP 26 22:00 ESTIMATED

LZIB / BTS

LZIBA1636/26 (28 JUL 26)

"ACFT STANDS 42, 43, 44, 45, 46, 47 CLSD."
29 JUL 26 05:00 UNTIL 29 AUG 26 05:00 ESTIMATED

LZIBA1635/26 (28 JUL 26)

ACFT TAXIING FROM/TO ACFT STANDS 41-48 IN BOTH DIRECTIONS ON
APRON C VIA ADDITIONAL ORANGE CENTRE LINE MARKING WITH THE
ASSISTANCE OF FOLLOW ME ONLY.
29 JUL 26 05:00 UNTIL 29 AUG 26 05:00 ESTIMATED

LZIBA1052/26 (06 JUN 26)

"LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.
RNP RWY 22 ASC 2,5 PERCENT, REF PAGE AD 2-LZIB-7-5,
RNP RWY 31 ASC 2,5 PERCENT, REF PAGE AD 2-LZIB-7-17,
RNP RWY 31 ASC 4,0 PERCENT, REF PAGE AD 2-LZIB-7-17.
IN ACCORDANCE WITH ICAO ELECTRONIC BULLETIN 2026/13."
21 MAY 26 14:23 UNTIL 21 AUG 26 23:59 ESTIMATED

LKPR / PRG

LKPRA1216/26 (07 AUG 26)

ILS RWY 24 DOWNGRADED TO CAT I. GUIDED TAKE-OFF NOT AVAILABLE.

LKPRA1176/26 (31 JUL 26)

STAND 17 - VDGS U/S.

LKPRA0973/26 (30 JUN 26)

STAND 15 - VDGS U/S

LKPRA0966/26 (29 JUN 26)

VDGS ON STAND 7 U/S.

LKPRA0959/26 (29 JUN 26)

STAND 22A - VDGS U/S.
29 JUN 26 07:07 UNTIL 29 SEP 26 22:00 ESTIMATED

LKPRA0926/26 (25 JUN 26)

"TRIGGER NOTAM - PERM AIP AIRAC AMDT 6/26 WEF 6 AUG 2026
CONTAINS:
PRAHA/RUZYNE (LKPR) - GP 24 AND DME 24 (PR) LOCATION, GP 24 RDH, DME
24 (PR) ELEVATION, RESTRICTION ADDED TO SIDS DOBEN4A, DOBEN5B,
DOBEN8E, DOBEN6H, OBSTACLES UPDATED ON THE CHART, CIRCLING APPROACH
WITHDRAWN."

LKPRA0890/26 (22 JUN 26)

VDGS ON STAND 20 U/S.

LROP / OTP

LRBBA4468/26 (10 AUG 26)

"ACFT STANDS 201-202 AVBL FOR MIL ACFT ONLY. MARSHALLING, PARKING
AND ACFT MANOEUVERING TO BE CARRIED OUT BY MIL PERSONNEL"

LRBBA4399/26 (07 AUG 26)

"SAFEGATE STANDS 103, 104, 107, 110,113 AND 114 U/S"

LRBBA4324/26 (03 AUG 26)

"ADVANCED TWR PROCEDURES IN FORCE:
DUE TO THE INFORMATION EXCHANGE FOR DEPARTURE FLIGHTS USING
EUROPEAN STANDARD FOR A-CDM AIRPORTS, LROP WILL SEND A-DPI
MESSAGES TO NMOC REPORTING TTOT IN ORDER TO IMPROVE TAKE-OFF
TIME ESTIMATES. THE FPL OF ACFT THAT FOR ANY REASON RETURNS TO
STAND AFTER EOBT WILL BE SUSPENDED IN THE ATM NETWORK WITH A
C-DPI MESSAGE. THE AIRCRAFT OPERATOR WILL RECIEVE A FLS MESSAGE
WITH REASON-SUSPENDED BY DEPARTURE AIRPORT- TO REVOKE THE
SUSPENSION, OPERATORS SHALL UPDATE EOBT WITH A DLA OR CHG
MESSAGE.
ACRONYMS:
A-CDM (AIRPORT COLLABORATIVE DECISION MAKING)
A-DPI (ATC DEPARTUR PLANNING INFORMATION)
ATFCM (AIR TRAFFIC FLOW CAPACITY MANAGEMENT)
C-DPI (CANCEL DEPARTURE PLANNING INFORMATION)
FLS (FLIGHT SUSPENSION)
NMOC (NETWORK MANAGER OPERATIONS CENTER)
TTOT (TARGET TAKE-OFF TIME)."
03 AUG 26 15:31 UNTIL 10 NOV 26 23:59 ESTIMATED

LRBBA4318/26 (03 AUG 26)

"REF AIP ROMANIA PAGE AD 2.5-22A/26 DEC 2024, INS COORD AT STAND
108
CHANGE AS FLW:
108-1: 443415.21N/0260457.12E - RMK: EXIT WITH PUSH-BACK ONLY
108-2: 443415.18N/0260456.78E - RMK: EXIT WITH PUSH-BACK ONLY
108-3: 443415.19N/0260456.64E - RMK: EXIT WITH PUSH-BACK ONLY
108-4: 443415.17N/0260456.49E - RMK: EXIT WITH PUSH-BACK ONLY,
AIP ROMANIA PAGE AD 2.5-22A/26 DEC 2024, INS COORD AT STAND 107
CHANGE AS FLW:
107-1: 443416.41N/0260456.34E - RMK: WITH PUSH-BACK ONLY
107-2: 443416.33N/0260456.25E - RMK: WITH PUSH-BACK ONLY
107-3: 443416.28N/0260456.20E - RMK: WITH PUSH-BACK ONLY
107-4: 443416.15N/0260456.04E - RMK: WITH PUSH-BACK ONLY
107-5: 443416.02N/0260455.90E - RMK: WITH PUSH-BACK ONLY"

LRBBA4304/26 (02 AUG 26)

"DUE TO RESTRICTED AIRPORT CAPACITY, PRIOR PERMISSION REQUIRED
(PPR) FROM AD OPERATOR IS MANDATORY FOR ALL
NON-SCHEDULED FLIGHTS."

LRBBA4247/26 (30 JUL 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S
30 JUL 26 05:56 UNTIL 31 AUG 26 23:00 ESTIMATED

LRBBA4243/26 (30 JUL 26)

NO ACFT PARKING POSITIONS AVBL BTN 1800-0500 FOR ALL NONSCHEDULED
FLIGHTS/DIVERTED FLIGHTS EXCEPT STATE/MIL ACFT AND
ACFT PARKED ON APRON 3 GENERAL AVIATION TERMINAL

LRBBA4242/26 (30 JUL 26)

"DUE TO LIMITED PARKING STANDS AVBL FOR NONSCHEDULED FLIGHTS,
BFR FILLING A FLT PLAN WITH LROP AS A DESTINATION/ALTERNATE,

MIN 72 HR PPR MUST BE OBTAINED FM AD ADMINISTRATION AT E-MAIL
'OPS AT CNAB.RO', EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

LRBBA4241/26 (30 JUL 26)

"DUE TO LIMITED PARKING STANDS AVBL, NONSCHEDULED FLIGHTS,
NONSCHEDULED CARGO FLIGHTS, NONSCHEDULED CARGO FLIGHTS CARRYING
MIL ARMY/MUNITIONS, WITHOUT PPR FM AD ADMINISTRATION WITH MIN 72
HR AT E-MAIL 'OPS AT CNAB.RO', NO PRKG STAND WILL BE ALLOCATED
AND NO HANDLING WILL BE PERMITTED.
EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

*LRBBA4063/26 (21 JUL 26)

EVERY TUE 0730-0930
RWY 08L/26R CLSD

LRBBA4027/26 (19 JUL 26)

TWY C1 CLSD ABEAM STANDS 204-206

LRBBA4028/26 (19 JUL 26)

"ACFT STANDS 204, 205 AND 206 EXIT ONLY WITH PUSHBACK DUE TO
TWY C1 CLSD ABEAM STANDS 204-206 FOR ACFT STORAGE FACILITY."

LRBBA3852/26 (09 JUL 26)

ACFT WITH WINGSPAN GREATER THAN 65M ARE NOT ALLOWED TO OPERATE
WITHOUT A SIGNED AGREEMENT BETWEEN AIRLINE AND AIRPORT AUTHORITY

LRBBA3779/26 (06 JUL 26)

"GROUND STAY MORE THAN 3 HOURS FOR ALL NONSCHEDULED FLIGHTS
IS NOT PERMITTED. NO PARKING SPACE AVBL FOR LONG TERM PARKING,
NO ACFT STORAGE AVBL. EXCEPT STATE/MIL ACFT AND ACFT PARKED ON
APRON 3 GENERAL AVIATION TERMINAL."

LRBBA3400/26 (19 JUN 26)

ON LROP THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED AS
RUSH HOURS:
0300-0600 / 0900-1200 / 1500-1800.
EXPECT RAMP CONGESTION AND DELAY.

LRBBA3267/26 (13 JUN 26)

BACKTRACK ON RWY 08R/26L IS PERMITTED ONLY AT 26L THR TURN PAD

LRBBA2970/26 (29 MAY 26)

TWY G CL LGTS LEAD IN/LEAD OUT TO/FROM RWY 08R U/S

UDYZ / EVN

UDDDA0115/26 (29 JUL 26)

FROM 05 AUG 2026 AT 05:00 UTC TILL 20 AUG 2026 AT 16:00 UTC:
TAXIWAY B WILL BE CLOSED DUE TO CONSTRUCTION WORK.
CAT I AND CAT II WILL NOT BE OPERATIONAL DURING THIS PERIOD.

UDDDA0090/26 (25 JUN 26)

FOR UDYZ IAC RWY 08/26:

IN CASE OF COMMUNICATION FAILURE DURING RADAR VECTORING PROCEED TO
OKUDA AT LAST CLEARED ALTITUDE BUT NOT BELOW 7000 FT

REF AIP ARMENIA
UDYZ AD 2.2-13
UDYZ AD 2.2-41
UDYZ AD 2.2-43
UDYZ AD 2.2-47
UDYZ AD 2.2-53
UDYZ AD 2.2-57
UDYZ AD 2.2-59

UGTB / TBS

N I L

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 96/122

Trans ID: 5106364

Creation Time: 16.08.2026 12:21UTC

LTFJ / SAW

LTAAB3232/26 (13 AUG 26)

"TWY C5,TWY H,TWY J,TWY K AND TWY U STOPBAR LIGHTS U/S.
-DUE TO ELECTRICAL WORK-"

LTAAB3221/26 (13 AUG 26)

"13 0730-1630, 14-18 0530-1630"
APCH LIGHTS OF RWY 24R U/S DUE TO ELECTRICAL WORK.

*LTAAB3219/26 (13 AUG 26)

"13 0615-1630 ,14 15 16 17 18 AUG 0530-1630"
"RWY 24R RUNWAY EDGE LIGHT,RUNWAY CENTERLINE LIGHT,THRESHOLD
LIGHT,
RUNWAY END LIGHT AND STOPWAY LIGHT

RWY 06L RUNWAY EDGE LIGHT, RUNWAY CENTERLINE LIGHT, TDZ LIGHT
,THRESHOLD LIGHT,RUNWAY END LIGHT ,AND STOPWAY LIGHT U/S

RUNWAY 06L APPROACH LIGHTS AND SIDEROW LIGHT U/S"

LTAAB3217/26 (13 AUG 26)

"13 0600-1630,14 15 16 17 18 0530-1630"
"TWY EDGE LIGHTS C5,C6,C11,D,E,F,F4,G,H,J,N,P,Q,R,S,T,U U/S."

LTAAB3218/26 (13 AUG 26)

"13 0630-1630, 14-18 0530-1630"
"TWY CENTRE LINE LIGHTS OF TWYS C5, D, E, F, F4, G, H, J, K, N, P,
R, S, T AND U U/S DUE TO ELECTRICAL WORKS."

LTAAB3203/26 (12 AUG 26)

APRON-9 CLSD TO TFC FOLLOWING AREA:
405259.75N 0291817.01E
405308.36N 0291841.05E
405300.30N 0291845.80E
405251.84N 0291822.50E

LTAAB3201/26 (12 AUG 26)

"TWYS B1, B2, B3, B4, B5, R2 CLSD TO TFC.
TWY B BTN B-HP32 AND B-HP53 CLSD TO TFC."

LTAAB3202/26 (12 AUG 26)

DE-ICING APRON-2 CLSD DUE TO CONST.

LTAAB3199/26 (12 AUG 26)

TWY C CLSD TO TFC WI FOLLOWING COORDINATES:
40533245N029174626E
40533126N029174920E
40532765N029173949E
40532691N029173670E

LTAAB3200/26 (12 AUG 26)

TWY -A1- CLSD TO TFC.
ADVISE ATC INSTRUCTION.

LTAAB3182/26 (12 AUG 26)

BELOW AREA ON APRON-9 SHALL BE USED FOR IRREGULAR PARKING DUE TO
CONST WORK:
405252.44N 0291803.17E
405256.18N 0291813.42E
405250.03N 0291817.26E
405246.26N 0291807.01E

LTAAB3010/26 (31 JUL 26)

0800-1500
WIP. PRESENCE A VEHICLE AT NORTH-EAST OF RWY 24L THR AND 830M
FROM RWY 24L THR.NOT PENETRATING TAKE OFF/LANDING SURFACE OF RWY
06R/24L DUE TO CONST WORKS.
COORDINATES: 405406.21N0292102.02E
ADVISE ATC INSTRUCTIONS

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 97/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LTAAB2848/26 (17 JUL 26)

TWY-V- OPENED FOR ONLY TOWING.

LTAAB2850/26 (17 JUL 26)

TWY-C- BTN COORDINATES LISTED BELOW IS OPEN FOR TOWING ONLY.

405331.26N0291749.20E
405332.15N0291748.60E
405337.10N0291801.95E
405336.36N0291802.45E

LTAAB2849/26 (17 JUL 26)

PRESENCE SURFACE IRREGULARITIES ON RWY 06L/24R REDUCING DRIVING QUALITY.

LTAAB2847/26 (17 JUL 26)

TWY-R1- OPN FOR ONLY TOWING.

LTAAA2880/26 (29 JUN 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF LTFJ AD 2.19 RADIO NAVIGATION AND LANDING AIDS

*LTAAB7835/25 (30 SEP 25)

"SABIHA GOKCEN AD,
RWY 06L/24R SHALL BE TEMPORARILY CLSD TO DEP AND ARR TFC DUE TO
RWY MAINTENANCE AS FOLLOWING DATES AND TIMES:

1- BTN 29 MAR 2026, 2300 UTC-10 MAY 2026, 0159 UTC:

MON: 0000-0159 UTC, 2150-2359 UTC,
TUE: 0000-0249 UTC, 2150-2359 UTC,
WED: 0000-0249 UTC, 2150-2359 UTC,
THU: 0000-0249 UTC, 2300-2359 UTC,
FRI: 0000-0159 UTC, 2300-2359 UTC,
SAT: 0000-0159 UTC, 2300-2359 UTC,
SUN: 0000-0159 UTC, 2300-2359 UTC,

2- BTN 10 MAY 2026, 2300 UTC-24 OCT 2026, 0159 UTC:

MON: 0000-0159 UTC, 2300-2359 UTC,
TUE: 0000-0159 UTC, 2300-2359 UTC,
WED: 0000-0159 UTC, 2300-2359 UTC,
THU: 0000-0159 UTC, 2300-2359 UTC,
FRI: 0000-0159 UTC, 2300-2359 UTC,
SAT: 0000-0159 UTC, 2300-2359 UTC,
SUN: 0000-0159 UTC, 2300-2359 UTC,

3- PILOTS OF DEP TFC SHALL REQUEST START UP AND PUSH-BACK CLEARANCE
BEFORE 25 MINUTES FROM RWY CLOSURE TIME NOT REGARDING SLOT TIME."

LTBJ / ADB

LTAAB3061/26 (03 AUG 26)

"FUEL AVBL WITH FUEL TRUCKS BTN PARKING AREAS 43-68 AT APRON 3.
FUEL USING WITH HYDRANT SYSTEM AT PARKING AREAS 35,36,37,38,39,40,41
AND 42 AVBL ONLY FROM THE RIGHT WING."

LTAAD1725/26 (29 JUL 26)

TRANSITIONS FROM MAIN AND EMERGENCY RUNWAY TO MILITARY AREA SHALL
BE MADE ONLY FROM TWY R.
29 JUL 26 08:11 UNTIL 29 OCT 26 05:43 ESTIMATED

LTAAB2961/26 (28 JUL 26)

ILS IMEN RWY 34R U/S
DUE TO MAINT.

LTAAB2962/26 (28 JUL 26)

ILS IIMR RWY 16L U/S
-DUE TO MAINT.-

LTAAB2866/26 (20 JUL 26)

"RWY 16L RVR, RWY 34R RVR AND RVRM VALUES NOT AVBL."

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 98/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

20 JUL 26 09:07 UNTIL 21 AUG 26 15:30 ESTIMATED

LTAAD1482/26 (26 JUN 26)

MEN TACAN CH98X HOURS OF OPS/SERVICE:
OPERATIONAL HOURS: 0630-1430
SAT SUN AND HOLIDAYS PPR 2 HOURS.

*LTAAB2127/26 (22 MAY 26)

22 MAY 2026 10:14-17 AUG 2026 14:00
"TUE 2300-2359, WED 0000-0200"
RWY 16R/34L CLSD TO TAKE-OFF/LANDING TFC DUE TO CONST.
22 MAY 26 10:14 UNTIL 17 AUG 26 14:00 ESTIMATED

LTAAB2123/26 (22 MAY 26)

22 MAY 2026 08:54-17 AUG 2026 14:00
"DUE TO CONSTRUCTION WORKS ON RWY 16L/34R TRAFFICS SHALL USE
RWY 16R/34L FOR DEP/ARR:;
- THERE IS NO RAPID EXIT TWY ON RWY 16R/34L.
- TRAFFICS LANDING ON RWY 34L , THE LAST TWY EXITING TO RWY IS
TWY F, AND IN CASE OF MISSING EXIT FROM TWY F, ACFT SHALL BACKTRACK
THROUGH TWY P AT THR 16R, TRAFFICS SHALL COMPLY WITH TWR
INSTRUCTIONS AND EXIT RWY FROM TWY F OR APPROPRIATE TWY."
22 MAY 26 08:54 UNTIL 17 AUG 26 14:00 ESTIMATED

LTAAB2120/26 (22 MAY 26)

22 MAY 2026 08:46-17 AUG 2026 14:00
PRESENCE UNDECLARED CURVE MARKINGS AT THR 16R.
REF AIP LTBJ AD 2.20
22 MAY 26 08:46 UNTIL 17 AUG 26 14:00 ESTIMATED

LTAAB2121/26 (22 MAY 26)

22 MAY 2026 08:48-17 AUG 2026 14:00
"DURING THE CONST WORKS ON RWY 16L/34R, TRAFFICS SHALL USE
RWY 16R/34L FOR LANDING/DEPARTURE, TRAFFICS DEPARTING FROM
THR RWY 16R :

-BASED ON THE INTERSECTION DEPARTURE DISTANCE FOR TWY F DECLARED ON
REF:AIP LTBJ AD 2.13 DECLARED DISTANCES, TRAFFICS SHALL REQUEST
INTERSECTION DEPARTURE ACCORDING TO THE TECHNICAL DATA SPECIFIED BY
THE AIRLINES OR THE ACFT MANUFACTURERS WITH PERMISSION FROM THE
CONTROL TOWER

- TRAFFICS UNABLE TO MAKE INTERSECTION DEPARTURE DUE TO TECHNICAL OR
OPERATIONAL REASONS SHALL ENTER RWY 16R/34L FROM TWY F OR OTHER
APPROPRIATE TWYS IN ACCORDIANCE WITH CONTROL TWR AND TAXI TO THR 16R
AND GET DEPARTURE POSITION BY PERFORMING BACKTRACK USING THE MARKED
TURNING PAD AT THE THRESHOLD."
22 MAY 26 08:48 UNTIL 17 AUG 26 14:00 ESTIMATED

LTAAB2118/26 (22 MAY 26)

22 MAY 2026 08:36-17 AUG 2026 14:00
"DUE TO CONSTRUCTION WORKS ON RWY 16R/34L,
-WITH REF TO AIP TURKIYE AD2 LTBJ ADC EN AND AD 2 LTBJ 10 AD 2.20,
THE ENGINE TEST AREAS DESIGNATED AS THR 16R AND THR 34L SHALL NOT BE
USED FOR ENGINE TEST DURING THE PERIOD STATED ABOVE.
-ACFT SHALL CONDUCT ENGINE TESTS AT DE-ICING AREA LOCATED SOUTH OF
APRON 3, WITH NOSE FACING NORTH, UNDER FOLLOW-ME GUIDANCE AND ATC
INSTRUCTIONS.
-ACFT REQUESTING ENGINE RUNS SHALL CONSIDER AD PEAK TFC HOURS.
ENGINE RUNS SHALL NOT BE COMMENCED AND WITHOUT PRIOR COORDINATION
AND APPROVAL FROM RELEVANT UNITS. ACFT SHALL MAINTAIN CONTINUOUS COM
CONTACT WITH ATC MANDATORY."
22 MAY 26 08:36 UNTIL 17 AUG 26 14:00 ESTIMATED

LTAAB2117/26 (22 MAY 26)

22 MAY 2026 08:31-17 AUG 2026 14:00
"TWYS J, K, L, M, N AND TWY P CLSD TO TFC.
DUE TO CONST ON RWY 16L/34R-"
22 MAY 26 08:31 UNTIL 17 AUG 26 14:00 ESTIMATED

*LTAAB2116/26 (22 MAY 26)

22 MAY 2026 08:27-17 AUG 2026 14:00
"RWY 16L/34R CLSD TO TAKE-OFF/LANDING TFC DUE TO CONST WORKS.

NOTE1: RWY 16L/34R BTN TWY P AND TWY H CLSD TO TAXIING.
NOTE2: THR 34R AND TWYS H-R LINE OPN TO TAXIING FOR TFC CROSSING TO

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 99/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

MILITARY SIDE.

DURING THE DATES AND TIMES SPECIFIED UNDER REF AIP LTBJ AD 2.12
RUNWAY PHYSICAL CHARACTERISTICS, REMARK 14 RWY 16R/34L SHALL BE USED
FOR TAKE-OFF/LANDING TFC."
22 MAY 26 08:27 UNTIL 17 AUG 26 14:00 ESTIMATED

LTFM / IST

LTAAB3130/26 (07 AUG 26)

PART OF TWY G1 BTN G1D TWY AND G2M TWY CLSD

*LTAAB3129/26 (07 AUG 26)

RWY 09 CLSD TO TFC.

LTAAB3041/26 (01 AUG 26)

"BIRD CONCENTRATION INFORMATION FOR ALL RWYS AND APPROACH SURFACES
AS FOLLOWS:

AT THE BEGINNING OF RWYS: 0-200M THE MOST DENSE
AT APPROACH SURFACES : 0-200M THE MOST DENSE, 200-400M DENSE,
400-1000M LOW DENSE
DENSITY LEVEL: 5
LOW ALTITUDE : SFC
HIGH ALTITUDE: 3000FT

1. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF SEAGULL(750-1500G)
AT BEGINNING OF RWYS AND APPROACH SURFACE, ESPECIALLY ON SUNRISE
SUNSET HOURS AND PARTIALLY DURING THE DAY.
2. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF STORK(2275-4400G) MOVING
FROM WEST-NORTHWEST TO EAST-SOUTHEAST DIRECTION.
3. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF HAWK(420-1760G),
KESTREL(136-314G), SWALLOW BIRD(14-20G), SWIFT BIRD(38-100G),
PIGEON(240-380G), JACKDAW(220-270G) AND STARLING(55-100G)."

*LTAAB2991/26 (29 JUL 26)

RWY 16L/34R CLSD TO LANDING TFC DUE TO CONST.

*LTAAB2990/26 (29 JUL 26)

RWY 17R/35L CLSD TO LANDING TFC DUE TO CONST.

LTAAB2879/26 (10 JUL 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF LTFM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS AND
POSITIONS DATA, AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM
AND MARKINGS, AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS, AD 2.13
DECLARED DISTANCES, AD 2.14 APPROACH AND RUNWAY LIGHTING, AD 2.18
ATS COMMUNICATION FACILITIES, AD 2.20 LOCAL AERODROME REGULATIONS,
AD 2.22 FLIGHT PROCEDURES, AD 2.24 CHARTS RELATED TO ISTANBUL
AIRPORT, AD 2 LTFM ADC, PRKG-3, GMC-15, GMC-16, GMC-17, GMC-18,
IAC-17, IAC-18, IAC-23, IAC-24, IAC-25, IAC-26, IAC-27, IAC-28
, REMOVAL OF AD 2 LTFM IAC-29, IAC-30, IAC-31, IAC-32 PAGES ,
INSERTION OF PAGES AD 2 LTFM GMC-19, AOC-6, SID-16, SID-16A, SID-17,
SID-17A, SID-18, SID-18A, SID-19, SID-19A, SID-20, SID-20A, SID-21,
SID-21A"

LTAAB2614/26 (10 JUL 26)

TWY G1 BTN TWY H AND TWY G1D SHALL BE USED BY ACFT UP TO
CATEGORY C(A B C). MAX WINGSPAN 36M

LTAAB2522/26 (10 JUL 26)

TWY T1 AND TWY T12 CLSD TO TFC

LTAAB2460/26 (10 JUL 26)

"ISTANBUL AD,

ALL PILOTS WHO OPERATES ON ISTANBUL AIRPORT (LTFM) MUST BE INFORMED
ABOUT THE CONTENT OF THE 'TRO AWARENESS LEAFLET' ANNOUNCED ON THE
DHMI GENERAL DIRECTORATE WEBSITE VIA THE
[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/ANASAYFA.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/anasayfa.aspx) LINK BEFORE THE
FLIGHT AND MUST OPERATE ACCORDINGLY."
16 JUN 26 08:45 UNTIL 16 SEP 26 08:45 ESTIMATED

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 100/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LTAC / ESB

LTAAJ3322/26 (13 AUG 26)

TWY -E1- CLSD TO TFC.

LTAAJ3275/26 (07 AUG 26)

NDB ANK 356KHZ U/S.

LTAAJ3270/26 (07 AUG 26)

"ANKARA ESENBOGA AD:

STAR-2 (RWY 21R/C),
STAR-8 (RWY 03R),
STAR-9 (RWY 21L),
IAC-1 (NDB Z RWY 03C),
IAC-7 (NDB Z RWY 03L),
IAC-25 (ILS X CAT II RWY 03R),
IAC-27 (ILS W CAT I RWY 03R),
IAC-29 (ILS V CAT II RWY03R) PROCEDURES ARE SUSPENDED.

REF AIP AD 2 LTAC STAR-2, STAR-8, STAR-9, IAC-1, IAC-7 , IAC-25 ,
IAC-27, IAC-29"
07 AUG 26 12:00 UNTIL 07 NOV 26 12:00 ESTIMATED

LTAAA3502/26 (06 AUG 26)

"ESENBOGA AD,
1-AD 2.19 RADIO NAVIGATION AND LANDING AIDS SECTION:
AMEND TO READ IAEG ID 'LLZ 21L ILS CAT III' INSTEAD OF 'LLZ 21L ILS
CAT II'

2-AD 2.22 FLIGHT PROCEDURES SECTION:
ESENBOGA AD LOW VISIBILTY PROCEDURES: UNDER THE TITLE OF 'CAT II/III
AND LVTO' AMEND TO READ 'RWYS APPROVED FOR CAT II-III AND LVTO
OPERATIONS RWYS 03C-21L..... 'INSTEAD OF 'RWYS APPROVED FOR CAT
II-III AND LVTO OPERATIONS RWY 03C.....'

REF AIP TURKIYE AD 2 LTAC-9, LTAC-20"

LTAAJ3086/26 (27 JUL 26)

"DCL (DEPARTURE CLEARANCE) SYSTEM AVBL ON TEST. AIRCRAFT WITH THE
CAPABILITY SHALL TAKE ATC CLEARENCE FROM DCL SYSTEM, OTHERWISE MUST
CONTACT THE DELIVERY FREQ BROADCAST ON AUTOMATIC TERMINAL
INFORMATION SERVICE (ATIS) WITH THE REASON FOR 'REJECTION'."

LTAAJ3077/26 (27 JUL 26)

ILS GP IAES 330.8MHZ RWY 03R U/S.

LTAAJ3017/26 (22 JUL 26)

"ANKARA ESENBOGA AERODROME
03R ILS Z CAT I (IAC-22) AND 03R ILS Y CAT I (IAC-24) PROCEDURES ARE
SUSPENDED.
HOWEVER, 03R LOC Z (IAC-22) AND 03R LOC Y (IAC-24) PROCEDURES CAN BE
USED."
22 JUL 26 08:38 UNTIL 08 OCT 26 07:15 ESTIMATED

LTAAJ2837/26 (08 JUL 26)

ATIS (AUTOMATIC TERMINAL INFORMATION SERVICE) 129.200MHZ (DEP)
U/S.
ATIS (ARR) AND ATIS (DEP) BROADCASTS ARE PROVIDED ON 123.600MHZ.

LTAAJ2808/26 (06 JUL 26)

"ACFT STANDS 208, 209, 210, 211, 212, 213, 214 AND 215 ON APRON 2
SHALL BE USED BY ACFT WITH MAXIMUM WINGSPAN OF 36 METERS.
PILOTS MUST BE CAUTIOUS UNTIL AIP DATA PUBLISHED.
ADVISE TWR INSTRUCTIONS.
SEE NOTAM: J2510/26"

LTAAA2869/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF LTAC AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS
POSITIONS DATA, AD 2.19 RADIO NAVIGATION AND LANDING AIDS, AD 2.20
LOCAL AERODROMEREGULATIONS, AD 2 LTAC ADC, PRKG-2, PRKG-5, IAC-1,
IAC-2, IAC-4, IAC-6, IAC-7, IAC-8, IAC-9, IAC-10, IAC-11, IAC-13,
IAC-14, IAC-15, IAC-16, IAC-17, IAC-18, IAC-19, IAC-20, IAC-21,

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 101/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

IAC-22, IAC-23, IAC-24, IAC-25, IAC-26, IAC-27, IAC-28"

LTAAJ2510/26 (18 JUN 26)

"APRON 2 ACFT STANDS 1A, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
AND 14 RENAMED AS 201, 202, 203, 204, 205, 206, 207, 208, 209, 210,
211, 212, 213, 214 AND 215 RESPECTIVELY.
-DUE TO IMPLEMENTATION WORKS-
-BE CAUTIOUS UNTIL AIP DATA PUBLISHED-
-ADVISE TWR INSTRUCTIONS-"

LTAAA2303/26 (02 JUN 26)

ANKARA ESENBAGA AD:
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'CAT II/III
AND LVTO OPERATIONS' IN SECTION AD 2.22

RWY 03R LVTO HOLDING POSITION:
M1 TAXIWAY CAT II/III HOLDING POSITION:
400604.39N-0325918.62E

RWY 21L LVTO HOLDING POSITION:
M8 TAXIWAY CAT II/III HOLDING POSITION:
400741.73N-0330051.37E

REF AIP LTAC AD 2.22

LTAAA2300/26 (02 JUN 26)

"ANKARA ESENBAGA AERODROME
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'DE-ICING
ANTI-ICING PROCEDURES' IN SECTION AD 2.20
'FOR THE ALTERNATIVE TAXIWAY CENTERLINE DESIGNATED AS THE 'BLUE
LINE' IN DE-ICING AREAS 1 AND 2, SEE AD 2 LTAC ADC.'

THE UPDATED AD 2 LTAC ADC HAS BEEN PUBLISHED ON THE FOLLOWING
WEBPAGE AND WILL BE INCORPORATED INTO THE AIP VIA AIRAC ON AUGUST 6,
2026.

[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/MAIN.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/main.aspx)"

LTAR / VAS

LTAAA2885/26 (29 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026
CHANGES OF LTAR AD 2.24 CHARTS RELATED TO SIVAS/NURI DEMIRAG
AERODROME , AD 2 LTAR STAR-1"

LTAAJ2589/26 (23 JUN 26)

"MOBILE VEHICLE PRESENCE EAST OF RWY 01/19 , 180M DISTANCE TO CL .
-DUE TO NEW RWY CONSTRUCTION WORK-
-ADVISE TOWER INSTRUCTIONS-"

LTCC / DIY

*LTAAJ3106/26 (28 JUL 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

LTAAD1716/26 (27 JUL 26)

TWYS C1, H1, MIL F, MIL G, MIL H CLSD TO TFC.
27 JUL 26 13:32 UNTIL 27 OCT 26 14:00 ESTIMATED

*LTAAD1715/26 (27 JUL 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

LTAAJ3083/26 (27 JUL 26)

"TWYS H1, K1, F1, E1, D1, C1, B1 AND MIL-D2 CLSD TO CIV TFC.
-DUE TO MAINT-"

LTAAJ3003/26 (21 JUL 26)

RAPCON ASR UNRELIABLE BTN RADIALS 201-255 AND BTN 9-22NM AT ALL
ALTITUDE.

LTAAD1673/26 (21 JUL 26)

RAPCON AIRFIELD SURVEILLANCE RADAR (ASR) UNRELIABLE BTN RADIALS
201-255 AND BTN 9-22NM RADIUS AT ALL ALTITUDES.

LTAAJ2676/26 (26 JUN 26)

ILS IDBN RWY 34R U/S

LTAAJ2290/26 (04 JUN 26)

"TWY H2, TWY J, TWY W, TWY K OPN TO CIV TFC.
-ADVISE ATC INSTRUCTIONS.-"

*LTAAJ2268/26 (04 JUN 26)

RWY 16L/34R CLSD TO ALL TFC DUE TO RWY MAINT

*LTAAD1283/26 (04 JUN 26)

RWY 16L/34R CLSD TO TFC DUE TO RWY RENOVATION WORKS.

LTAAJ2178/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAD1221/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAJ2170/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1219/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1220/26 (25 MAY 26)

MIL-S POOL CLSD.

LTCI / VAN

LTAAJ2955/26 (16 JUL 26)

"TWYS G, A1, B1, C1, E1 AND F1 CLSD TO TFC DUE TO CONST."

LTAAJ2521/26 (19 JUN 26)

"DURING NOTAM A2679/26, AIR TRAFFIC CONTROL SERVICES AT FL235 AND
ABOVE WITHIN VAN TMA WILL BE PROVIDED BY ANKARA ACC"

UBBB / GYD

UBBUA0241/26 (15 AUG 26)

"RWY ENTRANCE LIGHTS AT INTERSECTION TWY H, TWY H2, TWY H4 AND TWY
S WITH RWY 17/35 U/S."

UBBUA0231/26 (27 JUL 26)

ACFT STAND C7 CLOSED DUE TO CONSTRUCTION WORKS

UBBUA0230/26 (27 JUL 26)

ACFT STAND C6 CLOSED DUE TO CONSTRUCTION WORKS

UBBUA0229/26 (24 JUL 26)

SURFACE MOVEMENT RADAR U/S.

UBBUA0190/26 (01 JUN 26)

VALIDITY OF AD CERTIFICATION CHANGED TO 01.06.2026-31.05.2029
REF AIP AD 1.5

UTAA / ASB

UUUUU00274/26 (30 JUL 26)

TWY E1 CLSD.

UTAK / KRW

*UUUUU00263/26 (15 JUL 26)

RWY 16L/34R CLSD.

UUUUU00231/26 (15 JUN 26)

NDB 34R WZ 911 KHZ U/S DUE TO REPAIR WIP.

UZSS / SKD

UZTTD1309/26 (27 JUL 26)

"TAXIING ACFT TO STANDS 12-13 BEHING FOLLOW FOLLOW-ME CAR, WITH EXCEPTION ACFT WITH WINGSPAN OF 36,0 METERS OR MORE."
27 JUL 26 14:58 UNTIL 27 OCT 26 23:59 ESTIMATED

UZTTD1310/26 (27 JUL 26)

"CLOSED RWY REMAINS SOUTH OF RWY 09/27.AVERAGE DISTANCE BETWEEN ACTIVE AND CLOSED RWY CENTERLINES IS 110 METERS. PILOTS MUST EXERCISE CAUTION TO AVOID RWY CONFUSING. REF:AIP AD2.UZSS-11,UZSS-12,UZSS-27,UZSS-28,UZSS-29,UZSS-30,UZSS-31,UZSS-32."
27 JUL 26 15:02 UNTIL 27 OCT 26 23:59 ESTIMATED

UZTTD1307/26 (27 JUL 26)

STANDS FOR ACFT CAT A-B-C AND MODIFICATIONS 12-24 (TAX INTO NOSE TO NORTH AND TAX OUT OF UNDER ENGINES POWER BY ASSISTANCE OF FOLLOW-ME CAR.
27 JUL 26 14:50 UNTIL 27 OCT 26 23:59 ESTIMATED

UZTTD1035/25 (02 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZSS-10."

UZTTD1021/25 (02 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UZTT / TAS

UZTTD1402/26 (13 AUG 26)

"ACFT TAXIING OUT FROM STANDS B-6, B-7 TO STAND H-43 BY TOWIING PROHIBITED."

UZTTD1376/26 (10 AUG 26)

TWY-4 CLSD.

UZTTD1367/26 (07 AUG 26)

"TAXIING INTO/OUT ACFT TO STANDS H48, H49, H50, H51, H52, H53, H54, H55, H56, H57 USE BY TOWING FROM START-UP POINT N11. MOVEMENT ACFT WITH TURNED OFF ENGINES. START-UP ENGINES ON START-UP POINT N11."

UZTTD1306/26 (27 JUL 26)

STAND B3 CLSD.

UZTTD1214/26 (11 JUL 26)

STAND H-44 USE ONLY FOR TAXIING ACFT.

UZTTD1210/26 (10 JUL 26)

"RWY 08R/26L: 180 DEG TURN IS PROHIBITED, EXCEPT TURN AT RWY 08R/26L WITH CROSSING TWY-7 AND TURN PAD, FOR VIP FLIGHTS, CHECK FLIGHT AND ACFT MTOW OF 24 TONS AND LESS."

UZTTD1134/26 (30 JUN 26)

TAXIING ACFT FROM TWY-2 TO TWY-B AVLB WITH MAX ACFT WINGSPAN 60.60M THE WHITE DASHED LINE TO STAND B2 FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.

UZTTD1133/26 (30 JUN 26)

"AT ACFT STANDS F94, F94A, F95, F96, F97, F97A: ENGINE START-UP ONLY AT MTWY. TAXI IN AND TAXI OUT OF ACFT BY TOWING ONLY."

UZTTD1132/26 (30 JUN 26)

"TAXIING INTO AND TAXIING OUT ACFT TO/FROM STANDS D23, D24, D25

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 104/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

USE BY TOWING."

UZTTD1130/26 (30 JUN 26)

"RWY 08L/26R: 180 DEG TURN IS PROHIBITED, EXCEPT TURN PAD (08L/26R) FOR VIP FLIGHTS,CHECK FLIGHT I ACFT MTOW OF 24 TONS AND LESS."

UZTTD1128/26 (30 JUN 26)

AIRCRAFT CREWS EXPECT DIA ON ARR AND DEP DUE TO CONSTRUCTION WORKS AT THE AERODROME.

UZTTD1127/26 (30 JUN 26)

TAXIING ON TWY-B TO TWY-2 AND BACK AVLB WITH MAX ACFT WINGSPAN MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.

UZTTD1126/26 (30 JUN 26)

TAXIING ON TWY-B TO TWY-1 AND BACK AVLB WITH MAX ACFT WINGSPAN MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR.

UZTTD1125/26 (30 JUN 26)

START-UP POINT N17 REPLACED ON ABEAM STAND E1.

UZTTD1124/26 (30 JUN 26)

"TAXIING INTO ACFT TO STAND B7 BY OWN POWER FOLLOW FOLLOW-ME CAR, TAXIING OUT BACK BY TOWING TO TWY-H."

UZTTD1123/26 (30 JUN 26)

TEMPORARY STAND ESTABLISHED:
STAND B7 COORDINATES N411543.76 E0691609.60
MAX ACFT WINGSPAN 36M.
MAX ACFT LENGTH 46M.
PCN-47/F/B/X/T.

UZTTD1120/26 (30 JUN 26)

"SEGMENT TWY-B ABEAM STAND B-16, B-17 CLSD."

UZTTD1121/26 (30 JUN 26)

"TAXIING INTO ACFT TO STAND B-16, B-17 BY OWN POWER, TAXIING OUT BACK BY TOWING."

UZTTD0978/26 (29 MAY 26)

"STANDS E69, E70 ARE AVLB FOR ACFTS WITH WING SPAN NO MORE THAN 34,1M AND LENGTH NO MORE THAN 44,6M."

UZTTD0977/26 (29 MAY 26)

TWY-H FROM ABEAM STAND E1 TO ABEAM STAND B-7 CLSD.

UZTTD0975/26 (29 MAY 26)

"STAND E71 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 34.1M, LENGTH NO MORE THAN 37.57M, ONLY IF STAND E70A IS OCCUPIED BY ACFT WITH WINGSPAN NO MORE THEN 60.3M LENGTH NO MORE THEN 63.7M."

UZTTD0973/26 (29 MAY 26)

TAXIING ACFT TO ABEAM STAND E1 AVLB WITH MAX ACFT WINGSPAN 36M AND LESS ALONG THE YELOW DASHED LINE FOLLOW FOLLOW-ME CAR.

UZTTD0972/26 (29 MAY 26)

"TAXIING INTO ACFT TO STAND B15 BY OWN POWER, TAXIING OUT ACFT BACK BY TOWING ON MAIN TWY OR TOWING FORWARD ON START-UP POINT N3."

UZTTD0904/26 (14 MAY 26)

"SID DVOR/DME RWY 08L/R PUBLISHED IN CHART SID DVOR/DME RWY 26R/L, RWY 08L/R (AIP UZTT AD2.24-4.15) TO BE ASSIGNED IN CASE OF GNSS FAILURE OR LOSS.
UNDER NORMAL CONDITIONS RNAV (GNSS) SID SHALL BE USED.
REF: AIP UZTT AD2.24-4.15 AIRAC AMDT 03/26 EFFECTIV DATE 14 MAY 2026."

UZTTD0864/26 (07 MAY 26)

"ON PAGE AD2.UZTT-7, ADD THE FOLLOWING VALUES TO TABLE 2.13 DECLARED DISTANCES:
RWY 08L:
TWY1: TORA 3750M, TODA 3900M, ASDA 3750M
RWY 26R:
TWY5: TORA 3750M, TODA 3900M, ASDA 3750M
TWY3: TORA 1200M, TODA 1350M, ASDA 1200M
RWY 08R:
TWY7: TORA 3555M, TODA 3705M, ASDA 3555M
RWY 26L:
TWY13: TORA 1300M, TODA 1450M, ASDA 1300M
TWY14: TODA 2500M INSTESD OF 2350M.
REF: AIP AD2. UZTT-7 AIRAC AMDT 05/25
EFFECTIV DATE 02 OCT 2025."

UZTTD0863/26 (07 MAY 26)

"ON PAGE UZTT AD2.24-1.0-1, MAKE THE FOLLOWING CORRECTIONS IN THE DECLARED DISTANCES TABLE:
RWY 08L: TWY1 INSTEAD OF THR1:
RWY 26R: TWY5 INSTEAD OF THR5:
RWY 08R: TWY7 INSTEAD OF THR7:
REF: AIP UZTT AD2.24-1.0-1 AIRAC AMDT 03/26
EFFECTIV DATE 14 MAY 2026."

UZTTD0360/26 (17 FEB 26)

"EFFECTIVE FROM 17 FEBRUARY 2026 ON A PERMANENT BASIS, ALL BUSINESS AVIATION OPERATORS PLANNING TO PERFORM CHARTER FLIGHTS TO THE CITY OF TASHKENT (REPUBLIC OF UZBEKISTAN) SHALL INDICATE TASHKENT-VOSTOCHNY AD(HUMO)-UZTP AS THE DESTINATION AD IN FLIGHT APPLICATIONS AND IN FLIGHT PLANS INSTEAD OF TASHKENT- I.KAROMOV- UZTT."

UZTTD1039/25 (29 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZTT-6."

UZTTD1020/25 (29 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UTDD / DYU

UTDAA0089/26 (03 AUG 26)

"STANDS B1, B1W CLSD."

UTDAA0078/26 (22 JUL 26)

TWY B CLSD.

UTDAA0070/26 (08 JUL 26)

"TRIGGER NOTAM-POST AMD AIRAC 08/26. EFF 06 AUG 2026 FLW AMD INTRODUCED ENR 4.4.1, AD2 UTDD-11, AD2 UTDD-12, AD2 UTDD-79, AD2 UTDD -80, AD2 UTDD-101, AD2 UTDD-102, AD2 UTDD-115, AD2 UTDD-116, AD2 UTDD-129, AD2 UTDD-130, AD2 UTDD-145, AD2 UTDD-146, AD2 UTDL-55 , AD2 UTDK-55, GEN 0.4-1-2."

UTDAA0043/26 (01 JUN 26)

"CHART SID PUGUS 1A RENAMED INTO SID SX 1A.
REF AIP AD.2 UTDD-79,80."

UTDAA0047/26 (01 JUN 26)

"CHART STAR PUGUS 1E RENAMED INTO STAR SX 1E.
REF AIP AD.2 UTDD-129,130."

UTDAA0049/26 (01 JUN 26)

"CHART STAR PUGUS 1N RENAMED INTO STAR SX 1N.
REF AIP AD.2 UTDD-145,146."

UTDAA0045/26 (01 JUN 26)

"CHART SID PUGUS 1J RENAMED INTO SID SX 1J
REF AD.2 UTDD-101,102."

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 106/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

OAKB / KBL

OAKBG0303/26 (08 AUG 26)

"SOME UPDATES APPLICABLE TO OAKB ARE MISSED IN AIP
AFGHANISTAN ED 102, (EFF 06 AUG 2026).
FOR THE UP-TO-DATE AERONAUTICAL INFORMATION, USERS ARE
REQUESTED TO CONTACT THE OAKB AIS OFFICE VIA EMAIL AT
AIS.OAKB12(A)GMAIL.COM."

OAKBG0302/26 (05 AUG 26)

"DUE TO THE CURRENT OPERATIONAL SITUATION, SPECIFICALLY THE
UNSERVICEABILITY OF THE TOWER LIGHT GUN, AIRCRAFT EXPERIENCING RADIO
COMMUNICATION FAILURE SHALL DISREGARD THE PUBLISHED VFR RADIO FAILURE
PROCEDURES AND IMMEDIATELY SWITCH TO IFR PROCEDURES IN ACCORDANCE
WITH AFGHANISTAN AIP (AERODROME EDITION / OAKB AD / LOST
COMMUNICATION / 2.22.13.B).

AS THE IFR RADIO FAILURE PROCEDURES DO NOT INCLUDE A VISUAL MEANS OF
IDENTIFYING THE AIRCRAFT TO ATC, THE FOLLOWING ADDITIONAL PROCEDURES
SHALL APPLY:

1. WHEN APPROACHING FINAL, FLASH THE LANDING LIGHTS DURING NIGHT AND
ROCK THE WINGS DURING DAY TO INDICATE RADIO FAILURE AND EXECUTE A LOW
APPROACH OVER THE RUNWAY AT OR ABOVE 500 FT AGL, AT THE PILOT'S
DISCRETION.

2. THEREAFTER, FOLLOW SID K4 AFTER LOBRE THEN PROCEED FOR AN
INSTRUMENT APPROACH AND MAKE A FULL-STOP LANDING.

3. AFTER LANDING, VACATE THE RUNWAY VIA TWY A OR TWY G, AS
APPROPRIATE FOR THE RUNWAY IN USE, AND SHALL NOT ENTER TWY B OR TWY H
WITHOUT ATC CLEARANCE VIA RADIO OR FOLLOW-ME VEHICLE GUIDANCE."

OAKBG0283/26 (30 JUL 26)

KABUL TOWER ATIS IS OUT OF SERVICE.
29 JUL 26 04:42 UNTIL 26 SEP 26 23:59 ESTIMATED

OAKBG0276/26 (21 JUL 26)

"STAND 23 ON APRON 4 CLOSED, DUE TO PAVEMENT SURFACE DAMAGED."

OAKBG0275/26 (21 JUL 26)

NO INSTRUMENT APPROACH OPERATION IS ALLOWED
AT KABUL INTERNATIONAL AIRPORT BELOW 800M (2600 FT)
VISIBILITY.UNLESS RVR INFORMATION IS PROVIDED.

OAKBG0277/26 (21 JUL 26)

STAND 24 IS AVAILABLE FOR PARKING BY CODE C AIRCRAFT
(B737 ONLY) DUE TO THE DAMAGED PAVEMENT SURFACE.

OAKBG0261/26 (14 JUL 26)

KABUL APPROACH CONTROL UNIT IS UNSERVICEABLE.
12 JUL 26 17:00 UNTIL 07 OCT 26 23:59 ESTIMATED

OAKBG0252/26 (07 JUL 26)

KABUL ATC TOWER LIGHT GUN U/S.

*OAKBG0245/26 (03 JUL 26)

AIRPORT HOURS OF OPERATION ARE NOW 2230-1830.

*OAKBG0244/26 (03 JUL 26)

RESCUE AND FIREFIGHTING SERVICES CHANGED TO CATEGORY 9.

OAKBG0230/26 (26 JUN 26)

"KABUL TOWER CONTROL ZONE 6NM 9500FT
ALL ARRIVING TRAFFIC TO CONTACT TOWER ON 125.4MHZ
NOT CLOSER THAN 30NM FROM CTR AND PASS FOLLOWING INFO:

1) CALL SIGN

2) TYPE OF AIRCRAFT

3) DEPARTURE AERODROME

4) POSITION: RADIAL, DME AND FL

5) INTENTIONS:

A) IFR APPROACH ILS, RNAV, VOR VISUAL APPROACH OR

B) VFR APPROACH DOWNWIND, BASE LEG, FINAL, STRAIGHT IN."

25 JUN 26 06:20 UNTIL 20 SEP 26 23:59 ESTIMATED

OAKBG0229/26 (26 JUN 26)

"OAKB CTR CLASS D AIRSPACE WITHIN 6NM RADIUS VERTICAL

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 107/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

LIMIT SURFACE TO 9500FT AMSL, TWR FREQ 125.4 AND GROUND FREQ 120.6, ALL INTERNATIONAL AND DOMESTIC AIRLINES ARE REQUESTED TO FILL FLIGHT PLAN AT LEAST 24 HOURS PRIOR TO FLIGHT AND SHALL EMAIL TO FLIGHTPERMISSIONS.ACAA(A)GMAIL.COM FOR PROCESSING FLIGHT PLAN."
25 JUN 26 06:20 UNTIL 20 SEP 26 23:59 ESTIMATED

OAKBG0225/26 (19 JUN 26)

SID TAPIS 2 NOT AUTHORIZED.
14 JUN 26 10:30 UNTIL 10 SEP 26 23:59 ESTIMATED

OAKBG0191/22 (15 APR 24)

CAUTION: TAXIWAY J IS CLOSED.

OIZH / ZAH

OIIIA1576/26 (18 JUL 26)

AMD(AIR MOVE DISPLAY) U/S
18 JUL 26 06:29 UNTIL 17 OCT 26 06:00 ESTIMATED

OPIS / ISB

OPKCA0366/26 (19 JUN 26)

RWY-28L AND RWY-10R TOUCH DOWN ZONES ARE LIABLE TO BE SLIPPERY WHEN WET DUE TO RUBBER DEPOSITS.
PILOTS TO EXER CTN WHILE LDG/TKOF

OPKCA0817/22 (28 NOV 23)

"OBSTACLE CLEARANCE ALTITUDE (OCA/H) OF ILS CAT-II RWY 28L APPROACH FOR CATEGORY D AIRCRAFT AND FOR ILS CAT-I RWY10R FOR CATEGORY C AND D AIRCRAFT HAS BEEN REVISED AS PER FOLLOWING:

OCA/H	AB	C	D
ILS CAT-II RWY28L	1847FT (100FT)		1858FT (111FT)

OCA/HA	B	C	D
ILS CAT-I RWY10R	1933FT(200FT)	1942FT(209FT)	1952FT(219FT)

KINDLY INCORPORATE IN AIP PAKISTAN PAGES AD2.OPIS-49, AD2.OPIS-53, AD2.OPIS-55 AND AD2.OPIS-59 ACCORDINGLY."

OPLA / LHE

OPKCA0393/26 (01 JUL 26)

"ACFT PRKG BAYS 09,10 AND 11 CLSD DUE CIVIL WIP.
FLW ARRANGEMENTS MADE DRG NOTAM PERIOD.
- PROLONGED PRKG UNDER NO CIRCUMSTANCES BE PERMITTED.
- OPLA NOT BE DESIGNATED AS AN ALTN"

OPKCA0392/26 (01 JUL 26)

THE AIRSPACE CLASSIFICATION OF LAHORE CONTROL ZONE IS REDESIGNATED AS CLASS C. AMEND AIP PAKISTAN
PAGE AD 2 OPLA-12 PARA OPLA 2.17 SUB PARA 3

OPKCA0389/26 (30 JUN 26)

IN VIEW OF MONSOON SEASON. HVY BIRD ACTIVITY AROUND AIRFIELD BELOW 3000 FT IS OBSERVED. PILOTS ARE ADVISED TO EXER CTN WHILE APCH AND TKOF PHASE. AIRLINES TO CARRY ADEQUATE FUEL FOR ANTICIPATED HOLDING ON GROUND AND IN AIR

*OPKCA0388/26 (30 JUN 26)

0001-0300
RWY 36R/18L AND 36L/18R CLSD DUE HVY BIRD ACT
PERSIST ON AND AROUND AIRFIELD. IN CASE OF EMERG
LDG RWY AVBL AT DISCRETION OF PILOT

// (COM INFO) //

THA 00175/26 (30 JUN 26)

COM INFO:--(NEW)+++ Whenever potable water is uplifted at LHE, pilot must report potable water uplifted in technical logbook to inform maintenance to disinfect potable water tank.
(ISSUED 30JUN26/OP/31DEC26/2359)

OPKCA0898/22 (28 NOV 23)

HOTEL TAXI TRACK IS OPERATIONAL.
FOLLOWING INFORMATION ARE AS UNDER:

REHABILITATED PORTION OF TWY H	NORMAL PORTION OF TWY H
REHABILITATED PORTION OF TWY H AFTER NORMAL PORTION HAS DIMENSIONS AS GIVEN BELOW	NORMAL PORTION OF TWY H FM THE EDGE OF RWY 36L/18R HAS DIMENSIONS AS GIVEN BELW
LENGTH 1758 FEET	LENGTH 810 FEET
WIDTH 75.5 FEET	WIDTH 75.5 FEET
PCN 49/F/C/X/T	PCN 10/F/D/Y/T (AS ALREADY MENTIONED IN AIP)

A. TWY EDGE LGT AVBL.
B. DAY AND NGT OPERATION IS AVBL FOR COMPATIBLE ACFT.
C. TWY EDGE MARKING AVBL.

OPKC / KHI

OPKCA0445/26 (24 JUL 26)

PILOTS TO EXER CTN WHILE TKOF AND LDG RWY-25L/07R DRG WET
SFC COND

// (COM-INFO)//

THA 00696/15 (04 MAR 26)

COM INFO:--PLS contact SHAHEEN Operation on 131.2
to provide ETA prior landing. (ISSUE 02JUL25/REF Email KHIKP04JUN25/UFN)

VIDP / DEL

*VIDPA1826/26 (15 AUG 26)

"15 1830-2130,18 22 25 29 1830-2330"
RWY 10/28 NOT AVBL FOR OPS DUE MAINT.

VIDPA1820/26 (14 AUG 26)

14 AUG 2026 10:00-17 AUG 2026 10:00
PORTION OF TWY D BTN TWY D3 AND TWY D4 NOT AVBL FOR OPS DUE CIV WORK.
JUNCTION OF TWY D3 AND TWY D4 WITH TWY D AVBL FOR OPS.
TWY G1 NOT AVBL FOR OPS DUE TFC.

VIDPA1809/26 (14 AUG 26)

17 AUG 2026 06:00-17 AUG 2026 07:00
DVOR DIG 114.600MHZ NOT AVBL DUE MAINT.

VIDPG0971/26 (11 AUG 26)

"CAT (ROMAN) III ILS RWY 11R IDENT IDMR (LOC 111.300MHZ, GP 332.300MHZ,DME IDMR CH50X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
11 AUG 26 10:48 UNTIL 10 NOV 26 23:59 ESTIMATED

VIDPG0972/26 (11 AUG 26)

"CAT (ROMAN) III ILS RWY 29L IDENT IDGM (LOC 110.900MHZ, GP 330.800MHZ, DME IDGM CH46X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
11 AUG 26 10:50 UNTIL 10 NOV 26 23:59 ESTIMATED

VIDPG0965/26 (11 AUG 26)

REF EAIP PAGE AD 2 VIDP 2-131 DATED 27 NOV 2025 REGARDING ILS RWY 11R CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY 11R CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
10 AUG 26 05:09 UNTIL 10 NOV 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 109/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

VIDPG0966/26 (11 AUG 26)

REF EAIP PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025 REGARDING ILS OR LOC
RWY 11R OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 11R PROCEDURE
WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
10 AUG 26 05:11 UNTIL 10 NOV 26 23:59 ESTIMATED

VIDPA1762/26 (11 AUG 26)

PARKING STANDS B15 AND B15L NOT AVBL FOR OPS.

VIDPG0922/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 3-911, PAGE AD 2 VIDP 3-912 AND
PAGE AD 2 VIDP 3-913 DATED 17 APR 2025 REGARDING PROC RNP Y RWY 29L.
PROC RNP Y RWY 29L WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY."

VIDPG0920/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 2-213, DATED 02 NOV 2023
REGARDING VOR RWY 29L. PROC VOR RWY 29L WITHDRAWN. AMEND EAIP INDIA
ACCORDINGLY."

VIDPG0916/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 2-117, DATED 27 NOV 2025
REGARDING ILS OR LOC RWY 29L. PROC ILS OR LOC RWY 29L WITHDRAWN.
AMEND EAIP INDIA ACCORDINGLY."

VIDPG0915/26 (11 AUG 26)

"REFER EAIP INDIA PAGE AD 2 VIDP 2-115, DATED 27 NOV 2025
REGARDING ILS RWY 29L CAT (ROMAN) II AND (ROMAN) III. PROC ILS RWY
29L CAT II AND III WITHDRAWN. AMEND EAIP INDIA ACCORDINGLY."

*VIDPA1717/26 (11 AUG 26)

02 05 07 09 12 14 16 19 21 23 26 28 30 1830-2330
RWY 09/27 NOT AVBL FOR OPS DUE MAINT.

*VIDPA1719/26 (11 AUG 26)

03 06 10 13 17 20 24 27 31 1830-2330
RWY 11L/29R NOT AVBL FOR OPS DUE MAINT.

VIDPA1713/26 (11 AUG 26)

PORTION OF TWY M BTN TWY A AND TWY LINK 30 DOWNGRADED FOR ACFT
UPTO CODE LETTER C. PORTION OF TWY LINK 30 BTN TWY K AND TWY M
DOWNGRADED FOR ACFT UPTO CODE LETTER D

VIDPA1690/26 (11 AUG 26)

AERONAUTICAL GROUND LIGHT (AGL) FOR RWY 29L SWITCHED ON FOR
TESTING. PILOT TO EXER CTN WHILE LDG/TKOF ON/FM RWY 11L/29R
ACCORDINGLY.

VIDPA1610/26 (11 AUG 26)

18 JUL 2026 05:11-17 AUG 2026 12:30
PARKING STAND 261 NOT AVBL FOR OPS.

VIDPG0779/26 (11 AUG 26)

TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 117/2026 WEF 06 AUG 2026.
RADIO COMMUNICATION FAILURE PROCEDURES (RCF).

VIDPA1419/26 (11 AUG 26)

HIGH POWER ENGINE RUN-UP BAY 800 NOT AVBL FOR OPS.

*VIDPA1405/26 (11 AUG 26)

"RWY 11R/29L NOT AVBL FOR OPS.
DURING THIS PERIOD FLW RESTRICTIONS SHALL APPLY:
1. PORTION OF TWY Z WEST OF TWY S6 NOT AVBL FOR OPS.
2. TWY S1, S2, S5, T4, T5, T6, T7, Y1, Y2, Y4, Y5, Y6, Y7, Y8, Z2,
Z3, Z4, Z5, Z6 AND Z7 NOT AVBL FOR OPS.
3. TWY S6, S7 AND S8 AVBL FOR OPS.
4. TWY CROSSINGS P6-S6, P7-S7 AND P8-S8 AVBL FOR OPS."

VIDPA1406/26 (11 AUG 26)

NOISE ABATEMENT PROCEDURES NOT ADHERED DUE TO REHABILITATION AND
ILS REPLACEMENT WORK AT RWY 11R/29L.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 110/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

VIDPA1364/26 (11 AUG 26)

PORTION OF TWY C BTN TWY LINK 2 AND TWY LINK 3 NOT AVBL FOR OPS.
JUNCTION OF TWY LINK 2 AND TWY LINK 3 WITH TWY A AND TWY C AVBL
FOR OPS.
LEFT TURN VIA LINK 2 ON TWY C FROM APRON 32 NOT AVBL FOR OPS.
RIGHT TURN ON TWY C VIA LINK 3 FROM APRON 33A NOT AVBL FOR OPS.

VIDPA1277/26 (11 AUG 26)

"REFER E-AIP INDIA VIDP AD 2.22 FLIGHT PROCEDURES PARA ''I'' RADIO
COMMUNICATION FAILURE PROCEDURE, AMEND THE FOLLOWING SUB-PARAS AS
BELOW:

SUBPARA 3.1: IN CASE OF ARRIVING ACFT, WHEN RWY FOR LANDING
HAS ALREADY BEEN ADVISED TO THE ACFT BY ATC, SUCH RWY SHALL BE
CONSIDERED AS ASSIGNED RWY, EXCEPT AS GIVEN IN PARA 3.3 BELOW. IN
CASE ARRIVING ACFT HAS NOT BEEN ADVISED ANY RWY, RWY 28 SHALL BE
CONSIDERED AS ASSIGNED RWY FOR SUCH ARRIVAL. DURING THE NOTIFIED
PERIODS OF MAINTENANCE/CLOSURE OF RWY 28, RWY 29L SHALL BE
CONSIDERED THE PRIMARY ASSIGNED RWY, AND RWY 29R SHALL BE
CONSIDERED THE SECONDARY ASSIGNED RWY.

SUBPARA 3.7: IRRESPECTIVE OF VISIBILITY/WEATHER CONDITIONS, RWY
AND APPROACH LIGHTS IN ''SWITCHED OFF'' POSITION SHALL INDICATE NON-
AVAILABILITY OF SUCH RWY FOR ACFT EXPERIENCING RCF. IN SUCH
CASES, PRIMARY ALTERNATE RWY, AND IF PRIMARY ALTERNATE RWY IS NOT
AVAILABLE, THE SECONDARY ALTERNATE RWY, AS INDICATED BELOW, SHALL
BE MADE AVAILABLE FOR SUCH ACFT:

FOR RWY 28, THE PRIMARY ALTERNATE RWY SHALL BE RWY 29L AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29R.

FOR RWY 29L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29R.

FOR RWY 29R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 29L.

FOR RWY 10, THE PRIMARY ALTERNATE RWY SHALL BE RWY 11R AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 11L.

FOR RWY 11R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
SECONDARY ALTERNATE RWY SHALL BE RWY 11L.

FOR RWY 11L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE
SECONDARY

ALTERNATE RWY SHALL BE RWY 11R.

SUBPARA 4.2.1. CONTINUE ON ATS RTE, (RE-JOIN ATS RTE IF GIVEN
HEADING OR FLYING OFFSET), MAINTAINING/DESCENDING TO CLEARED FLIGHT
LEVEL OR FL 80 WHICHEVER IS HIGHER. AT 40 MILES TO ''DPN VOR'' TAKE
A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR. IF
HIGHER, DESCEND TO FL 80 IN ''SKA'' HOLD.

SUBPARA 4.2.2. IF RCF TAKES PLACE WITHIN 40 NM OF ''DPN VOR'',
CONTINUE TO ''DPN VOR'' AND AT 10 MILES TO ''DPN VOR'' TAKE A TURN
(AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR MAINTAINING LAST
ASSIGNED LEVEL OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB
AND REACH FL 80 BEFORE CROSSING 25 NM OUTBOUND FROM ''DPN VOR''. IF
HIGHER, DESCEND TO FL 80 IN ''SKA'' HOLD.

SUBPARA 4.2.3. LEAVE ''SKA'' AT FL 80 TO CARRY OUT PUBLISHED ILS/VOR
DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL
20 DME DPN VOR.

SUBPARA 4.3. ARRIVING ACFT BEING RADAR VECTORED

ACFT BEING RADAR VECTORED FOR APPROACH, ON EXPERIENCING RCF, SHALL
MAINTAIN LAST ASSIGNED LEVEL AND HEADING FOR 3 MINUTES AFTER

DETECTING RCF OR SELECTING MODE A/C 7600, WHICHEVER IS LATER, AND
THEN TAKE A CONVENIENT TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO
''SKA'' CLIMBING / MAINTAINING LAST ASSIGNED LEVEL, OR FL 80

WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE
CROSSING 25NM OUTBOUND FROM ''DPN VOR''. IF HIGHER, DESCEND TO FL 80
IN ''SKA'' HOLD

4.3.1. LEAVE ''SKA'' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME
ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20
DME DPN VOR.

SUBPARA 5.1. DEPARTURE INTENDING TO CONTINUE TO DESTINATION

ANY DEPARTING ACFT EXPERIENCING RCF AND INTENDING TO CONTINUE TO ITS
FILED PLAN DESTINATION SHALL:

5.1.1. CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR
MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.1.2. THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING
FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS
LATER:

I. IF FOLLOWING ''SID'', CONTINUE ON SID TO JOIN ATS RTE AND CLIMB
TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN.

II. IF FOLLOWING RADAR HEADING, TURN (AVOIDING VIP 89) TO JOIN ATS
RTE BY SHORTEST RTE MAINTAINING CLEARED FLIGHT LEVEL / FL80 AS
PER PARA 5.1.1. AFTER JOINING ATS RTE, CLIMB TO FILED FLIGHT LEVEL

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 111/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

AND CONTINUE AS PER THE FILED FLIGHT PLAN. DEPARTURE FOLLOWING ATS RTE V18 AND G452/L760 SHALL PASS FL160 OR ABOVE BY 50 NM DPN AND ACFT FILED FLIGHT LEVEL BELOW FL150 SHALL CONTACT JEWAR APPROACH ON FREQ 120.825 MHZ, 122.175 MHZ AND JEWAR TWR ON FREQ 118.675 MHZ, 119.125 MHZ AFTER ASCERTAING THAT ACFT IS RCF WITH DELHI ATC.
SUBPARA 5.2 DEPARTURE INTENDING TO LAND BACK AT DELHI:
ANY DEPARTING ACFT EXPERIENCING RCF AFTER DEPARTURE AND INTENDING TO LAND BACK AT IGI AIRPORT SHALL
5.2.1 CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.
5.2.2 THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER, TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO ''SKA'' VOR.
5.2.3 IF HIGHER, DESCEND TO FL80 IN ''SKA'' HOLD.
5.2.4 IF REQUIRED, JETTISON FUEL WHILE IN ''SKA'' HOLD, TAKING ALL NECESSARY PRECAUTIONS.
5.2.5 LEAVE ''SKA'' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC
APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.
NOTE :-
1. IN CASE OF NON-AVAILABILITY OF SKA VOR ACFT REQUIRED TO HOLD AT SKA VOR MAY HOLD AT FOLLOWING FIX/WAY POINT:
A. R186/43 D (116.1 DPN)
B. 275054N0770030E
AMEND E-AIP ACCORDINGLY."

VIDPA1235/26 (11 AUG 26)

"LINK A3 AVBL FOR SFC MOV BY DAY ONLY. LINK FIT FOR ACFT WITH MAX WING SPAN 35M. ACFT TO CTC SMC, AIRFORCE GND ON 121.200MHZ BEFORE LANDING, TO COOR VACATION ON A3."
09 JUN 26 06:24 UNTIL 08 SEP 26 23:59 ESTIMATED

VIDPA1233/26 (11 AUG 26)

TXL F6 NOT AVBL FOR OPS. DRG THIS PERIOD ACFT OPS FM STAND 170 TO 178 SHALL BE WITH ASSISTANCE OF FLW ME ONLY.

VIDPA1121/26 (11 AUG 26)

TWY T4 AND TWY S2 NOT AVBL FOR OPS.

VIDPG0298/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENTS ARE MADE IN IAP CHART OF VOR RWY 28- PAGE AD 2 VIDP 2-209 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0299/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS MADE IN IAP CHART OF VOR RWY 11R- PAGE AD 2 VIDP 2-211 DATED 08 AUG 2024.
VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.

VIDPG0292/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 29R- PAGE AD 2 VIDP 2-127 DATED 16 MAY 2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0297/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN IAP CHART OF VOR RWY 10- PAGE AD 2 VIDP 2-207 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0296/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN IAP CHART OF ILS OR LOC RWY 09- PAGE AD 2 VIDP 2-141 DATED 17 APR 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 112/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0294/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 27- PAGE AD 2 VIDP 2-133 DATED 08 AUG
2024.

1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0295/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 11L- PAGE AD 2 VIDP 2-135 DATED 17 APR
2025.

1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0293/26 (11 AUG 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 11R- PAGE AD 2 VIDP 2-129 DATED 27 NOV
2025.

1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0112/26 (21 FEB 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING
RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT
DELHI- VIDP. THE FOLLOWING AMEDEMMENTS ARE MADE

1. ON THE STAR CHART AT PAGE NR 35 AT WAYPOINT DP507 AMEND ALTITUDE
RESTRICTION FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.
2. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR BAVOX - 7E/7F/7G/7H
ALTITUDE RESTRICTION AT SERIAL NO 40 IS AMENDED AS FL140 OR ABOVE IN
PLACE OF FL140 OR BELOW.
3. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR POSIG - 7E/7F/7G/7H
ALTITUDE RESTRICTION AT SERIAL NO 30 IS AMENDED AS FL140 OR ABOVE IN
PLACE OF FL140 OR BELOW.
AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1135/25 (18 JAN 26)

"REF AIP SUP 194/2025 REGARDING IAP CHART - ILS OR LOC RWY 10, CAT
(ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1136/25 (18 JAN 26)

"REF AIP SUP 195/2025 REGARDING IAP CHART - ILS OR LOC RWY 28, CAT
(ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1116/25 (18 JAN 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING
RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT
DELHI-VIDP. THE FOLLOWING AMEDEMMENTS ARE MADE:

1. ON THE STAR CHART AT PAGE NR 32 AT WAYPOINT DP941 AMEND ALTITUDE
RESTRICTION FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
2. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
ATRIN-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
3. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
BUBNU-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 50 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
4. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
LKA-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
5. ON PAGE NR 34 IN TABULAR DESCRIPTION OF STAR
UKASO-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1058/24 (05 NOV 24)

"REFER E-AIP INDIA PAGE NR AD2 VIDP3-139 DT 13 JUNE 2024.
FOLLOWING AMENDMENT IS MADE

1. IN CHART OF SID OROTI6C AND SURAM 6C RWY 29R,
DEPICTION OF TRACK TO MUNUV AS 246DEG IS DELETED.
AMEND THE E-AIP ACCORDINGLY."

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 113/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

VIDPA1036/22 (06 NOV 23)

PORTION OF TWY N BTN TWY CW1 AND TWY LINK 34 COMPATIBLE FOR UP TO
CODE LETTER F ACFT RESTRICTED UPTO MAX WINGSPAN 73.30 M.
AMEND TWY COMPATIBILITY CHART OF E-AIP INDIA ACCORDINGLY.

VAAH / AMD

VABBA1205/26 (13 AUG 26)

RAPID EXIT TWY R5 AVBL FOR ACFT OPS
WITHOUT CENTRE LINE LGT

VABBA1200/26 (13 AUG 26)

17 AUG 2026 04:30-18 AUG 2026 12:30
0430-1230
"WIP AT JUNCTION OF TWY P, RAPID EXIT TWY R5 AND TWY H. PILOTS
TO CARRY EXTRA FUEL AND EXP DLA DUE CONGESTION"

VABBA0953/26 (01 JUL 26)

"WIP IN FLW AREAS:
1) TAXIWAY M AND PORTION OF TWY K FROM RUNWAY EDGE
TO TWY M CLSD DUE WIP.
2) AN ALTN ISOL ACFT PRKG PSN IS PROVIDED ON TWY P
BTN TWY D AND TWY R4. REFER EAIP INDIA VAAH AD 2.8.6.5.
3) DRAIN WIP NORTH OF TWY P, BEYOND 35M FM TWY P
CENTRELINE, BTN TWY B AND TWY R4. PERSONNEL AND
MOVABLE MACHINERY UP TO 3M HGT WILL BE SHIFTED BEYOND
43.5M DRG CODE E OPS.
4) WIP AT 15M FM TWY L5. PILOTS TO EXER CTN"

// (COM-INFO) //

*THA 00320/17 (14 FEB 25)

COM INFO:--RWY MAINT: every WED 0530-0930. (REF AOI VAAH 1-10)

VABB / BOM

VABBA1199/26 (13 AUG 26)

RAPID EXIT TWY INDICATOR LGT FOR TWY N5 U/S
AND NOT AVBL FOR GUIDANCE

VABBA1190/26 (11 AUG 26)

AWOS TRANSMISSOMETER RVR SYSTEM METPARK-32 TDZ U/S

VABBA1188/26 (11 AUG 26)

AWOS TRANSMISSOMETER RVR SYSTEM METPARK-27 TDZ U/S

VABBA1154/26 (05 AUG 26)

TWY M STOP BAR LGT FOR RWY 14/32 U/S.
PILOTS TO EXER CTN

VABBA1053/26 (14 JUL 26)

ACFT SHALL NOT HOLD ON ANY TWY LINKS DRG TAX.
IN CASE UNABLE DUE EXIGENCY ACFT SHALL INFORM CONTROLLER
IMMEDIATELY
PILOTS TO EXER CTN WHILE TAX ON TWY LINKS C1 AND C4
TO XNG ON TWY Y1 AND TWY B1 AND VICE VERSA.

VIDPG0804/26 (08 JUL 26)

EFFECTIVE DATE OF AIP SUP 121/2026 REGARDING RNAV-1 (GNSS) SIDS
AND STARS IS AMD AS 01 OCT 2026.

VIDPG0792/26 (06 JUL 26)

TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 131/2026 WEF 06 AUG 2026.
AIRCRAFT TYPE CODE E OPERATION FROM APRON A.

VIDPG0771/26 (06 JUL 26)

REF AIP INDIA PAGE AD 2 VABB 3-905 (31 DEC 2020) REGARDING RNP Y
RWY
14 PROC OF MUMBAI AIRPORT. THE PROC IS TEMPO WITHDRAWN DUE VISUAL
SEGMENT SURFACE (VSS) INFRINGEMENT.
06 JUL 26 06:40 UNTIL 05 OCT 26 23:59 ESTIMATED

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 114/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

VABBA0923/26 (29 JUN 26)

SECN TWY U BTN STAND C29 UPTO JUNCTION OF TWY N NOT
AVBL FOR OPS DUE CIV WIP

VABBA0883/26 (18 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.I.
ACFT PRKG STAND DETAILS PCR FOR STAND G5R IS 1696/R/D/W/T.
AMEND EAIP ACCORDINGLY

VABBA0874/26 (15 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.II. TAXIWAYS
PCR FOR TXL L IS 1765/R/C/W/T.
AMEND EAIP ACCORDINGLY

VABBA0872/26 (15 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.I. ACFT PRKG
STAND DETAILS PCR FOR STAND A11 IS 1765/R/C/W/T.
AMEND EAIP ACCORDINGLY

VABBA0867/26 (12 JUN 26)

0501-0759 1430-2100
CONCENTRATION OF BIRDS IN AND AROUND VCY OF AD.
BIRDS WITH WT BTN 500 GRAMS TO 1.25KG AND
1KG TO 2KG. MAX SIZE OF FLOCK OF BIRDS UPTO
50 BIRDS.PILOTS TO EXER CTN DRG LDG/TKOF AND TAX

VIDPG0624/26 (25 MAY 26)

REF AIP SUP 180/2025 REGARDING RNP Y RWY 32.
1. IN FINAL APPROACH SEGMENT SDF (2.5 NM) AND SDF (3.6 NM) ARE
WITHDRAWN TEMPO.
2. LNAV OCA(H) AMENDED AS 1270(1245) TEMPO.
25 MAY 26 05:00 UNTIL 24 AUG 26 23:59 ESTIMATED

VIDPG0354/26 (16 MAR 26)

"REF AIP SUPPLEMENT 38/2026 REGARDING INSTRUMENT APPROACH CHART -
ILS OR LOC Z RWY 27 OF VABB. IN PLAN VIEW THE BELOW TEXT IS
INSERTED?
RADAR VECTORED AIRCRAFT ESTABLISHED ON LLZ RWY 27, WHEN CLEARED FOR
APPROACH, TO DESCENT BELOW 3800FT ONLY WITHIN 13.8D (ISCZ)
AMEND ACCORDINGLY."

// (COM-INFO)//

THA 00260/12 (22 FEB 26)

COM INFO:--RWY Restriction:
1) RWY 09/27 CLSD for MAINT: MON 0830-1015, THU 0815-1015
RWY 14/32 CLSD for MAINT: WED 0545-0745.
RWY restored within 30min PN.
2) RWYs 09/27 and 14/32 CLSD daily 2150-2230, EXC FRI, due to periodic MAINT. In case of
emergency RWY restored within 10min.
(REF AOI VABB 1-10)

VIDPG0181/25 (22 FEB 26)

REF EAIP AD 2 VABB 3-905 31 DEC 2020 REGARDING RNP Y RWY 14
PROC -MUMBAI:
IN PROFILE VIEW TRANSITION ALT IS AMENDED AS 6000FT.
AMEND ACCORDINGLY.

VIDPG0171/25 (22 FEB 26)

REFER EAIP AD 2 VABB 3-905 31 DEC 2020
REGARDING RNP Y RWY 14 PROCEDURE -MUMBAI :
1. MSA IS AMENDED AS FLW:
A. 200 DEG (M)-330 DEG (M) CLOCKWISE - 0NM TO 25NM FM MUMBAI ARP -
MSA 2600FT.
B. 330 DEG (M)-200 DEG (M) CLOCKWISE - 0NM TO 12NM FM MUMBAI ARP -
MSA 2800FT.
C. 330 DEG (M)-200 DEG (M) CLOCKWISE - 12NM TO 25NM FM MUMBAI ARP
- MSA 3800FT.
AMEND ACCORDINGLY.

VOHS / HYD

VOMMA2363/26 (29 JUL 26)

"VISUAL DCKG GUIDANCE SYSTEM FOR STANDS 44,45,46,47,48
NOT AVBL FOR OPS.PILOTS TO FLW MARSHALLER FOR PRKG GUIDANCE"

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 115/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

VOMMA2360/26 (29 JUL 26)

WIP AT DIST OF 110M NORTH OF RWY 09L/27R CL BTN TWY B1
AND TWY B2. MAX EQPT HGT WILL BE 2.5M. PILOTS TO EXER CTN

VOMMA2359/26 (29 JUL 26)

REF E-AIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS PARA 4
SUB PARA 4.2. TWY B1 NOT AVBL AS AN ALTN ISOLATION PRKG
PSN DUE WIP

VOMMA2358/26 (29 JUL 26)

TWY B1 AVBL UPTO CODE C OPS UNDER TOWING AND
FLW ME GUIDANCE WITH ONE HOUR MNM PRIOR NOTICE

VIDPG0841/26 (16 JUL 26)

REF EAIP INDIA PAGES AD 2 VOHS 3-907 DATED 17 APR 2025 REGARDING
RNP Y RWY 09R AND AD 2 VOHS 3-908 DATED 17 APR 2025 REGARDING
TABULAR DESCRIPTION OF RNP Y RWY 09R OF SHAMSHABAD AIRPORT.
FLW AMENDMENTS ARE MADE:
I. THR ELEV RWY 09R IS AMENDED AS 1970FT
II. OCA(H) FOR LNAV/VNAV IS AMENDED AS 2420(450)
III. OCA(H) FOR LNAV IS AMENDED AS 2510 (540)
IV. ALTITUDE AT WAYPOINT IDENTIFIER RW09R IS AMENDED AS (A)2020
AMEND EAIP ACCORDINGLY.

VIDPG0833/26 (16 JUL 26)

"REFER AIP SUPPLEMENT NR 14/2010 REGARDING RNAV-1 SIDS AND STARS
RGI AIRPORT, SHAMSHABAD (VOHS).
FOLLOWING AMENDMENT IS MADE IN VIRKO 5 AND VIRKO 7 SID.
SEGMENT VIRKO - TRACK 090.2 DEG MAG (089 DEG TRUE) / 121.4 NM -
AKSAN IS AMENDED AS VIRKO - TRACK 091 DEG MAG (089.8 DEG TRUE) /
110.3 NM - VENGU (COORDINATES 172946N 0815924E).
AMEND ACCORDINGLY."

VIDPG0834/26 (16 JUL 26)

"REFER AIP SUPPLEMENT NR 14/2010 REGARDING RNAV-1 SIDS AND STARS
RGI AIRPORT, SHAMSHABAD (VOHS). FOLLOWING AMENDMENTS ARE MADE:
1. RNAV SIDS RWY27 ARE REDESIGNATED AS RNAV SIDS RWY27L.
2. RNAV SIDS RWY09 ARE REDESIGNATED AS RNAV SIDS RWY09R.
3. RNAV STARS RWY27 ARE REDESIGNATED AS RNAV STARS RWY 27L/27R.
4. RNAV STARS RWY09 ARE REDESIGNATED AS RNAV STARS RWY 09L/09R.
AMEND ACCORDINGLY."

VIDPG0766/26 (16 JUL 26)

REF EAIP INDIA PAGE AD VOHS 2-109 DATED 17 APR 2025 REGARDING ILS
OR
LOC RWY 27L PROC OF SHAMSHABAD (VOHS) AP. ILS OR LOC RWY 27L PROC
WITHDRAWN.

VIDPG0763/26 (16 JUL 26)

"ILS RWY 27L IDENT ISAM (LOC 110.900MHZ, GP 330.800MHZ, DME ISAM
CH46X) NOT AVBL DUE EQPT REPLACEMENT."
02 JUL 26 11:21 UNTIL 02 OCT 26 23:59 ESTIMATED

// (COM INFO) //

THA 00173/26 (30 JUN 26)

COM INFO:--(NEW)+++ Whenever potable water is uplifted at HYD, pilot must report
potable water uplifted in technical logbook to inform maintenance to disinfect potable water
tank.
(ISSUED 30JUN26/OP/31DEC26/2359)

VOMMA2052/26 (16 JUL 26)

0000-1730 2330-2359
REF EAIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS
PARA 5. AP COLLABORATIVE DECISION MAKING (ACDM) WILL
BE IN PLACE. ACFT OPR TO UPDATE TARGET OFF BLOCK TIME (TOBT)
AND ADHERE TO TARGET START UP APPROVAL TIME (TSAT)

VOMMA2045/26 (16 JUL 26)

RWY09L IS NON PRECISION DUE WIP
ALONG THE DRAIN IN BASIC STRIP

VOMMA1830/26 (16 JUL 26)

0300-0500 0730-0830 1030-1230 1330-1830
BIFURCATION OF APP INTO APP DEP APP ARR SECT.

RTF CS FREQ HYDERABAD ARR 125.550MHZ
HYDERABAD DEP 120.250MHZ

VOMMA1829/26 (16 JUL 26)

0000-1830
CLR DELIVERY WITH CS SHAMSHABAD AVBL ON FREQ 121.625MHZ.
REMAINING TIME CTC SMC ON 121.850MHZ FOR CLR DELIVERY.

VOMMA1821/26 (16 JUL 26)

0200-0530 0730-0830 1230-1530 1630-1830
ARR ACFT TO EXP HLDG OR DLA DUE CONGESTION

VOMMA1674/26 (16 JUL 26)

GRASS CUTTING AND PESTICIDE SPRAYING WIP ON BOTH SIDES
OF RWY 09R/27L SHOULDERS AT A DIST OF 107M FM RWY CL.
PILOTS TO EXER CTN

VOMMA0935/26 (16 JUL 26)

REF EAIP INDIA VOHS AD 2.1 SUB PARA 2.24 CHARTS RELATED TO AN
AERODROME SNO.23 FOR RWY 27R READ TORA FOR TWY B2 INTERSECTION AS
3030M

VIDPG0075/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-205 DATED 17 APR 2025 REGARDING
VOR RWY 27L OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0074/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-203 DATED 17 APR 2025 REGARDING
VOR RWY 09R OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0076/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-207 DATED 17 APR 2025 REGARDING
VOR RWY 27R OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0073/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-201 DATED 17 APR 2025 REGARDING
VOR RWY 09L OF SHAMSHABAD AIRPORT:
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VIDPG0071/26 (16 JUL 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-107 DATED 17 APR 2025
REGARDING ILS OR LOC RWY 09R CAT II OF SHAMSHABAD AIRPORT :
THE CIRCLING OCA(H) IS DELETED FROM IAP CHART.
AMEND EAIP ACCORDINGLY.

VOBL / BLR

VOMMA2500/26 (12 AUG 26)

BENGALURU ARR SECT OPR ON FREQ 121.250MHZ.SECT MAY BE
COMBINED WITH DEP SECT ON FREQ 127.750MHZ DRG LEAN TFC
12 AUG 26 12:40 UNTIL 12 NOV 26 23:59 ESTIMATED

*VOMMA2479/26 (10 AUG 26)

"MON 0830-1030 1900-2100, TUE 0830-1030"
NORTH RWY 09L/27R NOT AVBL DUE MAINT

VOMMA2448/26 (06 AUG 26)

SMART VISUAL DCKG GUIDANCE SYSTEM AT STAND 42 IS SWITCHED
ON FOR TRIALS. PILOTS TO EXER CTN AND FLW MARSHALLER

VOMMA2447/26 (06 AUG 26)

CONST WIP SOUTH OF TWY A BTN TWY B6-K AND TWY K-B4.
FOR CODE F ACFT OPS REQUIRED ADDN AREA WILL BE
CLEARED WITH 30 MIN PRIOR NOTICE. PILOTS EXER CTN

VIDPG0927/26 (05 AUG 26)

"REFER AIP SUPP 154/2026, REGARDING RNAV - 1 (GNSS) SIDS KEMPEGOWDA INTERNATIONAL AIRPORT, BENGALURU (VOBL). IN SIDS AKTIM 8B, AKTIM 8E, TULNA 8B, TULNA 8E, PEXEG 8B, GUNIM 8B OF RWY 27R, WAYPOINT DESIGNATOR BL206 (N 13:15:32.04 E 077:20:56.87) IS AMENDED AS BL222 (N 13:15:32.04 E 077:20:56.87). AMEND ACCORDINGLY."

VOMMA2325/26 (27 JUL 26)

0130-2330
MIGRATORY BIRD ACT ON NORTH RWY 09L/27R AND SOUTH RWY 09R/27L BTN 10FT TO 500FT AGL.
PILOTS TO EXER CTN.

VOMMA2303/26 (24 JUL 26)

WED 0530-1030
"TWY G, TWY H AND PORTION OF TWY P AND TWY Q BTN TWY D AND TWY H NOT AVBL DUE MAINT"

*VOMMA2304/26 (24 JUL 26)

WED 0530-1030
SOUTH RWY09R/27L NOT AVBL DUE MAINT

VOMMA2235/26 (20 JUL 26)

"ACFT STAND MANOEUVRING GUIDANCE LIGHTS ON STAND 87,89,91,93,95,97,99,101,103 AND 105 NOT AVBL."

VOMMA2202/26 (16 JUL 26)

"REFER AIP SUP 116/2026 IN PHASE 2E, PARA B POINT V AND VI TO BE REPLACED WITH BLW MENTIONED TEXT.
WHEN RWY 27L IN USE, ACFT CROSSING TWY H8 SHALL VACATE RWY VIA TWY H9 OR TWY H10.AFTER OBTAINING ATC CLEARANCE THE ACFT WILL ENTER RWY VIA TWY H9 OR TWY H10 AND WILL VACATE VIA TWY H8"

VOMMA2196/26 (16 JUL 26)

"REFER EAIP AD 2 VOBL.AMEND AND REPLACE PARA 4 GROUND HANDLING ARRANGEMENTS INFORMATION MENTIONED BLW.
GROUND HANDLING ARRANGEMENTS:
ALL OPERATORS, OPERATING TO/FROM KEMPEGOWDA INTERNATIONAL AIRPORT, BENGALURU SHALL EMPLOY THE SERVICES OF GROUND HANDLING AGENT AUTHORIZED BY BIAL OPERATORS SHOULD CONTACT THE KEMPEGOWDA INTERNATIONAL AIRPORT, BENGALURU FOR FURTHER INFORMATION ON GROUND HANDLING ARRANGEMENTS.
ALL NON-SCHEDULED OPERATORS OPERATING TO/FROM KIAB TO MAKE NECESSARY GROUND HANDLING ARRANGEMENTS WITH GHA'S IN ADVANCE.
THE THREE GROUND HANDLING AGENTS ARE INDIA-SATS, GLOBE GROUND INDIA AND MENZIES AVIATION.
THE CONTACT DETAILS ARE AS FLW:
AIR INDIA SATS: 91-9538925272/91-9538086027
GLOBE GROUND INDIA:91-9741393114/91-9740433990
MENZIES AVIATION:91-9900543254/91-9187227652"

VOMMA2075/26 (10 JUL 26)

TUE 0830-1030
PORTION OF TWY B BTN TWY B2 AND TWY A1 AND PORTION OF TWY P BTN TWY A1 AND TWY P1 NOT AVBL

VOMMA2074/26 (10 JUL 26)

06 JUL 2026 08:30-17 AUG 2026 10:30
MON 0830-1030
TWY A AND PORTION OF TWY Q BTN TWY A1 AND TWY P1 NOT AVBL

VOMMA2071/26 (10 JUL 26)

FRI 0730-0830
TWY B2 AND PORTION OF TWY B BTN TWY B1 AND TWY B2 NOT AVBL

VOMMA2024/26 (10 JUL 26)

0000-0030 1630-2359
"ADDN PRKG STANDS 33A AVBL FOR CODE C AND SMALLER ACFT.
STAND COORD 131206.07N 0774212.61E, ELEV 901.6M, PCN 1143/R/B/W/T"

VOMMA2023/26 (10 JUL 26)

TWY CL LGT ON TWY P BTN TWY G AND TWY H
SWITCHED OFF TO AVOID INADVERTENT TURN.

EXER CTN

VOMMA1808/26 (10 JUL 26)

"REFER EAIP AD 2 VOBL.
AMEND AND REPLACE SUB PARA 3 ADVANCE VISUAL DCKG GUIDANCE
SYSTEM ON STANDS OF AD 2.9(1) SFC MOV GUIDANCE AND CTL
SYSTEM AND MARKINGS MENTIONED BLW.
ADVANCED VISUAL DCKG GUIDANCE SYSTEM INSTL ON STANDS
V36,V37,V38,V39,V40,V41,V42,V43,V44,V45,V46,V47,V48,V49,V50,
V51,V52,V53,V54,V55,V56,V57,V58,V59,V60,V61,V62,V63,V68,V69,
V70,02,03,05,06,08,09,11,12,13,14,15,16,17,18,19,20,22,23,
25,26,28,29,31,32,87,89,91,93,95,97,99,101,103,105,106,107,
108,111,112,113,115,116,117,118,120,121 AND 123.
ACFT TO FLW ADVANCED VISUAL DCKG GUIDANCE SYSTEM FOR PRKG."

VOMMA1805/26 (10 JUL 26)

0330-1230
PREVENTIVE MAINT OF AERONAUTICAL GND LGT WIP ON BOTH SIDES OF
RWY09R/27L AND RWY09L/27R SHOULDERS AT A DIST OF 80M RCL.
MEN AND MATERIALS UPTO HGT OF 4M WILL BE AVBL

VOMMA1802/26 (10 JUL 26)

0330-1230
HORTICULTURE WIP ON BOTH SIDES OF RWY09R/27L AND RWY09L/27R
SHOULDERS AT A DIST OF 80M RCL. MEN AND MATERIALS UPTO
A HGT OF 4M WILL BE AVBL

VOMMA1804/26 (10 JUL 26)

0330-1230
PREVENTIVE MAINT OF TWY EDGE LGT ON SHOULDER INPR ALONG
TWY A A1 A2 A4 A5 A6 A7 A8 A9 A10 A11 B4 B6 K B B1 B2 B3
D R S M N P P1 Q G G1 H H1 H2 H3 H4 H5 H6 H7 H8 H9 H10

VOMMA1803/26 (10 JUL 26)

0330-1230
HORTICULTURE WIP ON SHOULDERS OF TWY A B G H P AND Q. EXER CTN

VOMMA1717/26 (10 JUL 26)

"INTERMEDIATE HLDG PSN LIGHTS ON TWY B1, TWY M, TWY N SHORT OF
TXL C AND ON TWY N1 SHORT OF TXL N WILL BE SWITCHED ON FOR
TESTING.PILOTS TO EXER CTN"

VIDPG0937/25 (15 MAR 26)

"REF AIP SUP 115/2025 DATED 29 MAY 2025 REGARDING ILS Z RWY 09R
CAT (ROMAN) II AND III PROC.
IN TABULAR DESCRIPTION, THE ALTITUDE RESTRICTION AT BL202, IS
AMENDED AS AT OR ABOVE 7000FT.
AMEND AIP ACCORDINGLY."

VOMM / MAA

VOMMA2517/26 (14 AUG 26)

TWY C NOT AVBL FOR OPS DUE WIP

VOMMA2474/26 (10 AUG 26)

"EXCAVATION WIP FOR A LEN OF 150M PARL TO RWY 07/25, SOUTH
OF TWY J AT DIST 169M SOUTH FM RWY 07/25 CL AND 59M FM
TWY J CL. PILOTS TO EXER CTN"

VOMMA2380/26 (31 JUL 26)

"STAND IDENT BOARDS AT BAY NR 03, 04, 05 AND 06 NOT AVBL.
RMK:
STAND NR 04 RESTRICTED UP TO ATR TYPE ACFT"

VOMMA2366/26 (29 JUL 26)

WIP ON THE BASIC STRIP OF RWY 12/30 BTN TWY P1 AND TWY R3 AT
A DIST OF 110M AWAY FM THE RWY CL.
RMK:
1. PORTION OF TWY N BTN TWY P1 AND TWY R3 CLSD FOR OPS.
2. PORTION OF TWY Q BTN TWY Q2 AND TWY N CLSD FOR OPS.
3. TWY Q1 CLSD FOR OPS.

VIDPG0850/26 (20 JUL 26)

REFER EAIP PAGE AD 2 VOMM 2-101 DATED 02 NOV 2023 REGARDING ILS

Official Pilot Briefing

THA970 16AUG26 HSTKQ B773E VTBS 1805 LSZH 0550+

Page 119/122
Trans ID: 5106364
Creation Time: 16.08.2026 12:21UTC

RWY 07 OF CHENNAI INTERNATIONAL (VOMM) AP. ILS RWY 07 PROC
WITHDRAWN.

VOMMA2188/26 (15 JUL 26)

EXCAVATION WIP AT 140M FM THE CL OF RWY 12/30 NORTH SIDE.
PILOT TO EXER CTN.

VIDPG0774/26 (10 JUL 26)

TRIGGER NOTAM - AIRAC AIP SUPPLEMENT 111/2026 WEF 06 AUG 2026.
COMMISSIONING OF APPROACH LIGHTING SYSTEM RWY 30.

VOMMA2007/26 (10 JUL 26)

TRIAL OPS OF SIMUL OPS ON DIVERGING RWY25 AND
RWY30 WILL TAKE PLACE WITH THE FLW DETAILS:
1. ARR AND DEP OPS ON RWY25 AND DEP OPS ON RWY30
2. DEP FM RWY30 TO LINE UP AT TWY R3 INT (TORA 2509M)
3. DRG HR OF DAYLIGHT ON NEED BASIS INFO WILL BE
BCST ON ATIS
4. NO SID WILL BE ISSUED PRIOR TO DEP
5. IN CASE OF MISSED APCH ARR ACFT ON RWY25 SHALL
CMB STRAIGHT AHEAD 3000FT AND FURTHER CMB UNDER
RADAR DRG SIMUL OPS ON RWY25 AND RWY30
24 JUN 26 07:00 UNTIL 24 SEP 26 12:30 ESTIMATED

VOMMA2008/26 (10 JUL 26)

"THE FLW TRIAL PROC PERMITTING SIMUL PUSH-BACK AND START
WILL BE IN VOGUE:
1.ACFT UP TO CODE 'C' MAY BE PERMITTED TO START ENGINES
ON IDLE-PWR DRG THE PUSHBACK MANEUVERS.
2.SIMUL PUSHBACK AND START-UP MAY BE PERMITTED FOR ACFT
FM STAND SEPARATED BY ATLEAST ONE STAND.
3.AIRLINES TO ENSURE REQUIRED CLEARANCES WITH RESPECT TO
ACFT ON ADJOINING/REAR STANDS,EQPT AND PERSONNEL.
4.PRIORITY ACCORDED FOR ACFT ABLE TO PUSHBACK AND SIMUL START"
24 JUN 26 07:05 UNTIL 24 SEP 26 12:30 ESTIMATED

VIDPG0722/26 (17 JUN 26)

DVOR/DME IDENT MMV FREQ 112.500MHZ DME CH72X NOT AVBL DUE EQPT
REPLACEMENT.
15 JUN 26 09:43 UNTIL 09 SEP 26 23:59 ESTIMATED

VIDPG0691/26 (17 JUN 26)

"REFER AIP SUP 36/2026 REGARDING INSTRUMENT APPROACH CHARTS
CHENNAI INTERNATIONAL AP. THE VALIDITY IS AMENDED AS 17 JUN 2026 TO
15 SEP 2026, 2359 EST."
17 JUN 26 00:00 UNTIL 15 SEP 26 23:59 ESTIMATED

VIDPG0690/26 (10 JUL 26)

REFER AIP SUP 36/2026 REGARDING ILS OR LOC RWY 07 AND ILS OR LOC
Y RWY 25 PROC. THE PROCEDURES IDENTIFICATIONS ARE AMENDED AS
FOLLOWS:
PROCEDURE INDENTIFIER FOR ILS OR LOC RWY 07 IS AMENDED AS ILS OR LOC
Y RWY 07.
PROCEDURE INDENTIFIER FOR ILS OR LOC Y RWY 25 IS AMENDED AS ILS OR
LOC W RWY 25.

VIDPG0684/26 (17 JUN 26)

REF EAIP PAGE AD 2 VOMM 2-203 DATED 27 NOV 2025 REGARDING VOR RWY
25 OF CHENNAI INTERNATIONAL (VOMM) AP. VOR RWY 25 PROC WITHDRAWN.

VIDPG0683/26 (17 JUN 26)

REF AIP SUPPLEMENT 141/2025 DATED 24 JUL 2025 REGARDING ILS OR
LOC RWY 07 OF CHENNAI INTERNATIONAL (VOMM) AP. ILS OR LOC RWY 07 PROC
WITHDRAWN.

VIDPG0682/26 (17 JUN 26)

REF EAIP PAGE AD 2 VOMM 2-105 DATED 17 APR 2025 REGARDING ILS OR
LOC Y RWY 25 OF CHENNAI INTERNATIONAL (VOMM) AP. ILS OR LOC Y RWY 25
PROC WITHDRAWN.

VIDPG0681/26 (17 JUN 26)

REF EAIP PAGE AD 2 VOMM 2-201 DATED 27 NOV 2025 REGARDING VOR RWY
07 OF CHENNAI INTERNATIONAL (VOMM) AP. VOR RWY 07 PROC WITHDRAWN.

VOMMA1681/26 (17 JUN 26)

STAND 30 RESTRICTED UPTO CODE C OPS

VIDPG1146/24 (05 NOV 24)

"REF EAIP PAGE AD 2 VOMM 3-907 DATED 31 DEC 2020 REGARDING RNP Y
RWY 30 PROC
FLW AMDT ARE MADE,
1. COMMUNICATION FREQUENCIES ARE AMENDED AS,
APP 127.900 / 125.500 / 120.750
TWR 118.100 / 118.800
2. IN PLAN VIEW, CTN NOTE IS AMENDED AS,
DO NOT MISTAKE TAMBARAM AIRBASE FOR CHENNAI AP.
TAMBARAM (RWY ORIENTATION 12/30 AND 05/23).
3. MAGNETIC VAR IS AMENDED AS,
1.75DEG W (2010"

VOMMA1993/24 (30 JUN 24)

TORA FOR RWY25 FM TWY N3 INT 2880M
TORA FOR RWY30 FM TWY R3 INT 2509M
AMEND EAIP INDIA VOMM AD 2.13
DECLARED DISTANCES AND AERODROME CHARTS
AD 2 VOMM 1-101 AND AD 2 VOMM 1-103 ACCORDINGLY

VOMMA1555/24 (30 JUN 24)

PRKG STAND 30 (PB-30) COORD 125858.42N 0800944.19E.
AMEND EAIP VOMM AD 2.24 NO:-5 ACFT PRKG DCKG CHART
APN-A ACCORDINGLY.

YYYY / RGN

VYYYYA0163/26 (13 AUG 26)

1030-1029
YYYY AD
RAPID EXIT TWY R2 CLSD DUE TO MAINTENANCE WIP.
13 AUG 26 10:30 UNTIL 20 AUG 26 10:29 ESTIMATED

VYYYYA0158/26 (01 AUG 26)

AD TWY B PORTION BETWEEN RAPID EXIT TWY R2 AND B3 CLSD DUE TO
RENOVATION WIP.

VYYYYA0151/26 (25 JUL 26)

NEW ATM CENTER GHOSTING OPERATION CONTINUES.NO IMPACT TO ATS.
24 JUL 26 23:59 UNTIL 24 SEP 26 23:59 ESTIMATED

VTCT / CEI

VTBDC4379/26 (03 AUG 26)

PAPI RIGHT SIDE RWY 21 U/S

VTBDJ5915/26 (31 JUL 26)

DAILY 0100-0930
UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA :
195532.52N 0995244.61E - 195200.42N 0995242.39E -
195201.42N 0995134.68E - 195322.75N 0995135.12E -
195500.17N 0995210.04E - 195532.52N 0995244.61E
F) GND
G) 295FT AGL

VTBDJ5914/26 (31 JUL 26)

DAILY 0100-0930
UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA
195637.92N0995136.17E-195500.50N0995101.25E-195218.65N0994808.47E-
195215.52N0994719.72E-195250.80N0994716.37E-195311.56N0994749.66E-
195340.13N0994734.49E-195501.45N0994734.89E-195638.57N0994918.58E-
195637.92N0995136.17E
F) GND
G) 295FT AGL

VTBDC3520/26 (27 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
AD 2-VTCT-1 AD 2.2 AD GEOGRAPHICAL AND ADMINISTRATIVE DATA
AD 2.8 APN, TWY AND CK LCA/PSN DATA
AD 2.12 RWY PHYSICAL CHARACTERISTICS"

VTBDC3398/26 (22 JUN 26)

PAPI RIGHT SIDE RWY 03 U/S

VTUU / UBP

*VTBDC4619/26 (14 AUG 26)

"AD OPR HR ATS AND ARO HR SER CHANGED AS FLW:
AUG 14 1050-1500, 14-SEP 27 2300-1400"

// (COM-INFO) // THA 00221/26 (11 AUG 26)

COM INFO:+++ (NEW) --UBP/VTUU:
TAKEOFF AND LANDING PERFORMANCE CALCULATION SHALL BE BASED ON TEMPORARY RUNWAY WHEN OPERATING
ON 05 and 23.

-Runway 05
Validity Period: 10AUG2026 - 09OCT2026

-Runway 23
Validity Period: 10AUG2026 - 09OCT2026

(ISSUE 11AUG26/BKKPC/TIL 09OCT26)

VTBDC4438/26 (06 AUG 26)

RWY 05/23 CLSD DIST 500M FM THR RWY 05 DUE TO WIP.
DECLARED DIST AS FLW:
RWY TORA (M) TODA (M) ASDA (M) LDA (M)
05 2500 2500 2560 2500
23 2500 2500 2500 2500
RMK: RWY 05 THE TORA WHEN ENTERING RWY FM TWY A IS 1950M AND
ASDA IS 2010M

VTBDC4439/26 (06 AUG 26)

TEMPO PAPI RWY 05 INSTL ON LEFT SIDE AT DIST 342M FM DTHR

VTBDC4321/26 (31 JUL 26)

ROAD CONSTRUCTION FROM FIRE STATION TO RUNWAY 05/23
AT UBON RATCHATHANI AIRPORT. EXTD TO 31 OCT 2026 AT 1500UTC.
REF AIRAC AIP SUP B06/26

VTBDC3533/26 (27 JUN 26)

TRIGGER NOTAM-PERM AIRAC AIP AMDT 08/26 WEF 06 AUG 2026.
AD 2-VTUU-1 AD 2.2 AD GEOGRAPHICAL AND ADMINISTRATIVE DATA
AD 2.24 CHARTS RELATED TO AN AD
AD 2-VTUU-2 ADC-ICAO
ACFT PRKG/DCKG CHART-ICAO
AD GND MOV CHART-ICAO
AD 2-VTUU-6 SID-ICAO RNAV RWY 23

VTBDC3445/26 (24 JUN 26)

STRIP RWY 05/23 WIP FM THR RWY 05 TO DIST 442M
ON BOTH SIDES OF RWY 05

VTBDC3444/26 (24 JUN 26)

STRIP RWY 05/23 WIP FM THR RWY 23 TO DIST 442M
ON BOTH SIDES OF RWY 23

VTSP / HKT

VTBDC4606/26 (14 AUG 26)

17 AUG 2026 02:00-01 NOV 2026 06:00
ACFT STAND NR 7 CLSD DUE TO WIP

VTBDC4598/26 (13 AUG 26)

"VISUAL DOCKING GUIDANCE SYSTEM (VDGS)
ACFT STAND NR 1, NR 2 AND NR 3 U/S"

VTBDC4465/26 (07 AUG 26)

RWY 09/27 OPR BUT CTN ADZ DUE TO FRICTION BLW MNM LEVELS
DIST BTN 2200M-2600M FM THR RWY 09
(TDZ RWY 27 MAY BE SLIPPERY WHEN WET)

// (COM-INFO) //

16 AUG 2026 18:15-23 MAR 2027 23:30
VTSP:--REF AIP SUP A23/26:
SCHEDULE BETWEEN 1815-2330 DAILY ON 16-25AUG,
08,22SEP,
06, 15-24OCT,
10, 23-24NOV,
08, 14-23DEC,
05, 18-19JAN27,
02, 15-24FEB27,
09, 22-23MAR27,
RWY 09/27 CLOSED DUE TO WIP.

*THA 00215/26 (06 AUG 26)

// (COM-INFO) //

VTSP:--REF AIP SUP A18/26:
1 INTRODUCTION
With effect from 5 May 2026 at 0101 UTC. The purpose of this AIP Supplement is to inform pilots and operators concerning the Visual Docking Guidance System (VDGS) of aircraft stand number 31 at Phuket International Airport (VTSP).
2 DETAILS
2.1 The Visual Docking Guidance System (VDGS) of aircraft stand number 31 is unserviceable.
2.2 The aircraft are strongly advised to strictly follow the Marshaller's signal.

THA 00094/26 (04 AUG 26)

VTBDC3719/26 (16 JUL 26)

ACFT STAND NR 5 AND NR 6 CLSD DUE TO WIP

*VTBDC3535/26 (16 JUL 26)

TRIGGER NOTAM AIRAC AIP SUP A23/26 WEF 06 AUG 2026 TIL
23 MAR 2027. RUNWAY CLOSURE FOR MAINTENANCE WORKS AT PHUKET
INTERNATIONAL AIRPORT (VTSP) (16 AUGUST 2026-23 MARCH 2027

THA970 16AUG26/1805 VTBS/LSZH

N I L