

GENERAL INFORMATION**## Company Fuel Guidelines ##**

THA 00159/26 (18 JUN 26)

OM INFO:--WEF 19JUN26,
Company Fuel Guidelines:
1) Flight Outbound from VTBS:
1.1) 15 mins:
-TG319
-ETA within TEMPO ±1 hr with adverse weather condition

1.2) 5 mins:
-BLR (ONLY WHEN SINGLE RWY OPS)
-TG317, TG407, TG409*

2) Flight Inbound to VTBS:
2.1) 20 mins:
ETA within TEMPO ±2 hrs with adverse weather condition*

2.2) 5 mins:
ETA 22:00-24:00 (BKK local time)

3) European Flights:
3.1) Outbound flight to European: CF 3 PERCENT (Except TG916/CF5)

3.2) Inbound flight to VTBS: RCFP + 05MINS

4) Flight Level Plan for VTUK,
-Outbound from VTBS: FL250
-Inbound to VTBS: FL240

5) Planning for Arrival WADD:
To improve flight planning accuracy, for WADD arrivals,
after waypoint KOLTA, flights shall plan to DOBMA
and then follow DOBMA## STAR.

6) TG649: Flight level shall not be planned above FL380.

7) TG900: When ETA falls within TEMPO ±2 hrs and adverse weather conditions, LTAC shall be
designated as the destination alternate.

8) Destination VTUD*:

Remove altitude restrictions and use the optimum altitude for planning.

Remark:
1) Pilot Management Department (PA)

1.1) Destinations ZBAA and ZSPD:

Flights shall be planned as Economic Tankage without company fuel, with the following
conditions:

-Widebody aircraft shall be planned with far alternates (RKSI, RJFF).

-Narrowbody aircraft shall be planned with ZBTJ as the alternate; however, ZFW shall be
restricted to ensure the carriage of at least 30 minutes of extra fuel.

1.2) Destination YPPH: ALTN YGEL (+05MINS EXTRA FUEL)*

YGEL shall be used as ALTN airport effective 25 Apr 2026 following revision of OM-A section
8.3.26 (Operations at Uncontrolled Aerodromes)

2) Everything else regarding fuel planning policy remains the same as last month.

3) Adverse weather conditions*:
RA, TS or TSRA and visibility 5000m or less

(REVISED NO.1/REF EMAIL Summary of Fuel Initiatives Meeting - 08JUN26
For Fuel Committee member/BKKPC)

// (COM-INFO) //

THA 00002/13 (31 MAY 26)

COM INFO:--All A350 and BOEING 787:
are now eligible and included in EUROCONTROL airspace CPDLC Logon list.
Action Required: Pilots are required to initiate CPDLC logon when entering European airspace.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 2/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

(ISSUED 23MAR26/BKKPC2/UFN)

--IN CASE CANNOT BE CONTACTED BKKOC VIA TELEPHONE,
PILOTS MAY CONTACT VIA MS TEAMS CHANNEL: "OC.CENTER".
(ISSUED 30JUL24/BKKOC/UFN)

-- To improve CTOT for all flights both outbound from BKK and inbound to BKK, pilots may contact TOCC when ready for departure to request an earlier CTOT through any of the following channels:

: MS Teams chat
: LINE CLC-Pilot
: CUT 129.325
: Phone 02-137-1202

In addition to above contact channels, for DOMESTIC flight, pilots may also directly contact ground staff to request earlier CTOT. (ISSUED 15FEB25/BKKOP/UFN)

--DELEGATED FUNCTIONS PHONE DIRECTORY (Direct Number)

1. OPEN BOARDING GATE : 02-137-1260
2. BUS GATE - REMOTE BAY & DOMESTIC V.V. : 02-137-1260
3. CREW BUS OPC-TERMINAL V.V. : 02-137-1019, 02-137-1020
4. CONFIRM BOARDING GATE/BAY/BELT : 02-137-1263
5. ZFW/WEIGHT & BALANCE/LOAD SHEET : 02-137-1291, 02-137-1292
6. TG LOST & FOUND : 02-134-5454
7. OTHER INQUIRIES/BKKOC : 02-137-1202

(ISSUED 17JUL22/BKKOC-INFO/UFN)

--If expected divert due to weather or traffic congestion at any TG destination airports, please kindly advise TOCC, via ACARS using OPERATIONS prompt or SITA address BKKOPTG, the current fuel on board immediately to keep close monitoring of the flight.
(ISSUED 08MAY25/BKKOP/UFN)

--In case of pilot receives information from ground staff to delay departure due to connecting passenger, please kindly confirm with TOCC via CUT channel.
(ISSUED 27NOV24/BKKOP/UFN)

--FOR FLIGHTS PLANNED NAVIGATING THROUGH KABUL FIR,
ONCE FINAL FL TO ENTER KABUL FIR IS AVAILABLE,
PLEASE ACARS DOWNLINK ETO/ENTRY WPT/FL TO BKKOPTG
(ISSUED 12DEC24/BKKOC/UFN)

--Please kindly consider and issue recommendation for route P500 G500 as soon as possible in order to reduce operational risk.

1. Due to limitation of passenger oxygen chemical type (22 minutes).
If weather deviation is required, pilots shall deviate west of route only.

2. In an event of critical in-flight emergency, the aircraft should follow ICAO emergency descent procedures, broadcast status and intentions on 125.2 MHZ and 121.5 MHZ. Thereafter, proceed at the discretion of the PIC until clear Kabul FIR and in contact with the ATC responsible for the airspace.
(ISSUED 31JUL24/D1/OC/UFN)

--Any flight operation by TG into the uncontrolled airspace and conflict zone, the latest operational information " Closures and Warnings" issued by means of ICAO State letters,
NOTAMs, AICs/AIPs, and EASA CZIB - TG are subject to strictly following the guidance/directions
from their national authority as well as their own risk assessment.
(ISSUED 15APR24 CORR/TN003/22/OW/UFN)

--WEF 01JUN26,
SUBJ: SPECIAL SECURITY ARRANGEMENT:SSA006/2026
ATTN ALL CONCERNED

THE AVIATION SECURITY COMMITTEE (ASC) MTG ON 21MAY2026
AGREED TO ANNOUNCE SSA006/2026 AS FLWS:

AA PLS BE INFM THT THIS SSA WILL SUPERSEDE SSA005/2026
FROM 01JUN2026 UNTIL FURTHER TLX ADV

BB FR FLT DEP FRM STATION EUROPE: ARN BRU CDG CPH FRA IST LHR MUC
MXP OSL ZRH

LEVEL: LOW CMA PERFORM SSA ACCORDING TO EU REQUIREMENTS
AS FLWS:

A1 - A/C PRE-FLIGHT SECURITY SEARCH CONDUCTED BY PIC CMA
CABIN CREW CMA ASM/SMT/DELEGATED PERSONNEL N GROUND/
STATION ENGINEER

A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
CONDUCTED BY CABIN CREW

CC FR FLT DEP FRM STATION: DAC KHI KTI ISB LHE RGN SAI

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 3/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

DD FR DOM FLT DEP FRM STATION: HDY HKT UBP

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW

EE FR FLT DEP FRM MAINBASE STATION: BKK

LEVEL: MEDIUM CMA SSA AS FLWS:
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES CONDUCTED
BY CABIN CREW
F2 - IDENTITY CHECK OF CREW MEMBERS BEFORE BOARDING AT
BOARDING GATE
P2 - SECONDARY CHECK AT GATE
(APPLY ONLY FLT FRM BKK TO MEL PER N SYD)

FF THE FLWG SSA SHALL BE IMPLEMENTED FR ALL ROUTE AS NORMAL PROC
P5 - INTENSIVELY PERFORM IDENTITY CHECK N VERIFICATION OF PAX
BEFORE BOARDING A/C BY
- COMPARING PAX WZ PHOTOGRAPH N PASSPORT/TVL DOCS TO
ENSURE PAX IS BONA FIDE N
- VERIFYING THE NAMES IN THE TICKETS CORRESPOND TO THOSE
ON THE IDENTITY DOCS
V1 - ALERT STAFF TO OBSERVE UNUSUAL BEHAVIOR OF PAX N ALL
PERSONNEL INVOLVED N ANY SUSPICIOUS ITEM IN THE
OPERATING AREA

GG THOSE STN NOT ON THE LIST ABOVE ARE LOW LEVEL STP
APPLY NORMAL SECURITY PROC AS MENTIONED IN OPERATION MANUAL

ADDITIONAL INSTRUCTION.

FR FLT OPS TO BLR MAA N CCU PLS IMPLEMENT THE FLW MEASURES AT THE
CHK-IN COUNTERS;
1. PROV DEDICATED CHK-IN COUNTERS FR FLT TO BLR MAA N CCU
2. DISPLAY WARNING N INFO SIGNAGE AT:
-CHK-IN COUNTERS
-B/D GATE
-FLT INFO DISPLAY SYSTEM (FIDS) AT CHK-IN COUNTERS
3. CONDUCT RANDOM X-RAY SCREENING OF SUSPICIOUS BAG AT CHK-IN
COUNTERS
4. CONDUCT RANDOM SCREENING BY USING SNIFFER DOGS IN THE CHK-IN AREA.

IN CASE OF THREAT SITU N EXTRA MEASURES ARE REQ CMA
STN MONITORING TEAM/SMT MAY RAISE UP MEASURES AS APPROPRIATE

ANY SECURITY INCIDENTS MAY OCCUR SHALL INFO MANAGEMENT CONCERNED
N BKKD1 ACCLY STP

REMARK

A18-1 5% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
A18-2 10% RANDOM SEARCH OF LIFE VEST JACKET POUCHES
WILL BE REVISED IN SPM NEXT REVISION

PLS ACK N CFM ACTUAL PERFORM TO OFC BKKD1-B
BRGDS/CAPT. CHINGCHEEP B./BKKD1 ASC CHAIRMAN

Minima for flight planning

THA 00136/26 (29 MAY 26)

COM INFO: Application of planning minima for flight planning

Due to limited space in the OFP fuel planning box, any display of "BASIC FUEL SCHEME" shall be interpreted as "BASIC FUEL SCHEME WITH VARIATION."

All THAI flights are planned using Basic Fuel Scheme with Variation, unless otherwise specified by Flight Dispatcher.

Alternate planning minima shall be applied in accordance with OMA 8.1.7.5.2.
Display format will be reviewed and updated following stakeholder discussion.

OFP - TCAR format

THA 00093/26 (18 MAY 26)

COM INFO: SFP/OFP change format according to OM-A (TCAR version)

Due to identified limitations in the current OFP template,
the following temporary procedures shall apply with immediate effect:

1. RVSM - Standby Altimeter

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 4/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

The current OFP does not provide a dedicated line for Standby Altimeter recording as required by OMA 14.4.4.

Action: Record the Standby Altimeter value adjacent to the existing record row.

This procedure is mandatory to ensure compliance with OMA 14.4.4.

2. RAIM Information

RAIM shown in the OFP is for terminal operations only.

Action: For flights requiring NPA, crew shall verify RAIM availability separately using an approved RAIM Forecast Report.

3. RCFP - MINF at DP

the displayed MINF at DP may be incorrect.

Action: Disregard the displayed value and refer to the minimum fuel at DP provided in the eOFP application to maintain information consistency.

These instructions are mandatory until corrected in the next OFP version.

FLIGHT LEG INFORMATION

EDDFVTBS

AIP SUP IFR 43/25 ## THA 00018/26 (30 APR 26)

// (SEE ATTCH) //

AIP SUP IFR 39/25 ## THA 00302/25 (30 APR 26)

// (SEE ATTCH) //

AERODROME INFORMATION

EDDF / FRA

EDDZA3149/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 14:00
TWY Y5 CLSD BTN TWY Y7 AND TWY Y9.

EDDZA3137/26 (18 JUN 26)

RWY 07L/25R CENTRE LINE LIGHTS:
LIGHT EMITTING DIODE (LED) LIGHTS USED IN THE FULL LENGTH OF THE
RWY CENTRELINE.

EDDZA3138/26 (18 JUN 26)

RWY 07L/25R TOUCHDOWN ZONE LIGHTING SYSTEM:
LIGHT EMITTING DIODE (LED) LIGHTS USED.

*EDDZA3081/26 (15 JUN 26)

15 JUN 2026 21:00-20 JUN 2026 03:00
DAILY 2100-0300
RWY 18 CLSD.

EDDZA3083/26 (15 JUN 26)

15 JUN 2026 21:00-20 JUN 2026 05:00
DAILY 2100-0500
TWY L CLSD BTN ACFT STAND V178 AND TWY Y. TWY N-SOUTH CLSD BTN
TWY N AND TWY Y. TWY N15 CLSD BTN TWY N AND TWY L. TWY N16 CLSD.

*EDDZA3082/26 (15 JUN 26)

15 JUN 2026 21:00-20 JUN 2026 05:00
DAILY 2100-0500
RWY 07C/25C CLSD.

*EDDZA3053/26 (12 JUN 26)

14 JUN 2026 21:00-20 JUN 2026 02:45
DAILY 2100-0245
RWY 07L/25R CLSD.

EDDZA3046/26 (12 JUN 26)

USE OF RWY HLDG PSN T6 NOT PERMITTED FOR AIRCRAFT WITH WINGSPAN
BTN 36M AND 65M (UP TO BUT NOT INCLUDING).

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 5/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

EDDZA3045/26 (12 JUN 26)

ACFT STAND A26 CLSD.

EDDZA3048/26 (12 JUN 26)

RWY 07C THR IDENTIFICATION LIGHTS U/S.

EDDZA3047/26 (12 JUN 26)

TWY W SOUTH OF DP2 CLSD. TWY W9 CLSD.

// (COM-INFO) //

THA 00081/15 (07 JUN 26)

COM INFO:--EDDF NIGHT RESTRICTION 2300-0500LT (OP-INFO/UFN)

EDDZA2768/26 (07 JUN 26)

NEW TWY S17 BTN TWY S AND TWY R IN OPERATION.
NEW TWY S19 BTN TWY S AND TWY R IN OPERATION.
NEW TWY S20 IN OPERATION.
NEW TWY S21 BTN TWY S AND TWY R IN OPERATION.
NEW TWY S23 IN OPERATION.

EDDZA2717/26 (07 JUN 26)

"CHARLIE DME CHA 115.35MHZ/CH100Y, ON MAINT. DO NOT USE, FALSE INDICATION POSS."

EDDZA2715/26 (07 JUN 26)

ILS 25C OUT OF SERVICE.
27 MAY 26 11:15 UNTIL 15 JUL 26 12:00 ESTIMATED

EDDZA2716/26 (07 JUN 26)

ILS 07C DOWNGRADED TO CAT I LVL 2 (ICAO CLASSIFICATION I/E/2).
LOW VIS OPS PROC NOT POSS.
27 MAY 26 11:16 UNTIL 15 JUL 26 12:00 ESTIMATED

EDDZA2680/26 (07 JUN 26)

"LPV APCH Z RWY 07L SUSPENDED,
LPV APCH Y RWY 07L SUSPENDED,
LPV APCH Z RWY 25R SUSPENDED,
LPV APCH Y RWY 25R SUSPENDED
DUE TO INADEQUATE PROTECTION PROVIDED IN MISSED APCH SEGMENT FOR
SOME NAVIGATION SYSTEMS AUTH FOR LPV OPS."
26 MAY 26 12:50 UNTIL 18 AUG 26 23:59 ESTIMATED

EDDZA2676/26 (07 JUN 26)

TWY DP2 CLSD.

EDDZA2626/26 (07 JUN 26)

DAILY 2100-0300
WIP IN THE VCY OF ILS LOC RWY 25C AND IN THE VCY OF ILS GP RWY 25C.

EDDZA2624/26 (07 JUN 26)

TWY L20 AND TWY L21 CLSD.

EDDZA2573/26 (07 JUN 26)

NEW ACFT STAND INSTALLED. V333: N 50 1 45.42431 E 8 33 54.04565
NEW ACFT STANDS INSTALLED. V335: N 50 1 47.9537 E 8 33 52.58912
NEW ACFT STAND INSTALLED. V337: N 50 1 50.65133 E 8 33 51.03558
NEW ACFT STAND INSTALLED. V340: N 50 1 50.3976 E 8 33 50.26489.

EDDZA2574/26 (07 JUN 26)

NEW TWY S21 SOUTH OF TWY S INOPERATION.

EDDZA2575/26 (07 JUN 26)

BREAK-AWAY INSTALLED ON TWY S21. REF AIP SUP IFR 03/26.

EDDZA2531/26 (07 JUN 26)

OCA(H) VALUES RAISED AS FOLLOWS:
LPV APCH Z RWY 07C: A 652(324) B 665(337) C 692(364) D 701(373)FT.
LPV APCH Y RWY 07C: A 652(324) B 665(337) C 692(364) D 701(373)FT.
LPV APCH Z RWY 07R: A 652(325) B 665(338) C 673(346) D 715(388)FT.
LPV APCH Y RWY 07R: A 652(325) B 665(338) C 673(346) D 715(388)FT.
LPV APCH Z RWY 25L: A 726(365) B 738(377) C 747(386) D 757(396)FT.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 6/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LPV APCH Y RWY 25L: A 729(368) B 742(381) C 750(389) D 760(399)FT.
LPV APCH Z RWY 25C: A 691(328) B 700(337) C 706(343) D 714(351)FT.
LPV APCH Y RWY 25C: A 694(331) B 703(340) C 709(346) D 716(353)FT.
19 MAY 26 13:34 UNTIL 18 AUG 26 23:59 ESTIMATED

EDDZA2193/26 (07 JUN 26)

ACFT STAND A28 CLSD.

EDDZA2178/26 (07 JUN 26)

"DISREGARD TAXI RESTRICTION FOR A346, B773, B779, A35K, B748 AND A388
ON TWY S8 BTWN TWY S AND ACFT STAND H5. REF AIP AD2 EDDF 2-9 AND EDDF 2-9A."

EDDZA2008/26 (30 APR 26)

"REF AIP EDDF AD 2.20 LOCAL AERODROME REGULATIONS 6. OPERATION OF A RUNWAY INCURSION ALERTING SYSTEM (RIAS (AD 2 EDDF 1-33) IS SUSPENDED .
CLEARANCES WILL BE ISSUED TO THE CAT I HOLDING POSITIONS ON TWY M6, M8 AND M30 UNDER CAT I CONDITIONS.
A RWY INCURSION MONITORING SYSTEM IS IMPLEMENTED IN THE ATC GROUND RADAR SYSTEM."

EDDZA1648/26 (05 APR 26)

NEW TWY S13 WEST OF S11 IN OPERATION. REF AIP SUP IFR 03/26.

EDDZA1647/26 (05 APR 26)

NEW TWY S19 SOUTH OF TWY S IN OPERATION. REF AIP SUP IFR 03/26.

EDDZA1646/26 (05 APR 26)

BREAK-AWAYS 1 AND 2 INSTALLED ON TWY S19. REF AIP SUP IFR 03/26.

EDDZA1644/26 (05 APR 26)

NEW TWY S17 SOUTH OF TWY S IN OPERATION. REF AIP SUP IFR 03/26.

EDDZA1599/26 (05 APR 26)

"ILS APCH CHANGED DUE TO FRD DME PSN AT 500147N 0083406E.
ILS Z CAT II/III RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 16.0 DME FRD TO READ 17.1 DME FRD.
AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Z CAT II/III RWY 07C
AMEND 14.7 DME FRD TO READ 15.7 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
ILS CAT II/III RWY 07R
AMEND 14.9 DME FRD TO READ 15.9 DME FRD.
AMEND 11.7 DME FRD TO READ 12.7 DME FRD.
AMEND 4.2 DME FRD TO READ 5.2 DME FRD.
ILS CAT II/III RWY 25L
AMEND 16.3 DME FRD TO READ 15.4 DME FRD.
AMEND 13.2 DME FRD TO READ 12.2 DME FRD.
AMEND 5.8 DME FRD TO READ 4.8 DME FRD.
ILS Z CAT II/III RWY 25C
AMEND 16.5 DME FRD TO READ 15.5 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
ILS Z CAT II/III RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 14.5 DME FRD TO READ 13.6 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS Y RWY 07L
AMEND 19.2 DME FRD TO READ 20.3 DME FRD.
AMEND 15.1 DME FRD TO READ 16.2 DME FRD.
AMEND 5.4 DME FRD TO READ 6.5 DME FRD.
ILS Y RWY 25R
AMEND 17.7 DME FRD TO READ 16.8 DME FRD.
AMEND 13.6 DME FRD TO READ 12.7 DME FRD.
AMEND 4.1 DME FRD TO READ 3.3 DME FRD.
ILS X CAT II/III OR LOC RWY 07C
AMEND 26.7 DME FRD TO READ 27.3 DME FRD.
AMEND 16.5 DME FRD TO READ 17.5 DME FRD.
AMEND 11.5 DME FRD TO READ 12.5 DME FRD.
AMEND 8.0 DME FRD TO READ 9.0 DME FRD.
AMEND 4.1 DME FRD TO READ 5.1 DME FRD.
AMEND 0.2 DME FRD TO READ 1.3 DME FRD."

ILS X CAT II/III OR LOC RWY 25C
AMEND 26.0 DME FRD TO READ 24.8 DME FRD.
AMEND 18.3 DME FRD TO READ 17.3 DME FRD.
AMEND 13.3 DME FRD TO READ 12.3 DME FRD.
AMEND 8.9 DME FRD TO READ 8.0 DME FRD.
AMEND 5.9 DME FRD TO READ 5.0 DME FRD.
AMEND 2.0 DME FRD TO READ 1.2 DME FRD.
REF AD 2 EDDF 4-2-1, 4-2-7 BOTH DATED 30 OCT 2025, 4-2-2 THRU 4-2-6
AND 4-2-8 THRU 4-2-10 ALL EFF 10 JUL 2025."
31 MAR 26 10:48 UNTIL 30 JUN 26 23:59 ESTIMATED

EDDZA1598/26 (05 APR 26)

"SID CHANGED DUE TO FRD DME PSN AT 500147N 0083406E:
MARUN 8M, OBOKA 3M AND TOBAK 8M:
AMEND 1.0 DME FRD TO READ 2.1 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
MARUN 6H, OBOKA 3H AND TOBAK 6H:
AMEND 1.2 DME FRD TO READ 2.2 DME FRD.
AMEND 6.9 DME FRD TO READ 7.2 DME FRD.
FKS 2C:
AMEND 6.9 DME FRD TO READ 6.0 DME FRD.
FKS 2Q:
AMEND 0.5 DME FRD TO READ 1.5 DME FRD.
REF AD 2 EDDF 5-7-11, 5-7-13, 5-7-132 AND 5-7-133 ALL DATED
10 JUL 2025, 5-7-36, 5-7-37 BOTH EFFECTIVE 10 JUL 2025."
31 MAR 26 10:47 UNTIL 30 JUN 26 23:59 ESTIMATED

EDDZA1508/26 (05 APR 26)

ONE RWY END LIGHT RWY 25C U/S.

*EDDZA1458/26 (05 APR 26)

TWO THR LIGHTS RWY 07C U/S.

EDDZA1371/26 (05 APR 26)

"ILS RWY 25Y IFWR,
GP COVERAGE UP TO 15NM IN SECTOR -4 DEG (LEFT) TO +1 DEG (RIGHT) IN
RELATION TO RCL AND DISTANCE TO THR,
MNM RECEPTION ALT IN THIS AREA 2800FT AMSL."

EDDZA4054/25 (11 SEP 25)

SURFACE TEST AREAS INSTALLED WITHIN TOUCHDOWN ZONE RWY 07L.
SURFACE TEXTURE AND FRICTION MAY DIFFER SLIGHTLY FROM ADJACENT
PAVEMENT.
NO IMPACT ON RWY USABILITY.

EDDZA2357/25 (18 MAY 25)

BREAK-AWAY AREAS 3 AND 5 INSTALLED ON TWY S13.

VTBS / BKK

*VTBDC3297/26 (18 JUN 26)

20 JUN 2026 20:30-20 JUN 2026 21:45
RWY 01/19 CLSD DUE TO WIP

VTBDC3299/26 (18 JUN 26)

19 JUN 2026 17:00-20 JUN 2026 23:30
"19 1700-2315, 20 1700-2330"
TWY CLSD DUE TO WIP DETAIL AS FLW:
-TWY F
-TWY F1 TO TWY F12
-TWY F15
-TWY W
-TWY Y
-TWY Z

*VTBDC3296/26 (18 JUN 26)

19 JUN 2026 19:00-19 JUN 2026 23:15
RWY 02R/20L CLSD DUE TO WIP

*VTBDC3295/26 (18 JUN 26)

19 JUN 2026 17:00-20 JUN 2026 23:30
"19 1700-2315, 20 1700-2330"
RWY 02L/20R CLSD DUE TO WIP

OB Company Safety NOTAM-BKK

THA 00161/26 (18 JUN 26)

// (SEE ATTCH) //

// (COM-INFO) //

THA 00029/26 (18 JUN 26)

COM INFO:--WEF 16FEB26 04:00LT
The operation of opening aircraft doors from outside for all arriving flight
by ground staff at BKK station will be fully implemented.
(refer IOC GB/SS/005-26 date 30JAN 26/UFN)

// (COM-INFO) //

THA 00064/25 (18 JUN 26)

COM INFO:--REF AIP SUP A53/25:
RETILs U/S:
RWY 01/19: TWYs B3, B5, B7, B8, B10 and B11
RWY 02R/20L: TWYs E5, E7, E9, E12, E13, E15.

--1) The Visual Docking Guidance System (VDGS) at
the ACFT stands 101 - 114 are U/S. (14 ACFT stands).
2) Airlines or Ground service providers shall provide a License Mechanic
performed as Marshaller to guide the aircraft from taxilane to the
parking position.
3) The ACFT are strongly advised to strictly follow the Marshaller's signal.
(REF AIP SUP A13/25*)

--Suvarnabhumi:
DVOR/DME (SVB) (133932.5N 1004353.2E) (111.4 MHZ, CH51X) temporary suspended
from 28 November 2024 at 0001 UTC to 02 October 2026 at 0949 UTC.
(REF AIP SUP A54/24*)

--Taxiway C between Taxilane T1 and Taxilane T2, Taxiway C1 closed.
(REF AIP SUP A01/25*)

VTBDC2661/26 (07 JUN 26)

"AD 2.24 CHARTS RELATED TO AN AD,
IAC-ICAO CHANGED ALT AT IF AS FLW:
AD2-VTBS 8-9 ILS OR LOC Z RWY 19 CAT II
:READ ALT2500 (2496) INSTEAD OF ALT3000
AD2-VTBS 8-13 ILS OR LOC Z RWY 20L CAT II
:READ ALT3500 (3496) INSTEAD OF ALT4000
AD2-VTBS 8-23 RNP RWY 19 :READ ALT2500 (2496) INSTEAD OF ALT3000
AD2-VTBS 8-25 RNP RWY 20L :READ ALT3500 (3496) INSTEAD OF ALT4000
AD2-VTBS 8-27 RNP RWY 20R :READ ALT3500 (3492) INSTEAD OF ALT4000
REF AIRAC AIP AMDT AD2-VTBS-8-9, AD2-VTBS-8-13, AD2-VTBS-8-23,
AD2-VTBS-8-25, AD2-VTBS-8-27"

VTBDC2450/26 (09 MAY 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
AD 2-VTBS-1 AD 2.2 AD GEOGRAPHICAL AND ADMINISTRATIVE DATA
AD 2.6 RESCUE AND FIRE FIGHTING SER
AD 2.9 SFC MOV GUIDANCE AND CTL SYSTEM AND MARKINGS
AD 2.15 OTHER LGT, SRY PWR SUPPLY"

VTBDC2039/26 (19 APR 26)

ADVANCED VISUAL DOCKING GUIDANCE SYSTEM (A-VDGS)
ACFT STAND NR 119 308 516 AND 520 U/S DUE TO MAINT
RMK: ACFT HAVE TO FLW MARSHALLING SIGNALS STRICTLY

VTBU / UTP

*VTBDC3302/26 (18 JUN 26)

PALS CAT 1 RWY 18 AND SALS RWY 36 U/S DUE TO MAINT

VTBDJ5114/26 (18 JUN 26)

20 JUN 2026 00:00-21 JUN 2026 10:00
DAILY 0000-1000
UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA
124202N1010054E-124200N1010110E-124125N1010107E-
124127N1010051E-124202N1010054E
F) GND
G) 400FT AGL

VTBDJ5102/26 (17 JUN 26)

20 JUN 2026 00:00-21 JUN 2026 10:00
DAILY 0000-1000
UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 9/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

124009N1010007E-124007N1010023E-123932N1010020E-
123933N1010004E-124009N1010007E
F) GND
G) 400FT AGL

VTBDJ5100/26 (17 JUN 26)

20 JUN 2026 00:00-21 JUN 2026 10:00
DAILY 0000-1000
UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA
124202N1010016E-124201N1010032E-124126N1010029E-
124127N1010013E-124202N1010016E
F) GND
G) 400FT AGL

VTBDJ5101/26 (17 JUN 26)

20 JUN 2026 00:00-21 JUN 2026 10:00
DAILY 0000-1000
UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA
124008N1010045E-124007N1010100E-123932N1010057E-
123933N1010042E-124008N1010045E
F) GND
G) 400FT AGL

VTBDC3139/26 (09 JUN 26)

NOTAM SUBJECT TO QUERY - NAVAID T BE CONFIRMED
MOBILE TACAN BUT CH105X TEMPO INSTL

c3100/26

VTBDC3100/26 (07 JUN 26)

ILS RWY 18 U/S DUE TO MAINT

*VTBDC2844/26 (07 JUN 26)

AD CATEGORY FOR FIRE FIGHTING AND RESCUE SERVICES
DOWNGRADED TO CAT 9.

VTBDC2193/26 (07 JUN 26)

TWY EDGE LGT U/S DUE TO MAINT DETAIL AS FLW:
-TWY B
-TWY E BTN TWY B AND TWY F

VTBDC0333/23 (06 APR 24)

"IAC-ICAO-NDB RWY 36 CHANGED AS FLW:
-OCA/H : STRAIGHT-IN APPROACH
: READ 790(766)FT INSTEAD OF 750(726)FT
-OCA/H : CIRCLING APPROACH CAT A, B
: READ 1200(1141)FT INSTEAD OF 750(726)FT, 1190(1166)FT
-OCA/H : CIRCLING APPROACH CAT C, D
: READ 1450(1391)FT INSTEAD OF 1290(1266)FT, 1445(1421)FT
REF AIP VTBU AD 2.24, AD 2-VTBU-8-1"

ADDITIONAL INFORMATION

VTBD / DMK

*VTBDC3293/26 (18 JUN 26)

18-20 22 23 1600-2200
RWY 03L/21R CLSD DUE TO WIP

*VTBDC3257/26 (16 JUN 26)

16 17 21 1600-2200
RWY 03R/21L CLSD DUE TO WIP

VTBDC1938/26 (19 APR 26)

RAPID EXIT TWY INDICATOR LGT RWY 21R TOWARD RAPID EXIT TWY O U/S

VTBDJ1987/26 (19 APR 26)

"TEMPO RESTRICTED AREA ACT WI 0.5NM CENTRE OF 135526.22N1003713.11E
APPROVAL SHALL BE MADE BEFORE ENTERING, EXCEPT DEP AND ARR ACFT AT
VTBD PILOT IN COMMAND SHALL STRICTLY COMPLY WITH ATC INSTRUCTION"
F) GND
G) 3000FT AGL

// (COM-INFO)//

THA 00435/14 (16 DEC 24)

COM INFO:-- DMK TG LINE MAINTENANCE WILL PROVIDE RAMP HANDLING SERVICE ON

TG FLIGHTS DIVERTED TO DMK, WHILE PIC MUST PERFORM REDUCE LINE CHECK
TO RELEASE AIRCRAFT. PRIOR TO FLIGHT DIVERSION TO DMK PLS INFORM
TOCC COMMAND CENTER (OC) VIA CUT FREQUENCY 129.325 MHZ
TO COORDINATE WITH DMK TG LINE MAINTENANCE IN ADVANCE FOR SMOOTH
HANDLING UPON ARRIVAL AT DMK
CONTACT POINTS FOR DMK LINE MAINTENANCE IN (24hrs)
AT DMK ARE AS FLW
1. TEL: 02-563-8178 (66-8178, 9999)
2. Email dmkjcb@thaiairways.com
(ISSUED 12DEC24/OP/UFN)

VTUU / UBP

*VTBDC2905/26 (28 MAY 26)

"AD OPR HR ATS AND ARO HR SER CHANGED AS FLW:
MAY 28 1320-1410, 29-JUL 07 2300-1400"

VTBDC2149/26 (18 APR 26)

STRIP RWY 05/23 WIP FM THR RWY 05 TO DIST 442M
ON BOTH SIDES OF RWY 05

VTBDC2054/26 (18 APR 26)

STRIP RWY 05/23 WIP FM THR RWY 23 TO DIST 442M
ON BOTH SIDES OF RWY 23

VTBDC2053/26 (18 APR 26)

BAK14 RAG AT DEPARTURE END RWY 05 U/S

VTBDC1860/26 (18 APR 26)

BAK14 RAG AT DEPARTURE END RWY 23 U/S

VTBDC1859/26 (18 APR 26)

MAG8 RAG INSTL AT 2153M BEYOND THR RWY 23 CABLE HGT 3 INCHES
AND EQPT PART HGT 1.5M DIST 42.5M FM RCL ON BOTH SIDE OF RWY

VTCC / CNX

VTBDC3306/26 (18 JUN 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS)
ACFT STAND NR 7 AND NR 8 U/S

// (COM-INFO) //

THA 00444/15 (17 JUN 26)

VTCC:--REF AIP SUP A19/25:
1 INTRODUCTION
With effect from 17 April 2025 at 1000 UTC,
the purpose of this AIP Supplement is to inform all concerned regarding the Aircraft stand
number 1 closed at Chiang Mai International Airport.
2 DETAILS
Aircraft stand number 1 closed for improvements to enhance aircraft parking compatibility.

VTBDC3210/26 (17 JUN 26)

12 JUN 2026 13:20-20 JUN 2026 10:00
VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 3 U/S

VTBDJ4851/26 (07 JUN 26)

"05 0842-1000, 06-30 0130-1000"
UNMANNED AIRCRAFT WILL TAKE PLACE RADIUS 1NM CENTRE
184625.67N0990008.84E
F) GND
G) 300FT AGL

VTBDC2741/26 (07 JUN 26)

VISUAL DOCKING GUIDANCE SYSTEM (VDGS) ACFT STAND NR 4 U/S

VTBDJ4315/26 (07 JUN 26)

TEMPO RESTRICTED AREA ACT RADIUS 0.5NM CENTRE 184626N0985806E
(EXCLUDING LDG AND TKOF RWY 18/36)
F) GND
G) 3000FT AGL

VTBDC2648/26 (17 JUN 26)

"MAY 15 0412-0800, MAY 16-JUN 30 0200-0800"
OBST MOBILE CRANE HGT 65FT AGL ERECTED AT 184623.96N0985757.21E

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 11/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

DIST 815M BEYOND THR RWY 18 AND 320M LEFT SIDE OF RCL

VTBDC2132/26 (17 JUN 26)

DAILY 0100-1100
OBST MOBILE CRANE HGT 82FT AGL ERECTED AT
184704.31N0985757.46E DIST 390M BFR THR
RWY 18 AND 328M LEFT SIDE OF EXTD RCL

ENROUTE INFORMATION

EUR / EUROPE

N I L

DEU / GERMANY

N I L

EDGG / LANGEN FIR

EDDZB0483/26 (16 JUN 26)

MUENSTER/OSNABRUECK NDB MYN 371KHZ OUT OF SERVICE.

EDDZB0478/26 (16 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN
TERRITORY:
IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH
CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA
AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT
VALID OVERHEAD WIEN FIR (LOVV).
PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUAMM 14-44,
EDMMZUG, EDMATEG, EDMMTRU AND EDMSTA ARE NOT AFFECTED.
(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZF1785/26 (11 JUN 26)

TRIGGER NOTAM - AIP SUP IFR 31/26 WEF 11 JUN 2026 UNTIL FURTHER
NOTICE. TEMPO OBST WHICH ARE NOT PUBLISHED IN THE AIP.

EDDZB0436/26 (03 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT.
POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND
ARMED CONFLICTS."
03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (03 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER
FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING
CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY
APPLICABLE AIC.
03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0399/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO RESTRICTED AREAS.
F) GND
G) FL660

EDDZB0398/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO NAME-CODE DESIGNATORS FOR SIGNIFICANT POINTS.

EDDZB0397/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
ESTABLISHMENT OF NON-STANDARD PLANNING ZONE (NPZ).

EDDZB0396/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO FREE ROUTE AIRSPACE (FRA) GENERAL PROCEDURES.

*EDDZB0379/26 (22 MAY 26)

19 JUN 2026 16:00-20 JUN 2026 20:00

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 12/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

RESTRICTED AREA EDR134 (WILDFLECKEN) ADDN ACTIVE.
F) GND
G) 12500FT AMSL

EDDZB0341/26 (25 MAY 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO
THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
14 MAY 26 03:32 UNTIL 14 AUG 26 23:59 ESTIMATED

EDDZB0337/26 (25 MAY 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
12 MAY 26 08:51 UNTIL 11 AUG 26 23:59 ESTIMATED

EDDZB0290/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO RESTRICTED AREAS.
F) GND
G) FL660

EDDZB0289/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO SIGNIFICANT POINTS.

EDDZB0288/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO GATE FOR FRA OPERATIONS.

EDDZB0287/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO FRA CROSS-BORDER PROCEDURES.

EDDZB0237/26 (16 APR 26)

WIPPER VOR WYP 109.6MHZ OUT OF SERVICE.

EDDZB0123/26 (04 MAR 26)

DAILY SS PLUS30 - 2200
LASER ACTIVITIES/SKYBEAMER RADIUS 0.5NM CENTERED ON 521511N
0075914E OSNABRUECK (8.9NM NE MUENSTER/OSNABRUECK NDB MYN)
F) GND
G) UNL

EDDZC1537/22 (12 JUN 22)

HAMM DVOR/DME HMM 115.65 / CH103Y RANGE OF DVOR R199 LIMITED TO
39NM.

EDUU / RHEIN UIR

N I L

EDMM / MUNICH FIR

EDDZB0478/26 (16 JUN 26)

"PUBLICATION OF CTA/UTA IN DELEGATED AIRSPACE OVER AUSTRIAN
TERRITORY:
IN GERMAN AIP CTA/UTA DATA ARE PUBLISHED IN ENR 2.1. EVEN THOUGH
CTA/UTA ARE DESCRIBED CONSISTING OF THE FLW SECTORS, MUENCHEN CTA
AND KARLSRUHE UTA END AT THE GERMAN-AUSTRIAN BORDER AND ARE NOT
VALID OVERHEAD WIEN FIR (LOVV).
PUBLISHED BOUNDARIES OF ATC SECTORS EDUUALP 14-44, EDUAMM 14-44,
EDMMZUG, EDMATEG, EDMTRU AND EDMSTA ARE NOT AFFECTED.
(AIP GERMANY PAGES ENR 2.1-89FF REFER)."
16 JUN 26 05:43 UNTIL 16 SEP 26 23:59 ESTIMATED

EDDZF1785/26 (11 JUN 26)

TRIGGER NOTAM - AIP SUP IFR 31/26 WEF 11 JUN 2026 UNTIL FURTHER
NOTICE. TEMPO OBST WHICH ARE NOT PUBLISHED IN THE AIP.

EDDZB0436/26 (03 JUN 26)

"SECURITY - HAZARDOUS SITUATION IN LEBANON
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 13/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

POTENTIAL RISK FROM ANTI-AVIATION WEAPONRY, MILITARY OPERATIONS AND
ARMED CONFLICTS."
03 JUN 26 08:42 UNTIL 03 SEP 26 23:59 ESTIMATED

EDDZB0437/26 (03 JUN 26)

SECURITY - HAZARDOUS SITUATION IN IRAN
CIVIL GERMAN AIR OPERATORS ARE RECOMMENDED NOT TO ENTER
FIR TEHRAN (OIIX). POTENTIAL RISK TO AVIATION FROM ESCALATING
CONFLICT AND ANTI-AVIATION WEAPONRY.
THIS NOTAM OVERRULES THE RECOMMENDATION PROVIDED IN THE CURRENTLY
APPLICABLE AIC.
03 JUN 26 08:43 UNTIL 03 SEP 26 23:59 ESTIMATED

*EDDZB0421/26 (01 JUN 26)

19 JUN 2026 16:00-21 JUN 2026 22:00
"19 1600-2200, 20 21 0500-2200"
RESTRICTED AREA EDR95A (OHRDRUF) ADDN ACTIVE.
F) GND
G) 13500FT AMSL

EDDZB0399/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO RESTRICTED AREAS.
F) GND
G) FL660

EDDZB0398/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO NAME-CODE DESIGNATORS FOR SIGNIFICANT POINTS.

EDDZB0397/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
ESTABLISHMENT OF NON-STANDARD PLANNING ZONE (NPZ).

EDDZB0396/26 (28 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO FREE ROUTE AIRSPACE (FRA) GENERAL PROCEDURES.

EDDZB0341/26 (25 MAY 26)

FOR FLIGHTS OVER OR NEAR CONFLICT ZONES OUTSIDE GERMANY REFER TO
THE GERMAN AERONAUTICAL INFORMATION CIRCULAR (AIC).
14 MAY 26 03:32 UNTIL 14 AUG 26 23:59 ESTIMATED

EDDZB0337/26 (25 MAY 26)

"MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL."
12 MAY 26 08:51 UNTIL 11 AUG 26 23:59 ESTIMATED

EDDZB0290/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO RESTRICTED AREAS.
F) GND
G) FL660

EDDZB0289/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO SIGNIFICANT POINTS.

EDDZB0288/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO GATE FOR FRA OPERATIONS.

EDDZB0287/26 (30 APR 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.
CHANGES TO FRA CROSS-BORDER PROCEDURES.

CZE / CZECH REPUBLIC
N I L

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 14/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LKAA / PRAGUE FIR

LKPRA0272/26 (13 MAR 26)

ENR 1.6.1.2.4 CHANGE AS FOLLOWS: THE MINIMUM HORIZONTAL RADAR SEPARATION WITHIN LKAA FIR IS 3NM AT FL285 OR BELOW AND 5NM ABOVE FL285.

AUT / AUSTRIA

N I L

LOWV / VIENNA FIR

LOWWB1287/26 (18 JUN 26)

USAGE OF RADIOTELEPHONY FREQUENCIES - SEE AIC B 5/26

LOWWA1390/26 (12 JUN 26)

"SER HOURS OF MILITARY CONTROL CENTER MCC (WIEN) ARE:
JUN 15 0600-1430
JUN 16 0600-1430
JUN 17 0600-1430
JUN 18 0600-1430
JUN 19 0600-1400
JUN 20 0700-1400
JUN 21 0700-1400
REF AIP AUSTRIA, ENR 1.1, ITEM 2.8.2.4.2."

*LOWWA1372/26 (11 JUN 26)

16 JUN 2026 06:00-19 JUN 2026 15:00
"16 0600-2200, 17 0600-1800, 18 0600-1600, 19 0600-1500"
DANGER AREA SEETALERALPE - LOD24 - ACTIVATED:
470700N 0143050E - 470406N 0143315E - 470600N 0143800E -
470800N 0143800E - 470800N 0143604E - 470800N 0143111E -
470730N 0143025E - 470700N 0143050E.
REF AIP AUSTRIA ENR 5.1-16
F) GND
G) FL135

LOWWA0952/26 (01 MAY 26)

"TRIGGER NOTAM - PERM AIRAC AIP AMDT 309/26 WEF11JUN2026.
- ATC SURVEILLANCE MINIMUM ALTITUDE CHART - ICAO AUSTRIA,
- FREE ROUTE AIRSPACE (FRA) - INDEX CHART / SLOVENIAN AUSTRIAN PART
OF SECSI FRA INCLUDING LOWEST AVAILABLE LEVEL (LAL),
- FREE ROUTE AIRSPACE (FRA) - INDEX CHART /SOUTH EAST COMMON SKY
INITIATIVE (SECSI) FRA,
- IFR ENROUTE MINIMA - INDEX CHART."

LOWWA0719/26 (06 JUN 26)

"FOR EN-ROUTE OPERATIONS THE RESPECTIVE VOR SHALL BE SELECTED FOR NAVIGATION INSTEAD OF THE NDB IN CASE OF HOMONYMOUS IDENTIFIERS. THIS APPLIES TO KFT. FLIGHT CREWS ARE ADVISED TO MONITOR THE CORRECT SELECTION OF THE VOR FOR EN-ROUTE OPERATIONS. IN CASE THE USAGE OF THE RESPECTIVE NDB IS REQUIRED, ATC SHALL BE INFORMED UPON INITIAL CONTACT."

LOWWA0718/26 (06 JUN 26)

"REF AIP AUSTRIA, GEN 3.4 ITEM 3.4.
INCREASED CPDLC USAGE WILL BE ENDEAVOURED BY ATC IN THE AREA OF RESPONSIBILITY OF ACC WIEN AND APP LOWW.
ALL DATA LINK EQUIPPED AIRCRAFT (CPDLC ATN VDL MODE 2) ARE REQUESTED TO LOG ON TO ACC WIEN / APP WIEN. THE DATA LINK ADDRESS FOR ACC WIEN/ APP WIEN IS LOVV.
FLIGHT CREWS SHALL EXPECT TO RECEIVE UPLINK MESSAGES ESPECIALLY IN SITUATIONS OF HIGH RTF FREQUENCY LOAD AND ARE REQUESTED TO REACT TO THEM ASAP."

SVK / SLOVAKIA

N I L

LZBB / BRATISLAVA FIR

LZIBA0854/26 (01 MAY 26)

"TRIGGER NOTAM - PERM AIRAC AIP AMDT NR 06/26 WEF 11 JUN 2026:
GEN 0.4 - THE CHECKLIST OF AIP PAGES UPDATED
GEN 2.4 - LOCATION INDICATORS ADDED

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 15/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

GEN 3.2 - THE LIST OF AERONAUTICAL CHARTS AVAILABLE UPDATED
ENR 4.4, ENR 6-3 - FRA (FREE ROUTE AIRSPACE) RELEVANCE OF POINTS
BABKO, VADEX CHANGED."

HUN / HUNGARY

N I L

LHCC / BUDAPEST FIR

LHBPA4009/26 (18 JUN 26)

NATIONAL AIR SEARCH AND RESCUE SYSTEM AVAILABLE FACILITIES
CHANGED FROM FROM MI-17/H-145M TO H-145M/H-225M.
18 JUN 26 09:30 UNTIL 17 SEP 26 16:00 ESTIMATED

LHBPA3984/26 (17 JUN 26)

"PILOTS OF UNMANNED AIRCRAFT ARE ADVISED THAT WITHIN 30 KM ZONE
ALONG THE UKRAINIAN STATE BORDER IN SZABOLCS-SZATMAR-BEREG COUNTY,
INTERFERENCE AFFECTING UAS COMMAND, CONTROL AND GNSS SIGNALS MAY
OCCUR.
THE INTERFERENCE MAY RESULT IN DEGRADED OR LOST COMMUNICATION,
NAVIGATION OR CONTROL CAPABILITIES OF UNMANNED AIRCRAFT, WHICH MAY
POSE A SAFETY RISK TO UAS OPERATIONS. UAS OPERATORS ARE STRONGLY
ADVISED TO AVOID OPERATIONS IN THE AFFECTED AREA DUE TO POSSIBLE
INTERFERENCE WITH COMMAND, CONTROL AND GNSS SIGNALS."

***LHBPA3925/26 (15 JUN 26)**

0600-1900
AIRSPACE RESERVATION ACTIVATED DUE TO AIR DISPLAY WITHIN AREA
BOUNDED BY THE FOLLOWING COORD POINTS:
472325N0185104E
472339N0190212E
472712N0190312E
472730N0190106E
472815N0190105E
472828N0190106E
472823N0185632E
472325N0185104E (BUDAORS MAGAS).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 30 268 2781.
F) 4500FT AMSL
G) FL115

***LHBPA3721/26 (08 JUN 26)**

15 JUN 2026 08:00-19 JUN 2026 14:00
0800-1400
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
471700N0173739E
471303N0172153E
471121N0171908E
463512N0174848E
464040N0180836E
471700N0173739E (PAPA HIGH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) FL375
G) FL425

***LHBPA3718/26 (08 JUN 26)**

15 JUN 2026 08:00-19 JUN 2026 14:00
0800-1400
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
471700N0173739E
471303N0172153E
471121N0171908E
463512N0174848E
464040N0180836E
471700N0173739E (PAPA MEDIUM).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL285

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 16/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

***LHBPA3666/26 (06 JUN 26)**

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY AND UNMANNED AIRCRAFT
OPERATIONS WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481610N0213840E
482628N0213837E
STATE BORDER
482145N0215325E
475109N0224631E
STATE BORDER
474622N0223329E
481610N0213840E (WILEY CORRIDOR).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

***LHBPA3669/26 (06 JUN 26)**

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
AND UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE
FOLLOWING COORD POINTS:
480305N0204807E
474559N0213335E
474730N0213710E
474137N0215008E
473104N0220055E
STATE BORDER
471828N0215336E
474133N0203516E
480305N0204807E (KP FIXW SOUTH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

***LHBPA3664/26 (05 JUN 26)**

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
WITHIN AREA BOUNDED BY THE FOLLOWING COORD POINTS:
481635N0201511E
STATE BORDER
482803N0202838E
474133N0203516E
471828N0215336E
STATE BORDER
470908N0214816E
473429N0202124E
481635N0201511E (PITOK-MEGIK).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) FL245
G) FL315

***LHBPA3658/26 (05 JUN 26)**

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION
AIRSPACE RESERVATION ACTIVATED DUE TO MILITARY OPERATIONS
AND UNMANNED AIRCRAFT OPERATIONS WITHIN AREA BOUNDED BY THE
FOLLOWING COORD POINTS:
480305N0204807E
481105N0210601E
481610N0213840E
474622N0223329E
STATE BORDER
473104N0220055E
474137N0215008E
474730N0213710E
474559N0213335E
480305N0204807E (KP FIXW HIGH).
THE AIRSPACE IS SEGREGATED AND SHALL BE AVOIDED ACCORDING TO AIP
HUNGARY ENR 5.3.
FURTHER INFO ABOUT THE ACTUAL OPR HR VIA TEL: +36 88 543 036.
F) 9500FT AMSL
G) FL315

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 17/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LHBPA1768/26 (25 MAR 26)

"HUNGARIAN ATC SERVICE IS NOT ELIGIBLE TO GIVE ENTRY OR CROSSING CLEARANCE INTO THE UKRAINE AIRSPACE IN ANY CIRCUMSTANCES (E.G. DURING THUNDERSTORM AVOIDING ACTION) UNLESS AIRCRAFT IS EXEMPTED ACCORDING TO NOTAM REF NUMBER A0021/26 ISSUED BY UKKR NOF. HUNGARIAN ATS AND SEARCH AND RESCUE IS PROVIDED ONLY WITHIN BUDAPEST FIR. ATS IS NOT PROVIDED IN THE AIRSPACE OF UKRAINE ACCORDING TO NOTAM REF NUMBER A0021/26 ISSUED BY UKKR NOF. ENTERING INTO THE AIRSPACE OF UKRAINE CAN BE EXECUTED SOLELY AT PILOT DISCRETION, HUNGARIAN ATS CANNOT GUARANTEE THE CONTACT AND/OR THE APPROVAL OF THE UKRAINIAN ARMED FORCES FOR ENTERING INTO THE AIRSPACE OF UKRAINE, IRRESPECTIVE OF THE REASON."
24 MAR 26 12:10 UNTIL 23 JUN 26 23:59 ESTIMATED

ROU / ROMANIA

N I L

LRBB / BUCHAREST FIR

LRBBC9785/26 (18 JUN 26)

"DUE TO APPROACHING THE MAXIMUM NUMBER PER YEAR OF NOTAM MESSAGES IN SERIES C, STARTING WITH 21 JUN 2026, 0000UTC, INFORMATION RELATING TO AIRSPACE RESERVATIONS (RESTRICTIONS), EXCEPT DANGER AREAS AND UNMANNED AIRCRAFT FLIGHTS, WILL BE ISSUED IN NOTAM SERIES P."
18 JUN 26 15:47 UNTIL 18 SEP 26 07:00 ESTIMATED

LRBBA3392/26 (18 JUN 26)

"DUE TO APPROACHING THE MAXIMUM NUMBER PER YEAR OF NOTAM MESSAGES IN SERIES C, STARTING WITH 21 JUN 2026, 0000UTC, INFORMATION RELATING TO AIRSPACE RESERVATIONS (RESTRICTIONS), EXCEPT DANGER AREAS AND UNMANNED AIRCRAFT FLIGHTS, WILL BE ISSUED IN NOTAM SERIES P."
18 JUN 26 15:43 UNTIL 18 SEP 26 07:00 ESTIMATED

LRBBF6187/26 (18 JUN 26)

19 JUN 2026 09:00-19 JUN 2026 13:00
TEMPORARY SEGREGATED AREA ACTIVATED.
UNMANNED ACFT FLT WILL TAKE PLACE INTO THE FLW AREA:
451312N0272538E-451155N0272838E-451107N0273029E-450954N0272929E
450556N0272613E-450753N0272117E-451312N0272538E
RESERVED AREA CONTACT 119.080
ACT UAV
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL130

LRBBD1052/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
NAVIGATION WARNING.
AERIAL PHOTOGRAPHY FLT WILL TAKE PLACE INTO THE FLW AREA:
470800N0260100E-470800N0273500E-462500N0273400E-462500N0261300E
470800N0260100E
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL160

LRBBD1055/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
NAVIGATION WARNING.
AERIAL PHOTOGRAPHY FLT WILL TAKE PLACE INTO THE FLW AREA:
453000N0261300E-453000N0272900E-445700N0272900E-445700N0231300E
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL145
G) FL160

LRBBD1054/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
NAVIGATION WARNING.
AERIAL PHOTOGRAPHY FLT WILL TAKE PLACE INTO THE FLW AREA:
473800N0263800E-473800N0271800E-471800N0273600E-465900N0280400E
465900N0263800E-473800N0263800E

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 18/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

EXCEPT CHISINAU FIR
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL160

LRBBD1053/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
NAVIGATION WARNING.
AERIAL PHOTOGRAPHY FLT WILL TAKE PLACE INTO THE FLW AREA:
465600N0244000E-473400N0244000E-473400N0261500E-465600N0261500E
465600N0244000E
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL170

LRBBD1051/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
NAVIGATION WARNING.
AERIAL PHOTOGRAPHY FLT WILL TAKE PLACE INTO THE FLW AREA:
465500N0222000E-465500N0233600E-461300N0233600E-461300N0222000E
465500N0222000E
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL160

LRBBM3304/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO THE FLW AREA:
460308N0275815E-452835N0275040E-453052N0264117E-460300N0264925E
460308N0275815E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 300FT AGL G) 2000FT AGL

LRBBM3303/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-442146N0272328E-450200N0263522E-453535N0262054E
454842N0264553E-452920N0272912E-443512N0275617E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 300FT AGL G) 2000FT AGL

LRBBM3301/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-444821N0274110E-445734N0270900E
445804N0264843E-451400N0262927E-451426N0262207E-452900N0261517E
454000N0260100E-455123N0260816E-452928N0260711E-460213N0260331E
460408N0261802E-455123N0260816E-454000N0260100E-452900N0261517E
451426N0262207E-451400N0262927E-445734N0270900E-444821N0274110E
440919N0273125E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM3302/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 21:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-450952N0272551E-450141N0262646E
443828N0274613E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM3300/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442332N0274336E-443800N0274600E-450952N0272551E-453030N0275250E

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 19/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

454011N0275448E-454100N0274500E-451542N0275850E-443800N0274600E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM3297/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-441757N0275415E-442332N0274336E-453052N0264117E
451917N0275213E-451416N0273818E-451300N0265800E-463100N0265400E
463000N0235300E-445707N0260844E-442151N0282903E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM3296/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-441240N0275755E-434900N0283800E-435900N0284100E
441200N0284200E-445000N0285600E-445112N0285308E-444151N0283737E
443300N0280200E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM3299/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-451300N0265800E-453440N0255602E
460943N0242117E-463015N0235320E-471454N0215135E-463015N0235320E
471611N0245425E-462304N0245800E-460943N0242117E-453440N0255602E
451300N0265800E-443828N0274613E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 500FT AGL G) FL105

LRBBM3295/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443820N0283150E-445225N0285721E-444118N0285943E
441200N0284200E-435900N0284100E-434900N0283800E-441240N0275755E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM3298/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443828N0274613E-451712N0252918E-450952N0272551E
454100N0271200E-463100N0265400E-454100N0271800E-461132N0280706E
451131N0275407E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM3294/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-442151N0282903E-450952N0272551E-454100N0271200E
463100N0265400E-454100N0271200E-450952N0272551E-442151N0282903E
442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM3293/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 20/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

442332N0274336E-443800N0274600E-450952N0272551E-451312N0272538E
443800N0274600E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM3292/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442332N0274336E-443300N0280200E-442151N0282903E-451300N0265800E
443828N0274613E-442332N0274336E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1500FT AGL G) FL105

LRBBM3291/26 (18 JUN 26)

19 JUN 2026 06:30-19 JUN 2026 18:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442100N0282700E-443248N0281248E-452948N0263340E-452906N0262616E
462304N0245800E-452948N0263340E-443248N0281248E-442100N0282700E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM3290/26 (18 JUN 26)

19 JUN 2026 06:30-19 JUN 2026 18:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442100N0282700E-441757N0275415E-453346N0272307E-451917N0275213E
451416N0273818E-450703N0274405E-451300N0265800E-463100N0265400E
462912N0253532E-463015N0235320E-444143N0265843E-443921N0273917E
442332N0274336E-442151N0282903E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM3289/26 (18 JUN 26)

19 JUN 2026 06:30-19 JUN 2026 18:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
442100N0282700E-443248N0281248E-444926N0280552E-453346N0272307E
451917N0275213E-451416N0273818E-444926N0280552E-443248N0281248E
442100N0282700E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM3288/26 (18 JUN 26)

19 JUN 2026 06:30-19 JUN 2026 18:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
442100N0282700E-443820N0283150E-444151N0283737E-444534N0282900E
444151N0283737E-443820N0283150E-442100N0282700E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM3284/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
463015N0235320E-461339N0242314E-454706N0240909E-461339N0242314E
463015N0235320E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM3287/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
NAVIGATION WARNING.
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:
463015N0235320E-464200N0241300E-463156N0234747E-451621N0274902E
450730N0281623E-443738N0284130E-443552N0281143E-451621N0274902E
450730N0281623E-443738N0284130E-443552N0281143E-441642N0235453E
461339N0242314E-463015N0235320E

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 21/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

FLT WILL BE COOR BTN CIV AND MIL ATC
F) GND G) FL105

LRBBM3286/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:

463015N0235320E-464200N0241300E-464653N0234653E-440201N0235528E
461339N0242314E-463015N0235320E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) GND G) FL105

LRBBM3285/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:

463015N0235320E-464200N0241300E-464427N0264407E-463100N0265400E
463024N0263256E-461339N0242314E-454706N0240909E-461928N0235958E
463015N0235320E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) GND G) FL105

LRBBM3277/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 16:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
451300N0265800E-452254N0270722E-451400N0271700E-452935N0272114E
452400N0275500E-452800N0275700E-450728N0282855E-451041N0285457E
452239N0290639E-444926N0293856E-442807N0291856E-442225N0285240E
444926N0280552E-452400N0275500E-452800N0275700E-452000N0274000E
451400N0271700E-452254N0270722E-451300N0265800E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) 1000FT AGL G) FL105

LRBBM3276/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 18:05

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF
COORD 463119N0265437E WITH 15NM RADIUS

FLT WILL BE COOR BTN CIV AND MIL ATC

F) GND G) FL105

LRBBM3280/26 (18 JUN 26)

19 JUN 2026 07:00-19 JUN 2026 15:00

NAVIGATION WARNING

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:

463100N0265400E-464618N0265259E-471226N0262147E-472526N0265447E
473720N0270019E-472127N0271247E-465600N0265536E-464618N0265259E
463100N0265400E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) 984FT AGL G) FL105

LRBBM3279/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 16:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINTS OF COORD:

451300N0265800E-453346N0272307E-451530N0262130E-451530N0255025E
454222N0253124E-455152N0244910E-455500N0245448E-461855N0240733E
464551N0240951E-463015N0235320E-464551N0240951E-470054N0244720E
463015N0235320E-464551N0240951E-461855N0240733E-455500N0245448E
455152N0244910E-454222N0253124E-451530N0255025E-454003N0254936E
453639N0260103E-451530N0262130E-453346N0272307E-451300N0265800E

FLT WILL BE COOR BTN CIV AND MIL ATC

F) 1000FT AGL G) FL105

LRBBM3278/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 16:00

NAVIGATION WARNING.

MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
451300N0265800E-452254N0270722E-452800N0265800E-455122N0264637E
462000N0271022E-461650N0270016E-463200N0265200E-463119N0265437E

464618N0265259E-473712N0270852E-474111N0262116E-473046N0262555E
474111N0262116E-473712N0270852E-464618N0265259E-463100N0265400E

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 22/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

463200N0265200E-461650N0270016E-462000N0271022E-455122N0264637E
452800N0265800E-452254N0270722E-451300N0265800E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 1000FT AGL G) FL105

LRBBM3282/26 (18 JUN 26)

19 JUN 2026 07:00-19 JUN 2026 15:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
463100N0265400E-463728N0263444E-464725N0254746E-471024N0245347E
473025N0252747E-471226N0262147E-464927N0272746E-461327N0273946E
462316N0271247E-463100N0265400E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 984FT AGL
G) FL105

LRBBM3283/26 (18 JUN 26)

19 JUN 2026 07:00-19 JUN 2026 15:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
463100N0265400E-462036N0265046E-460027N0271246E-460927N0273946E
463327N0275146E-471227N0270047E-464618N0265259E-463100N0265400E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 984FT AGL
G) FL105

LRBBM3281/26 (18 JUN 26)

19 JUN 2026 07:00-19 JUN 2026 15:00
NAVIGATION WARNING
MIL FLT WILL TAKE PLACE INTO AN AREA BOUNDED BY 5NM EITHER SIDE
OF A STRAIGHT LINE CONNECTING THE FLW POINT OF COORD:
463100N0265400E-464618N0265259E-471227N0270047E-463327N0275146E
460927N0273946E-460027N0271246E-462036N0265046E-463100N0265400E
FLT WILL BE COOR BTN CIV AND MIL ATC
F) 984FT AGL
G) FL105

LRBBC9784/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59
TEMPORARY RESERVED AREA ACTIVATED.
MIL FLT WILL TAKE PLACE INTO A CIRCLE CENTERED ON POINT OF
COORD 463009N0235310E WITH 6NM RADIUS
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL075
G) FL280

LRBBC9767/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA68G
LRTRA68L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBC9769/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA72G
LRTRA72L
LRTRA72M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9770/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA73G
LRTRA73L

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 23/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LRTRA73M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9768/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA71G
LRTRA71L
LRTRA71M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9766/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA67L
LRTRA67M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL280

LRBBC9764/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA66G
LRTRA66L
LRTRA66M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9761/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA63G
LRTRA63L
LRTRA63M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9763/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA65G
LRTRA65L
LRTRA65M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9748/26 (18 JUN 26)

19 JUN 2026 07:00-19 JUN 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA45L
LRTRA45M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL105
G) FL280

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 24/102

Trans ID: 5029997

Creation Time: 19.06.2026 03:31UTC

LRBBC9747/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 19:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA44G
LRTRA44L
LRTRA44M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9753/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 16:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA51G
LRTRA51L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBC9746/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA43G
LRTRA43L
LRTRA43M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9757/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA55L
LRTRA55M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBC9756/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED.
LRTRA54L
LRTRA54M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL130
G) FL280

LRBBC9759/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA61G
LRTRA61L
LRTRA61M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9751/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 16:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA48G
LRTRA48L
LRTRA48M
MIL FLT AND PJE

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 25/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9755/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREA LRTRA53G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBC9762/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA64G
LRTRA64L
LRTRA64M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9754/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREA LRTRA52G ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL130

LRBBC9760/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA62G
LRTRA62L
LRTRA62M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9758/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA60G
LRTRA60L
LRTRA60M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9750/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 19:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA47L
LRTRA47M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) 5000FT AMSL
G) FL280

LRBBC9744/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59
TEMPORARY RESERVED AREA LRTRA40 ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 26/102

Trans ID: 5029997

Creation Time: 19.06.2026 03:31UTC

LRBBC9745/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 23:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA42G
LRTRA42L
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL200

LRBBC9742/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA36G
LRTRA36L
LRTRA36M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9741/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA35L
LRTRA35M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL070
G) FL280

LRBBC9743/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA37G
LRTRA37L
LRTRA37M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9739/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA34L
LRTRA34M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL065
G) FL280

LRBBC9733/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA29G
LRTRA29L
LRTRA29M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9731/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 16:00
TEMPORARY RESERVED AREA LRTRA27L ACTIVATED. MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL075
G) FL200

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 27/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LRBBC9737/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA33G
LRTRA33L
LRTRA33M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9736/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA32G
LRTRA32L
LRTRA32M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9734/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA30G
LRTRA30L
LRTRA30M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9735/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 15:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA31G
LRTRA31L
LRTRA31M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9732/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 16:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA28G
LRTRA28L
LRTRA28M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) GND
G) FL280

LRBBC9726/26 (18 JUN 26)

19 JUN 2026 05:00-19 JUN 2026 16:00
TEMPORARY RESERVED AREAS ACTIVATED:
LRTRA21L
LRTRA21M
MIL FLT
FLT WILL BE COOR BTN CIV AND MIL ATC
EXPECT RADAR VECTORING
F) FL075
G) FL280

LRBBA3034/26 (06 JUN 26)

DAILY 0800-1810
ATS ROUTE T139 BETWEEN CRV AND PANZU CLSD FOR FLIGHT PLANNING
03 JUN 26 08:58 UNTIL 31 JUL 26 18:10 ESTIMATED

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 28/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LRBBA3033/26 (06 JUN 26)

DAILY 0800-1810

ATS ROUTE T226 BETWEEN NAVOD AND ELDET CLSD FOR FLIGHT PLANNING
03 JUN 26 08:55 UNTIL 31 JUL 26 18:00 ESTIMATED

LRBBA3001/26 (06 JUN 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S

31 MAY 26 14:27 UNTIL 30 JUN 26 23:00 ESTIMATED

LRBBA2589/26 (16 MAY 26)

"ROMANIAN AIR OPERATORS INVOLVED IN AIR OPERATIONS IN ACCORDANCE WITH COMMISSION REGULATION (EU) 965/2012 SHALL NOT CONDUCT OPERATIONS IN FIR MINSK (UMMV), UNLESS THE USE OF THAT AIRSPACE IS DEEMED NECESSARY TO ENSURE SAFE OPERATION IN CASE OF UNFORESEEN CIRCUMSTANCES.

THE FLIGHT PLANS WILL BE FILLED ACCORDINGLY."

14 MAY 26 13:43 UNTIL 14 AUG 26 23:59 ESTIMATED

LRBBA2588/26 (16 MAY 26)

"ANY AIRCRAFT OPERATED BY AN AIR TRANSPORT UNDERTAKING HOLDING A VALID OPERATING LICENCE OR EQUIVALENT ISSUED BY THE COMPETENT AUTHORITIES OF BELARUS, INCLUDING AS A MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS, ARE PROHIBITED TO TAKE OFF FROM, LAND IN OR OVERFLY THE ROMANIAN TERRITORY EXCEPT IN THE CASE OF AN EMERGENCY LANDING OR AN EMERGENCY OVERFLIGHT."

14 MAY 26 13:42 UNTIL 14 AUG 26 23:59 ESTIMATED

LRBBA2235/26 (01 MAY 26)

"TRIGGER NOTAM - AIRAC AIP AMDT 06/26 EFFECTIVE DATE 11 JUN 2026

ENR - RNAV ROUTES UPDATED,

- LIST OF SIGNIFICANT POINTS UPDATED,

- EN-ROUTE CHART UPDATED,

- FREE ROUTE AIRSPACE CHART UPDATED.

AD - LRBC - VERTICAL LIMITS OF BACAU CTR CHANGED.

- LRIA - VERTICAL LIMITS OF IASI CTR CHANGED.

- LRSM - AD REGULATIONS UPDATED.

- LRSV - LVP UPDATED,

- ELECTRONIC OBSTACLE DATA SET FOR AREA 4 AVAILABLE.

- LRTM - AD OPERATIONAL HOURS CHANGED.

- LRTC - NEW CHARTS AVAILABLE: SID, IAC (ILS/RNP/VOR)."

LRBBA2091/26 (24 APR 26)

"FLIGHT RESTRICTIONS

MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION - ROMANIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN ROMANIA SHALL NOT ENTER FIR KYIV (UKBU), FIR LVIV (UKLV), FIR KYIV (UKBV), FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV), FIR ODESA (UKOV), FIR ROSTOV-NA-DONU (URRV).

SAID OPERATORS AND AIRCRAFT OWNERS SHALL ALSO AVOID FLIGHT OPERATIONS WITHIN THE BUFFER ZONE EXTENDING OUT TO 200NM ALONG THE UKRAINE/RUSSIA BORDER.

OPERATIONS WITHIN THE FIR CHISINAU (LUUU) AIRSPACE SHALL ONLY BE UNDERTAKEN IN COMPLIANCE WITH APPLICABLE AERONAUTICAL PUBLICATIONS ISSUED BY REPUBLIC OF MOLDOVA.

OPERATORS ARE REMINDED THAT OPERATIONS WITHIN FIR MINSK (UMMV) ARE PROHIBITED IN ACCORDANCE WITH EASA SAFETY DIRECTIVES SD-2021-02 AND SD-2021-03.

ADDITIONAL RISK ASSESSMENT AND FLIGHT PLANNING DECISIONS SHALL BE TAKEN BEFORE OPERATING IN THE FOLLOWING AIRSPACE:

MOSCOW (UUWV)"

23 APR 26 12:02 UNTIL 23 JUL 26 23:59 ESTIMATED

LRBBA2090/26 (24 APR 26)

"FLIGHT RESTRICTIONS.

UKRAINIAN CRISIS - ALL RUSSIAN REGISTERED AIRCRAFT AND AIRCRAFT OWNED, CHARTERED OR OPERATED BY NATURAL OR LEGAL PERSONS FROM THE RUSSIAN FEDERATION OR BY OPERATORS HOLDING AIR OPERATOR CERTIFICATE (AOC) ISSUED BY THE RUSSIAN FEDERATION AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERFLY ROMANIAN AIRSPACE EXCEPT HUMANITARIAN, SAR AND LEASED AIRCRAFT ONE-WAY RETURN FLIGHTS WITH THE PERMISSION OF THE APPROPRIATE ROMANIAN AUTHORITIES AND IN CASE OF EMERGENCY LANDING OR EMERGENCY OVERFLIGHT."

23 APR 26 11:50 UNTIL 23 JUL 26 23:59 ESTIMATED

BGR / BULGARIA

N I L

LBSR / SOFIA FIR

LBSFA0637/26 (10 JUN 26)

"MIDDLE EAST CRISIS:

AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY REPUBLIC OF BULGARIA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHTS PERFORMED WITH BULGARIAN ACFT REGISTRATION ARE STRONGLY ADVISED TO:

1. NOT TO OPERATE WITHIN THE AFFECTED AIRSPACE OF IRAN, IRAQ, LEBANON AT ALL FLIGHT LEVELS AND ALTITUDES.
2. EXERCISE CAUTION AND TAKE POTENTIAL RISKS INTO ACCOUNT WHEN OPERATING WITHIN THE AIRSPACE OF BAHRAIN, KUWAIT, ISRAEL, JORDAN, QATAR, OMAN, THE UAE AND SAUDI ARABIA.
3. ENSURE THAT AN UP-TO-DATE RISK ASSESSMENT AND HIGH LEVEL OF CONTINGENCY PLANNING ARE IN PLACE FOR OPERATIONS WITHIN THE AIRSPACE SPECIFIED IN POINT 2 ABOVE, AND BE PREPARED FOR SHORT NOTICE INSTRUCTIONS FROM THE STATE AUTHORITIES.
4. CLOSELY MONITOR AIRSPACE DEVELOPMENTS IN THE REGION AND FOLLOW ALL AVAILABLE AERONAUTICAL PUBLICATIONS CONCERNING THE REGION, INCLUDING INFORMATION SHARED THROUGH THE EUROPEAN INFORMATION SHARING AND COOPERATION PLATFORM ON CONFLICT ZONES, ALONGSIDE AVAILABLE GUIDANCE OR DIRECTION FROM THEIR NATIONAL AUTHORITIES.

OPERATORS SHALL ENSURE THAT ALL FLIGHT CREWS AND RELEVANT OPERATIONAL PERSONNEL ARE PROPERLY INFORMED OF ALL APPLICABLE RESTRICTIONS, RECOMMENDATIONS, AND MITIGATION MEASURES PRIOR TO CONDUCTING OPERATIONS.

GD CAA REQUESTS STRICT COMPLIANCE WITH THE ABOVE MEASURES IN THE INTEREST OF MAINTAINING THE HIGHEST LEVEL OF AVIATION SAFETY AND SECURITY.)"

10 JUN 26 10:28 UNTIL 24 JUN 26 23:59 ESTIMATED

LBSFA0423/26 (01 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 05/26 WEF 11 JUN 2026:

- I. IMPLEMENTATION OF INFORMATION ABOUT NEW AERODROME - UZUNDJOVO (LBHS). IMPLEMENTATION OF NEW VISUAL APPROACH CHART.
- II. UPDATE OF INFORMATION ABOUT BELOZEM AERODROME (LBBM).
- III. IMPLEMENTATION OF INFORMATION ABOUT OPERATING SITE.
- IV. UPDATE OF EN-ROUTE CHART FROM GND TO 10500FT.
- V. UPDATE OF INDEX CHART BULGARIA ADX.

LBSFA0412/26 (01 MAY 26)

GNSS JAMMING AND SPOOFING OCCURRENCES HAVE BEEN REPORTED

WITHIN LBSR FIR. CONVENTIONAL NAVAIDS AVAILABLE.

AIR CREWS TO REMAIN VIGILANT AND REPORT TO ATC.

28 APR 26 08:28 UNTIL 27 JUL 26 12:00 ESTIMATED

LBSFA0352/26 (08 APR 26)

"BULGARIAN AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR SERVICE MANAGED BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY BULGARIAN CAA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHT PERFORMED WITH BULGARIAN ACFT REGISTRATION, ARE NOT ALLOWED TO CONDUCT OPERATIONS IN BELARUSIAN AIRSPACE /FIR MINSK - UMMV/ UNLESS THE USE OF THAT AIRSPACE IS DEEMED NECESSARY TO ENSURE SAFE OPERATION IN CASE OF UNFORESEEN CIRCUMSTANCES. FOREIGN AIR CARRIERS INBOUND EU ARE RECOMMENDED TO AVOID BELARUS MINSK FIR /UMMV/."

08 APR 26 09:14 UNTIL 01 JUL 26 23:59 ESTIMATED

LBSFA0350/26 (08 APR 26)

"UKRAINIAN CRISIS:

IT SHALL BE PROHIBITED FOR ANY ACFT OPERATED BY RUSSIAN AIR CARRIERS, OR FOR ANY RUSSIAN REGISTERED ACFT, OR FOR ANY NON-RUSSIAN-REGISTERED ACFT WHICH IS OWNED OR CHARTERED, OR OTHERWISE CONTROLLED BY ANY RUSSIAN NATURAL OR LEGAL PERSON, ENTITY OR BODY, TO LAND IN, TAKE-OFF FROM OR OVERFLY THE TERRITORY OF THE REPUBLIC OF BULGARIA.

THE PROHIBITION SHALL NOT APPLY IN THE CASE OF AN EMERGENCY LANDING OR AN EMERGENCY OVERFLIGHT AND TO ACFT THAT HAVE A MAXIMUM SEATING CAPACITY OF 4 PERSONS AND A MAXIMUM TAKE-OFF MASS OF NO MORE

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 30/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

THAN 2000KG WHEN USED FOR PRIVATE, NON-CORPORATE, FLIGHTS FOR RECREATIONAL PURPOSES OR FOR THE PURPOSE OF TRAINING FOR PRIVATE PILOT LICENSES AND RELATED RATINGS WITH UNION TRAINING PROVIDERS."
08 APR 26 09:01 UNTIL 01 JUL 26 23:59 ESTIMATED

LBSFA0353/26 (08 APR 26)

"UKRAINE CRISIS:
ONGOING MILITARY ACTIVITY IN UKRAINE AND
ALONG BORDER UKRAINE/RUSSIA AND ALONG BORDER UKRAINE/BELARUS
AS WELL AS THE USE OF A WIDE RANGE OF GROUND AND AIRBORNE WARFARE
SYSTEMS POSES A HIGH RISK FOR CIVIL FLIGHTS OPERATING AT ALL
ALTITUDES AND FLIGHT LEVELS.
AIR CARRIERS AND CAPTAINS OF ACFT IN CHARGE OF AIR SERVICE MANAGED
BY CARRIERS HOLDERS OF OPERATING LICENCE ISSUED BY REPUBLIC OF
BULGARIA, WHETHER THEY ARE CONTRACTUAL CARRIERS AND/OR DE FACTO
CARRIERS, OR PERFORMING AIR SERVICE WITH COMMERCIAL CHARTER
AGREEMENT OR WITH CODE SHARING AND TO ALL FLIGHT PERFORMED WITH
BULGARIAN ACFT REGISTRATION ARE REQUESTED TO:
- NOT ENTER FIR LVIV (UKLV), FIR KYIV (UKBV), UIR KYIV (UKBU),
FIR DNIPROPETROVSK (UKDV), FIR SIMFEROPOL (UKFV) AND
FIR ODESA (UKOV)."
08 APR 26 09:19 UNTIL 01 JUL 26 23:59 ESTIMATED

LBSFA0351/26 (08 APR 26)

"AIRCRAFT OPERATED BY BELARUSIAN AIR CARRIERS, INCLUDING AS A
MARKETING CARRIER IN CODE-SHARING OR BLOCKED-SPACE ARRANGEMENTS,
ARE PROHIBITED TO LAND IN, TAKE OFF FROM OR OVERFLY TERRITORY OF THE
REPUBLIC OF BULGARIA, EXCEPT IN THE CASE OF AN EMERGENCY LANDING,
AN EMERGENCY OVERFLIGHT OR HUMANITARIAN FLIGHTS.
NOTE:
HUMANITARIAN FLIGHTS ARE REQUIRED TO OBTAIN PRIOR PERMISSION BY THE
BULGARIAN MINISTRY OF FOREIGN AFFAIRS - CONSULAR DEPARTMENT FOR
OPERATIONS TO/FROM THE AIRPORTS OR OVERFLYING THE TERRITORY OF
REPUBLIC OF BULGARIA."
08 APR 26 09:08 UNTIL 01 JUL 26 23:59 ESTIMATED

LBSFA0274/26 (23 MAR 26)

"DME VIT CH 81Y RANGE OF OPR:
SECTOR 029DEG - 090DEG 100NM,
SECTOR 091DEG - 028DEG 160NM."
15 APR 26 12:01 UNTIL 14 JUL 26 12:00 ESTIMATED

TUR / TURKEY

N I L

LTBB / ISTANBUL FIR

LTAAA2662/26 (18 JUN 26)

NAVIGATIONAL WARNING TO ALL CONCERNED:

REF(A) TURKISH WARNING NOTAM A2654/26
REF(B) GREEK WARNING NOTAM A2028/26

THE VIEWS EXPRESSED IN TURKISH NAVIGATIONAL WARNING NOTAM IN REF(A)
WITH RESPECT TO TURKISH FIRING EXERCISE WITHIN INTERNATIONAL WATERS
AND AIRSPACE REMAIN UNCHANGED AND THE NOTAM IN REF(A) IS VALID AND
EFFECTIVE. THE GREEK NOTAM IN REF(B) IS NULL AND VOID.

TURKIYE ALSO WOULD LIKE TO EMPHASIZE THAT NO FURTHER EXPLANATION
WILL BE GIVEN TO ANY OBJECTION RAISED TO TURKISH NOTAM IN REF(A).

*LTAAA2613/26 (17 JUN 26)

19 JUN 2026 08:00-19 JUN 2026 12:00
TEST FIRING(WITHOUT FIRING) WILL TAKE PLACE WI ESKISEHIR MILITARY
TMA:
394939N0300058E 401533N0302932E 390533N0320218E
383038N0313929E 394939N0300058E
F) 28000FT AMSL
G) 30000FT AMSL

LTAAA2592/26 (17 JUN 26)

"NAVIGATIONAL WARNING TO ALL CONCERNED:

THE NOTAM 'A2544/26' ISSUED BY GREEK CAA IN RESPONSE TO THE REQUEST
OF TURKISH NAVY FOR THE UNMANNED ACFT FLIGHTS IS IRRELEVANT TO THE
ORIGINAL TURKISH NOTAM REQUEST.

THE NOTAM 'A2544/26' ITEM 2.2: 'UNMANNED AIRCRAFT SHALL NOT AFFECT HELLENIC NATIONAL AIRSPACE LESS THAN 10NM ACCORDING TO AIP-GREECE, ENR 1.1-1, PARA 1.1.1.2.1' AND ITEM 2.3: 'FLIGHT PLANS SHALL BE SUBMITTED ACCORDING TO ICAO ANNEX 2, APPENDIX 4, PARA 1.6 AND ACCORDING TO AIP-GREECE, ENR 1.10 AND GEN 1.7-1.' ARE IRRELEVANT AND NOT CONTAINED IN THE ORIGINAL NOTAM REQUEST MADE BY TURKIYE. FURTHERMORE THOSE STATEMENTS ARE IN CONTRAVENTION WITH ICAO RULES, CONTRADICT WITH THE INTERNATIONAL LAW AND CONSEQUENTLY VIOLATE THE RIGHT OF FREE USE OF INTERNATIONAL AIRSPACE.

IT'S UNPRECEDENTED AND DEFIANT PRACTICE OF GREECE DEFINING 6NM WIDE TERRITORIAL WATERS AND 10NM NATIONAL AIRSPACE. ACCORDING TO INTERNATIONAL LAW THE AIRSPACE OVER WHICH A STATE CAN CLAIM COMPETENCE AND EXCLUSIVE SOVEREIGNTY IS LIMITED TO THAT PORTION WHICH LIES ABOVE ITS TERRITORY AND THE TERRITORIAL WATERS ADJACENT TO IT.

TURKIYE REGRETFULLY DENIES AND DOES NOT ACCEPT THE ILLEGAL CLAIMS OF GREECE AND ITS MISUSE OF FIR RESPONSIBILITIES IN ORDER TO DEFEND ITS OWN UNBASED NATIONAL POSITION. TURKISH NAVY UNMANNED ACFTS WILL CONTINUE TO CONDUCT THEIR FLIGHTS RESPECTING THE 6NM GREEK AIRSPACE AND WITHOUT SUBMITTING ANY FLIGHT PLAN AS BEING MILITARY AIRCRAFT WHICH IS NOT SUBJECT TO 1944 CONVENTION ON INTERNATIONAL CIVIL AVIATION. TURKIYE WILL TAKE ALL NECESSARY MEASURES FOR THE SAFETY OF THE GENERAL AIR TRAFFIC AND STAND BY FOR COOPERATION AND COORDINATION."

LTAAA2554/26 (17 JUN 26)

"NAVIGATIONAL WARNING TO ALL CONCERNED:

REF(A) GREEK WARNING NOTAM A1908/26
REF(B) TURKISH WARNING NOTAM A2514/26

TURKIYE REQUESTED THE GREEK AIS TO PROMULGATE APPROPRIATE NOTAM REGARDING THE UNMANNED ACFT FLIGHTS FOR THE ENVIRONMENTAL PROTECTION AND SAR SUPPORT MISSION. HOWEVER, THE NOTAM IN REF(A) PROMULGATED BY GREEK CAA IN RESPONSE TO THE TURKISH NOTAM REQUESTS IS IRRELEVANT.

THE VIEWS EXPRESSED IN TURKISH NAVIGATIONAL WARNING NOTAM IN REF(B) WITH RESPECT TO TURKISH ENVIRONMENTAL PROTECTION AND SAR SUPPORT MISSION WITHIN INTERNATIONAL WATERS AND AIRSPACE REMAIN UNCHANGED AND THE NOTAM IN REF(B) IS VALID AND EFFECTIVE. THE GREEK NOTAM IN REF(A) IS NULL AND VOID.

TURKIYE ALSO WOULD LIKE TO EMPHASIZE THAT NO FURTHER EXPLANATION WILL BE GIVEN TO ANY OBJECTION RAISED TO THE TURKISH NOTAM IN REF (B) ."

*LTAAA2544/26 (17 JUN 26)

"NAVIGATIONAL WARNING TO ALL CONCERNED:

1. TURKIYE REQUESTED THE GREEK AIS TO PROMULGATE APPROPRIATE NOTAM FOR THE TURKISH NAVY SHALL MAKE UNMANNED AIRCRAFT FLIGHT IN INTERNATIONAL WATERS WITHIN ATHINAI FIR TO BE CONDUCTED FROM 11 JUN 2026 TO 11 JUL 2026 WITH 101321 LTAAANYX JUN 2026.

2. GREEK AIS DID NOT PROMULGATE APPROPRIATE NOTAM FOR THE EXERCISE AREA IN ACCORDANCE WITH OUR REF MESSAGE 101321 LTAAANYX JUN 2026. UNDER THESE CIRCUMSTANCES DUE TO THE INSISTENT ATTITUDE OF GREECE, TURKIYE IS LEFT WITH NO OTHER ALTERNATIVE BUT TO TAKE ITS OWN INITIATIVE TO PROMULGATE THE NECESSARY NOTAM FOR THE EXERCISE AREA.

TURKIYE WILL TAKE NECESSARY MEASURES FOR THE SAFETY OF THE GENERAL AIR TRAFFIC AS SHE DID IN THE PAST AND IS ALWAYS READY FOR COOPERATION AND COORDINATION IN THIS RESPECT.

3. EXERCISE AREA:

A. LATERAL LIMITS: 361230N0284400E 360000N0291000E 354300N0291000E 352100N0300000E 342726N0295509E 343232N0285541E 350500N0280000E 361230N0284400E
B. VERTICAL LIMITS: 23000FT AMSL-24000FT AMSL
C. DATE AND TIMES: 11 JUN 2026 2100-11 JUL 2026 2059

4. PROCEDURES FOR EXERCISE AIRCRAFT:

A. THE FLIGHTS WILL BE CONDUCTED AT VFR CONDITIONS AND UNDER POSITIVE RADAR CONTROL.
B. EXERCISE AIRCRAFT SHALL DISPLAY ANTI COLLISION AND NAVIGATION LIGHT CONTINUOUSLY.

5. PROCEDURES FOR NON-EXERCISE AIRCRAFT:

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 32/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

IN THE INTEREST OF FLYING SAFETY DURING THE EXERCISE, NON-EXERCISE
AIRCRAFT ARE STRONGLY ADVISED NOT TO FLY WITHIN THE EXERCISE AREA
DESCRIBED ABOVE."

F) 23000FT AMSL

G) 24000FT AMSL

*LTAAA2514/26 (17 JUN 26)

"NAVIGATIONAL WARNING TO ALL CONCERNED:

1. TURKIYE REQUESTED THE GREEK AIS TO PROMULGATE APPROPRIATE NOTAM
FOR THE EXERCISE AREAS LOCATED IN INTERNATIONAL WATERS WITHIN
ATHINAI FIR REGARDING TURKISH NAVY SHALL MAKE 'ENVIRONMENTAL
PROTECTION AND SAR SUPPORT MISSION' FLIGHTS WITHIN THE AIRSPACE OF
AEGEAN SEA AND EAST MEDITERRANEAN BETWEEN 12 JUN 2026-14 JUL 2026
WITH REF 230823 LTAAANYX MAY 2026.

GREEK AIS DID NOT PROMULGATE APPROPRIATE NOTAM FOR THE EXERCISE
AREAS IN ACCORDANCE WITH OUR MESSAGE 230823 LTAAANYX MAY 2026. .
UNDER THESE CIRCUMSTANCES DUE TO THE INSISTENT ATTITUDE OF GREECE,
TURKIYE IS LEFT WITH NO OTHER ALTERNATIVE BUT TO TAKE ITS OWN
INITIATIVE TO PROMULGATE THE NECESSARY NOTAM FOR THE EXERCISE AREAS.
TURKIYE WILL TAKE NECESSARY MEASURES FOR THE SAFETY OF THE GENERAL
AIR TRAFFIC AS SHE DID IN THE PAST AND IS ALWAYS READY FOR
COOPERATION AND COORDINATION IN THIS RESPECT.

2. THE NOTAM INFORMATION FOR THE EXERCISE AREAS ARE AS FOLLOWED.
TURKISH NAVY SHALL MAKE 'ENVIRONMENTAL PROTECTION AND SAR SUPPORT
MISSION' FLIGHT IN INTERNATIONAL WATERS WITHIN ATHINAI FIR AS
DESCRIBED BELOW:

3. EXERCISE AREAS:

A.LATERAL LIMITS:

1ST ROUTE: 361713N0283517E 353559N0275257E 360326N0271753E

1NM EITHER SIDE OF THE LINE

VERTICAL LIMITS: 23000FT-24000FT AMSL

1ST AREA: 360759N0272341E 360130N0271501E 360102N0265846E

360748N0265111E 362049N0270732E 360759N0272343E

VERTICAL LIMITS: 16000FT-23000FT AMSL

2ND ROUTE: 361609N0270129E 362423N0265047E 363959N0264012E

1NM EITHER SIDE OF THE LINE

VERTICAL LIMITS: 16000FT-23000FT AMSL

2ND AREA: 364002N0264346E 364000N0263615E 364656N0262416E

365318N0263300E 365322N0264308E 364002N0264346E

VERTICAL LIMITS: 16000FT-23000FT AMSL

3RD ROUTE: 365329N0263937E 370453N0263911E 371212N0262155E

1NM EITHER SIDE OF THE LINE

VERTICAL LIMITS: 16000FT-23000FT AMSL

3RD AREA: 371308N0262223E 370651N0261814E 370434N0260605E

370921N0260236E 372507N0261217E 372259N0261752E 371308N0262223E

VERTICAL LIMITS: 16000FT-23000FT AMSL

4TH ROUTE: 371804N0260745E 372717N0254629E 374605N0255202E

1NM EITHER SIDE OF THE LINE

VERTICAL LIMITS: 16000FT-23000FT AMSL

4TH AREA: 381554N0252212E 374605N0255047E 375055N0262705E

380206N0261505E 375953N0255620E 380951N0254245E 382413N0253951E

382453N0252810E 381554N0252212E

VERTICAL LIMITS: 16000FT-23000FT AMSL

5TH ROUTE: 382546N0251310E 382024N0252528E

3NM EITHER SIDE OF THE LINE

VERTICAL LIMITS: 16000FT-23000FT AMSL

5TH AREA: 393837N0251543E 392010N0250859E 391834N0243731E

385345N0245504E 382234N0243626E 380627N0245926E 384454N0252643E

384311N0261201E 384837N0261728E 390711N0253503E 392329N0254213E

393707N0253009E 393837N0251543E

VERTICAL LIMITS: 16000FT-23000FT AMSL

6TH ROUTE: 391910N0244751E 394735N0242936E 402424N0245011E

401420N0253506E 1NM EITHER SIDE OF THE LINE

VERTICAL LIMITS: 16000FT-23000FT AMSL

B. DATE AND TIMES:

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 33/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

JUN 12 1800 - JUN 13 0400
JUN 13 1800 - JUN 14 0400
JUN 14 1800 - JUN 15 0400
JUN 16 0500 - 1700
JUN 19 1800 - JUN 20 0400
JUN 20 1800 - JUN 21 0400
JUN 21 1800 - JUN 22 0400
JUN 23 0500 - 1700
JUN 26 1800 - JUN 27 0400
JUN 27 1800 - JUN 28 0400
JUN 28 1800 - JUN 29 0400
JUN 30 0500 - 1700
JUL 03 1800 - JUL 04 0400
JUL 04 1800 - JUL 05 0400
JUL 05 1800 - JUL 06 0400
JUL 07 0500 - 1700
JUL 10 1800 - JUL 11 0400
JUL 11 1800 - JUL 12 0400
JUL 12 1800 - JUL 13 0400
JUL 14 0500 - 1700

4. PROCEDURES FOR EXERCISE AIRCRAFT:

A. THE FLIGHTS WILL BE CONDUCTED UNDER VFR CONDITIONS AND UNDER THE POSITIVE RADAR CONTROL.

B. EXERCISE AIRCRAFT SHALL DISPLAY ANTI/COLLISION AND NAVIGATION LIGHTS CONTINUOUSLY.

5. PROCEDURES FOR NON-EXERCISE AIRCRAFT:

IN THE INTEREST OF FLYING SAFETY DURING THE EXERCISE NON-EXERCISE AIRCRAFT ARE STRONGLY ADVISED NOT TO FLY WITHIN THE EXERCISE AREA DESCRIBED ABOVE."

F) 16000FT AMSL

G) 24000FT AMSL

*LTAAA2511/26 (17 JUN 26)

"JUN 18 0700-1000, JUN 22-26 29-30 JUL 01-02 0700-1000 1130-1330"

SEE NOTAM: A2509/26

RNAV ROUTES AND SEGMENTS AFFECTED DURING THE EXERCISE AS FOLLOWS:

1- AWY P29 HALIL-HISAR SEGMENT CLSD.

2- AWY M853 OKLAM-BUK SEGMENT CLSD.

VERTICAL LIMITS: 15000FT AMSL-23000FT AMSL

LTAAA1918/26 (10 MAY 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026
CHANGES OF ENR 1.3 INSTRUMENT FLIGHT RULES, ENR 3.1 CONVENTIONAL NAVIGATION ROUTES, ENR 3.2 AREA NAVIGATION(RNAV) ROUTES, ENR 4.1 RADIO NAVIGATION AIDS, ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT POINTS, ENR 6.1 ATS/RNAV ROUTE CHART, ENR 6.3 FREE ROUTE AIRSPACE CHART, GEN 1.2 ENTRY, TRANSIT AND DEPARTURE OF AIRCRAFT, GEN 2.5 LIST OF RADIO NAVIGATION AIDS"

*LTAAA1274/26 (02 APR 26)

DAILY 0500-1400 EXC SAT SUN

EXERCISE FLIGHT WILL TAKE PLACE WI IZMIR TMA.

AREA: 391757N0263816E 392238N0265728E 390635N0265920E

390000N0270000E 385818N0265750E 390132N0264535E 391757N0263816E

F) 23000FT AMSL

G) 50000FT AMSL

LTAAA1217/26 (31 MAR 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED OCCASSIONALLY IN SOME PARTS OF TURKISH AIRSPACE.
PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSSES.
31 MAR 26 07:30 UNTIL 30 JUN 26 07:30 ESTIMATED

LTAAA1150/26 (27 MAR 26)

UNMANNED ACFT WILL TAKE PLACE.

AREA: 404615N0261531E 403640N0260513E 403605N0262720E

404640N0265343E 404745N0265340E 404615N0261531E

F) 3000FT AMSL

G) 35000FT AMSL

LTAAA1147/26 (27 MAR 26)

UNMANNED ACFT WILL TAKE PLACE WI AREA:

403757N0263201E 403032N0263635E 403554N0265013E

404330N0264547E 403757N0263201E

F) SFC

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 34/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

G) 35000FT AMSL

LTAAA1144/26 (27 MAR 26)

UNMANNED ACFT WILL TAKE PLACE
AREA: 403640N0260513E 403419N0260304E 402537N0262018E
403032N0263635E 403757N0263201E 403605N0262720E 403640N0260513E
F) 10000FT AMSL
G) 35000FT AMSL

*LTAAA1123/26 (25 MAR 26)

0500-1400 EXC SAT SUN
SUPERSONIC FLIGHT EXERCISE WILL TAKE PLACE WI ESKISEHIR MILITARY
TMA
AREA: 393500N0310300E 393500N0314000E 392500N0314500E
391100N0310300E 393500N0310300E
F) 12000FT AMSL
G) 50000FT AMSL

*LTAAA0954/26 (10 MAR 26)

0600-2000 EXC SAT SUN
"GUN FIRING WILL TAKE PLACE WI ISTANBUL TMA: 414300N0272520E
414300N0273700E 413816N0273700E 413759N0273323E 414021N0272509E
414300N0272520E
NOTE: WHEN RWY 16, 17 AND 18 ARE IN USE AT ISTANBUL AD, THE UPPER
LIMIT SHALL BE 11000FT AMSL."
F) SFC
G) 14000FT AMSL

LTAAA3208/06 (27 SEP 25)

"NAVIGATIONAL WARNING TO ALL CONCERNED:
THE CONSIDERABLE PORTION OF THE AWYS G/UG18,L/UL609,R/UR19 AND
L/UL995 CROSS OVER THE SOVEREIGN AIR SPACE OF TURKEY AND REMAINS
WITHIN MILAS TMA.FOR THE SAFETY OF FLIGHTS AND SECURITY REASONS,
ALL AIRCRAFT USING LARKI 3723.9N-02650.3E RHODES PORTION OF THE AWYS
G/UG18,L/UL609,AND:KOPAR 3650.9N-02642.0E RHODES PORTION OF THE AWYS
R/UR19,L/UL995 SHALL ALWAYS FLY AT OR ABOVE FL250 DURING THEIR
FLIGHTS WITHIN TURKISH AIRSPACE."

LTAA / ANKARA FIR

LTAAA2674/26 (18 JUN 26)

18 JUN 2026 15:55-19 JUN 2026 15:55
URFA KORCIK MSSR U/S.
18 JUN 26 15:55 UNTIL 19 JUN 26 15:55 ESTIMATED

*LTAAA2672/26 (18 JUN 26)

0600-1400
AERIAL SURVEY WILL TAKE PLACE WI MALATYA MILITARY TMA:
383759N0375800E 383759N0383859E 380700N0383859E 380700N0375900E
383759N0375800E
F) 21000FT AMSL
G) 21000FT AMSL

*LTAAA2639/26 (17 JUN 26)

18 JUN 2026 09:00-19 JUN 2026 14:00
0900-1400
AIR REFUELLING WILL TAKE PLACE WI: 374300N0343500E
374300N0360800E 370200N0360800E 370200N0343500E 374300N0343500E
F) 24000FT AMSL
G) 27000FT AMSL

*LTAAA2613/26 (17 JUN 26)

19 JUN 2026 08:00-19 JUN 2026 12:00
TEST FIRING(WITHOUT FIRING) WILL TAKE PLACE WI ESKISEHIR MILITARY
TMA:
394939N0300058E 401533N0302932E 390533N0320218E
383038N0313929E 394939N0300058E
F) 28000FT AMSL
G) 30000FT AMSL

*LTAAA2596/26 (16 JUN 26)

"16-19 0900-1530, 22-26 0900-1530, JUN 29-JUL 03 0900-1530"
SEE NOTAM: A2594/26

ATS ROUTES AND SEGMENTS AFFECTED DURING ACTIVITIES(WITH FIRING)

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 35/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

AS FOLLOWS

1. AWY W/UW96 ODIRA-SIN SEGMENT CLSD.
2. AWY UW704 KUGOS-CRM SEGMENT CLSD.

VERTICAL LIMITS SFC-30000FT AMSL

***LTAAA2595/26 (16 JUN 26)**

"16-19 0900-1530, 22-26 0900-1530, JUN 29-JUL 03 0900-1530"
SEE NOTAM: A2594/26

RNAV ROUTES AND SEGMENTS AFFECTED DURING ACTIVITIES(WITH FIRING)
AS FOLLOWS:

1. AWY N/UN644 SIN KARDE SEGMENT CLSD.
ALL ACFT THAT WILL EXIT FROM 'ROLIN' VIA THIS ROUTE
COULD FOLLOW MIMTO-DCT-DETOS-DCT-ROLIN
ALL ACFT USING THIS ROUTE VIA WESTBOUND COULD FOLLOW
FALAZ-DCT-CRM

2. AWY M/UM859 OSDIP-KARDE SEGMENT CLSD.
ALL ACFT THAT WILL EXIT FROM 'ROLIN' VIA THIS ROUTE
COULD FOLLOW UDROS-DCT-CRM-DCT-ROLIN

ALL ACFT THAT WILL EXIT FROM 'REBLO' AND 'NOLGA' VIA THIS ROUTE
COULD FOLLOW UDROS-DCT-CRM-M/UM11-TBN

3. AWY UM860 KUGOS-CRM SEGMENT CLSD.

VERTICAL LIMITS SFC-30000FT AMSL

***LTAAA2594/26 (16 JUN 26)**

"16-19 0900-1530, 22-26 0900-1530, JUN 29-JUL 03 0900-1530"
GUN FIRING WILL TAKE PLACE WI SINOP TMA
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 420456N0350727E 421136N0350915E 421004N0351907E
420445N0352434E 415730N0352332E 415803N0351418E 420456N0350727E
VERTICAL LIMITS SFC-30000FT AMSL
F) SFC
G) 30000FT AMSL

***LTAAA2568/26 (12 JUN 26)**

JUN 15-16 18 22-23 25 29-30 JUL 02 0600-0859
SEE NOTAM: A2565/26

ATS ROUTES AND SEGMENTS AFFECTED DURING ACTIVITIES(WITH FIRING)
AS FOLLOWS

1. AWY W/UW96 ODIRA-SIN SEGMENT CLSD.
2. AWY UW704 KUGOS-CRM SEGMENT CLSD.

VERTICAL LIMITS SFC-30000FT AMSL

***LTAAA2567/26 (12 JUN 26)**

JUN 15-16 18 22-23 25 29-30 JUL 02 0600-0859
SEE NOTAM: A2565/26

RNAV ROUTES AND SEGMENTS AFFECTED DURING ACTIVITIES(WITH FIRING)
AS FOLLOWS:

1. AWY N/UN644 SIN KARDE SEGMENT CLSD.
ALL ACFT THAT WILL EXIT FROM 'ROLIN' VIA THIS ROUTE
COULD FOLLOW MIMTO-DCT-DETOS-DCT-ROLIN
ALL ACFT USING THIS ROUTE VIA WESTBOUND COULD FOLLOW
FALAZ-DCT-CRM

2. AWY M/UM859 OSDIP-KARDE SEGMENT CLSD.
ALL ACFT THAT WILL EXIT FROM 'ROLIN' VIA THIS ROUTE
COULD FOLLOW UDROS-DCT-CRM-DCT-ROLIN

ALL ACFT THAT WILL EXIT FROM 'REBLO' AND 'NOLGA' VIA THIS ROUTE
COULD FOLLOW UDROS-DCT-CRM-M/UM11-TBN

3. AWY UM860 KUGOS-CRM SEGMENT CLSD.

VERTICAL LIMITS SFC-30000FT AMSL

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 36/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

*LTAAA2565/26 (17 JUN 26)

JUN 15-16 18 22-23 25 29-30 JUL 02 0600-0859
GUN FIRING WILL TAKE PLACE WI SINOP TMA
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 420456N0350727E 421136N0350915E 421004N0351907E
420445N0352434E 415730N0352332E 415803N0351418E 420456N0350727E
F) SFC
G) 30000FT AMSL

*LTAAA2540/26 (11 JUN 26)

RESTRICTED AREA: CENTERED ON 382049N0374741E WITH RADIUS 14 NM
WITHIN MALATYA MILITARY TMA

AIRSPACE IS NOT DECONFLICTED FROM AIRSPACE. TURKIYE AIRSPACE IS
SOVEREIGN. USER IS RESPONSIBLE FOR OBTAINING CIVIL OR MILITARY
CLEARANCE TO ENTER AND OPERATE IN THIS AIRSPACE IN ACCORDANCE WITH
HOST NATION REGULATIONS. REFER TO SPINS FOR C2 DETAILS
VERTICAL LIMITS: SFC-80000FT AMSL
F) SFC
G) UNL

*LTAAA2511/26 (17 JUN 26)

"JUN 18 0700-1000, JUN 22-26 29-30 JUL 01-02 0700-1000 1130-1330"
SEE NOTAM: A2509/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING THE EXERCISE AS FOLLOWS:
1- AWY P29 HALIL-HISAR SEGMENT CLSD.
2- AWY M853 OKLAM-BUK SEGMENT CLSD.
VERTICAL LIMITS: 15000FT AMSL-23000FT AMSL

*LTAAA2509/26 (09 JUN 26)

"JUN 18 0700-1000, JUN 22-26 29-30 JUL 01-02 0700-1000 1130-1330"
EXERCISE WILL TAKE PLACE.
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 385500N0322600E 390941N0320004E 390228N0313807E
383129N0311824E 380711N0315257E 385500N0322600E
F) 15000FT AMSL
G) 23000FT AMSL

*LTAAA2510/26 (09 JUN 26)

"JUN 18 0700-1000, JUN 22-26 29-30 JUL 01-02 0700-1000 1130-1330"
SEE NOTAM: A2509/26
ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1. AWY W77 HALIL-HISAR SEGMENT CLSD.
VERTICAL LIMITS: 15000FT AMSL-23000FT AMSL

*LTAAA2467/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-JUL 02 0700-1000 1130-1330 EXC SAT SUN"
SEE NOTAM: A2457/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1. AWY L/UL601 SELVI -ADA SEGMENT CLSD.
ALL ACFT THAT PLANNING TKOF/LDG FROM/TO LTAF-LTAG-LTDA AND
LTDB AERODROMES COULD FOLLOW G/UG8 OR L/UL614-GEM-DCT-MILBA
BIDIRECTIONALLY.
2. AWY T/UT339 MUT-ERCIS SEGMENT CLSD.
3. AWY UT284 INPOR-UDVET SEGMENT CLSD.
VERTICAL LIMITS: SFC-30000FT AMSL

*LTAAA2459/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-JUL 02 0700-1000 1130-1330 EXC SAT SUN"
SEE NOTAM: A2457/26
ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1. AWY A/UA285 MUT-ERCIS SEGMENT CLSD.
2. AWY W/UW75 SELVI -ADA SEGMENT CLSD.
ALL ACFT THAT PLANNING TKOF/LDG FROM/TO LTAF-LTAG-LTDA AND
LTDB AERODROMES COULD FOLLOW G/UG8 OR L/UL614-GEM-DCT-MILBA
BIDIRECTIONALLY.
VERTICAL LIMITS: SFC-30000FT AMSL

*LTAAA2457/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-JUL 02 0700-1000 1130-1330 EXC SAT SUN"
EXERCISE WILL TAKE PLACE.
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA: 381200N0343700E 381200N0350200E 372500N0350200E
370300N0343500E 370300N0332600E 370600N0331600E 381200N0343700E
WI ADANA MILITARY TMA

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 37/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

F) SFC
G) 30000FT AMSL

*LTAAA2455/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-26 0700-1000 1130-1330, JUN 29-JUL 02
0700-1000 1130-1330"
SEE NOTAM: A2454/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1- AWY UT244 OKMOT-REBTA SEGMENT CLSD.
2- AWY UL742 OKMOT-REBTA SEGMENT CLSD.
VERTICAL LIMITS: 15000FT AMSL-50000FT AMSL

*LTAAA2454/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-26 0700-1000 1130-1330, JUN 29-JUL 02
0700-1000 1130-1330"
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
EXERCISE WILL TAKE PLACE WI AREA (LT TSA62R): 382446N0320519E
382459N0324353E 381518N0325242E 380211N0323706E 374641N0323711E
374114N0324501E 373504N0323701E 380700N0315300E 382446N0320519E
F) 15000FT AMSL
G) 50000FT AMSL

*LTAAA2452/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-26 0700-1000 1130-1330, JUN 29-JUL 02
0700-1000 1130-1330"
SEE NOTAM: A2450/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1. AWY L/UL601 AZBUL-SELVI SEGMENT CLSD.
ALL ACFT PLANNING TAKE-OFF/LANDING FROM/TO LTAZ AD VIA
AZBUL-L/UL601-URGUP-W/UW106-TZK VOR COULD FOLLOW AZBUL W/UW105-ULRAS
BIDIRECTIONALLY.
ALL ACFT THAT PLANNING TAKE-OFF/LANDING FROM/TO LTAF-LTAG-LTDA AND
LTDB AERODROMES COULD FOLLOW G/UG8 OR L/UL614-GEM-DCT-MILBA
BIDIRECTIONALLY.
2. AWY UL621 BUK-MUT SEGMENT CLSD.
3. AWY UL742 OKMOT-MUT SEGMENT CLSD.
4. AWY M/UM856 ERKUK-MUT SEGMENT CLSD.
5. AWY T244 REBTA-MANAZ SEGMENT CLSD.
6. AWY UT244 OKMOT-MANAZ SEGMENT CLSD.
VERTICAL LIMITS: SFC-50000FT AMSL

*LTAAA2451/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-26 0700-1000 1130-1330, JUN 29-JUL 02
0700-1000 1130-1330"
SEE NOTAM: A2450/26
ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1. AWY A/UA28 ERKUK-MUT SEGMENT CLSD.
2. AWY W/UW75 ARMUD-SELVI SEGMENT CLSD.
ALL ACFT THAT PLANNING TAKE-OFF/LANDING FROM/TO LTAF-LTAG-LTDA AND
LTDB AERODROMES COULD FOLLOW G/UG8 OR L/UL614-GEM-DCT-MILBA
BIDIRECTIONALLY.
3. AWY W/UW106 URGUP-ETVER SEGMENT CLSD.
VERTICAL LIMITS: SFC-50000FT AMSL

*LTAAA2450/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-26 0700-1000 1130-1330, JUN 29-JUL 02
0700-1000 1130-1330"
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
EXERCISE(WITHOUT FIRING) WILL TAKE PLACE WI
AREA(LT TSA61R):382446N0320519E 390543N0323402E 390148N0330013E
391435N0332551E 390500N0334449E 382557N0342005E 381200N0343700E
370600N0331600E 373504N0323701E 374114N0324501E 374641N0323711E
380211N0323706E 381518N0325248E 382459N0324353E 382446N0320519E
F) SFC
G) 50000FT AMSL

*LTAAA2443/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-JUL 02 0700-1000 1130-1330 EXC SAT SUN"
SEE NOTAM: A2442/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1- AWY T62 KONAK-RUKAP SEGMENT CLSD.
VERTICAL LIMITS: SFC-20000FT AMSL

*LTAAA2442/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-JUL 02 0700-1000 1130-1330 EXC SAT SUN"
EXERCISE WILL TAKE PLACE.
RMK:AIR TRAFFIC REGULATION NOTAM SHALL BE ISSUED.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 38/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

AREA: 374900N0314000E 371100N0323000E 370400N0323000E
370400N0313400E 374900N0314000E
F) SFC
G) 20000FT AMSL

*LTAAA2438/26 (06 JUN 26)

"JUN 18 0630-1030, JUN 22-JUL 02 0630-1030 1100-1400 EXC SAT SUN"
EXERCISE WILL TAKE PLACE WI: 372500N0350200E 372500N0354500E
382500N0354500E 382500N0350200E 372500N0350200E
F) 31000FT AMSL
G) 31000FT AMSL

*LTAAA2393/26 (06 JUN 26)

"JUN 18 0700-1000, JUN 22-JUL 02 0700-1000 1130-1330 EXC SAT SUN"
EXERCISE WILL TAKE PLACE WI AREA:
373900N0350200E 370300N0341850E 370300N0332600E
370600N0331600E 373450N0323700E 374100N0324500E 371200N0332300E
371100N0333100E 371100N0341400E 375050N0350200E 373900N0350200E
F) SFC
G) 30000FT AMSL

*LTAAA2391/26 (06 JUN 26)

"18 0700-1000, JUN 22-26 29-30 JUL 01-02 0700-1000 1130-1330"
SEE NOTAM: A2387/26
ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1- AWY B545 OKLAM-EVKIT SEGMENT CLSD.
2- AWY R55 KETEK-MUT SEGMENT CLSD.
3- AWY W74 MUT-ADA SEGMENT CLSD.
VERTICAL LIMITS: SFC-15000FT AMSL

*LTAAA2389/26 (06 JUN 26)

"18 0700-1000, JUN 22-26 29-30 JUL 01-02 0700-1000 1130-1330"
SEE NOTAM: A2387/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE AS FOLLOWS:
1- AWY L620 OKLAM-EVKIT SEGMENT CLSD.
2- AWY T339 MUT-ELROP SEGMENT CLSD.
VERTICAL LIMITS: SFC-15000FT AMSL

*LTAAA2387/26 (06 JUN 26)

"18 0700-1000, JUN 22-26 29-30 JUL 01-02 0700-1000 1130-1330"
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
EXERCISE WILL TAKE PLACE WI: 380101N0320125E 370600N0331600E
370300N0332600E 370300N0343500E 364600N0341900E 364600N0330400E
374246N0314829E 380101N0320125E
F) SFC
G) 15000FT AMSL

LTAAA2369/26 (06 JUN 26)

RNAV AIR CORRIDOR IDENTIFIED AS UM861 REVISED AS FOLLOWS:

BTN NISAP-TEVDA TRACK MAG:318/138 EVEN/ODD
BTN TEVDA-BUK:317/137 EVEN/ODD
BTN BUK-RAKUR:339 EVEN

OTHER INFORMATIONS NOT CHANGED.

REF AIP ENR 3.2
03 JUN 26 14:15 UNTIL 03 SEP 26 13:00 ESTIMATED

LTAAA2362/26 (06 JUN 26)

"JUN 04 08 10 12 16 18 22 24 26 30 0600-2059, JUL 02 06 08 10 14
16 20 22 24 28 30 0600-2059, AUG 03 05 07 11 13 17 0600-2059"
UNMANNED ACFT TEST FLT WILL TAKE PLACE WI:
385513N0312028E 390936N0320156E 384213N0314248E 385513N0312028E
F) 13000FT AMSL
G) 35000FT AMSL

LTAAA2349/26 (06 JUN 26)

MON WED FRI 0915-1115
UNMANNED ACFT WILL TAKE PLACE
AREA: 381620N0333332E 382600N0332100E 383559N0334632E 382721N0335410E
381620N0333332E
F) SFC
G) 40000FT AMSL

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 39/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

*LTAAA2347/26 (06 JUN 26)

05 12 19 26 0700-1300
SEE NOTAM: A2346/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY UL601 ADA-TUNLA SEGMENT CLSD
VERTICAL LIMITS: SFC-50000FT AMSL

*LTAAA2346/26 (06 JUN 26)

05 12 19 26 0700-1300
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
TEST FLT WILL TAKE PLACE WI ADANA MIL TMA:
360000N0351500E 360000N0355000E 362600N0355000E
362600N0352900E 362606N0352856E 360000N0351500E
F) SFC
G) 50000FT AMSL

*LTAAA2344/26 (06 JUN 26)

05 12 19 26 0700-1300
TEST FLIGHT WILL TAKE PLACE WI ADANA MILITARY TMA.
AREA: 362845N0343736E 361300N0352200E 360000N0351400E
360000N0341146E 361115N0340024E 362845N0343736E
F) SFC
G) 50000FT AMSL

*LTAAA2127/26 (21 MAY 26)

0700-1400 EXC SAT SUN
SEE NOTAM: A2125/26
ATS ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY W/UW100 SUMOL-INB SEGMENT CLSD.
2. AWY W/UW101 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2126/26 (21 MAY 26)

0700-1400 EXC SAT SUN
SEE NOTAM: A2125/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING TEST FLT AS FLW:
1. AWY M/UM854 SUMOL-INB SEGMENT CLSD.
2. AWY P/UP29 SUMOL-BIMVO SEGMENT CLSD.
3. AWY M/UM853 KUGOS-GAKSU SEGMENT CLSD.
VERTICAL LIMITS: SFC-40000FT AMSL

*LTAAA2125/26 (21 MAY 26)

0700-1400 EXC SAT SUN
TEST FLT WILL TAKE PLACE WI (LTSA-3R):
424456N0330020E 424432N0335425E 424030N0340849E 422530N0340633E
423400N0325953E 424456N0330020E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
F) SFC
G) 40000FT AMSL

LTAAA2027/26 (14 MAY 26)

URFA KORCIK MSSR UNRELIABLE BTN 250-360 DEGREES.

LTAAA1918/26 (10 MAY 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026
CHANGES OF ENR 1.3 INSTRUMENT FLIGHT RULES, ENR 3.1 CONVENTIONAL
NAVIGATION ROUTES, ENR 3.2 AREA NAVIGATION(RNAV) ROUTES, ENR 4.1
RADIO NAVIGATION AIDS, ENR 4.4 NAME CODE DESIGNATORS FOR SIGNIFICANT
POINTS, ENR 6.1 ATS/RNAV ROUTE CHART, ENR 6.3 FREE ROUTE AIRSPACE
CHART, GEN 1.2 ENTRY, TRANSIT AND DEPARTURE OF AIRCRAFT, GEN 2.5
LIST OF RADIO NAVIGATION AIDS"

*LTAAA1722/26 (28 APR 26)

"RESTRICTED AREA WI ADANA MIL TMA:
CENTERED ON 370006N0352532E WITH RADIUS 14NM
VERTICAL LIMITS: SFC-80000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV
TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM)
OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD
WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH.
TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH
OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 40/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

PERMITTED.

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."

F) SFC
G) UNL

*LTAAA1721/26 (28 APR 26)

"RESTRICTED AREA WI ADANA MIL TMA:
373949N0353344E 370015N0352513E 363911N0344154E 363221N0344838E
362534N0350031E 362238N0350823E 362051N0351638E 362013N0352514E
362051N0353345E 362234N0354204E 362538N0354952E 362935N0355657E
363422N0360318E 364006N0360817E 364619N0361201E 365316N0361414E
370006N0361513E 370704N0361427E 371351N0361214E 372003N0360840E
372559N0360350E 373059N0355726E 373453N0354956E 373819N0354208E
374002N0353342E 373949N0353344E
VERTICAL LIMITS: SFC-70000FT AMSL

NOTE 1: WHEN AIR DEFENCE SYSTEMS ARE IN NORMAL STATUS, ALL MIL/CIV TFCS WILL NOT BE AFFECTED.

NOTE 2: WHEN AIR DEFENCE SYSTEMS BECOME ACTIVE, ALL TFCS WI (10NM) OF INCIRLIK AD, CUKUROVA INTERNATIONAL AD, SAKIRPASA AD AND HUR AD WILL BE SEQUENCED FOR LDG BY INCIRLIK APCH. TFCS OUTSIDE (10NM) WILL BE PUT ON HOLD AT APPROPRIATE POINTS NORTH OF THE AREA. DEP TFCS FROM THE AFFECTED AERODROMES WILL NOT BE PERMITTED.

NOTE 3: DUE TO THE REQUIREMENT FOR TWO-WAY COMMUNICATION, CONTINUOUS AND REAL-TIME RTF CONTACT WITH ANKARA ACC OR INCIRLIK ATC IS ESSENTIAL. CONTINUOUS MONITORING OF THE GUARD FREQ IS REQUIRED."

F) SFC
G) UNL

LTAAA1217/26 (31 MAR 26)

IT IS REPORTED BY PILOTS THAT GPS SIGNALS CAN NOT BE RECEIVED OCCASSIONALLY IN SOME PARTS OF TURKISH AIRSPACE. PILOTS WHO PLAN RNAV FLIGHT OR EXECUTE RNAV/RNP PROCEDURES WITHIN TURKISH AIRSPACE ARE ADVISED TO BE CAUTIOUS ABOUT GPS SIGNAL LOSSES. 31 MAR 26 07:30 UNTIL 30 JUN 26 07:30 ESTIMATED

*LTAAA1191/26 (31 MAR 26)

SEE NOTAM: A1189/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING FIRING EXERCISE AS FOLLOWS:
1. AWY UM860 NINVA-SRT SEGMENT CLSD.
2. AWY UM688 OTKEP-RATVO SEGMENT CLSD.
3. AWY UT332 OTKEP-KABAN SEGMENT CLSD.
4. AWY UT301 NARLI-LUMOM SEGMENT CLSD.
VERTICAL LIMITS: 31000FT AMSL-33000FT AMSL

*LTAAA1189/26 (31 MAR 26)

FIRING EXERCISE WILL TAKE PLACE WI:
371826N0424330E 372900N0423000E 374559N0423000E 373700N0443600E
372644N0443448E 371707N0444838E 371411N0444435E 371018N0444602E
371134N0443821E 370724N0443226E 365859N0441748E 370611N0441115E
371018N0441726E 371613N0441429E 372000N0440336E 371247N0435057E
371510N0433045E 372246N0430751E 371916N0425718E 372257N0424659E
371826N0424330E
RMK: AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.
AREA CLSD TO TFC BTN FL310-FL330.
F) 31000FT AMSL
G) 33000FT AMSL

*LTAAA1123/26 (25 MAR 26)

0500-1400 EXC SAT SUN
SUPERSONIC FLIGHT EXERCISE WILL TAKE PLACE WI ESKISEHIR MILITARY TMA
AREA: 393500N0310300E 393500N0314000E 392500N0314500E
391100N0310300E 393500N0310300E
F) 12000FT AMSL
G) 50000FT AMSL

*LTAAA1075/26 (18 MAR 26)

SEE NOTAM: A1065/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT FIRING) AS FOLLOWS

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 41/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

- 1.AWY T333 SRT-LESRI SEGMENT CLOSED.
- 2.AWY M860 EFFEZ-SRT SEGMENT CLOSED.
- 3.AWY T306 SRT-ABDIK SEGMENT CLOSED.

VERTICAL LIMITS: FL170-FL260

*LTAAA1076/26 (18 MAR 26)

SEE NOTAM: A1065/26
ATS ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT FIRING) AS FOLLOWS

- 1.AWY W197 SRT-ABDIK SEGMENT CLOSED.
- 2.AWY R21 KABAN-SRT SEGMENT CLOSED.

VERTICAL LIMITS: FL170-FL260

*LTAAA1072/26 (18 MAR 26)

KABAN FIR BDRY CLSD TO ALL TFC AT AND BELOW FL310

*LTAAA1071/26 (18 MAR 26)

"SEE NOTAM: A1068/26
RNAV ROUTE AND SEGMENTS AFFECTED DURING FIRING ACTIVITY AS FOLLOWS:
1. AWY M/UM860 NINVA-SRT SEGMENT CLOSED.
2. AWY M/UM688 OTKEP-RATVO SEGMENT CLOSED.
3. AWY T/UT332 OTKEP-KABAN SEGMENT CLOSED.
4. AWY UT301 INLAP-LUMOM SEGMENT CLOSED.
5. AWY T301 INLAP-YKV SEGMENT CLOSED.
VERTICAL LIMITS FOR ABOVE ROUTES: SFC-FL310
6. HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW) PLANNING TAKE
-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW, WHEN
DEEMED NECESSARY BY ATC
ROTA: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-
YKV VOR(373257N0441433E)
MAG TRACK: 137/317(VAN VOR-YKV VOR)
DISTANCE: BTN VAN VOR-RUPOM 48.1NM
BTN RUPOM-YKV VOR 22.0NM
FLIGHT LEVELS:BTN VAN VOR-RUPOM FL220
BTN RUPOM-YKV VOR MIN FL180"

*LTAAA1069/26 (18 MAR 26)

"SEE NOTAM: A1063/26
RNAV ROUTES AND SEGMENTS AFFECTED DURING EXERCISE FLIGHT (WITHOUT FIRING) AS FOLLOWS
1.AWY L/UL614 ULSAB-DERIL SEGMENT CLOSED.
2.AWY M/UM860 RENGİ-EFFEZ SEGMENT CLOSED.
3.AWY M/UM688 ULTED-RATVO SEGMENT CLOSED.
4.AWY UT253 RENGİ-OTKEP SEGMENT CLOSED.
5.AWY UT301 ULTED-YKV SEGMENT CLOSED.
6.AWY T/UT36 ULTED-ALRAM SEGMENT CLOSED.
7.AWY UT888 ALRAM-BAYIR SEGMENT CLOSED.
8.AWY UL718 ULSAB-ESOTA SEGMENT CLOSED.
9.AWY T/UT333 BEYAZ-ESOTA SEGMENT CLOSED.
10.AWY T/UT332 BEYAZ-EFFEZ SEGMENT CLOSED.
11.AWY T301 NARLI-YKV SEGMENT CLOSED.
12.AWY R/UR21 KABAN-SRT SEGMENT CLOSED.
13.AWY T/UT306 SRT-ABDIK SEGMENT CLOSED.
VERTICAL LIMITS FOR ABOVE RTS: FL240-FL310
14.HAKKARI YUKSEKOVA SELAHADDIN EYYUBI AIRPORT(LTCW), ACFT PLANNING
TAKE-OFF/LANDING SHALL USE THE ROUTE WITH DETAILS PROVIDED BELOW
WHEN DEEMED NECESSARY BY ATC
ROUTE: VAN VOR(382758N0431930E)-RUPOM(375016N0435725E)-
YKV VOR(373257N0441433E)
MAG TRACK: 137/317(VAN VOR-YKV VOR)
DISTANCE:
BTN VAN VOR-RUPOM 48.1NM
BTN RUPOM-YKV VOR 22.0NM
FLIGHT LEVELS:
BTN VAN VOR-RUPOM FL220
BTN RUPOM-YKV VOR MIN FL180"

*LTAAA1068/26 (18 MAR 26)

"FIRING EXERCISE WILL TAKE PLACE.
RMK: AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED.
AREA: 371830N0424330E 372900N0423000E 374600N0423000E
373700N0443600E 372652N0443448E 371708N0444846E 371412N0444435E
371018N0444604E 371142N0443823E 370725N0443227E 365859N0441749E
370611N0441117E 371018N0441726E 371613N0441429E 372001N0440344E
371247N0435057E 371512N0433045E 372247N0430752E 371916N0425718E
372258N0424706E 371830N0424330E

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 42/102

Trans ID: 5029997

Creation Time: 19.06.2026 03:31UTC

1ST NOTE: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV,LTCL, LTCW, LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM.

2ND NOTE: FOLLOW ALONG BORDER OF TURKISH-IRAQ, TURKISH-IRAN. IT IS STRICTLY ADVISED NOT TO MAKE AVOIDANCE MANEUVERES TOWARDS THIS AREA."

F) SFC

G) 31000FT AMSL

*LTAAA1063/26 (18 MAR 26)

"EXERCISE WILL TAKE PLACE (WITHOUT FIRING) (H24)

AIR TRAFFIC FLOW REGULATION NOTAM WILL BE ISSUED

AREA: 373700N0443600E 375000N0413000E 382000N0413000E

382034N0432322E 375755N0441520E 375312N0441322E 375121N0441754E

375038N0442316E 374513N0442817E 374603N0443342E 374218N0443637E

373923N0443329E 373700N0443600E

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV ,LTCL, LTCW , LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM. THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC UNIT IMMEDIATELY.

IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY WITHIN EXERCISE AREA BY MEANS OF CIVIL/MILITARY COORDINATION

TRAFFIC FLYING ON AWYS G/UG8, T/UT888 AND T/UT36 SHALL MAKE

AVOIDANCE MANEUVERS TO THE NORTH OF THE AWY IN ORDER TO AVOID FIRING EXERCISE AREAS."

F) 24000FT AMSL

G) 31000FT AMSL

*LTAAA1065/26 (18 MAR 26)

"EXERCISE WILL TAKE PLACE(WITHOUT FIRING) (H24) .

AIR TRAFFIC FLOW REGULATION NOTAM SHALL BE ISSUED.

AREA: 375000N0413000E 372200N0413000E 372200N0423000E

374600N0423000E 375000N0413000E

RMK: IFR TRAFFICS DEPARTING OR LANDING FROM LTCV, LTCL, LTCW, LTCI AIRPORTS AND IFR TRAFFICS LANDING THROUGH TO OR DEPARTING FROM BAGHDAD FIR ARE EXCLUDED. THESE TRAFFIC'S AREA USAGE REQUESTS SHALL BE DECIDED UPON THE COORDINATION BETWEEN ANKARA ACC AND BIKIM. THE PILOTS OF AIRCRAFT THAT ARE MAKING AVOIDANCE MANEUVERS OUTSIDE THE AIRWAY OR UNABLE COMPLY WITH THE FLIGHT LEVELS, SHALL INFORM ATC UNIT IMMEDIATELY. IN SUCH A CASE, FLIGHT WILL BE CONTINUED SAFELY WITHIN EXERCISE AREA BY MEANS OF CIVIL/MILITARY COORDINATION.

TRAFFIC FLYING ON AWYS R/UR21, M/UM860 AND UT334 SHALL MAKE AVOIDANCE MANEUVERS TO THE WEST OF THE AWY IN ORDER TO AVOID FIRING EXERCISE AREAS."

F) 17000FT AMSL

G) 26000FT AMSL

*LTAAA5879/25 (01 JAN 26)

"SEE NOTAM: A5860/25

RNAV ROUTE AND SEGMENTS AFFECTED BECAUSE OF THE AIR DEFENCE ZONE AND ALTERNATIVE ROUTES ARE GIVEN BELOW:

A)

AWY UL601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA-TUNLA.

AWY L601 CLOSED TO TRAFFIC BTN SEGMENTS KEMER-ADA

VERTICAL LIMITS:FL110-FL450

FLIGHTS SHALL BE PLANNED AS BELOW:

KEMER DCT ADKAR (364733N0351152E) OR

KEMER DCT ADKAR (364733N0351152E) DCT TUNLA OR

KEMER DCT ADKAR (364733N0351152E) T/UT470 MILBA OR

KEMER DCT ADKAR (364733N0351152E) DCT HTY. (MIN FL280)

DCT RAD ADKAR-MILBA SHALL NOT BE USED.

B)

CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS, SIDS, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ."

*LTAAA5862/25 (01 JAN 26)

"SEE NOTAM: A5860/25

ATS ROUTE AND SEGMENTS AFFECTED DURING THE AIR DEFENCE ZONE ARE GIVEN BELOW.

A)

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 43/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

AWY W/UW75 CLSD TO TFC BTN SEGMENTS KEMER-ADA.
AWY W/UW74 CLSD TO TFC BTN SEGMENTS MANAZ-ADA-MILBA.
AWY W/UW84 CLSD TO TFC BTN SEGMENTS YAPZU-ADA.
AWY W/UW717 CLSD TO TFC.
VERTICAL LIMITS: FL110-FL450

FLIGHTS SHALL BE PLANNED AS BELOW:

AWY W/UW75
KEMER DCT ADKAR (364733N-0351152E) OR
KEMER DCT ADKAR (364733N-0351152E) DCT TUNLA OR
KEMER DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
KEMER DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

AWY W/UW74
MANAZ DCT ADKAR (364733N-0351152E) OR
MANAZ DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT TUNLA OR
MANAZ DCT ADKAR (364733N-0351152E) DCT KEMER OR
MANAZ DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

AWY W/UW84
YAPZU DCT ADKAR (364733N-0351152E) OR
YAPZU DCT ADKAR (364733N-0351152E) T/UT470 MILBA OR
YAPZU DCT ADKAR (364733N-0351152E) DCT KEMER OR
YAPZU DCT ADKAR (364733N-0351152E) DCT HTY
(MIN FL280)

B)
CIVIL TRAFFICS OPERATING TO/FROM LTAF, LTDB AND LTDA AIRPORTS ARE
EXEMPTED FROM THESE REGULATIONS AND SHOULD CONTINUE TO USE AWYS,
SIDES, STARS AND INSTRUMENT APPROACH PROCEDURES PUBLISHED AT TURKISH
AIP. INCIRLIK RAPCON WILL PROVIDE AIR TRAFFIC CONTROL SERVICES TO
CIVIL TRAFFIC WITHIN ADANA MIL TMA AND VECTOR AROUND ADZ.)"

*LTAAA5860/25 (01 JAN 26)

AIR DEFENCE ZONE ESTABLISHED WITH THE FOLLOWING COORDINATES:
AREA: 365846N0352254E 370023N0352409E 370015N0353134E
365745N0353101E 365527N0352837E 365424N0352528E 365358N0352133E
365846N0352254E
NOTE: AIR TRAFFIC FLOW REGULATIONS AND ALTERNATIVE ROUTES NOTAMS
SHALL BE ISSUED.
F) FL110
G) FL450

LTAAA1342/08 (08 SEP 25)

"WARNING
WITH REFERANS TO THE NOTE IN REMARKS COLUMN OF TURKISH AIP PAGES
ENR 3.1-5,ENR 3.1-25,ENR 3.2-5,ENR 3.2-25,ENR 3.3-16 AND ENR 3.4-16
THE SEGMENT OF ATS ROUTES A/UA 28 BTN MUT-DOREN,AND THE SEGMENT OF
ATS ROUTES N/UN131 AND W/UW83 BTN AYT VOR-DOREN WILL ONLY BE
AUTHORIZED FOR TRAFFIC TO OR FROM ERCAN AIRPORT (LCEN).
ALL OPERATORS SHALL FILE FLIGHT PLANS IN ACORDANCE WITH THESE
REGULATIONS."

LTAAA5712/22 (17 OCT 23)

"AMEND TO READ AWY B/UB545 MUT VOR COORDINATE AS 365146N0331730E
INSTEAD OF 373906N0321213E
REF AIP ENR 3.1.10 , ENR 3.2.10"

ARM / ARMENIA
N I L

UDDD / YEREVAN FIR
N I L

AZE / AZERBAIJAN
N I L

UBBA / BAKU FIR

// (COM-INFO) //

THA 00249/25 (05 APR 26)

COM INFO:--Dispatch Note:
Portion ADEKI-RASAM is not avilable for eastbound traffic.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 44/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

*UBBUA0093/26 (02 APR 26)

TEMPORARY RESTRICTION FOR FLIGHT OPERATIONS BETWEEN THE
AERODROMES OF THE REPUBLIC OF AZERBAIJAN AND THE FOLLOWING
AERODROMES OF THE RUSSIAN FEDERATION ARE APPLIED UNTIL FURTHER
NOTICE:
ASTRAKHAN - URWA
GROZNY - URMG
KAZAN - UWKD
MAKHACHKALA - URML
MINERALNYYE VODY - URMM
NIZHNY NOVGOROD - UWGG
SAMARA - UWWW
SARATOV - UWSG
SOCHI - URSS
UFA - UWUU
VLADIKAVKAZ - URMO
VOLGOGRAD - URWW
ANY FLIGHT REQUESTS WILL BE CONSIDERED AFTER AGREED FLIGHT ROUTES ON
AN EXCEPTIONAL BASIS.
RESTRICTION NOT APPLICABLE TO EMERGENCY LANDING.
30 MAR 26 12:00 UNTIL 30 JUN 26 23:59 ESTIMATED

TKM / TURKMENISTAN

N I L

UTAK / TURKMENBASHI FIR

UUUUU00233/26 (17 JUN 26)

UTAK TAR U/S.

*UUUUU00222/26 (31 MAY 26)

JUN 01-05 08-12 15-19 22-26 29-30 0300-1700
ATS RTE V305 SEGMENT KESEK-BALKANABAT 'LA' CLSD
BTN SFC AND FL150.

*UUUUU00220/26 (31 MAY 26)

01-05 08-12 15-19 22-26 29-30 0300-1700
"ATS RTE SEGMENTS CLSD:
G667 NESIR-SAVUZ-NESIR,
R373 TIMGA-TABUN-TIMGA,
B711 OGLID-NESIR-OGLID.
FROM SFC TO FL120"

*UUUUU00217/26 (31 MAY 26)

JUN 01-05 08-12 15-19 22-26 29-30 0300-1700
"ATS RTE SEGMENTS CLSD BTN SFC AND FL270 :
P130 ARBAT-DOGAM-ARBAT,
B449 SAHET-ETRAP-SAHET."

UTAA / ASHGABAT FIR

UUUUU00216/26 (31 MAY 26)

JUN 01-05 08-12 15-19 22-26 29-30 0300-1700
ATS RTE P130 SEGMENT MAMED-ARBAT-MAMED CLSD
BTN SFC AND FL070.

*UUUUU00207/26 (31 MAY 26)

01-05 08-12 15-19 22-26 29-30 0300-1700
ATS RTE B449 CLSD WI SEGMENT KEMOR-ZAMIR
BTN SFC AND FL170.

UTAV / TURKMENABAT FIR

*UUUUU00208/26 (31 MAY 26)

01-05 08-12 15-19 22-26 29-30 0200-1700
"ATS RTE SEGMENTS CLSD:
B361 RAPTA-RARUN-RAPTA,
A125 RARUN-ABNEP-RARUN.
FROM SFC TO FL170"

UUUUU00213/26 (31 MAY 26)

JUN 01-05 08-12 15-19 22-26 29-30 0300-1700
"ATS RTE SEGMENTS CLSD BTN SFC AND FL070 :

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 45/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

A909 NINOP-LEMOD-NINOP,
B801 NINOP-RANAH-NINOP."

UUUUU0211/26 (31 MAY 26)

JUN 01-05 08-12 15-19 22-26 29-30 0330-1700
"ATS RTE CLSD WI SEGMENTS AS FLW :
A847 TURKMENABAT LBA-OLCHE-TURKMENABAT LBA,
B362 TURKMENABAT LBA-NURSA-TURKMENABAT LBA,
A230 DERKI-DUTAR-DERKI,
A118 TURKMENABAT LBA-VATIN-TURKMENABAT LBA,
A117 TURKMENABAT LBA-DUTAR-TURKMENABAT LBA.
FROM SFC - UP TO FL100."

// (COM-INFO) //

THA 00182/13 (21 MAR 25)

COM INFO:--ACFT crews entering Turkmenistan airspace from airspace of Afganistan and Iran shall establish communication with Turkmenistan ATC units at 81-108NM before crossing FIR boundary.

ACFT crews entering Turkmenistan airspace from airspace of Azerbaijan, Kazakhstan and Uzbekistan do not need to establish communication with Turkmenistan ATC units before crossing FIR boundary unless otherwise instructed by ATC units.

ACFT flying from Kabul FIR to Turkmenabat FIR (A909 LEMOD, L750 RANAH) must establish contact with Turkmenabat Control on 134.500MHz (backup 128.500MHz) within 10min to the entrance to Turkmenabat FIR.

ACFT flying from Turkmenabat FIR to Kabul FIR, ATS service will be provided to the border of Turkmenabat FIR with a 15min interval along one route and at one echelon.
(ISSUED 16JAN25/REF CRAR Turkmenistan/C-20/UFN)

MID / MIDDLE EAST

N I L

AFG / AFGHANISTAN

N I L

OAKX / KABUL FIR

// (COM-INFO) //

THA 00180/13 (17 JUN 26)

COM INFO--According to active NOTAMs below routes are not available:
A. LAJAK-L509-TAPIS-P173-DAVET (vice versa)
B. SITAX-M875-AMDAR (vice versa) (OW-INFO/UFN)

** G0168/26 **

OAKBG0168/26 (17 JUN 26)

FLIGHTS SHALL NOT CHANGE THEIR CRUISING FLIGHT LEVEL
OR CRUISING IAS/MACH NUMBER WITHIN THE KABUL FIR EXCEPT
IN CASE OF TRAFFIC AVOIDANCE OR EMERGENCY.
23 APR 26 05:00 UNTIL 20 JUL 26 23:59 ESTIMATED

** G0219/26 **

*OAKBG0219/26 (17 JUN 26)

ALL AIRCRAFT OPERATING INTO THE KABUL FIR SHALL FOLLOW BELOW HIGH
AND LOW SECTORS FLT LEVELS.
HIGH SECTOR:
AWY A453 CLOSED
AWY Z627 CLOSED
FIRUZ-P500-MOTMO (FL300-FL510)
AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
LEMOD-N644-DOBAT (FL320-FL510)
RANAH-L750-BIROs (FL320-FL510)
ASLUM-P628-PAMTU (FL320-FL510)
SOKAM-UL333-SERKA (FL320-FL510)
LOW SECTOR:
GADER-A453-TAPIS (FL170-FL290)
PAROD-G202-RIMPA (FL160-FL290)
GADER-G206 -TAPIS (FL180-FL290)
PAROD-M375-KHOLM (FL190-FL290)
SAKUX-V338-TAPIS (FL190-FL290)
PAROD-V390-SERKA (FL190-FL290)
SAKUX-V717-OLDEX (FL160-FL290)
RARNU-Z627-BUDBO (FL260-FL290).
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 46/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

**** G0220/26 ****

***OAKBG0220/26 (17 JUN 26)**

ALL OVERFLIGHTS SHALL USE THE FOLLOWING LATERALLY DE-CONFLICTED HIGH ROUTES (HIGH SECTOR) STARTING AT FL320-FL510 EXCEPT ON M875/L509 ROUTES SHALL USE FL300-FL510 AND P500 SHALL USE FL300-FL510 TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ 125.2MHZ FOR THE TEMPORARY PURPOSE ONLY.

1. FIRUZ-P500-MOTMO (FL300-FL510)
 2. AMDAR-M875-TAPIS-L509-LAJAK (FL300-FL510)
 3. LEMOD-N644-DOBAT (FL320-FL510)
 4. RANAH-L750-BIROS (FL320-FL510)
 5. PAMTU-P628-ASLUM (FL320-FL510)
 6. SOKAM-UL333-SERKA (FL320-FL510).
- 12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

**** G0198/26****

OAKBG0198/26 (17 JUN 26)

ATS NOT AVAILABLE IN THE KABUL FIR.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

OAKBG0221/26 (17 JUN 26)

NAVIGATION AND ANTI-COLLISION LIGHTS SHALL BE DISPLAYED AT ALL TIMES.
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0222/26 (17 JUN 26)

"1: ALL AIRCRAFT FLYING ON M875 AMDAR-TAPIS L509-LAJAK SHALL BE OFFSET 8NM TO THE RIGHT OF CENTER LINE AT DOSHI, AFTER PASSING POSITION GIDOG RESUMED CENTRELINE, DUE TO ACTIVE PROHIBITED AREA (OAP)201.
2: ALL AIRCRAFT FLYING ON L509 LAJAK- TAPIS- M875 AMDAR SHALL BE OFFSET 8NM TO THE LEFT OF CENTERLINE AT POSITION GIDOG UNTIL DOSHI, AFTER PASSING DOSHI RESUMED CENTRELINE, DUE TO ACTIVE PROHIBITED AREA (OAP)201."
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0223/26 (17 JUN 26)

AFGHANISTAN FIR IS UNCONTROLLED CLASS G AIRSPACE.
ALL INTERNATIONAL AND DOMESTIC AIRLINES ARE REQUESTED TO FILL FLIGHT PERMISSIONS FORM AT LEAST 72 HOURS PRIOR FLIGHT AND SHALL EMAIL TO FLIGHTPERMISSIONS.ACAA(A)GMAIL.COM FOR PROCESSING PERMISSIONS.
12 JUN 26 05:25 UNTIL 08 SEP 26 23:59 ESTIMATED

OAKBG0216/26 (17 JUN 26)

"IN THE EVENT OF EMERGENCY DESCENT, THE PROCEDURES IN ICAO DOC 4444 PANS-ATM SECTION 15.1.4.2 APPLY EXCEPT THAT IN LIEU OF ADVISING ATS OF THE EMERGENCY DESCENT THE PILOT SHALL BROADCAST ON THE RELEVANT TIBA FREQUENCY. FLIGHTS OPERATING IN THE KABUL FIR SHALL COMPLY WITH TIBA PROCEDURES DEFINED IN ICAO ANNEX-11 ATTACHMENT B AND DESCRIBED USING THE FOLLOWING FREQUENCIES.
ALL OVERFLIGHTS SHALL COMPLY WITH TIBA PROCEDURE FOR BROADCAST INTENTIONS ON FREQ 125.2MHZ 10 MINS PRIOR ENTERING TO FIR. ARRIVAL AND DEPARTURE OPERATIONS AS FOLLOWS:
1. KABUL OAKB - 120.6MHZ
2. MAZAR-E-SHARIF OAMS - 135.35MHZ
3. KANDAHAR OAKN - 125.5MHZ
4. HERAT OAGR - 123.35MHZ
IN ADDITION TO THE ABOVE-MENTIONED TIBA BROADCASTS PILOTS SHALL BROADCAST THEIR INTENTIONS INCLUDING RUNWAY, DEPARTURE TRACK AND INTEND CRUISING LEVEL ON THE RELEVANT TIBA FREQUENCIES NOT LESS THAN 10 MINUTES BEFORE TAKEOFF."
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0217/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR TERRAIN CLEARANCE.
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

OAKBG0218/26 (17 JUN 26)

PILOTS ARE RESPONSIBLE AT ALL TIMES FOR SEPARATION FROM OTHER TRAFFIC SSR TRANSPONDERS SHALL BE OPERATED AT ALL TIMES. FLIGHTS ENTERING THE KABUL FIR SHALL CONTINUE TO SQUAWK THE LAST ASSIGNED SSR CODE FLIGHTS DEPARTING AERODROMES WITH THE KABUL FIR SHALL SQUAWK CODE A2000 (UNTIL ASSIGNED) A NEW CODE BY THE FIRST RELEVANT ATS UNIT.
10 JUN 26 06:00 UNTIL 05 SEP 26 23:59 ESTIMATED

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 47/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

OAKBG0215/26 (17 JUN 26)

NON-RVSM OPERATIONS ARE NOT PERMITTED.
06 JUN 26 10:00 UNTIL 02 SEP 26 23:59 ESTIMATED

OAKBG0199/26 (17 JUN 26)

FLIGHTS MAY BE SUBJECT TO DELAYING ACTION PRIOR TO
ENTERING THE KABUL FIR TO ENSURE 15 MINUTES LONGITUDINAL
SPACING FROM PRECEDING TRAFFIC AT THE SAME LEVEL.
25 MAY 26 07:00 UNTIL 20 AUG 26 23:59 ESTIMATED

OAKBG0197/26 (17 JUN 26)

"FLIGHTS DEPARTING THE KABUL FIR SHALL CONTACT THE RELEVANT
ACC IN THE NEXT FIR ENTERED NOT LESS THAN 15 MINUTES BEFORE THE
FIR BOUNDARY POINT, ON IN ACCORDANCE WITH ANY OTHER REQUIREMENT
SPECIFIED BY THE RELEVANT AUTHORITY FOR THE FIR."
23 MAY 26 05:45 UNTIL 18 AUG 26 23:59 ESTIMATED

OAKBG0193/26 (17 JUN 26)

ALL CLIMB AND DESCENT SHOULD BE CARRIED OUT 5NM TO THE RIGHT OF
TRACK EXCEPT FOR ARRIVING AND DEPARTING TRAFFIC WHILE OPERATING MSA
SHOULD FOLLOW THE PUBLISHED INSTRUMENT FLIGHT PROCEDURE.
22 MAY 26 16:31 UNTIL 17 AUG 26 23:59 ESTIMATED

OAKBG0188/26 (17 JUN 26)

TRIGGER NOTAM - PERM- AIP AIRAC AMDT 002/26
EFF 11 JUN 2026 PUBLISHED ON ACAA ALTERNATE
WEBPAGE [HTTPS://WWW.AFGAIS.COM/](https://www.afgaais.com/).

OAKBG0185/26 (05 MAY 26)

"P173 ROUTE IS CLOSED, DUE TO CONGESTION WITH LOW AIRWAYS."
04 MAY 26 07:41 UNTIL 31 JUL 26 23:59 ESTIMATED

*OAKBG0171/26 (05 MAY 26)

ALL FLIGHTS ARRIVING OR DEPARTING FROM AERODROMES IN KABUL FIR
SHALL FILL FLIGHT PLAN AND OPERATE AT CRUISING LEVEL AT OR BELOW
FL290. TRANSMISSION SHALL TAKE PLACE EVERY 5 MINUTES ON TIBA FREQ
125.2 MHZ FOR THE TEMPORARY PURPOSE ONLY.
25 APR 26 04:20 UNTIL 21 JUL 26 23:59 ESTIMATED

OAKBG0169/26 (05 MAY 26)

PILOTS IN COMMAND AND/OR AIRCRAFT OPERATORS ARE
SOLELY RESPONSIBLE FOR SAFETY AND SECURITY ASSESSMENT
FOR ANY PLANNED OPERATIONS IN THE KABUL FIR.
23 APR 26 05:00 UNTIL 20 JUL 26 23:59 ESTIMATED

OAKBG0170/26 (05 MAY 26)

"VFR ACFT WILL FLY IN ACCORDANCE WITH VFR PORTION OF THE
TABLE OF CRUISING LEVELS IN APPENDIX-3 OF ICAO ANNEX-2
(ALSO REFERRED TO AS SEMI-CIRCULAR CRUISING LEVELS 0-179
DEGREES ODD FLIGHT LEVELS, 180-359 DEGREES EVEN FLIGHT LEVELS."
23 APR 26 05:00 UNTIL 20 JUL 26 23:59 ESTIMATED

PAK / PAKISTAN
N I L

OPLR / LAHORE FIR

// (COM-INFO) //

THA 00124/12 (17 JUN 26)

COM INFO--AWY RESTRICTION AS FOLLOWS:

1) M875 SEGMENT (SITAX-SAJAN-DI-LEBIB-JHANG-NITIV-GUGAL V.V.)
AVAILABLE ONLY BETWEEN 1500-2359 UTC (FL290-FL410),
RMK/FL280 AVAILABLE BETWEEN 2000-2400 UTC.
1.1) AWY A466 (SULOM-SITAX V.V.) AVBL 24HRS
1.2) AWY N644 (DI-DOBAT V.V.) AVBL 24HRS,

2) L509 SEGMENT (SULOM-INDEX-NONIB-HANGU-LAJAK V.V.) AVAILABLE:
BETWEEN 1500-2359 UTC (FL300-410)
BETWEEN 1900-2359 UTC (FL280-410)
2.1) T400 (SULOM-PS V.V.) AVBL 24HRS
2.2) P500 (DI-MOTMO V.V.) AVBL 24HRS
(REF AIP PAKISTAN PAGE ENR 3.2/OW-INFO)

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 48/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

// (COM-INFO) //

THA 00049/26 (17 JUN 26)

COM INFO:--REF AIP SUP S09/26;

GPS (GNSS) RADIO FREQUENCY SIGNAL INTERFERENCE

1. From 1st January 2026 to 31st December, 2026.

2. OPR / OPLR.

3. Occasionally GPS signal interferences have been reported 100NM around AIIAP Lahore (OPLA), IIAIP Islamabad (OPIS), JIAP Karachi (OPKC), and also in some other parts of Karachi and Lahore FIRs. All pilots promptly report to ATC of such interference with appropriate details. During frequency interference, take necessary measures for safe and efficient continuation of flight navigation and in case of navigational difficulty, notify ATC for assistance.

--REF AIP SUP S01/26;

NON AVAILABILITY OF AIR TRAFFIC SERVICES IN KABUL FIR

1. From 1st January, 2026 to 30th June, 2026.

2. OPR / OPLR.

3. GND / UNL.

4. During non-availability of Air Traffic Services (ATS) in Kabul FIR, all traffic entering Karachi and Lahore FIR shall contact Karachi, Lahore and Islamabad ACC 15 minutes prior as per following details:

i. N636 SERKA KARACHI ACC WEST PRI/128.350 MHz SEC/121.650 MHz

ii. P628 ASLUM LAHORE ACC WEST PRI/124.100 MHz SEC/118.950 MHz

iii. L750 BIROS LAHORE ACC WEST PRI/124.100 MHz SEC/118.950 MHz

iv. N644 DOBAT LAHORE ACC WEST PRI/124.100 MHz SEC/118.950 MHz

v. L509 LAJAK ISLAMABAD ACC PRI/120.750 MHz SEC/125.750 MHz

vi. P500 MOTMO ISLAMABAD ACC PRI/120.750 MHz SEC/125.750 MHz

5. Flights entering / exiting via MOTMO (P500) will be accepted and / or handed over directly between Islamabad ACC and Dushanbe ACC.

6. Any flight intends to transit from Karachi or Lahore FIR to Kabul FIR at their own risk (except for ATS route P500 via MOTMO) will be provided ATS till transfer of control points. Fifteen (15) minutes separation will be applicable at same level (as per Kabul ATM contingency plan).

7. For availability of flight levels and TIBA procedures in Kabul FIR, see latest NOTAMs issued by Kabul NOF in this regard.

OPKCA0357/26 (17 JUN 26)

PAKISTAN AIRSPACE NOT AVBL FOR INDIAN REGISTERED
ACFT AND ACFT OPERATED/OWNED OR LEASED BY INDIAN
AIRLINES/OPERATORS INCLUDING MILITARY FLIGHTS.

F) GND

G) UNL

16 JUN 26 12:50 UNTIL 23 JUL 26 23:59 ESTIMATED

OPKCA0326/26 (10 JUN 26)

LAKPASS MSSR NOT AVBL WI 250NM AROUND LAKPASS
DUE OPR REASON. DRG THE PERIOD ADS-B DATA OF
LAKPASS AND MSSR/ADS-B DATA OF OTHER STATIONS
WILL REMAIN AVBL AT LAHORE AND KARACHI ACC
08 JUN 26 12:09 UNTIL 22 JUN 26 23:59 ESTIMATED

ASP / ASIA/PACIFIC

N I L

IND / INDIA

N I L

VIDF / DELHI FIR

*VIDPA1320/26 (18 JUN 26)

VID 129 ACT. NO ACFT PERMITTED TO OVERFLY WI VID 129

F) GND

G) 20000FT AMSL

VIDPA1318/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59

AIRSPACE USE PLAN (AUP)

TSA/TRA /AMC-MANAGEABLE AIRSPACE ACT AS FLW :

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1 TRA503(A) ?PUNE? 0130 1200 FL325 FL460

2 TRA503(A) ?PUNE? 1330 1730 FL325 FL460

3 TRA503(B) ?PUNE? 0130 1200 FL325 FL460

4 TRA503(B) ?PUNE? 1330 1730 FL325 FL460

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 49/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

5 TRA506(A) ?JAMNAGAR? 0330 0830 FL325 FL360
6 TRA506(B) ?JAMNAGAR? 0330 0830 FL325 FL360
7 TRA509A 0000 2359 SFC FL270
8 TRA509B 0230 0730 FL270 UNL
9 TRA509B 1000 1100 FL270 UNL
10 TRA509B 1430 1630 FL270 UNL
11 TRA509C 0230 0730 FL270 UNL
12 TRA509C 1000 1100 FL270 UNL
13 TRA509C 1430 1630 FL270 UNL
14 TSA701 (A) ?ADAMPUR? 0000 2359 FL145 FL280
15 TSA701 (B) ?ADAMPUR? 0000 2359 GND FL280
16 TRA702 (A) ?SRINAGAR? 0300 1130 FL170 FL310
17 TRA702 (A) ?SRINAGAR? 1400 1830 FL170 FL310
18 TRA702 (A) ?SRINAGAR? 2100 2359 FL170 FL310
19 TRA702 (B) ?SRINAGAR? 0300 1130 GND FL310
20 TRA702 (B) ?SRINAGAR? 1400 1830 GND FL310
21 TRA702 (B) ?SRINAGAR? 2100 2359 GND FL310
22 TRA706(A) ?GWALIOR? 0330 0630 FL325 FL460
23 TRA706(B) ?GWALIOR? 0330 0630 FL325 FL460
24 TRA706(C) ?GWALIOR? 0330 0630 FL325 FL460
25 TRA709(C) ?JODHPUR? 0130 1200 FL325 FL380
26 TRA709(C) ?JODHPUR? 1300 1829 FL325 FL380
27 TRA711(A) ?AGRA? 0330 0630 FL325 FL460
28 TRA711(B) ?AGRA? 0330 0630 FL325 FL460
29 TRA 712(C) ?SIRSA? 0430 0730 FL325 FL500
30 TRA718(A) ?BAKSHI-KA-TALAB? 0731 1229 FL325 FL370
31 TRA718(B) ?BAKSHI-KA-TALAB? 0731 1229 FL325 FL370
32 TSA722 ?GRASS BIR -13? 0130 1130 GND FL270
CDR(CDR2) AVBL AS FLW :
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 0129 FL080 FL410
2 J1 0130 0329 FL290 FL410
3 J1 0631 1130 FL290 FL410
4 J1 1131 1830 FL080 FL410
5 J2 0000 0129 FL110 FL410
6 J2 1201 1329 FL110 FL410
7 J2 1731 2359 FL110 FL410
8 J3 1330 2359 FL100 FL250
9 J5 0000 0129 FL260 FL410
10 J5 1201 1329 FL260 FL410
11 J5 1731 2359 FL260 FL410
12 J6 0100 1600 FL140 FL410
13 J19 0231 0400 FL210 FL410
14 J20 0000 0129 FL110 FL410
15 J20 0130 0329 FL290 FL410
16 J20 0631 1130 FL290 FL410
17 J20 1131 2359 FL110 FL410
18 J21 0000 0059 FL140 FL410
19 J21 0100 1257 FL320 FL410
20 J21 1258 1456 FL140 FL410
21 J21 1457 1830 FL320 FL410
22 J21 1831 2359 FL140 FL410
23 J22 0000 2030 FL290 FL410
24 J24 0000 2359 FL345 FL460
25 J29 0000 0129 FL150 FL250
26 J29 1201 1329 FL150 FL250
27 J29 1731 2359 FL150 FL250
28 J36 1330 2359 FL110 FL245
29 J38 0100 0129 FL170 FL410
30 J38 0130 0329 FL290 FL410
31 J38 0631 1130 FL290 FL410
32 J38 1131 1300 FL170 FL410
33 J39 0000 0129 FL170 FL460
34 J39 0130 0329 FL290 FL460
35 J39 0631 1130 FL290 FL460
36 J39 1131 2359 FL170 FL460
37 J40 0000 0129 FL330 FL410
38 J40 1201 1329 FL330 FL410
39 J40 1731 2359 FL330 FL410
40 J41 0100 0129 FL330 FL410
41 J41 1201 1329 FL330 FL410
42 J42 1330 2359 FL110 FL245
43 J43 0000 0129 FL170 FL410
44 J43 0130 0329 FL290 FL410
45 J43 0631 1130 FL290 FL410
46 J43 1131 1700 FL170 FL410
47 J47 0100 0129 FL170 FL410
48 J47 0130 0329 FL290 FL410
49 J47 0631 1130 FL290 FL410
50 J47 1131 1300 FL170 FL410
51 J48 0631 0930 FL290 FL410

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 50/102

Trans ID: 5029997

Creation Time: 19.06.2026 03:31UTC

52 J50 0000 0129 FL110 FL460
53 J50 0130 1200 FL400 FL460
54 J50 1201 1259 FL110 FL460
55 J50 1300 1829 FL400 FL460
56 J50 1830 2359 FL110 FL460
57 J51 0000 0129 FL170 FL460
58 J51 0130 1200 FL400 FL460
59 J51 1201 1259 FL330 FL460
60 J51 1300 1829 FL400 FL460
61 J51 1830 2359 FL170 FL460
62 J52 0000 0129 FL110 FL460
63 J52 0130 0329 FL290 FL460
64 J52 0631 1130 FL290 FL460
65 J52 1131 2359 FL110 FL460
66 J53 0100 0229 FL080 FL250
67 J55 0000 0229 FL090 FL250
68 J55 1301 1359 FL090 FL250
69 J55 1731 2359 FL090 FL250
70 J56 0000 2359 FL080 FL250
71 J58 0100 1256 FL330 FL410
72 J58 1257 1300 FL110 FL410
73 J59 0200 1530 FL110 FL410
74 J60 0100 0129 FL170 FL460
75 J60 0130 0329 FL290 FL460
76 J60 0631 1130 FL290 FL460
77 J60 1131 1440 FL170 FL460
78 J61 0000 0229 FL110 FL460
79 J61 0230 0329 FL330 FL460
80 J61 0330 0830 FL380 FL460
81 J61 0831 1300 FL330 FL460
82 J61 1301 1359 FL110 FL460
83 J61 1400 1730 FL330 FL460
84 J61 1731 2359 FL110 FL460
85 J62 0000 0129 FL110 FL460
86 J62 0130 1200 FL400 FL460
87 J62 1201 1259 FL110 FL460
88 J62 1300 1829 FL400 FL460
89 J62 1830 2359 FL110 FL460
90 J64 1230 1329 FL150 FL410
91 J65 0000 0129 FL230 FL410
92 J65 1201 1329 FL230 FL410
93 J65 1731 2359 FL230 FL410
94 J67 0000 0030 FL110 FL255
95 J67 1330 2359 FL110 FL255
96 J68 0231 0400 FL110 FL410
97 J69 0231 0400 FL110 FL410
98 J70 0231 0400 FL110 FL410
99 J71 0200 0329 FL330 FL460
100 J71 0330 0730 FL400 FL460
101 J71 0731 1229 FL390 FL460
102 J71 1230 1256 FL330 FL460
103 J71 1257 1511 FL220 FL460
104 J71 1512 1730 FL330 FL460
105 J71 1731 1930 FL250 FL460
106 J71 1931 2000 FL110 FL460
107 J72 0100 1600 FL330 FL410
108 J73 0100 0329 FL330 FL410
109 J73 0631 1300 FL330 FL410
110 J74 0100 1600 FL330 FL410
111 J81 0100 1600 FL330 FL400
112 J82 0000 2359 FL330 FL400
113 J83 0200 1900 FL110 FL400
114 J84 0000 0229 FL110 FL250
115 J84 1301 1359 FL110 FL250
116 J84 1731 2359 FL110 FL250
117 J85 0000 0229 FL110 FL250
118 J85 1301 1359 FL110 FL250
119 J85 1731 2359 FL110 FL250
120 J86 0000 0229 FL110 FL290
121 J86 1301 1359 FL110 FL290
122 J86 1731 2359 FL110 FL290
123 J87 0100 0229 FL110 FL290
124 J88 0100 0229 FL110 FL290
125 J89 0000 0030 FL110 FL245
126 J89 1230 2359 FL110 FL245
127 J93 0000 0030 FL150 FL460
128 J93 1230 1329 FL150 FL460
129 J93 1731 2359 FL150 FL460
130 J94 0030 0229 FL110 FL250
131 J94 1301 1359 FL110 FL250
132 J98 0000 0030 FL160 FL280

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 51/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

133 J98 1257 1511 FL220 FL280
134 J98 1731 1930 FL250 FL280
135 J98 1931 2359 FL160 FL280
136 J100 0000 0229 FL080 FL280
137 J100 1301 1359 FL080 FL280
138 J100 1731 2359 FL080 FL280
139 J101 0100 0229 FL080 FL280
140 J102 0100 0229 FL080 FL280
141 J103 0000 0229 FL080 FL280
142 J103 1301 1359 FL080 FL280
143 J103 1731 2359 FL080 FL280
144 J104 0000 0129 FL110 FL380
145 J104 1201 1329 FL110 FL380
146 J104 1731 2359 FL110 FL380
147 J107 1330 2359 FL110 FL255
148 J110 0000 2359 FL345 FL400
149 J115 0100 0129 FL080 FL250
150 J115 1201 1329 FL080 FL250
151 J115 1731 2359 FL080 FL250
152 J116 0000 0129 FL080 FL250
153 J116 1201 1329 FL080 FL250
154 J116 1731 2359 FL080 FL250
155 J119 0000 0030 FL110 FL460
156 J119 0031 1256 FL330 FL460
157 J119 1257 1511 FL110 FL460
158 J119 1512 1730 FL330 FL460
159 L639 0000 2359 FL290 FL460
160 Z1 0000 0429 FL330 FL460
161 Z1 0731 2359 FL330 FL460
162 Z2 0000 0329 FL330 FL460
163 Z2 0330 0730 FL400 FL460
164 Z2 0731 1229 FL390 FL460
165 Z2 1230 2359 FL330 FL460
166 Z3 0231 0400 FL210 FL410
167 Z4 0231 0400 FL210 FL410
168 Z5 0000 0129 FL290 FL410
169 Z5 1201 1329 FL290 FL410
170 Z5 1731 2359 FL290 FL410
171 Z6 0000 0429 FL330 FL460
172 Z6 0731 2359 FL330 FL460
173 Z7 0000 0429 FL290 FL460
174 Z7 0731 2359 FL290 FL460
175 Z8 0000 0129 FL330 FL460
176 Z8 0130 1200 FL400 FL460
177 Z8 1201 1259 FL330 FL460
178 Z8 1300 1829 FL400 FL460
179 Z8 1830 2359 FL290 FL460
180 Z9 0200 1200 FL400 FL410
181 Z9 1201 1259 FL330 FL410
182 Z9 1300 1730 FL400 FL410
183 Z10 0000 2359 FL330 FL460
184 Z11 0231 0400 FL210 FL410
185 Z13 0000 0229 FL110 FL410
186 Z13 0230 0329 FL220 FL410
187 Z13 0330 0730 FL400 FL410
188 Z13 0731 1630 FL220 FL410
189 Z13 1631 2359 FL110 FL410
190 Z14 0000 2359 FL330 FL460
191 Z15 0000 0129 FL290 FL410
192 Z15 0130 1200 FL400 FL410
193 Z15 1201 1259 FL290 FL410
194 Z15 1300 1630 FL400 FL410
195 Z16 0000 0129 FL160 FL400
196 Z16 0130 0329 FL290 FL400
197 Z16 0631 1130 FL290 FL400
198 Z16 1131 2359 FL160 FL400

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT
AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAM FOR
AIRSPACE CLOSURES.

F) SFC
G) UNL

VIDPA1220/26 (05 JUN 26)

"DAILY 0430-0930, 1230-1530"
ARMY DRONE OPS PLANNED WITHIN 3NM RADIUS AROUND COORD
303140N0793410E(AULI) .
F) GND
G) 05000FT AGL

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 52/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

// (COM-INFO) //

THA 00123/12 (29 MAY 26)

COM INFO---ATS ROUTE RESTRICTIONS AS FOLLOWS:

-P646 (RNP10) DOPID-JJS AVAILABLE BETWEEN 1630-2330 UTC, (FL280/FL460),
-M875 (RNP10) KAKID-GUGAL AVAILABLE BETWEEN 1630-2230 UTC, (FL280/FL460),
-L509 (RNP10) GGC-SULOM AVAILABLE BETWEEN 1630-2230 UTC, (FL320/FL460),
-M770 (RNP10) BUBKO-JJS AVAILABLE ONLY BETWEEN 1630-2330 UTC.
-L333 (RNP10) KKJ-MERUN AVAILABLE BETWEEN 1630-0030 UTC, (FL300/FL460)
-B209 (CDR1) REALIGNED JJS-KKJ (H24-FL75/FL460)
RMK/ROUTE SEGMENT JJS-KKJ IS NOT AVAILABLE FOR AIRCRAFT INTENDING TO USE
L759 AFTER KKJ AND OVER-FLYING DELHI VOR (DPN)
-J1 ESTABLISHMENT OF CDR3 ROUTE J1 KKJ-JJP (FL75/FL460)
RMK/ROUTE TO BE FLOWN ON ATC INSTRUCTION ONLY, NOT AVBL FOR FLT PLANNING.
(REF AIP INDIA AND AIP SUP 76/14, 77/14/PERM)

--PILOTS FLYING ON AWY M890, L509, A466E, A466W, ARE REQUESTED TO CONTACT
ALPHA CONTROL ON 119.7MHZ PRIOR TO CROSSING THE DELHI AND LAHORE FIR
BOUNDARIES. (ISSUED 15JAN07/TN074/07/CHECKED 07JAN22/OB/UFN)

VIDPG0630/26 (29 MAY 26)

REF ENR 5.1 OF EAIP INDIA. THE RESTRICTED AREA VAR 44-A GOA-I IS
DELETED
F) SFC
G) UNL

VIDPG0629/26 (29 MAY 26)

"REF SUP 84/2026 REGARDING ESTABLISHMENT OF TEMPO RESERVED AREA
TRA509A, TRA509B AND TRA509C. AT SERIAL NR 1, THE TEXT MUMBAI FIR IS
AMD AS MUMBAI AND CHENNAI FIRS."
F) SFC
G) UNL

*VIDPA1123/26 (29 MAY 26)

"01 03 04 08 10 11 15 17 18 22 24 25 29 0200-0730 1300-1629, 02 05
09 12 16 19 23 30 0200-0730"

"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM
(VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC)
AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED
DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR
ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE
ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING
THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF
ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD
OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY
ATC.
FROM FL330 TO FL460"

VIDPG0619/26 (29 MAY 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT AND ACFT
OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS INCLUDING
MILITARY FLIGHTS.
FROM GND TO UNL
21 MAY 26 11:11 UNTIL 23 JUN 26 23:59 ESTIMATED

*VIDPA1101/26 (29 MAY 26)

"JUN 01-04 08-11 15-18 22-25 29-30 0330-0630 1430-1625, JUN 05 12
19 0330-0630"

AIRSPACE BOUNDED WI COORD (EX-ROMEO):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE L759 BTN DELHI VOR (DPN) AND KHAJURAHO VOR (KKJ) NOT AVBL.
ALTN RTE AVBL: DPN DCT ALI G452 LKN KCH KKJ OR DPN-W19-BPL-W68-KKJ.
2. ATS RTE L760 BTN KHAJURAHO VOR (KKJ) AND DELHI VOR (DPN) NOT
AVBL.
ALTN RTE AVBL: KKJ-KCH- JAL-SSB-DPN OR KKJ-W68-BPL-W20-DPN.
3. ATS RTE W33 NOT AVBL.
4. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
5. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
6. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
7. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF) FOR
ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL460

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 53/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

***VIDPA1100/26 (29 MAY 26)**

"JUN 01-04 08-11 15-18 22-25 29-30 0130-0329 0631-1130 1626-1829,
JUN 05 12 19 0130-0329 0631-1130"
AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT
OPERATING BTN DELHI AND KKJ.
FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR
DPN-ALI-PAVRU-LKN-KCH-KKJ AND
FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR
KKJ-KCH-JAL-SSB-DPN.
2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)
FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL270

VIDPG0592/26 (29 MAY 26)

REFER EAIP INDIA SECTION ENR 5.2? THE FOLLOWING CHANGES ARE MADE
IN REMARKS COLUMN:
1. IN TRA724 (PHALODI) REMARK 9: TRA VALID UNTIL 18TH MAY 2026
REPLACED BY TRA VALID UNTIL 17TH MAY 2029.
AMEND ACCORDINGLY.
F) SFC
G) UNL

VIDPG0558/26 (29 MAY 26)

"PERFORMANCE BASED LONGITUDINAL SEPARATION MINIMA OF 30NM/ 5MIN
BASED ON PBCS CRITERIA WILL BE APPLIED WITHIN WP AGELA AND IGOGU ON
ATS ROUTE N571 BTN ACFT HAVING FUNCTIONAL ADS-C AND CPDLC HAVING
OPERATIONAL APPROVAL FOR RNP2/RNP4, RCP240 AND RSP180 ON OPPORTUNITY
BASIS AS AN OPERATIONAL TRIAL. ACFT TO INDICATE RNP2/RNP4, ADS-C,
CPDLC, RCP240, RSP180 AVAILABILITY IN RESPECTIVE FIELDS OF FPL."
11 MAY 26 09:46 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0554/26 (29 MAY 26)

TRIGGER NOTAM- PERM AIRAC AIP AMDT 05/2026 WEF 11 JUN 2026. AIRAC
AIP AMDT 05/2026 UPLOADED ON AIM INDIA WEBSITE.

VIDPG0545/26 (29 MAY 26)

TRIGGER NOTAM - AIRAC AIP SUP 81/2026 WEF 11 JUN 2026.
HELICOPTER VFR ROUTES BADRINATH/KEDARNATH CHAR DHAM YATRA.

VIDPG0529/26 (29 MAY 26)

"LONGITUDINAL SEPARATION MINIMA OF 20NM BASED ON SPACE BASED ADS-B
SURVEILLANCE WILL BE APPLIED ON OPPORTUNITY BASIS FOR ACFT PASSING
WPT PARAR H24. ACFT WITH RNP2/RNP4 APPROVAL, FUNCTIONAL ADS-B OUT,
CPDLC WITH RCP240 CONNECTION ON VABF WILL BE SUBJ TO THIS
SEPARATION. THIS WILL BE APPLIED ON ATS RTE N571 BTN WPT PARAR AND
WPT SUGID ON TRIAL BASIS. ACFT TO INDICATE RNP2/RNP4, CPDLC, RCP240,
ADS-B AVAILABILITY IN RESPECTIVE FIELDS OF FPL."
27 APR 26 05:15 UNTIL 28 JUL 26 23:59 ESTIMATED

VIDPA0748/26 (29 MAY 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN DELHI FIR. ALL ACFT TO
EXER CTN.

***VIDPA0678/26 (29 MAY 26)**

DAILY 0030 -1630
TSA707 MANDALTHANG FLD FRNG RANGE ACT.
F) GND
G) 40000FT AMSL

***VIDPA0595/26 (29 MAY 26)**

DAILY 0030-1630
TSA717 KHARONALA FLD FRNG RANGE (KNFFR) ACT.
F) GND
G) FL400

VECF / KOLKATA FIR

VOMMA1956/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59

AIRSPACE USE PLAN (AUP)

TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW:

NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL

1 TRA503(A) ?PUNE? 0130 1200 FL325 FL460

2 TRA503(A) ?PUNE? 1330 1730 FL325 FL460

3 TRA503(B) ?PUNE? 0130 1200 FL325 FL460

4 TRA503(B) ?PUNE? 1330 1730 FL325 FL460

5 TRA509A 0000 2359 SFC FL270

6 TRA509B 0230 0730 FL270 UNL

7 TRA509B 1000 1100 FL270 UNL

8 TRA509B 1430 1630 FL270 UNL

9 TRA509C 0230 0730 FL270 UNL

10 TRA509C 1000 1100 FL270 UNL

11 TRA509C 1430 1630 FL270 UNL

12 TRA601(A) ?PANAGARH? 0054 0959 GND 4000 FT AMSL

13 TRA601(B) ?PANAGARH? 0054 0959 GND FL105

14 TRA601(C) ?PANAGARH? 0054 0959 GND FL105

15 TRA604 ?TEZPUR? 0230 1130 FL130 FL380

16 TRA604 ?TEZPUR? 1200 1829 FL130 FL380

17 TRA607(A) ?CHABUA? 0130 1700 FL325 FL460

18 TRA607(B) ?CHABUA? 0130 1700 FL325 FL460

19 TRA607(C) ?CHABUA? 0130 1700 FL325 FL460

20 TRA608 ?GORAKHPUR? 0330 0730 FL325 FL380

21 TRA609(A) ?HASHIMARA? 0230 1130 FL325 FL500

22 TRA609(A) ?HASHIMARA? 1300 1700 FL325 FL500

23 TRA609(B) ?HASHIMARA? 0230 1130 FL325 FL500

24 TRA609(B) ?HASHIMARA? 1300 1700 FL325 FL500

25 TRA610 ?GUWAHATI? 0230 1130 FL325 FL500

26 TRA610 ?GUWAHATI? 1300 1700 FL325 FL500

27 TRA612(A) ?TEZPUR? 0230 1130 FL325 FL380

28 TRA612(A) ?TEZPUR? 1200 1829 FL325 FL380

29 TRA612(B) ?TEZPUR? 0230 1130 FL325 FL380

30 TRA612(B) ?TEZPUR? 1200 1

829 FL325 FL380

31 TRA612(C) ?TEZPUR? 0230 1130 FL325 FL380

32 TRA612(C) ?TEZPUR? 1200 1829 FL325 FL380

33 TRA805(A) ?VISHAKHAPATNAM? 0100 1700 FL145 FL230

34 TRA806(A) ?COCHIN? 0300 1730 6000 FT AMSL 6000 FT AMSL

35 TRA806(B) ?COCHIN? 0300 1730 FL060 FL170

36 TRA806(C) ?COCHIN? 0300 1730 FL150 FL170

37 TRA806(D) ?COCHIN? 0300 2100 FL060 FL130

38 TRA806(E) ?COCHIN? 0300 2100 FL060 FL170

39 TRA806(F) ?COCHIN? 0300 2100 FL060 FL130

40 TRA806(G) ?COCHIN? 0300 2100 FL060 FL170

41 TRA807(A) ?SULUR? 0230 1159 GND 9000 FT AMSL

42 TRA807(D) ?SULUR? 0230 1129 FL275 FL400

43 TRA807(D) ?SULUR? 1330 1629 FL275 FL400

44 TRA807(E) ?SULUR? 0230 1829 GND 3000 FT AMSL

45 TRA807(E) CORRIDOR1?SULUR? 0230 1829 GND 3000 FT AMSL

46 TRA807(E) CORRIDOR2?SULUR? 0230 1829 GND 5000 FT AMSL

47 TRA808(A) ?VISHAKHAPATNAM? 0100 1400 FL145 FL230

48 TRA808(B) ?VISHAKHAPATNAM? 0100 1400 FL145 FL230

49 TSA602 ?DUDHKUNDI? 0000 2359 GND FL215

50 TSA801(B) ?THANJAVUR? 0330 0629 MSL FL135

51 TSA801(B) ?THANJAVUR? 0830 1029 MSL FL135

52 TSA801(B) ?THANJAVUR? 1330 1629 MSL FL135

53 TSA803(A) ?VISHAKHAPATNAM? 0100 1700 MSL FL230

54 TSA803(B) ?VISHAKHAPATNAM? 0100 1700 MSL FL145

55 TSA803(C) ?VISHAKHAPATNAM? 0100 1700 MSL FL230

CONDITIONAL ROUTE (CDR2) AVBL AS FLW:

NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL

1 J1 0000 0129 FL080 FL410

2 J1 0130 0329 FL290 FL410

3 J1 0631 1130 FL290 FL410

4 J1 1131 1830 FL080 FL410

5 J3 1330 2359 FL100 FL

250

6 J4 0000 0030 FL110 FL460

7 J4 0031 1258 FL330 FL460

8 J4 1259 1829 FL250 FL460

9 J4 1830 2359 FL110 FL460

10 J5 0000 0129 FL260 FL410

11 J5 1201 1329 FL260 FL410

12 J5 1731 2359 FL260 FL410

13 J11 1131 1159 FL130 FL380

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 55/102

Trans ID: 5029997

Creation Time: 19.06.2026 03:31UTC

14 J13 1230 1329 FL140 FL400
15 J13 1630 1825 FL280 FL400
16 J14 0101 0229 FL110 FL460
17 J14 0230 1129 FL410 FL460
18 J14 1130 1159 FL280 FL460
19 J14 1200 1329 FL110 FL460
20 J14 1330 1629 FL410 FL460
21 J14 1630 1729 FL280 FL460
22 J15 0000 0229 FL110 FL460
23 J15 0230 1129 FL410 FL460
24 J15 1130 1159 FL280 FL460
25 J15 1200 1329 FL110 FL460
26 J15 1330 1629 FL410 FL460
27 J15 1630 1829 FL280 FL460
28 J15 1830 2359 FL110 FL460
29 J16 0101 0229 FL110 FL400
30 J16 1630 1729 FL280 FL400
31 J17 0015 0300 FL110 FL460
32 J17 1130 1310 FL110 FL460
33 J17 1435 1935 FL110 FL460
34 J18 0000 0300 FL110 FL460
35 J18 1130 2359 FL110 FL460
36 J23 1131 1159 FL210 FL300
37 J26 0000 0030 FL160 FL460
38 J26 0031 1258 FL330 FL460
39 J26 1259 1829 FL250 FL460
40 J26 1830 2359 FL160 FL460
41 J27 0000 0030 FL110 FL460
42 J27 0031 1258 FL330 FL460
43 J27 1259 1829 FL250 FL460
44 J27 1830 2359 FL110 FL460
45 J29 0000 0129 FL150 FL250
46 J29 1201 1329 FL150 FL250
47 J29 1731 2359 FL150 FL250
48 J36 1330 2359 FL110 FL245
49 J39 0000 0129 FL170 FL460
50 J39 0130 0329 FL290 FL460
51 J39 0631 1130 FL290 FL460
52 J39 1131 2359 FL170 FL460
53 J41 0100 0129 FL330 FL410
54 J41 1201 1329
FL330 FL410
55 J42 1330 2359 FL110 FL245
56 J44 0000 0154 FL110 FL210
57 J44 1147 1800 FL110 FL210
58 J45 0000 0030 FL110 FL460
59 J45 0031 1258 FL330 FL460
60 J45 1259 1829 FL250 FL460
61 J45 1830 2359 FL110 FL460
62 J46 0000 0030 FL110 FL460
63 J46 0031 1258 FL330 FL460
64 J46 1259 1829 FL250 FL460
65 J46 1830 2359 FL110 FL460
66 J47 0100 0129 FL170 FL410
67 J47 0130 0329 FL290 FL410
68 J47 0631 1130 FL290 FL410
69 J47 1131 1300 FL170 FL410
70 J48 0631 0930 FL290 FL410
71 J56 0000 2359 FL080 FL250
72 J57 0200 0229 FL080 FL250
73 J57 0230 0329 FL220 FL250
74 J57 0731 1530 FL220 FL250
75 J59 0200 1530 FL110 FL410
76 J63 0000 0030 FL110 FL410
77 J63 0031 1229 FL255 FL410
78 J63 1230 2359 FL110 FL410
79 J64 1230 1329 FL150 FL410
80 J65 0000 0129 FL230 FL410
81 J65 1201 1329 FL230 FL410
82 J65 1731 2359 FL230 FL410
83 J66 0000 0030 FL110 FL250
84 J66 1330 2359 FL110 FL250
85 J67 0000 0030 FL110 FL255
86 J67 1330 2359 FL110 FL255
87 J71 0200 0329 FL330 FL460
88 J71 0330 0730 FL400 FL460
89 J71 0731 1229 FL390 FL460
90 J71 1230 1256 FL330 FL460
91 J71 1257 1511 FL220 FL460
92 J71 1512 1730 FL330 FL460
93 J71 1731 1930 FL250 FL460

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 56/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

94 J71 1931 2000 FL110 FL460
95 J73 0100 0329 FL330 FL410
96 J73 0631 1300 FL330 FL410
97 J75 0000 0030 FL110 FL400
98 J75 0031 1258 FL330 FL400
99 J75 1259 1829 FL250 FL400
100 J75 1830 2359 FL110 FL400
101 J82 0000 2359 FL330 FL400
102 J83 0200 1900 FL110 FL
400
103 J89 0000 0030 FL110 FL245
104 J89 1230 2359 FL110 FL245
105 J92 0200 0229 FL110 FL380
106 J92 0230 0329 FL220 FL380
107 J92 0731 1400 FL220 FL380
108 J93 0000 0030 FL150 FL460
109 J93 1230 1329 FL150 FL460
110 J93 1731 2359 FL150 FL460
111 J95 0000 0154 FL110 FL460
112 J95 0155 0300 FL255 FL460
113 J95 1130 1146 FL255 FL460
114 J95 1147 2359 FL110 FL460
115 J96 0000 0300 FL110 FL250
116 J96 1130 2359 FL110 FL250
117 J97 0000 0030 FL080 FL245
118 J97 1230 2359 FL080 FL245
119 J98 0000 0030 FL160 FL280
120 J98 1257 1511 FL220 FL280
121 J98 1731 1930 FL250 FL280
122 J98 1931 2359 FL160 FL280
123 J104 0000 0129 FL110 FL380
124 J104 1201 1329 FL110 FL380
125 J104 1731 2359 FL110 FL380
126 J105 0230 0329 FL220 FL460
127 J105 0330 0730 FL400 FL460
128 J105 0731 1300 FL220 FL460
129 J107 1330 2359 FL110 FL255
130 J116 0000 0129 FL080 FL250
131 J116 1201 1329 FL080 FL250
132 J116 1731 2359 FL080 FL250
133 J120 0000 2359 FL085 FL460
134 J121 0000 2359 FL085 FL460
135 J122 0000 2359 FL085 FL460
136 Z2 0000 0329 FL330 FL460
137 Z2 0330 0730 FL400 FL460
138 Z2 0731 1229 FL390 FL460
139 Z2 1230 2359 FL330 FL460
140 Z5 0000 0129 FL290 FL410
141 Z5 1201 1329 FL290 FL410
142 Z5 1731 2359 FL290 FL410
143 Z12 0000 2359 FL330 FL460
144 Z13 0000 0229 FL110 FL410
145 Z13 0230 0329 FL220 FL410
146 Z13 0330 0730 FL400 FL410
147 Z13 0731 1630 FL220 FL410
148 Z13 1631 2359 FL110 FL410
149 Z14 0000 2
359 FL330 FL460

NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO
ENSURE THAT AIRSPACE ACTIVITIES ARE NOT CONFLICTING
WITH OTHER NOTAMS FOR AIRSPACE CLOSURES.

F) SFC
G) UNL

VECCA1154/26 (11 JUN 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC NORTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:
182558N 0861115E,
201507N 0872651E,182318N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY
TO 161035N 0920000E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER:KOLKATA OCAENIC NORTH FREQ 123.775 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC AND ACFT SHALL BE ADVISED
ACCORDINGLY.
FROM SFC TO UNL"

VECCA1153/26 (11 JUN 26)

"TRIAL OPS OF SECT KOLKATA OCEANIC SOUTH AVBL ON OPPORTUNITY BASIS
WI AREA BOUNDED BY COORD:
182558N 0861115E, 161035N 0920000E THEN ALONG INDIA-MYANMAR FIR BDRY

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 57/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

TO 140000N 0920000E THEN ALONG KOLKATA-CHENNAI FIR BDRY TO 154200N
0855400E,163721N 0845647E AND 182558N 0861115E.
AIRSPACE CLASSIFIED AS CLASS : E WI ATS RTE AND CLASS: G OUTSIDE ATS
RTE UNIT PROVIDING SER:KOLKATA OCAENIC SOUTH FREQ 128.300 MHZ ACTUAL
TIMINGS WILL BE DECIDED BY KOLKATA ATC.
FROM SFC TO UNL"

// (COM-INFO)//

THA 00156/13 (29 MAY 26)

COM INFO:--1.Route P646 segment DOPID - Jamshedpur VOR (JJS)
available only between 1630UTC to 2330UTC.

VECCA1019/26 (27 MAY 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER BHUBANESWAR (UBS)
INPR WI AREA BOUNDED BY:
P9: 195331.08N 0804815.53E
P10: 182447.34N 0800549.06E
SAPNU
XOPOX
P11: 160620.64N 0843429.68E
P12: 201517.19N 0872703.15E
P13: 205140.37N 0862158.87E
BBS VOR
P18: 195350.22N 0842614.93E
AND P9: 195331.08N 0804815.53E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 132.350 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT SHALL BE
ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1018/26 (27 MAY 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER RAIPUR (URP) INPR WI
AREA BOUNDED BY:
P7: 223342.78N 0801441.50E
TEGIG
P8: 203427.40N 0810337.65E
P9: 195331.08N 0804815.53E
P18: 195350.22N 0842614.93E
BBS VOR
P13: 205140.37N 0862158.87E
P14: 224646.10N 0842032.87E
AND P7: 223342.78N 0801441.50E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL/KOLKATA RADAR
FREQ: 125.900 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1017/26 (27 MAY 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER KHAJURAHO (UKJ) INPR W
I
AREA BOUNDED BY:
P3: 262359.43N 0801240.56E
P4: 251831.86N 0800851.21E
P5: 253601.78N 0793534.75E
P6: 250839.00N 0790132.87E
ASOPO
P7: 223342.78N 0801441.50E
P14: 224646.10N 0842032.87E
LAPAN
P15: 241326.46N 0840859.31E
ALH VOR
AND P3: 262359.43N 0801240.56E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 124.650 MHZ
ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND ACFT
SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

VECCA1016/26 (27 MAY 26)

OPPORTUNITY BASIS TRIAL OPS OF SECTOR UPPER VARANASI (UBN) INPR WI
AREA BOUNDED BY:
P1: 273339.10N 0824136.34E?
P2: 270921.85N 0813515.75E?
P3: 262359.43N 0801240.56E?

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 58/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

ALH VOR?
P15: 241326.46N 0840859.31E?
GGC VOR?
P16: 244425.25N 0851849.17E?
P17: 265328.59N 0850151.53E?
THEN ALONG THE BORDER OF NEPAL AND INDIA TO
P1: 273339.10N 0824136.34E.
AIRSPACE CLASSIFIED AS CLASS: D
UNIT PROVIDING SER: KOLKATA CTL / KOLKATA RADAR
FREQ: 127.525 MHZ ACTUAL TIMINGS WILL BE DECIDED BY WSO KOLKATA AND
ACFT SHALL BE ADVISED ACCORDINGLY.
FROM 25500FT AMSL TO 46000FT AMSL

***VECCA1003/26 (25 MAY 26)**

11 25 0030-0300 1400-1800
AIR EXER INPR WI AREA BOUNDED BY COORD:
POINT A- 275530.6N 0970236.5E
POINT B- 264651.7N 0950003.7E
POINT C- 250842.7N 0941528.8E
POINT D- 252121.2N 0924655.1E
POINT E- 254625.0N 0921523.8E
POINT G- 263126.1N 0893347.3E
POINT H- 263838.0N 0893319.4E
POINT I- 264229.9N 0920337.2E
POINT J- 264444.1N 0920819.7E
POINT K- 272409.1N 0922541.3E
POINT L- 285414.0N 0943959.5E
AND POINT A-275530.6N 0970236.5E
F) GND
G) 46000FT AMSL

***VIDPA1123/26 (29 MAY 26)**

"01 03 04 08 10 11 15 17 18 22 24 25 29 0200-0730 1300-1629, 02 05
09 12 16 19 23 30 0200-0730"
"IN ADDN TO RTE AVBL OF ATS RTE L509 BTN GAYA DVOR (GGC) AND SULOM
(VIDF/OPLR) FM 1630-2230 UTC DLY, ATS RTE L509 BTN GAYA DVOR (GGC)
AND SULOM (VIDF/OPLR) ALSO AVBL AT OR ABV FL330 ON ABV MENTIONED
DATES AND TIMINGS. ALL OTHER RTE SPECIFICATIONS/ RESTRICTIONS FOR
ATS RTE L509 AS PUBLISHED IN E-AIP INDIA ENR 3.1 SHALL BE APPLICABLE
ON ABV MENTIONED DATES AND TIMINGS. INTL OVERFLYING FLT TRANSITING
THRU DELHI FIR (VIDF) ENCOURAGED TO FPL VIA ATS RTE L509 INSTEAD OF
ATS RTE M890 AS TFC CONGESTION EXP OVER LUCKNOW VOR (LKN) DRG PERIOD
OF AIR EXER. FLT MAY ALSO BE RE RTE DYNAMICALLY VIA ATS RTE L509 BY
ATC.
FROM FL330 TO FL460"

***VECCA0988/26 (22 MAY 26)**

VED 232 LPR KHAMARIA JABALPUR ACT
F) SFC
G) 25000FT AMSL

VIDPG0619/26 (29 MAY 26)

INDIAN AIRSPACE NOT AVBL FOR PAKISTAN REGISTERED ACFT AND ACFT
OPERATED/OWNED OR LEASED BY PAKISTAN AIRLINES/OPERATORS INCLUDING
MILITARY FLIGHTS.
FROM GND TO UNL
21 MAY 26 11:11 UNTIL 23 JUN 26 23:59 ESTIMATED

***VIDPA1101/26 (29 MAY 26)**

"JUN 01-04 08-11 15-18 22-25 29-30 0330-0630 1430-1625, JUN 05 12
19 0330-0630"
AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE L759 BTN DELHI VOR (DPN) AND KHAJURAHO VOR (KKJ) NOT AVBL.
ALTN RTE AVBL: DPN DCT ALI G452 LKN KCH KKJ OR DPN-W19-BPL-W68-KKJ.
2. ATS RTE L760 BTN KHAJURAHO VOR (KKJ) AND DELHI VOR (DPN) NOT
AVBL.
ALTN RTE AVBL: KKJ-KCH- JAL-SSB-DPN OR KKJ-W68-BPL-W20-DPN.
3. ATS RTE W33 NOT AVBL.
4. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
5. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
6. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
7. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)FOR
ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 59/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

F) GND
G) FL460

***VIDPA1100/26 (29 MAY 26)**

"JUN 01-04 08-11 15-18 22-25 29-30 0130-0329 0631-1130 1626-1829,
JUN 05 12 19 0130-0329 0631-1130"
AIRSPACE BOUNDED WI COORD (EX-ROME0):
273705N0780907E - 265812N0795114E - 264038N0800214E -
250612N0791341E - 250920N0772625E - 262242N0772304E -
263754N0775411E - 264208N0781515E - 273705N0780907E
NOT AVBL DUE AIR EXER (EXCLUDING DANGER AREA FALLING WI EXER AREA).
DRG EXER PERIOD FLW RESTRICTIONS APPLY:
1.ATS RTE W33 NOT AVBL. ALTN RTE AVBL FOR CIVIL SKED FLIGHT
OPERATING BTN DELHI AND KKJ.
FOR EASTBOUND : DPN-W19 BPL-W68-KKJ OR
DPN-ALI-PAVRU-LKN-KCH-KKJ AND
FOR WESTBOUND : KKJ-W68-BPL-W20-DPN OR
KKJ-KCH-JAL-SSB-DPN.
2. ATS RTE W10N BTN BILAN AND POSIG NOT AVBL.
3. ATS RTE W10S BTN AGRA VOR (AGG) AND BILAN NOT AVBL.
4. ATS RTE W13 BTN KKJ-MULMO NOT AVBL.
5. AIRLINE SHALL COORDINATE IN ADVANCE WITH INDIAN AIRFORCE (IAF)
FOR ARR/DEP ACFT TO/FM AERODROMES FALLING IN EXER AREA.
F) GND
G) FL270

***VGHSA0143/26 (19 MAY 26)**

MON TUE WED 0000-1600
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE WI
THE AREA VGD-32.
F) SFC
G) FL400

***VGHSA0145/26 (19 MAY 26)**

MON TUE WED 0000-1600
BANGLADESH NAVY SHIPS WILL CARRY OUT ANTI AIR FRNG PRACTICE WI
THE AREA VGD-34.
F) SFC
G) FL400

VIDPG0554/26 (29 MAY 26)

TRIGGER NOTAM- PERM AIRAC AIP AMDT 05/2026 WEF 11 JUN 2026. AIRAC
AIP AMDT 05/2026 UPLOADED ON AIM INDIA WEBSITE.

***VECCA0759/26 (20 APR 26)**

0230-1030
VED 71 ACT.
F) GND
G) 35000FT AMSL

VECCA0645/26 (02 APR 26)

GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN KOLKATA FIR. ALL ACFT TO
EXER CTN.

MMR / MYANMAR
N I L

VYYF / YANGON FIR

***VYYA0120/26 (17 JUN 26)**

2330-1130
"GUNFIRING EXERCISE WILL TAKE PLACE WITH THE FLW DETAILS:
THE COORDINATES OF THE DANGER ZONES(MALON GUNFIRING AREA)
ARE AS FOLLOWS:
POINT(A)194000N 0943000E
POINT(B)194000N 0951000E
POINT(C)200000N 0951000E
POINT(D)200000N 0943000E
POINT(E)194000N 0943000E
NO OVERFLYING ACTIVITY IS PERMISSIBLE WITHIN THE ABOVE MENTIONED
DANGER ZONE.DURING HOURS OF ACTIVITY,THE FOLLOWING ATS ROUTES
ARE NOT AVBL IN YANGON FIR:
1)G463 NOT AVBL,BTN AVLED AND NIVOG.
ALT RTE-AVLED-DCT-POINT(K)193000N 0941800E-DCT-NIVOG-G463 BGO/VOR.
(BIDIRECTIONAL).
2)W8,W12,W14,W15,W22 NOT AVBL."

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 60/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

F) GND
G) 48000FT AGL

VYVYA0108/26 (01 JUN 26)

NIL AIRAC PUBLICATION FOR EFFECTIVE DATE-11 JUN 2026.

THA / THAILAND
N I L

VTBB / BANGKOK FIR

VTBDC3308/26 (18 JUN 26)

19 JUN 2026 00:00-19 JUN 2026 23:59
CDR Y5 (RNAV 2) AVBL FOR FLIGHT PLANNING AS FLW:
PERIOD : MEA LOWER/UPPER LIMITS
0000-0229 FL130/FL460
0230-0400 FL270/FL460
0401-2359 FL130/FL460

*VTBDJ5081/26 (16 JUN 26)

20 JUN 2026 00:00-20 JUN 2026 11:00
"ROCKET (BANGFAI) FRNG WILL TAKE PLACE RADIUS 5NM CENTRE
154503N1040329E (PHANOM PHRAI DISTRICT ROI ET PROVINCE)
RMK: COOR CTC TEL +669 3634 5277, +669 3619 6173"
F) GND
G) 19000FT AGL

*VTBDJ5082/26 (16 JUN 26)

20 JUN 2026 02:00-20 JUN 2026 10:00
"ROCKET (BANGFAI) FRNG WILL TAKE PLACE RADIUS 5NM CENTRE
161327.50N1041935.99E (LOENG NOKTHA DISTRICT YASOTHON PROVINCE)
RMK: COOR CTC TEL +666 1303 4325, +666 1514 8752"
F) GND
G) 19000FT AGL

*VTBDJ5027/26 (12 JUN 26)

20 JUN 2026 02:00-20 JUN 2026 10:00
"ROCKET (BANGFAI) FRNG WILL TAKE PLACE RADIUS 5NM CENTRE
160809.8N1022843.1E (MANCHA KHIRI DISTRICT KHON KAEN PROVINCE)
RMK: COOR CTC TEL +668 3837 6915, +666 2919 6539"
F) GND
G) 12000FT AGL

*VTBDJ5012/26 (11 JUN 26)

DAILY 0200-1000
"ROCKET (BANGFAI) FRNG WILL TAKE PLACE RADIUS 5NM CENTRE
163954.9N1020859.0E (SI CHOMPHU DISTRICT KHON KAEN PROVINCE)
RMK: COOR CTC TEL +666 2251 3711, +669 0348 2457"
F) GND
G) 12000FT AGL

VTBDJ4952/26 (09 JUN 26)

15-19 22-26 0100-1000
GUN FRNG WILL TAKE PLACE WI AREA
122603N1013710E-115500N1014000E-115500N1011830E-
121832N1011054E-122543N1012021E-122603N1013710E
(GULF OF THAILAND)
RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED
BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC
F) SFC
G) FL400

VTBDC2855/26 (26 MAY 26)

"AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM
THE DEMOCRATIC REPUBLIC OF THE CONGO AND THE REPUBLIC OF UGANDA
1. PURSUANT TO THE RESOLUTION OF THE NATIONAL COMMUNICABLE DISEASE
COMMITTEE, EFFECTIVE FROM 27 MAY 2026 AT 1800 HOURS (LOCAL TIME)
ONWARDS, PASSENGERS AND CREW MEMBERS DEPARTING FROM THE DEMOCRATIC
REPUBLIC OF THE CONGO (DR CONGO) AND THE REPUBLIC OF UGANDA SHALL BE
PERMITTED TO ENTER THE KINGDOM OF THAILAND ONLY VIA SUVARNABHUMI
AIRPORT AND SHALL BE SUBJECT TO A MANDATORY QUARANTINE PERIOD OF
TWENTY-ONE (21) DAYS, CALCULATED FROM THE DATE OF DEPARTURE FROM
THE AFFECTED AREAS, IN ACCORDANCE WITH THE PRESCRIBED PUBLIC
HEALTH PROCEDURES.
2. ALL AIRLINES AND AIR OPERATORS CARRYING PASSENGERS FROM
THE ABOVE-MENTIONED AREAS ARE REQUESTED TO COMPLY WITH AND IMPLEMENT

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 61/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

THE PRESCRIBED MEASURES ACCORDINGLY."

// (COM-INFO) //

THA 00126/26 (14 MAY 26)

COM INFO:--REF AIP SUP A19/26;

1

INTRODUCTION

With effect from 14 May 2026 at 0001 UTC to 31 December 2026 at 0001 UTC, the purpose of this AIRAC AIP Supplement is to inform all concerned regarding Temporary suspension of SURAT THANI DVOR/DME (STN) due to relocation details are as follows.

2

THE PERIOD OF TEMPORARY SUSPENSION

STN DVOR/DME will be temporarily suspension from 14 May 2026 at 0001 UTC to 31 December 2026 at 0001 UTC.

3

FLIGHT PROCEDURE

A temporary reporting point name SAPUD (090746.24N 0990805.09E) will be established at the same coordinates of SURAT THANI DVOR/DME (STN) for ATS routes G458, W17, W24, W28, W32 and Y8 and a portion of ATS route G458 between STN and MENEX will be suspended until STN normal operations resume.

4

FLIGHT PLANNING PROCEDURES

Reference to the AIP-THAILAND part ENR 1.10 item 4.1.1.1, 4.1.1.2 a, 4.1.1.2 b, 4.1.1.3 a, 4.1.1.3 b non-RNAV2 approved aircraft. To maintain efficiency of ATS during SURAT THANI DVOR/DME (STN) relocation, non-RNAV approved aircraft that intend to operate on G458 between SAPUD and MENEX shall file flight plan, depending on ACFT capability.

5

CONTACT

Unit: Air Traffic Navigation Systems Engineering Department, Aeronautical Radio of Thailand Ltd.

Email: pariwat.ch@aerothai.co.th

6

VALIDITY

This AIRAC AIP Supplement will remain current until 31 December 2026 at 0001 UTC. Any changes to this AIRAC AIP Supplement will be notified by NOTAM.

VTBDJ3551/26 (14 MAY 26)

DAILY 0100-0230 0600-1130

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA 5NM EITHER SIDE OF

A LINE:151638.34N1001745.12E-145407.02N1004920.52E-

143000.00N1022800.00E-143107.26N1051100.12E

(CHAINAT, NAKHON SAWAN, LOP BURI, SURIN, SI SA KET,

UBON RATCHATHANI, BURI RAM AND NAKHON RATCHASIMA PROVINCE)

RMK: ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR VECTORED

BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC"

F) FL150

G) FL200

VTBDC2444/26 (14 MAY 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.

GEN 0.4 CHECKLIST OF AIP PAGES

GEN 2.1 MEASURING SYSTEM, ACFT MARINGS, HOL

GEN 3.2 ANC

GEN 4.1 AD/HLP CHARGES

ENR 2.1 FIR, UIR AND CTA

ENR 3.1 LOWER AND UPPER ATS RTE

ENR 4.4 NAME-CODE DESINGNATORS FOR SIG POINTS

ENR 6 EN-ROUTE CHARTS"

VTBDC2410/26 (14 MAY 26)

PUBLIC HOLIDAYS AMD AS FLW:

-DELETE

NAME: NATIONAL LABOR DAY DATE: 1 MAY 2026

-ADD

NAME: THE ROYAL PLOUGHING CEREMONY DATE: 13 MAY 2026

THE REST REMAIN UNCHANGED

REF AIP GEN 2.1 ITEM 6.

VTBDC2184/26 (20 APR 26)

"DUE TO VT D41A ACT FPL PROC FOR ACFT OPR FM/TO VTCC DETAIL AS FLW:

1. PERIOD MON-FRI 0000-1100

DEP/OVERFLY DEST/OVERFLY RTE

VTCC VTCT W12 IKISU W22

VTCC PONUK R207 IKISU W22 CTR A581

VTCT VTCC W22 IKISU W12

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 62/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

PONUK	VTCC	Y27 DUBEN Y28 CRIST R207 (FOR RNAV)
PONUK	VTCC	A581 CTR W22 IKISU R207 (FOR NON-RNAV)
2. PERIOD MON-FRI 1101-2359, SAT SUN H24		
DEP/OVERFLY	DEST/OVERFLY	RTE
VTCC	VTCT	W20
VTCC	PONUK	A581
VTCT	VTCC	W20
PONUK	VTCC	A581"

VTBDJ2001/26 (05 APR 26)

"UNMANNED AIRCRAFT WILL TAKE PLACE WI AREA :
144705N1033019E - 143541N1051246E - 142051N1051232E -
141826N1030616E - 142521N1030558E - 144705N1033019E
(SI SAKET, UBON RATCHATHANI, BURIRAM AND SURIN PROVINCE
EXCLUDING PHNOM PENH FIR)
RMK : ACFT MAY FILE FPL ON AFFECTED RTE BUT EXP RADAR
VECTORED BY ATC SUBJECTED TO COORDINATION BTN CIV/MIL ATC."
F) 8000FT AMSL
G) FL170

AEROPLANE INFORMATION

AIRCRAFT CATEGORY = D
N I L

AIRCRAFT TYPE = B777
N I L

AIRCRAFT SUBTYPE = B773E
N I L

AIRCRAFT REGISTRATION = HSTKW
N I L

ADDITIONAL INFORMATION

VTSP / HKT

VTBDC3323/26 (19 JUN 26)

ACFT STAND NR 10 CLSD DUE TO WIP

VTBDC3307/26 (18 JUN 26)

ACFT STAND NR 9 CLSD DUE TO WIP

THA 00094/26 (04 JUN 26)

// (COM-INFO)//

VTSP:--REF AIP SUP A18/26:
1 INTRODUCTION
With effect from 5 May 2026 at 0101 UTC. The purpose of this AIP Supplement is to inform
pilots and operators concerning the Visual Docking
Guidance System (VDGS) of aircraft stand number 31 at Phuket International Airport (VTSP).
2 DETAILS
2.1 The Visual Docking Guidance System (VDGS) of aircraft stand number 31 is unserviceable.
2.2 The aircraft are strongly advised to strictly follow the Marshallers signal.

VTBDC2995/26 (04 JUN 26)

RVR RWY 09/27 U/S

VTBDC2924/26 (04 JUN 26)

RWY CLOSURE FOR MAINT WORKS AT PHUKET INTERNATIONAL AIRPORT
(VTSP) (MARCH-OCTOBER 2026)
ITEM 2. CLOSURE AREAS AND PERIODS OF RWY PREVENTIVE MAINT
AMEND AS FLW:
MONTH DATES PERIOD OF CLOSURE
MAY 31 1730-2330
JUN 01-09 23 1730-2330
JUL 07 21 1815-2330
AUG 04 1815-2330
REF AIRAC AIP SUP A14/26

EDDK / CGN

EDDZD1799/26 (18 JUN 26)

20 JUN 2026 08:00-20 JUN 2026 22:00

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 63/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

MODEL FLYING 300M RADIUS CENTERED ON 504815N 0070436E,
NIEDERKASSEL RHEIDT (4.3NM SW KOELN-BONN DVOR/DME KBO).
F) GND G) 676FT AMSL

EDDZA3130/26 (17 JUN 26)

20 JUN 2026 04:00-21 JUN 2026 16:00
RWY 31R INTERSECTION TAKE OFF FOR ACFT ICAO CATEGORY D AND HIGHER
ONLY POSS OUT OF TWY A1. DECLARED TODA 3646M.

EDDZA3129/26 (17 JUN 26)

20 JUN 2026 04:00-21 JUN 2026 16:00
TWY A2 CLSD.

EDDZA3128/26 (17 JUN 26)

20 JUN 2026 04:00-21 JUN 2026 16:00
TWY A CLSD BTN RWY 06/24 AND TWY A1.

EDDZA3080/26 (15 JUN 26)

17 JUN 2026 05:30-19 JUN 2026 14:00
TXL S CLSD.

EDDZA2728/26 (06 JUN 26)

"NOERVENICH DVORTAC NVO 116.20MHZ/CH109X, DVOR PART NO USABLE
OPERATIONAL COVERAGE IN SECT 070DEG TO 130DEG (CLOCKWISE) UP TO 20NM
AT OR BELOW 3000FT AMSL."
27 MAY 26 15:10 UNTIL 27 AUG 26 15:00 ESTIMATED

EDDZA2678/26 (06 JUN 26)

"LPV APCH REOPERATIVE.
OCA(H) VALUES RAISED:
LPV RWY 06: A 553 (324), B 564 (335), C 591 (362), D 601 (372)FT.
LPV RWY 13L: A 607 (378), B 617 (388), C 624 (395), D 633 (404)FT.
LPV RWY 13R: A 581 (361), B 591 (371), C 598 (378), D 607 (387)FT.
LPV RWY 24: A 721 (450), B 734 (463), C 742 (471), D 752 (481)FT.
LPV RWY 31L: A 655 (397), B 667 (409), C 675 (417), D 685 (427)FT.
LPV RWY 31R: A 651 (351), B 664 (364), C 672 (372), D 682 (382)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APCH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPS."
26 MAY 26 12:34 UNTIL 18 AUG 26 23:59 ESTIMATED

ETCZP4398/26 (06 JUN 26)

AD EDDK MIL PART:
LIMITED PARKING POSITIONS ON MIL APRON

TO AVOID DELAY DUE TO GROUND HANDLING
ACFT USING KOELN/BONN MILITARY APRON ARE MANDATORY TO CONTACT
WOC ADDITIONALLY ON MIL FREQUENCY 15 MIN PRIOR TO LANDING:

VHF 136.255 MHZ
UHF 378.225 MHZ

IN CASE OF CHG ETA PRIOR DEP OTHER THAN PPR PLS CONTACT WOC:
BW 90 3451 3267 CIV 0049 (0)2203 908 3267
18 MAY 26 14:19 UNTIL 18 AUG 26 15:18 ESTIMATED

EDDZA1886/26 (30 APR 26)

KOELN-BONN LOCATOR LJ 365.00KHZ OUT OF SERVICE.

EDDZA1826/26 (30 APR 26)

"ALL RNP APCH PROC RWY 13R/31L TEMPO SUSPENDED DUE TO MISSING
FLIGHT VALIDATION. REF AIP PAGES AD 2 EDDK 4-6-7, 4-6-8, 4-6-9,
4-6-13, 4-6-14, 4-6-15 ALL EFFECTIVE 16 APR 2026."
16 APR 26 00:00 UNTIL 16 JUL 26 23:59 ESTIMATED

EDDZA1825/26 (30 APR 26)

"OMNIDIRECTIONAL INSTRUMENT DEP PROC EDDK 1M AND EDDK 1E FOR RWY
13R/31L TEMPO SUSPENDED DUE TO MISSING FLIGHT VALIDATION.
REF AIP PAGES AD 2 EDDK 5-7-1, 5-7-4, 5-7-6 EFFECTIVE 16 APR 2026."
16 APR 26 00:00 UNTIL 16 JUL 26 23:59 ESTIMATED

EDDZA1792/26 (30 APR 26)

"ILS OM RWY 13L, CHECK DME READING KBO ADDN.
MARKER NOT REMOTE CONTROLLED."

EDDZA1791/26 (30 APR 26)

"ILS MM RWY 13L, CHECK DME READING KBO ADDN.
MARKER NOT REMOTE CONTROLLED."

EDDZA1660/26 (05 APR 26)

COLA DVOR/DME COL 108.80MHZ/CH25X RADIAL 250 UNUSABLE FROM
0NM - 31NM BELOW 6000FT AMSL.

EDDZA1577/26 (05 APR 26)

"OCA(H) VALUES RAISED:
SRA RWY 13L: ACFT CAT A-D 920 (690)FT.
DUE TO HIGH CRANES 13500M (7.3NM) BFR THR RWY 13L, 1560M SW OF
EXTD RCL, 505738N 0065855E, ELEV 671FT, MARKED AND LGTD."
30 MAR 26 12:51 UNTIL 29 JUN 26 23:59 ESTIMATED

EDDZA3910/25 (04 OCT 25)

NEW ACFT STANDS INSTALLED:
A25: 505234.79095N 0070710.85488E
A27: 505235.25636N 0070709.11813E
A29: 505235.28775N 0070707.14353E
A31: 505237.18196N 0070706.22441E
A33: 505237.20853N 0070708.26597E
A35: 505237.20688N 0070710.33309E

EDDS / STR

EDDZA2425/26 (07 JUN 26)

MON-FRI 0500-1600
"OCA(H) VALUES RAISED AS FOLLOWS:
LNAV RWY 25: C 1650 (460), D 1650 (460) FT. A AN B NO CHANGE.
DUE TO MOBILE CRANE AT 484054N 0091320E.
MAX ELEV 1395 FT, MARKED AND LIGHTED."

EDDZA1725/26 (07 JUN 26)

"SID CHANGED DUE TO NAVAID COVERAGE OF LBU VOR/DME:
ROTWE 5B: ADD RMK: CLIMB WITH 4.5 PCT (275 FT/NM) UNTIL PASSING 5000.
AFTER PASSING 5000 BRNAV EQPT NECESSARY.
GPS/FMS RNAV OVERLAYS REMAIN UNCHANGED.
REF AIP AD 2 EDDS 5-7-2 EFF 28 NOV 2024, 5-7-3 DATED 10 JUL 2025."
08 APR 26 12:50 UNTIL 08 JUL 26 13:00 ESTIMATED

EDDZA1597/26 (07 JUN 26)

"LUBURG VOR/DME LBU 109.20MHZ/CH29X, VOR PART USABLE ONLY UP TO
29NM ON R277."

EDDZA1595/26 (07 JUN 26)

MISSED APCH PROC CHANGED DUE TO COVERAGE OF STG DVOR/DME:
ILS OR LOC AND VOR RWY 25: DISREGARD R277 STG. USE R223 LBU ONLY.
REF AIP AD2 EDDS 4-2-1 AND 4-3-1 BOTH DATED 10 JUL 2025.

EDDZA3608/22 (09 NOV 23)

"KARLSRUHE DVOR/DME KRH 115.95/CH106Y DME NOT USABLE:

IN SECTOR 68DEG TO 315DEG CW
0 NM - 10 NM BELOW 4000 FT MSL,
10 NM - 20 NM BELOW 7200 FT MSL,
20 NM - 30 NM BELOW 10600 FT MSL,
30 NM - 40 NM BELOW 14000 FT MSL,
40 NM - 50 NM BELOW 17700 FT MSL,
50NM - 60 NM BELOW 21400 FT MSL,

IN SECTOR 315DEG TO 68DEG CW
0 NM - 10 NM BELOW 2000 FT MSL,
10 NM - 20 NM BELOW 3300 FT MSL,
20 NM - 30 NM BELOW 4700 FT MSL,
30 NM - 40 NM BELOW 6200 FT MSL."

EDDM / MUC

EDDZA3093/26 (16 JUN 26)

17 JUN 2026 06:00-19 JUN 2026 13:00
DAILY 0600-1300
"MAISACH DVOR/DME MAH 115.20MHZ/CH99X ON MAINT. DO NOT USE, FALSE

INDICATIONS POSS."

EDDZA3049/26 (12 JUN 26)

12 JUN 2026 12:53-19 JUN 2026 22:00
REF AIP SUP IFR 09/26: CONSTRUCTION WORK COMPLETED.

EDDZA3035/26 (12 JUN 26)

12 JUN 2026 09:34-19 JUN 2026 17:00
TXL S6 AND TXL C5 CLSD.

EDDZA3014/26 (10 JUN 26)

17 JUN 2026 06:00-19 JUN 2026 13:00
0600-1300
"ALL CONVENTIONAL STANDARD APCH PROC FM IAF OTT TO RWY 08R TEMPO
SUSPENDED DUE TO MAINT OF MAH DVOR/DME. EXP VECTORING TO FINAL APCH.
IN CASE OF RDO COM FAILURE PCD AT 5000FT TO MIQ NDB (426.0KHZ)
FOR STANDARD APCH PROC RWY 08L.
REF AIP PAGES AD 2 EDDM 4-2-2, 4-4-2 BOTH EFF 28 NOV 2024."

EDDZA2985/26 (08 JUN 26)

17 JUN 2026 06:00-19 JUN 2026 13:00
DAILY 0600-1300
"CHANGES TO SID DUE TO MAINT OF MAH DVOR/DME:
RWY 26L: RIDAR 6S: AFTER 19.7 DME DMS (20.5 DME DMN) BRNAV EQUIPMENT
NECESSARY. GPS/FMS RNAV OVERLAYS REMAIN UNCHANGED.
REF AIP PAGES AD 2 EDDM 5-7-25 EFF 23 MAY 2019, 5-7-29
DATED 02 OCT 2025.
RWY 26R: RIDAR 6N: AFTER 19.8 DME DMN (19.0 DME DMS) BRNAV EQUIPMENT
NECESSARY. GPS/FMS RNAV OVERLAYS REMAIN UNCHANGED.
REF AIP PAGES AD 2 EDDM 5-7-37 EFF 23 MAY 2019, 5-7-41
DATED 02 OCT 2025."

EDDZA2968/26 (08 JUN 26)

ILS RWY 26L U/S.
08 JUN 26 07:00 UNTIL 31 AUG 26 23:59 ESTIMATED

EDDZA2802/26 (29 MAY 26)

RWY 26L WIP WI LOC AND GP SAFETY ZONES.

EDDZA2752/26 (28 MAY 26)

TXL E2 CLSD BTN ACFT STAND 254 AND 256.

EDDZA2753/26 (28 MAY 26)

TXL CENTER2 LTD TO ACFT ICAO CODE LETTER C BTN ACFT STAND 254 AND
256.

EDDZA2517/26 (19 MAY 26)

CHANGES TO APCH DUE TO RENEWAL OF ILS RWY 26L (IMSW):
RWY 26L: ILS AND LOC APCH TEMPO SUSPENDED.
RNP APPROACH AVAILABLE ONLY.
DURING PARALLEL OPERATIONS (ANOUNCED ON ATIS) LNAV NOT AUTHORIZED
LNAV/VNAV OR LPV TO BE USED ONLY. IF UNABLE INFORM ATC ON INITIAL
CONTACT.

EDDZA2502/26 (19 MAY 26)

"LPV APCH REOP. OCA(H) VALUES RAISED AS FOLLOWS:
LPV RWY08L: A 1748 (317), B 1793 (326), C 1802 (335), D 1868 (401)FT.
LPV RWY08R: A 1909 (423), B 1917 (431), C 1925 (439), D 1934 (448)FT.
LPV RWY26L: A 1785 (315), B 1794 (324), C 1803 (333), D 1888 (418)FT.
LPV RWY26R: A 1908 (459), B 1917 (468), C 1925 (476), D 1933 (484)FT.
DUE TO INADEQUATE PROTECTION PROVIDED IN THE MISSED APPROACH SEGMENT
FOR SOME NAVIGATION SYSTEMS AUTHORISED FOR LPV OPERATIONS."
19 MAY 26 07:48 UNTIL 18 AUG 26 23:59 ESTIMATED

EDDZA2401/26 (14 MAY 26)

TWY D5 CLSD.

EDDZA2235/26 (06 MAY 26)

"THE FLW CHANGES OCCUR TO ALL MISSED APCH PROC RWY 08R DUE TO
AIRSPACE STRUCTURE:
CLIMB WITH 3.8 PERCENT (231FT/NM) UNTIL PASSING 2800. IF UNABLE
ADVICE MUNICH RADAR DURING INTIAL CONTACT. CHANGES ARE PERMANENT.
REF AIP AD2 EDDM 4-2-2 AND 4-4-2 EFF BOTH 28 NOV 2024, 4-6-5 DATED
02 OCT 2025."

12 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

EDDZA6255/25 (28 JAN 26)

"CHANGES TO SID DUE TO COVERAGE OF WLD DVOR/DME: RWY 26R: GIVMI 1N: AMEND ON HEADING 299 DEG TO INTERCEPT R119 WLD, ON R119 WLD TO READ ON TRACK 299 DEG. CLIMB WITH 4.9 PER CENT (300 FT/NM) UNTIL PASSING 3700. AFTER PASSING 3700 BRNAV EQUIPMENT NECESSARY. REF AIP AD 2 EDDM 5-7-37 EFF 23 MAY 2019, 5-7-41 DATED 02 OCT 2025."

EDDZA6227/25 (28 JAN 26)

"MUENCHEN ILS DME (IMNE) CH32X/109.5MHZ ASSOCIATED WITH ILS RWY 08L LOC COVERAGE UP TO 17NM IN SECTOR 33DEG (LEFT) TO 35DEG (RIGHT) IN RELATION TO RCL AND DISTANCE TO LOC, MNM INTERCEPTION ALT IN THIS AREA 3500FT AMSL."

EBBR / BRU

EBBRA1970/26 (12 JUN 26)

"ACFT STAND 400,402,404 HANDLING ONLY ALLOWED BY DAY"

EBBRA1906/26 (07 JUN 26)

"TWY OUT-7, B1, E6 AND E7 RESTRICTED TO MAX ACFT TYPE CODE C."

EBBRA1905/26 (07 JUN 26)

INT INN-6 WITH INN-7 AND INT OUT-7 WITH E6 EDGE LGT AND SIGNS PARTLY U/S.

EBBRA1904/26 (07 JUN 26)

INT INN-6 WITH INN-7 RESTRICTED TO ACFT WITH WINGSPAN SMALLER THAN 68.6M.

EBBRA1903/26 (07 JUN 26)

"TWY OUT-6, B3 AND NORTHERN PART OF INT BTN B3 WITH INN-7 CLSD DUE TO WIP."

EBBRD0324/26 (06 JUN 26)

DAILY 0700-1500
"IAP RNP RWY07L LNAV/VNAV INCREASED OCA CAT A: 456FT, CAT B: 466FT, CAT C: 475FT, CAT D: 485FT.
IAP RNP RWY07L LPV INCREASED OCA CAT A: 456FT, CAT B: 466FT, CAT C: 475FT, CAT D: 485FT"

EBBRA1877/26 (06 JUN 26)

DAILY 0600-1400
TWY OUT-5 RESTRICTED TO ACFT WITH WINGSPAN SMALLER THAN 68.6M

EBBRA1867/26 (06 JUN 26)

17 JUN 2026 22:00-20 JUN 2026 21:59
GENERAL AVIATION ARR PPR. CALL +3227536900 OR MAIL TO INSPECT(AT)BRUSSELSAIRPORT.BE PRIOR TKOF.

EBBRG1285/26 (06 JUN 26)

01-03 08-10 15-17 22-24 0600-1500
TEMPO SEGREGATED AREA (TSA) 'PEUTIE' ESTABLISHED 505607N 0042813E
RADIUS 500M FOR UAS ACT IN VISUAL LINE OF SIGHT. STATUS OF THE AREA CAN BE CHECKED WITH BRUSSELS TWR
F) GND
G) 310FT AMSL

EBBRD0246/26 (06 JUN 26)

DAILY 1500-0700
"IAP RNP RWY07L LPV INCREASED OCA CAT A: 428FT, CAT B: 438FT, CAT C: 447FT, CAT D: 457FT"

EBBRD0245/26 (06 JUN 26)

DAILY 1500-0700
"IAP RNP RWY07L LNAV/VNAV INCREASED OCA CAT A: 428FT, CAT B: 438FT, CAT C: 447FT, CAT D: 457FT"

EBBRA1055/26 (12 APR 26)

"INT BTN TWY OUT-5, OUT-6, INN-5 AND INN-6 CL LIGHTS U/S"

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 67/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

EBBRD0158/26 (12 APR 26)

IAP VOR RWY 07L NOT AVBL
31 MAR 26 19:45 UNTIL 30 JUN 26 12:00 ESTIMATED

EBBRA0669/26 (11 MAR 26)

RWY 25R ILS U/S DUE TO MAINT. DO NOT USE. FALSE INDICATIONS
POSSIBLE. NO IDENT CODE RADIATED

LFPG / CDG

LFFAA4061/26 (18 JUN 26)

POLLUTION EPISODE :
-STRICTER MONITORING OF APU OPERATING TIMES (REF:RESTRICTIONS AIP AD
21)
-ENGINE TESTS NOT INTENDED TO RESULT IN A FLIGHT ARE PROHIBITED.

LFFAA3923/26 (15 JUN 26)

STAR RNAV ENORI 9J RWY 26L 26R 27L 27R NOT AVBL.

LFFAA3860/26 (12 JUN 26)

12 JUN 2026 18:01-19 JUN 2026 18:00
"FUEL REFUELLING CAPACITY PROVIDED BY FAS FUELING
AVIATION SERVICE AT LFPG IS LIMITED DUE TO STRIKE ACTION BY COMPANY
STAFF.
AIRLINES CUSTOMERS OF FAS ARE ADVISED TO CHECK FUEL REFUELLING
AVAILABILITY AT LFPG, TO CONSIDER FUEL TANKERING OR DOUBLE UPLIFT IF
OPERATIONALLY FEASIBLE, AND/OR TO CONTACT THEIR FUEL SUPPLIER."

LFFAA3857/26 (11 JUN 26)

TRIPLE AXIS TWY A4 NOT AVBL
USE ONLY CENTRAL AXIS A4.

LFFAA3840/26 (11 JUN 26)

"FLW STAR MODIFIED- REF AIP FRANCE :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP 9E 9D
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9W 9V
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9P
READ :
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
READ :
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING LUKIP 2000FT,
MOCA HOLDING MOPAR 2200FT,
MOCA HOLDING ROU 2400FT."

LFFAA3740/26 (08 JUN 26)

IMPLEMENTATION OF A NEW DEPARTURE SEQUENCING SYSTEM (GLD) : THE
DEPARTURE SEQUENCING ALGORITHM AND TSAT CALCULATION ARE MODIFIED.
RULES RELATED TO TOBT/EOBT MANAGEMENT AND SEQUENCE EXIT CONDITIONS
(SEQOUT) ARE UPDATED.
PLEASE REFER TO : WWW.CDMPARIS.NET WEBSITE FOR FURTHER INFORMATION

LFFAA3414/26 (06 JUN 26)

"REF :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP 9E 9D
AD2 LFPG STAR RWY EAST RNAV KEPER KOVAK SABLE ROMGO 9E
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9P
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 9W 9V
AD2 LFPG STAR RWY WEST RNAV KEPER KOVAK SABLE ROMGO 9W 9P
READ :
MSA BANOX 2700FT,
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
READ :
MOCA HLDG BANOX 2700FT,
MOCA HLDG BIBAX 1900FT,
MOCA HLDG LUKIP 2000FT,
MOCA HLDG MOPAR 2200FT,
MOCA HLDG ROMGO 2700FT,
MOCA HLDG ROU 2400FT."

LFFAA3070/26 (06 JUN 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 68/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

MODIFICATION :
- THR 09L AND LOC 27R COORDINATES
- THR 27R AND DTHR 27L ALT
- TWY LGT
- TWR AND APP FREQ
- LOCAL TRAFFIC REGULATIONS
- FLIGHT PROCEDURES
- ICE SHEDDING POINTS
- TWY P3 A4 G3 G4 CONFIGURATION
- BANOX ALT HLDG CONSTRAINT
- STAR RNAV MOCA HLDG
- MISSED APCH AND MNM AD REVISION
WITHDRAWAL OF NOT 8.33 EQUIPPED ACFT INSTRUCTIONS

LFFAA2934/26 (06 JUN 26)

AIRAC AIP SUP 019/26 : PHASE 2 ACTIVATED

LFFAF0822/26 (06 JUN 26)

DME 'CGN' CH100Y U/S.

// (COM-INFO)//

THA 00133/12 (12 APR 26)

COM INFO--PILOT SHOULD PLAN TO LAND AT CDG AFTER 0600LT,
TO AVOID EXTRA CHARGES.
RMK/1. A/C ON BLOCK DUE 2200-0600LT,
HIGHER RATE OF PARKING FEE WILL BE APPLIED.
2. NOISE TAX FOR FLT MOVEMENT DUR 2200-0600LT,
HIGHER RATE WILL BE APPLIED. (ISSUED/28JUN/TN028/14/OS-A380/UFN)

LFFAA2208/26 (12 APR 26)

TWY BD4 CLSD

LFFAA0872/26 (21 FEB 26)

TRIGGER NOTAM - AIRAC AIP SUP 019/26 :
RESTRICTIONS ON USE OF AD PARIS CHARLES DE GAULLE - REHABILITATION
AND CLOSURE OF PART OF TAXIWAYS F AND E.
THE DATES OF PHASES ARE CONFIRMED BY NOTAM.
THIS AIP SUP IS AVBL AT WWW.SIA.AVIATION-CIVILE.GOUV.FR

LFFAA4055/25 (04 OCT 25)

TWY EM5 LIMITED TO ACFT WITH A MAXIMUM WINGSPAN OF 36M FROM STAND
EN81.
REF AD 2 LFPG.20-3.3.2.2 LIMITATIONS ACCESSIBILITY.

LFFAA3549/25 (04 JUL 25)

"REF :
AD2 LFPG STAR RWY EAST RNAV BIBAX LUKIP
AD2 LFPG STAR RWY EAST RNAV EPL TRO
AD2 LFPG STAR RWY EAST RNAV KEPER ROMGO
AD2 LFPG STAR RWY EAST RNAV MATIX VEDUS
AD2 LFPG STAR RWY EAST RNAV MOPIL VEDUS
AD2 LFPG STAR RWY EAST RNAV TINIL
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 01
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIP 02
AD2 LFPG STAR RWY WEST RNAV BIBAX LUKIPH
AD2 LFPG STAR RWY WEST RNAV EPL TRO
AD2 LFPG STAR RWY WEST RNAV KEPER
AD2 LFPG STAR RWY WEST RNAV KEPER ROMGO
AD2 LFPG STAR RWY WEST RNAV MATIX VEDUS
READ :
MSA BANOX 2700FT,
MSA LORNI 2700FT,
MSA MOBRO 2400FT,
MSA MOPAR 2400FT,
MSA OKIPA 2300FT,.
LIRE
MOCA HOLDING BANOX 2700FT,
MOCA HOLDING BIBAX 1900FT,
MOCA HOLDING ENORI 2400FT,
MOCA HOLDING LORNI 2100FT,
MOCA HOLDING LUKIP 2000FT,
MOCAHOLDING MOPAR 2200FT,
MOCA HOLDING NANOP 2900FT,
MOCA HOLDING OKIPA 2300FT,
MOCA HOLDING ROMGO 2700FT,
MOCA HOLDING ROU 2400FT,
MOCA HOLDING XERAN 2800FT."

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 69/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LFFAF0990/22 (09 NOV 23)

VOR PART OF VOR/DME PGS 117.050MHZ NOT AVBL (COMPLETELY WITHDRAWN)

LSZH / ZRH

LSSNB1118/26 (18 JUN 26)

19 JUN 2026 06:00-19 JUN 2026 20:59
"CIV VFR TFC SUSPENDED DRG ACTIVATION OF TEMPO LSR91 BUERGENSTOCK.
EXC HEL EMERG MEDICAL SER (HEMS), SAR, MIL, STATE AND HEL MOV IN
CONNECTION WITH SPECIAL EVENT."

LSSNA0472/26 (18 JUN 26)

TWY P CL LGT MIS.

LSSNA0471/26 (18 JUN 26)

DE-ICING PAD F BTN TWY E AND LINK 6 CL LGT AND APN STOP BARS MIS.

LSSNA0470/26 (17 JUN 26)

IAC LOC RWY 28:
MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 5900FT DUE TO ASP
RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.3-5.

LSSNA0466/26 (17 JUN 26)

"ACFT STANDS H11, H12, H13 AND H14 CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I."

LSSNA0465/26 (17 JUN 26)

TWY INNER BTN TWY J AND TWY A NO SINGLE ENG OPS AVBL FOR
MULTIENGINE ACFT.

LSSNA0469/26 (17 JUN 26)

TWY K BTN TWY A AND TWY INNER CLSD DUE TO WIP.
REF AIP SUP 001/2026 PHASE I.

LSSNA0464/26 (17 JUN 26)

TWY INNER BTN TWY J AND TWY A NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 001/2026 PHASE I.

LSSNA0447/26 (15 JUN 26)

AD NOT TO BE PLANNED AS ALTN FOR ACFT CODE C DUE TO
PRKG CONGESTION EXC HOME BASED CARRIERS.

LSSNA0448/26 (15 JUN 26)

"NO PRKG AVBL FOR NON SKED AND NON COMMERCIAL ACFT CODE C, D, E
AND F DUE TO PRKG CONGESTION. EXC HOME BASED CARRIERS."

LSSNA0431/26 (08 JUN 26)

"IAC ILS RWY 14, IAC LOC RWY 14 AND IAC RNP RWY 14:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.1-3, LSZH AD 2.24.10.1-5 AND
LSZH AD 2.24.10.1-9."

LSSNA0432/26 (08 JUN 26)

IAC ILS RWY 16 AND IAC LOC RWY 16:
MISSED APCH: PUBLISHED MNM CLIMB GRADIENT DUE TO ASP RESTRICTIONS
CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.
REF AIP LSZH AD 2.24.10.2-3 AND LSZH AD 2.24.10.2-5.

LSSNA0430/26 (08 JUN 26)

IAC RNP RWY 28:
LNAV MISSED APCH: MNM CLIMB GRADIENT 4.8 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.
LNAV/VNAV MISSED APCH: MNM CLIMB GRADIENT 4.3 PCT UP TO 6100 DUE TO
ASP RESTRICTIONS CANCELLED.
LPV MISSED APCH: MNM CLIMB GRADIENT 4.5 PCT UP TO 6000 DUE TO ASP
RESTRICTIONS CANCELLED.
ALL OTHER MISSED APCH INSTRUCTIONS REMAIN UNCHANGED.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 70/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

REF AIP LSZH AD 2.24.10.3-7.

// (COM-INFO)//

THA 00046/23 (01 JUN 26)

COM INFO:+++ (NEW) --The correct VHF frequency to contact
Swissport OCC at ZRH is 131.655
(ISSUED 01JUN26/REF EMAIL SMT ZRH/UFN)

--TG970; SUMMER SKED STA 0550Z /NOT APPLY ISTREAM PROCEDURE.
(ISSUED 28MAR23/REF TO EMAIL BKKOC/UFN)

LSSNA0388/26 (01 JUN 26)

SID RWY 28 - RNAV 5:
DEGES 3W PDG CHANGED TO 6.6 PCT TO 2200 FT.
REF AIP LSZH AD 2.22 1.1.3.

*LSSNA0375/26 (01 JUN 26)

"SUN-THU 2100-2359, MON-FRI 0000-0400"
RWY 16/34 CLSD AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON ATIS.

*A0365/26 *

LSSNA0365/26 (01 JUN 26)

"AD NOT TO BE PLANNED AS ALTN FOR ACFT CODE D, E AND F DUE TO
PRKG CONGESTION EXC HOME BASED CARRIERS."

I-STREAM PROC

THA 00206/19 (16 MAY 26)

LSZH:--AFTER TOP OF CLIMB, PLEASE SEND ETO IAF
(THE LAST WAYPOINT OF THE ATC FLIGHT PLAN) TO BKKOP TO COMPLY WITH
LSZH I-STREAM PROCEDURE.
(ISSUED 29OCT25/BKKOC/UFN)

LSSNA0348/26 (16 MAY 26)

"TWY E BTN TWY E9 AND ABM STAND D15 NO CL LGT PROVIDED.
TAX ON TEMPO MARKED TWY CL.
FOR ACFT CODE E SPECIAL RQMNTS WITH FLW ME FOR TAX.
REF AIP SUP 004/2026, AREA II."
14 MAY 26 00:01 UNTIL 14 AUG 26 23:59 ESTIMATED

LSSNA0345/26 (16 MAY 26)

TWY E BTN TWY E7 AND TWY E8 WIP. TAX ON TEMPO MARKED CL.
NO CL LGT PROVIDED. TAX WITH CTN.
REF AIP SUP 004/2026 AREA I.

LSSNA0344/26 (16 MAY 26)

TEMPO TWY E RESTRICTED TO CODE E ONLY. MAX WING SPAN 65M.
REF AIP SUP 004/2026 AREA I.

LSSNA0319/26 (16 MAY 26)

"TRIGGER NOTAM - PERM AIRAC AMDT 006/2026:
LVP IMPLEMENTED.
RWY 10, 16, 28, 32 AND 34 SID, STAR AND APCH PROC CHAPTER REVISED.
RWY 28 SID VEBIT4W WITHDRAWN, RWY 28 SID VEBIT1X CHANGED TO VEBIT2X."

LSSNA0300/26 (16 MAY 26)

"ACFT STAND A44 AND B31 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

LSSNA0299/26 (16 MAY 26)

"TWY N EAST OF ACFT STAND B35 RESTRICTED TO CODE C ACFT.
REF AIP SUP 006/25, PHASE I."

LSSNA0288/26 (16 MAY 26)

TWY LINK 7 CLSD DUE TO WIP. AREA MARKED AND LGTD.
16 APR 26 06:37 UNTIL 16 JUL 26 04:00 ESTIMATED

LSSNA0289/26 (16 MAY 26)

TWY E CLSD BTN TWY F AND LINK 6 DUE TO WIP. AREA MARKED AND LGTD.
16 APR 26 06:37 UNTIL 16 JUL 26 04:00 ESTIMATED

LSSNA0287/26 (16 MAY 26)

TWY E4 CLSD DUE TO WIP. AREA MARKED AND LGTD.
16 APR 26 06:37 UNTIL 16 JUL 26 04:00 ESTIMATED

LSSNA0279/26 (16 MAY 26)

TWY INNER BTN TWY J AND TWY A RESTRICTED TO CODE C ACFT.
USE MNM POWER ONLY. REF AIP SUP 001/2026 PHASE I.

LSSNA0165/26 (26 MAR 26)

REF AIP SUP 003/26:
RWY 28 ILS GP 333.050 U/S DUE TO RPLC.
IAC ILS RWY 28 (LSZH AD 2.24.10.3-3) CANCELLED.

LSSNA0041/26 (28 JAN 26)

"SID RWY 16 - RNAV 5:
VEBIT 4S PDG CHANGED TO 5.3 PCT TO 2100FT.
REF AIP LSZH 2.22, 1.1.2."

LSSNA0368/22 (09 NOV 23)

"SID RWY 16 VEBIT 1T NOT AVBL FOR BOEING 777 ACFT.
IN CASE SID RWY 16 VEBIT 4S ALSO NOT AVBL, BOEING 777 DEP ON
RWY 16 SHALL REFILE FPL VIA EXIT FIX DEGES."

LKPR / PRG

LKPRA0859/26 (15 JUN 26)

SS-SR
TWY J BLUE BTN TWY H AND STAND 17 CLSD.
POSITION PUSH 3 AND 4 ON TWY J BLUE CLSD.

LKPRA0649/26 (20 MAY 26)

STAND 17 - VDGS U/S.

LKPRA0471/26 (25 APR 26)

TWY Z ABEAM STAND E7 CLSD. DAY AND NIGHT MARKING.

*LKPRA0407/26 (12 APR 26)

"RWY 06/24 CLSD, REF AIP SUP 1/26 , VFR SUP 1/26"

LKPRA0376/26 (02 APR 26)

TWY T - CENTRE LINE LIGHTS U/S.
02 APR 26 11:59 UNTIL 02 JUL 26 16:00 ESTIMATED

LKPRA0362/26 (31 MAR 26)

STAND 22A - VDGS U/S.
31 MAR 26 06:09 UNTIL 30 JUN 26 22:00 ESTIMATED

LKPRA0273/26 (10 MAR 26)

REF AIP AD 2.22.5 ATS SURVEILLANCE SERVICES AND PROCEDURES.
CNL ITEM 2.22.5.2

LKPRA0121/26 (04 FEB 26)

"AIRPORT OPERATIONS PLAN (AOP) INTEGRATION WITH NETWORK OPERATIONS
THROUGH PREDICTED DEPARTURE PLANNING INFORMATION (P-DPI) AND GENERAL
ARRIVAL PLANNING INFORMATION (G-API) MESSAGES SENT TO NETWORK
MANAGEMENT OPERATIONS CENTER (NMOC) IN ADDITION TO AIRPORT
COLLABORATIVE DECISION MAKING (A-CDM), USED FOR AIR TRAFFIC FLOW
MANAGEMENT (ATFM) PURPOSES. AIP WILL BE AMENDED ACCORDINGLY."

EPWA / WAW

EPWWA1661/26 (17 JUN 26)

20 JUN 2026 08:00-20 JUN 2026 14:00
DUE TO UNSERVICEABILITY OF DME LIN THE FOLLOWING INSTRUMENT
APPROACH PROCEDURES NOT AVAILABLE:
ILS X CAT II AND CAT III OR LOC X RWY 33.

EPWWA1617/26 (12 JUN 26)

"TWY E4, TWY E3, TWY N3 AND SEGMENT OF TWY E2 BTN TWY R AND TWY E4
AVBL FOR ACFT WITH WINGSPAN BELOW 36M."
12 JUN 26 11:38 UNTIL 11 SEP 26 23:59 ESTIMATED

EPWWA1409/26 (28 MAY 26)

REF AIP IFR AD 2 EPWA 1-50 - CHANGE OF INFORMATION IN POINTS:
SHOULD BE:

7.1.2.1. LVP OPERATIONS WILL BE COMMENCED WHEN RVR TDZ ARR RWY FALLS BELOW 800M AND/OR ANY OF THE RVR FALLS BELOW 550 M AND/OR THE CLOUD CEILING FALLS TO OR BELOW 300 FT.

7.1.2.2. LVP WILL BE TERMINATED WHEN RVR TDZ ARR RWY INCREASE TO 800M OR MORE AND/OR ALL OF THE RVR INCREASE TO 550 M OR MORE AND THE CLOUD CEILING REACHES 300 FT OR MORE AND A CONTINUING IMPROVEMENT IS ANTICIPATED.

INSTEAD OF:

7.1.2.1. LVP OPERATIONS WILL BE COMMENCED WHEN ANY OF THE RVR FALLS BELOW 550 M AND/OR THE CLOUD CEILING FALLS BELOW 200 FT.

7.1.2.2. LVP WILL BE TERMINATED WHEN ALL OF THE RVR INCREASE OVER 550 M AND THE CLOUD CEILING REACHES 200 FT OR MORE AND A CONTINUING IMPROVEMENT IS ANTICIPATED.

28 MAY 26 09:38 UNTIL 28 AUG 26 23:59 ESTIMATED

EPWWA1348/26 (22 MAY 26)

"IMPLEMENTING THE RECOMMENDATIONS OF ICAO BULLETIN NO. EB 2026/13. TEMPORARY CHANGE OF OCA/OCH VALUES IN PROCEDURES:

1. RNP RWY 15 FOR LPV:

- CAT A FM 558 (205) TO 640 (287),
- CAT B FM 572 (219) TO 650 (297),
- CAT C FM 582 (229) TO 660 (307),
- CAT D FM 595 (242) TO 680 (327).

2. RNP RWY 29 FOR LPV:

- CAT A FM 560 (213) TO 640 (293),
- CAT B FM 575 (228) TO 660 (313),
- CAT C FM 585 (238) TO 670 (323),
- CAT D FM 598 (251) TO 680 (333)."

EPWWA1072/26 (30 APR 26)

TRIGGER NOTAM - AIRAC SUP 83/26 (AD 2 EPWA) WEF 11 JUN 2026 TILL 09 JUL 2026 EST.

- TEMPORARY AERONAUTICAL OBSTACLES IN THE VICINITY OF CHOPINA W WARSZAWIE (EPWA) AERODROME.

EPWWA1071/26 (30 APR 26)

TRIGGER NOTAM - AIRAC SUP 85/26 (AD 2 EPWA) WEF 11 JUN 2026 TILL 30 JUN 2028 EST.

- RESTRICTION WITHIN MOVEMENT AREA AT LOTNISKO CHOPINA W WARSZAWIE (EPWA) AERODROME.

LOWW / VIE

LOWWA1295/26 (06 JUN 26)

"REF AIP AUSTRIA LOWW AD 2.14

RWY 16 PALS (ICAO-STANDARD, CAT II/III), WITH LED FLG LGT, ADJUSTABLE IN 5 STAGES, CARRIED OUT IN LED"

LOWWA1259/26 (06 JUN 26)

"DUE TO RESTRICTION IN TXL 36

ACFT PARKED ON ACFT PRKG STANDS F09,F11,F17,F21,F27,F31 AND F37:
AFTER PUSHBACK FACING WEST INTO TXL 36 WEST OF TXL 37 - MARSHALLER
GUIDANCE MANDATORY FOR TAXIING OUT VIA ACFT PRKG STAND E43"

LOWWA1258/26 (06 JUN 26)

DUE TO WIP

TXL 35 CLOSED

TXL 36 WEST OF PARKING STAND E42 CLOSED

WORKING AREA DAY AND NIGHT MARKED

LOWWA1260/26 (06 JUN 26)

DUE TO RESTRICTION IN TXL 36

FOR ENTERING TXL 36 ACCORDING ATC CLEARANCE VIA TWY L AND ACFT PRKG
STAND E43 MARSHALLER GUIDANCE MANDATORY

LOWWA1111/26 (06 JUN 26)

"LPV MINIMA SHALL BE RAISED TO THE RESPECTIVE LNAV/VNAV MINIMA.

RNP RWY 11, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-1

RNP RWY 29, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-2

RNP Z RWY 16, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-3

RNP RWY 34, REF AIP AUSTRIA, LOWW AD 2 MAP 13-2-4

NOTE: DUE TO ICAO ELECTRONIC BULLETIN 2026/13"

13 MAY 26 14:02 UNTIL 05 AUG 26 23:59 ESTIMATED

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 73/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LOWWA1057/26 (06 JUN 26)

"PARKING POSITION E42 LTD TO MAX WINGSPAN 35,99M DUE TO LIMITATION OF TXL 35"

LOWWA0963/26 (06 JUN 26)

"DUE TO LIMITATION OF TAXILANE 35
PUSHBACK FROM PARKING POSITIONS F13, F23 AND F33 FACING EAST ONLY"

LOWWA0959/26 (06 JUN 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 309/26 WEF11JUN2026.
ATC SURVEILLANCE MINIMUM ALTITUDE CHART - ICAO

LOWWA0941/26 (06 JUN 26)

"REF AIP AUSTRIA, LOWW AD 2.22, ITEM 2.2
THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED IN LOWW AS ARRIVAL RUSH
HOURS: 0600-0700 UTC, 0900-1030 UTC, 1330-1500 UTC"

LHBP / BUD

LHBPA3951/26 (16 JUN 26)

THE PCN VALUE OF CONC PORTION OF TAXILANE G BEHIND STAND
R115-R117
CHANGED TO 106 R/A/W/T. REF AIP LHBP AD 2.8.

LHBPA3950/26 (16 JUN 26)

THE PCN VALUE OF ASPH PORTION OF TAXILANE G BEHIND STAND
R111-R114
CHANGED TO 51 R/B/W/T. REF AIP LHBP AD 2.8.

LHBPA3780/26 (10 JUN 26)

TWY GB CLSD DUE TO MAINT.

LHBPA2663/26 (30 APR 26)

THE COORDINATES OF PSN R280 IS 472600.01N 0191559.42E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.

LHBPA2662/26 (30 APR 26)

THE COORDINATES OF PSN 45A IS 472604.25N 0191549.82E.
REFERRING TO NON-AIRAC AIP SUP 004/2026.

LHBPA2634/26 (30 APR 26)

"DEPARTURE PLANNING INFORMATION MSG (A-DPI AND C-DPI) PROVIDED TO
EUROCONTROL NETWORK MANAGER OPERATIONS CENTER (NMOC).
1.1. ADS-B DATA REQUIRED.
1.1.1. FOR ADS-B DATA USED BY THE AD OPERATOR AND EUROCONTROL,
PILOTS OF AIRCRAFT EQUIPPED WITH MODE S AND ADS-B FUNCTIONALITY MUST
BE USED, WHEN OPERATING ON THE GROUND:
A) SELECT AUTOMATIC MODE AND THE ASSIGNED MODE A, OR
B) IF AUTOMATIC MODE IS NOT AVAILABLE, SELECT ON AND THE ASSIGNED
MODE A
- FROM THE REQUEST OF PUSH-BACK.
- AFTER LANDING, UNTIL THE AIRCRAFT HAS STOPPED ON STAND.
- WHEN THE AIRCRAFT IS FULLY PARKED, THE PILOT SHALL SELECT STAND
BY.1.1.2. WHEN THE AIRCRAFT IS CAPABLE OF COMMUNICATING ITS
IDENTIFICATION (I.E. THE CALLSIGN USED IN FLIGHT), THIS MUST BE
ENTERED (VIA THE FMS OR TRANSPONDER CONTROL PANEL) AT THE TIME OF
THE PUSH-BACK REQUEST.
1.1.3. THE CREW MUST USE THE FORMAT DEFINED BY ICAO TO ENTER THE
AIRCRAFT IDENTIFICATION.
1.1.4. IN ORDER NOT TO COMPROMISE THE PERFORMANCE OF SYSTEMS BASED
ON SSR FREQUENCIES (INCLUDING AIRBORNE TCAS AND SSR RADARS),
TCAS SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP,
AND SHOULD BE DESELECTED AFTER VACATING THE RUNWAY.)"
04 MAY 26 08:00 UNTIL 04 AUG 26 23:59 ESTIMATED

LHBPA2610/26 (30 APR 26)

"TRIGGER NOTAM - PERM AIRAC AIP AMDT 005/2026 WEF 11 JUN 2026.
AMENDMENTS RELATED TO TAXIWAY G AND ITS VICINITY AND INTRODUCTION OF
NEW TAXIWAY GB.
INTRODUCTION OF A NEW TABLE ON SELECTED OBSTACLES PENETRATING THE
OBSTACLE LIMITATION SURFACES (OLS) AND SUBJECT TO MITIGATION
MEASURES.
OTHER EDITORIAL CHANGES.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 74/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

UPDATED CHARTS: AD 2-LHBP-ADC, AD 2-LHBP-TAXI-ARR, AD
2-LHBP-TAXI-DEP, AD 2-LHBP-PDC-1."

LHBPA1805/26 (25 MAR 26)

"TAXI PROCEDURES FOR ARRIVING AIRCRAFT READ AS FOLLOWS:
ATC EXPECTS ARRIVING ACFT TO VACATE RUNWAYS VIA THE RAPID EXIT
TAXIWAYS. IF UNABLE TO DO SO, NOTIFY BUDAPEST APPROACH ON FIRST
CONTACT. ARRIVALS ON RWY 13R TO T1, USE TWY B1 OR A1. RESTRICTIONS
ON RAPID EXIT TAXIWAYS J4, Y AND Z WILL BE PROVIDED BY BUDAPEST
TOWER WITH LANDING CLEARANCE. DURING LOW VISIBILITY OPERATIONS,
PILOTS SHALL REPORT RWY VACATION TO BUDAPEST TOWER ON 118.715CH.
THE BACKTRACK (180-DEGREE TURN) MANOEUVRES ON RUNWAYS WITH AIRCRAFT
WINGSPAN AT OR HIGHER THAN 36M IS NOT ALLOWED DUE TO WIDTH OF
RUNWAY.
AFTER VACATING THE RWY, WITHOUT FURTHER NOTICE, PILOTS SHALL
IMMEDIATELY CONTACT BUDAPEST GROUND ON 121.905CH FOR DETAILED TAXI
INSTRUCTIONS, IF NOT OTHERWISE INSTRUCTED BY ATC. FURTHER TAXIING TO
THE DESIGNATED STAND IS ONLY ALLOWED WHEN CLEARED BY BUDAPEST GROUND
OR BUDAPEST TOWER.
REF AIP LHBP AD 2.20 3.3."

LROP / OTP

LRBBA3267/26 (13 JUN 26)

BACKTRACK ON RWY 08R/26L IS PERMITTED ONLY AT 26L THR TURN PAD

LRBBA3002/26 (31 MAY 26)

DVOR/DME STJ 113.200MHZ/CH 79X U/S
31 MAY 26 14:29 UNTIL 30 JUN 26 23:00 ESTIMATED

LRBBA2970/26 (29 MAY 26)

TWY G CL LGTS LEAD IN/LEAD OUT TO/FROM RWY 08R U/S

LRBBA2860/26 (26 MAY 26)

"ACFT STANDS 201-203 AVBL FOR MIL ACFT ONLY. MARSHALLING, PARKING
AND ACFT MANOEUVERING TO BE CARRIED OUT BY MIL PERSONNEL"

*LRBBA2701/26 (19 MAY 26)

EVERY THU 0600-0800
RWY 08R/26L CLSD

LRBBA2416/26 (08 MAY 26)

"ADVANCED TWR PROCEDURES IN FORCE:
DUE TO THE INFORMATION EXCHANGE FOR DEPARTURE FLIGHTS USING
EUROPEAN STANDARD FOR A-CDM AIRPORTS, LROP WILL SEND A-DPI
MESSAGES TO NMOC REPORTING TTOT IN ORDER TO IMPROVE TAKE-OFF
TIME ESTIMATES. THE FPL OF ACFT THAT FOR ANY REASON RETURNS TO
STAND AFTER EOBT WILL BE SUSPENDED IN THE ATM NETWORK WITH A
C-DPI MESSAGE. THE AIRCRAFT OPERATOR WILL RECIEVE A FLS MESSAGE
WITH REASON-SUSPENDED BY DEPARTURE AIRPORT- TO REVOKE THE
SUSPENSION, OPERATORS SHALL UPDATE EOBT WITH A DLA OR CHG
MESSAGE.
ACRONYMS:
A-CDM (AIRPORT COLLABORATIVE DECISION MAKING)
A-DPI (ATC DEPARTUR PLANNING INFORMATION)
ATFCM (AIR TRAFFIC FLOW CAPACITY MANAGEMENT)
C-DPI (CANCEL DEPARTURE PLANNING INFORMATION)
FLS (FLIGHT SUSPENSION)
NMOC (NETWORK MANAGER OPERATIONS CENTER)
TTOT (TARGET TAKE-OFF TIME)."
11 MAY 26 00:00 UNTIL 10 AUG 26 23:59 ESTIMATED

LRBBA2376/26 (07 MAY 26)

"SAFEGATE STANDS 103, 104, 107, 110,113 AND 114 U/S"

LRBBA2275/26 (02 MAY 26)

"DUE TO RESTRICTED AIRPORT CAPACITY, PRIOR PERMISSION REQUIRED
(PPR)
FROM AD OPERATOR IS MANDATORY FOR ALL NON-SCHEDULED FLIGHTS"

LRBBA2227/26 (29 APR 26)

NO ACFT PARKING POSITIONS AVBL BTN 1800-0500 FOR ALL NONSCHEDULED
FLIGHTS/DIVERTED FLIGHTS EXCEPT STATE/MIL ACFT AND
ACFT PARKED ON APRON 3 GENERAL AVIATION TERMINAL

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 75/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LRBBA2225/26 (29 APR 26)

"DUE TO LIMITED PARKING STANDS AVBL, NONSCHEDULED FLIGHTS,
NONSCHEDULED CARGO FLIGHTS, NONSCHEDULED CARGO FLIGHTS CARRYING
MIL ARMY/MUNITIONS, WITHOUT PPR FM AD ADMINISTRATION WITH MIN 72
HR AT E-MAIL 'OPS AT CNAB.RO', NO PRKG STAND WILL BE ALLOCATED
AND NO HANDLING WILL BE PERMITTED.
EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

LRBBA2226/26 (29 APR 26)

"DUE TO LIMITED PARKING STANDS AVBL FOR NONSCHEDULED FLIGHTS,
BFR FILLING A FLT PLAN WITH LROP AS A DESTINATION/ALTERNATE,
MIN 72 HR PPR MUST BE OBTAINED FM AD ADMINISTRATION AT E-MAIL
'OPS AT CNAB.RO', EXCEPT STATE/MIL ACFT AND ACFT PARKED ON APRON 3
GENERAL AVIATION TERMINAL"

LRBBA2027/26 (19 APR 26)

TWY C1 CLSD ABEAM STANDS 204-206

LRBBA2026/26 (19 APR 26)

"ACFT STANDS 204, 205 AND 206 EXIT ONLY WITH PUSHBACK DUE TO
TWY C1 CLSD ABEAM STANDS 204-206 FOR ACFT STORAGE FACILITY."

LRBBA1898/26 (09 APR 26)

ACFT WITH WINGSPAN GREATER THAN 65M ARE NOT ALLOWED TO OPERATE
WITHOUT A SIGNED AGREEMENT BETWEEN AIRLINE AND AIRPORT AUTHORITY

LRBBA1818/26 (06 APR 26)

"GROUND STAY MORE THAN 3 HOURS FOR ALL NONSCHEDULED FLIGHTS
IS NOT PERMITTED. NO PARKING SPACE AVBL FOR LONG TERM PARKING,
NO ACFT STORAGE AVBL. EXCEPT STATE/MIL ACFT AND ACFT PARKED ON
APRON 3 GENERAL AVIATION TERMINAL."

LTFM / IST

LTAAB2523/26 (18 JUN 26)

"PARKING POSITIONS 501, 502, 503, 504 AND 505 CLSD."

LTAAB2522/26 (18 JUN 26)

TWY T1 AND TWY T12 CLSD TO TFC

LTAAB2460/26 (16 JUN 26)

"ISTANBUL AD,

ALL PILOTS WHO OPERATES ON ISTANBUL AIRPORT (LTFM) MUST BE INFORMED
ABOUT THE CONTENT OF THE 'TRO AWARENESS LEAFLET' ANNOUNCED ON THE
DHMI GENERAL DIRECTORATE WEBSITE VIA THE
[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/ANASAYFA.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/anasyfa.aspx) LINK BEFORE THE
FLIGHT AND MUST OPERATE ACCORDINGLY."
16 JUN 26 08:45 UNTIL 16 SEP 26 08:45 ESTIMATED

LTAAB2410/26 (12 JUN 26)

"TWY G7 AND TWY G7A SHALL BE USED BY ACFT UP TO CATEGORY C (A,B,C)
(MAX SPAN 36M).
SEE NOTAM: B2306/26"

LTAAB2389/26 (11 JUN 26)

TWY G1 BTN TWY G AND TWY H SHALL BE USED BY ACFT UP TO CATEGORY E
(A B C D E). (MAX.SPAN 65M).
TWY G1 BTN TWY H AND TWY G1D SHALL BE USED BY ACFT UP TO CATEGORY C
(A B C). (MAX.SPAN 36M)

LTAAB2306/26 (07 JUN 26)

TWY G CLSD TO TFC BTN TWY G3 AND TWY G7 DUE TO MAINT.

LTAAB2017/26 (07 JUN 26)

"BIRD CONCENTRATION INFORMATION FOR ALL RWYS AND APPROACH SURFACES
AS FOLLOWS:
AT THE BEGINNING OF RWYS: 0-200M THE MOST DENSE
AT APPROACH SURFACES : 0-200M THE MOST DENSE, 200-400M DENSE,
400-1000M LOW DENSE
DENSITY LEVEL: 5

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 76/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

LOW ALTITUDE : SFC
HIGH ALTITUDE: 3000FT

1. IT IS LIKELY TO ENCOUNTER WITH GROUPS OF SEAGULL(670-1150G)
AT BEGINNING OF RWYS AND APPROACH SURFACE, ESPECIALLY ON SUNRISE
SUNSET HOURS AND PARTIALLY DURING THE DAY.

2. IT IS LIKELY TO ENCOUNTER WITH BIG GROUPS OF
STORK(2275-4400G),FALCON(130-1600G), HAWK(420-1180GR) AND
EAGLE(1000-2200G) MOVING FROM EAST-SOUTHEAST TO WEST-NORTHWEST
DIRECTION.

3. IT IS LIKELY TO ENCOUNTER WITH SMALL GROUPS OF
PIGEON(240-380G),JACKDAW(220-270G), STARLING(55-100G), SWALLOW
BIRD(14-20G), SWIFT BIRD(38-100G) AND LITTLE SONG BIRD(15-30G)."

LTAAA1907/26 (07 JUN 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026
CHANGES OF LTFM AD ADC, PRKG-4, GMC-1, GMC-2, GMC-3, GMC-4, GMC-5,
GMC-6, GMC-7, GMC-8, GMC-9, GMC-10, GMC-11, GMC-12, GMC-13, GMC-14,
GMC-15, GMC-16, GMC-17 , AD 2 LTFM VFR"

*LTAAB1707/26 (29 APR 26)

RWY 16L/34R CLSD TO LANDING TFC DUE TO CONST.

*LTAAB1708/26 (29 APR 26)

RWY 17R/35L CLSD TO LANDING TFC DUE TO CONST A-B HANGAR.

LTAC / ESB

LTAAJ2514/26 (18 JUN 26)

"ANKARA ESENBAGA AIRPORT
AD 2 LTAC MRVC CHART DATED 09 JUL 26, PUBLISHED VIA AIRAC AIP AMDT
NO. 07/26, IS IN EFFECT
IT IS AVAILABLE AT THE LINK BELOW
[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/MAIN.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/main.aspx)
REF LT 07/26 AIRAC AIP AMDT AD 2 LTAC MRVC"

LTAAJ2510/26 (18 JUN 26)

"APRON 2 ACFT STANDS 1A, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
AND 14 RENAMED AS 201, 202, 203, 204, 205, 206, 207, 208, 209, 210,
211, 212, 213, 214 AND 215 RESPECTIVELY.
-DUE TO IMPLEMENTATION WORKS-
-BE CAUTIOUS UNTIL AIP DATA PUBLISHED-
-ADVISE TWR INSTRUCTIONS-"

*LTAAJ2504/26 (17 JUN 26)

18 JUN 2026 07:00-19 JUN 2026 14:00
0700-1400
RWY 03L/21R CLSD TO TFC.
-ADVISE TWR INSTRUCTIONS-

LTAAJ2458/26 (15 JUN 26)

TWY E1 CLSD TO TFC.
-ADZ TWR INSTRUCTIONS-

LTAAJ2452/26 (15 JUN 26)

NDB ANK 356KHZ U/S.

LTAAJ2420/26 (12 JUN 26)

ILS GP 330.8MHZ RWY 03R U/S.

LTAAA2303/26 (02 JUN 26)

ANKARA ESENBAGA AD:
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'CAT II/III
AND LVTO OPERATIONS' IN SECTION AD 2.22

RWY 03R LVTO HOLDING POSITION:
M1 TAXIWAY CAT II/III HOLDING POSITION:
400604.39N-0325918.62E

RWY 21L LVTO HOLDING POSITION:
M8 TAXIWAY CAT II/III HOLDING POSITION:
400741.73N-0330051.37E

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 77/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

REF AIP LTAC AD 2.22

LTAAA2300/26 (02 JUN 26)

"ANKARA ESENBOGA AERODROME
PLEASE ADD THE FOLLOWING INFORMATION UNDER THE HEADING 'DE-ICING
ANTI-ICING PROCEDURES' IN SECTION AD 2.20
'FOR THE ALTERNATIVE TAXIWAY CENTERLINE DESIGNATED AS THE 'BLUE
LINE' IN DE-ICING AREAS 1 AND 2, SEE AD 2 LTAC ADC.'

THE UPDATED AD 2 LTAC ADC HAS BEEN PUBLISHED ON THE FOLLOWING
WEBPAGE AND WILL BE INCORPORATED INTO THE AIP VIA AIRAC ON AUGUST 6,
2026.

[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/MAIN.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/main.aspx)"

LTAAJ2045/26 (15 MAY 26)

"DE-ICING PRKG PSN LCA IN LINE WITH THE ACFT STANDS 101, 102 AND
103 DESIGNATED AS DE-1 AND DE-2, RENAMED AS DP-1 AND DP-2.
-BE CAUTIOUS UNTIL AIP DATA PUBLISHED-
-ADVISE TWR INSTRUCTIONS-"

LTAAJ2042/26 (15 MAY 26)

"TWY A SURFACE IS CONCRETE BTN COORDINATES 400815.27N0330031.10E
AND
400823.06N0330038.54E

PCN: 138 R/A/W/T, PCR: 1240 R/A/W/T
BE CAUTIOUS UNTIL AIP DATA PUBLISHED.
ADVISE TWR INSTRUCTIONS."

LTAAA1890/26 (06 MAY 26)

"TRIGGER NOTAM-PERM AIRAC AIP AMDT 06/26 WEF 11 JUN 2026
CHANGES OF LTAC AD SID-4, SID-4A, SID-6, SID-6A, SID-8, SID-8A"

LTAAJ1753/26 (24 APR 26)

"DCL (DEPARTURE CLEARANCE) SYSTEM AVBL ON TEST. AIRCRAFT WITH THE
CAPABILITY SHALL TAKE ATC CLEARANCE FROM DCL SYSTEM, OTHERWISE MUST
CONTACT THE DELIVERY FREQ BROADCAST ON AUTOMATIC TERMINAL
INFORMATION SERVICE (ATIS) WITH THE REASON FOR 'REJECTION'."

LTAAJ1541/26 (08 APR 26)

"ANKARA ESENBOGA AD:

STAR-2 (RWY 21R/C),
STAR-8 (RWY 03R),
STAR-9 (RWY 21L),
IAC-1 (NDB Z RWY 03C),
IAC-7 (NDB Z RWY 03L),
IAC-23 (ILS Z CAT I OR LOC Z RWY 21L),
IAC-25 (ILS X CAT II RWY 03R),
IAC-26 (ILS Y CAT II RWY 21L),
IAC-27 (ILS W CAT I RWY 03R),
IAC-29 (ILS V CAT II RWY03R) PROCEDURES ARE SUSPENDED.

REF AIP AD 2 LTAC STAR-2, STAR-8, STAR-9, IAC-1, IAC-7, IAC-23,
IAC-25, IAC-26, IAC-27, IAC-29"
08 APR 26 07:15 UNTIL 08 JUL 26 07:08 ESTIMATED

LTAR / VAS

LTAAJ2486/26 (16 JUN 26)

0800-1300
RWY 01/19 CLSD TO TRAINING FLT AND MIL FLT EXC SKED AND
AMBULANCE FLT DUE TO CONST WORKS

LTCC / DIY

LTAAJ2290/26 (04 JUN 26)

"TWY H2, TWY J, TWY W, TWY K OPN TO CIV TFC.
-ADVISE ATC INSTRUCTIONS.-"

*LTAAJ2268/26 (04 JUN 26)

RWY 16L/34R CLSD TO ALL TFC DUE TO RWY MAINT

*LTAAD1283/26 (04 JUN 26)

RWY 16L/34R CLSD TO TFC DUE TO RWY RENOVATION WORKS.

LTAAJ2178/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAD1221/26 (26 MAY 26)

RWY 16R APPROACH PAPI ANGLE IS 3.5 DEGREE

LTAAJ2170/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1219/26 (25 MAY 26)

RWY END IDENTIFIER LIGHTS RWY 34L U/S.
RWY END IDENTIFIER LIGHTS RWY 16R U/S.

LTAAD1220/26 (25 MAY 26)

MIL-S POOL CLSD.

LTAAJ1838/26 (30 APR 26)

ASR UNRELIABLE BTN RADIALS 201-255 AND BTN 9-22NM AT ALL ALTITUDE.

LTAAD1007/26 (30 APR 26)

AIRFIELD SURVEILLANCE RADAR (ASR) UNRELIABLE BTN RADIALS 201-255
AND BTN 9-22NM RADIUS AT ALL ALTITUDES.

LTAAJ1810/26 (28 APR 26)

"TWYS H1, K1, F1, E1, D1, C1, B1 AND MIL-D2 CLSD TO CIV TFC.
-DUE TO MAINT-"

*LTAAJ1809/26 (28 APR 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

*LTAAD0958/26 (28 APR 26)

RWY 16L/34R APCH LIGHTING SYSTEM AND RWY LIGHTS U/S.

LTAAD0959/26 (28 APR 26)

"TWYS C1, H1, MIL F, MIL G, MIL H CLSD TO TFC."
28 APR 26 06:54 UNTIL 28 JUL 26 14:00 ESTIMATED

LTAAJ1792/26 (27 APR 26)

ILS LOCALIZER IDBN 108.5MHZ RWY 34R U/S.

UGTB / TBS
N I L

UDYZ / EVN

UDDDA0068/26 (16 APR 26)

"ESTABLISHMENT OF LTAA FIR-UDDD FIR BOUNDARY SIGNIFICANT POINT
FODEC 402025N 0433537E.
FOR ARRIVALS VIA FODEC TO UDYZ,FODEC FRA(A) WILL BE USED.MINIMUM
LEVEL OVER FODEC IS FL125.
FOR FLIGHT PLANNING FILE DCT OKUDA FOR RWY08 AND FODEC DCT LUMIK FOR
RWY26.
TACTICAL RADAR VECTORING MAY BE EXPECTED."

UDDDA0054/26 (24 MAR 26)

"THE THRESHOLD OF RWY 08 WILL BE TEMPORARILY DISPLACED BY 1450M
TOWARD THE RUNWAY CENTER DUE TO A DISPLACED THRESHOLD, THE DECLARED
LANDING DISTANCE AVAILABLE (LDA) IS REDUCED TO 2400M.
RWY 08 TORA-2400, TODA-2800, ASDA-2400, LDA-2400
RWY 26 TORA-2400, TODA-2850, ASDA-2400, LDA-2400
PAPI AND ILS OF RWY 08 WILL NOT BE OPERABLE.
TWY A AND MAIN TWY FROM APRON 1 TO TWY A WILL NOT BE OPERABLE.
SIMPLE APPROACH LIGHTING SYSTEMS WILL BE AVAILABLE (SINGLE SOURCE)
FOR RWY TEMPORARY THRESHOLD 08 ACCORDING TO FIGURE A7, ANNEX 14 ICAO.
CAT I AND CATII ARE OUT OF SERVICE.
A WIDE-BODY AIRCRAFT IS PERMITTED TO PERFORM BACKTRACK AT THE
RUNWAY-TAXIWAY

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 79/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

B, C, D INTERSECTIONS.
A BACKTRACK OF NARROW-BODY AIRCRAFT WILL BE CONDUCTED ON THE RWY.
FOR RWY 08:
DUE TO RWY 08 DISPLACED THR 400850.08N 0442325.12E
DESCENT GRADIENT 4.7 PERCENT (2.7 DEGREE)
OCA(H) 3540(740)
MAPT ZVR
FOR IAC VOR/DME 08:
ON CHART TABLE ALT ARE CHANGED DEPENDING ON FINAL APPROACH DISTANCE
ZVR DME 1NM-3820, ZVR DME 3NM-4390, ZVR DME 5NM-4960
FOR IAC RNP RWY 08 (LNAV ONLY):
ON CHART TABLE ALT ARE CHANGED DEPENDING ON FINAL APPROACH DISTANCE
DISPLACED THR 3NM-3710, DISPLACED THR 5NM-4280
ILS/DME, GLS NOT AVAILABLE)"

UBBB / GYD

*UBBUA0197/26 (16 JUN 26)

"JUN 16 0800-1600, 17-21 0400-1600"
RWY 16/34 CLSD DUE TO CONSTRUCTION WORKS

UBBUA0196/26 (15 JUN 26)

"TWY E,E2,D,G,P CENTRE LINE LIGHTS U/S."

UBBUA0193/26 (07 JUN 26)

"RWY ENTRANCE LIGHTS AT INTERSECTION TWY H, TWY H2, TWY H4 AND TWY
S WITH RWY 17/35 U/S."

UBBUA0190/26 (01 JUN 26)

VALIDITY OF AD CERTIFICATION CHANGED TO 01.06.2026-31.05.2029
REF AIP AD 1.5

UBBUA0108/26 (24 APR 26)

SURFACE MOVEMENT RADAR U/S.

UTAK / KRW

UUUU00231/26 (15 JUN 26)

NDB 34R WZ 911 KHZ U/S DUE TO REPAIR WIP.

*UUUU00169/26 (15 APR 26)

RWY 16L/34R CLSD.

UTAA / ASB

UUUU00228/26 (03 JUN 26)

TWY SEGMENT BTN C1 AND C2 AVBL FOR ACFT TFC CODE LETTER C AND BLW.

UUUU00226/26 (03 JUN 26)

"STANDS 113, 113A, 113B, 114B CLSD."

UUUU00164/26 (11 APR 26)

TWY E1 CLSD.

OITR / OMH

OIIIA1182/26 (08 JUN 26)

ALL AIRCRAFT DEPARTING FM/ARRIVING TO UROMIYEH AERODROME SHALL BE
EQUIPPED WITH SSR TRANSPONDER MODE S WITH ADS-B CAPABILITY OR
ADS-B WITH DEDICATED 1090 MHZ ADS-B OUT CAPABILITY.
08 JUN 26 16:48 UNTIL 29 JUN 26 08:30 ESTIMATED

OIIIA1074/26 (29 MAY 26)

AMD U/S
29 MAY 26 09:32 UNTIL 29 JUN 26 08:40 ESTIMATED

// (COM-INFO) //

THA 00145/24 (10 SEP 24)

COM INFO: -- ATS HOURS 0330-1830, OTHER TIME O/R (LIDO AOI) (PC-INFO)

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 80/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

OIII / THR

OIIIA1034/26 (25 MAY 26)

"REF AIP PAGE ENR 1.6-1, TEHRAN TMA MSSR RADAR U/S AND
APCH RADAR SER IN TEHRAN TMA NOT AVBL."
25 MAY 26 07:21 UNTIL 29 JUN 26 08:30 ESTIMATED

OIIIA0958/26 (12 MAY 26)

"ILS (LOC, GP, DME) RWY 29R ITRN CH44X U/S AND SUBSEQUENTLY
REQUIRED FLTCK"
12 MAY 26 08:45 UNTIL 10 AUG 26 23:59 ESTIMATED

OIIIA0830/26 (27 APR 26)

"TWO HOLES EXIST ON TWY A BTN TWY A3 AND A4 :
2M NORTH OF TWY CL, LEN: 50 CM , WID: 20 CM , DPT: 08 CM
1M NORTH OF TWY CL, LEN: 30 CM , WID: 30 CM , DPT: 05 CM."
27 APR 26 07:08 UNTIL 26 JUL 26 12:00 ESTIMATED

OIIIA0829/26 (27 APR 26)

"A HOLE EXISTS ON 1.5M RIGHT SIDE OF CL TWY A, BFR TWY A1
WITH FLW SPECIFICATIONS:
LEN:50 CM, WID:15 CM, DPT:10 CM"
27 APR 26 07:05 UNTIL 26 JUL 26 12:00 ESTIMATED

OIIIA0828/26 (27 APR 26)

"A HOLE EXISTS ON SOUTH OF RCL 11L/29R BTN TWY A3 AND TWY A4,
WITH FLW SPECIFICATION:
DIST FM RCL: 1 M,
LEN: 30 CM, WID: 20 CM, DPT: 5 CM"
27 APR 26 06:59 UNTIL 26 JUL 26 12:00 ESTIMATED

OIIIA0822/26 (26 APR 26)

"A HOLE EXISTS ON 1 M RIGHT SIDE OF CL TWY A
BTN TWY A3 AND A4 BFR STAND NR 308
WITH FLW SPECIFICATIONS:
LEN:30 CM, WID:30 CM, DPT:7 CM"
26 APR 26 16:48 UNTIL 26 JUL 26 16:46 ESTIMATED

OIIIA0821/26 (26 APR 26)

"A HOLE EXISTS ON SOUTH OF RCL 11L/29R AT INT TWY A3
WITH FLW SPECIFICATION:
-DIST FM RCL: 1 M,
LEN: 40 CM, WID: 10 CM, DPT: 10 CM"
26 APR 26 16:33 UNTIL 26 JUL 26 16:30 ESTIMATED

OIIIA0820/26 (26 APR 26)

"A HOLE EXISTS ON CL TWY A1 WITH FLW SPECIFICATIONS:
LEN:20CM, WID:5CM, DPT:4CM"
26 APR 26 16:29 UNTIL 25 JUL 26 16:30 ESTIMATED

OIIIA0819/26 (26 APR 26)

"REF AIP PAGE AD 2-10 OIII ITEM 2.18,
MEHRABAD CLEARANCE DELIVERY NOT OPR."
26 APR 26 10:25 UNTIL 26 JUL 26 10:00 ESTIMATED

OIIIA0818/26 (26 APR 26)

"REF AIP AD 2.20 ITEM 6-1-5, TWY A3, A4 AND A5 OPN
AND ONLY AVBL FOR EMERG EXIT."
26 APR 26 10:23 UNTIL 26 JUL 26 10:00 ESTIMATED

OIIIA0817/26 (26 APR 26)

"FOUR ENG ACFT HAVE TO MNTN THEIR OUTER ENGINES AT
LOW RPM DRG TAXI ON TWY B6,B8,B9 TO AVOID PRODUCING FOD."
26 APR 26 10:20 UNTIL 26 JUL 26 10:00 ESTIMATED

OIIIA0791/26 (20 APR 26)

"REF AIP PAGE AD 2 OIII IAC 1-1 AND IAC 1-1-1,
- INSTRUMENT APPROACH PROCEDURE
TEHRAN/MEHRABAD
ILS Z OR LOC Z RWY 29L
CAT A/B/C/D , AND
- INSTRUMENT APPROACH PROCEDURE TABULAR DESCRIPTION
TEHRAN/MEHRABAD

ILS Z RWY 29L
CAT A/B/C/D,
SUSPENDED."
20 APR 26 09:05 UNTIL 19 JUL 26 20:30 ESTIMATED

OIIE / IKA

OIIIA1230/26 (15 JUN 26)

"TWY J BTN TWY A AND APRON, AND APRON TAXI LANE
BTN STAND 112L AND STAND 110 CLSD DUE TO WIP."
14 JUN 26 05:17 UNTIL 13 JUL 26 15:30 ESTIMATED

OIIIA1229/26 (15 JUN 26)

ACFT STAND NR 110 AND STAND NR 142 CLSD DUE TO WIP.
14 JUN 26 05:15 UNTIL 13 JUL 26 15:30 ESTIMATED

OIIIA1170/26 (08 JUN 26)

TWY R6 CLSD.
08 JUN 26 09:20 UNTIL 06 SEP 26 15:30 ESTIMATED

OIIIA1052/26 (25 MAY 26)

"REF NOTAM A0983/26, PILOT MUST BE READY TO USE
DVOR/DME TRN FREQ 115.300 MHZ CH 100X IN CASE INSTRUCTED BY
MEHRABAD ATC."
25 MAY 26 09:13 UNTIL 15 AUG 26 06:00 ESTIMATED

OIIIA0990/26 (17 MAY 26)

ACFT DOCKING GUIDANCE SYSTEM STANDS
NR 104R AND 116R U/S.
17 MAY 26 14:08 UNTIL 15 AUG 26 15:30 ESTIMATED

OIIIA0991/26 (17 MAY 26)

TWY R5 AND TWY B BTN TWY R4 AND TWY R5 CLSD DUE TO WIP.
17 MAY 26 14:14 UNTIL 15 AUG 26 15:30 ESTIMATED

OIIIA0983/26 (16 MAY 26)

"DVOR/DME IKA FREQ 114.300 MHZ CH 90X U/S AND
SUBSEQUENTLY REQUIRED FLTCK.
ALSO ALL SID, STAR AND IAP BASE ON MENTIONED SYSTEM
TEMPORARILY SUSPENDED."
16 MAY 26 11:33 UNTIL 15 AUG 26 06:00 ESTIMATED

OIIIA0965/26 (12 MAY 26)

PAPI RWY 29R U/S AND SUBSEQUENTLY REQUIRED FLTCK
12 MAY 26 08:53 UNTIL 10 AUG 26 23:59 ESTIMATED

OIIIA0888/26 (04 MAY 26)

TRIGGER NOTAM TEMPORARY NEW AIRAC AIP SUP 1/26
REGARDING AMENDED IAC 1-1 AT IMAM KHOMAINI INTERNATIONAL AIRPORT
AND AVBL AT OUR WEBSITE ([HTTPS://AIS.AIRPORT.IR/81](https://ais.airport.ir/81)).

OIYY / AZD
N I L

OIZH / ZAH
N I L

OIFM / IFN

OIIIA1196/26 (09 JUN 26)

"TWY A, C, D, F AND H CLSD."

*OIIIA1195/26 (09 JUN 26)

RWY 07R/25L CLSD EXC INT OF TWY B AND TWY E.
09 JUN 26 05:59 UNTIL 09 JUL 26 05:56 ESTIMATED

OIIIA1194/26 (09 JUN 26)

MILITARY /EMERGENCY UHF FREQ 243.000 MHZ U/S.
09 JUN 26 05:40 UNTIL 07 SEP 26 05:40 ESTIMATED

OIIIA1035/26 (25 MAY 26)

"REF AIP PAGE ENR 1.6-1, ESFAHAN TMA MSSR RADAR U/S AND

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 82/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

APCH RADAR SER IN ESFAHAN TMA NOT AVBL."
25 MAY 26 07:23 UNTIL 29 JUN 26 08:30 ESTIMATED

*OIIIA0913/26 (06 MAY 26)

"NEW TEMPORARY CAUTION AREA ESTABLISH WITH FLW SPECIFICATIONS:
IDENTIFICATION: OIC200, NAME: ESFAHAN,
COORDINATES:
330930N 0504004E
332158N 0505002E
332259N 0505656E
331406N 0505659E
330300N 0511052E
TO THE POINT OF ORIGIN,
LOWER LIMIT: GND, UPPER LIMIT: FL150 ,
TIME OF ACTIVITY: NOTIFIED BY OIFM ATC ,
MANNED OR UNMANNED AIRCRAFT (FLIGHT TEST AREA),
IRIDIO ."
F) GND
G) FL150

UZTT / TAS

UZTTD1035/26 (12 JUN 26)

STAND C41 CLSD.

ETOQV0503/26 (08 JUN 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE LIMITED ILS C OR LOC C RWY 08R, DME &
ATC RADAR REQUIRED. MISSED APPROACH WAYPOINTS NOT IN DAFIF.

ETOQV0504/26 (08 JUN 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE LIMITED ILS C OR LOC C RWY 26R, DME &
ATC RADAR REQUIRED. MISSED APPROACH WAYPOINTS NOT IN DAFIF. MINIMUMS S-LOC 26R 1930/1600M 513
(600-1600M).

ETOQV0501/26 (08 JUN 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE LIMITED ILS C OR LOC C RWY 08L, DME &
ATC RADAR REQUIRED. MISSED APPROACH WAYPOINTS NOT IN DAFIF.

UZTTD0978/26 (29 MAY 26)

"STANDS E69, E70 ARE AVLB FOR ACFTS WITH WING SPAN
NO MORE THAN 34,1M AND LENGTH NO MORE THAN 44,6M."

UZTTD0977/26 (29 MAY 26)

TWY-H FROM ABEAM STAND E1 TO ABEAM STAND B-7 CLSD.

UZTTD0976/26 (29 MAY 26)

STANDS H-44 USE ONLY FOR TAXIING ACFT.

UZTTD0975/26 (29 MAY 26)

"STAND E71 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 34.1M,
LENGTH
NO MORE THAN 37.57M, ONLY IF STAND E70A IS OCCUPIED BY ACFT WITH
WINGSPAN NO MORE THEN 60.3M LENGTH NO MORE THEN 63.7M."

UZTTD0973/26 (29 MAY 26)

TAXIING ACFT TO ABEAM STAND E1 AVLB WITH MAX ACFT WINGSPAN
36M AND LESS ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR.

UZTTD0972/26 (29 MAY 26)

"TAXIING INTO ACFT TO STAND B15 BY OWN POWER,
TAXIING OUT ACFT BACK BY TOWING ON MAIN TWY OR TOWING FORWARD
ON START-UP POINT N3."

UZTTD0938/26 (19 MAY 26)

"TAXIING INTO/OUT ACFT TO STANDS H48, H49, H50, H51,H52,
H53, H54, H55, H56, H57 USE BY TOWING FROM START-UP POINT N11.
MOVEMENT ACFT WITH TURNED OFF ENGINES.
START-UP ENGINES ON START-UP POINT N11."

UZTTD0904/26 (14 MAY 26)

"SID DVOR/DME RWY 08L/R PUBLISHED IN CHART SID DVOR/DME
RWY 26R/L, RWY 08L/R (AIP UZTT AD2.24-4.15) TO BE ASSIGNED
IN CASE OF GNSS FAILURE OR LOSS.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 83/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

UNDER NORMAL CONDITIONS RNAV (GNSS) SID SHALL BE USED.
REF: AIP UZTT AD2.24-4.15 AIRAC AMDT 03/26 EFFECTIV DATE 14 MAY 2026."

UZTTD0864/26 (07 MAY 26)

"ON PAGE AD2.UZTT-7, ADD THE FOLLOWING VALUES
TO TABLE 2.13 DECLARED DISTANCES:
RWY 08L:
TWY1: TORA 3750M, TODA 3900M, ASDA 3750M
RWY 26R:
TWY5: TORA 3750M, TODA 3900M, ASDA 3750M
TWY3: TORA 1200M, TODA 1350M, ASDA 1200M
RWY 08R:
TWY7: TORA 3555M, TODA 3705M, ASDA 3555M
RWY 26L:
TWY13: TORA 1300M, TODA 1450M, ASDA 1300M
TWY14: TODA 2500M INSTESD OF 2350M.
REF: AIP AD2. UZTT-7 AIRAC AMDT 05/25
EFFECTIV DATE 02 OCT 2025."

UZTTD0863/26 (07 MAY 26)

"ON PAGE UZTT AD2.24-1.0-1, MAKE THE FOLLOWING CORRECTIONS
IN THE DECLARED DISTANCES TABLE:
RWY 08L: TWY1 INSTEAD OF THR1:
RWY 26R: TWY5 INSTEAD OF THR5:
RWY 08R: TWY7 INSTEAD OF THR7:
REF: AIP UZTT AD2.24-1.0-1 AIRAC AMDT 03/26
EFFECTIV DATE 14 MAY 2026."

UZTTD0797/26 (24 APR 26)

"STAND B-3 IS AVLB FOR ACFT WITH WINGSPAN NO MORE THAN 36M, LENGHT
NO MORE THAN 45M."

UZTTD0646/26 (30 MAR 26)

"SEGMENT TWY-B ABEAM STAND B-16, B-17 CLSD."

UZTTD0645/26 (30 MAR 26)

"TAXIING INTO ACFT TO STAND B-16, B-17 BY OWN POWER,
TAXIING OUT BACK BY TOWING."

UZTTD0644/26 (30 MAR 26)

TEMPORARY STAND ESTABLISHED:
STAND B7 COORDINATES N411543.76 E0691609.60
MAX ACFT WINGSPAN 36M.
MAX ACFT LENGTH 46M.
PCN-47/F/B/X/T.

UZTTD0643/26 (30 MAR 26)

"TAXIING INTO ACFT TO STAND B7 BY OWN POWER FOLLOW FOLLOW-ME CAR,
TAXIING OUT BACK BY TOWING."

UZTTD0553/26 (15 MAR 26)

"TAXIING INTO AND TAXIING OUT ACFT TO/FROM STANDS D23, D24, D25
USE BY TOWING."

UZTTD0552/26 (15 MAR 26)

TEMPORARY STANDS ESTABLISHED:
STAND D23 COORDINATES N411505.51 E0691604.89
MAX ACFT WINGSPAN 10 M.
MAX ACFT LENGTH 12 M.
PCN 60/R/A/X/T.
STAND D24 COORDINATES N411505.29 E0691604.12
MAX ACFT WINGSPAN 10 M.
MAX ACFT LENGTH 12 M.
PCN 60/R/A/X/T.
STAND D25 COORDINATES N411506.44 E0691604.28
MAX ACFT WINGSPAN 10 M.
MAX ACFT LENGTH 12 M.
PCN 60/R/A/X/T.

UZTTD0503/26 (06 MAR 26)

"AT ACFT STANDS F94, F94A, F95, F96, F97, F97A:
ENGINE START-UP ONLY AT MTWY. TAXI IN AND TAXI OUT OF ACFT BY TOWING
ONLY."

UZTTD0478/26 (06 MAR 26)

STAND H-42 CLSD.

UZTTD0399/26 (23 FEB 26)

TAXIING ACFT FROM TWY-2 TO TWY-B AVLB WITH MAX ACFT WINGSPAN 60.60M THE WHITE DASHED LINE FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.

UZTTD0360/26 (17 FEB 26)

"EFFECTIVE FROM 17 FEBRUARY 2026 ON A PERMANENT BASIS, ALL BUSINESS AVIATION OPERATORS PLANNING TO PERFORM CHARTER FLIGHTS TO THE CITY OF TASHKENT (REPUBLIC OF UZBEKISTAN) SHALL INDICATE TASHKENT-VOSTOCHNY AD(HUMO)-UZTP AS THE DESTINATION AD IN FLIGHT APPLICATIONS AND IN FLIGHT PLANS INSTEAD OF TASHKENT- I.KAROMOV- UZTT."

UZTTD0246/26 (30 JAN 26)

START-UP POINT N17 REPLACED ON ABEAM STAND E1.

UZTTD0158/26 (20 JAN 26)

"OCA(H) ILS CAT II FOR ACFT ALL CAT ESTABLISHED AS:
1469 FT/(100FT).
REF:AIP
ILS CAT II OR LOC RWY08L (UZTT AD2.24-6.0),
ILS CAT II OR LOC RWY08L (UZTT AD2.24-6.16)."

UZTTD0100/26 (14 JAN 26)

TAXIING ON TWY-B TO TWY-1 AND BACK AVBL WITH MAX ACFT WINGSPAN MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR.

UZTTD0099/26 (14 JAN 26)

TAXIING ON TWY-B TO TWY-2 AND BACK AVLB WITH MAX ACFT WINGSPAN MORE 48.06M UP TO INCLUDING 64.8M ALONG THE YELLOW DASHED LINE FOLLOW FOLLOW-ME CAR IF STAND B8A IS NOT OCCUPIED.

UZTTD0061/26 (09 JAN 26)

STAND B18A CLOSED.

UZTTD1803/25 (31 DEC 25)

"RWY 08L/26R: 180 DEG TURN IS PROHIBITED, EXCEPT TURN PAD (08L/26R) FOR VIP FLIGHTS,CHECK FLIGHT I ACFT MTOW OF 24 TONS AND LESS."

UZTTD1789/25 (29 DEC 25)

AIRCRAFT CREWS EXPECT DLA ON ARR AND DEP DUE TO CONSTRUCTION WORKS AT THE AERODROME.

UZTTD1039/25 (29 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZTT-6."

UZTTD1020/25 (29 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UZSS / SKD

UZTTD0986/26 (01 JUN 26)

"STANDS 11, 11L, 11R CLSD."
01 JUN 26 09:25 UNTIL 01 AUG 26 18:59 ESTIMATED

UZTTD0820/26 (28 APR 26)

"CLOSED RWY REMAINS SOUTH OF RWY 09/27.AVERAGE DISTANCE BETWEEN ACTIVE AND CLOSED RWY CENTERLINES IS 110 METERS. PILOTS MUST EXERCISE CAUTION TO AVOID RWY CONFUSING.
REF:AIP AD2.UZSS-11,UZSS-12,UZSS-27,UZSS-28,UZSS-29,UZSS-30,UZSS-31,UZSS-32."
28 APR 26 11:57 UNTIL 27 JUL 26 18:59 ESTIMATED

UZTTD0819/26 (28 APR 26)

"TAXIING ACFT TO STANDS 12-13 BEHING FOLLOW FOLLOW-ME CAR, WITH EXCEPTION ACFT WITH WINGSPAN OF 36,0 METERS OR MORE."
28 APR 26 11:53 UNTIL 27 JUL 26 18:59 ESTIMATED

UZTTD0817/26 (28 APR 26)

STANDS FOR ACFT CAT A-B-C AND MODIFICATIONS 12-24 (TAX INTO NOSE TO NORTH AND TAX OUT OF UNDER ENGINES POWER BY ASSISTANCE OF FOLLOW-ME CAR.
28 APR 26 11:39 UNTIL 27 JUL 26 18:59 ESTIMATED

UZTTD1035/25 (02 OCT 25)

"D-ATIS SYSTEM AVBL VIA CH SITA.
REF.AIP GEN 3.5,AD2.UZSS-10."

UZTTD1021/25 (02 OCT 25)

CPDLC AVBL VIA CH SITA.
REF.AIP ENR 1.6.

UTDD / DYU

UTDAA0058/26 (02 JUN 26)

TWY M SEGMENT FROM STAND A1 TO STAND A5W CLSD.

UTDAA0057/26 (02 JUN 26)

TWY F CLSD.

UTDAA0043/26 (01 JUN 26)

"CHART SID PUGUS 1A RENAMED INTO SID SX 1A.
REF AIP AD.2 UTDD-79,80."

UTDAA0047/26 (01 JUN 26)

"CHART STAR PUGUS 1E RENAMED INTO STAR SX 1E.
REF AIP AD.2 UTDD-129,130."

UTDAA0049/26 (01 JUN 26)

"CHART STAR PUGUS 1N RENAMED INTO STAR SX 1N.
REF AIP AD.2 UTDD-145,146."

UTDAA0045/26 (01 JUN 26)

"CHART SID PUGUS 1J RENAMED INTO SID SX 1J
REF AD.2 UTDD-101,102."

UTDAA0039/26 (05 MAY 26)

"STANDS B1, B1W CLSD."

UTDAA0026/26 (16 APR 26)

"TRIGGER NOTAM-POST AMD AIRAC 06/26. EFF 11 JUNE 2026. FLW AMD INTRODUCED AD 2 UTDD-3, AD 2 UTDD-4, AD 2 UTDD-5, AD 2 UTDD-6, AD 2 UTDD-7, AD 2 UTDD-8, AD 2 UTDD-9, AD 2 UTDD-125, AD 2 UTDD-126, AD 2 UTDK-3, AD 2 UTDK-4, AD 2 UTDL-3, AD 2 UTDL-4, AD 2 UTDT-3, AD 2 UTDT-4, AD 2 UTDT-5, AD 2 UTDT-6, AD2 UTDT-7, AD 2 UTDT-8, AD 2 UTDT-99, AD 2 UTDT-100."

OAKB / KBL

OAKBG0186/26 (09 MAY 26)

KABUL TOWER ATIS IS OUT OF SERVICE.
UNITED STATES NOTAM OFFICE DISCLAIMS FOREIGN NOTAM ACCURACY OR COMPLETENESS
04 MAY 26 10:48 UNTIL 31 JUL 26 23:59 ESTIMATED

OAKBG0182/26 (29 APR 26)

"STANDS 23 AND 24 ON APRON 4 CLOSED, DUE TO PAVEMENT SURFACE DAMAGED."

OAKBG0166/26 (18 APR 26)

KABUL APPROACH CONTROL UNIT IS UNSERVICEABLE.
18 APR 26 07:50 UNTIL 14 JUL 26 23:59 ESTIMATED

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 86/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

OAKBG0155/26 (15 APR 26)

"AIRPORT HOURS OF OPERATION CHANGED TO H24, DUE TO HAJJ OPS."

*OAKBG0145/26 (06 APR 26)

RESCUE AND FIREFIGHTING SERVICES CHANGED TO CATEGORY 9.
06 APR 26 06:10 UNTIL 02 JUL 26 23:59 ESTIMATED

OAKBG0138/26 (30 MAR 26)

"KABUL TOWER CONTROL ZONE 6NM 9500FT
ALL ARRIVING TRAFFIC TO CONTACT TOWER ON 125.4MHZ
NOT CLOSER THAN 30NM FROM CTR AND PASS FOLLOWING INFO:
1) CALL SIGN
2) TYPE OF AIRCRAFT
3) DEPARTURE AERODROME
4) POSITION: RADIAL, DME AND FL
5) INTENTIONS:
A) IFR APPROACH ILS, RNAV, VOR VISUAL APPROACH OR
B) VFR APPROACH DOWNWIND, BASE LEG, FINAL, STRAIGHT IN."
30 MAR 26 10:50 UNTIL 25 JUN 26 23:59 ESTIMATED

OAKBG0139/26 (30 MAR 26)

"OAKB CTR CLASS D AIRSPACE WITHIN 6NM RADIUS VERTICAL
LIMIT SURFACE TO 9500FT AMSL, TWR FREQ 125.4 AND GROUND
FREQ 120.6, ALL INTERNATIONAL AND DOMESTIC AIRLINES ARE
REQUESTED TO FILL FLIGHT PLAN AT LEAST 24 HOURS PRIOR TO
FLIGHT AND SHALL EMAIL TO FLIGHTPERMISSIONS.ACAA(A)GMAIL.COM
FOR PROCESSING FLIGHT PLAN."
30 MAR 26 10:50 UNTIL 25 JUN 26 23:59 ESTIMATED

OAKBG0191/22 (15 APR 24)

CAUTION: TAXIWAY J IS CLOSED.

OMDW / DWC

ETOQV0532/26 (18 JUN 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE CHANGED ILS RWY 30, VGSI AND ILS
GLIDEPATH NOT COINCIDENT. (VGSI ANGLE 3.00/TCH 98

ETOQV0534/26 (18 JUN 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE CHANGED ILS RWY 12, VGSI AND ILS
GLIDEPATH NOT COINCIDENT. (VGSI ANGLE 3.00/TCH 80

ETOQV0527/26 (18 JUN 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE CHANGED RNP RWY 12, VGSI AND RNAV
GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 80). MINIMA: LNAV/VNAV DA CAT A 470/900M 355
(300-900M), CAT BC 480/1000M 365 (400-1000M), CAT D 490/1000M 375 (400-1000M). LNAV MDA
550/1300M 435 (400-1300M), WHEN ALS INOP INCREASE CAT AB RVR/VIS TO 1500M; CAT CD RVR/VIS TO
1700M. LNAV MDA 550/1300M 435 (400-1300M), WHEN ALS INOP INCREASE CAT AB RVR/VIS TO 1500M; CAT
CD RVR/VIS TO 2000M.

ETOQV0529/26 (18 JUN 26)

[US DOD PROCEDURAL NOTAM] INSTRUMENT APPROACH PROCEDURE CHANGED RNP RWY 30, VGSI AND RNAV
GLIDEPATH NOT COINCIDENT (VGSI ANGLE 3.00/TCH 98). MINIMA: LNAV/VNAV DA CAT A 421/750M 250
(300-800M); CAT B 425/750M 254 (300-800M); CAT C 469/750M 298 (300-800M); CAT D 493/750M 322
(400-800M), WHEN ALS INOP INCREASE CAT AB RVR/VIS 1300M; CAT C RVR/VIS TO 1400M; CAT D RVR/VIS
TO 1500M. LNAV MDA: 570/110M 399 (400-1100M), WHEN ALS INOP INCREASE CAT AB RVR/VIS TO 1500M;
CAT CD RVR/VIS TO 1800M. MISSED APPROACH REQUIRES A MINIMUM CLIMB GRADIENT OF 183 FT/NM
(3.0%).

*OMAEA1904/26 (07 JUN 26)

MON 1100-1400 2000-2045
RWY 12/30 CLSD DUE TO MAINT.
REF OMDW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS REMARKS.

OMAEA1701/26 (07 JUN 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/2026 WEF 11-JUN-2026
MEHT ADDED
DISABLED ACFT REMOVAL CTC DETAILS ADDED
CHARTS AMD.

OMAEA1591/26 (07 JUN 26)

"DUE TO CRANES ACTIVITIES
CIRCLING CAT B TO READ AS 750 (579)

REF CHART OMDW AD 2-65, CHART OMDW AD 2-66, CHART OMDW AD 2-67"

OMDB / DXB

OMAEA2085/26 (18 JUN 26)

"DUE TO CRANES ACTIVITIES WI OMDB AD,
SID RWY 12L MNM TURN ALTITUDE 490 FT AMSL AND MNM OBSTACLE CLIMB
GRADIENT 3.4 (206 FT PER NM) UP TO 500 FT AMSL, REF OMDB 2-41.
OMNIDIRECTIONAL SID RWY 12L MNM OBSTACLE CLIMB GRADIENT 3.4 (206 FT
PER NM) UP TO 500 FT AMSL, REF OMDB 2-48.
LNAV/VNAV RWY 30R TO READ AS CAT A 380(347), CAT B 390(357), CAT C
400(367), CAT D/DL 410 (377) REF CHART OMDB AD 2-70.
LNAV/VNAV RWY 30L TO READ AS CAT A 380(320), CAT B 390(330) CAT C
400(340), CAT D/DL 410 (350) REF CHART OMDB AD 2-71."

OMAEA1898/26 (21 MAY 26)

"SECN OF TWY M BTN TWY M12A AND TWY M14A CLSD.
TWY M13, TWY M13A AND TWY M13B CLSD.
TWY M14A WEST LINK ONTO TWY M CLSD.
TWY M14B WEST LINK ONTO TWY M CLSD.
TWY M12A EAST LINK ONTO TWY M CLSD.
TWY M12B EAST LINK ONTO TWY M CLSD."

*OMAEA1891/26 (20 MAY 26)

07 14 21 28 1130-1300
RWY 12R/30L CLSD.

*OMAEA1889/26 (20 MAY 26)

JUN 04 05 11 12 18 19 23 26 1100-1400
RWY 12L/30R CLSD.

*OMAEA1888/26 (20 MAY 26)

09 24 2130-2215
RWY 12R/30L CLSD.

*OMAEA1886/26 (20 MAY 26)

02 03 09 10 16 17 24 25 30 1100-1400
RWY 12R/30L CLSD.

OMAEA1876/26 (18 MAY 26)

SECN OF TXL J BTN ACFT STAND B6 AND ACFT STAND B10 CLSD.
TWY U3 CLSD.
TXL U BEHIND ACFT STAND B8 AND ACFT STAND B9 TEMPO RELOCATED TO THE
NORTH TO ALLOW CODE F ACFT MOVEMENTS.
TEMPO TWY CL INSTL WITH GREEN REFLECTORS AND CL LGT NOT AVBL.
SECN OF TWY U1 LINKING TO TEMPO SECN OF TXL U INSTL WITH GREEN
REFLECTORS AND CL LGT NOT AVBL.
CROSSOVER TWY U2 TEMPO RELOCATED TO THE EAST BTN ACFT STAND B10 AND
ACFT STAND B12 LINKING TEMPO SECN OF TXL U.
TEMPO CROSSOVER TWY U2 CL INSTL WITH GREEN REFLECTORS AND CL LGT NOT
AVBL.
TWY U1 AND TWY U2 WILL BE COMPATIBLE FOR CODE F ACFT MOVMENTS.
ATC WILL ADZ CODE F MOV PERMITTED ON TEMPO CL SECTIONS.
FLW ME VEHICLE GUIDANCE APPLY FOR MOV ON THE TEMPO CL SECTIONS IN CAT
II/III.
INTERMEDIATE TWY HLDG PSN (ITHP) UB NOT AVBL.

OMAEA1699/26 (04 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/2026 WEF 11 JUN 2026
MEHT ADDED
DISABLED ACFT REMOVAL CTC DETAILS ADDED
CHARTS AMD.

OMAA / AUH

OMAEA2083/26 (18 JUN 26)

20 JUN 2026 11:30-20 JUN 2026 13:30
TWY E4 BTN TWY F AND RWY 13R/31L CLSD.
TWY E BTN TWY E4 AND TWY E3B CLSD.

OMAEA2081/26 (18 JUN 26)

19 JUN 2026 11:30-19 JUN 2026 13:30
TWY G BTN TWY L3 AND TWY C CLSD.
TWY M BTN TWY L AND TWY H CLSD.

OMAEA2055/26 (11 JUN 26)

TWY E9 BTN TWY E AND TWY F CLSD.
11 JUN 26 05:55 UNTIL 22 JUL 26 23:59 ESTIMATED

OMAEA1696/26 (04 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/2026 WEF 11 JUN 2026
RVR MINIMA FOR LOW VIS OPS AMD
TAXIWAYS WID AMD
LOCAL TFC REGULATIONS AMD
MEHT ADDED
CHARTS AMD.

OOMS / MCT

*OOMSA0329/26 (26 MAY 26)

LANDING AND TAKEOFF LIMITED TO FLW RUNWAY ONLY:
RWY 08L/26R: FROM 0400 TO 1600 UTC
RWY 08R/26L: FROM 1600 TO 0400 UTC
LAST PUSHBACK 20 MIN PRIOR RWY SWITCHOVER

OOMSA0328/26 (25 MAY 26)

"-REF AIRAC AIP 03/25, USE OF PUBLISHED STARS RWY 08L/26R AND RWY 08R/26L TEMPORARILY SUSPENDED. ALL ARRIVING TRAFFIC CAN EXPECT RADAR VECTORS TO THE APPROPRIATE IAP FOR FLIGHT PLANNING PURPOSES, ALL ARRIVING TRAFFIC TO OOMS SHALL FILE FLIGHT PLAN ROUTE TO MCT DVOR."

OOMSA0246/26 (02 MAY 26)

OOMS RWY 08L/26R ILS CAT II OPERATIONS SUSPENDED UNTIL FURTHER NOTICE.
23 APR 26 09:53 UNTIL 21 JUL 26 10:00 ESTIMATED

OMFJ / FJR

OMAEA2074/26 (16 JUN 26)

1000-1800
MAIN APN WIP DUE MAINT.
ACFT SHALL BE TOWED IN AND OUT FM TWY D TO STAND IF REQUIRED.
PILOT EXER CTN FOR MEN AND MATERIAL.
16 JUN 26 10:00 UNTIL 15 JUL 26 18:00 ESTIMATED

OMAEA1838/26 (15 MAY 26)

"REF AIRAC AIP AMDT 06/2026 WEF 11 JUN 2026, AMD UAE AIP OMFJ AD 2.14 APPROACH AND RUNWAY LIGHTING RWY 11 TO READ AS FOLLOWS:
COLUMN 6: NIL
COLUMN 7: LIH, BI-DIRECTIONAL 60 M SPACING (FIRST 700 M RED UNTIL DISPLACED THR, NEXT 2360 M VARIABLE WHITE, LAST 690 M AMBER). BLUE AT TURNS.
COLUMN 8: RED"

OMAEA1811/26 (12 MAY 26)

TWY F CLSD DUE WIP AND NOT AVBL FOR ACFT TOWING.
TWY E AND TWY E1 AVBL FOR ACFT TOWING TO/FM MAINT APN.
PILOTS EXER CTN.
REF AIP SUP 48/2025.

OMAEA1702/26 (04 MAY 26)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 06/2026 WEF 11 JUN 2026
MEHT ADDED
DISABLED ACFT REMOVAL CTC DETAILS ADDED
CHARTS AMD.

OPLA / LHE

** A0190/26 **

OPKCA0190/26 (18 MAY 26)

"ACFT PRKG BAYS 09,10 AND 11 CLSD DUE CIVIL WIP.
FLW ARRANGEMENTS MADE DRG NOTAM PERIOD.
- PROLONGED PRKG UNDER NO CIRCUMSTANCES BE PERMITTED.
- OPLA NOT BE DESIGNATED AS AN ALTN"

OPKCA0898/22 (28 NOV 23)

HOTEL TAXI TRACK IS OPERATIONAL.
FOLLOWING INFORMATIONS ARE AS UNDER:

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 89/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

----- REHABILITATED PORTION OF TWY H -----	----- NORMAL PORTION OF TWY H -----
REHABILITATED PORTION OF TWY H AFTER NORMAL PORTION HAS DIMENSIONS AS GIVEN BELOW -----	NORMAL PORTION OF TWY H FM THE EDGE OF RWY 36L/18R HAS DIMENSIONS AS GIVEN BELOW -----
LENGTH 1758 FEET -----	LENGTH 810 FEET -----
WIDTH 75.5 FEET -----	WIDTH 75.5 FEET -----
PCN 49/F/C/X/T -----	PCN 10/F/D/Y/T (AS ALREADY MENTIONED IN AIP) -----
A. TWY EDGE LGT AVBL. B. DAY AND NGT OPERATION IS AVBL FOR COMPATIBLE ACFT. C. TWY EDGE MARKING AVBL.	

OPIS / ISB

OPKCA0817/22 (28 NOV 23)

"OBSTACLE CLEARANCE ALTITUDE (OCA/H) OF ILS CAT-II
RWY 28L APPROACH FOR CATEGORY D AIRCRAFT AND FOR
ILS CAT-I RWY10R FOR CATEGORY C AND D AIRCRAFT HAS
BEEN REVISED AS PER FOLLOWING:

OCA/H	AB	C	D
ILS CAT-II RWY28L	1847FT (100FT)		1858FT (111FT)

OCA/HA	B	C	D
ILS CAT-I RWY10R	1933FT(200FT)	1942FT(209FT)	1952FT(219FT)

KINDLY INCORPORATE IN AIP PAKISTAN PAGES AD2.OPIS-49,
AD2.OPIS-53, AD2.OPIS-55 AND AD2.OPIS-59 ACCORDINGLY."

OPKC / KHI

// (COM-INFO)//

THA 00696/15 (04 MAR 26)

COM INFO:--PLS contact SHAHEEN Operation on 131.2
to provide ETA prior landing. (ISSUE 02JUL25/REF Email KHIKP04JUN25/UFN)

VIDP / DEL

VIDPA1321/26 (18 JUN 26)

18 JUN 2026 13:35-20 JUN 2026 13:30
EXIT SIGN BOARD OF TWY P3 FOR RWY 11L AND EXIT SIGN BOARD OF TWY
R3 FOR RWY 29R NOT AVBL FOR OPS.

VIDPA1314/26 (17 JUN 26)

17 JUN 2026 17:41-19 JUN 2026 18:30
RETEL(RAPID EXIT TWY INDICATOR LIGHTS) OF TWY R2 FOR RWY 29R U/S
DUE ELECTRICAL FAULT.

*VIDPA1313/26 (17 JUN 26)

18 23 26 30 1830-2330
RWY 11L/29R NOT AVBL FOR OPS DUE MAINT.

*VIDPA1310/26 (17 JUN 26)

19 JUN 2026 18:30-29 JUN 2026 23:30
19 20 22 25 27 29 1830-2330
RWY 09/27 NOT AVBL FOR OPS DUE MAINT.

VIDPA1277/26 (12 JUN 26)

"REFER E-AIP INDIA VIDP AD 2.22 FLIGHT PROCEDURES PARA 'I' RADIO
COMMUNICATION FAILURE PROCEDURE, AMEND THE FOLLOWING SUB-PARAS AS
BELOW:

SUBPARA 3.1: IN CASE OF ARRIVING ACFT, WHEN RWY FOR LANDING
HAS ALREADY BEEN ADVISED TO THE ACFT BY ATC, SUCH RWY SHALL BE
CONSIDERED AS ASSIGNED RWY, EXCEPT AS GIVEN IN PARA 3.3 BELOW. IN

CASE ARRIVING ACFT HAS NOT BEEN ADVISED ANY RWY, RWY 28 SHALL BE CONSIDERED AS ASSIGNED RWY FOR SUCH ARRIVAL. DURING THE NOTIFIED PERIODS OF MAINTENANCE/CLOSURE OF RWY 28, RWY 29L SHALL BE CONSIDERED THE PRIMARY ASSIGNED RWY, AND RWY 29R SHALL BE CONSIDERED THE SECONDARY ASSIGNED RWY.

SUBPARA 3.7: IRRESPECTIVE OF VISIBILITY/WEATHER CONDITIONS, RWY AND APPROACH LIGHTS IN 'SWITCHED OFF' POSITION SHALL INDICATE NON-AVAILABILITY OF SUCH RWY FOR ACFT EXPERIENCING RCF. IN SUCH CASES, PRIMARY ALTERNATE RWY, AND IF PRIMARY ALTERNATE RWY IS NOT AVAILABLE, THE SECONDARY ALTERNATE RWY, AS INDICATED BELOW, SHALL BE MADE AVAILABLE FOR SUCH ACFT:

FOR RWY 28, THE PRIMARY ALTERNATE RWY SHALL BE RWY 29L AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 29R.

FOR RWY 29L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 29R.

FOR RWY 29R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 28 AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 29L.

FOR RWY 10, THE PRIMARY ALTERNATE RWY SHALL BE RWY 11R AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 11L.

FOR RWY 11R, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE SECONDARY ALTERNATE RWY SHALL BE RWY 11L.

FOR RWY 11L, THE PRIMARY ALTERNATE RWY SHALL BE RWY 10 AND THE SECONDARY

ALTERNATE RWY SHALL BE RWY 11R.

SUBPARA 4.2.1. CONTINUE ON ATS RTE, (RE-JOIN ATS RTE IF GIVEN HEADING OR FLYING OFFSET), MAINTAINING/DESCENDING TO CLEARED FLIGHT LEVEL OR FL 80 WHICHEVER IS HIGHER. AT 40 MILES TO 'DPN VOR' TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR. IF HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD.

SUBPARA 4.2.2. IF RCF TAKES PLACE WITHIN 40 NM OF 'DPN VOR', CONTINUE TO 'DPN VOR' AND AT 10 MILES TO 'DPN VOR' TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR MAINTAINING LAST ASSIGNED LEVEL OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE CROSSING 25 NM OUTBOUND FROM 'DPN VOR'. IF HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD.

SUBPARA 4.2.3. LEAVE 'SKA' AT FL 80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.

SUBPARA 4.3. ARRIVING ACFT BEING RADAR VECTORED

ACFT BEING RADAR VECTORED FOR APPROACH, ON EXPERIENCING RCF, SHALL MAINTAIN LAST ASSIGNED LEVEL AND HEADING FOR 3 MINUTES AFTER DETECTING RCF OR SELECTING MODE A/C 7600, WHICHEVER IS LATER, AND THEN TAKE A CONVENIENT TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' CLIMBING / MAINTAINING LAST ASSIGNED LEVEL, OR FL 80 WHICHEVER IS HIGHER. IF BELOW FL 80, CLIMB AND REACH FL 80 BEFORE CROSSING 25NM OUTBOUND FROM 'DPN VOR'. IF HIGHER, DESCEND TO FL 80 IN 'SKA' HOLD

4.3.1. LEAVE 'SKA' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME ARC APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME DPN VOR.

SUBPARA 5.1. DEPARTURE INTENDING TO CONTINUE TO DESTINATION

ANY DEPARTING ACFT EXPERIENCING RCF AND INTENDING TO CONTINUE TO ITS FILED PLAN DESTINATION SHALL:

5.1.1. CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.1.2. THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER:

I. IF FOLLOWING 'SID', CONTINUE ON SID TO JOIN ATS RTE AND CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN.

II. IF FOLLOWING RADAR HEADING, TURN (AVOIDING VIP 89) TO JOIN ATS RTE BY SHORTEST RTE MAINTAINING CLEARED FLIGHT LEVEL / FL80 AS PER PARA 5.1.1. AFTER JOINING ATS RTE, CLIMB TO FILED FLIGHT LEVEL AND CONTINUE AS PER THE FILED FLIGHT PLAN. DEPARTURE FOLLOWING ATS RTE V18 AND G452/L760 SHALL PASS FL160 OR ABOVE BY 50 NM DPN AND ACFT FILED FLIGHT LEVEL BELOW FL150 SHALL CONTACT JEWAR APPROACH ON FREQ 120.825 MHZ, 122.175 MHZ AND JEWAR TWR ON FREQ 118.675 MHZ, 119.125 MHZ AFTER ASCERTAING THAT ACFT IS RCF WITH DELHI ATC.

SUBPARA 5.2 DEPARTURE INTENDING TO LAND BACK AT DELHI:

ANY DEPARTING ACFT EXPERIENCING RCF AFTER DEPARTURE AND INTENDING TO LAND BACK AT IGI AIRPORT SHALL

5.2.1 CONTINUE ON ASSIGNED SID OR HEADING CLIMBING TO OR MAINTAINING CLEARED LEVEL OR FL80, WHICHEVER IS HIGHER.

5.2.2 THREE MINUTES AFTER SETTING MODE A/C CODE 7600 OR REACHING FL80 OR CLEARED FLIGHT LEVEL (IF HIGHER THAN FL80) WHICHEVER IS LATER, TAKE A TURN (AVOIDING VIP 89) TO PROCEED DIRECT TO 'SKA' VOR.

5.2.3 IF HIGHER, DESCEND TO FL80 IN 'SKA' HOLD.

5.2.4 IF REQUIRED, JETTISON FUEL WHILE IN 'SKA' HOLD,

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 91/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

TAKING ALL
NECESSARY PRECAUTIONS.
5.2.5 LEAVE ''SKA'' VOR AT FL80 TO CARRY OUT PUBLISHED ILS/VOR DME
ARC
APPROACH PROCEDURE FOR ASSIGNED RWY. MAINTAIN FL080 UNTIL 20 DME
DPN VOR.
NOTE :-
1. IN CASE OF NON-AVAILABILITY OF SKA VOR ACFT REQUIRED TO HOLD
AT SKA VOR MAY HOLD AT FOLLOWING FIX/WAY POINT:
A. R186/43 D (116.1 DPN)
B. 275054N0770030E
AMEND E-AIP ACCORDINGLY."

VIDPA1235/26 (09 JUN 26)

"LINK A3 AVBL FOR SFC MOV BY DAY ONLY. LINK FIT FOR ACFT WITH MAX
WING SPAN 35M. ACFT TO CTC SMC, AIRFORCE GND ON 121.200MHZ BEFORE
LANDING, TO COOR VACATION ON A3."
09 JUN 26 06:24 UNTIL 08 SEP 26 23:59 ESTIMATED

VIDPA1233/26 (08 JUN 26)

TXL F6 NOT AVBL FOR OPS. DRG THIS PERIOD ACFT OPS FM STAND 170 TO
178 SHALL BE WITH ASSISTANCE OF FLW ME ONLY.

VIDPA1122/26 (22 MAY 26)

NOISE ABATEMENT PROCEDURES NOT ADHERED DUE TO REHABILITATION AND
ILS
REPLACEMENT WORK AT RWY 11R/29L.

VIDPA1121/26 (22 MAY 26)

TWY T4 AND TWY S2 NOT AVBL FOR OPS.

*VIDPA1120/26 (22 MAY 26)

"RWY 11R/29L NOT AVBL FOR OPS.
DURING THIS PERIOD FLW RESTRICTIONS SHALL APPLY:
1. PORTION OF TWY Z WEST OF TWY S6 NOT AVBL FOR OPS.
2. TWY S1, S2, S5, T4, T5, T6, T7, Y1, Y2, Y4, Y5, Y6, Y7, Y8, Z2,
Z3, Z4, Z5, Z6 AND Z7 NOT AVBL FOR OPS.
3. TWY S6, S7 AND S8 AVBL FOR OPS.
4. TWY CROSSINGS P6-S6, P7-S7 AND P8-S8 AVBL FOR OPS."

VIDPA1015/26 (08 MAY 26)

PORTION OF TWY M BTN TWY A AND TWY LINK 30 DOWNGRADED FOR ACFT
UPTO CODE LETTER C. PORTION OF TWY LINK 30 BTN TWY K AND TWY M
DOWNGRADED FOR ACFT UPTO CODE LETTER D.

VIDPA0958/26 (01 MAY 26)

HIGH POWER ENGINE RUN-UP BAY 800 NOT AVBL FOR OPS.

VIDPA0846/26 (17 APR 26)

REF EAIP INDIA VIDP AD 2.20 LOCAL AERODROME REGULATIONS.
INSERT BLW TEXT IN NOTE OF PARA 5 DETAILS OF ENGINE RUN UP AT HIGH
POWER.
TWY R7 NOT AVBL FOR OPS WHILE ACFT IS BEING REPOSITIONED AT STAND
803 FOR HIGH POWER RUN-UP.
AMEND EAIP ACCORDINGLY.

VIDPG0458/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-117 DATED 27 NOV 2025 REGARDING ILS OR
LOC RWY 29L OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 29L PROCEDURE
WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0459/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-115 DATED 27 NOV 2025 REGARDING ILS RWY
29L CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY
29L CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0457/26 (02 APR 26)

"CAT (ROMAN) III ILS RWY 29L IDENT IDGM (LOC 110.900MHZ, GP
330.800MHZ, DME IDGM CH46X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
14 MAY 26 00:00 UNTIL 11 AUG 26 23:59 ESTIMATED

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 92/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

VIDPG0456/26 (02 APR 26)

"CAT (ROMAN) III ILS RWY 11R IDENT IDMR (LOC 111.300MHZ, GP 332.300MHZ, DME IDMR CH50X) NOT AVBL DUE EQUIPMENT REPLACEMENT."
14 MAY 26 00:00 UNTIL 11 AUG 26 23:59 ESTIMATED

VIDPG0450/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-131 DATED 27 NOV 2025 REGARDING ILS RWY 11R CAT (ROMAN) II AND (ROMAN) III OF DELHI (VIDP) AIRPORT. ILS RWY 11R CAT II AND III PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPG0449/26 (02 APR 26)

REF EAIP PAGE AD 2 VIDP 2-129 DATED 27 NOV 2025 REGARDING ILS OR LOC RWY 11R OF DELHI (VIDP) AIRPORT. ILS OR LOC RWY 11R PROCEDURE WITHDRAWN TEMPO DUE EQPT REPLACEMENT.
14 MAY 26 00:00 UNTIL 12 AUG 26 23:59 ESTIMATED

VIDPA0525/26 (05 MAR 26)

REFER PARA VIDP AD 2.20 LOCAL AD REGULATIONS IN E-AIP INDIA.
INSERT THE FOLLOWING TEXT IN SUBPARA 1. AP REGULATIONS :
ENGINE POWER MORE THAN IDLE THRUST IS NOT PERMITTED DURING
PUSHBACK AND TAXIING IN THE APRON.

VIDPG0298/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENTS ARE
MADE IN IAP CHART OF VOR RWY 28- PAGE AD 2 VIDP 2-209 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0299/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS
MADE IN IAP CHART OF VOR RWY 11R- PAGE AD 2 VIDP 2-211 DATED 08 AUG 2024.
VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.

VIDPG0300/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FLW AMENDMENT IS
MADE IN IAP CHART OF VOR RWY 29L- PAGE AD 2 VIDP 2-213 DATED 02 NOV 2023.
VISUAL CIRCLING MINIMA DELETED FROM AOM BOX. AMEND ACCORDINGLY.

VIDPG0292/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 29R- PAGE AD 2 VIDP 2-127 DATED 16 MAY 2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0297/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF VOR RWY 10- PAGE AD 2 VIDP 2-207 DATED 27 NOV 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0296/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 09- PAGE AD 2 VIDP 2-141 DATED 17 APR 2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0294/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP? THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 27- PAGE AD 2 VIDP 2-133 DATED 08 AUG 2024.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 93/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

VIDPG0291/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 29L- PAGE AD 2 VIDP 2-117 DATED 27 NOV
2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0295/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 11L- PAGE AD 2 VIDP 2-135 DATED 17 APR
2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0293/26 (05 MAR 26)

REFER EAIP INDIA AD 2.24 OF VIDP THE FOLLOWING AMDT ARE MADE IN
IAP CHART OF ILS OR LOC RWY 11R- PAGE AD 2 VIDP 2-129 DATED 27 NOV
2025.
1) VISUAL CIRCLING MINIMA DELETED FROM AOM BOX.
2) VISUAL CIRCLING DEPICTION DELETED FROM PLAN VIEW.
AMEND ACCORDINGLY.

VIDPG0112/26 (21 FEB 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING
RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT
DELHI- VIDP. THE FOLLOWING AMENDEMENTS ARE MADE
1. ON THE STAR CHART AT PAGE NR 35 AT WAYPOINT DP507 AMEND ALTITUDE
RESTRICTION FL140 OR ABOVE IN PLACE OF FL140 OR BELOW.
2. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR BAVOX - 7E/7F/7G/7H
ALTITUDE RESTRICTION AT SERIAL NO 40 IS AMENDED AS FL140 OR ABOVE IN
PLACE OF FL140 OR BELOW.
3. ON PAGE NR 36 IN TABULAR DESCRIPTION OF STAR POSIG - 7E/7F/7G/7H
ALTITUDE RESTRICTION AT SERIAL NO 30 IS AMENDED AS FL140 OR ABOVE IN
PLACE OF FL140 OR BELOW.
AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1135/25 (18 JAN 26)

"REF AIP SUP 194/2025 REGARDING IAP CHART - ILS OR LOC RWY 10, CAT
(ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1136/25 (18 JAN 26)

"REF AIP SUP 195/2025 REGARDING IAP CHART - ILS OR LOC RWY 28, CAT
(ROMAN) II AND III. PROC AVBL FOR CAT I APCH WIE."

VIDPG1116/25 (18 JAN 26)

REFER AIP SUPPLEMENT 192/2025 DATED 18 SEP 2025 REGARDING
RNAV1(GNSS) SIDS AND STARS INDIRA GANDHI INTERNATIONAL AIRPORT
DELHI-VIDP. THE FOLLOWING AMENDEMENTS ARE MADE:
1. ON THE STAR CHART AT PAGE NR 32 AT WAYPOINT DP941 AMEND ALTITUDE
RESTRICTION FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
2. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
ATRIN-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
3. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
BUBNU-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 50 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
4. ON PAGE NR 33 IN TABULAR DESCRIPTION OF STAR
LKA-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
5. ON PAGE NR 34 IN TABULAR DESCRIPTION OF STAR
UKASO-7E/7F/7G/7H ALTITUDE RESTRICTION AT SERIAL NR 30 IS
AMENDED AS FL100 OR BELOW IN PLACE OF FL120 OR ABOVE.
AMEND AIP SUPPLEMENT ACCORDINGLY.

VIDPG1058/24 (05 NOV 24)

"REFER E-AIP INDIA PAGE NR AD2 VIDP3-139 DT 13 JUNE 2024.
FOLLOWING AMENDMENT IS MADE
1. IN CHART OF SID OROTI6C AND SURAM 6C RWY 29R,
DEPICTION OF TRACK TO MUNUV AS 246DEG IS DELETED.
AMEND THE E-AIP ACCORDINGLY."

VIDPA1036/22 (06 NOV 23)

PORTION OF TWY N BTN TWY CW1 AND TWY LINK 34 COMPATIBLE FOR UP TO

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 94/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

CODE LETTER F ACFT RESTRICTED UPTO MAX WINGSPAN 73.30 M.
AMEND TWY COMPATIBILITY CHART OF E-AIP INDIA ACCORDINGLY.

VIAR / ATQ

VIDPA1265/26 (11 JUN 26)

OBSERVATION OF EGPWS (ENHANCED GROUND PROXIMITY WARNING SYSTEM)
TERRAIN MAP SHIFT DUE TO SUSPECTED DISTURBANCE OF GPS SIGNAL CAUSING
TERRAIN WARNING HAS BEEN REPORTED OCCASIONALLY IN VICINITY OF
AMRITSAR AP. PILOTS TO EXERCISE CTN AND TAKE ALL MEASURES TO ENSURE SAFE
AND EFFICIENT CONTINUATION OF NAV. IN CASE OF NAVIGATIONAL
DIFFICULTIES PILOTS TO NOTIFY ATC FOR ASSISTANCE.
FLIGHT CREW TO REPORT GNSS INTERFERENCE USING FORMAT GIVEN IN PARA
10 OF ENR 4.3 IN EAIP INDIA TO THE REPORTING CHANNEL GIVEN IN
APPENDIX 3 OF DIRECTORATE GENERAL OF CIVIL AVIATION (DGCA) ADVISORY
CIRCULAR 01 OF 2023.
11 JUN 26 13:28 UNTIL 09 SEP 26 13:30 ESTIMATED

VIDPA1070/26 (15 MAY 26)

"REF AIP VIAR AD2.22 LOW VISIBILITY PROC PARA 4.3.3 POINT (A) TO
BE READ AS WHEN RVR NOT BELOW 350M, AFTER LANDING ON RWY 34 MAKE
180- DEGREE TURN ON INTERMEDIATE TURNING PAD TP2 OR AT THE END OF
RWY AND BACKTRACK TO VACATE RWY VIA TWY-E OR TWY-F. TAXI TO ALLOTTED
PARKING STAND FROM 1 TO 5 OR 11 TO 14."
16 MAY 26 12:00 UNTIL 15 AUG 26 12:00 ESTIMATED

VIDPA1069/26 (15 MAY 26)

REF AIP VIAR AD2.23 ADDITIONAL INFORMATION PARA 2 MAY BE
AMENDED AS INTERMEDIATE TURNPADS
INTERMEDIATE TURNPAD RUNWAY TORA AIRCRAFT SUITABILITY
TP1 16 2789M UP TO CODE E DURING DAY ONLY
TP2 16 3289M UP TO CODE C DURING DAY
AND NIGHT CONDITIONS FOR RVR MORE THAN 350M ONLY.
INTERMEDIATE TURNPAD RUNWAY LDA AIRCRAFT SUITABILITY
TP1 34 2789M UP TO CODE E DURING DAY ONLY
TP2 34 3289M UP TO CODE C DURING DAY
AND NIGHT CONDITIONS FOR RVR MORE THAN 350M ONLY.
16 MAY 26 12:00 UNTIL 15 AUG 26 12:00 ESTIMATED

AIP SUP 51/26

*THA 00110/26 (01 MAY 26)

VIAR:--REF AIP SUP 51/26,
FROM 01 APRIL 2026 TO 27 SEPTEMBER 2026
1. Runway 16-34 not available for landing and take-off
from 1st April 2026 to 27th September 2026 daily,
between 0815 UTC to 1615 UTC
for work activities on portion of runway and runway strip
up to 41m from runway center line for runway 16-34 and on RESA.
2. CAT II/III operations shall not be available
from 01 April 2026 to 27 September 2026.
During this period, only VOR-based approaches shall be permitted,
and ILS approaches shall not be available.
3. CAT I operations shall not be available
from 01st April 2026 to 15th July 2026.
Only VOR based approach shall be available during this period.
RESA demolition work shall be carried out during this period.
CAT I operations shall be resumed from 16th July 2026
and will be available from 16th July 2026 to 27th September 2026.

// (COM-INFO)//

THA 00036/22 (18 APR 26)

COM INFO:+++ (NEW)--Pilots are required to exercise extreme vigilance in monitoring ATC
communications and comply fully with ATC instructions.
(ISSUED 02JUL25/BKKOP/UFN)

--RWY 16/34 not AVBL MON-FRI 1100-1300
due to SKED maintenance. AVBL in EMERG with 20min PN
(REF TO AOI VIAR PAGE 1-10)

VIDPG0312/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-101 DATED 17 APR 2025
REGARDING ILS Z RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM
BOX.
AMEND ACCORDINGLY"

VIDPG0311/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-203 DATED 25 JAN 2024
REGARDING VOR RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM BOX.
AMEND ACCORDINGLY."

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 95/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

VIDPG0310/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-201 DATED 25 JAN 2024
REGARDING VOR RWY 16 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM BOX.
AMEND ACCORDINGLY."

VIDPG0309/26 (18 APR 26)

"REFER EAIP INDIA PAGE NUMBER AD 2 VIAR 2-103 DATED 25 JAN 2024
REGARDING ILS Y RWY 34 IAP, VISUAL CIRCLING MINIMA DELETED FM AOM
BOX. AMEND ACCORDINGLY."

VIDPG0667/24 (18 APR 26)

REFER AIP AD 2 VIAR 2-105 DATED 31 DEC 2020
REGARDING ILS (CAT II/IIIA/IIB) RWY 34 - AMRITSAR AIRPORT.
FLW AMDT ARE MADE IN THE PLAN VIEW OF THE CHART: -
LEAD RADIAL L.R.147 IS AMENDED AS L.R.146
IF 11D(IAMR) IS AMENDED AS IF 11.1D(IAMR)
W30E IS AMENDED AS W21
W30W IS AMENDED AS W21
W108W IS AMENDED AS W25
FLW AMDT ARE MADE IN THE PROFILE VIEW OF THE CHART: -
MISSED APCH INSTRUCTION IS AMENDED AS - SPEED RESTRICTED TO 185
KIAS MAX. CLIMB STRAIGHT AHEAD UNTIL 4D(IAMR). CLIMBING TURN RIGHT
TO VOR TO JOIN HOLDING AT 2800 FT OR AS INSTRUCTED BY ATC.TURNING
POINT 4D(IAMR).
4D(IAMR) ALTITUDE IS AMENDED AS 2030.
OCA BOX IS AMENDED AS:
STRAIGHT IN CAT II OCA 852 FT AND RA 100.

VABB / BOM

VABBA0883/26 (18 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.I.
ACFT PRKG STAND DETAILS PCR FOR STAND G5R IS 1696/R/D/W/T.
AMEND EAIP ACCORDINGLY

VABBA0874/26 (15 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.II. TAXIWAYS
PCR FOR TXL L IS 1765/R/C/W/T.
AMEND EAIP ACCORDINGLY

VABBA0872/26 (15 JUN 26)

REFER EAIP INDIA VABB AD 2.23 ADDN INFO.I. ACFT PRKG
STAND DETAILS PCR FOR STAND A11 IS 1765/R/C/W/T.
AMEND EAIP ACCORDINGLY

VABBA0867/26 (12 JUN 26)

0501-0759 1430-2100
CONCENTRATION OF BIRDS IN AND AROUND VCY OF AD.
BIRDS WITH WT BTN 500 GRAMS TO 1.25KG AND
1KG TO 2KG. MAX SIZE OF FLOCK OF BIRDS UPTO
50 BIRDS.PILOTS TO EXER CTN DRG LDG/TKOF AND TAX

VIDPG0624/26 (25 MAY 26)

REF AIP SUP 180/2025 REGARDING RNP Y RWY 32.
1. IN FINAL APPROACH SEGMENT SDF (2.5 NM) AND SDF (3.6 NM) ARE
WITHDRAWN TEMPO.
2. LNAV OCA(H) AMENDED AS 1270(1245) TEMPO.
25 MAY 26 05:00 UNTIL 24 AUG 26 23:59 ESTIMATED

VABBA0714/26 (08 MAY 26)

TWY M STOP BAR LGT FOR RWY 14/32 U/S.
PILOTS TO EXER CTN

VABBA0623/26 (17 APR 26)

ACFT SHALL NOT HOLD ON ANY TWY LINKS DRG TAX.
IN CASE UNABLE DUE EXIGENCY ACFT SHALL INFORM CONTROLLER
IMMEDIATELY
PILOTS TO EXER CTN WHILE TAX ON TWY LINKS C1 AND C4
TO XNG ON TWY Y1 AND TWY B1 AND VICE VERSA.

VIDPG0466/26 (07 APR 26)

REF AIP INDIA PAGE AD 2 VABB 3-905 (31 DEC 2020) REGARDING RNP Y
RWY

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 96/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

14 PROC OF MUMBAI AIRPORT. THE PROC IS TEMPO WITHDRAWN DUE VISUAL
SEGMENT SURFACE (VSS) INFRINGEMENT.
07 APR 26 09:41 UNTIL 06 JUL 26 23:59 ESTIMATED

VIDPG0354/26 (16 MAR 26)

"REF AIP SUPPLEMENT 38/2026 REGARDING INSTRUMENT APPROACH CHART -
ILS OR LOC Z RWY 27 OF VABB. IN PLAN VIEW THE BELOW TEXT IS
INSERTED?
RADAR VECTORED AIRCRAFT ESTABLISHED ON LLZ RWY 27, WHEN CLEARED FOR
APPROACH, TO DESCENT BELOW 3800FT ONLY WITHIN 13.8D (ISCZ)
AMEND ACCORDINGLY."

// (COM-INFO)//

THA 00260/12 (22 FEB 26)

COM INFO:--RWY Restriction:
1) RWY 09/27 CLSD for MAINT: MON 0830-1015, THU 0815-1015
RWY 14/32 CLSD for MAINT: WED 0545-0745.
RWY restored within 30min PN.
2) RWYs 09/27 and 14/32 CLSD daily 2150-2230, EXC FRI, due to periodic MAINT. In case of
emergency RWY restored within 10min.
(REF AOI VABB 1-10)

VIDPG0181/25 (22 FEB 26)

REF EAIP AD 2 VABB 3-905 31 DEC 2020 REGARDING RNP Y RWY 14
PROC -MUMBAI:
IN PROFILE VIEW TRANSITION ALT IS AMENDED AS 6000FT.
AMEND ACCORDINGLY.

VIDPG0183/25 (22 FEB 26)

"REF AIP SUP 84/2020 REGARDING SID AND STAR OF MUMBAI AP, MSA IS
AMENDED ON CHARTS ON PAGE 5, PAGE 6, PAGE 7, PAGE 8, PAGE 9, PAGE
10, PAGE 11, PAGE 12, PAGE 13, PAGE 30, PAGE 31, PAGE 32, PAGE 33,
PAGE 34, PAGE 35, PAGE 36, PAGE 37 AND PAGE 38 AS BELOW:IN PROFILE VIEW TRANSITION ALT IS
AMENDED AS 6000FT.
AMEND ACCORDINGLY."

VIDPG0171/25 (22 FEB 26)

REFER EAIP AD 2 VABB 3-905 31 DEC 2020
REGARDING RNP Y RWY 14 PROCEDURE -MUMBAI :
1. MSA IS AMENDED AS FLW:
A. 200 DEG (M)-330 DEG (M) CLOCKWISE - 0NM TO 25NM FM MUMBAI ARP -
MSA 2600FT.
B. 330 DEG (M)-200 DEG (M) CLOCKWISE - 0NM TO 12NM FM MUMBAI ARP -
MSA 2800FT.
C. 330 DEG (M)-200 DEG (M) CLOCKWISE - 12NM TO 25NM FM MUMBAI ARP
- MSA 3800FT.
AMEND ACCORDINGLY.

VIDPG0172/25 (22 FEB 26)

"REFER AIP SUP 84/2020 REGARDING SID AND STAR OF MUMBAI
AIRPORT, MSA IS AMENDED ON CHARTS ON PAGE 5, PAGE 6, PAGE 7, PAGE 8,
PAGE 9, PAGE 10, PAGE 11, PAGE 12, PAGE 13, PAGE 30, PAGE 31, PAGE
32, PAGE 33, PAGE 34, PAGE 35, PAGE 36, PAGE 37 AND PAGE 38 ASBELOW:
1. MSA IS AMENDED AS FLW:
A. 200 DEG (M)-330 DEG (M) CLOCKWISE - 0NM TO 25NM FM MUMBAI ARP -
MSA 2600FT.
B. 330 DEG (M)-200 DEG (M) CLOCKWISE - 0NM TO 12NM FM MUMBAI ARP -
MSA 2800FT.
C. 330 DEG (M)-200 DEG (M) CLOCKWISE - 12NM TO 25NM FM MUMBAI ARP
- MSA 3800FT.
AMEND ACCORDINGLY."

VAAH / AMD

VIDPG0563/26 (12 MAY 26)

CNL AIP SUP 85/2026.

VABBA0686/26 (02 MAY 26)

"ADVANCE VISUAL DOCKING GUIDANCE SYSTEM (AVDGS) NOT AVBL FOR STAND
36L, 36 AND 36R. PILOT TO EXER CTN FLW MARSHALLER GUIDANCE"

VABBA0681/26 (30 APR 26)

ARRIVALS AFTER VACATING THE RWY.CTC AHMEDABAD GND
121.675MHZ IF UNA CTC 118.100MHZ.
AMEND EAIP INDIA VAAH AD 2.22 (FLT PROCEDURES) ACCORDINGLY

VABBA0675/26 (30 APR 26)

REF EAIP INDIA AD 2 VAAH 2.14.4 APCH AND RWY LGT. AMEND
MEHT VALUE OF RWY 05 AND 23 AS FLW:
RWY 05 - 66.58FT
RWY 23 - 68.20FT

VABBA0646/26 (22 APR 26)

"WIP IN FLW AREAS:
1)NORTHERN SIDE OF RWY 05/23 BTN BEGINNING OF TWY G TO TWY
R4 AT A DIST OF 105M FM RCL.MAX HGT FOR MOVABLE MACHINERY
IS 3M.
2)TWY M AND PORTION OF TWY K FROM RUNWAY EDGE TO TWY M
CLSD DUE WIP.
3)AN ALTN ISOL ACFT PRKG PSN IS PROVIDED ON TWY P BTN TWY D
AND TWY R4. REFER EAIP INDIA VAAH AD 2.8.6.5.
4)DRAIN WIP NORTH OF TWY P, BEYOND 35M FM TWY P CL,BTN TWY
B AND TWY R4.PERSONNEL AND MOVABLE MACHINERY UP TO 3M HGT
WILL BE SHIFTED BEYOND 43.5M DRG CODE E OPS.
5)WIP AT 15M FM TWY L5. PILOTS TO EXER CTN"

VIDPG0422/26 (25 MAR 26)

REF EAIP INDIA PAGE AD 2 VAAH 2-201 DATED 27 NOV 2025 REGARDING
VOR RWY 05 PROC. CIRCLING OCA(H) WITHDRAWN.AMEND ACCORDINGLY.

VIDPG0423/26 (25 MAR 26)

REF EAIP INDIA PAGE AD 2 VAAH 2-203 DATED 27 NOV 2025 REGARDING
VOR RWY 23 PROC. CIRCLING OCA(H) WITHDRAWN. AMEND ACCORDINGLY.

VIDPG0358/26 (18 MAR 26)

REF EAIP INDIA PAGE AD 2 VAAH 3-905 16 MAY 2024 REGARDING RNP RWY
05. THE FLW AMENDMENTS ARE MADE IN OCA(H) FOR LNAV:
1. OCA(H) FOR LNAV (CAT A/B) : 660(480) FT.
2. OCA(H) FOR LNAV (CAT C) : 680(500) FT.
3. OCA(H) FOR LNAV (CAT D) : 700(520) FT.
AMEND AIP INDIA ACCORDINGLY.

// (COM-INFO) //

*THA 00320/17 (14 FEB 25)

COM INFO:--RWY MAINT: every WED 0530-0930. (REF AOI VAAH 1-10)

VOHS / HYD

VOMMA1936/26 (15 JUN 26)

0000-1730 2330-2359
REF E-AIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS
PARA 5. AP COLLABORATIVE DECISION MAKING(ACDM) WILL
BE IN PLACE. ACFT OPR TO UPDATE TARGET OFF BLOCK TIME(TOBT)
AND ADHERE TO TARGET START UP APPROVAL TIME(TSAT

VOMMA1830/26 (05 JUN 26)

0300-0500 0730-0830 1030-1230 1330-1830
BIFURCATION OF APP INTO APP DEP APP ARR SECT.
RTF CS FREQ HYDERABAD ARR 125.550MHZ
HYDERABAD DEP 120.250MHZ

VOMMA1829/26 (05 JUN 26)

0000-1830
CLR DELIVERY WITH CS SHAMSHABAD AVBL ON FREQ 121.625MHZ.
REMAINING TIME CTC SMC ON 121.850MHZ FOR CLR DELIVERY.

VOMMA1821/26 (05 JUN 26)

0200-0530 0730-0830 1230-1530 1630-1830
ARR ACFT TO EXP HLDG OR DLA DUE CONGESTION

VOMMA1770/26 (29 MAY 26)

"VISUAL DCKG GUIDANCE SYSTEM FOR STANDS 44,45,46,47,48
NOT AVBL FOR OPS.PILOTS TO FLW MARSHALLER FOR PRKG GUIDANCE"

VOMMA1707/26 (22 MAY 26)

TWY B1 AVBL UPTO CODE C OPS UNDER TOWING AND
FLW ME GUIDANCE WITH ONE HOUR MNM PRIOR NOTICE.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 98/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

VOMMA1705/26 (22 MAY 26)

REF E-AIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS PARA 4 SUB PARA 4.2. TWY B1 NOT AVBL AS AN ALTN ISOLATION PRKG PSN DUE WIP

VOMMA1706/26 (22 MAY 26)

WIP AT DIST OF 110M NORTH OF RWY 09L/27R CL BTN TWY B1 AND TWY B2.MAX EQPT HGT WILL BE 2.5M.PILOTS TO EXER CTN.

VOMMA1674/26 (19 MAY 26)

GRASS CUTTING AND PESTICIDE SPRAYING WIP ON BOTH SIDES OF RWY 09R/27L SHOULDERS AT A DIST OF 107M FM RWY CL. PILOTS TO EXER CTN

VIDPG0467/26 (07 APR 26)

REF EAIP INDIA PAGE AD VOHS 2-109 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 27L PROC OF SHAMSHABAD (VOHS) AP. ILS OR LOC RWY 27L PROC TEMPO WITHDRAWN DUE EQPT REPLACEMENT. 07 APR 26 09:52 UNTIL 05 JUL 26 23:59 ESTIMATED

VIDPG0461/26 (07 APR 26)

"ILS RWY 27L IDENT ISAM (LOC 110.900MHZ, GP 330.800MHZ, DME ISAM CH46X) NOT AVBL DUE EQPT REPLACEMENT." 07 APR 26 04:48 UNTIL 04 JUL 26 23:59 ESTIMATED

VOMMA1122/26 (30 MAR 26)

RWY09L IS NON PRECISION DUE WIP ALONG THE DRAIN IN BASIC STRIP.

VOMMA0935/26 (16 MAR 26)

REF EAIP INDIA VOHS AD 2.1 SUB PARA 2.24 CHARTS RELATED TO AN AERODROME SNO.23 FOR RWY 27R READ TORA FOR TWY B2 INTERSECTION AS 3030M

VIDPG0075/26 (21 JAN 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-205 DATED 17 APR 2025 REGARDING VOR RWY 27L OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.

VIDPG0074/26 (21 JAN 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-203 DATED 17 APR 2025 REGARDING VOR RWY 09R OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.

VIDPG0076/26 (21 JAN 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-207 DATED 17 APR 2025 REGARDING VOR RWY 27R OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.

VIDPG0073/26 (21 JAN 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-201 DATED 17 APR 2025 REGARDING VOR RWY 09L OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.

VIDPG0072/26 (21 JAN 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-109 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 27L OF SHAMSHABAD AIRPORT: THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.

VIDPG0071/26 (21 JAN 26)

REF EAIP INDIA PAGE AD 2 VOHS 2-107 DATED 17 APR 2025 REGARDING ILS OR LOC RWY 09R CAT II OF SHAMSHABAD AIRPORT : THE CIRCLING OCA(H) IS DELETED FROM IAP CHART. AMEND EAIP ACCORDINGLY.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 99/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

VECC / CCU

VIDPG0734/26 (17 JUN 26)

REFER AIP SUP 27/2026 DATED 05 FEB 2026 REGARDING PROC ILS OR LOC
RWY 19L-KOLKATA AIRPORT. IN FINAL APP SEGMENT OF LOC ONLY PROC SDF
AND OCA(H) WITH SDF WITHDRAWN TEMPO.
17 JUN 26 06:57 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0732/26 (17 JUN 26)

REF AIP SUP 28/2026 REGARDING VOR RWY 01L. THE OCA(H) WITH SDF
AMENDED AS 450(430)FT IN PLACE OF 440(420)FT.
AMEND ACCORDINGLY.
17 JUN 26 06:51 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0733/26 (17 JUN 26)

REFER AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC OF
KOLKATA.
WITH SDF OCA(H) IS AMENDED AS 480 (460)FT TEMPORARILY.
17 JUN 26 06:54 UNTIL 16 SEP 26 23:59 ESTIMATED

VIDPG0674/26 (02 JUN 26)

"ILS RWY 19R IDENT IOKL (LOC 111.300MHZ, GP 332.300MHZ, DME IOKL
CH50X) NOT AVBL DUE DISPLACEMENT OF THRESHOLD."
02 JUN 26 10:22 UNTIL 29 AUG 26 23:59 ESTIMATED

VECCA1064/26 (02 JUN 26)

"ACFT STAND IDENTIFICATION SIGN BOARD NOT AVBL FOR STAND 110,111,112.
RMK : ACFT STAND 110,111,112 AVBL FOR OPS."

*VECCA1051/26 (01 JUN 26)

MON WED FRI SUN 0530-1030
RWY 19L/01R NOT AVBL FOR OPS DUE MAINT WIP WHEN VIS 1200M AND
ABV.
RMK:
1. TWY L AND JUNCTION OF RWY 01R WITH TWY C AVBL FOR OPS.
IN CASE OF URGENT RQMNTS 30 MIN PN FOR AVBL OF RWY 19L/01R. PILOTS
TO EXER CTN DUE MEN AND MATERIAL CONFINED TO WORKSITE.

VIDPG0634/26 (27 MAY 26)

REFER AIP SUP 201/2025 DATED 16 OCT 2025 REGARDING PROC VOR RWY
01R-KOLKATA AIRPORT. IN FINAL APP SEGMENT SDF AND OCA(H) WITH SDF
WITHDRAWN TEMPO.
27 MAY 26 13:06 UNTIL 28 AUG 26 23:59 ESTIMATED

VIDPG0631/26 (27 MAY 26)

REF AIP SUP 198/2025 REGARDING INSTRUMENT APPROACH CHART - ILS OR
LOC RWY 19R NETAJI SUBHASH CHANDRA BOSE INTERNATIONAL AIRPORT
KOLKATA (VECC). PROC ILS OR LOC RWY 19R TEMPO WITHDRAWN DUE TEMPO
DISPLACEMENT OF RWY 19R THR.
27 MAY 26 12:05 UNTIL 04 SEP 26 23:59 ESTIMATED

VECCA0888/26 (08 MAY 26)

RWY 19R AVBL FOR OPS WITH VOR Y APCH PROC ONLY.RMK:ALS OF RWY 19R
NOT AVBL.

*VECCA0877/26 (17 MAY 26)

"PORTION OF RWY 19R/01L FM BEGINNING OF RWY 19R TO 130M SOUTH OF IT
S
INT WITH TWY A NOT AVBL FOR OPS.
RMK :TWY Q1,TWY Q2,TWY K,RWY 19R-N HOLDING POINT AND PORTION OF TWY
A BTN RWY 19R/01L AND 19L/01R NOT AVBL FOR OPS.
ACFT LDG RWY 01R VACATE ONLY VIA TWY B OR TWY P."

VECCA0852/26 (05 MAY 26)

"TORA,TODA FOR RWY 01L REDUCED TO 2404M AND LDA FOR RWY 01L
REDUCED TO 1966M.RWY 19R THR DISPLACED 867M.RWY 19R THR LAT
223928.48426N, LONG 0882645.86415E, TOP ELEV:19.08872FT, ELLIPSOID
HT(MS)167.155517FT,
TORA,TODA AND LDA FOR RWY 19R REDUCED TO 2404M.
RMK:1.GRADED RESA DIMENSION OF RWY 01L IS 90M*90M
2.RWY 19R/01L AVBL FOR OPS UPTO CODE C ACFT ONLY"

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 100/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

VIDPG0536/26 (05 MAY 26)

REF AIP SUP 203/2025 REGARDING VOR RWY 19R (CAT A/B/C) PROC.
CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED
ACCORDINGLY.

VIDPG0534/26 (05 MAY 26)

REF AIP SUP 201/2025 REGARDING VOR RWY 01R (CAT A/B/C) PROC.
CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED
ACCORDINGLY.

VIDPG0535/26 (05 MAY 26)

REF AIP SUP 202/2025 REGARDING VOR RWY 19L (CAT A/B/C) PROC.
CIRCLING PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED
ACCORDINGLY.

VIDPG0532/26 (05 MAY 26)

REF AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC. CIRCLING
PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.

VIDPG0533/26 (05 MAY 26)

REF AIP SUP 198/2025 REGARDING ILS OR LOC RWY 19R PROC. CIRCLING
PROC AND CIRCLING MINIMA WITHDRAWN. EAIP INDIA AMENDED ACCORDINGLY.

VECCA0695/26 (18 APR 26)

"OPPORTUNITY BASIS TRIAL OPS OF SMC(S) AND SMC(N) INPR:
UNIT PROVIDING SER: KOLKATA GND
FREQ OF SMC(S): 121.900 MHZ AND SMC(N): 121.725MHZ
UNLESS OTHERWISE SPECIFIED BY TWR, AFTER VACATING RWY, ARR ACFT LDG
ON RWY 19L/19R SHALL CTC GND ON FREQ 121.900 MHZ AND ARR ACFT LDG ON
RWY 01R/01L SHALL CTC GND ON FREQ 121.725 MHZ.
WHEN RELEASED BY CLR DELIVERY, DEP ACFT FM APN 2 AND 3 SHALL CTC GND
ON FREQ 121.900 MHZ AND DEP ACFT FM APN 1 AND 4 SHALL CTC GND ON
FREQ 121.725 MHZ."

VIDPG0171/26 (21 FEB 26)

REF VECC AD 2.25. THE VISUAL SEGMENT SURFACE (VSS) PENETRATION
INFO REGARDING VOR RWY 01L IS DELETED.

VIDPG0168/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-903 DATED 16 MAY 2024 REGARDING
RNP Y RWY 01R PROC. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 470(450) FT IS APPLICABLE ONLY FOR
SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

VIDPG0167/26 (21 FEB 26)

"REF EAIP INDIA PAGE AD 2 VECC 3-901 DATED 16 MAY 2024 REGARDING
RNP Y RWY 01L PROC-KOLKATA AIRPORT. FLW AMENDMENTS ARE MADE:
1. IN PROFILE VIEW, MOCA OF THE SEGMENT FAF-SDF IS 670FT
2. IN PROFILE VIEW, OCA(H) - 440(420) FT IS APPLICABLE ONLY FOR
SEGMENT SDF-MAPT. AMEND AIP ACCORDINGLY."

VIDPG1421/25 (21 FEB 26)

"REF AIP SUP 197/2025 REGARDING ILS RWY 01R CAT II AND III PROC OF
NSCBI AP KOLKATA. FLW AMEND ARE MADE:
I) ON R-198(CEA), TEXT IAF IS INSERTED AT 16D(CEA).
II) ON R-198(CEA), IAF AT 20D(CEA) IS DELETED."

VIDPG1422/25 (21 FEB 26)

REF AIP SUP 198/2025 REGARDING ILS OR LOC RWY 19R PROC OF NSCBI
AP KOLKATA. ON R-345 (CEA) TEXT 18D IS REPLACE BY 15D.

VIDPG1420/25 (21 FEB 26)

REF AIP SUP 196/2025 REGARDING ILS OR LOC RWY 01R PROC OF NSCBI
AP
KOLKATA. FLW AMD ARE MADE:
I) RDH IS AMENDED AS 53FT
II) IN PROFILE VIEW AND IN DISTANCE-ALTITUDE TABLE THE ALTITUDE AT
4D IS AMENDED AS 1290FT.
III) TEXT 332DEG ON INBOUND LEG OF PROC TURN IS AMENDED AS 322DEG.

Official Pilot Briefing

THA921 19JUN26 HSTKW B773E EDDF 1245 VTBS 2325

Page 101/102
Trans ID: 5029997
Creation Time: 19.06.2026 03:31UTC

VGHS / DAC

VGHSA0175/26 (14 JUN 26)

NIL AIRAC AIP AMDT HAS BEEN ISSUED ON AIRAC EFFECTIVE DATE
ON 09 JUL 2026.

VGHSA0165/26 (06 JUN 26)

CONST WORK OF BOX CULVERT WHICH DIST IS 376FT WEST SIDE OF THE RWY
CENTRE LINE AND 3460FT FM THR RWY-14 (TOWARDS RWY-32) IS IN
PROGRESS. ALL PILOTS ARE ADZ TO EXER CTN WHILE TK-OF AND LDG.

VGHSA0149/26 (25 MAY 26)

"REF AIP BANGLADESH PAGE GEN 0.4-1,DATED 25
DEC 2025,PART 1(GEN) PLEASE READ GEN 4.1-1,DATE 23 JUN
2016 INSTEAD OF GEN 4.1-1 DATE 25 DEC 2025 AND REF PAGE
0.4-2,DATE 25 DEC 2025 PART2(ENR) PLEASE READ ENR 4.1-1
DATE 25 DEC 2025 INSTEAD OF ENR 4.1-1 DATE 02 OCT 2025.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH."

VGHSA0148/26 (25 MAY 26)

"REF AIP BANGLADESH CHART VEGE AD 2-31,DATED 10
JUL 2025,RNP RWY 05(LNAV/VNAV ONLY) AT PROFILE VIEW PLEASE
READ INTERMEDIATE FIX AS ENLIX INSTEAD OF ELNEX.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH."

VGHSA0124/26 (16 MAY 26)

SPORADIC LASER ILLUMINATION MAY TAKE PLACE FROM UNKNOWN SOURCES OF
NEARBY POPULATED AREA OF THE AIRFIELD. ALL PILOTS ARE REQUESTED TO
EXER CTN DRG THE DEFFERENT APPROACH PHASES AND INITIAL CLIMBING
PHASE WITHIN 12NM DAC DVOR
04 MAY 26 09:30 UNTIL 04 AUG 26 23:59 ESTIMATED

VGHSA0123/26 (16 MAY 26)

DME FREQ 1161MHZ IDENT 'DAC' WILL REMAIN ON TEST OPERATION
DUE TO NEW DME INSTL
04 MAY 26 09:25 UNTIL 01 AUG 26 10:00 ESTIMATED

VGHSA0122/26 (16 MAY 26)

DVOR FREQ 112.7MHZ IDENT 'DAC' WILL REMAIN ON TEST OPERATION
DUE TO NEW DVOR INSTL
04 MAY 26 09:25 UNTIL 01 AUG 26 10:00 ESTIMATED

VGHSA0121/26 (16 MAY 26)

INSTRUMENT LANDING SYSTEM(ILS) FOR RWY-14 FREQ 109.5MHZ
IDENT 'IDA' IS NORMAL IN OPR FOR CAT-I ONLY WITH
MET MINIMA VIS 1000M OR RVR 700M
03 MAY 26 12:10 UNTIL 31 JUL 26 23:59 ESTIMATED

VGHSA0120/26 (16 MAY 26)

TRIGGER NOTAM - AIRAC AIP AMENDMENT 02/26 WEF 11-JUN-2026
IT IS AVBL IN THE CAAB WEBSITE

VGHSA0118/26 (02 MAY 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-8,DATED 16 APR
2026,PARA AD 2.18
(1) ROW 03,COLUMN 4,ACC HOURS OF OPERATION PLEASE READ AS,
FM 1600 TO 0200 UTC (NEXT DAY) INSTEAD OF 1400 TO 0200 UTC
(NEXT DAY) AND ROW 04,COLUMN 4,ACC(UPPER)HOURS OF OPERATION
PLEASE READ AS, FM 0200 TO 1600 UTC INSTEAD OF H24.
(2) ROW 04,COLUMN 4,ACC(UPPER) FREQ PLEASE READ SRY 123.775MHZ
INSTEAD OF SRY 129.700MHZ.
(3) ROW 05,COLUMN 4,ACC(LOWER) FREQ PLEASE READ SRY 120.750MHZ
INSTEAD OF 130.700MHZ.
(4) ROW 06,COLUMN 4, DHAKA TWR AERODROME AND APPROACH CONTROL
(NON-RADAR) FREQ PLEASE READ SRY 118.925MHZ INSTEAD OF SRY
119.300MHZ.
(5) ROW 08,COLUMN 4, SURFACE MOVEMENT CONTROL DHAKA GROUND FREQ
PLEASE READ 121.675MHZ AS SRY 121.675MHZ FREQ.
PLEASE MAKE HAND CORRECTION BY INSERTING THE EFFECTIVE INFORMATION
OF MENTIONED PAGES OF AIP BANGLADESH"

VGHSA0388/25 (05 APR 26)

"PORTION OF TWY 'C' FROM TWY 'N', AND TWY 'S' INTERSECTION TO APN,

TWY 'F' AND TWY 'E' WILL BE RENAMED AS TWY 'T7', TWY 'T9' AND
TWY 'T10' RESPECTIVELY"

VGHSA0299/25 (05 APR 26)

"REF AIP BANGLADESH PAGE VGHS AD 2-1 DATED 11 JULY 2024,
PARA 2.2,SERIAL NO 3 AND AERODROME CHART-ICAO PAGE VGHS
AD 2-15 DATED 11 JULY 2024.PLEASE READ AERODROME ELEV AS
26 FEET INSTEAD OF 27 FEET. PLEASE MAKE HAND CORRECTION BY
INSERTING THE EFFECTIVE INFORMATION OF MENTIONED PAGES OF
AIP BANGLADESH"

VGHSA0261/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025,PAGE
ATTACHMENT B5.2, TABLE RNAV IKUGO 1B AND RNAV IBANU 1B,SL NO
03,COLUMN NO 09 AND PAGE ATTACHMENT B6.2, TABLE RNAV BELKU 1E,SL
NO 02,COLUMN NO 09.PLEASE INSERT SPEED LIMIT '-250'.PLEASE MAKEHAND CORRECTION BY INSERTING
INFORMATION IN THE MENTIONED AIP
SUPP PAGE"

VGHSA0231/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025,
REGARDING THE MSA DEPICTED IN PLAN VIEW FOR ALL RNAV SID
AND STAR CHART RWY 14. PLEASE READ 'MSA 25NM ARP'INSTEAD OF 'MSA
25NM DAC ARP' AND 'MSA 25NM DAC'. PLEASE MAKE HAND CORRECTION BY
INSERTING THE INFORMATION IN MENTIONED AIP SUPPLEMENT"

VGHSA0232/25 (05 APR 26)

"REF IS MADE TO THE AIP SUP 03/2025 DATED 10 JUL 2025,
ATTACHMENT-A 4.2, CODING TABLE OF VGHS RNAV SID IBANU IC,
SL NO 01 AND SL 02. PLEASE DELETE THE SPEED LIMIT ON THE CA LEG
AND CF LEG AT HS001. THERE WILL BE NO SPEED RESTRICTION.
PLEASE MAKE HAND CORRECTION BY INSERTING THE INFORMATION IN
MENTIONED AIP SUPPLEMENT"

VGHSA0227/25 (05 APR 26)

"REF AIP SUP 04/25 DATED 10 JUL 2025, APPENDIX-A.
PLEASE READ CHART NAMING AS 'ILS Z RWY 14' INSTEAD OF 'VOR-DME
ILS (CAT-II) RWY 14'. THIS PROCEDURE IS A STANDALONE
PROCEDURE. PLEASE MAKE HAND CORRECTION BY INSERTING THE
INFORMATION IN MENTIONED AIP SUPPLEMENT"

VYYY / RGN

VYYYA0119/26 (17 JUN 26)

VYYY AD TWY A PORTION (226M X 3.7M) BETWEEN EXIT TWY A3 AND A4
CLSD DUE TO RENOVATION WIP.

// (COM-INFO) //

THA 00157/26 (11 JUN 26)

VYYY:+++ (NEW) --There is no fuel available at RGN airport.
Tanker fuel planning for the round trip to RGN.
Disregard payload limitations. (ISSUED 11JUN26/DO/UFN)

VYYYA0104/26 (17 JUN 26)

NEW ATM CENTER GHOSTING OPERATION CONTINUES. NO IMPACT TO ATS.
24 MAY 26 23:59 UNTIL 24 JUL 26 23:59 ESTIMATED

THA921 19JUN26/1245 EDDF/VTBS
N I L