

Percentage of susceptible Organisms Isolated, For Stool, 01 я.я. 2568 - 31 я.я. 2568

	Organism	TOTAL ISOLATE	BETA - LACTAMS													CARBAPENEMS		QUINOLONES		AMINOGLYCOSIDES		GLYCOP EPTIDES	MISCELLANEOUS						
			PENICILLIN	PENICILLIN	AMPICILLIN	AMOXICILLIN/CLAVULANIC ACID	AMPICILLIN/SULBACTAM	PIPERACILLIN/ TAZOBACTAM	CEFAZOLIN	CEFUROXIME	CEFOTAXIME	CEFTAZIDIME	CEFTRIAXONE	CEFEPIME	OXACILLIN	CEFOXITIN	IMIPENEM	MEROPENEM	CIPROFLOXACIN	LEVOFLOXACIN	AMIKACIN	GENTAMICIN	VANCOMYCIN	CLINDAMYCIN	ERYTHROMYCIN	CHLORAMPHENICOL	CO-TRIMOXAZOLE	TRIMETHOPRIM/ SULFAMETHOXAZOLE	TETRACYCLINE
Gram Negative	Salmonella, Typhoidal	-																											
	Salmonella, Non-typhoidal	10	-	-	70.0 (10)	-	-	-	-	-	-	-	-	-	-	-	-	90.0 (10)	-	-	-	-	-	-	-	-	100 (10)	-	
	Shigella spp.	-																											
	Vibrio cholerae (all serotypes)	-																											
	Vibrio cholerae O1	-																											
	Vibrio cholerae non O1, non O139	-																											
	Vibrio parahaemolyticus	1	-	-	-	-	-	-	-	-	100 (1)	-	-	-	-	-	100 (1)	100 (1)	100 (1)	-	-	-	-	-	-	-	-	100 (1)	-
	Vibrio spp.	-																											
m Posit	Staphylococcus aureus	-																											

