

Percentage of susceptible Organisms Isolated, For Urine, 01 n.a. 2568 - 31 n.a. 2568

Percentage of susceptible organisms isolated, For Ome, 01 Jan. 2000 - 31 Dec. 2000																																				
Organism	TOTAL ISOLATE	BETA - LACTAMS														CARBAPENEMS			POLY MYXINS	QUINOLONES			AMINOGLYCOSIDES		GLYCOPEPTIDES		MISCELLANEOUS									
		PENICILLIN	PENICILLIN	AMPICILLIN	AMOXICILIN/CLAVULANIC ACID	AMPICILLIN/SULBACTAM	PIPERACILIN/TAZOBACTAM	CEFAZOLIN	CEFUROXIME	CEFOPELOXONE/ SULBACTAM	CEFOTAXIME	CEFTAZIDIME	CEFTRIAXONE	CEFTEPIME	OXACILLIN	CEFOXITIN	ERTAPENEM	IMPENEM	MEROPENEM	COLISTIN	CIPROFLOXACIN	LEVOFLOXACIN	NORFLOXACIN	AMIKACIN	GENTAMICIN	GENTAMICIN HIGH LEVEL	VANCOMYCIN	TEICoplanin	POSIFOMYCIN	CLINDAMYCIN	ERYTHROMYCIN	NITROFURANTOIN	CHLORAMPHENICOL	CO-TRIMOXAZOLE	TRIMETHOPRIM/ SULFAMETHOXAZOLE	TETRACYCLINE
Gram Negative	Acinetobacter baumannii	2	-	-	-	-	50.0 (2)	-	-	0 (1)	-	0 (2)	-	-	-	-	-	50.0 (2)	50.0 (2)	0 (2)	0 (2)	0 (2)	-	50.0 (2)	50.0 (2)	-	-	-	-	-	-	-	-	-	50.0 (2)	-
	Acinetobacter spp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Enterobacter cloacae	9	-	-	-	0 (9)	55.6 (9)	-	-	-	-	44.4 (9)	44.4 (9)	-	-	-	88.9 (9)	88.9 (9)	88.9 (9)	0 (6)	55.6 (9)	55.6 (9)	-	77.8 (9)	88.9 (9)	-	-	-	-	-	-	-	-	-	77.8 (9)	-
	Enterobacter spp.	1	-	-	-	0 (1)	100 (1)	-	-	-	-	100 (1)	100 (1)	-	-	-	100 (1)	100 (1)	100 (1)	0 (1)	100 (1)	100 (1)	-	100 (1)	100 (1)	-	-	-	-	-	-	-	-	-	100 (1)	-
	Escherichia coli	149	-	-	0 (7)	78.5 (144)	-	91.9 (149)	-	-	40.0 (5)	69.8 (149)	60.4 (144)	-	-	-	95.3 (149)	95.9 (147)	96.0 (149)	19.7 (132)	38.3 (149)	36.9 (149)	-	91.9 (149)	70.9 (148)	-	-	-	-	-	-	-	-	-	43.2 (148)	-
	Klebsiella pneumoniae	38	-	-	0 (3)	36.1 (36)	-	42.1 (38)	-	-	0 (2)	26.3 (38)	27.8 (36)	-	-	-	94.2 (38)	83.8 (37)	86.8 (38)	26.7 (30)	27.0 (37)	26.3 (38)	-	86.8 (38)	48.6 (37)	-	-	-	-	-	-	-	-	-	50.0 (38)	-
	Klebsiella spp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Morganella morganii	3	-	-	-	0 (3)	100 (3)	-	-	-	-	66.7 (3)	66.7 (3)	-	-	-	100 (3)	0 (2)	100 (3)	0 (3)	100 (3)	100 (3)	-	100 (3)	100 (2)	-	-	-	-	-	-	-	-	-	100 (3)	-
	Proteus mirabilis	19	-	-	-	0 (1)	94.4 (18)	94.7 (19)	-	-	0 (1)	94.7 (19)	66.7 (18)	-	-	-	100 (19)	-	100 (19)	0 (15)	47.4 (19)	42.1 (19)	-	5.3 (19)	42.1 (19)	-	-	-	-	-	-	-	-	-	42.1 (19)	-
	Pseudomonas aeruginosa	23	-	-	-	-	-	39.1 (23)	-	-	-	34.8 (23)	-	-	-	-	-	40.9 (22)	43.5 (23)	56.5 (23)	39.1 (23)	34.8 (23)	-	52.2 (23)	-	-	-	-	-	-	-	-	-	-	-	-
Salmonella, Typhoidal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Salmonella, Non-typhoidal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gram Positive	Enterococcus faecalis	56	-	-	100 (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41.1 (56)	-	-	-	26.8 (56)	100 (56)	-	-	-	-	-	-	-	-	-
	Enterococcus faecium	20	-	-	5.0 (20)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.0 (20)	-	-	80.0 (20)	90.0 (20)	-	-	-	-	-	-	-	-	-	-
	Enterococcus spp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Staphylococcus aureus	1	-	-	-	-	-	-	-	-	-	-	100 (1)	-	-	-	-	-	-	-	-	-	-	100 (1)	-	100 (1)	-	-	-	-	-	-	-	-	100 (1)	-
	Staphylococcus, coagulase negative	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Streptococcus, ?-hemolytic not Group A,B,D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Staphylococcus lugdunensis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Staphylococcus saprophyticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Streptococcus agalactiae	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100 (2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

%S 
 *** COLISTIN use %!