

Percentage of susceptible Organisms Isolated, For Stool, 01 я.я. 2567 - 31 я.я. 2567

	Organism	TOTAL ISOLATE	BETA - LACTAMS												CARBAPENEMS		QUINOLONES		AMINOGLYCOSIDES		GLYCOP EPTIDES	MISCELLANEOUS				
			PENICILLIN	AMPICILLIN	AMOXICILLIN/CLAVULANIC ACID	AMPICILLIN/SULBACTAM	PIPERACILLIN/TAZOBACTAM	CEFAZOLIN	CEFUROXIME	CEFOTAXIME	CEFTAZIDIME	CEFTRIAXONE	CEFEPIME	OXACILLIN	CEFOXITIN	IMIPENEM	MEROPENEM	CIPROFLOXACIN	LEVOFLOXACIN	AMIKACIN	GENTAMICIN	VANCOMYCIN	CLINDAMYCIN	ERYTHROMYCIN	CHLORAMPHENICOL	CO-TRIMOXAZOLE
Gram Negative	Salmonella, Typhoidal	-																								
	Salmonella, Non-typhoidal	3	-	33.3 (3)	-	-	-	-	-	-	-	-	-	-	-	-	66.7 (3)	-	-	-	-	-	-	-	-	-
	Shigella spp.	-																								
	Vibrio cholerae (all serotypes)	-																								
	Vibrio cholerae O1	-																								
	Vibrio cholerae non O1, non O139	-																								
	Vibrio parahaemolyticus	-																								
	Vibrio spp.	-																								
m Posit	Staphylococcus aureus	-																								

