🎯 VOLTIKA ALIADOS RECRUITMENT APP

Final Developer Specification & Build Handoff Document

Version: 1.0 Final · April 22, 2026 **For:** Dedicated Developer (freelance or contracted) **Domain:** `reclutamiento.voltika.mx` (subdomain of voltika.mx) **Project owner:** Dan · Voltika

---

📌 IMPORTANT NOTES BEFORE STARTING

Document conventions

- **Technical instructions** for the developer are in **English**.
- **All user-facing text, UI copy, messages, emails, and labels** are in **Spanish** (Mexican market).
- Spanish copy is presented in `code blocks` for direct copy-paste.
- Do NOT translate the Spanish copy. Use it exactly as written.

What you are building

A web application for Voltika's internal team to **discover, contact, evaluate, and onboard automotive workshops** (talleres) as commercial allies (aliados) in their distribution network.

The app must scale to manage 300+ active allies within 12 weeks.

📋 TABLE OF CONTENTS

1. **Project Overview**
2. **Technical Stack**
3. **System Architecture**

4. **Database Schema**
5. **Module 1 · Discovery (Talleres Search)**
6. **Module 2 · Outreach (WhatsApp + Email)**
7. **Module 3 · Application Form (Anti-fraud)**
8. **Module 4 · Internal Review Panel**
9. **Module 5 · Contract Signing (Cincel)**
10. **Module 6 · Internal Dashboard**
11. **External Integrations**
12. **Authentication & Roles**
13. **Sprint Roadmap**
14. **All Spanish UI Copy (Copy-Paste Ready)**
15. **All Spanish WhatsApp Templates**
16. **All Spanish Email Templates**
17. **Testing Checklist**
18. **Deployment Checklist**

1️⃣ PROJECT OVERVIEW

Business goals

- Build a sales funnel to recruit 300+ workshops as Voltika allies in 12 weeks
- Two ally types must be supported separately:
  - **Punto de Entrega** (Delivery Point) — basic role, lower verification
  - **Distribuidor Estratégico** (Strategic Distributor) — sells + repairs + represents brand, full verification
- Reduce manual work by 80% via automation (search, outreach, scoring)
- Prevent fraud through document validation, biometrics (Truora for distributors only),

geolocation checks

Key user journey

```
1. Internal team searches for workshops by city/postal code
2. App returns workshops from Google Places ranked by Voltika Score
3. Team selects best candidates and sends WhatsApp + Email invitations
4. Interested prospects click link → public application form
5. Prospect fills form with evidence (photos, INE, RFC)
6. App runs automatic anti-fraud validations
7. Internal team reviews and approves/rejects applications
8. Approved applications trigger Cincel digital contract
9. Prospect signs contract digitally
10. App activates ally in Voltika network
```

Out of scope (for v1)

- Payment processing for allies
- Mobile native apps (web responsive only)
- Multilingual support (Spanish only)
- Public-facing ally directory (internal use only)

2️⃣ TECHNICAL STACK

Recommended stack

Frontend

- **Framework:** Next.js 14 with App Router
- **Language:** TypeScript (strict mode)
- **Styling:** Tailwind CSS
- **UI Components:** shadcn/ui
- **Forms:** React Hook Form + Zod for validation

- **Maps:** Mapbox GL JS or Google Maps JavaScript API
- **State:** React Server Components + Server Actions where possible

Backend

- **Runtime:** Node.js 20+ (via Next.js API routes / Server Actions)
- **Database:** PostgreSQL 15+
- **ORM:** Prisma
- **Authentication:** NextAuth.js v5 with Google provider (restricted to @voltika.mx domain)
- **File storage:** Supabase Storage or AWS S3
- **Background jobs:** Inngest or BullMQ for async tasks (image analysis, batch sending)

Infrastructure

- **Hosting:** Vercel (Pro plan recommended)
- **Database:** Supabase (Pro plan with PostgreSQL)
- **Email:** Resend (developer-friendly) or Zoho Mail (already part of Voltika's Zoho One subscription)
- **Monitoring:** Sentry for error tracking
- **Analytics:** PostHog or Plausible

Why this stack

1. Single codebase (Next.js fullstack) reduces complexity
2. TypeScript prevents runtime errors at scale
3. Vercel + Supabase auto-scale without DevOps overhead
4. Server Components reduce client bundle size
5. Prisma migrations enable safe DB evolution

Alternative stack (if developer prefers)

If developer is more proficient in PHP or Python:

- **Laravel 11** (PHP) + MySQL + Livewire + Inertia.js

- **Django** (Python) + PostgreSQL + HTMX

The choice should optimize for the developer's expertise. What matters is shipping reliably, not framework trends.

3️⃣ SYSTEM ARCHITECTURE

High-level diagram

```
┌──────────────────────────────────────────────────────────────┐
│  reclutamiento.voltika.mx (Internal team only)               │
│  ┌──────────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐  │
│  │ Discovery    │  │ Outreach │  │ Review   │  │ Dashboard│  │
│  └──────┬───────┘  └────┬─────┘  └────┬─────┘  └────┬─────┘  │
└─────────┼───────────────┼─────────────┼─────────────┼────────┘
          │               │             │             │
          ▼               ▼             ▼             ▼
    ┌──────────┐    ┌──────────┐    ┌──────────┐    ┌────────┐
    │ Google   │    │ Botmaker │    │ Truora   │    │ Cincel │
    │ Places   │    │ WhatsApp │    │ (KYC for │    │ (Sign) │
    │ + Vision │    │ + Email  │    │ distrib) │    │        │
    └──────────┘    └──────────┘    └──────────┘    └────────┘

            ┌──────────────────────────────────┐
            │  voltika.mx/aliados (Public-facing)  │
            │  Application form for prospects      │
            └──────────────────────────────────┘
                                │
                                ▼
                    ┌──────────────────┐
                    │ PostgreSQL       │
                    │ (single database │
                    │ shared by both)  │
                    └──────────────────┘
```

Two separate frontends, one backend

- **Internal app:** `reclutamiento.voltika.mx` — requires authentication, used by Voltika team

- **Public form:** `voltika.mx/aliados` — public, no auth, accessed by prospects

Both share the same PostgreSQL database and API routes.

4️⃣ DATABASE SCHEMA

Tables

`users` (Voltika team members)

```
CREATE TABLE users (
  id            UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  email         VARCHAR(255) UNIQUE NOT NULL,
  name          VARCHAR(255) NOT NULL,
  role          VARCHAR(50) NOT NULL CHECK (role IN ('admin', 'recruiter', 'revie
  active        BOOLEAN DEFAULT true,
  last_login_at TIMESTAMPTZ,
  created_at    TIMESTAMPTZ DEFAULT NOW(),
  updated_at    TIMESTAMPTZ DEFAULT NOW()
);
```

`talleres_prospectos` (Workshops discovered via Google Places)

```
CREATE TABLE talleres_prospectos (
  id                      UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  google_place_id         VARCHAR(255) UNIQUE NOT NULL,
  nombre                  VARCHAR(500) NOT NULL,
  direccion               TEXT NOT NULL,
  ciudad                  VARCHAR(255) NOT NULL,
  estado                  VARCHAR(100) NOT NULL,
  codigo_postal           VARCHAR(10),
  latitud                 DOUBLE PRECISION NOT NULL,
  longitud                DOUBLE PRECISION NOT NULL,
  telefono                VARCHAR(50),
  website                 VARCHAR(500),
  rating_google           DECIMAL(2,1),
  total_reviews           INTEGER DEFAULT 0,
  horario_semanal         JSONB,
  categoria_google        VARCHAR(100),
  fotos_urls              JSONB,
```

```
  score_voltika           INTEGER,
  tipo_sugerido           VARCHAR(50) CHECK (tipo_sugerido IN ('punto_entrega', '
  estado_contacto         VARCHAR(50) DEFAULT 'no_contactado',
  asignado_a              UUID REFERENCES users(id),
  notas_internas          TEXT,
  fecha_descubrimiento    TIMESTAMPTZ DEFAULT NOW(),
  fecha_ultimo_contacto   TIMESTAMPTZ,
  created_at              TIMESTAMPTZ DEFAULT NOW(),
  updated_at              TIMESTAMPTZ DEFAULT NOW()
);

CREATE INDEX idx_talleres_ciudad ON talleres_prospectos(ciudad);
CREATE INDEX idx_talleres_cp ON talleres_prospectos(codigo_postal);
CREATE INDEX idx_talleres_estado_contacto ON talleres_prospectos(estado_contacto)
CREATE INDEX idx_talleres_score ON talleres_prospectos(score_voltika DESC);
```

`contactos_enviados` (Outreach history)

```
CREATE TABLE contactos_enviados (
  id                    UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  taller_prospecto_id   UUID NOT NULL REFERENCES talleres_prospectos(id) ON DELET
  canal                 VARCHAR(20) NOT NULL CHECK (canal IN ('whatsapp', 'email'
  plantilla_usada       VARCHAR(100),
  mensaje_enviado       TEXT NOT NULL,
  respuesta_recibida    TEXT,
  estado                VARCHAR(50) DEFAULT 'enviado',
  enviado_por           UUID REFERENCES users(id),
  fecha_envio           TIMESTAMPTZ DEFAULT NOW(),
  fecha_respuesta       TIMESTAMPTZ,
  codigo_seguimiento    VARCHAR(100) UNIQUE,
  created_at            TIMESTAMPTZ DEFAULT NOW()
);

CREATE INDEX idx_contactos_taller ON contactos_enviados(taller_prospecto_id);
CREATE INDEX idx_contactos_codigo ON contactos_enviados(codigo_seguimiento);
```

`postulaciones` (Applications submitted)

```
CREATE TABLE postulaciones (
  id                          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  taller_prospecto_id         UUID REFERENCES talleres_prospectos(id),
  codigo_seguimiento          VARCHAR(100),
  tipo_aliado_postulado       VARCHAR(50) NOT NULL CHECK (tipo_aliado_postulado I
```

```
  -- Business data
  nombre_comercial            VARCHAR(500) NOT NULL,
  razon_social                VARCHAR(500),
  rfc                         VARCHAR(13) NOT NULL,
  tipo_persona                VARCHAR(50),
  anos_operando               INTEGER,

  -- Location
  direccion                   TEXT NOT NULL,
  ciudad                      VARCHAR(255) NOT NULL,
  estado                      VARCHAR(100) NOT NULL,
  codigo_postal               VARCHAR(10) NOT NULL,
  latitud                     DOUBLE PRECISION,
  longitud                    DOUBLE PRECISION,

  -- Contact person
  nombre_responsable          VARCHAR(500) NOT NULL,
  telefono_whatsapp           VARCHAR(50) NOT NULL,
  email                       VARCHAR(255) NOT NULL,
  whatsapp_verified           BOOLEAN DEFAULT false,
  email_verified              BOOLEAN DEFAULT false,

  -- Evidence URLs (stored in JSONB for flexibility)
  evidencia_urls              JSONB,

  -- Validation results
  score_automatico            INTEGER,
  validaciones_pasadas        JSONB,
  truora_validation_id        VARCHAR(255),
  truora_status               VARCHAR(50),

  -- Workflow state
  estado                      VARCHAR(50) DEFAULT 'nuevo' CHECK (estado IN ('nuev
  revisado_por                UUID REFERENCES users(id),
  notas_revision              TEXT,
  motivo_rechazo              TEXT,

  -- Cincel integration
  cincel_envelope_id          VARCHAR(255),
  contrato_firmado_at         TIMESTAMPTZ,
  contrato_pdf_url            VARCHAR(500),

  fecha_postulacion           TIMESTAMPTZ DEFAULT NOW(),
  fecha_revision              TIMESTAMPTZ,
  created_at                  TIMESTAMPTZ DEFAULT NOW(),
  updated_at                  TIMESTAMPTZ DEFAULT NOW()
);
```

```
CREATE INDEX idx_postulaciones_estado ON postulaciones(estado);
CREATE INDEX idx_postulaciones_rfc ON postulaciones(rfc);
CREATE INDEX idx_postulaciones_ciudad ON postulaciones(ciudad);
CREATE INDEX idx_postulaciones_score ON postulaciones(score_automatico DESC);
```

`aliados_activos` (Active allies after contract signed)

```
CREATE TABLE aliados_activos (
  id                          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  postulacion_id              UUID NOT NULL REFERENCES postulaciones(id),
  tipo                        VARCHAR(50) NOT NULL CHECK (tipo IN ('punto_entrega
  nombre_comercial            VARCHAR(500) NOT NULL,
  razon_social                VARCHAR(500),
  rfc                         VARCHAR(13) NOT NULL,
  nombre_responsable          VARCHAR(500) NOT NULL,
  telefono                    VARCHAR(50) NOT NULL,
  email                       VARCHAR(255) NOT NULL,
  direccion_completa          TEXT NOT NULL,
  ciudad                      VARCHAR(255) NOT NULL,
  estado                      VARCHAR(100) NOT NULL,
  codigo_postal               VARCHAR(10) NOT NULL,
  latitud                     DOUBLE PRECISION,
  longitud                    DOUBLE PRECISION,
  horario_operacion           JSONB,
  fecha_activacion            TIMESTAMPTZ DEFAULT NOW(),
  estado_aliado               VARCHAR(50) DEFAULT 'activo' CHECK (estado_aliado I
  capacidad_entregas_mes      INTEGER,
  metricas                    JSONB,
  created_at                  TIMESTAMPTZ DEFAULT NOW(),
  updated_at                  TIMESTAMPTZ DEFAULT NOW()
);

CREATE INDEX idx_aliados_ciudad ON aliados_activos(ciudad);
CREATE INDEX idx_aliados_estado ON aliados_activos(estado_aliado);
```

`campanas_publicitarias` (Ad campaigns tracking)

```
CREATE TABLE campanas_publicitarias (
  id                      UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  nombre_campana          VARCHAR(255) NOT NULL,
  canal                   VARCHAR(50) NOT NULL,
  codigo_seguimiento      VARCHAR(100) UNIQUE NOT NULL,
  fecha_inicio            DATE NOT NULL,
```

```
  fecha_fin                DATE,
  presupuesto_gastado      DECIMAL(10,2) DEFAULT 0,
  postulaciones_recibidas  INTEGER DEFAULT 0,
  notas                    TEXT,
  active                   BOOLEAN DEFAULT true,
  created_at               TIMESTAMPTZ DEFAULT NOW()
);
```

`audit_log` (For LFPDPPP compliance)

```
CREATE TABLE audit_log (
  id            UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  user_id       UUID REFERENCES users(id),
  action        VARCHAR(100) NOT NULL,
  entity_type   VARCHAR(50) NOT NULL,
  entity_id     UUID NOT NULL,
  details       JSONB,
  ip_address    VARCHAR(45),
  user_agent    TEXT,
  created_at    TIMESTAMPTZ DEFAULT NOW()
);

CREATE INDEX idx_audit_user ON audit_log(user_id);
CREATE INDEX idx_audit_entity ON audit_log(entity_type, entity_id);
```

5️⃣ MODULE 1 · DISCOVERY (TALLERES SEARCH)

Purpose

Allow Voltika team to discover workshops in any Mexican city using Google Places API, ranked by a custom Voltika Score.

UI Specification

Search page: `/buscar-talleres`

Top section:

- Search input: “Código postal o ciudad”

- Filters (collapsible):
  - Tipo sugerido (dropdown)
  - Rating mínimo (slider, default 4.0)
  - Reviews mínimo (number, default 10)
  - Solo no contactados (toggle)
  - Con teléfono (toggle)
- Button: "Buscar"

Results section:

- Toggle: List view / Map view
- List view: table with columns
- Map view: pins colored by score

List view columns

Column	Source
Nombre	`talleres_prospectos.nombre`
Dirección	`talleres_prospectos.direccion`
Rating	`rating_google` ★ + `total_reviews`
Score Voltika	`score_voltika` (badge with color)
Teléfono	clickable, opens WhatsApp
Estado	`estado_contacto` (badge)
Acción	"Ver detalle" / Checkbox for mass selection

Detail page: `/taller/[id]`

Show all data + map + contact history + notes.

Voltika Score Algorithm

```
function calculateVoltikaScore(taller: TallerProspecto): number {
```

```
  let score = 0;

  // Base: rating × 15 (max 75)
  score += (taller.rating_google || 0) * 15;

  // Reviews: divided by 10 (max 10)
  score += Math.min(taller.total_reviews / 10, 10);

  // Category bonus (max 10)
  const categoryBonus: Record<string, number> = {
    'motorcycle_repair': 10,
    'car_repair': 5,
    'electric_vehicle_charging_station': 10,
    'store': 2
  };
  score += categoryBonus[taller.categoria_google] || 0;

  // Schedule bonus (max 5)
  const daysOpen = countOpenDays(taller.horario_semanal);
  if (daysOpen === 7) score += 5;
  else if (daysOpen === 6) score += 3;
  else if (daysOpen === 5) score += 1;

  // Penalties
  if (!taller.telefono) score -= 10;
  if (taller.rating_google && taller.rating_google < 3.5) score -= 20;
  if (taller.total_reviews < 5) score -= 5;

  return Math.max(0, Math.min(100, Math.round(score)));
}

function suggestTipoAliado(taller: TallerProspecto): string {
  if (taller.categoria_google === 'motorcycle_repair' && taller.rating_google >=
    return 'distribuidor_estrategico';
  }
  if (['motorcycle_repair', 'car_repair'].includes(taller.categoria_google)) {
    return 'ambos';
  }
  return 'punto_entrega';
}
```

Google Places API Integration

Setup

1. Create Google Cloud project
2. Enable: Places API (New), Geocoding API, Maps JavaScript API
3. Create API Key with restrictions:
   - HTTP referrer: `reclutamiento.voltika.mx/*`
   - IP-restricted server-side key for backend calls
4. Configure budget alert at $100 USD/month

Search endpoint

```
// app/api/talleres/buscar/route.ts

export async function POST(request: Request) {
  const { codigo_postal, ciudad, filters } = await request.json();

  // 1. Geocode postal code or city
  const coordinates = await geocodeLocation(codigo_postal || ciudad);

  // 2. Check cache: have we searched this area recently?
  const cached = await db.talleres_prospectos.findMany({
    where: {
      AND: [
        { latitud: { gte: coordinates.lat - 0.05, lte: coordinates.lat + 0.05 } }
        { longitud: { gte: coordinates.lng - 0.05, lte: coordinates.lng + 0.05 }
        { fecha_descubrimiento: { gte: new Date(Date.now() - 30 * 24 * 60 * 60 *
      ]
    }
  });

  if (cached.length > 0) {
    return Response.json({ talleres: cached, cached: true });
  }

  // 3. Call Google Places API (Text Search)
  const response = await fetch(
    'https://places.googleapis.com/v1/places:searchText',
    {
      method: 'POST',
      headers: {
        'Content-Type': 'application/json',
        'X-Goog-Api-Key': process.env.GOOGLE_PLACES_API_KEY,
        'X-Goog-FieldMask': 'places.id,places.displayName,places.formattedAddress
      },
```

```
    body: JSON.stringify({
      textQuery: `taller motos en ${ciudad || codigo_postal} México`,
      maxResultCount: 20,
      locationBias: {
        circle: {
          center: { latitude: coordinates.lat, longitude: coordinates.lng },
          radius: 5000.0
        }
      }
    })
  }
);

const data = await response.json();

// 4. Process and store each result
const talleres = await Promise.all(data.places.map(async (place) => {
  const score = calculateVoltikaScore(place);
  const tipoSugerido = suggestTipoAliado(place);

  return await db.talleres_prospectos.upsert({
    where: { google_place_id: place.id },
    update: {
      rating_google: place.rating,
      total_reviews: place.userRatingCount,
      score_voltika: score
    },
    create: {
      google_place_id: place.id,
      nombre: place.displayName.text,
      direccion: place.formattedAddress,
      ciudad: ciudad,
      estado: getEstado(place.formattedAddress),
      codigo_postal: codigo_postal,
      latitud: place.location.latitude,
      longitud: place.location.longitude,
      telefono: place.internationalPhoneNumber,
      website: place.websiteUri,
      rating_google: place.rating,
      total_reviews: place.userRatingCount,
      categoria_google: place.types[0],
      score_voltika: score,
      tipo_sugerido: tipoSugerido,
      horario_semanal: place.regularOpeningHours,
      fotos_urls: place.photos?.map(p => p.name) || []
    }
  });
```

```
  }));

  // 5. Apply filters and return sorted by score
  const filtered = applyFilters(talleres, filters);
  return Response.json({ talleres: filtered, cached: false });
}
```

Cost control

- Cache results for 30 days per geographic area
- Set Google Cloud quota: max $10 USD/day
- Log every API call with cost tracking
- Show team a "API usage this month" widget in dashboard

6️⃣ MODULE 2 · OUTREACH

Purpose

Send mass WhatsApp + Email invitations to selected workshops. Track responses. All messaging templates are pre-approved with Meta.

UI Specification

Selection flow

1. From `/buscar-talleres`, user selects multiple workshops via checkboxes
2. Click "Enviar invitación masiva" button (top right)
3. Modal opens with:
    - Number of selected workshops
    - Dropdown to select template (from `mensajes_plantillas`)
    - Preview of message with first selected workshop's data
    - Schedule: "Enviar ahora" or "Programar"
    - Throttling info: "Will send 1 message every X minutes to avoid Meta blocks"

4. Click “Confirmar envío”

Outreach dashboard: `/outreach`

Show sent messages history with filters and metrics.

Botmaker WhatsApp Integration

Setup

Use the existing Botmaker account (already used for Daniel sales bot).

1. Get API token from Botmaker dashboard
2. Register Meta-approved templates (see section 15 below)
3. Configure webhook to receive responses

Send message endpoint

```
// app/api/outreach/enviar-whatsapp/route.ts

export async function POST(request: Request) {
  const { taller_id, plantilla_id, custom_params } = await request.json();

  const taller = await db.talleres_prospectos.findUnique({ where: { id: taller_id
  if (!taller || !taller.telefono) {
    return Response.json({ error: 'Taller sin teléfono' }, { status: 400 });
  }

  // Generate unique tracking code
  const codigoSeguimiento = generateTrackingCode();

  // Build template parameters
  const params = [
    taller.nombre,           // {{1}} nombre del taller
    custom_params.nombre_voltika || 'Carlos',  // {{2}} nombre del reclutador
    taller.ciudad,           // {{3}} ciudad
    codigoSeguimiento        // {{4}} para tracking
  ];

  // Call Botmaker API
  const response = await fetch('https://go.botmaker.com/api/v1.0/intent/v2', {
    method: 'POST',
    headers: {
      'access-token': process.env.BOTMAKER_TOKEN,
```

```
      'Content-Type': 'application/json'
    },
    body: JSON.stringify({
      chatPlatform: 'whatsapp',
      chatChannelNumber: process.env.VOLTIKA_WHATSAPP_NUMBER,
      platformContactId: taller.telefono,
      ruleNameOrId: plantilla_id,
      params: params
    })
  });

  if (!response.ok) {
    return Response.json({ error: 'Error al enviar' }, { status: 500 });
  }

  // Log in database
  await db.contactos_enviados.create({
    data: {
      taller_prospecto_id: taller.id,
      canal: 'whatsapp',
      plantilla_usada: plantilla_id,
      mensaje_enviado: buildMessagePreview(plantilla_id, params),
      estado: 'enviado',
      enviado_por: getCurrentUser().id,
      codigo_seguimiento: codigoSeguimiento
    }
  });

  // Update workshop status
  await db.talleres_prospectos.update({
    where: { id: taller.id },
    data: {
      estado_contacto: 'invitado',
      fecha_ultimo_contacto: new Date()
    }
  });

  return Response.json({ success: true, codigo_seguimiento: codigoSeguimiento });
}
```

Mass send with throttling

```
// app/api/outreach/enviar-masivo/route.ts

export async function POST(request: Request) {
  const { taller_ids, plantilla_id } = await request.json();
```

```
  // Schedule one message every 5 minutes to avoid Meta rate limits
  const interval = 5 * 60 * 1000; // 5 minutes

  for (let i = 0; i < taller_ids.length; i++) {
    const delay = i * interval;

    // Use background job (Inngest, BullMQ, or Vercel Cron)
    await scheduleJob({
      type: 'send_outreach',
      payload: { taller_id: taller_ids[i], plantilla_id },
      runAt: new Date(Date.now() + delay)
    });
  }

  return Response.json({
    success: true,
    total_scheduled: taller_ids.length,
    estimated_completion: new Date(Date.now() + taller_ids.length * interval)
  });
}
```

Webhook for incoming responses

```
// app/api/webhooks/botmaker/route.ts

export async function POST(request: Request) {
  const body = await request.json();

  // Verify webhook signature
  if (!verifyBotmakerSignature(request.headers, body)) {
    return new Response('Unauthorized', { status: 401 });
  }

  const { from, message, timestamp } = body;

  // Find the contacted prospect by phone number
  const taller = await db.talleres_prospectos.findFirst({
    where: { telefono: from }
  });

  if (!taller) {
    // Could be a new contact, log it for manual review
    await logUnmatchedMessage(from, message);
    return Response.json({ received: true });
  }
```

```
  // Update workshop status
  await db.talleres_prospectos.update({
    where: { id: taller.id },
    data: { estado_contacto: 'respondio' }
  });

  // Find the most recent outreach to this prospect
  const lastContact = await db.contactos_enviados.findFirst({
    where: { taller_prospecto_id: taller.id },
    orderBy: { fecha_envio: 'desc' }
  });

  if (lastContact) {
    await db.contactos_enviados.update({
      where: { id: lastContact.id },
      data: {
        respuesta_recibida: message,
        fecha_respuesta: new Date(timestamp),
        estado: 'respondido'
      }
    });
  }

  // Notify the assigned recruiter
  await sendInternalNotification({
    type: 'taller_respondio',
    taller_id: taller.id,
    message: message
  });

  return Response.json({ received: true });
}
```

Email Integration (Resend)

```
// app/api/outreach/enviar-email/route.ts

import { Resend } from 'resend';
const resend = new Resend(process.env.RESEND_API_KEY);

export async function POST(request: Request) {
  const { taller_id, template } = await request.json();

  const taller = await db.talleres_prospectos.findUnique({ where: { id: taller_id
```

```
  // Email body in Spanish (see Section 16 for full templates)
  const subject = buildEmailSubject(template, taller);
  const html = renderEmailTemplate(template, taller);

  const codigoSeguimiento = generateTrackingCode();

  const result = await resend.emails.send({
    from: 'aliados@voltika.mx',
    to: taller.email,
    subject: subject,
    html: html.replace('{{tracking_code}}', codigoSeguimiento),
    headers: {
      'X-Voltika-Tracking': codigoSeguimiento
    }
  });

  await db.contactos_enviados.create({
    data: {
      taller_prospecto_id: taller_id,
      canal: 'email',
      plantilla_usada: template,
      mensaje_enviado: html,
      enviado_por: getCurrentUser().id,
      codigo_seguimiento: codigoSeguimiento
    }
  });

  return Response.json({ success: true });
}
```

7️⃣ MODULE 3 · APPLICATION FORM (ANTI-FRAUD)

Purpose

Public form at `voltika.mx/aliados` where prospects apply with anti-fraud validation.

URL Structure

- `voltika.mx/aliados` — landing with two large buttons

- `voltika.mx/aliados/postular?tipo=punto_entrega&ref=[tracking]`
- `voltika.mx/aliados/postular?tipo=distribuidor&ref=[tracking]`

Form Steps

Step 1: Type selection (skip if `?tipo=` in URL)

Two cards. User selects one.

Step 2: Business data

- Nombre comercial (required, single line)
- Razón social (required, single line)
- RFC (required, validated regex)
- Tipo de persona (radio: Física / Moral)
- Años operando (number, min 0)

Step 3: Location

- Address autocomplete using Google Places Autocomplete API
- When selected, auto-fills: dirección, ciudad, estado, CP, lat/lng
- User can manually edit if needed

Step 4: Contact

- Nombre del responsable (required)
- Teléfono WhatsApp (required, send OTP for verification)
- Email (required, send OTP for verification)

OTP flow:

1. User enters phone/email
2. App sends 6-digit code via Botmaker (WhatsApp) or Resend (email)
3. User types code in input
4. Backend verifies and marks `whatsapp_verified` / `email_verified` as true

Step 5: Evidence (anti-fraud)

For Punto de Entrega:

- 3 photos of exterior (file upload, JPG/PNG, max 5MB each)
- 2 photos of interior
- INE front and back (2 separate uploads)
- Comprobante de domicilio (no older than 3 months)

For Distribuidor Estratégico: All of the above, plus:

- 3 photos of workshop in operation
- 1 photo of main tools
- 1 photo of vehicles currently being attended
- CV of main mechanic (optional, PDF)
- Constancia de situación fiscal SAT (PDF)

All files upload to Supabase Storage. URL stored in `evidencia_urls` JSONB.

Step 6: Capacity questions

Different questions per ally type. See Section 14 for exact copy.

Step 7: Legal acceptance

- Checkbox: Aviso de Privacidad
- Checkbox: Términos y Condiciones
- Checkbox: Autorización para verificar información

Step 8: Confirmation

Show success message with tracking code.

Anti-fraud Validations

After submission, run these in order:

```
// app/api/postulaciones/validar/route.ts

async function runValidations(postulacion: Postulacion) {
```

```
const validations: ValidationResult[] = [];

// 1. RFC format
const rfcValid = /^([A-Z&Ñ]{3,4})\d{6}([A-Z\d]{3})$/.test(postulacion.rfc);
validations.push({ name: 'rfc_format', passed: rfcValid });

// 2. Email and phone verified
validations.push({
  name: 'contact_verified',
  passed: postulacion.whatsapp_verified && postulacion.email_verified
});

// 3. Duplicate check
const duplicate = await db.postulaciones.findFirst({
  where: {
    rfc: postulacion.rfc,
    id: { not: postulacion.id },
    created_at: { gte: new Date(Date.now() - 90 * 24 * 60 * 60 * 1000) }
  }
});
validations.push({ name: 'no_duplicate', passed: !duplicate });

// 4. Address exists in Google Maps
const addressExists = await verifyAddressGoogle(postulacion.direccion);
validations.push({ name: 'address_real', passed: addressExists });

// 5. CP matches state
const cpMatchesState = await verifyCPState(postulacion.codigo_postal, postulaci
validations.push({ name: 'cp_state_match', passed: cpMatchesState });

// 6. Image analysis (Google Vision)
for (const url of postulacion.evidencia_urls) {
  const analysis = await analyzeImage(url);
  validations.push({
    name: `image_${url}_real`,
    passed: !analysis.likelyStock && analysis.confidenceReal > 0.7
  });
}

// 7. EXIF data check (photos should have GPS, not stock)
for (const photoUrl of postulacion.evidencia_urls.fotos_local) {
  const exif = await extractEXIF(photoUrl);
  if (exif?.gps) {
    const distance = calculateDistance(
      exif.gps,
      { lat: postulacion.latitud, lng: postulacion.longitud }
    );
```

```
      validations.push({
        name: `exif_location_${photoUrl}`,
        passed: distance < 500 // meters
      });
    }
  }

  // 8. Truora validation (only for Distribuidor Estratégico)
  if (postulacion.tipo_aliado_postulado === 'distribuidor_estrategico') {
    const truoraResult = await runTruoraValidation(postulacion);
    validations.push({
      name: 'truora_identity',
      passed: truoraResult.status === 'verified'
    });
  }

  // Calculate overall score
  const passedCount = validations.filter(v => v.passed).length;
  const score = Math.round((passedCount / validations.length) * 100);

  await db.postulaciones.update({
    where: { id: postulacion.id },
    data: {
      score_automatico: score,
      validaciones_pasadas: validations
    }
  });

  return { score, validations };
}
```

Score interpretation

- **80-100:** Auto-suggest “APROBAR”
- **60-79:** Manual review required
- **40-59:** Manual review + additional verification
- **0-39:** Auto-suggest “RECHAZAR”

The team always sees the suggestion + reasoning + can override with one click.

8️⃣ MODULE 4 · INTERNAL REVIEW PANEL

Purpose

Voltika team reviews applications and approves/rejects them.

UI: `/postulaciones`

List view

Table columns:

- Fecha postulación
- Nombre comercial
- Tipo
- Ciudad
- Score automático (badge with color)
- Estado
- Asignado a
- Acción (Ver detalle button)

Filters: estado, ciudad, tipo, score range, asignado, fecha range.

Detail view: `/postulaciones/[id]`

Left column (data):

- All form fields
- Photo gallery (clickable to enlarge)
- Documents (PDF preview)
- Link to source workshop (if from prospect database)
- Internal notes (editable)

Right column (validations):

- ✅ / ❌ for each automated validation

- Score breakdown
- System suggestion
- Truora detail (if applicable, with link to Truora dashboard)

Bottom bar (actions):

- 🟢 "APROBAR → Generar contrato"
- 🟡 "Solicitar más info"
- 🔴 "Rechazar"

Approval flow

When clicked:

1. Confirmation modal
2. Status changes to `aprobado`
3. Trigger Cincel contract generation (Module 5)
4. Status changes to `contrato_enviado`
5. Webhook notification to internal team

Request more info flow

Modal with:

- Pre-filled checklist (foto INE no clara, falta comprobante, etc.)
- Free text field
- Sends WhatsApp + email to prospect with specific request
- Status changes to `mas_info_solicitada`

Rejection flow

Modal with:

- Required reason (predefined dropdown + free text)
- Sends polite WhatsApp + email to prospect
- Status changes to `rechazado`

9️⃣ MODULE 5 · CONTRACT SIGNING (CINCEL)

Purpose

Generate digital contract automatically when application is approved, send to prospect for digital signature.

Cincel Integration

Setup

1. Use existing Cincel account
2. Create 2 contract templates in Cincel dashboard:
   - "Contrato Punto de Entrega Voltika"
   - "Contrato Distribuidor Estratégico Voltika"
3. Generate API key
4. Configure webhook endpoint:
   `https://reclutamiento.voltika.mx/api/webhooks/cincel`

Send contract for signing

```
// app/api/cincel/enviar-contrato/route.ts

export async function POST(request: Request) {
  const { postulacion_id } = await request.json();

  const postulacion = await db.postulaciones.findUnique({ where: { id: postulacio

  const templateId = postulacion.tipo_aliado_postulado === 'punto_entrega'
    ? process.env.CINCEL_TEMPLATE_PUNTO_ENTREGA
    : process.env.CINCEL_TEMPLATE_DISTRIBUIDOR;

  const response = await fetch('https://api.cincel.digital/v1/signing-requests',
    method: 'POST',
    headers: {
      'Authorization': `Bearer ${process.env.CINCEL_API_KEY}`,
      'Content-Type': 'application/json'
    },
```

```
  body: JSON.stringify({
    document: {
      template_id: templateId,
      variables: {
        nombre_comercial: postulacion.nombre_comercial,
        razon_social: postulacion.razon_social,
        rfc: postulacion.rfc,
        direccion_completa: postulacion.direccion,
        ciudad: postulacion.ciudad,
        estado: postulacion.estado,
        codigo_postal: postulacion.codigo_postal,
        nombre_responsable: postulacion.nombre_responsable,
        fecha_firma: new Date().toISOString().split('T')[0]
      }
    },
    signers: [{
      name: postulacion.nombre_responsable,
      email: postulacion.email,
      phone: postulacion.telefono_whatsapp,
      authentication_method: 'email_otp'
    }],
    expires_in_days: 7,
    webhook_url: `${process.env.APP_URL}/api/webhooks/cincel`,
    metadata: {
      postulacion_id: postulacion_id
    }
  })
});

const data = await response.json();

await db.postulaciones.update({
  where: { id: postulacion_id },
  data: {
    cincel_envelope_id: data.id,
    estado: 'contrato_enviado'
  }
});

// Send notification WhatsApp to prospect
await sendWhatsAppNotification({
  to: postulacion.telefono_whatsapp,
  template: 'contrato_enviado',
  params: [postulacion.nombre_responsable]
});

return Response.json({ success: true, envelope_id: data.id });
```

```
}
```

Cincel webhook handler

```
// app/api/webhooks/cincel/route.ts

export async function POST(request: Request) {
  const body = await request.json();

  if (!verifyCincelSignature(request.headers, body)) {
    return new Response('Unauthorized', { status: 401 });
  }

  const { event, signing_request_id, signed_document_url, signed_at } = body;

  const postulacion = await db.postulaciones.findFirst({
    where: { cincel_envelope_id: signing_request_id }
  });

  if (!postulacion) return Response.json({ received: true });

  switch (event) {
    case 'document_viewed':
      await db.postulaciones.update({
        where: { id: postulacion.id },
        data: { notas_revision: 'Cliente abrió el contrato' }
      });
      break;

    case 'document_signed':
      // 1. Download signed PDF and store
      const pdfBuffer = await fetch(signed_document_url).then(r => r.arrayBuffer(
      const pdfUrl = await uploadToStorage(pdfBuffer, `contratos/${postulacion.id

      // 2. Update postulacion
      await db.postulaciones.update({
        where: { id: postulacion.id },
        data: {
          estado: 'contrato_firmado',
          contrato_firmado_at: new Date(signed_at),
          contrato_pdf_url: pdfUrl
        }
      });

      // 3. Create active ally
      await db.aliados_activos.create({
```

```
        data: {
          postulacion_id: postulacion.id,
          tipo: postulacion.tipo_aliado_postulado,
          nombre_comercial: postulacion.nombre_comercial,
          razon_social: postulacion.razon_social,
          rfc: postulacion.rfc,
          nombre_responsable: postulacion.nombre_responsable,
          telefono: postulacion.telefono_whatsapp,
          email: postulacion.email,
          direccion_completa: postulacion.direccion,
          ciudad: postulacion.ciudad,
          estado: postulacion.estado,
          codigo_postal: postulacion.codigo_postal,
          latitud: postulacion.latitud,
          longitud: postulacion.longitud
        }
      });

      // 4. Send welcome WhatsApp
      await sendWhatsAppNotification({
        to: postulacion.telefono_whatsapp,
        template: 'bienvenida_aliado',
        params: [postulacion.nombre_responsable, postulacion.tipo_aliado_postulad
      });

      // 5. Notify Voltika team
      await sendInternalNotification({
        type: 'nuevo_aliado_activo',
        postulacion_id: postulacion.id
      });
      break;

    case 'document_rejected':
    case 'document_expired':
      await db.postulaciones.update({
        where: { id: postulacion.id },
        data: {
          estado: 'rechazado',
          motivo_rechazo: `Contrato ${event}: ${body.reason || 'sin motivo'}`
        }
      });
      break;
  }

  return Response.json({ received: true });
}
```

🔟 MODULE 6 · INTERNAL DASHBOARD

Purpose

Single-glance overview of all recruitment activity.

UI: `/` (home, after login)

KPI cards (4 in a row)

```
┌──────────────────┬──────────────────┐
│ TALLERES EN BASE │ CONTACTOS HOY    │
│ 2,847            │ 87               │
└──────────────────┴──────────────────┘

┌──────────────────┬──────────────────┐
│ POSTULACIONES    │ ALIADOS ACTIVOS  │
│ 23 (este mes)    │ 143              │
└──────────────────┴──────────────────┘
```

Funnel chart

Visual showing the pipeline:

```
Talleres → Contactados → Respondieron → Postularon → Aprobados → Activos
2,847       1,234         287            87            34          18
```

Recent activity feed

Last 10 events (postulación nueva, contrato firmado, taller respondió, etc.)

Map of Mexico

Interactive map showing active allies as pins. Click pin → detail.

Quick actions

Buttons: “Buscar talleres”, “Ver postulaciones nuevas (5)”, “Ver outreach pendiente”

1️⃣1️⃣ EXTERNAL INTEGRATIONS SUMMARY

Required services and accounts

Service	Purpose	Auth method	Cost
Google Places API	Workshop discovery	API Key	$32/1000 searches
Google Geocoding	Address resolution	API Key	$5/1000
Google Vision	Image fraud analysis	API Key	$1.50/1000
Botmaker	WhatsApp outreach	Bearer Token	$0.04-0.08/msg
Resend	Email outreach	API Key	$20/month
Cincel	Digital contracts	API Key	~$50-100 MXN/contract
Truora	KYC for distributors	API Key	~$5-15 USD/check
Supabase	DB + storage + auth	API Keys	$25/month
Vercel	Hosting	GitHub auth	$20/month
Sentry	Error monitoring	DSN	Free tier OK

Environment variables (`.env`)

```
# Database
DATABASE_URL="postgresql://..."

# Authentication
NEXTAUTH_URL="https://reclutamiento.voltika.mx"
NEXTAUTH_SECRET="..."
GOOGLE_CLIENT_ID="..."
GOOGLE_CLIENT_SECRET="..."
ALLOWED_EMAIL_DOMAIN="voltika.mx"

# Google APIs
GOOGLE_PLACES_API_KEY="..."
GOOGLE_GEOCODING_API_KEY="..."
GOOGLE_VISION_API_KEY="..."

# WhatsApp via Botmaker
```

```
BOTMAKER_TOKEN="..."
VOLTIKA_WHATSAPP_NUMBER="+521..."

# Email
RESEND_API_KEY="..."
EMAIL_FROM="aliados@voltika.mx"

# Cincel
CINCEL_API_KEY="..."
CINCEL_TEMPLATE_PUNTO_ENTREGA="..."
CINCEL_TEMPLATE_DISTRIBUIDOR="..."

# Truora
TRUORA_API_KEY="..."

# Storage
SUPABASE_URL="..."
SUPABASE_ANON_KEY="..."
SUPABASE_SERVICE_KEY="..."

# Monitoring
SENTRY_DSN="..."

# App
APP_URL="https://reclutamiento.voltika.mx"
PUBLIC_FORM_URL="https://voltika.mx/aliados"
```

1️⃣2️⃣ AUTHENTICATION & ROLES

Login

- Use NextAuth.js with Google provider only
- Restrict to `@voltika.mx` email domain
- No password-based auth (avoid security risks)

Roles

```
enum UserRole {
  ADMIN = 'admin',          // Full access
```

```
  RECRUITER = 'recruiter', // Search, outreach, view applications
  REVIEWER = 'reviewer',   // Approve/reject applications
  VIEWER = 'viewer'        // Read-only
}
```

Permissions matrix

Action	Admin	Recruiter	Reviewer	Viewer
Search workshops	✅	✅	✅	✅
Send outreach	✅	✅	❌	❌
View applications	✅	✅	✅	✅
Approve applications	✅	❌	✅	❌
Manage users	✅	❌	❌	❌
Configure templates	✅	❌	❌	❌
View dashboards	✅	✅	✅	✅

Middleware

```
// middleware.ts

import { withAuth } from 'next-auth/middleware';

export default withAuth({
  callbacks: {
    authorized: ({ req, token }) => {
      if (!token) return false;
      if (!token.email?.endsWith('@voltika.mx')) return false;

      // Role-based protection
      const path = req.nextUrl.pathname;

      if (path.startsWith('/admin') && token.role !== 'admin') return false;
      if (path.startsWith('/postulaciones/aprobar') && !['admin', 'reviewer'].inc

      return true;
    }
  }
```

```
});

export const config = {
  matcher: ['/((?!api/webhooks|aliados|_next/static|_next/image|favicon.ico).*)']
};
```

1️⃣3️⃣ SPRINT ROADMAP

Total estimated time: 6-8 weeks for senior dev full-time

Sprint 1 (Week 1-2): Foundation

Goals:

- Project setup + deployment pipeline
- Database schema and migrations
- Authentication working
- Empty UI shell with navigation

Tasks:

- Set up Next.js 14 + TypeScript + Tailwind project
- Configure Supabase project (DB + Auth + Storage)
- Deploy to Vercel with custom domain
- NextAuth.js with Google provider, restricted to @voltika.mx
- Create all database tables via Prisma migrations
- Build base layout: sidebar, header, login flow
- Set up Sentry for error monitoring

Deliverable: Login works at reclutamiento.voltika.mx; empty pages exist.

Sprint 2 (Week 3): Discovery Module

Goals:

- Search workshops by city/CP using Google Places
- Display results in list and map view
- Calculate Voltika Score
- Cache results in DB

Tasks:

- Set up Google Cloud project, enable APIs
- Build search UI with filters
- Implement Google Places API integration
- Implement Voltika Score algorithm
- Build list view with sortable columns
- Build map view with Mapbox
- Implement caching strategy (30 days)
- Build workshop detail page

Deliverable: Search “CDMX 03100” returns 50 ranked workshops on map and list.

Sprint 3 (Week 4): Outreach Module

Goals:

- Send WhatsApp via Botmaker
- Send Email via Resend
- Mass send with throttling
- Track responses

Tasks:

- Get Botmaker API token, register Meta templates
- Build template management UI
- Implement single send + mass send (with throttling)
- Build outreach history dashboard
- Webhook handler for incoming WhatsApp responses

- Set up Resend, build email templates
- Tracking codes for attribution

Deliverable: Select 20 workshops, send WhatsApp + email, see who responds.

Sprint 4 (Week 5): Public Application Form

Goals:

- Public form at voltika.mx/aliados
- File uploads for evidence
- OTP verification (WhatsApp + email)
- Anti-fraud validations

Tasks:

- Build public-facing landing at voltika.mx/aliados
- Build multi-step form (Punto de Entrega + Distribuidor)
- Implement Google Places Autocomplete for address
- File upload to Supabase Storage
- OTP verification (WhatsApp via Botmaker, email via Resend)
- Implement anti-fraud validation pipeline
- Google Vision integration for image analysis
- EXIF extraction for photos
- Track campaign codes (ref parameter)

Deliverable: Real prospect can fill form from voltika.mx/aliados, app receives it with score.

Sprint 5 (Week 6): Internal Review Panel

Goals:

- Voltika team reviews applications
- Approve/reject/request more info
- Notifications to prospects

Tasks:

- Build applications list with filters
- Build application detail view with all evidence
- Build approve/reject/more info flows
- WhatsApp + email notifications to prospects on each action
- Update dashboard KPIs
- Implement audit log

Deliverable: Full manual end-to-end flow: application → review → decision.

Sprint 6 (Week 7): Cincel Integration

Goals:

- Auto-generate contract on approval
- Send for digital signing
- Activate ally on signature

Tasks:

- Set up Cincel templates (with help from Voltika legal)
- Implement Cincel API integration
- Auto-generate contract on application approval
- Webhook handler for Cincel events
- Auto-create active ally on signed contract
- Welcome WhatsApp on activation
- Sync with voltika.mx/configurador (so new ally appears as delivery option)

Deliverable: Approve application → prospect receives contract → signs → becomes active in network.

Sprint 7 (Week 8): Truora + Polish + QA

Goals:

- Truora integration for distributors
- End-to-end testing

- Performance optimization
- Documentation

Tasks:

- Truora integration (only triggered for distribuidor type)
- Full QA cycle with Voltika team
- Performance optimization (caching, lazy loading)
- User documentation
- Train Voltika team
- Set up monitoring alerts

Deliverable: Production-ready app, team trained, monitoring active.

1️⃣4️⃣ ALL SPANISH UI COPY (COPY-PASTE READY)

⚠️ CRITICAL FOR DEVELOPER

The following copy is in Spanish (Mexican market). DO NOT translate. Use exactly as written. These texts will be visible to end users (both internal team and external prospects).

14.1 Internal app: Login page

Title:

```
Voltika · Reclutamiento de Aliados
```

Subtitle:

```
Plataforma interna para captación y gestión de la red de aliados Voltika.
```

Login button:

```
Iniciar sesión con Google Voltika
```

Footer disclaimer:

```
Solo cuentas autorizadas con dominio @voltika.mx pueden acceder.
```

14.2 Internal app: Sidebar navigation

```
🏠 Inicio
🔍 Buscar talleres
📬 Outreach
   └ Plantillas
   └ Campañas
   └ Histórico de envíos
📋 Postulaciones
   └ Nuevas
   └ En revisión
   └ Aprobadas pendientes de firma
   └ Rechazadas
🤝 Aliados activos
   └ Todos
   └ Puntos de entrega
   └ Distribuidores estratégicos
📊 Reportes
⚙️ Configuración
   └ Usuarios
   └ Plantillas
   └ Integraciones
```

14.3 Search page UI copy

Page title:

```
Buscar talleres
```

Search placeholder:

```
Código postal o ciudad (ej: 03100 o CDMX)
```

Filters labels:

```
Tipo sugerido
Rating mínimo
Reviews mínimo
```

```
Solo no contactados
Con teléfono disponible
```

Search button:

```
Buscar
```

Empty state:

```
Aún no has buscado talleres.

Escribe un código postal o ciudad para descubrir prospectos en esa zona.
```

Results count (singular):

```
1 taller encontrado
```

Results count (plural):

```
{count} talleres encontrados
```

Mass action button:

```
Enviar invitación a seleccionados
```

Cached indicator:

```
Resultados desde cache · Última actualización: hace {tiempo}
```

14.4 Workshop detail page

Score Voltika label:

```
Score Voltika
```

Score legend:

```
80-100: Prioridad alta · 60-79: Prioridad media · 40-59: Prioridad baja · <40: No
```

Status badges:

```
no_contactado     → "No contactado"
invitado          → "Invitado"
respondio         → "Respondió"
interesado        → "Interesado"
rechazado         → "Rechazado"
```

Action buttons:

```
Enviar WhatsApp
Enviar email
Marcar como contactado manual
Agregar nota
```

14.5 Outreach mass send modal

Modal title:

```
Enviar invitación a {count} talleres
```

Template selector label:

```
Selecciona plantilla
```

Template options:

```
1 · Primer contacto en frío
2 · Para interesado (responde manualmente)
3 · Seguimiento día 8 (FOMO)
4 · Para el que pide números
5 · Email formal con brochure
```

Preview label:

```
Preview del mensaje (con datos del primer taller)
```

Schedule options:

```
Enviar ahora
Programar envío
```

Throttle warning:

```
⚠️ Para evitar bloqueos de Meta, se enviará 1 mensaje cada 5 minutos.
Tiempo estimado para completar: {tiempo}
```

Confirm button:

```
Confirmar envío
```

Cancel button:

```
Cancelar
```

14.6 Public landing page · voltika.mx/aliados

Page title:

```
Únete a la red Voltika
```

Subtitle:

```
Estamos seleccionando aliados estratégicos en todo México.
```

Two main cards:

Card 1 - Punto de Entrega:

```
📦 PUNTO DE ENTREGA

Para negocios con local físico que quieren sumar
ingresos sin invertir.

Recibes la moto, la entregas al cliente final.
Sin venta, sin reparación.

Inversión: $0
Capacitación: 1 hora online

[POSTULAR COMO PUNTO DE ENTREGA]
```

Card 2 - Distribuidor Estratégico:

```
🏪 DISTRIBUIDOR ESTRATÉGICO
```

Para talleres de motos con experiencia que quieren
representar la marca Voltika.

Vendes + entregas + reparas + recibes en consignación.

Selectivo: 2 plazas por zona.
Capacitación: 1 semana técnica oficial.

[POSTULAR COMO DISTRIBUIDOR]

Why Voltika section title:

Por qué Voltika

Why Voltika points:

✓ Marca mexicana de motos eléctricas de mayor crecimiento en 2026
✓ Empresa registrada ante el SAT, IMPI y REPUVE
✓ Cumplimiento total de NOM vigentes
✓ Pagos procesados con Stripe (la plataforma de Uber y Didi)
✓ Convenio con Qualitas Seguros
✓ Soporte directo de la marca

Process section title:

Proceso de afiliación

Process steps:

1️⃣ Llenas tu solicitud (5-10 minutos)
2️⃣ Evaluamos tu perfil (24-72 horas)
3️⃣ Te respondemos por WhatsApp
4️⃣ Si calificas, firmas contrato digital con Cincel
5️⃣ Recibes capacitación oficial
6️⃣ Quedas activo en la red Voltika

FAQ section:

PREGUNTAS FRECUENTES

¿Cuánto tarda todo el proceso?
Entre 1 y 3 semanas, dependiendo del tipo de aliado.

```
¿Tengo costo por postular?
No. La postulación es completamente gratuita.

¿Puedo postular si soy nuevo en el negocio?
Sí, evaluamos cada caso. Lo importante es tu compromiso
y la viabilidad de tu operación.

¿Voltika es una empresa formal?
Sí. Estamos registrados ante el SAT, somos marca registrada
ante el IMPI, y nuestras motos están registradas en REPUVE.

¿Cómo funciona la firma digital del contrato?
Usamos Cincel, un PSC certificado por la Secretaría de
Economía. La firma tiene validez legal completa, igual que
un notario.
```

Footer CTA:

```
¿Listo para sumarte? Elige el tipo de aliado arriba y postula en minutos.
```

14.7 Application form (Step 1 - Type selection)

Page title:

```
Postula como aliado Voltika
```

Subtitle:

```
Elige el tipo de aliado que mejor describe tu negocio.
```

Card 1:

```
📦 PUNTO DE ENTREGA
Recibes y entregas motos a clientes finales.
[Continuar →]
```

Card 2:

```
🏪 DISTRIBUIDOR ESTRATÉGICO
Vendes, exhibes, entregas y reparas motos Voltika.
[Continuar →]
```

14.8 Application form (Step 2 - Business data)

Section title:

```
Datos de tu negocio
```

Field labels:

```
Nombre comercial *
   (placeholder: "Ejemplo: Talleres La Esquina")

Razón social *
   (helper: "Si eres persona física, escribe tu nombre completo")

RFC *
   (placeholder: "XAXX010101000")
   (validation error: "El RFC parece inválido. Verifica el formato.")

Tipo de persona *
   ○ Persona Física con Actividad Empresarial
   ○ Persona Moral (S.A. de C.V., S. de R.L., etc.)
   ○ Persona Física sin actividad empresarial registrada

Años operando *
   (placeholder: "Ejemplo: 5")
```

14.9 Application form (Step 3 - Location)

Section title:

```
Ubicación de tu negocio
```

Field labels:

```
Dirección completa *
   (placeholder: "Empieza a escribir tu dirección y selecciónala")
   (helper: "Usamos Google Maps para validar tu dirección")

Ciudad
   (auto-rellenado, editable)

Estado
   (auto-rellenado, editable)
```

```
Código Postal
   (auto-rellenado, editable)
```

14.10 Application form (Step 4 - Contact)

Section title:

```
Datos de contacto
```

Field labels:

```
Nombre completo del responsable *
   (placeholder: "Como aparece en tu INE")

WhatsApp del responsable *
   (placeholder: "55 1234 5678")
   (helper: "Te enviaremos un código de verificación")

Email del responsable *
   (placeholder: "tunombre@correo.com")
   (helper: "Te enviaremos un código de verificación")
```

OTP modal:

```
Verificación de WhatsApp

Te enviamos un código de 6 dígitos al WhatsApp {numero}.
Por favor ingrésalo abajo:

[ ___ ___ ___ ___ ___ ___ ]

¿No recibiste el código? Reenviar (en {tiempo} segundos)

[Verificar]
```

14.11 Application form (Step 5 - Evidence)

Section title for Punto de Entrega:

```
Sube evidencia de tu negocio
```

Help text:

```
Necesitamos validar la autenticidad de tu negocio. Esto protege
tanto a Voltika como a nuestros clientes finales.

Todos los archivos son confidenciales y se almacenan de forma segura.
```

Upload sections (Punto de Entrega):

📷 Foto del exterior de tu local (3 fotos requeridas)
- Foto 1: vista frontal/fachada
- Foto 2: vista lateral
- Foto 3: con dirección visible si es posible

📷 Foto del interior de tu local (2 fotos)
- Foto 1: área principal
- Foto 2: espacio donde guardarías las motos

🆔 INE del responsable (frente y reverso, 2 archivos)

📄 Comprobante de domicilio del negocio
(No mayor a 3 meses: agua, luz, predial, internet)

Upload sections (Distribuidor Estratégico, additional):

🔧 Foto del taller en operación (3 fotos)
- Mecánicos trabajando
- Vista general del área de trabajo
- Vista del área de exhibición/recepción

🛠️ Foto de herramientas principales

🛵 Foto de motos/vehículos que actualmente atienden

📋 CV del mecánico principal (opcional, PDF)

📄 Constancia de Situación Fiscal (PDF, descargada del SAT)

File upload helper:

```
Formatos aceptados: JPG, PNG, PDF
Tamaño máximo: 5 MB por archivo
```

Upload error:

```
El archivo es demasiado grande o no es un formato válido.
```

14.12 Application form (Step 6 - Capacity)

Section title:

```
Sobre tu capacidad operativa
```

For Punto de Entrega:

```
Horario de atención al público
   ○ Lunes a Sábado, 9am - 7pm o más
   ○ Lunes a Sábado, horario más corto
   ○ Lunes a Domingo todo el día
   ○ Solo algunos días por semana

¿Tienes espacio mínimo de 2x2 metros para guardar una moto
temporalmente (24-72 horas)?
   ○ Sí, espacio interior con cámara/seguridad
   ○ Sí, espacio interior seguro
   ○ Sí, espacio en patio o terraza techada
   ○ No tengo espacio adecuado

¿Cuántas entregas estimadas podrías hacer al mes?
   ○ 1-5 entregas
   ○ 6-15 entregas
   ○ 16-30 entregas
   ○ Más de 30 entregas
```

For Distribuidor Estratégico:

```
Antigüedad como taller
   ○ Menos de 1 año
   ○ 1-3 años
   ○ 4-7 años
   ○ Más de 7 años

¿Qué tipo de vehículos atienden actualmente? (Selecciona todos)
   □ Motocicletas de gasolina
   □ Motocicletas eléctricas
   □ Bicicletas eléctricas
   □ Scooters
   □ Autos
```

```
   ☐ Maquinaria pequeña

Cantidad de mecánicos en el taller
   (number input)

¿Cuántas motos pueden atender simultáneamente?
   ○ 1-2 motos
   ○ 3-5 motos
   ○ 6-10 motos
   ○ Más de 10 motos

¿Qué herramientas tienen actualmente? (Selecciona todas)
   ☐ Multímetro digital
   ☐ Llave dinamométrica
   ☐ Computadora para diagnóstico
   ☐ Rampa hidráulica para motos
   ☐ Compresor de aire
   ☐ Equipo de soldadura
   ☐ Cargadores de baterías
   ☐ Equipo de medición eléctrica avanzado
```

14.13 Application form (Step 7 - Legal)

Section title:

```
Aceptación legal
```

Checkboxes:

```
☐ He leído y acepto el Aviso de Privacidad de Voltika
   (link: voltika.mx/aviso-privacidad)

☐ Acepto los Términos y Condiciones del programa de afiliación
   (link: voltika.mx/terminos-aliados)

☐ Autorizo a Voltika a verificar la información proporcionada
   incluyendo validación de identidad y documentación
```

Submit button:

```
Enviar postulación
```

Loading state:

```
Enviando tu postulación... esto puede tomar unos segundos.
```

14.14 Application form (Step 8 - Confirmation)

Title:

```
🎉 ¡Postulación recibida!
```

Message for Punto de Entrega:

```
Gracias {nombre}, recibimos tu postulación como Punto de Entrega
Voltika.

⏱️ En las próximas 24-48 horas te contactaremos por WhatsApp con
el resultado.

📋 Tu código de seguimiento es: {codigo}
   (Guárdalo para cualquier consulta)

Si calificas, en menos de 1 semana puedes empezar a operar como
parte de la red Voltika.
```

Message for Distribuidor Estratégico:

```
Gracias {nombre}, recibimos tu postulación como Distribuidor
Estratégico Voltika.

⏱️ En las próximas 48-72 horas te contactaremos por WhatsApp con
el resultado.

📋 Tu código de seguimiento es: {codigo}

Si calificas, agendaremos una llamada con nuestro director de
expansión para platicar los siguientes pasos del proceso de
certificación.
```

Footer:

```
Mientras tanto, conoce más sobre Voltika:
🌐 voltika.mx
📷 @voltika.mx en Instagram

Equipo Voltika ⚡
```

1️⃣5️⃣ ALL SPANISH WHATSAPP TEMPLATES

These templates must be registered in Meta Business Manager for approval (24-48h wait). Use exactly as written.

Template 1: First contact (cold outreach)

Internal name: `outreach_primer_contacto` **Category:** Marketing **Language:** Spanish (Mexico)

Body:

```
Hola {{1}}, soy {{2}} del equipo de expansión de Voltika.

Estamos eligiendo 2 talleres en {{3}} para ser Centros Voltika
Autorizados este trimestre. Tu taller apareció en nuestro short
list por reputación.

¿Podríamos platicar 5 minutos para ver si encaja con tu operación?

Voltika ⚡
```

Variables:

- `{{1}}` = nombre del taller
- `{{2}}` = nombre del reclutador Voltika
- `{{3}}` = ciudad del taller

Template 2: Follow-up day 8 (FOMO)

Internal name: `outreach_seguimiento_fomo` **Category:** Marketing

Body:

```
{{1}}, en tu zona ya tenemos talleres en negociación avanzada y
pronto cerramos territorio.

Si hoy no es momento, todo bien. Solo quiero confirmarlo para
```

```
liberar tu lugar.

¿Avanzamos o cerramos por ahora?

Voltika ⚡
```

Variable:

- `{{1}}` = nombre del taller

Template 3: Last message day 14

Internal name: `outreach_ultimo_mensaje` **Category:** Marketing

Body:

```
{{1}}, último mensaje:

Voy a cerrar tu lugar y avanzar con otro taller en tu zona.

Si en el futuro quieres revaluar, mi puerta queda abierta.

Mucho éxito.

Voltika ⚡
```

Variable:

- `{{1}}` = nombre del taller

Template 4: OTP verification

Internal name: `otp_verificacion` **Category:** Authentication

Body:

```
Tu código de verificación Voltika es: {{1}}

Este código expira en 10 minutos. No lo compartas con nadie.
```

Variable:

- `{{1}}` = código OTP de 6 dígitos

Template 5: Application received confirmation

Internal name: `postulacion_recibida` **Category:** Utility

Body:

```
Hola {{1}}, recibimos tu postulación como {{2}} en Voltika.

Tu código de seguimiento es: {{3}}

En las próximas {{4}} horas te contactaremos con el resultado.

Voltika ⚡
```

Variables:

- `{{1}}` = nombre del responsable
- `{{2}}` = tipo de aliado (Punto de Entrega / Distribuidor Estratégico)
- `{{3}}` = código de seguimiento
- `{{4}}` = horas estimadas

Template 6: More info requested

Internal name: `postulacion_mas_info` **Category:** Utility

Body:

```
Hola {{1}}, revisamos tu postulación Voltika y necesitamos algunos
datos adicionales para continuar:

{{2}}

Por favor responde con la información solicitada o sube los archivos
faltantes en este link:
voltika.mx/aliados/completar/{{3}}

Voltika ⚡
```

Variables:

- `{{1}}` = nombre del responsable
- `{{2}}` = lista de cosas faltantes

- `{{3}}` = código único para retomar postulación

Template 7: Application approved + contract sent

Internal name: `contrato_enviado` **Category:** Utility

Body:

```
¡Felicidades {{1}}! 🎉

Tu postulación como {{2}} fue APROBADA.

Acabamos de enviarte tu contrato Voltika por correo. Es una firma
digital con validez legal (Cincel, PSC certificado por Secretaría
de Economía).

Revisa tu email {{3}} y firma cuando estés listo. El contrato
expira en 7 días.

Bienvenido(a) a la red Voltika ⚡
```

Variables:

- `{{1}}` = nombre del responsable
- `{{2}}` = tipo de aliado
- `{{3}}` = email del responsable

Template 8: Welcome (after contract signed)

Internal name: `bienvenida_aliado` **Category:** Utility

Body:

```
{{1}}, ¡bienvenido oficialmente a la red Voltika! ⚡

Ya estás activado como {{2}}. Próximos pasos:

1. Recibirás tu kit de bienvenida en los próximos días
2. Te enviaremos el link de capacitación online
3. Empezarás a recibir asignaciones de la red

Si tienes alguna duda, escríbeme directo a este número.
```

```
Equipo Voltika
```

Variables:

- `{{1}}` = nombre del responsable
- `{{2}}` = tipo de aliado

Template 9: Application rejected (polite)

Internal name: `postulacion_rechazada` **Category:** Utility

Body:

```
Hola {{1}}, gracias por considerar a Voltika.

Después de revisar tu postulación como {{2}}, en este momento no
podemos avanzar contigo.

Esto puede deberse a: zona ya cubierta, perfil no alineado, falta
de información o capacidad actual de la red.

Te invitamos a evaluar otras opciones de aliado en voltika.mx/aliados.

Voltika ⚡
```

Variables:

- `{{1}}` = nombre del responsable
- `{{2}}` = tipo de aliado

1️⃣6️⃣ ALL SPANISH EMAIL TEMPLATES

Email 1: Outreach formal con brochure

Subject:

```
Lugar reservado · Centro Voltika Autorizado {{ciudad}}
```

Body (HTML):

Estimado(a) {{nombre_responsable}},

Le escribo para formalizar la conversación que iniciamos por WhatsApp.

Voltika selecciona estratégicamente 2 Centros Autorizados por zona</st
en las principales ciudades del país. En {{ciudad}} tenemos abierta UNA plaza,
por la cual su taller calificó después de nuestra evaluación inicial.

Le comparto el material formal:

<ul>
  <li>📎 Brochure ejecutivo Centro Voltika Autorizado</li>
  <li>📎 Modelo operativo y casos de éxito</li>
</ul>

Próximos pasos si decide avanzar:

<ol>
  <li>Llamada de 20-30 min con nuestro director de expansión</li>
  <li>Visita técnica al taller (1 hora)</li>
  <li>Firma de contrato digital (validez legal Cincel)</li>
  <li>Capacitación técnica (1 semana, online + 1 día presencial)</li>
  <li>Activación oficial en la red Voltika</li>
</ol>

Tiempo total del proceso: 2-3 semanas.

La plaza está reservada para usted hasta el {{fecha_limite}}.
Después, evaluaremos al siguiente prospecto en lista.

¿Podemos agendar la llamada?

Le propongo:

- Martes {{fecha_1}} 11am

- Jueves {{fecha_2}} 4pm

- Viernes {{fecha_3}} 10am

Quedo atento.

Atentamente,
{{nombre_voltika}}
{{cargo}}
Voltika
{{telefono}}
voltika.mx

Email 2: OTP verification

Subject:

```
Tu código de verificación Voltika
```

Body (HTML):

```
<p>Hola,</p>

<p>Tu código de verificación Voltika es:</p>

<h1 style="font-size: 36px; letter-spacing: 8px; text-align: center; padding: 20p
  {{codigo}}
</h1>

<p>Este código expira en <strong>10 minutos</strong>. No lo compartas con nadie.<

<p>Si no solicitaste este código, ignora este correo.</p>

<p>Equipo Voltika ⚡</p>
```

Email 3: Application received

Subject:

```
Recibimos tu postulación · Voltika Aliados
```

Body (HTML):

```
<p>¡Hola {{nombre}}!</p>

<p>Recibimos tu postulación como <strong>{{tipo_aliado}}</strong> de Voltika 🙌</

<p>Tu solicitud está siendo evaluada por nuestro equipo.</p>

<p><strong>📋 Resumen de tu postulación:</strong></p>
<ul>
  <li>Negocio: {{nombre_comercial}}</li>
  <li>Ciudad: {{ciudad}}</li>
  <li>RFC: {{rfc}}</li>
  <li>Código de seguimiento: <strong>{{codigo}}</strong></li>
</ul>
```

```
<p>En las próximas <strong>{{horas_estimadas}} horas</strong> te contactaremos
por WhatsApp ({{whatsapp}}) con el resultado.</p>

<p>Mientras esperas, conoce más sobre Voltika:</p>
<ul>
  <li>🌐 <a href="https://voltika.mx">voltika.mx</a></li>
  <li>📷 <a href="https://instagram.com/voltika.mx">@voltika.mx</a></li>
  <li>🛵 <a href="https://voltika.mx/configurador">voltika.mx/configurador</a></l
</ul>

<p>Si tienes dudas, responde este correo.</p>

<p>Equipo Voltika ⚡</p>
```

Email 4: Internal notification (new application)

Subject:

```
🆕 Nueva postulación: {{tipo}} - {{nombre_comercial}} ({{ciudad}})
```

Body (HTML):

```
<p><strong>Nueva postulación recibida.</strong></p>

<p><strong>📋 DATOS:</strong></p>
<ul>
  <li>Tipo: {{tipo}}</li>
  <li>Negocio: {{nombre_comercial}}</li>
  <li>Razón social: {{razon_social}}</li>
  <li>RFC: {{rfc}}</li>
  <li>Ubicación: {{ciudad}}, {{estado}} (CP {{codigo_postal}})</li>
  <li>Responsable: {{nombre_responsable}}</li>
  <li>WhatsApp: {{whatsapp}}</li>
  <li>Email: {{email}}</li>
</ul>

<p><strong>🎯 Score automático: {{score}}/100</strong></p>
<p>Sugerencia del sistema: <strong>{{sugerencia}}</strong></p>

<p><strong>⏱️ Acción requerida en {{horas}} horas máximo.</strong></p>

<p><a href="https://reclutamiento.voltika.mx/postulaciones/{{id}}"
      style="display: inline-block; background: #0066ff; color: white; padding: 1
  Revisar postulación
```

```
</a></p>
```

1️⃣7️⃣ TESTING CHECKLIST

Functional tests

Authentication

- Login with @voltika.mx Google account works
- Login with non-@voltika.mx is blocked
- Logout works
- Session persists for 24 hours
- Role-based access control works for each role

Discovery module

- Search by city returns results from Google Places
- Search by postal code returns geographically relevant results
- Voltika Score calculates correctly
- Filters work (rating, type, contacted)
- List view sorts correctly
- Map view displays all results with correct colors
- Cache prevents duplicate API calls within 30 days
- Cost tracking widget shows accurate API spending
- Workshop detail page shows all data correctly

Outreach module

- WhatsApp template messages send through Botmaker
- Email templates send through Resend
- Mass send respects 5-minute throttling

- Tracking codes are unique per message
- Webhook receives WhatsApp responses
- Workshop status updates when prospect responds
- History dashboard shows accurate metrics

Public form

- Form loads at voltika.mx/aliados
- Both ally types selectable
- Address autocomplete works
- WhatsApp OTP verification works (6-digit code)
- Email OTP verification works
- File uploads work for all required documents
- File size validation rejects >5MB files
- Form validates RFC format
- Form prevents duplicate submission (same RFC within 90 days)
- Submission triggers email confirmation
- Submission triggers internal notification
- Anti-fraud validations run automatically
- EXIF data extraction works for photos
- Google Vision analyzes images for stock detection
- Truora validation only triggers for Distribuidor Estratégico
- Score calculates correctly based on validations
- Tracking code from URL is preserved through submission

Review panel

- List view shows all applications with correct filters
- Detail view shows all data + evidence + validations
- Approve flow triggers Cincel contract generation

- Reject flow sends polite WhatsApp + email
- More info request sends specific WhatsApp + email
- Status changes are reflected in real-time
- Notes can be added and persist

Cincel integration

- Contract generates with correct variables
- Email is sent to prospect by Cincel
- Webhook receives “viewed” event
- Webhook receives “signed” event
- Signed PDF downloads and stores
- Active ally record is created on signature
- Welcome WhatsApp sends after activation
- Cincel “rejected” or “expired” updates status correctly

Dashboard

- KPIs show accurate counts
- Funnel chart displays correctly
- Recent activity feed updates in real-time
- Map of Mexico shows active allies
- All metrics update when data changes

Performance tests

- Page load times < 2 seconds
- API responses < 500ms (p95)
- No memory leaks in long sessions
- Database queries are indexed
- Image uploads complete in reasonable time

Security tests

- All API routes require authentication (except public form)
- CSRF protection enabled
- SQL injection prevention via Prisma
- XSS prevention via React escaping
- File upload validates type AND content (not just extension)
- Webhook endpoints verify signatures
- Sensitive data encrypted at rest
- Audit log records all sensitive actions
- No sensitive data in client-side code
- Environment variables not exposed to client

Compliance tests (LFPDPPP)

- Aviso de Privacidad accessible
- Consent checkbox required before submission
- User can request data deletion (ARCO right)
- Data retention policy implemented
- Audit logs capture all data access

1️⃣8️⃣ DEPLOYMENT CHECKLIST

Pre-deployment

- All tests passing
- No TypeScript errors
- No ESLint warnings

- Environment variables documented in `.env.example`
- Database migrations tested in staging
- Performance benchmarks met
- Security audit completed

Infrastructure setup

- Vercel project created
- Custom domain configured (reclutamiento.voltika.mx)
- SSL certificate verified
- Supabase project provisioned
- PostgreSQL database created with backups
- Storage bucket created with proper policies
- Sentry project configured
- Email domain verified in Resend (aliados@voltika.mx)

External integrations verified

- Google Cloud project active with billing
- All Google APIs enabled and quotas set
- Botmaker token valid and templates approved
- Cincel API key valid and templates created
- Truora account active and API key valid

Voltika team preparation

- Team accounts created in app
- Roles assigned correctly
- Training session conducted
- Documentation provided

- Emergency contact established

Post-deployment monitoring

- Sentry alerts configured for errors
- Uptime monitoring active (UptimeRobot or Pingdom)
- Database performance monitoring
- API cost monitoring
- Daily backup verification
- Weekly metric reviews scheduled

Documentation delivered

- Technical architecture document
- User manual for Voltika team
- API documentation
- Deployment runbook
- Incident response procedures
- Backup and recovery procedures

📞 SUPPORT & ESCALATION

During development

- **Project owner:** Dan (voltika.mx)
- **Communication channel:** [Define: Slack, Notion, email]
- **Sync schedule:** Weekly stand-up

After delivery

- **Bug reports:** GitHub Issues
- **Feature requests:** Notion roadmap
- **Critical issues:** Direct WhatsApp/phone

🎯 SUCCESS CRITERIA

The project is considered successfully delivered when:

1. ✅ All 7 sprints completed and deployed to production
2. ✅ At least 10 real workshops contacted via the system
3. ✅ At least 3 applications received and reviewed end-to-end
4. ✅ At least 1 contract signed via Cincel and ally activated
5. ✅ Voltika team trained and operating the system independently
6. ✅ All documentation handed off
7. ✅ 30-day post-launch support period agreed

⚡ **Voltika · 2026** Final Developer Handoff Document · Version 1.0

For questions or clarifications during development, contact the project owner directly.