INTERNATIONAL TRACK · TOPIC F

Authority must be earned.

An autonomous payment wallet where spending authority is measured, enforced on-chain, and collateral-backed.

WORKING PROTOTYPE

REAL BASE SEPOLIA

UNDERWRITE

Evidence → Authority → Settlement

Intelligence cannot be its own spending policy

A financial agent can be useful and still be wrong, manipulated, or compromised. Prompt instructions are not a custody control.

Prompt injection

A poisoned invoice turns untrusted content into a payment instruction.

Hallucinated intent

A model invents or confuses a vendor, amount, purchase order, or urgency.

Key compromise

An attacker bypasses the model and calls the wallet with the agent key.

The question is not “Can the model pay?”

Who measured, granted, bounded, and can revoke that authority?

THE THESIS

Measure risk. Compile authority. Enforce the envelope.

01

EXAM

Exact agent configuration faces benign and adversarial scenarios

02

COMPILE

Conservative risk bounds become tiered limits

03

ACTIVATE

Examiner signs; owner consents on-chain

04


ENFORCE

Vault, challenge window and bond contain failure

The model proposes. Deterministic software decides. The contract enforces.

Authority is evidence-bound, per configuration, time-limited and removable without the agent's cooperation.

A judge can see the boundary, not just hear about it



1 · Business proposal

The agent starts from an invoice and vendor ID.

2 · Layered decision

Agent → policy → contract → funds is visible.

3 · Evidence label

Simulated UI and real testnet proof are never conflated.

LIGHT UI · SCRIPTED DEMO

One narrow path from language to money

UNTRUSTED

Invoice + LLM

Reads, extracts, proposes

DETERMINISTIC

Registry + policy

Resolves, validates, classifies

SIGNED

Role keys

Attests and consents


ON-CHAIN

Vault + BondPool

Enforces and settles

Hard rule **The LLM never chooses an address, token, calldata, or spending limit.**

The exact configuration earns—or is denied—autonomy



LIGHT UI · SCRIPTED DEMO VALUES

COMPILER OUTPUT

T1 per transaction

0 MockUSDC

T1 per window

0 MockUSDC

T2 per request

2,000 MockUSDC

Decision

UTILITY_GATE

Current honest gamma result

The safety gate refused autonomous T1 authority. The system preserved bounded T2 with a human challenge window. No limit was manually overridden.

Fast when justified. Interruptible when uncertain.

T0	**READ**	Observe balances and business records
T1	**AUTO**	Execute only inside compiled envelope
T2	**DELAY**	Reserve → challenge → revalidate → execute
T3	**BLOCK**	No autonomous action

Grant **examiner evidence + owner activation**

Remove **owner · examiner · claim suspension · expiry**

REAL EXECUTION EVIDENCE

Four public transactions. One coherent Tier-2 path.

COMMIT

`0x3fd7…f58f`

ExamCommitted · commit 5

ACTIVATE

`0x9e3b…9d8c`

T1 = 0 · T2 enabled

REQUEST

`0x20a2…94f6`

Pending request ID 2

EXECUTE

`0xf19d…d712`


Payment record 1 · Tier 2

Receipt status	Decoded input	Matching event
SUCCESS	`executePending(2)`	**PaymentExecuted · tier 2**

Inspect the final Base Sepolia receipt

CONTROLLED · 35 MOCKUSDC · NO CUSTOMER FUNDS

The contract remains the last line of defense



Recipient boundary

Unregistered or inactive payees revert on-chain.

Amount + window boundary

Per-tx, global window and recipient caps recheck.

Exposure boundary


Unreconciled T1 exposure cannot exceed remaining bond.

LIGHT UI · EXPLICITLY SIMULATED

CONTROLLED EVALUATION

Safety improves—and autonomy is intentionally rationed

9 conditions · 330 invoices each · 2,970 controlled executions · non-independent



Interpretation R2 recorded zero Class-I violations for all three agents, but shifted more work to review. Values are synthetic MockUSDC accounting—not customer losses.

Evidence, not adjectives

101
contract tests
17 suites · 0 failed

159
engine tests
26 files · 0 failed

25,600
invariant calls
256 campaigns

14
safety invariants
exact test mapping

Agentic threats

OWASP-informed review of goal hijack, tool misuse, identity abuse, supply chain and cascading failure.

Smart-contract controls

Recipient, qualification, invoice, limits, exposure, reserve, pause, claim and replay defenses.

Known risks

Central signers, self-authored evaluation and demo-key custody remain explicitly disclosed.

SELF-ASSESSMENT · NOT INDEPENDENTLY AUDITED

Evidence is mechanically coupled to financial authority

SYSTEM	AUTHORITY SOURCE	ENFORCEMENT	RESIDUAL RISK
Typical agent wallet	Owner types a limit	Policy / contract rules	Usually none
Smart account controls	Owner configures policy	On-chain modules	Optional
UNDERWRITE	Exam + compiler size authority	Vault enforces same envelope	Bond limits unreconciled T1 exposure

Not claimed

We are not ‘the only’ secure wallet, not audited, and not production-ready.

Claimed

A working evidence → authority → bond coupling with public receipts.

UNDERWRITE

Do not trust an agent with unlimited authority.

Give it the authority its evidence can support—then enforce that boundary where the money moves.

REAL BASE SEPOLIA PROOF

`0xf19d5e…827ad712`

Receipt success · executePending(2) · PaymentExecuted · Tier 2

Scan to verify

Technical dossier · Security self-assessment · On-chain evidence · Source + tests