

Functional Programming

Exercise set 3

Tony Lopar s1013792
Carlo Jessurun s1013793
Marnix Dessing s1014097

December 8, 2017

Exercise 1

This is implemented in *WordList.lhs*.

“Can you format the output so that one entry is shown per line?” Sure.

Exercise 2

This exercise can be found in the attached file *Pattern.lhs*.

Exercise 3

The implementation of the run function may be found in the attached file *Run.lhs*.

The partitioned list already contains partially sorted lists. So, when we want to sort the list, we already know that some parts are already sorted which decreases computing time.

Exercise 4

Exercises 1,2 and 3 can be found in *DNA.lhs*.

Exercise 5

1. The implementation can be found in the attached file *Quicktest.lhs*. In order to check whether the next element in non-decreasing we should check that the next value is higher or equal to the previous.
2. The function is defined as permutations. The number of factorations is equal to the factorial of n, so permutations n will result a list of length n!.

3. A possible testing procedure could be to check for each generated run whether this is sorted in a non-decreasing order.
4. We can use the fact that $\sqrt{n} \cdot \sqrt{n} = n$ to check whether the right square root has been computed.
5. If the first list contains n and the second list m elements there will be $n \times m$ combinations possible, since every value from n can be combined with all m . So if we have `bools = [True, False]` and `chars = "Tony"` we will have 8 pairs in a list as result when we execute `bools ⊗ chars` since `bools` contains 2 and `chars` contains 4 elements. The output will be:
`[(True,'T'),(True,'o'),(True,'n'),(True,'y'),(False,'T'),(False,'o'),(False,'n'),(False,'y')]`

Exercise 6

The implementation of the `run` function may be found in the attached file *WordList.lhs*. I've done this in the same file after rule 41 to reuse the lorem text but eventually decided to make a new one anyway. Due to these optimisations `format` can be called with "`format 40 loremConcat`" to see the output.