



Patient Name : **ASHMILIN XAVIER**
Lab No. : HDKLM5YH4787
Sex/Age : 26 Years / Female
Reg. Date : 17-Dec-2017

Referred By : Dr.RAJESWARY
Sampled on : 17-Dec-2017 7:53 am
Authenticated on : 17-Dec-2017 2:45 pm
Report Printed on : 18-Dec-2017 9:27 am

Test	Observed Value	Units	Biological Reference Range
HAEMOGLOBIN (HB)	13.0	gm/dL	Birth :18.0 +/-4.0, Day 3:18.0+/-3.0, 1 month:14.0+/-2.5, 2 months 11.2+/-1.8, 3 months - 6 years 12.6 +/- 1.5, 6 - 12 years:13.5+/-2.0., Adults : Male:13.0 - 16.0; Female:12.0-15.0 g/dl
Technology used :	Sysmex KX-21 (An automatic multi parameter blood cell counter)		
PLATELET COUNT	2.3 Lakhs/Cumm		Upto 1 year : 2.0 - 5.5 Lakhs/cumm 2-6 years :2.0- 4.9 Lakhs/cumm 6-12 Years - 1.7-4.5 Lakhs/cumm adults 1.5 - 4.1 Lakhs/cumm
Technology used :	Sysmex KX-21 (An automatic multi parameter blood cell counter)		
Verified by:	 SURYAMOL DMLT		
	----- End of HAEMATOLOGY Report -----		
Authorized by:	 DR.RAMANI B PULIMOOD M. B. B. S., M. D.		

Please Correlate with clinical conditions.

Page 1 of 4

FULLY AUTOMATED LABORATORY
DIGITAL X-RAY | TREAD MILL TEST
PULMONARY FUNCTION TEST
DIGITAL E.C.G. | ECHOCARDIOGRAM
COLOUR DOPPLER SCAN
MAMMOGRAPHY | NCV | EEG

24 HOURS

Behind Canara Bank, Janatha Stop, Palarivattom, Kochi-25
E-mail:info@hitechcochin.com, www.hitechcochin.com


Ph:0484 -2343113
2341441



NABH- CERTIFIED
MEDICAL TESTING
LABORATORY



HAEMATOLOGIST : Dr. Ramani B Pulimood, MBBS, MD.
Former Lab In Charge, CMC Vellore
RADIOLOGIST : Dr. Ambily Chandran, MBBS, M.D., FRCR
Consultant Radiologist
CONSULTANT BIOCHEMIST : Dr. G. Jayachandran, MBBS, MD.
Lab In Charge, PSG Medical College, Coimbatore
CHIEF TECHNICIAN : Mrs. Valsa Varghese, CMAI
TECHNICAL MANAGER BIOCHEMISTRY : Mrs. Kavitha .S
MSc Biochemistry, Mphil

KAKKANAD	PH: 6457773	7 AM - 6:00 PM
PADAMUGAL	PH: 2427773	6 AM - 7:00 PM
PADIWATTOM	PH: 6598858	7 AM - 6:00 PM
EDAPPALLY	PH: 6598854	7 AM - 7:00 PM
THAMMANAM	PH: 2343451	7 AM - 7:00 PM
VADUTHALA	PH: 2435115	7 AM - 7:00 PM
CHERANALLOOR	PH: 2800047	7 AM - 7:00 PM
KALAMASSERY	PH: 6519991	7 AM - 6:30 PM
ANGAMALY	PH: 2454343	7 AM - 6:30 PM



Patient Name : **ASHMILIN XAVIER**
Lab No. : HDKLMSYH4787
Sex/Age : 26 Years / Female
Reg. Date : 17-Dec-2017

Referred By : Dr.RAJESWARY
Sampled on : 17-Dec-2017 7:53 am
Authenticated on : 17-Dec-2017 2:45 pm
Report Printed on : 18-Dec-2017 9:27 am

Test	Observed Value	Units	Biological Reference Range
<u>GLUCOSE TOLERANCE TEST With 75 gm Glucose</u>			
PLASMA GLUCOSE (FASTING)	80	mg/dL	
URINE SUGAR (F)	NIL		
GLUCOSE PLASMA (2 Hr.)	115	mg/dL	
URINE SUGAR (2 Hr.)	TRACE		
<p>Verified by:  ----- End of BIOCHEMISTRY Report -----</p> <p>ATHIRA PARTHAN DMLT</p> <p>Authorized by:  DR.R LALITHA M. B. B. S., M. D.biochemistry</p>			

Please Correlate with clinical conditions.

Page 2 of 4

FULLY AUTOMATED LABORATORY
DIGITAL X-RAY | TREAD MILL TEST
PULMONARY FUNCTION TEST
DIGITAL E.C.G. | ECHOCARDIOGRAM
COLOUR DOPPLER SCAN
MAMMOGRAPHY | NCV | EEG

24 HOURS

Behind Canara Bank, Janatha Stop, Palarivattom, Kochi-25
E-mail:info@hitechcochin.com, www.hitechcochin.com

Ph:0484 -2343113
2341441



NABH- CERTIFIED
MEDICAL TESTING
LABORATORY

HAEMATOLOGIST : Dr. Ramani B Pulimood, MBBS, MD.
Former Lab In Charge, CMC Vellore
RADIOLOGIST : Dr. Ambily Chandran, MBBS, M.D., FRCP
Consultant Radiologist
CONSULTANT BIOCHEMIST : Dr. G. Jayachandran, MBBS, MD.
Lab In Charge, PSG Medical College, Coimbatore
CHIEF TECHNICIAN : Mrs. Valsa Varghese, CMAI
TECHNICAL MANAGER BIOCHEMISTRY : Mrs. Kavitha S
MSc Biochemistry, Mphil

KAKKANAD	PH: 6457773	7 AM - 6:00 PM
PADAMUGAL	PH: 2427773	6 AM - 7:00 PM
PADIWATTOM	PH: 6598858	7 AM - 6:00 PM
EDAPPALLY	PH: 6598854	7 AM - 7:00 PM
THAMMANAM	PH: 2343451	7 AM - 7:00 PM
VADUTHALA	PH: 2435115	7 AM - 7:00 PM
CHERANALLOOR	PH: 2800047	7 AM - 7:00 PM
KALAMASSERY	PH: 6519991	7 AM - 6:30 PM
ANGAMALY	PH: 2454343	7 AM - 6:30 PM

Patient Name : **ASHMILIN XAVIER**
Lab No. : HDKLM5YH4787
Sex/Age : 26 Years / Female
Reg. Date : 17-Dec-2017

Referred By : Dr.RAJESWARY
Sampled on : 17-Dec-2017 7:53 am
Authenticated on : 17-Dec-2017 2:45 pm
Report Printed on : 18-Dec-2017 9:27 am

Test	Observed Value	Units	Biological Reference Range
URINE COMPLETE ANALYSIS (SH - 600 and Fully automated Analyser - SYSMEX UF 1000i)			
VOLUME	29 ML		
COLOUR	PALE YELLOW		
CLARITY	CLOUDY		
SPECIFIC GRAVITY	1.015		1.003 - 1.030
REACTION	6.0		4.6 - 8.0 pH
NITRITES	NEGATIVE		NEGATIVE
ALBUMIN - URINE	TRACE		Negative: < 15mg/dl Trace : 15 - 30mg/dl 1+ : 30 - 100mg/dl 2+ : 100 - 300mg/dl 3+ : 300 - 1000mg/dl 4+ : >1000mg/dl
ACETONE	NEGATIVE		Negative: < 10mg/dl 1+ : 10 - 20mg/dl 2+ : 40 - 60mg/dl 3+ : 80 - 1000mg/dl 4+ : >150mg/dl
UROBILINOGEN	NORMAL		Normal : < 2mg/dl 1+ : 2 - 3mg/dl 2+ : 4 - 6mg/dl 3+ : 8 - 12mg/dl 4+ : > 12mg/dl
BILE SALT	NEGATIVE		NIL
BILE PIGMENT	NEGATIVE		NIL
GLUCOSE URINE	NIL		Negative: < 50mg/dl 1+ : 50 - 100mg/dl 2+ : 100 - 200mg/dl 3+ : 200 - 500mg/dl 4+ : >1000mg/dl

Please Correlate with clinical conditions.

Page 3 of 4

FULLY AUTOMATED LABORATORY
DIGITAL X-RAY | TREAD MILL TEST
PULMONARY FUNCTION TEST
DIGITAL E.C.G. | ECHOCARDIOGRAM
COLOUR DOPPLER SCAN
MAMMOGRAPHY | NCV | EEG

24 HOURS

Behind Canara Bank, Janatha Stop, Palarivattom, Kochi-25
E-mail: info@hitechcochin.com, www.hitechcochin.com

Ph: 0484 -2343113
2341441




NABH- CERTIFIED
MEDICAL TESTING
LABORATORY

HAEMATOLOGIST : Dr. Ramani B Pulimood, MBBS, MD.
Former Lab In Charge, CMC Vellore
RADIOLOGIST : Dr. Ambily Chandran, MBBS, M.D., FRCR
Consultant Radiologist
CONSULTANT BIOCHEMIST : Dr. G. Jayachandran, MBBS, MD.
Lab In Charge, PSG Medical College, Coimbatore
CHIEF TECHNICIAN : Mrs. Valsa Varghese, CMAI
TECHNICAL MANAGER BIOCHEMISTRY : Mrs. Kavitha S
MSc Biochemistry, Mphil

KAKKANAD	PH: 6457773	7 AM - 6:00 PM
PADAMUGAL	PH: 2427773	6 AM - 7:00 PM
PADIWATTOM	PH: 6598858	7 AM - 6:00 PM
EDAPPALLY	PH: 6598854	7 AM - 7:00 PM
THAMMANAM	PH: 2343451	7 AM - 7:00 PM
VADUTHALA	PH: 2435115	7 AM - 7:00 PM
CHERANALLOOR	PH: 2800047	7 AM - 7:00 PM
KALAMASSERY	PH: 6519991	7 AM - 6:30 PM
ANGAMALY	PH: 2454343	7 AM - 6:30 PM

Patient Name : **ASHMILIN XAVIER**
Lab No. : HDKLMSYH4787
Sex/Age : 26 Years / Female
Reg. Date : 17-Dec-2017

Referred By : Dr.RAJESWARY
Sampled on : 17-Dec-2017 7:53 am
Authenticated on : 17-Dec-2017 2:45 pm
Report Printed on : 18-Dec-2017 9:27 am

Test	Observed Value	Units	Biological Reference Range
BLOOD	NEGATIVE		Negative: < 0.03mg/dl Trace : 0.03 - 0.06mg/dl 1+ : 0.06 - 0.2mg/dl 2+ : 0.2 - 1.0mg/dl 3+ : 1.0 - 2.0mg/dl 4+ : >2.0mg/dl
LEUKOCYTES ESTERASE	1+		NIL
<u>MICROSCOPIC EXAMINATION (ME)</u>			
WBCs (Leucocytes)	18 - 20		0-5 Cells/HPF
RBCs (Erythrocytes)	3 - 4		0-2 RBCS Cells/HPF
Epithelial Cells	35 - 40		0 - 3 Cells/HPF
Casts	NIL		Occ. Hyaline Cast/HPF
Crystals	NIL		NIL/HPF
BACTERIA COUNT	78 - 88		Nil /HPF
YEAST CELLS	NIL		Nil /HPF
<p>Verified by: SOBHICA C B</p> <p>----- End of CLINICAL PATHOLOGY Report -----</p> <p>Authorized by:  DR.RAMANI B PULIMOOD M. B. B. S., M. D. </p>			

Please Correlate with clinical conditions.

Page 4 of 4

FULLY AUTOMATED LABORATORY
DIGITAL X-RAY | TREAD MILL TEST
PULMONARY FUNCTION TEST
DIGITAL E.C.G. | ECHOCARDIOGRAM
COLOUR DOPPLER SCAN
MAMMOGRAPHY | NCV | EEG

24 HOURS

Behind Canara Bank, Janatha Stop, Palarivattom, Kochi-25
E-mail: info@hitechcochin.com, www.hitechcochin.com

Ph: 0484 -2343113
2341441



NABH- CERTIFIED
MEDICAL TESTING
LABORATORY

HAEMATOLOGIST : Dr. Ramani B Pulimood, MBBS, MD.
Former Lab In Charge, CMC Vellore
RADIOLOGIST : Dr. Ambily Chandran, MBBS, M.D., FRCR
Consultant Radiologist
CONSULTANT BIOCHEMIST : Dr. G. Jayachandran, MBBS, MD.
Lab In Charge, PSG Medical College, Coimbatore
CHIEF TECHNICIAN : Mrs. Valsa Varghese, CMAI
TECHNICAL MANAGER BIOCHEMISTRY : Mrs. Kavitha S
MSc Biochemistry, Mphil

KAKKANAD	PH: 6457773	7 AM - 6:00 PM
PADAMUGAL	PH: 2427773	6 AM - 7:00 PM
PADIWATTOM	PH: 6598858	7 AM - 6:00 PM
EDAPPALLY	PH: 6598854	7 AM - 7:00 PM
THAMMANAM	PH: 2343451	7 AM - 7:00 PM
VADUTHALA	PH: 2435115	7 AM - 7:00 PM
CHERANALLOOR	PH: 2800047	7 AM - 7:00 PM
KALAMASSERY	PH: 6519991	7 AM - 6:30 PM
ANGAMALY	PH: 2454343	7 AM - 6:30 PM