XLST: Do they Match?

Kahoot Answers

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                               1 <?xml version="1.0" encoding="UTF-8"?>
                                                                               2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
    <module sessions="5" hours="133">Markup Languages</module>
    ofesor>Victor/profesor>
                                                                                     <xsl:template match="/">
                                                                                             <title>HTML document</title>
                                                                                             <xsl:value-of select="."/>
```

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                               1 <?xml version="1.0" encoding="UTF-8"?>
                                                                               2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
    <module sessions="5" hours="133">Markup Languages</module>
   ofesor>Victor/profesor>
                                                                                     <xsl:template match="/">
                                                                                             <title>HTML document</title>
```



```
<?xml version="1.0" encoding="UTF-8"?>
                                                                     1 <?xml version="1.0" encoding="UTF-8"?>
                                                                     2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
    <module sessions="5" hours="133">Markup Languages</module>
    ofesor>Victor
                                                                           <xsl:template match="//module">
</cycle
                                                                                   <title>HTML document</title>
                                                                                   <xsl:value-of select="."/>
```

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                     1 <?xml version="1.0" encoding="UTF-8"?>
                                                                     2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
    <module sessions="5" hours="133">Markup Languages</module>
    ofesor>Victor
                                                                           <xsl:template match="//module">
</cycle
                                                                                   <title>HTML document</title>
                                                                                   <xsl:value-of select="."/>
```



```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>Markup Languages</body>
</html>
```

Actual Output: (note line breaks at beginning and end)

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                   <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<module sessions="5" hours="133">Markup Languages</module>
ofesor>Victor
                                                                       <xsl:template match="/">
                                                                              <title>HTML document</title>
                                                                              <xsl:value-of select="/cycle/module"/>
```

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>Markup Languages</body>
</html>
```

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                   <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<module sessions="5" hours="133">Markup Languages</module>
ofesor>Victor
                                                                       <xsl:template match="/">
                                                                              <title>HTML document</title>
                                                                              <xsl:value-of select="/cycle/module"/>
```



```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>Markup Languages</body>
</html>
```

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                     1 <?xml version="1.0" encoding="UTF-8"?>
                                                                     2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   <module sessions="5" hours="133">Markup Languages</module>
   or>Victor
                                                                           <xsl:template match="/">
                                                                                   <title>HTML document</title>
                                                                           <xsl:template match="module">
                                                                               <xsl:value-of select="."/>
                                                                           <xsl:template match="profesor">
                                                                               <xsl:value-of select="."/>
                                                                           </xsl:template>
```

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body></body>
</html>
```

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                     1 <?xml version="1.0" encoding="UTF-8"?>
                                                                     2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   <module sessions="5" hours="133">Markup Languages</module>
   or>Victor
                                                                           <xsl:template match="/">
                                                                                   <title>HTML document</title>
                                                                           <xsl:template match="module">
                                                                               <xsl:value-of select="."/>
                                                                           <xsl:template match="profesor">
                                                                               <xsl:value-of select="."/>
                                                                           </xsl:template>
```



```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body></body>
</html>
```

```
1 <?xml version="1.0" encoding="UTF-8"?>
                                                                           <?xml version="1.0" encoding="UTF-8"?>
                                                                          <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
     <module sessions="5" hours="133">Markup Languages</module>
                                                                               <xsl:template match="/">
     ofesor>Victor/profesor>
                                                                                       <title>HTML document</title>
                                                                                       <xsl:apply-templates/>
                                                                               <xsl:template match="module">
                                                                                   <xsl:value-of select="."/>
                                                                               <xsl:template match="profesor">
                                                                                   <xsl:value-of select="."/>
```

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>
    Markup Languages
    Víctor
</body>
</html>
```

```
1 <?xml version="1.0" encoding="UTF-8"?>
                                                                           <?xml version="1.0" encoding="UTF-8"?>
                                                                         2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
     <module sessions="5" hours="133">Markup Languages</module>
                                                                               <xsl:template match="/">
     ofesor>Victor/profesor>
                                                                                       <title>HTML document</title>
                                                                                       <xsl:apply-templates/>
                                                                               <xsl:template match="module">
                                                                                   <xsl:value-of select="."/>
                                                                               <xsl:template match="profesor">
                                                                                   <xsl:value-of select="."/>
```



```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>
    Markup Languages
    Victor
</body>
</html>
```

```
1 <?xml version="1.0" encoding="UTF-8"?>
<?xml version="1.0" encoding="UTF-8"?>
                                                                        2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   <module sessions="5" hours="133">
       <name>Markup Languages</name>
                                                                              <xsl:template match="/">
       ofesor>Victor
   </module>
                                                                                     <title>HTML document</title>
   <module sessions="3" hours="50">
       <name>English Markup Languages
       ofesor>Tony
                                                                                     <xsl:for-each select="module">
                                                                                        Mod Name: <xsl:value-of select="name"/>
   </module>
                                                                                        Prof: <xsl:value-of select="profesor"/>
   <module sessions="3" hours="120">
                                                                                     </xsl:for-each>
       <name>Networks</name>
       or>Ned
   </module>
```

```
1 <?xml version="1.0" encoding="UTF-8"?>
<?xml version="1.0" encoding="UTF-8"?>
                                                                        2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   <module sessions="5" hours="133">
       <name>Markup Languages</name>
                                                                              <xsl:template match="/">
       ofesor>Victor
   </module>
                                                                                     <title>HTML document</title>
   <module sessions="3" hours="50">
       <name>English Markup Languages
       ofesor>Tony
                                                                                     <xsl:for-each select="module">
                                                                                        Mod Name: <xsl:value-of select="name"/>
   </module>
                                                                                        Prof: <xsl:value-of select="profesor"/>
   <module sessions="3" hours="120">
                                                                                     </xsl:for-each>
       <name>Networks</name>
       or>Ned
   </module>
```



```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>
Mod Name: Markup Languages
Prof: Victor
Mod Name: English Markup Languages
Prof: Tony
Prof: Tony
Prof: Ned
Prof: Ned
Prof: Ned
Prof: Ned
```

```
1 <?xml version="1.0" encoding="UTF-8"?>
<?xml version="1.0" encoding="UTF-8"?>
                                                                         2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   <module sessions="5" hours="133">
       <name>Markup Languages</name>
                                                                              <xsl:template match="/">
       ofesor>Victor
   </module>
                                                                                     <title>HTML document</title>
   <module sessions="3" hours="50">
       <name>English Markup Languages
       ofesor>Tony
                                                                                     <xsl:for-each select="module">
                                                                                         Mod Name: <xsl:value-of select="name"/>
   </module>
                                                                                         Prof: <xsl:value-of select="profesor"/>
   <module sessions="3" hours="120">
                                                                                     </xsl:for-each>
       <name>Networks</name>
       or>Ned
   </module>
```

Actual Output:

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                           <?xml version="1.0" encoding="UTF-8"?>
                                                                          2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   <module sessions="5" hours="133">
       <name>Markup Languages</name>
                                                                               <xsl:template match="/">
       ofesor>Victor
   </module>
                                                                                       <title>HTML document</title>
   <module sessions="3" hours="50">
       <name>English Markup Languages</name>
       ofesor>Tony
                                                                                       <xsl:for-each select="cycle/module">
   </module>
                                                                                           Mod Name: <xsl:value-of select="name"/>
                                                                                           Prof: <xsl:value-of select="profesor"/>
   <module sessions="3" hours="120">
       <name>Networks</name>
       ofesor>Nedfesor>
   </module>
```

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>
Mod Name: Markup Languages
Prof: Víctor
Mod Name: English Markup Languages
Prof: Tony
Prof: Tony
Mod Name: Networks
Prof: Ned
Prof: Ned
Mod Name: Networks
Prof: Ned
Prof: Ned
Mod Name: Networks
Html>
```

```
<?xml version="1.0" encoding="UTF-8"?>
                                                                           <?xml version="1.0" encoding="UTF-8"?>
                                                                          2 <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   <module sessions="5" hours="133">
       <name>Markup Languages</name>
                                                                               <xsl:template match="/">
       ofesor>Victor
   </module>
                                                                                       <title>HTML document</title>
   <module sessions="3" hours="50">
       <name>English Markup Languages</name>
       ofesor>Tony
                                                                                       <xsl:for-each select="cycle/module">
   </module>
                                                                                          Mod Name: <xsl:value-of select="name"/>
                                                                                          Prof: <xsl:value-of select="profesor"/>
   <module sessions="3" hours="120">
       <name>Networks</name>
       ofesor>Nedfesor>
   </module>
```



```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>HTML document</title>
</head>
<body>
Mod Name: Markup Languages
Prof: Victor
Mod Name: English Markup Languages
Prof: Tony
Prof: Tony
Prof: Ned
Prof: Ned

/p>Prof: Ned
/p>Prof: Ned
</pbody>
</html>
```