

s o f i a

Test Report

Text Handler Test

Document Control

| Editor | Date | Update |
|-------------|------------|------------------|
| Sam Raeburn | 20/04/2015 | Created Document |
| | | |
| | | |

Table of Contents

| | | |
|------------|------------------------------------|----------|
| 1.0 | Test of Text Handler | 4 |
| 1.0.0 | <i>Summary of testing</i> | 4 |
| 1.0.1 | <i>Prerequisites</i> | 4 |
| 1.0.2 | <i>Test importance</i> | 4 |
| 1.0.3 | <i>Test results</i> | 4 |
| 1.0.4 | <i>Changes made due to test</i> | 5 |
| 1.0.5 | <i>Additional comments on test</i> | 5 |

Test Report

1.0 Test of Text Handler

1.0.0 Summary of testing

This document outlines the tests which need to be completed to ensure a stable and high quality text handler.

1.0.1 Prerequisites

Text handler must be outsourced

1.0.2 Test importance

High – text handler is being bought in from a different company

1.0.3 Test results

| Test Case | Expected Results | Obtained Results |
|--|--|-----------------------------|
| Define location for text object | Text object should appear in correct location | PASS |
| Define multiple text objects on one page | All text objects should be drawn correctly | PASS |
| Define a colour for the text object | Text object should appear in the correct, defined colour | PASS |
| Use Bold | Text should appear bold | PASS |
| Use Italic | Text should appear italic | PASS |
| Use Underline | Text should be underlined | PASS |
| Use Strikethrough | Text should be struck through | PASS |
| Use superscript | Text should be superscript | PASS |
| Use Subscript | Text should be subscript | PASS |
| Alter font size | Text should appear in font size | PASS |
| Define negative font size | Should use default size | PASS |
| Define different fonts | Text should appear in defined font | PASS |
| Define font as empty string | Should be filtered by Parser (set to default) | FAIL - Error |
| Define new line for font | Blank line should appear | FAIL – No blank line occurs |
| Define font size as empty string | Parser should set to default | PASS |
| Define non numerical font size | Parser should set to default | PASS |

1.0.4 Changes made due to test

1.0.5 Additional comments on test

Xml file used for testing – TextTesting.xml