

Raport metadanych plików

Plik: Fotka1.jpg

SourceFile: static/uploads/Fotka1.jpg
FileName: Fotka1.jpg
Directory: static/uploads
FileSize: 204 KiB
FileModifyDate: 2025:05:12 17:25:06+02:00
FileAccessDate: 2025:05:12 17:25:06+02:00
FileInodeChangeDate: 2025:05:12 17:25:06+02:00
FilePermissions: -rw-rw-r--
FileType: JPEG
FileTypeExtension: jpg
MIMEType: image/jpeg
ExifByteOrder: Little-endian (Intel, II)
Make: SONY
Model: ILCE-7M2
Orientation: Horizontal (normal)
ResolutionUnit: inches
Software: Adobe Photoshop Lightroom Classic 10.0 (Macintosh)
ModifyDate: 2020:11:20 15:41:24
ExposureTime: 1/500
ExposureProgram: Manual
SensitivityType: Recommended Exposure Index
ExifVersion: 0231
DateTimeOriginal: 2020:11:20 15:25:47
CreateDate: 2020:11:20 15:25:47
OffsetTime: +01:00
ShutterSpeedValue: 1/500
MeteringMode: Center-weighted average
LightSource: Unknown
Flash: Off, Did not fire
FocalLength: 35.0 mm
FlashpixVersion: 0100
ColorSpace: sRGB
FocalPlaneResolutionUnit: cm
FileSource: Digital Camera
SceneType: Directly photographed
CustomRendered: Normal
ExposureMode: Manual
WhiteBalance: Auto
FocalLengthIn35mmFormat: 35 mm
SceneCaptureType: Standard
Contrast: Normal
Saturation: Normal
Sharpness: Normal
LensInfo: 35mm f/2.8
LensModel: FE 35mm F2.8 ZA
Compression: JPEG (old-style)
XMPToolkit: Adobe XMP Core 5.6-c140 79.160451, 2017/05/06-01:08:21
CreatorTool: Adobe Photoshop Lightroom Classic 10.0 (Macintosh)
MetadataDate: 2020:11:20 15:41:24+01:00

Lens: FE 35mm F2.8 ZA
LensDistortInfo: 1071147716/1073741824 16580122/1073741824 -26635586/1073741824
-607380/1073741824
DocumentID: xmp.did:d25aa75f-2a3d-4a04-bb92-8a2a6e3348cb
PreservedFileName: DSC07423.ARW
OriginalDocumentID: B6CFA2859824DA3208D35E31B6413521
InstanceID: xmp.iid:d25aa75f-2a3d-4a04-bb92-8a2a6e3348cb
Format: image/jpeg
RawFileName: DSC07423.ARW
Tint: +7
Exposure2012: +0.30
Contrast2012: +5
Shadows2012: +31
Whites2012: +20
Blacks2012: +15
SharpenRadius: +1.0
LuminanceAdjustmentYellow: +13
LuminanceAdjustmentGreen: +20
LuminanceAdjustmentAqua: +19
LuminanceAdjustmentBlue: +27
ToneCurveName2012: Custom
CameraProfile: Huelight A7II Landscape V112
CameraProfileDigest: EE25E9001EBD96E637B726F0C8B4D822
AutoToneDigest: BD3330978F62C2236B44B7A48FEACC76
AutoToneDigestNoSat: 305D310E9672FD19C8C131D9E653AD3B
HistoryParameters: converted from image/x-sony-arw to image/jpeg, saved to new location
HistoryInstanceID: xmp.iid:d25aa75f-2a3d-4a04-bb92-8a2a6e3348cb
HistoryWhen: 2020:11:20 15:41:24+01:00
HistorySoftwareAgent: Adobe Photoshop Lightroom Classic 10.0 (Macintosh)
HistoryChanged: /
DerivedFromDocumentID: B6CFA2859824DA3208D35E31B6413521
DerivedFromOriginalDocumentID: B6CFA2859824DA3208D35E31B6413521
DisplayedUnitsX: inches
DisplayedUnitsY: inches
CurrentIPTCDigest: f422884caa71b6ff913ba73d30909d33
CodedCharacterSet: UTF8
DateCreated: 2020:11:20
TimeCreated: 15:25:47
DigitalCreationDate: 2020:11:20
DigitalCreationTime: 15:25:47
PhotoshopThumbnail: (Binary data 13806 bytes, use -b option to extract)
IPTCDigest: f422884caa71b6ff913ba73d30909d33
ProfileCMMType: Linotronic
ProfileVersion: 2.1.0
ProfileClass: Display Device Profile
ColorSpaceData: RGB
ProfileConnectionSpace: XYZ
ProfileDateTime: 1998:02:09 06:49:00
ProfileFileSignature: acsp
PrimaryPlatform: Microsoft Corporation
CMMFlags: Not Embedded, Independent
DeviceManufacturer: Hewlett-Packard
DeviceModel: sRGB
DeviceAttributes: Reflective, Glossy, Positive, Color
RenderingIntent: Perceptual
ConnectionSpaceIlluminant: 0.9642 1 0.82491
ProfileCreator: Hewlett-Packard

ProfileCopyright: Copyright (c) 1998 Hewlett-Packard Company
ProfileDescription: sRGB IEC61966-2.1
MediaWhitePoint: 0.95045 1 1.08905
MediaBlackPoint: 0 0 0
RedMatrixColumn: 0.43607 0.22249 0.01392
GreenMatrixColumn: 0.38515 0.71687 0.09708
BlueMatrixColumn: 0.14307 0.06061 0.7141
DeviceMfgDesc: IEC <http://www.iec.ch>
DeviceModelDesc: IEC 61966-2.1 Default RGB colour space - sRGB
ViewingCondDesc: Reference Viewing Condition in IEC61966-2.1
ViewingCondIlluminant: 19.6445 20.3718 16.8089
ViewingCondSurround: 3.92889 4.07439 3.36179
ViewingCondIlluminantType: D50
Luminance: 76.03647 80 87.12462
MeasurementObserver: CIE 1931
MeasurementBacking: 0 0 0
MeasurementGeometry: Unknown
MeasurementFlare: 0.999%
MeasurementIlluminant: D65
Technology: Cathode Ray Tube Display
RedTRC: (Binary data 2060 bytes, use -b option to extract)
GreenTRC: (Binary data 2060 bytes, use -b option to extract)
BlueTRC: (Binary data 2060 bytes, use -b option to extract)
EncodingProcess: Baseline DCT, Huffman coding
YCbCrSubSampling: YCbCr4:2:0 (2 2)
ImageSize: 1200x800
ShutterSpeed: 1/500
SubSecModifyDate: 2020:11:20 15:41:24+01:00
ThumbnailImage: (Binary data 13806 bytes, use -b option to extract)
DateTimeCreated: 2020:11:20 15:25:47
DigitalCreationDateTime: 2020:11:20 15:25:47
CircleOfConfusion: 0.030 mm
FOV: 54.4 deg
FocalLength35efl: 35.0 mm (35 mm equivalent: 35.0 mm)
HyperfocalDistance: 5.10 m
LensID: FE 35mm F2.8 ZA

Plik: Fotka2.jpg

SourceFile: static/uploads/Fotka2.jpg
FileName: Fotka2.jpg
Directory: static/uploads
FileSize: 212 KiB
FileModifyDate: 2025:05:12 17:25:06+02:00
FileAccessDate: 2025:05:12 17:25:06+02:00
FileInodeChangeDate: 2025:05:12 17:25:06+02:00
FilePermissions: -rw-rw-r--
FileType: JPEG
FileTypeExtension: jpg
MIMEType: image/jpeg
ExifByteOrder: Little-endian (Intel, II)
Make: SONY
Model: ILCE-7M2
Orientation: Horizontal (normal)
ResolutionUnit: inches

Software: Adobe Photoshop Lightroom Classic 10.0 (Macintosh)
ModifyDate: 2020:11:21 19:16:06
ExposureTime: 1/400
ExposureProgram: Aperture-priority AE
SensitivityType: Recommended Exposure Index
ExifVersion: 0231
DateTimeOriginal: 2018:09:09 18:10:14
CreateDate: 2018:09:09 18:10:14
OffsetTime: +01:00
ShutterSpeedValue: 1/400
MeteringMode: Center-weighted average
LightSource: Unknown
Flash: Off, Did not fire
FocalLength: 35.0 mm
FlashpixVersion: 0100
ColorSpace: sRGB
FocalPlaneResolutionUnit: cm
FileSource: Digital Camera
SceneType: Directly photographed
CustomRendered: Normal
ExposureMode: Auto
WhiteBalance: Auto
FocalLengthIn35mmFormat: 35 mm
SceneCaptureType: Standard
Contrast: Normal
Saturation: Normal
Sharpness: Normal
LensInfo: 35mm f/2.8
LensModel: FE 35mm F2.8 ZA
Compression: JPEG (old-style)
XMPToolkit: Adobe XMP Core 5.6-c140 79.160451, 2017/05/06-01:08:21
CreatorTool: Adobe Photoshop Lightroom Classic 10.0 (Macintosh)
MetadataDate: 2020:11:21 19:16:06+01:00
Lens: FE 35mm F2.8 ZA
LensDistortInfo: 1071028007/1073741824 16878674/1073741824 -26418787/1073741824
-666838/1073741824
DocumentID: xmp.did:617753a8-475c-4fbc-999c-d20aa3e6265c
PreservedFileName: DSC08628.ARW
OriginalDocumentID: 9CF17605BC4D6A794172CF0765227B79
InstanceID: xmp.iid:617753a8-475c-4fbc-999c-d20aa3e6265c
Format: image/jpeg
RawFileName: DSC08628.ARW
Tint: +5
Exposure2012: +0.40
Shadows2012: +51
Blacks2012: +24
SharpenRadius: +1.0
SaturationAdjustmentOrange: +9
ToneCurveName2012: Custom
CameraProfile: Adobe Standard
CameraProfileDigest: 24DB427054E183A10DED3CF64B3851FA
HistoryParameters: converted from image/x-sony-arw to image/jpeg, saved to new location
HistoryInstanceID: xmp.iid:617753a8-475c-4fbc-999c-d20aa3e6265c
HistoryWhen: 2020:11:21 19:16:06+01:00
HistorySoftwareAgent: Adobe Photoshop Lightroom Classic 10.0 (Macintosh)
HistoryChanged: /
DerivedFromDocumentID: 9CF17605BC4D6A794172CF0765227B79

DerivedFromOriginalDocumentID: 9CF17605BC4D6A794172CF0765227B79
LookName: Adobe Color
LookUUID: B952C231111CD8E0ECCF14B86BAA7077
LookGroup: Profiles
LookParametersCameraProfile: Adobe Standard
LookParametersLookTable: E1095149FDB39D7A057BAB208837E2E1
DisplayedUnitsX: inches
DisplayedUnitsY: inches
CurrentIPTCDigest: a9799b60c012e5543920ae56e4508d6d
CodedCharacterSet: UTF8
DateCreated: 2018:09:09
TimeCreated: 18:10:14
DigitalCreationDate: 2018:09:09
DigitalCreationTime: 18:10:14
PhotoshopThumbnail: (Binary data 11365 bytes, use -b option to extract)
IPTCDigest: a9799b60c012e5543920ae56e4508d6d
ProfileCMType: Linotronic
ProfileVersion: 2.1.0
ProfileClass: Display Device Profile
ColorSpaceData: RGB
ProfileConnectionSpace: XYZ
ProfileDateTime: 1998:02:09 06:49:00
ProfileFileSignature: acsp
PrimaryPlatform: Microsoft Corporation
CMMFlags: Not Embedded, Independent
DeviceManufacturer: Hewlett-Packard
DeviceModel: sRGB
DeviceAttributes: Reflective, Glossy, Positive, Color
RenderingIntent: Perceptual
ConnectionSpaceIlluminant: 0.9642 1 0.82491
ProfileCreator: Hewlett-Packard
ProfileCopyright: Copyright (c) 1998 Hewlett-Packard Company
ProfileDescription: sRGB IEC61966-2.1
MediaWhitePoint: 0.95045 1 1.08905
MediaBlackPoint: 0 0 0
RedMatrixColumn: 0.43607 0.22249 0.01392
GreenMatrixColumn: 0.38515 0.71687 0.09708
BlueMatrixColumn: 0.14307 0.06061 0.7141
DeviceMfgDesc: IEC <http://www.iec.ch>
DeviceModelDesc: IEC 61966-2.1 Default RGB colour space - sRGB
ViewingCondDesc: Reference Viewing Condition in IEC61966-2.1
ViewingCondIlluminant: 19.6445 20.3718 16.8089
ViewingCondSurround: 3.92889 4.07439 3.36179
ViewingCondIlluminantType: D50
Luminance: 76.03647 80 87.12462
MeasurementObserver: CIE 1931
MeasurementBacking: 0 0 0
MeasurementGeometry: Unknown
MeasurementFlare: 0.999%
MeasurementIlluminant: D65
Technology: Cathode Ray Tube Display
RedTRC: (Binary data 2060 bytes, use -b option to extract)
GreenTRC: (Binary data 2060 bytes, use -b option to extract)
BlueTRC: (Binary data 2060 bytes, use -b option to extract)
EncodingProcess: Baseline DCT, Huffman coding
YCbCrSubSampling: YCbCr4:2:0 (2 2)
ImageSize: 1200x800

ShutterSpeed: 1/400
SubSecModifyDate: 2020:11:21 19:16:06+01:00
ThumbnailImage: (Binary data 11365 bytes, use -b option to extract)
DateTimeCreated: 2018:09:09 18:10:14
DigitalCreationDateTime: 2018:09:09 18:10:14
CircleOfConfusion: 0.030 mm
FOV: 54.4 deg
FocalLength35efl: 35.0 mm (35 mm equivalent: 35.0 mm)
HyperfocalDistance: 10.19 m
LensID: FE 35mm F2.8 ZA