Smart Farming Data 2024

KIARIE TONY MURIGI

YEAR:2026

Abstract

The rapid growth of smart farming technologies has transformed modern agriculture by enabling data-driven decision-making. This project analyzes the Smart Farming Data 2024 dataset using machine learning techniques to improve crop classification and support precision agriculture. The dataset consists of soil properties, weather conditions, crop characteristics, and derived agricultural indices collected from farms in California. The project involves data preprocessing, exploratory data analysis (EDA), feature engineering, supervised machine learning, feature importance analysis and clustering techniques. Five classification models Decision Tree, Random Forest, Logistic Regression, Gradient Boosting, and Extreme Gradient Boosting (XGBoost) were developed and evaluated using Accuracy, Precision, Recall, and F1-Score metrics. Feature importance analysis was performed using the Random Forest model in order to identify the variables that most significantly influenced crop prediction. In addition, K-Means and DBSCAN clustering algorithms were also applied to the group farms with similar agricultural characteristics. The findings demonstrate that machine learning can effectively classify crops and provide very valuable insights into the relationships between soil nutrients, environmental conditions and crop productivity. Furthermore, practical smart farming applications including precision agriculture, crop stress detection, sustainable resource management, intelligent irrigation, pest management, and climate resilience strategies, were developed to demonstrate how analytical results can support very informed agricultural decision-making.

Contents

Abstract 2

Chapter One 5

1.0 Introduction 5

1.1 Problem Statement 5

1.2 Objectives 6

General Objective 6

Specific Objectives 6

Chapter Two 7

2.0 Dataset Description 7

Chapter Three 8

3.0 Methodology 8

3.1 Introduction 8

3.2 Data Collection 8

3.3 Data Preprocessing 8

3.4 Exploratory Data Analysis (EDA) 9

3.5 Feature Engineering 9

3.6 Machine Learning Model Development 9

3.7 Model Evaluation 10

3.8 Feature Importance Analysis 10

3.9 Clustering Analysis 10

K-Means Clustering 11

DBSCAN Clustering 11

3.10 Smart Farming Applications 11

Chapter Four 12

4.0 Results and Discussion 12
4.1 Introduction 12
4.2 Exploratory Data Analysis Results 12
4.3 Machine Learning Model Performance 12
4.4 Feature Importance Analysis 13
4.5 Clustering Results 13
4.6 Smart Farming Applications 13
Chapter Five 15
5.0 Conclusion 15
5.1 Recommendations 16

Chapter One

1.0 Introduction

Agriculture plays a critical role in ensuring food security, economic development, and also environmental sustainability. As climate change, population growth and resource scarcity continue to challenge the agricultural production, there is an increasing need for intelligent farming systems capable of supporting data-driven decision-making. Smart farming integrates modern technologies such as sensors, data analytics, and machine learning to improve the agricultural productivity while optimizing the use of natural resources. Machine learning has become an essential component of precision agriculture because it enables the analysis of very large volumes of agricultural data to identify hidden patterns, predict crop performance, and support farm management decisions. Environmental variables such as temperature, rainfall, humidity, soil nutrients, and irrigation practices significantly influence crop growth and overall productivity of the farm. Understanding these relationships allows the farmers to make very informed decisions regarding irrigation scheduling, fertilizer application, pest management and also climate adaptation. This project utilizes the Smart Farming Data 2024 dataset to investigate the relationships between soil properties, weather conditions and crop characteristics. Multiple machine learning algorithms were implemented to classify crop types, compare predictive performance, identify important agricultural variables and group farms with similar environmental characteristics. The project further demonstrates practical smart farming applications that translate analytical results into actionable recommendations for sustainable agriculture.

1.1 Problem Statement

Modern agriculture generates large amounts of environmental and soil-related data. However, traditional farming practices often rely on manual observations and experience, hence making it difficult to respond efficiently to the ever changing environmental conditions, pest infestations and resource management challenges. Inefficient irrigation, excessive fertilizer usage and delayed pest control can reduce the crop productivity while increasing production costs and environmental impact. The Smart Farming Data 2024 dataset provides an opportunity to apply machine learning techniques to improve agricultural decision-making. By analyzing the soil nutrients, weather conditions and crop characteristics, predictive models can

classify crops accurately, identify the factors that most influence agricultural productivity, and support intelligent farming practices. This project therefore seeks to develop predictive and analytical models capable of enhancing precision agriculture and promoting sustainable resource management.

1.2 Objectives

General Objective

To develop machine learning models that analyze agricultural and environmental data for crop classification and support intelligent decision-making in precision agriculture.

Specific Objectives

- To perform data preprocessing and exploratory data analysis on the Smart Farming Data 2024 dataset.
- To engineer meaningful features that improve the analytical value of the dataset.
- To develop and compare multiple supervised machine learning models for crop classification.
- To evaluate model performance using Accuracy, Precision, Recall, and F1-Score.
- To identify the most influential variables affecting crop classification through feature importance analysis.
- To apply clustering algorithms to group farms with similar agricultural characteristics.
- To demonstrate practical smart farming applications including precision agriculture, crop stress detection, sustainable resource management, smart irrigation, pest management, and climate resilience.

Chapter Two

2.0 Dataset Description

The Smart Farming Data 2024 dataset is a comprehensive agricultural dataset containing environmental, soil and crop related measurements collected from farms in California. The dataset was designed to support research and development in precision agriculture, sustainable farming, environmental monitoring and intelligent agricultural decision support systems. The dataset contains soil nutrient measurements including Nitrogen (N), Phosphorus (P), Potassium (K), soil pH, soil moisture and organic matter. Environmental variables include temperature, humidity, rainfall, sunlight exposure, wind speed, carbon dioxide concentration and frost risk. Additional farm management variables such as fertilizer usage, irrigation frequency, water source type, pest pressure, and crop density are also included. The target variable of this dataset is the crop label, which represents the crop type associated with each observation. Prior to model development, the dataset was examined for missing values, duplicate records, and data quality issues. Categorical variables were encoded into numerical representations where necessary, while numerical variables were standardized to improve model performance. Derived agricultural indicators including the Temperature-Humidity Index (THI), Nutrient Balance Ratio (NBR), Water Availability Index (WAI), Photosynthesis Potential (PP), and Soil Fertility Index (SFI) were created through feature engineering to capture more complex relationships between environmental and soil variables.

Chapter Three

3.0 Methodology

3.1 Introduction

This chapter describes the methodology used to analyze the Smart Farming Data 2024 dataset. It outlines the processes involved in data preprocessing, exploratory data analysis, feature engineering, model development, model evaluation, feature importance analysis, clustering and the implementation of practical smart farming applications. The methodology follows a standard data science workflow to ensure that the analysis is systematic and reliable.

3.2 Data Collection

The Smart Farming Data 2024 dataset was used for this project. The dataset contains agricultural and environmental measurements that were collected from farms in California. It includes information on soil nutrients, weather conditions, irrigation practices, crop characteristics and environmental factors that influence the agricultural productivity.

3.3 Data Preprocessing

Data preprocessing was performed to improve the quality of the dataset before analysis and model development. The following preprocessing steps were carried out:

- The dataset was imported into Python using the Pandas library.
- The structure of the dataset was examined using functions such as info() and describe().
- Missing values were checked to ensure data completeness.
- Duplicate records were identified and removed where necessary.
- Categorical variables were encoded into numerical values to make them suitable for machine learning algorithms.
- Numerical features were standardized using the StandardScaler technique to ensure all variables were measured on a comparable scale.
- The dataset was divided into training and testing datasets using train-test split to evaluate model performance.

3.4 Exploratory Data Analysis (EDA)

Exploratory Data Analysis was conducted to understand the characteristics of the dataset and identify important relationships among variables before model development.

Several visualization techniques were used including:

- Histograms to examine the distribution of numerical variables.
- Box plots to identify outliers.
- Scatter plots to investigate relationships between variables.
- Correlation heat maps to identify associations among numerical features.
- Count plots and bar charts to visualize categorical distributions.
- Pie charts to illustrate category proportions.

3.5 Feature Engineering

Feature engineering was performed to enhance the predictive capability of the dataset by creating additional variables derived from existing features.

The following engineered features were created:

- Temperature-Humidity Index (THI)
- Nutrient Balance Ratio (NBR)
- Water Availability Index (WAI)
- Photosynthesis Potential (PP)
- Soil Fertility Index (SFI)

These engineered variables captured more complex relationships between environmental conditions and soil properties, thereby improving the analytical value of the dataset.

3.6 Machine Learning Model Development

Five supervised machine learning algorithms were developed and trained for the crop classification:

- Decision Tree
- Random Forest
- Logistic Regression
- Gradient Boosting

- Extreme Gradient Boosting (XGBoost)

The dataset was divided into training and testing subsets before model training. Each model learned patterns from the training dataset and generated predictions using the testing dataset.

3.7 Model Evaluation

The performance of each machine learning model was evaluated using the following classification metrics:

- Accuracy
- Precision
- Recall
- F1-Score

These evaluation metrics provided a comprehensive assessment of each of the model's predictive performance and also enabled the comparison among the different algorithms.

3.8 Feature Importance Analysis

Feature importance analysis was conducted using the Random Forest algorithm in order to determine which of the variables contributed most to the crop classification. The importance scores were visualized using a horizontal bar chart displaying the ten most influential features. This analysis provided insights into the environmental and the soil characteristics that had the greatest impact on the model predictions.

3.9 Clustering Analysis

Unsupervised learning techniques were applied in order to identify the farms with the most similar agricultural characteristics.

Two clustering algorithms were implemented:

K-Means Clustering

The Elbow Method was first used to determine the optimal number of clusters. K-Means clustering was then applied to the segment farms into groups with the similar environmental and soil conditions.

DBSCAN Clustering

Density-Based Spatial Clustering of Applications with Noise (DBSCAN) was used to identify dense clusters while detecting potential outliers. This method complemented the K-Means results by discovering clusters of varying shapes and densities.

3.10 Smart Farming Applications

The findings from the machine learning models and clustering analysis were used to demonstrate practical applications in smart farming. These applications included:

- Precision Agriculture Systems
- Crop Stress Detection
- Sustainable Resource Management
- Smart Irrigation Solutions
- Pest Management Optimization
- Climate Resilience Research

These applications illustrate how machine learning and data analytics can support farmers in making very informed decisions that improve the productivity, optimize the utilization of resources and promote sustainable agricultural practices.

Chapter Four

4.0 Results and Discussion

4.1 Introduction

This chapter presents the findings obtained from the exploratory data analysis, machine learning models, feature importance analysis, clustering techniques and smart farming applications. The results are interpreted to demonstrate how environmental and soil-related variables influence crop classification and agricultural decision-making.

4.2 Exploratory Data Analysis Results

Exploratory Data Analysis (EDA) was conducted to understand the structure of the dataset and identify patterns among the variables before model development. The visualizations revealed that most of the numerical variables followed relatively consistent distributions, although several variables such as rainfall, fertilizer usage, and water usage efficiency contained a few outliers. These outliers may represent extreme environmental conditions or the unique farming practices. The correlation heat map indicated moderate relationships among several environmental variables, while no severe multicollinearity was observed. Scatter plots further demonstrated that the relationships between environmental factors and crop characteristics suggesting that this combinations of soil nutrients and climatic conditions influence the crop classification.

4.3 Machine Learning Model Performance

Five supervised machine learning algorithms were trained and evaluated for crop classification.

Model	Accuracy	Precision	Recall	F1-Score
Decision Tree	97.95%	98.05%	97.95%	97.96%
Random Forest	99.09%	99.15%	99.09%	99.09%
Gradient Boosting	**99.77%**	**99.78%**	**99.77%**	**99.77%**
Logistic Regression	97.50%	97.62%	97.50%	97.48%
XGBoost	98.86%	98.89%	98.86%	98.86%

The results indicate that all five machine learning models achieved excellent classification performance with accuracies above 97%. The Gradient Boosting model produced the highest Accuracy, Precision, Recall, and F1-Score making it the best-performing model for the crop classification. Random Forest and XGBoost also achieved outstanding performance demonstrating the effectiveness of the ensemble learning methods for agricultural datasets.

4.4 Feature Importance Analysis

Feature importance analysis was performed using the Random Forest classifier to determine which variables contributed most to crop classification. The analysis showed that the environmental conditions, soil nutrient levels, water-related measurements, and the engineered agricultural indices were among the top most influential predictors. These findings also indicate that the crop growth is strongly affected by the interaction between soil fertility, climatic conditions and also water availability. The feature importance results provide very valuable insights for precision agriculture by identifying the variables that farmers should monitor most closely when making agricultural management decisions.

4.5 Clustering Results

K-Means clustering successfully grouped the farms with similar agricultural characteristics into distinct clusters. The Elbow Method was used to determine the optimal number of clusters before model training. The resulting clusters represented farms with the most comparable environmental conditions, soil characteristics and management practices.

DBSCAN clustering complemented the K-Means results by identifying densely populated clusters while detecting observations that behaved as outliers. This demonstrated that farms do not always form uniformly shaped groups and highlighted unusual agricultural conditions that may require further investigation.

4.6 Smart Farming Applications

The developed models and analytical results were applied to several practical smart farming scenarios. The Precision Agriculture System generated recommendations for irrigation scheduling, fertilizer application, and pest management based on environmental and soil conditions. Crop Stress Detection identified farms experiencing different levels of environmental stress enabling early intervention. Sustainable Resource Management optimized recommendations related to water

usage, fertilizer application and soil conservation practices. The Smart Irrigation Solution provided adaptive irrigation recommendations using rainfall and soil moisture measurements. The Pest Management Optimization system produced early warning alerts based on environmental conditions and pest pressure indices allowing farmers to implement timely pest control measures. Climate Resilience Research analyzed the effects of extreme weather conditions and recommended resilience strategies to improve long-term agricultural sustainability. These practical applications demonstrate how machine learning can support intelligent decision-making in modern agriculture and contribute to improved productivity, efficient resource utilization, and sustainable farming practices.

Chapter Five

5.0 Conclusion

This project successfully applied machine learning and data analysis techniques to the Smart Farming Data 2024 dataset to support the precision agriculture and improve in agricultural decision-making. The project began with data preprocessing and exploratory data analysis in order to understand the characteristics of the dataset and identify patterns among the soil, environmental and crop related variables. Feature engineering was then performed to create additional agricultural indicators that enhanced the analytical value of the dataset. Five supervised machine learning algorithms Decision Tree, Random Forest, Logistic Regression, Gradient Boosting, and XGBoost were developed and evaluated for crop classification. Among these models the Gradient Boosting classifier achieved the highest predictive performance demonstrating excellent accuracy, precision, recall, and F1-score. Feature importance analysis further identified the variables that contributed the most significantly to the crop classification, providing valuable insights into the environmental and soil factors influencing agricultural productivity. In addition to predictive modeling, K-Means and DBSCAN clustering techniques were also used to group the farms with the most similar characteristics, enabling in the identification of the meaningful agricultural patterns. The project also demonstrated practical smart farming applications, including precision agriculture, crop stress detection, sustainable resource management, smart irrigation, pest management and climate resilience. These applications illustrate how machine learning can transform agricultural data into actionable recommendations that support efficient resource utilization and sustainable farming practices. Overall, the project achieved its objectives and demonstrated that data-driven approaches can significantly improve the agricultural decision-making. The integration of the machine learning techniques with agricultural data provides an effective foundation for developing intelligent farming systems capable of increasing productivity while promoting sustainability.

5.1 Recommendations

1. Integrate real-time Internet of Things sensors to continuously collect environmental and soil data for more accurate predictions.
2. Expand the dataset by including farms from different geographical regions to improve the generalizability and robustness of the machine learning models.
3. Investigate additional machine learning and deep learning techniques to further improve crop classification performance and predictive accuracy.
4. Develop a web-based or mobile-based decision support system that allows farmers to access irrigation, fertilizer, pest management, and crop recommendations in real time.
5. Regularly retrain the predictive models using newly collected agricultural data to maintain high prediction accuracy under changing environmental conditions.
6. Include additional agricultural variables, such as soil texture, crop disease information, satellite imagery, and historical climate data, to further enhance predictive performance and support more comprehensive smart farming applications.