FIELD ACTIVITIES 17642 BEACH BLVD

Boring Advancement and Soil Sampling

To further assess subsurface conditions at the Subject Property, 8 soil borings were advanced to depths ranging from 3 to 15 feet below ground surface (bgs) on July 21, 2020 (Figure 2, *Proposed Boring Location Map*). The project sampling matrix, including boring locations and additional information is presented below as Table 1*, Sampling Matrix*.

Table 1, Sampling Matrix

Location	Boring IDs	Depth of Boring (feet below ground surface [bgs])	Soil Sampling	
			Sample Depth	Analytes
Step out at B22A	B33-B35	3 feet	0.5 and 3 feet	Lead
Step out at B19/B19A	B36, B37	5 feet	0.5, 3, and 5 feet	Hexavalent Chromium
Step out at B19/B19A and address former cesspool	B38	15 feet	0.5, 3, and 5, 10, and 15 feet	Hexavalent Chromium (0.5, 3, and 5 feet); TPH-g, TPH-d, TPH-o, VOCs, SVOCs, and California Title 22 Metals (5, 10, and 15 feet)
Address former cesspool (Septic System)	B39, B40	15 feet	5, 10, and 15 feet	TPH-g, TPH-d, TPH-o, VOCs, SVOCs, and California Title 22 Metals

TPH-d = total petroleum hydrocarbons, diesel range organics
TPH-g = total petroleum hydrocarbons, gasoline range organics
TPH-o = total petroleum hydrocarbons, oil range organics
VOCs = volatile organic compounds
SVOCs = semi-volatile organic compounds

Soil Sampling

Soil borings B33-B37 were advanced using a hand auger. Soil samples were collected at the approximate depths presented in Table 1. In all soil borings, once each sampling depth was reached, the hand auger was removed from the borehole and an undisturbed soil sample was collected using a slide hammer sampler including a stainless-steel sampling sleeve. Following sample retrieval, both ends of the sleeve were covered with a Teflon sheet and sealed with a plastic end cap.

Soil borings B38 through B40 were advanced using Geoprobe direct-push drilling technology and hand-auger equipment to a total depth of 15 feet bgs. Direct-push drilling rigs are hydraulically powered soil probing machines that use both static force and percussion to drive steel boring rods into the subsurface. Before the initiation of drilling, the upper 5 feet of the borehole was cleared with a hand auger to verify the absence of underground utilities or other shallow obstructions.

During direct-push drilling, continuous soil samples were collected using 5-foot long acetate sleeves. The direct-push rig hydraulically drove the sampling sleeve the entire 5-foot interval. Following sample retrieval, the portion of the sleeve chosen for samples (i.e., 5 feet bgs, 10 feet bgs, and 15 feet bgs) was cut and the ends of each sample were covered with Teflon sheets and sealed with plastic end caps.

Soil samples were labeled with an identification number, sealed in a plastic bag, and placed into a chilled cooler. Soil samples were collected and transferred under proper chain-of-custody protocols to Eurofins Calscience (Calscience) of Garden Grove, a California state certified laboratory. Select samples were analyzed for hexavalent chromium by United States Environmental Protection Agency (USEPA) Method 7199, lead by USEPA Method 6010B, Title 22 Metals by USEPA Method 6010B, mercury by USEPA Method 7471A, TPH gasoline range organics (TPH-g), TPH diesel range organics (TPH-d), and TPH oil range organics (TPH-o) by USEPA Method 8015B, volatile organic compounds (VOCs) by USEPA 8260B, and semi-volatile organic compounds (SVOCs) by USEPA 8270C. All samples were submitted for analysis on a 48-hour turnaround time.

Soils within the unused portion of the sleeve within each sampling interval were screened in the field using a photoionization detector (PID) to evaluate organic vapor content. A portion of the soil was placed in a sealable plastic bag for approximately 10 minutes. The organic vapor concentration in the headspace of the plastic bag was then measured using a PID. Soil descriptions and PID measurements were recorded and documented on field logs.

Excavation

Two areas of presumed buried metal debris were previously identified during a geophysical survey completed for the Subject Property. On July 22, 2020, using detailed maps provided in the geophysical survey, EEC located the buried debris and oversaw Rice General (Rice) excavate both identified locations utilizing a mini-excavator and a shovel. During excavation activities, EEC visually evaluated the surrounding soil conditions and noted if any odors were observed. EEC also used a PID to evaluate organic vapors of surrounding soil. Ms. Tamara Escobedo from the OCHCA was onsite to oversee the excavation activities.

The first area of excavation was at the northwest portion of the Subject Property. The excavation consisted of an area approximately 8-feet by 7-feet by 2-feet deep. A buried metal fence post surrounded by concrete was found beneath the surface, as well as an old sewer pipe. The second area was along the south boundary of the property. Because the second area was located in the presumed location of an old electric line, the scraper of the excavator was used to remove the vegetation and then a shovel was used to dig in the area of the buried metal debris. Small pieces of metal debris were found at ground levels and glass shards and PVC piping were unearthed just below the surface. It is expected that the metal debris at the surface were the cause of the detections during the geophysical survey. No evidence of contamination was found in either area. With Ms. Escobedo’s approval the soil was replaced.

Investigation Derived Waste and Excavated Soil

Soil cuttings and decontamination water generated during this assessment work were stored onsite in two United States Department of Transportation (DOT) approved 55-gallon drums. The drums were labeled documenting the accumulation start date, description of contents, and applicable contact information. Wastes will be profiled, manifested, and disposed of within 90 days of generation.

RESULTS

Soil Sampling

A total of 23 soil samples were collected and analyzed for California Title 22 metals, hexavalent chromium, lead, mercury, TPH-g, TPH-d, and TPH-o, VOCs, and SVOCs on July 21, 2020 (Table 1). The soil laboratory results are summarized below and in Table 2, *Summary of Soil Analytical Results – Metals* and Table 3, *Summary of Soil Analytical Results – Pesticides, TPH, and VOCs*. Estimated values (J) detected below the reporting limit and above the laboratory method detection limit are included in the summary. Analytical results were compared to the USEPA Regional Screening Levels (RSLs) for residential soil and DTSC Screening Levels (SLs) for residential soil. If both RSLs and SLs were available for a particular analyte, then the more stringent value was used. Additionally, TPH-cc results were compared to OCHCA residential clean-up goals for shallow soil. Laboratory analytical results, chain-of-custody documentation, and quality control data are provided in Attachment 3, *Laboratory Analytical Reports, Chain-of-Custody Record, and QA/QC Data*.

Metals

- With the exception of hexavalent chromium and lead, metals detected in soil samples were at concentrations below their respective USEPA RSLs, DTSC SLs, or established background levels.

- Hexavalent chromium was detected in four (4) soil samples in the upper 5 feet of soil at concentrations that exceeded the USEPA RSL and DTSC SL of 300 micrograms per kilogram (ug/kg); B36-3.0 at a concentration of 310 J μg/kg; B36-5.0 at a concentration of 320 J μg/kg; B37-3.0 at a concentration of 300 J μg/kg; and B38-5.0 at a concentration of 450 μg/kg.

- Lead was detected in two (2) soil samples in the upper 0.5 feet of soil at concentrations that exceeded the USEPA RSL of 80 milligrams per kilogram (mg/kg) and the DTSC-SL of 82 mg/kg; B33-0.5 at 145 mg/kg and B35-0.5 at 112 mg/kg.

Pesticides, TPH, and VOCs

- Organochlorine pesticides were not detected above laboratory reporting limits in any of the soil samples that were analyzed.

- TPH-g, TPH-d, and TPH-o were not detected above laboratory reporting limits in any of the soil samples that were analyzed.

- VOCs were not detected above laboratory reporting limits in any of the soil samples that were analyzed.

- Except for phenol, SVOCs were not detected above laboratory reporting limits in any of the soil samples that were analyzed. Phenol was detected in two soil samples collected but concentrations were below the respective USEPA RSL.

CONCLUSIONS AND RECOMMENDATIONS

Based on the results of the site assessment, soil with elevated concentrations lead was found in B33 and B35 at depths of approximately 0.5 feet bgs and soil with elevated concentrations of hexavalent chromium was found in B36, B37, and B38 at depths between approximately 3 and 5 feet bgs. No other constituents were present at levels that represent an environmental concern. The hexavalent chromium and lead detections appear generally consistent with what has been found at the 17631 Cameron Ln. property. Based on this information, EEC recommends that soil impacts at the Subject Property parcel should be addressed in the same manner as recommended for the 17631 Cameron Ln. parcel, in the letter issued by the OCHCA on May 22, 2020.

EEC appreciated this opportunity to provide you with the environmental services described in this letter report. Should there be any questions or comments, please feel free to contact me at (714) 667-2300 or dbernier@eecenvironmental.com.

Sincerely,

EEC Environmental

David Bernier, PG
Principal Geologist

Attachments:
1. Tables
   Table 2 – Summary of Soil Analytical Results – Metals
   Table 3 – Summary of Soil Analytical Results – Pesticides, TPH, SVOCs and VOCs
2. Figures
   Figure 1 – Site Location Map
   Figure 2 – Soil Boring Location Map
3. Laboratory Analytical Reports, Chain-of-Custody Record, and QA/QC Data

Table 2, Summary of Soil Analytical Results - Metals
17642 Beach Boulevard
Huntington Beach, California

Sample ID	Sample Depth (feet bgs)	Date	Antimony (mg/Kg)	Arsenic (mg/Kg)	Barium (mg/Kg)	Beryllium (mg/Kg)	Cadmium (mg/Kg)	Chromium (mg/Kg)	Cobalt (mg/Kg)	Copper (mg/Kg)	Lead (mg/Kg)	Molybdenum (mg/Kg)	Nickel (mg/Kg)	Selenium (mg/Kg)	Silver (mg/Kg)	Thallium (mg/Kg)	Vanadium (mg/Kg)	Zinc (mg/Kg)	Mercury (mg/Kg)	Hexavalent Chromium (μg/Kg)
			USEPA Method 6010B																USEPA Method 7471A	USEPA Method 7199
B19-0.5	0.5	04/14/2020	NA	NA	NA	NA	NA	NA	NA	NA	**12.5**	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B19-3.0	3.0	04/14/2020	NA	NA	NA	NA	NA	NA	NA	NA	**4.07**	NA	NA	NA	NA	NA	NA	NA	NA	**310 J**
B19-A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	**350 J**
B19-A-5.0	5.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	**310 J**
B19-A-6.0	6.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B19-A-7.0	7.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<200
B19-A-8.0	8.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<200
B20-0.5	0.5	04/14/2020	NA	NA	NA	NA	NA	NA	NA	NA	**4.03**	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B20-3.0	3.0	04/14/2020	NA	NA	NA	NA	NA	NA	NA	NA	**2.45**	NA	NA	NA	NA	NA	NA	NA	NA	**290 J**
B21-0.5	0.5	04/14/2020	NA	NA	NA	NA	NA	NA	NA	NA	**7.55**	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B21-3.0	3.0	04/14/2020	NA	NA	NA	NA	NA	NA	NA	NA	**7.26**	NA	NA	NA	NA	NA	NA	NA	NA	**270**
B22-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	**31.5**	NA	NA	NA	NA	NA	NA	NA	NA	ND<800
B22-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	**91.3**	NA	NA	NA	NA	NA	NA	NA	NA	ND<800
B22-A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	**3.24**	NA	NA	NA	NA	NA	NA	NA	NA	**290 J**
B23-0.5	0.5	04/13/2020	ND<0.769	**9.05**	**92.3**	**0.502**	ND<0.513	**12.9**	**4.9**	**14.5**	**14.8**	ND<0.256	**8.12**	ND<0.769	ND<0.256	ND<0.769	**24.1**	**76.5**	**0.0871**	ND<800
B23-3.0	3.0	04/13/2020	ND<0.743	**3.92**	**83.0**	**0.748**	ND<0.495	**16.0**	**7.38**	**6.63**	**3.13**	**1.16**	**10.6**	ND<0.743	ND<0.248	ND<0.743	**33.4**	**38.4**	ND<0.0820	**230 J**
B24-0.5	0.5	04/13/2020	ND<0.754	**5.93**	**77.0**	**0.498**	ND<0.503	**11.8**	**4.64**	**14.6**	**12.6**	ND<0.251	**7.91**	ND<0.754	ND<0.251	ND<0.754	**20.2**	**64.8**	ND<0.0833	ND<400
B24-3.0	3.0	04/13/2020	**1.18**	**3.58**	**83.8**	**0.650**	ND<0.495	**13.2**	**6.66**	**10.4**	**5.92**	**0.794**	**9.6**	ND<0.743	ND<0.248	ND<0.743	**30.2**	**47.0**	ND<0.0862	**220 J**
B25-0.5	0.5	04/14/2020	**1.38**	**5.61**	**110**	**0.454**	ND<0.508	**11.3**	**4.35**	**23.4**	**60.0**	ND<0.254	**7.99**	ND<0.761	ND<0.254	ND<0.761	**18.9**	**114**	ND<0.0794	ND<400
B25-3.0	3.0	04/14/2020	**1.15**	**1.57**	**68**	**0.703**	ND<0.485	**15.3**	**5.79**	**8.7**	**2.3**	ND<0.243	**10.10**	ND<0.728	ND<0.243	ND<0.728	**27.3**	**35.6**	ND<0.0877	**250 J**
B33-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	**145**	NA	NA	NA	NA	NA	NA	NA	NA	NA
B33-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	**2.03**	NA	NA	NA	NA	NA	NA	NA	NA	NA
B34-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	**78.5**	NA	NA	NA	NA	NA	NA	NA	NA	NA
B34-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	**4.95**	NA	NA	NA	NA	NA	NA	NA	NA	NA
B35-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	**112**	NA	NA	NA	NA	NA	NA	NA	NA	NA
B35-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	**4.35**	NA	NA	NA	NA	NA	NA	NA	NA	NA
B36-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<4,000
B36-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	**310 J**
B36-5.0	5.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	**320 J**
B37-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B37-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	**300 J**
B37-5.0	5.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	**250 J**
B38-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<4,000
B38-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	**240 J**
B38-5.0	5.0	07/21/2020	ND<0.718	**2.02**	**71.6**	**0.839**	ND<0.478	**19.0**	**14.6**	**10.1**	**3.23**	**0.288**	**12.2**	ND<0.718	ND<0.239	ND<0.718	**37.9**	**36.0**	ND<0.0877	**450**
B38-10.0	10.0	07/21/2020	ND<0.750	**2.50**	**76.5**	**0.712**	ND<0.500	**14.9**	**7.77**	**8.3**	**1.21**	ND<0.250	**10.2**	ND<0.750	ND<0.250	ND<0.750	**32.6**	**37.3**	ND<0.0847	ND<200
B38-15.0	15.0	07/21/2020	ND<0.754	**1.81**	**123**	**0.822**	ND<0.503	**16.1**	**12.5**	**17.9**	**4.01**	ND<0.251	**17.1**	ND<0.754	ND<0.251	ND<0.754	**36.4**	**49.7**	ND<0.0806	NA
B39-5.0	5.0	07/21/2020	ND<0.765	**2.01**	**96.3**	**0.776**	ND<0.510	**13.4**	**11.9**	**9.35**	**2.62**	ND<0.255	**13.8**	ND<0.765	ND<0.255	ND<0.765	**31.6**	**28.5**	ND<0.0847	NA
B39-10.0	10.0	07/21/2020	ND<0.765	**2.53**	**66.9**	**0.732**	ND<0.510	**13.1**	**10.9**	**9.67**	**1.01**	ND<0.255	**11.1**	ND<0.765	ND<0.255	ND<0.765	**32.6**	**35.0**	ND<0.0806	ND<200
B39-15.0	15.0	07/21/2020	ND<0.773	**6.37**	**142**	**0.967**	**0.516**	**19.7**	**11.1**	**19.0**	**1.63**	**0.362**	**17.7**	ND<0.773	ND<0.258	ND<0.773	**49.2**	**57.1**	ND<0.0833	NA
B40-5.0	5.0	07/21/2020	ND<0.761	**0.878**	**60.7**	**0.673**	ND<0.508	**11.5**	**5.92**	**8.30**	**1.70**	ND<0.254	**9.25**	ND<0.761	ND<0.254	ND<0.761	**26.9**	**24.1**	ND<0.0820	NA
B40-10.0	10.0	07/21/2020	ND<0.773	**1.96**	**70.6**	**0.606**	ND<0.515	**11.0**	**9.32**	**7.78**	**0.978**	ND<0.258	**9.53**	ND<0.773	ND<0.258	ND<0.773	**26.6**	**34.2**	ND<0.0862	ND<200
B40-15.0	15.0	07/21/2020	ND<0.785	**0.995**	**89.3**	**0.997**	ND<0.524	**21.1**	**10.0**	**21.5**	**1.13**	ND<0.262	**16.1**	ND<0.785	ND<0.262	ND<0.785	**39.5**	**55.6**	ND<0.0820	NA
USEPA RSLs for Soil - Residential (mg/kg)			*31*	*0.68*	*15,000*	*160*	*71*	*--*	*23*	*3,100*	*82*	*390*	*1,500*	*390*	*390*	*0.78*	*390*	*23,000*	*23*	*300* (3)
DTSC SL for Soil - Residential (mg/kg) (1)			*--*	*0.11*	*--*	*16* (2)	*910*	*--*	*--*	*--*	*80* (2)	*--*	*820* (2)	*--*	*--*	*--*	*--*	*--*	*1.0* (2)	*300* (3)

Key:

NA - Not analyzed

bgs = below ground surface

RSLs= Regional Screening Levels

J = Result is less than the reporting limit but greater than or equal to the method detection limit

ND<X = not detected above the reporting limit or method detection limit

SL = Screening level

USEPA = United States Environmental Protection Agency Region IX

μg/kg = micrograms per kilogram

Notes:

(1) DTSC Human and Ecological Risk Office (HERO) Human Health Risk Assessment (HHRA) Note 3, April 2019.

(2) Value is DTSC SL non-cancer endpoint

(3) RSL and SL were converted to μg/kg

-- = Note 3 SL not available or references USEPA RSLs

Yellow highlighed results exceed RSL and SL

Table 3, Summary of Soil Analytical Results - Pesticides, TPH, SVOCs and VOCs
17642 Beach Boulevard
Huntington Beach, California

Sample ID	Sample Depth (feet bgs)	Date	4,4'-DDE (µg/Kg)	4,4'-DDT (µg/Kg)	Toxaphene (µg/Kg)	Other Pesticides	TPH-g C_4-C_{12} (mg/kg)	TPH-d C_{10}-C_{28} (mg/kg)	TPH-o C_{18}-C_{40} (mg/kg)	SVOCs (mg/kg)	PCE (µg/kg)	TCE (µg/kg)	Benzene (µg/kg)	Naphthalene (µg/kg)	Other VOCs
			Pesticides - USEPA Method 8081A				USEPA 8015B			USEPA 8270C	USEPA 8260B				
B19-0.5	0.5	04/14/2020	ND<5.0	ND<5.0	ND<25	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B19-3.0	3.0	04/14/2020	ND<5.0	ND<5.0	ND<25	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B20-0.5	0.5	04/14/2020	ND<5.0	ND<5.0	ND<25	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B20-3.0	3.0	04/14/2020	ND<5.0	ND<5.0	ND<25	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B21-0.5	0.5	04/14/2020	ND<5.0	ND<5.0	ND<25	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B21-3.0	3.0	04/14/2020	ND<5.0	ND<5.0	ND<25	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B22-0.5	0.5	04/13/2020	ND<5.0	ND<5.0	ND<25	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B22-3.0	3.0	04/13/2020	**9.9**	**24**	**28**	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA
B23-0.5	0.5	04/13/2020	**27**	**46**	ND<25	ND	ND<4.9	ND<4.9	ND<4.9	NA	NA	NA	NA	NA	ND
B23-3.0	3.0	04/13/2020	ND<10	ND<10	ND<50	ND	ND<4.8	ND<4.8	ND<4.8	NA	NA	NA	NA	NA	ND
B24-0.5	0.5	04/13/2020	**21**	**60**	ND<25	ND	ND<4.9	ND<4.9	ND<4.9	NA	NA	NA	NA	NA	ND
B24-3.0	3.0	04/13/2020	ND<5.0	**8.8**	ND<25	ND	ND<5.0	**13**	**4.0 J**	NA	NA	NA	NA	NA	ND
B25-0.5	0.5	04/14/2020	**41**	**59**	ND<25	ND	ND<4.9	**11**	ND<4.9	NA	NA	NA	NA	NA	ND
B25-3.0	3.0	04/14/2020	**ND<5.0**	**ND<5.0**	ND<25	ND	ND<4.8	**7.5**	ND<4.8	NA	NA	NA	NA	NA	ND
B33-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B33-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B34-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B34-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B35-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B35-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B36-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B36-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B36-5.0	5.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B37-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B37-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B37-5.0	5.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B38-0.5	0.5	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B38-3.0	3.0	07/21/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
B38-5.0	5.0	07/21/2020	NA	NA	NA	NA	ND<0.10	ND<4.9	ND<4.9	ND	ND<0.86	ND<1.7	ND<0.86	ND<8.6	ND
B38-10.0	10.0	07/21/2020	NA	NA	NA	NA	ND<0.099	ND<4.9	ND<4.9	**Phenol = 1.2** All others = ND	ND<0.79	ND<1.6	ND<0.79	ND<7.9	ND
B38-15.0	15.0	07/21/2020	NA	NA	NA	NA	ND<0.10	ND<4.9	ND<4.9	**Phenol = 0.63** All others = ND	ND<0.87	ND<1.7	ND<0.87	ND<8.7	ND
B39-5.0	5.0	07/21/2020	NA	NA	NA	NA	ND<0.099	ND<5.0	ND<5.0	ND	ND<0.92	ND<1.8	ND<0.92	ND<9.2	ND
B39-10.0	10.0	07/21/2020	NA	NA	NA	NA	ND<0.099	ND<5.0	ND<5.0	ND	ND<0.70	ND<1.4	ND<0.70	ND<7.0	ND
B39-15.0	15.0	07/21/2020	NA	NA	NA	NA	ND<0.099	ND<5.0	ND<5.0	ND	ND<0.85	ND<1.7	ND<0.85	ND<8.5	ND
B40-5.0	5.0	07/21/2020	NA	NA	NA	NA	ND<0.10	ND<4.8	ND<4.8	ND	ND<0.84	ND<1.7	ND<0.84	ND<8.4	ND
B40-10.0	10.0	07/21/2020	NA	NA	NA	NA	ND<0.10	ND<5.0	ND<5.0	ND	ND<1.0	ND<2.0	ND<1.0	ND<10	ND
B40-15.0	15.0	07/21/2020	NA	NA	NA	NA	ND<0.10	ND<5.0	ND<5.0	ND	ND<5.0	ND<5.0	ND<5.0	ND<50	ND
USEPA RSLs for Soil - Residential (µg/kg)			*2,000*	*1,900*	*490*	*Varies*	*--*	*--*	*--*	*19,000**	*24,000*	*940*	*1,200*	*2,000*	*Varies*
DTSC SL for Soil - Residential (µg/kg) (1)			*--*	*--*	*450*	*Varies*	*--*	*--*	*--*	*--*	*590*	*--*	*330*	*2,000*	*Varies*
OCHCA Residential Cleanup Goals (mg/kg) (2)			*--*	*--*	*--*	*--*	*Non-detect*	*100*		*--*					

Key:

-- Not available
bgs = below ground surface
DTSC = Department of Toxic Substances Contro
ESLs= Environmental Screening Levels
mg/kg = milligrams per kilogram
ND<X = not detected above the method detect
NS = not sampled
OCHCA = Orange County Health Care Agency
RSLs = Regional Screening Levels
TPH-d = total petroleum hydrocarbons diesel range organics
TPH-g = total petroleum hydrocarbons gasoline range organics
TPH-o = total petroleum hydrocarbons oil range organics
USEPA = United States Environmental Protection Agency Region IX
µg/kg = micrograms per kilogram
VOCs = volatile organic compounds
SVOCs = semi-volatile organic compounds

Notes:

* Screening level for Phenol; value is in mg/kg.
(1) DTSC Human and Ecological Risk Office (HERO) Human Health Risk Assessment (HHRA) Note 3, April 2019.
(2) OCHCA Residential Cleanup Goals for top ten feet of soil for TPH-g and top five feet of soil for TPH-d and TPH-o.