



Corporate Office

Tel: (714) 667-2300

Fax: (714) 667-2310

One City Boulevard West, Suite 1800

Orange, California 92868

www.eecenvironmental.com

Site Assessment Report

Cameron Ln. Property
17631 Cameron Lane
Huntington Beach, California
OCHCA Case #20IC002

June 25, 2020

Prepared for:

Mr. Carlos Marquez
City of Huntington Beach
200 Main Street
Huntington Beach, California 92648

Prepared by:

EEC Environmental
One City Boulevard West, Suite 1800
Orange, California 92868
EEC S-3506.02T

A handwritten signature in cursive script that reads "Laura Holder".

Laura Holder
Project Manager

A handwritten signature in cursive script that reads "David Bernier".

David Bernier, PG
Principal Geologist



TABLE OF CONTENTS

1.0 INTRODUCTION	1
1.1 SCOPE OF WORK	1
2.0 BACKGROUND	1
2.1 SITE DESCRIPTION.....	1
2.2 PHYSIOGRAPHY	2
2.3 GEOLOGY AND HYDROGEOLOGY	2
3.0 SITE INVESTIGATION ACTIVITIES	2
3.1 PRE-FIELD ACTIVITIES.....	2
3.1.1 <i>Health and Safety Plan</i>	2
3.1.2 <i>Utility Clearance</i>	2
3.2 HAND-AUGER SOIL BORING ADVANCEMENT AND SOIL SAMPLING	3
3.2.1 <i>Summary of Phases of Hand-Auger Soil Sampling</i>	3
3.3 GEOPROBE DRILLING AND SOIL AND GROUNDWATER SAMPLING	4
3.3.1 <i>Groundwater Sampling</i>	5
4.0 SAMPLING RESULTS.....	7
4.1 SOIL	7
4.2 GROUNDWATER	8
5.0 INVESTIGATION DERIVED WASTE AND EXCAVATED SOIL	8
6.0 CONCLUSIONS AND RECOMMENDATIONS	8
7.0 REFERENCES	10

Tables

In Text

Table 3-1	Sampling Matrix	6
-----------	-----------------------	---

Attached

Table 1	Summary of Soil Analytical Results – Metals
Table 2	Summary of Soil Analytical Results – Pesticides and Herbicides
Table 3	Summary of Groundwater Analytical Results – Hexavalent Chromium

Figures

Figure 1	Site Location Map
Figure 2	Boring Location Map

Appendices

Appendix A	Laboratory Analytical Reports, Chain-of-Custody Record, and QA/QC Data
------------	--

1.0 INTRODUCTION

On behalf of the City of Huntington Beach, EEC Environmental (EEC) has prepared this Site Assessment Report for the Cameron Ln. Property located at 17631 Cameron Lane, Huntington Beach, California (subject property; Figure 1, *Site Location Map*). The purpose of the site assessment was to address findings of EEC's Phase I Environmental Site Assessment (ESA) dated March 18, 2020, which identified potential use of pesticides/herbicides and lead-based paint in connection with former agricultural use and residential use as environmental concerns and recommended soil sampling. The Phase I ESA and the site assessment activities were completed in connection with proposed redevelopment of the subject property.

This report documents the methods, procedures, and results of the site assessment activities at the subject property. All work was completed in general accordance with EEC's April 2, 2020 proposal to the City of Huntington Beach (EEC, 2020) and subsequent correspondence between the City of Huntington Beach and EEC. All work was performed under the supervision of a California licensed Professional Geologist (PG) and the Orange County Health Care Agency (OCHCA).

1.1 Scope of Work

The completed site assessment activities included the following tasks:

- Preparing a site-specific health and safety plan (HASP) appropriate for the scope of work.
- Contacting Underground Service Alert (USA) 72 hours prior to initiation of fieldwork.
- Advancing 35 borings for the collection of soil and groundwater samples from depths ranging from approximately 0.5 feet below ground surface (bgs) to 24 feet bgs.
- The collection and analysis of 86 soil samples for organochlorine pesticides (OCPs), herbicides, lead, Title 22 Metals, and hexavalent chromium and 3 groundwater samples for hexavalent chromium.
- Excavation of soil containing elevated concentrations of lead and OCPs at two locations.

2.0 BACKGROUND

2.1 Site Description

The approximately 0.79-acre subject property consists of a residential lot identified as Assessor Parcel Number (APN) 167-042-08, 17631 Cameron Lane in Huntington Beach, Orange County, California. The east side of the subject property is currently developed with an unoccupied single-family residence that was developed in 1947. A Phase I ESA was completed for the subject property on March 18, 2020 (EEC, 2020). The Phase I ESA indicated that based on a review of historical aerial photographs, the subject property appeared to be used for agricultural purposes (row crops) from the 1930s to the 1950s and given this usage, it is possible that pesticides and/or herbicides were once used onsite. Additionally, due to the date of construction of the residence, lead-based paint may have been used on the subject property residence. Based on this information, the Phase I ESA recommended soil sampling to assess for potential residual pesticides and herbicides from former agricultural use and to assess for potential lead in the location of the current building exterior.

2.2 Physiography

The most recent topographic map coverage of the subject property is provided by the U.S. Geological Survey (USGS) 7.5-minute, Newport Beach, California quadrangle map, dated 2012 (Figure 1). According to the USGS topographic map, the subject property is located at an elevation of approximately 25 to 30 feet above mean sea level (msl). The topography in the general subject property area slopes gently to the north-northeast.

2.3 Geology and Hydrogeology

Onsite activities described in this report indicated that soil at the subject property consists primarily of silt at 1 foot bgs. At five feet bgs, soil consists primarily of clayey sand and sandy clay. At 8 feet bgs soil consists of silt, clayey silt, silty sand, sand, sandy clay, and clayey sand. At 20 feet bgs, soil consists of silt, clayey sand, and clayey silt. At 24 feet bgs, the maximum depth explored, soil consists of sand and silty sand.

According to a Quarterly Status Report, Second Quarter 2019 for a site located approximately 500 feet northwest of the subject property, the groundwater flow direction is southwest (Atlas Environmental Engineering, Inc., 2019). During onsite activities, groundwater was encountered at 23 and 24 feet bgs.

3.0 SITE INVESTIGATION ACTIVITIES

Between April 6 and May 11, 2020, a total of 35 soil borings were advanced to depths ranging from approximately 0.5 to 8 feet bgs for the collection of soil samples at the subject property. In addition, three groundwater samples were collected and two soil excavations were completed.

3.1 Pre-Field Activities

Prior to beginning soil sampling activities, EEC completed the following tasks necessary to initiate field activity.

3.1.1 *Health and Safety Plan*

To protect workers, EEC prepared a HASP as appropriate for the scope of work. The HASP informed all site workers of potential risks during field sampling activities and provided engineering controls to avoid physical and chemical hazards. The HASP addressed potential physical and chemical hazards associated with field operations. The HASP outlined the steps to prevent exposures from all site activities. The HASP also described the safe use of equipment, evaluation of hazards, safe investigation procedures, personal protective equipment, emergency procedures and training required to conduct the site assessment under typical Hazardous Waste Operations and Emergency Response protocol.

3.1.2 *Utility Clearance*

EEC contacted USA and provided the specific property boundaries so that the proposed work area was provided to utility owners responding to the USA ticket. USA is a regional notification center that notifies owners and operators of subsurface utilities (water, gas, electric, sewer, oil lines, etc.) and informs them

of a contractor's intent to perform subsurface work. EEC notified USA of the intent to perform subsurface work a minimum of 72 hours prior to the beginning of the on-site activities.

3.2 Hand-Auger Soil Boring Advancement and Soil Sampling

Between April 6 and April 28, 2020, EEC advanced a total of 27 soil borings at the subject property (B1 through B18, B4-A, B6-A, and B26-B32; Figure 2, *Boring Location Map*) to total depths of 3 feet bgs. The borings were advanced using a hand auger. Once each sampling depth was reached, the hand auger was removed from the borehole and an undisturbed soil sample was collected using a slide hammer sampler including a stainless steel sampling sleeve. Following sample retrieval, both ends of the sleeve were covered with a Teflon sheet and sealed with a plastic end cap. Soil samples were then labeled with an identification number, sealed in a plastic bag, and placed into a chilled cooler.

An unused portion of soil from each sampling interval was used for field screening using a photoionization detector (PID) for evaluation of organic vapor content and for logging lithology. Field screening was conducted by placing a portion of the unpreserved soil in a sealable plastic bag for approximately 10 minutes. The organic vapor concentration in the headspace of the plastic bag was then measured using a PID. Soil descriptions and PID measurements were recorded and documented on field notes. All field activities were performed under the direct oversight of a California PG.

All soil samples were collected and transferred under proper chain-of-custody protocols to Eurofins Calscience (Calscience) of Garden Grove, a California state-certified laboratory. Selected soil samples were analyzed for organochlorine pesticides (OCPs) by United States Environmental Protection Agency (USEPA) Method 8081A, herbicides by USEPA Method 8151A, California Title 22 metals by USEPA Method 6010B, mercury by USEPA Method 7471A, and hexavalent chromium by USEPA Method 7199.

The specific soil sampling method for each sample location is provided in Table 3-1, *Soil Sampling Matrix*, on Page 6 of this report. Because multiple phases of soil sampling and analysis were completed, Section 3.2.1 below provides a timeline summary to clarify the sequence of events that took place between April 6 and April 28, 2020. Specific details related to analytical results, screening levels, and soil excavations are provided in Sections 4.1 and 5.1 of this report.

3.2.1 Summary of Phases of Hand-Auger Soil Sampling

The initial sampling event took place at the subject property on April 6, 2020. The purpose of this initial sampling event was to determine if residual pesticides or lead were present in soil as a result of former agricultural use and potential use of lead-based paint on the residence as identified in EEC's Phase I ESA dated March 18, 2020. Six hand auger borings (B1 through B6) were advanced and soil samples were collected from 0.5 and 3 feet bgs. The soil samples were submitted to Calscience and analyzed for OCPs and lead by USEPA Methods 8081A and 6010B.

Based on the results of the soil sampling, which identified elevated concentrations of lead and OCPs in B4 and B6, respectively, four additional hand-auger borings (B7 through B10) were advanced on April 13, 2020 and soil samples were collected from 0.5 and 3 feet bgs for additional site coverage. The soil samples were submitted to Calscience and analyzed for OCPs and lead by USEPA Methods 8081A and 6010B. Results of the April 13, 2020 soil sampling indicated that elevated concentrations of OCPs were found in B7, on the northwest portion of the subject property.

Due to the expeditious nature of the project, on April 13, 2020, soil at the location of borings B4 and B6 was excavated and soil samples were collected from confirmation borings at the sidewalls of the excavations (B15 through B18 around B4; B11 through B14 around B6) and submitted to Calscience for analysis of OCPs and lead by USEPA Methods 8081A and 6010B. Elevated concentrations of OCPs and lead were not found in confirmation borings around B4 and B6, with the exception of boring B11, which had elevated concentrations of OCPs. Approximately 1.39 cubic yards of material was removed from the location of boring B4 and approximately 1.39 cubic yards of material was removed from the location of boring B6.

Based on elevated concentrations of OCPs in B7 and B11, step-out hand-auger borings were advanced adjacent to B7 (B29 through B32) and B11 (B26 through B28) on April 16, 2020. Soil samples were collected from 0.5 and 3 feet bgs and submitted to Calscience for analysis of OCPs by USEPA Method 8081A. The only elevated concentrations of pesticides detected in the step-out borings were in B29 and B32, adjacent to boring location B7. The following additional tasks were planned to address the elevated concentrations of OCPs, but were not completed due to scope changes that occurred during the course of the project: excavation around B11 and excavation and confirmation soil sampling around B7, B29, and B32.

On April 27, 2020, the City of Huntington Beach entered into a Remedial Action Agreement with the OCHCA. The OCHCA indicated that select soil samples should also be analyzed for Title 22 Metals, mercury, hexavalent chromium, and herbicides. On April 29 and 30, 2020, soil samples from B4 and B6 through B10 were analyzed for California Title 22 metals by USEPA Method 6010B, mercury by USEPA Method 7471A, and hexavalent chromium by USEPA Method 7199 and soil samples from B7, B9, and B10 were analyzed for herbicides by USEPA Method 8151A. Because the laboratory hold time was exceeded, soil from B4 and B6 could not be analyzed for herbicides. Therefore, on April 28, 2020, hand-auger soil borings B4-A and B6-A were advanced near B4 and B6. Soil samples were collected from 0.5 and 3 feet bgs and submitted to Calscience for analysis of herbicides by USEPA Method 8151A.

3.3 Geoprobe Drilling and Soil and Groundwater Sampling

Results of the additional soil analyses completed on April 29 and 30, 2020 indicated that elevated concentrations of hexavalent chromium were found in multiple soil samples at 0.5 and 3 feet bgs. In order to better understand the lateral and vertical distribution of hexavalent chromium at the subject property, and to determine if groundwater was impacted, EEC oversaw Strongarm Environmental Field Services, Inc. (Strongarm) drill a total of 8 borings for the collection of soil and groundwater samples on May 11, 2020. The borings were placed in a grid pattern laterally over the subject property and close to previous boring locations; therefore, they were given similar nomenclature (B1-A, B4-B, B5-A, B6-B, B7-A, B8-A, B9-A, and B10-A; Figure 2).

The borings were advanced using Geoprobe direct-push drilling technology and hand-auger equipment. Direct-push drilling rigs are hydraulically powered soil probing machines that use both static force and

percussion to drive steel boring rods into the subsurface. Before the initiation of drilling, Strongarm cleared the upper 5 feet of the borehole with a hand auger to verify the absence of underground utilities or other shallow obstructions.

A soil sample was collected from 4 feet bgs from each boring using the hand auger. The hand auger was removed from the borehole and an undisturbed soil sample was collected using a slide hammer sampler including a stainless steel sampling sleeve. Following sample retrieval, both ends of the sleeve were covered with a Teflon sheet and sealed with a plastic end cap. During direct-push drilling, continuous soil samples were collected using 5-foot long acetate sleeves. The direct-push rig hydraulically drove the sampling sleeve the entire 5-foot interval. Following sample retrieval the portion of the sleeve chosen for samples (i.e., 5 feet bgs, 6 feet bgs, 7 feet bgs, and 8 feet bgs) was cut and the ends of each sample were covered with Teflon sheets and sealed with plastic end caps. Soil samples were then labeled with an identification number, sealed in a plastic bag, and placed into a chilled cooler.

An unused portion of soil from each sampling interval was used for field screening using a PID for evaluation of organic vapor content and for logging lithology. Field screening was conducted by placing a portion of the unpreserved soil in a sealable plastic bag for approximately 10 minutes. The organic vapor concentration in the headspace of the plastic bag was then measured using a PID. Soil descriptions and PID measurements were recorded and documented on field notes. All field activities were performed under the direct oversight of a California PG.

The collected soil samples were transferred under proper chain-of-custody protocols to Calscience and analyzed for hexavalent chromium by USEPA Method 7199, as shown on Table 3-1 on Page 6 of this report.

3.3.1 Groundwater Sampling

Following soil sampling, groundwater samples were collected from three borings (B4-B, B8-A, and B10-A). Groundwater samples were collected with a Hydropunch-type sampling device. The rod was withdrawn to expose the screen of the sampling device and a stainless steel bailer was then lowered into the borehole to collect a groundwater sample. Samples were labeled, sealed in a plastic bag, and placed into a chilled cooler. Collected groundwater samples were submitted to Calscience for analysis of hexavalent chromium by USEPA Method 218.6.

Table 3-1, Soil Sampling Matrix

Location/Rationale	Boring IDs	Depth of Borings (bgs)	Date Sampled	Soil Sampling	
				Sample Depth	Analytes
Residence exterior/initial sampling	B1-B3	3 feet	April 6, 2020	0.5 and 3 feet	Lead, OCPs
Residence exterior/initial sampling	B4	3 feet	April 6, 2020	0.5 and 3 feet	Lead, OCPs, Title 22 Metals, Mercury, Hexavalent Chromium
Undeveloped area/initial sampling	B5	3 feet	April 6, 2020	0.5 and 3 feet	Lead, OCPs
Undeveloped area/initial sampling	B6	3 feet	April 6, 2020	0.5 and 3 feet	Lead, OCPs, Title 22 Metals, Mercury, Hexavalent Chromium
Northwest corner/additional coverage	B7	3 feet	April 13, 2020	0.5 and 3 feet	Lead, OCPs, Herbicides, Title 22 Metals, Mercury, Hexavalent Chromium
North center/additional coverage	B8	3 feet	April 13, 2020	0.5 and 3 feet	Lead, OCPs, Title 22 Metals, Mercury, Hexavalent Chromium
Northeast and southwest corners/additional coverage	B9, B10	3 feet	April 13, 2020	0.5 and 3 feet	Lead, OCPs, Herbicides, Title 22 Metals, Mercury, Hexavalent Chromium
Adjacent to B6/confirmation borings	B11-B14	3 feet	April 13, 2020	0.5 and 3 feet	Lead, OCPs
Adjacent to B4/confirmation borings	B15-B18	3 feet	April 13, 2020	0.5 and 3 feet	Lead, OCPs
Adjacent to B11/step-out borings	B26-B28	3 feet	April 16, 2020	0.5 and 3 feet	OCPs
Adjacent to B7/step-out borings	B29-B32	3 feet	April 16, 2020	0.5 and 3 feet	OCPs
Adjacent to B4/herbicide sampling	B4A	3 feet	April 28, 2020	0.5 and 3 feet	Herbicides
Adjacent to B6/herbicide sampling	B6A	3 feet	April 28, 2020	0.5 and 3 feet	Herbicides
Adjacent to B1 and B10/hexavalent chromium sampling	B1-A and B10-A	8 feet	May 11, 2020	4 feet	Hexavalent chromium
Adjacent to B4, B5, B6, B7, B8, and B9/hexavalent chromium sampling	B4-B, B5-A, B6-B, B7-A, B8-A, and B9-A,	8 feet	May 11, 2020	4, 5, 6, 7, and 8 feet	Hexavalent chromium

Key:

bgs = below ground surface

OCPs = organochlorine pesticides

4.0 SAMPLING RESULTS

4.1 Soil

A total of 86 soil samples were collected and analyzed for OCPs, herbicides, California Title 22 metals, lead, mercury, and hexavalent chromium between April 6 and May 11, 2020 (Table 3-1). The soil laboratory results are summarized below and in Table 1, *Summary of Soil Analytical Results – Metals* and Table 2, *Summary of Soil Analytical Results – Pesticides and Herbicides*. Estimated values (J), detected below the reporting limit and above the laboratory method detection limit are included in the summary. Analytical results were compared to the USEPA Regional Screening Levels (RSLs) for residential soil and DTSC Screening Levels (SLs) for residential soil (Cleanup Standards). If both RSLs and SLs were available for a particular analyte, then the more stringent value was used. Laboratory analytical results, chain-of-custody documentation, and quality control data are provided in Appendix A, *Laboratory Analytical Reports, Chain-of-Custody Record, and QA/QC Data*.

4.1.1 Metals

- With the exception of lead and hexavalent chromium, metals detected in soil samples were at concentrations below their respective Cleanup Standard, or established background levels.
- Lead was detected at 101 milligrams per kilogram (mg/kg) in B4-0.5, exceeding the Cleanup Standards. The deeper sample (3 feet bgs) collected from the same boring contained lead at a concentration of 2.81 mg/kg, below Cleanup Standards; therefore, vertical delineation was achieved. Lead was not detected above Cleanup Standards in confirmation samples collected after excavation of soil around B4 (Section 5.1).
- Hexavalent chromium was detected throughout the subject property at depths ranging from 0.5 feet bgs to 8 feet bgs. Concentrations ranged from 200 to 980 micrograms per kilogram (µg/kg), some of which exceeded Cleanup Standards.

4.1.2 Pesticides and Herbicides

- Several organochlorine pesticides were detected in shallow soil, including 4,4'-Dichlorodiphenyldichloroethane (4,4'-DDD), 4,4'-Dichlorodiphenyldichloroethylene (4,4'-DDE), 4,4'-Dichlorodiphenyltrichloroethane (4,4'-DDT), alpha-chlordane, chlordane, dieldrin, and toxaphene. All concentrations were below Cleanup Standards for residential soil, with the exception of toxaphene and 4,4'-DDE. No other pesticides were detected above Cleanup Standards.
- Toxaphene was detected in three samples (B6-0.5, B7-0.5, and B10-0.5) at concentrations ranging between 500 µg/kg and 1,600 µg/kg, which exceeded the USEPA RSL of 490 µg/kg and DTSC SL of 450 µg/kg. 4,4'-DDE was detected in one sample (B7-0.5) at 3,100 µg/kg, which exceeded the USEPA RSL of 2,000 µg/kg (DTSC SL not established).
- Herbicides were not detected above laboratory reporting limits in any of the samples that were analyzed (B4-A, B6-A, B7, B9, and B10 at 0.5 and 3 feet bgs).

4.2 Groundwater

On May 11, 2020, groundwater samples were collected from three of the geoprobe boring locations (B8-A/GW-1, B4-B/GW-2, and B10-A/GW-3) in order to determine if hexavalent chromium in soil had impacted groundwater. Collected groundwater samples were transferred under proper chain-of-custody protocols to Calscience for analysis of hexavalent chromium by USEPA Method 218.6.

Hexavalent chromium was not detected above the laboratory reporting limit of 0.038 micrograms per liter ($\mu\text{g/L}$) in any of the groundwater samples. It was detected at 0.086 $\mu\text{g/L}$ in the equipment blank sample, which is laboratory-provided water used as a quality control sample.

5.0 INVESTIGATION DERIVED WASTE AND EXCAVATED SOIL

Excavated soil, soil cuttings, and decontamination water generated during this assessment work were stored onsite in ten United States Department of Transportation (DOT) approved 55-gallon drums. The drums were labeled documenting the accumulation start date, description of contents, and applicable contact information. Wastes will be profiled, manifested, and disposed of within 90 days of generation. If available at the time of report preparation, the manifest(s) signed by the disposal facility will be included in the final report.

6.0 CONCLUSIONS AND RECOMMENDATIONS

This site assessment and limited soil excavation was performed to address the findings of the Phase I ESA report. Based on the results of the site assessment and limited excavation activities, EEC has the following conclusions:

- Soil impacted with lead, pesticides, and hexavalent chromium was found at the subject property.
- Lead-impacted soil identified at the location of boring B4 was excavated and no additional investigation or excavation is warranted for lead impacts.
- Pesticide-impacted soil at the location of boring B6 was partially excavated; however, multiple locations of elevated detections of pesticides remain at the subject property.
- Hexavalent chromium was detected throughout the subject property at depths of up to 8 feet bgs; however, because hexavalent chromium was not detected in groundwater it appears to be a limited and isolated concern.

Based on the above conclusions, EEC recommends:

- The ground surface at the subject property be covered with asphalt or concrete to eliminate the risk of dermal contact with soil at the subject property.
- Any soil excavated from short- or long-term redevelopment be managed, handled, and disposed of in accordance with all regulatory requirements to minimize exposure to workers and the community.

- If a change to use of the subject property occurs, the soil contamination must be addressed and additional assessment may also be required.
- The OCHCA must be notified if there are any changes in site use and/or if there are any future findings of additional contamination at the site.

7.0 REFERENCES

Atlas Environmental Engineering, Inc. (2018, May 9). *Quarterly Status Report, 2nd Quarter 2019, OCHCA Case #93UT070, G&M Oil Company Station #35, 17501 Beach Boulevard, Huntington Beach, California 92647.*

EEC Environmental (2020, March 18). *Phase I Environmental Site Assessment, 17631 Cameron Lane and 17642 Beach Boulevard, Huntington Beach, California.*

United States Geological Survey (USGS). 7.5-Minute Topographic Quadrangle Map, Newport Beach, California, 2012

Tables

Table 1, Summary of Soil Analytical Results - Metals
17631 Cameron Lane
Huntington Beach, California

Sample ID	Sample Depth (feet bgs)	Date	Antimony (mg/Kg)	Arsenic (mg/Kg)	Barium (mg/Kg)	Beryllium (mg/Kg)	Cadmium (mg/Kg)	Chromium (mg/Kg)	Cobalt (mg/Kg)	Copper (mg/Kg)	Lead (mg/Kg)	Molybdenum (mg/Kg)	Nickel (mg/Kg)	Selenium (mg/Kg)	Silver (µg/Kg)	Thallium (mg/Kg)	Vanadium (µg/Kg)	Zinc (mg/Kg)	Mercury (mg/Kg)	Hexavalent Chromium (µg/Kg)
			USEPA Method 6010B																	USEPA Method 7471A
B1-0.5	0.5	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	44.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
B1-3.0	3.0	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	3.23	NA	NA	NA	NA	NA	NA	NA	NA	NA
B1A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<200
B2-0.5	0.5	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	15.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
B2-3.0	3.0	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	3.52	NA	NA	NA	NA	NA	NA	NA	NA	NA
B3-.05	0.5	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	5.29	NA	NA	NA	NA	NA	NA	NA	NA	NA
B3-3.0	3.0	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	2.57	NA	NA	NA	NA	NA	NA	NA	NA	NA
B4-0.5	0.5	04/6/2020	4.61	10.3	150	0.760	2.11	21.6	9.81	38.0	101	ND<0.260	17.4	ND<0.781	ND<0.260	ND<0.781	40.1	240	0.210	500 J
B4-3.0	3.0	04/6/2020	ND<0.735	2.56	81.1	0.922	ND<0.490	17.3	7.60	6.29	2.81	0.696	12.7	ND<0.735	ND<0.245	ND<0.735	35.9	35.1	ND<0.0794	290 J
B4B-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	350 J
B4B-5.0	5.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	300 J
B4B-6.0	6.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	380 J
B4B-7.0	7.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	330 J
B4B-8.0	8.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	410 J
B5-0.5	0.5	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	17.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
B5-3.0	3.0	04/6/2020	NA	NA	NA	NA	NA	NA	NA	NA	2.43	NA	NA	NA	NA	NA	NA	NA	NA	NA
B5A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	300 J
B5A-5.0	5.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	540
B5A-6.0	6.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	330 J
B5A-7.0	7.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	580
B5A-8.0	8.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	200 J
B6-0.5	0.5	04/6/2020	ND<0.785	8.44	113	1.12	1.00	23.1	10.7	20.3	7.62	0.617	16.7	ND<0.785	ND<0.262	ND<0.785	48.7	75.3	ND<0.0806	290 J
B6-3.0	3.0	04/6/2020	ND<0.769	3.27	81.5	0.858	ND<0.513	14.0	6.43	10.3	12.8	0.712	12.0	ND<0.769	ND<0.256	ND<0.769	31.1	45.2	ND<0.0847	820
B6B-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	570
B6B-5.0	5.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	430
B6B-6.0	6.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	620
B6B-7.0	7.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	350 J
B6B-8.0	8.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B7-0.5	0.5	04/13/2020	1.0	3.67	50.9	ND<0.248	0.748	9.5	3.44	17.8	30.0	0.422	6.41	ND<0.743	0.311	ND<0.743	13.2	97.1	0.245	NA ⁽¹⁾
B7-3.0	3.0	04/13/2020	1.37	ND<0.754	54.1	0.437	ND<0.503	7.48	6.71	6.16	5.16	ND<0.251	6.34	ND<0.754	ND<0.251	ND<0.754	19.8	16.0	0.0817	380 J
B7A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<1,000
B7A-5.0	5.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B7A-6.0	6.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	420
B7A-7.0	7.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	270 J
B7A-8.0	8.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	330 J
USEPA RSLs for Soil - Residential (µg/kg) ⁽²⁾			31	0.68	15,000	1,600	71	120,000	23	3,100	82	390	1,500	390	390	0.78	390	23,000	23	300 ⁽⁴⁾
DTSC SL for Soil - Residential (µg/kg) ⁽³⁾			--	0.11	--	16 ⁽³⁾	910	--	--	--	80 ⁽³⁾	--	820 ⁽³⁾	--	--	--	--	--	1.0 ⁽³⁾	300 ⁽⁴⁾

Table 1, Summary of Soil Analytical Results - Metals
17631 Cameron Lane
Huntington Beach, California

Sample ID	Sample Depth (feet bgs)	Date	Antimony (mg/Kg)	Arsenic (mg/Kg)	Barium (mg/Kg)	Beryllium (mg/Kg)	Cadmium (mg/Kg)	Chromium (mg/Kg)	Cobalt (mg/Kg)	Copper (mg/Kg)	Lead (mg/Kg)	Molybdenum (mg/Kg)	Nickel (mg/Kg)	Selenium (mg/Kg)	Silver (mg/Kg)	Thallium (mg/Kg)	Vanadium (mg/Kg)	Zinc (mg/Kg)	Mercury (mg/Kg)	Hexavalent Chromium (µg/Kg)
			USEPA Method 6010B																	USEPA Method 7471A
B8-0.5	0.5	04/13/2020	0.913	1.83	54.3	0.372	ND<0.513	6.62	4.24	7.55	25	ND<0.256	5.86	ND<0.769	ND<0.256	ND<0.769	17.3	26.4	ND<0.0820	480
B8-3.0	3.0	04/13/2020	1.42	7.30	109	ND<0.253	ND<0.505	3.97	2.40	8.77	2.45	1.53	4.27	ND<0.758	ND<0.253	ND<0.758	9.2	14.6	ND<0.0833	ND<200
B8A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<800
B8A-5.0	5.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<200
B8A-6.0	6.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	250 J
B8A-7.0	7.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	240 J
B8A-8.0	8.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	210 J
B9-0.5	0.5	04/13/2020	ND<0.739	3.15	57.5	0.282	ND<0.493	5.45	3.55	8.26	9.59	ND<0.246	5.12	ND<0.739	ND<0.246	ND<0.739	14.3	22.3	ND<0.0847	ND<200
B9-3.0	3.0	04/13/2020	ND<0.743	2.16	56.5	ND<0.248	ND<0.495	4.23	2.66	4.9	3.33	ND<0.248	3.85	ND<0.743	ND<0.248	ND<0.743	10.9	12.4	ND<0.0862	360 J
B9A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<800
B9A-5.0	5.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	980
B9A-6.0	6.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	320 J
B9A-7.0	7.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<200
B9A-8.0	8.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<200
B10-0.5	0.5	04/13/2020	1.15	5.07	78.3	0.428	ND<0.488	9.51	5.03	18.5	47.3	0.260	12.5	ND<0.732	ND<0.244	ND<0.732	21.0	51.4	ND<0.0862	430
B10-3.0	3.0	04/13/2020	ND<0.725	1.55	40.0	0.378	ND<0.483	6.28	2.55	3.52	2.54	0.654	5.24	ND<0.725	ND<0.242	ND<0.725	22.6	14.2	ND<0.0877	310 J
B10A-4.0	4.0	05/11/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	270
B11-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	10.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
B11-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	2.44	NA	NA	NA	NA	NA	NA	NA	NA	NA
B12-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	19.6	NA	NA	NA	NA	NA	NA	NA	NA	NA
B12-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	4.07	NA	NA	NA	NA	NA	NA	NA	NA	NA
B13-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	18.0	NA	NA	NA	NA	NA	NA	NA	NA	NA
B13-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	4.02	NA	NA	NA	NA	NA	NA	NA	NA	NA
B14-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	4.64	NA	NA	NA	NA	NA	NA	NA	NA	NA
B14-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	3.57	NA	NA	NA	NA	NA	NA	NA	NA	NA
B15-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	11.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
B15-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	10.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
B16-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	9.86	NA	NA	NA	NA	NA	NA	NA	NA	NA
B16-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	5.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
B17-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	4.08	NA	NA	NA	NA	NA	NA	NA	NA	NA
B17-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	3.06	NA	NA	NA	NA	NA	NA	NA	NA	NA
B18-0.5	0.5	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	10.5	NA	NA	NA	NA	NA	NA	NA	NA	NA
B18-3.0	3.0	04/13/2020	NA	NA	NA	NA	NA	NA	NA	NA	11	NA	NA	NA	NA	NA	NA	NA	NA	NA
B31-0.5	0.5	04/16/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<400
B31-3.0	3.0	04/16/2020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<800
USEPA RSLs for Soil - Residential (µg/Kg) ⁽²⁾			31	0.68*	15,000	1,600	71	120,000	23	3,100	82	390	1,500	390	390	0.78	390	23,000	23	300 ⁽⁴⁾
DTSC SL for Soil - Residential (µg/kg) ⁽³⁾			--	0.11*	--	16 ⁽³⁾	910	--	--	--	80 ⁽³⁾	--	820 ⁽³⁾	--	--	--	--	--	1.0 ⁽³⁾	300 ⁽⁴⁾

Key:

NA - Not analyzed

(a) = Environmental Protection Agency (EPA) Region IX Regional Screening Levels for Residential Soils

bgs = below ground surface

RSLs= Regional Screening Levels

J = Result is less than the reporting limit but greater than or equal to the method detection limit

mg/kg = milligrams per kilogram

ND<X = not detected above the reporting limit or method detection limit

SL = Screening level

USEPA = United States Environmental Protection Agency

µg/kg = micrograms per kilogram

Notes:

(1) Sample was too small for analysis; B31 was selected as an alternate.

B31 was diluted due to the nature of the soil matrix.

(2) DTSC Human and Ecological Risk Office (HERO) Human Health Risk

Assessment (HHRA) Note 3, April 2019.

(3) Value is DTSC SL non-cancer endpoint

(4) RSL and SL were converted to µg/kg

-- = Note 3 SL not available or references USEPA RSLs

Yellow highlighted results exceed RSL and SL

*DTSC documentation indicates the background concentration for arsenic in Southern California is 12 mg/kg

Table 2, Summary of Soil Analytical Results - Pesticides and Herbicides
17631 Cameron Lane
Huntington Beach, California

Sample ID	Sample Depth (feet bgs)	Date	4,4'-DDD (µg/Kg)	4,4'-DDE (µg/Kg)	4,4'-DDT (µg/Kg)	alpha- Chlordane (µg/Kg)	Chlordane (µg/Kg)	Dieldrin (µg/Kg)	Toxaphene (µg/Kg)	Other Pesticides (µg/Kg)	Herbicides (µg/Kg)
			Pesticides - USEPA Method 8081A								USEPA Method 8151A
B1-0.5	0.5	04/6/2020	ND<5.0	10	5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B1-3.0	3.0	04/6/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B2-0.5	0.5	04/6/2020	12	360	180	ND<1.0	ND<25	5.0	ND<25	ND	NA
B2-3.0	3.0	04/6/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B3-.05	0.5	04/6/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B3-3.0	3.0	04/6/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B4-0.5	0.5	04/6/2020	ND<5.0	43	22	6.7	33	2.8	ND<25	ND	NA
B4-3.0	3.0	04/6/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B4A-0.5	0.5	04/28/2020	NA	NA	NA	NA	NA	NA	NA	NA	ND
B4A-3.0	3.0	04/28/2020	NA	NA	NA	NA	NA	NA	NA	NA	ND
B5-0.5	0.5	04/6/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B5-3.0	3.0	04/6/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B6-0.5	0.5	04/6/2020	ND<25	1,400	350	7.2	54	ND<1.0	770	ND	NA
B6-3.0	3.0	04/6/2020	ND<5.0	18	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B6A-0.5	0.5	04/28/2020	NA	NA	NA	NA	NA	NA	NA	NA	ND
B6A-3.0	3.0	04/28/2020	NA	NA	NA	NA	NA	NA	NA	NA	ND
B7-0.5	0.5	04/13/2020	32	3,100	1,300	ND<1.0	ND<25	ND<1.0	1,600	ND	ND
B7-3.0	3.0	04/13/2020	ND<5.0	16	6.6	ND<1.0	ND<25	ND<1.0	ND<25	ND	ND
B8-0.5	0.5	04/13/2020	ND<5.0	270	63	ND<1.0	ND<25	1.5	110	ND	NA
B8-3.0	3.0	04/13/2020	ND<5.0	13	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B9-0.5	0.5	04/13/2020	ND<5.0	17	9.6	ND<1.0	ND<25	ND<1.0	ND<25	ND	ND
B9-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	ND
B10-0.5	0.5	04/13/2020	ND<5.0	770	410	1.8	ND<25	ND<1.0	500	ND	ND
B10-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	ND
B11-0.5	0.5	04/13/2020	13	1,900	610	1.5	ND<25	ND<1.0	1,200	ND	NA
B11-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B12-0.5	0.5	04/13/2020	5.7	240	100	ND<0.99	ND<25	1.6	59	ND	NA
B12-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	ND<0.99	ND<25	ND<0.99	ND<25	ND	NA
B13-0.5	0.5	04/13/2020	16	500	100	ND<1.0	ND<25	2.5	180	ND	NA
B13-3.0	3.0	04/13/2020	ND<5.0	7.7	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B14-0.5	0.5	04/13/2020	8.2	110	53	ND<0.98	ND<25	ND<0.98	ND<25	ND	NA
B14-3.0	3.0	04/13/2020	ND<4.9	ND<4.9	ND<4.9	ND<0.98	ND<25	ND<0.98	ND<25	ND	NA
B15-0.5	0.5	04/13/2020	ND<4.9	ND<4.9	ND<4.9	ND<0.98	ND<25	ND<0.98	ND<25	ND	NA
B15-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	ND<0.99	ND<25	ND<0.99	ND<25	ND	NA
B16-0.5	0.5	04/13/2020	ND<5.0	22	12	2.2	ND<25	ND<1.0	ND<25	ND	NA
B16-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B17-0.5	0.5	04/13/2020	ND<5.0	6.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B17-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B18-0.5	0.5	04/13/2020	ND<4.9	20	8.2	2.1	ND<25	ND<0.99	ND<25	ND	NA
B18-3.0	3.0	04/13/2020	ND<5.0	ND<5.0	ND<5.0	1.0	ND<25	ND<1.0	ND<25	ND	NA
B26-0.5	0.5	04/16/2020	ND<5.0	230	43	ND<1.0	ND<25	1.1	120	ND	NA
B26-3.0	3.0	04/16/2020	ND<5.0	29	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B27-0.5	0.5	04/16/2020	ND<5.0	220	52	ND<1.0	ND<25	ND<1.0	100	ND	NA
B27-3.0	3.0	04/16/2020	ND<5.0	400	77	ND<1.0	ND<25	ND<1.0	230	ND	NA
B28-0.5	0.5	04/16/2020	ND<5.0	420	130	ND<1.0	ND<25	2.6	180	ND	NA
B28-3.0	3.0	04/16/2020	ND<5.0	33	ND<5.0	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B29-0.5	0.5	04/16/2020	95	1,000	360	2.5	ND<25	ND<1.0	940	ND	NA
B29-3.0	3.0	04/16/2020	ND<5.0	61	27	ND<1.0	ND<25	ND<1.0	37	ND	NA
B30-0.5	0.5	04/16/2020	38	460	120	2.4	ND<25	ND<1.0	410	ND	NA
B30-3.0	3.0	04/16/2020	ND<5.0	20	8.2	ND<1.0	ND<25	ND<1.0	ND<25	ND	NA
B31-0.5	0.5	04/16/2020	11	650	130	2.1	ND<25	ND<1.0	380	ND	NA
B31-3.0	3.0	04/16/2020	ND<5.0	190	62	ND<1.0	ND<25	ND<1.0	120	ND	NA
B32-0.5	0.5	04/16/2020	93	1,600	440	ND<1.0	ND<25	ND<1.0	1,200	ND	NA
B32-3.0	3.0	04/16/2020	ND<5.0	85	33	ND<1.0	ND<25	ND<1.0	50	ND	NA
USEPA RSLs for Soil - Residential (µg/kg) ⁽¹⁾			1,900	2,000	1,900	--	1,700	34	490	Varies	Varies
DTSC SL for Soil - Residential (µg/kg) ⁽²⁾			2,300	--	--	--	--	--	450	Varies	Varies

Key:
NA - Not analyzed
(a) = Environmental Protection Agency (EPA) Region IX Regional Screening Levels for Residential Soils
bgs = below ground surface
DTSC = California State Department of Toxic Substances Control
ESLs= Environmental Screening Levels
ND<X = not detected above the method detection limit
SL = Screening level
USEPA = United States Environmental Protection Agency
µg/kg = micrograms per kilogram

Notes:
(1) RSLs. November 2019 (Rev. 2) for soil.
(2) DTSC Human and Ecological Risk Office (HERO) Human Health Risk Assessment (HHRA) Note 3, April 2019, Cancer endpoint value
-- = USEPA RSL Not Established; or Note 3 References USEPA RSLs
Yellow highlighted results exceed RSL and SL

Table 3, Summary of Groundwater Analytical Results - Hexavalent Chromium
17631 Cameron Lane
Huntington Beach, California

Sample ID	Date	Hexavalent Chromium (µg/L)
		USEPA Method 218.6
GW-1	05/11/2020	ND<0.038
GW-2	05/11/2020	ND<0.038
GW-3	05/11/2020	ND<0.038
WS-1	05/11/2020	ND<0.038
WS-2	05/11/2020	0.086 J

Key:

J = Result is less than the reporting limit but greater than or equal to the method detection limit

µg/L = micrograms per liter


ND<X = not detected above the reporting limit or method detection limit

USEPA = United States Environmental Protection Agency

WS-1 = Duplicate

WS-2 = Equipment blank

Figures



SOURCE
U.S. Geological Survey 7.5 Minute
Topographic Quadrangle Maps
Newport Beach and Seal Beach, CA - 2012

SITE LOCATION MAP

17631 Cameron Ln.
Huntington Beach, California

Date
March 4, 2020

Drafter
LH



PE/PG
DB

Project Number
S-3506.01B

Figure
1


PM
LH

File
S3506-2020-ESA-01



LEGEND

- Subject Property Boundary
- Soil Boring
- ⊕ Soil Boring with Groundwater Sample
- Confirmation Soil Borings (B11-B18) and Step-out Soil Borings (B26-B32)
- ⊗ Excavation (not to scale; actual size 3' x 3' x 3')



SOIL BORING LOCATION MAP

17631 Cameron Ln.
Huntington Beach, California

Date
June 4, 2020

Base map source: Google

Drafter
LH

PE/PG	Project Number	S-3506.02B	Figure
PM	File	S3506-2020-ESA-02	2

Appendix A

Laboratory Reports, Chain-of-Custody Documentation, and Quality Control Data

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-25057-1

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
4/8/2020 7:07:32 AM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	7
Surrogate Summary	17
QC Sample Results	18
QC Association Summary	22
Lab Chronicle	24
Certification Summary	28
Method Summary	29
Sample Summary	30
Chain of Custody	31
Receipt Checklists	32



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Job ID: 570-25057-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-25057-1

Comments

No additional comments.

Receipt

The samples were received on 4/6/2020 2:05 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.7° C.

GC Semi VOA

Method 8081A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for the following sample associated with preparation batch 570-61613 and analytical batch 570-61652 were outside control limits: (570-25057-A-1-A MS) and (570-25057-A-1-B MSD). The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method 8081A: The following samples has clear evidence of the presence of chlordane based on the presence of cis and trans chlordane; however, the chlordane peaks in the sample do not closely match the laboratory's Technical Chlordane standard: B4-0.5 (570-25057-7) and B6-0.5 (570-25057-11). As a result, there is increased quantitative uncertainty associated with this result.

Method 8081A: The analyte 4,4'-DDD was diluted due to the nature of the sample matrix: B6-0.5 (570-25057-11) at 5X. Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Client Sample ID: B1-0.5

Lab Sample ID: 570-25057-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	10	F1	5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDT	5.0		5.0	ug/Kg	1		8081A	Total/NA
Lead	44.6		0.503	mg/Kg	1		6010B	Total/NA

Client Sample ID: B1-3.0

Lab Sample ID: 570-25057-2

No Detections.

Client Sample ID: B2-0.5

Lab Sample ID: 570-25057-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	12		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDE	360		100	ug/Kg	20		8081A	Total/NA
4,4'-DDT	180		100	ug/Kg	20		8081A	Total/NA
Dieldrin	5.0		1.0	ug/Kg	1		8081A	Total/NA
Lead	15.6		0.493	mg/Kg	1		6010B	Total/NA

Client Sample ID: B2-3.0

Lab Sample ID: 570-25057-4

No Detections.

Client Sample ID: B3-0.5

Lab Sample ID: 570-25057-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	5.29		0.483	mg/Kg	1		6010B	Total/NA

Client Sample ID: B3-3.0

Lab Sample ID: 570-25057-6

No Detections.

Client Sample ID: B4-0.5

Lab Sample ID: 570-25057-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	43		25	ug/Kg	5		8081A	Total/NA
4,4'-DDT	22		5.0	ug/Kg	1		8081A	Total/NA
alpha-Chlordane	6.7	p	1.0	ug/Kg	1		8081A	Total/NA
Chlordane	33		25	ug/Kg	1		8081A	Total/NA
Dieldrin	2.8		1.0	ug/Kg	1		8081A	Total/NA
Lead	101		0.488	mg/Kg	1		6010B	Total/NA

Client Sample ID: B4-3.0

Lab Sample ID: 570-25057-8

No Detections.

Client Sample ID: B5-0.5

Lab Sample ID: 570-25057-9

No Detections.

Client Sample ID: B5-3.0

Lab Sample ID: 570-25057-10

No Detections.

Client Sample ID: B6-0.5

Lab Sample ID: 570-25057-11

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	1400		250	ug/Kg	50		8081A	Total/NA
4,4'-DDT	350		50	ug/Kg	10		8081A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Client Sample ID: B6-0.5 (Continued)

Lab Sample ID: 570-25057-11

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
alpha-Chlordane	7.2		1.0	ug/Kg	1		8081A	Total/NA
Chlordane	54		25	ug/Kg	1		8081A	Total/NA
Toxaphene	770		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B6-3.0

Lab Sample ID: 570-25057-12

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	18		5.0	ug/Kg	1		8081A	Total/NA

Client Sample ID: QA1

Lab Sample ID: 570-25057-13

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC)

Client Sample ID: B1-0.5
Date Collected: 04/06/20 08:05
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-1
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
4,4'-DDE	10	F1	5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
4,4'-DDT	5.0		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:04	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	62		23 - 124	04/06/20 15:49	04/07/20 12:04	1
DCB Decachlorobiphenyl (Surr)	55		20 - 137	04/06/20 15:49	04/07/20 12:04	1

Client Sample ID: B1-3.0
Date Collected: 04/06/20 08:38
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B1-3.0
Date Collected: 04/06/20 08:38
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:18	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	69		23 - 124			04/06/20 15:49	04/07/20 12:18	1
DCB Decachlorobiphenyl (Surr)	60		20 - 137			04/06/20 15:49	04/07/20 12:18	1

Client Sample ID: B2-0.5
Date Collected: 04/06/20 09:00
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-3
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	12		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
4,4'-DDE	360		100	ug/Kg		04/06/20 15:49	04/07/20 16:47	20
4,4'-DDT	180		100	ug/Kg		04/06/20 15:49	04/07/20 16:47	20
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Dieldrin	5.0		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:33	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	68		23 - 124			04/06/20 15:49	04/07/20 12:33	1
Tetrachloro-m-xylene	53		23 - 124			04/06/20 15:49	04/07/20 16:47	20
DCB Decachlorobiphenyl (Surr)	71		20 - 137			04/06/20 15:49	04/07/20 12:33	1
DCB Decachlorobiphenyl (Surr)	65		20 - 137			04/06/20 15:49	04/07/20 16:47	20

Client Sample ID: B2-3.0
Date Collected: 04/06/20 09:26
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B2-3.0
Date Collected: 04/06/20 09:26
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 12:47	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	32		23 - 124			04/06/20 15:49	04/07/20 12:47	1
DCB Decachlorobiphenyl (Surr)	22	p	20 - 137			04/06/20 15:49	04/07/20 12:47	1

Client Sample ID: B3-0.5
Date Collected: 04/06/20 09:42
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-5
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:01	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:01	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	37		23 - 124	04/06/20 15:49	04/07/20 13:01	1
DCB Decachlorobiphenyl (Surr)	36		20 - 137	04/06/20 15:49	04/07/20 13:01	1

Client Sample ID: B3-3.0

Date Collected: 04/06/20 10:03

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-6

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:15	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	48		23 - 124	04/06/20 15:49	04/07/20 13:15	1
DCB Decachlorobiphenyl (Surr)	44		20 - 137	04/06/20 15:49	04/07/20 13:15	1

Client Sample ID: B4-0.5

Date Collected: 04/06/20 10:25

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-7

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
4,4'-DDE	43		25	ug/Kg		04/06/20 15:49	04/07/20 17:00	5
4,4'-DDT	22		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
alpha-Chlordane	6.7	p	1.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Chlordane	33		25	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Dieldrin	2.8		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B4-0.5
Date Collected: 04/06/20 10:25
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-7
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:29	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	58		23 - 124	04/06/20 15:49	04/07/20 13:29	1
Tetrachloro-m-xylene	52		23 - 124	04/06/20 15:49	04/07/20 17:00	5
DCB Decachlorobiphenyl (Surr)	59		20 - 137	04/06/20 15:49	04/07/20 13:29	1
DCB Decachlorobiphenyl (Surr)	53		20 - 137	04/06/20 15:49	04/07/20 17:00	5

Client Sample ID: B4-3.0
Date Collected: 04/06/20 10:40
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-8
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:44	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	79		23 - 124	04/06/20 15:49	04/07/20 13:44	1
DCB Decachlorobiphenyl (Surr)	65		20 - 137	04/06/20 15:49	04/07/20 13:44	1

Client Sample ID: B5-0.5
Date Collected: 04/06/20 11:15
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-9
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B5-0.5
Date Collected: 04/06/20 11:15
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-9
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 13:58	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 13:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	56		23 - 124	04/06/20 15:49	04/07/20 13:58	1
DCB Decachlorobiphenyl (Surr)	53		20 - 137	04/06/20 15:49	04/07/20 13:58	1

Client Sample ID: B5-3.0
Date Collected: 04/06/20 11:50
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-10
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B5-3.0
Date Collected: 04/06/20 11:50
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-10
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 14:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	43		23 - 124			04/06/20 15:49	04/07/20 14:12	1
DCB Decachlorobiphenyl (Surr)	40		20 - 137			04/06/20 15:49	04/07/20 14:12	1

Client Sample ID: B6-0.5
Date Collected: 04/06/20 11:59
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-11
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		25	ug/Kg		04/06/20 15:49	04/07/20 17:14	5
4,4'-DDE	1400		250	ug/Kg		04/06/20 15:49	04/07/20 17:10	50
4,4'-DDT	350		50	ug/Kg		04/06/20 15:49	04/07/20 16:56	10
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
alpha-Chlordane	7.2		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Chlordane	54		25	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Toxaphene	770		25	ug/Kg		04/06/20 15:49	04/07/20 14:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	62		23 - 124			04/06/20 15:49	04/07/20 14:26	1
Tetrachloro-m-xylene	63		23 - 124			04/06/20 15:49	04/07/20 16:56	10
Tetrachloro-m-xylene	72		23 - 124			04/06/20 15:49	04/07/20 17:10	50
Tetrachloro-m-xylene	53		23 - 124			04/06/20 15:49	04/07/20 17:14	5
DCB Decachlorobiphenyl (Surr)	55		20 - 137			04/06/20 15:49	04/07/20 14:26	1
DCB Decachlorobiphenyl (Surr)	60		20 - 137			04/06/20 15:49	04/07/20 16:56	10
DCB Decachlorobiphenyl (Surr)	65		20 - 137			04/06/20 15:49	04/07/20 17:10	50
DCB Decachlorobiphenyl (Surr)	49		20 - 137			04/06/20 15:49	04/07/20 17:14	5

Client Sample ID: B6-3.0
Date Collected: 04/06/20 12:20
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-12
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
4,4'-DDE	18		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B6-3.0
Date Collected: 04/06/20 12:20
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-12
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:40	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 14:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	90		23 - 124	04/06/20 15:49	04/07/20 14:40	1
DCB Decachlorobiphenyl (Surr)	81		20 - 137	04/06/20 15:49	04/07/20 14:40	1

Client Sample ID: QA1
Date Collected: 04/06/20 00:00
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-13
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Chlordane	ND		25	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:49	04/07/20 14:55	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: QA1
Date Collected: 04/06/20 00:00
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-13
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Toxaphene	ND		25	ug/Kg		04/06/20 15:49	04/07/20 14:55	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	45		23 - 124			04/06/20 15:49	04/07/20 14:55	1
DCB Decachlorobiphenyl (Surr)	44		20 - 137			04/06/20 15:49	04/07/20 14:55	1

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 6010B - Metals (ICP)

Client Sample ID: B1-0.5
Date Collected: 04/06/20 08:05
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-1
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	44.6		0.503	mg/Kg		04/07/20 06:55	04/07/20 12:08	1

Client Sample ID: B2-0.5
Date Collected: 04/06/20 09:00
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-3
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	15.6		0.493	mg/Kg		04/07/20 06:55	04/07/20 12:10	1

Client Sample ID: B3-0.5
Date Collected: 04/06/20 09:42
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-5
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.29		0.483	mg/Kg		04/07/20 06:55	04/07/20 12:12	1

Client Sample ID: B4-0.5
Date Collected: 04/06/20 10:25
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-7
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	101		0.488	mg/Kg		04/07/20 06:55	04/07/20 12:14	1

Surrogate Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		TCX1 (23-124)	DCB1 (20-137)
570-25057-1	B1-0.5	62	55
570-25057-1 MS	B1-0.5	95	86
570-25057-1 MSD	B1-0.5	80	72
570-25057-2	B1-3.0	69	60
570-25057-3	B2-0.5	53	65
570-25057-3	B2-0.5	68	71
570-25057-4	B2-3.0	32	22 p
570-25057-5	B3-0.5	37	36
570-25057-6	B3-3.0	48	44
570-25057-7	B4-0.5	52	53
570-25057-7	B4-0.5	58	59
570-25057-8	B4-3.0	79	65
570-25057-9	B5-0.5	56	53
570-25057-10	B5-3.0	43	40
570-25057-11	B6-0.5	53	49
570-25057-11	B6-0.5	62	55
570-25057-11	B6-0.5	63	60
570-25057-11	B6-0.5	72	65
570-25057-12	B6-3.0	90	81
570-25057-13	QA1	45	44
LCS 570-61613/2-A	Lab Control Sample	107	101
LCSD 570-61613/3-A	Lab Control Sample Dup	107	104
MB 570-61613/1-A	Method Blank	77	68

Surrogate Legend

TCX = Tetrachloro-m-xylene

DCB = DCB Decachlorobiphenyl (Surr)

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC)

Lab Sample ID: MB 570-61613/1-A

Matrix: Solid

Analysis Batch: 61652

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 61613

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
4,4'-DDE	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
4,4'-DDT	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Aldrin	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
alpha-BHC	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
alpha-Chlordane	ND		1.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
beta-BHC	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Chlordane	ND		25	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
delta-BHC	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Dieldrin	ND		1.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Endosulfan I	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Endosulfan II	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Endrin	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Endrin aldehyde	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Endrin ketone	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
gamma-Chlordane	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
gamma-BHC	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Heptachlor	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Methoxychlor	ND		5.0	ug/Kg		04/06/20 15:48	04/07/20 10:53	1
Toxaphene	ND		25	ug/Kg		04/06/20 15:48	04/07/20 10:53	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	77		23 - 124	04/06/20 15:48	04/07/20 10:53	1
DCB Decachlorobiphenyl (Surr)	68		20 - 137	04/06/20 15:48	04/07/20 10:53	1

Lab Sample ID: LCS 570-61613/2-A

Matrix: Solid

Analysis Batch: 61652

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 61613

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	12.5	11.43		ug/Kg		91	50 - 149
4,4'-DDE	12.5	11.53		ug/Kg		92	48 - 144
4,4'-DDT	12.5	12.43		ug/Kg		99	37 - 149
Aldrin	12.5	11.85		ug/Kg		95	43 - 139
alpha-BHC	12.5	10.98		ug/Kg		88	51 - 138
alpha-Chlordane	12.5	10.76		ug/Kg		86	47 - 136
beta-BHC	12.5	12.10		ug/Kg		97	47 - 135
delta-BHC	12.5	9.826		ug/Kg		79	40 - 146
Dieldrin	12.5	11.28		ug/Kg		90	48 - 141
Endosulfan I	12.5	10.89		ug/Kg		87	43 - 139
Endosulfan II	12.5	11.22		ug/Kg		90	48 - 142
Endosulfan sulfate	12.5	11.54		ug/Kg		92	47 - 144
Endrin	12.5	10.90		ug/Kg		87	35 - 144
Endrin aldehyde	12.5	10.37		ug/Kg		83	35 - 138
gamma-Chlordane	12.5	10.32	p	ug/Kg		83	33 - 155
gamma-BHC	12.5	10.79		ug/Kg		86	51 - 137

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 570-61613/2-A

Matrix: Solid

Analysis Batch: 61652

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 61613

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Heptachlor	12.5	10.98		ug/Kg		88	47 - 137
Heptachlor epoxide	12.5	11.24		ug/Kg		90	49 - 135
Methoxychlor	12.5	12.32		ug/Kg		99	39 - 142

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	107		23 - 124
DCB Decachlorobiphenyl (Surr)	101		20 - 137

Lab Sample ID: LCSD 570-61613/3-A

Matrix: Solid

Analysis Batch: 61652

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 61613

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
4,4'-DDD	12.5	10.75		ug/Kg		86	50 - 149	6	17
4,4'-DDE	12.5	10.62		ug/Kg		85	48 - 144	8	18
4,4'-DDT	12.5	10.98		ug/Kg		88	37 - 149	12	17
Aldrin	12.5	10.56		ug/Kg		84	43 - 139	12	15
alpha-BHC	12.5	10.56		ug/Kg		84	51 - 138	4	17
alpha-Chlordane	12.5	10.24		ug/Kg		82	47 - 136	5	16
beta-BHC	12.5	10.74		ug/Kg		86	47 - 135	12	17
delta-BHC	12.5	9.092		ug/Kg		73	40 - 146	8	20
Dieldrin	12.5	10.81		ug/Kg		86	48 - 141	4	16
Endosulfan I	12.5	10.50		ug/Kg		84	43 - 139	4	16
Endosulfan II	12.5	11.12		ug/Kg		89	48 - 142	1	16
Endosulfan sulfate	12.5	11.26		ug/Kg		90	47 - 144	2	16
Endrin	12.5	10.34		ug/Kg		83	35 - 144	5	18
Endrin aldehyde	12.5	9.860		ug/Kg		79	35 - 138	5	13
gamma-Chlordane	12.5	10.40		ug/Kg		83	33 - 155	1	59
gamma-BHC	12.5	10.32		ug/Kg		83	51 - 137	4	17
Heptachlor	12.5	10.88		ug/Kg		87	47 - 137	1	17
Heptachlor epoxide	12.5	10.32		ug/Kg		83	49 - 135	9	17
Methoxychlor	12.5	11.94		ug/Kg		96	39 - 142	3	17

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Tetrachloro-m-xylene	107		23 - 124
DCB Decachlorobiphenyl (Surr)	104		20 - 137

Lab Sample ID: 570-25057-1 MS

Matrix: Solid

Analysis Batch: 61652

Client Sample ID: B1-0.5

Prep Type: Total/NA

Prep Batch: 61613

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	ND		12.3	9.024		ug/Kg		73	12 - 180
4,4'-DDE	10	F1	12.3	8.778	F1	ug/Kg		-10	8 - 184
4,4'-DDT	5.0		12.3	8.652		ug/Kg		29	2 - 187
Aldrin	ND		12.3	8.804		ug/Kg		71	9 - 153
alpha-BHC	ND		12.3	8.778		ug/Kg		71	10 - 149
alpha-Chlordane	ND		12.3	8.433		ug/Kg		68	9 - 161

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 570-25057-1 MS

Matrix: Solid

Analysis Batch: 61652

Client Sample ID: B1-0.5

Prep Type: Total/NA

Prep Batch: 61613

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
beta-BHC	ND		12.3	9.012		ug/Kg		73	9 - 156
delta-BHC	ND		12.3	7.817		ug/Kg		63	6 - 162
Dieldrin	ND		12.3	8.988		ug/Kg		73	11 - 164
Endosulfan I	ND		12.3	8.718		ug/Kg		71	4 - 156
Endosulfan II	ND		12.3	9.233		ug/Kg		75	12 - 161
Endosulfan sulfate	ND		12.3	9.381		ug/Kg		76	10 - 165
Endrin	ND		12.3	7.993		ug/Kg		65	6 - 166
Endrin aldehyde	ND		12.3	8.611		ug/Kg		70	1 - 156
gamma-Chlordane	ND	F2 F1 **1	12.3	8.599		ug/Kg		70	7 - 177
gamma-BHC	ND		12.3	8.601		ug/Kg		70	9 - 154
Heptachlor	ND		12.3	9.100		ug/Kg		74	3 - 150
Heptachlor epoxide	ND		12.3	8.658		ug/Kg		70	7 - 169
Methoxychlor	ND		12.3	9.168		ug/Kg		74	8 - 163

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene	95		23 - 124
DCB Decachlorobiphenyl (Surr)	86		20 - 137

Lab Sample ID: 570-25057-1 MSD

Matrix: Solid

Analysis Batch: 61652

Client Sample ID: B1-0.5

Prep Type: Total/NA

Prep Batch: 61613

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
4,4'-DDD	ND		12.5	8.932		ug/Kg		72	12 - 180	1	79
4,4'-DDE	10	F1	12.5	8.819	F1	ug/Kg		-10	8 - 184	0	76
4,4'-DDT	5.0		12.5	9.389		ug/Kg		35	2 - 187	8	78
Aldrin	ND		12.5	8.620		ug/Kg		69	9 - 153	2	77
alpha-BHC	ND		12.5	8.685		ug/Kg		70	10 - 149	1	85
alpha-Chlordane	ND		12.5	8.281		ug/Kg		66	9 - 161	2	79
beta-BHC	ND		12.5	8.752	p	ug/Kg		70	9 - 156	3	78
delta-BHC	ND		12.5	7.613		ug/Kg		61	6 - 162	3	85
Dieldrin	ND		12.5	8.774		ug/Kg		70	11 - 164	2	77
Endosulfan I	ND		12.5	8.501		ug/Kg		68	4 - 156	3	77
Endosulfan II	ND		12.5	8.913		ug/Kg		71	12 - 161	4	77
Endosulfan sulfate	ND		12.5	9.305		ug/Kg		75	10 - 165	1	73
Endrin	ND		12.5	8.524		ug/Kg		68	6 - 166	6	82
Endrin aldehyde	ND		12.5	8.550		ug/Kg		69	1 - 156	1	83
gamma-Chlordane	ND		12.5	8.427	p	ug/Kg		68	7 - 177	7	84
gamma-BHC	ND		12.5	8.549		ug/Kg		69	9 - 154	1	79
Heptachlor	ND		12.5	8.387		ug/Kg		67	3 - 150	8	85
Heptachlor epoxide	ND		12.5	8.636		ug/Kg		69	7 - 169	0	79
Methoxychlor	ND		12.5	9.931		ug/Kg		80	8 - 163	8	78

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Tetrachloro-m-xylene	80		23 - 124
DCB Decachlorobiphenyl (Surr)	72		20 - 137

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-61674/1-A
Matrix: Solid
Analysis Batch: 61755

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 61674

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.488	mg/Kg		04/07/20 06:55	04/07/20 11:42	1

Lab Sample ID: LCS 570-61674/2-A
Matrix: Solid
Analysis Batch: 61755

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 61674

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	24.6	24.13		mg/Kg		98	80 - 120

Lab Sample ID: LCSD 570-61674/3-A
Matrix: Solid
Analysis Batch: 61755

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 61674

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	24.5	24.13		mg/Kg		98	80 - 120	0	20

Lab Sample ID: 570-25008-A-1-E MS
Matrix: Solid
Analysis Batch: 61755

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 61674

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	6.16		24.6	30.08		mg/Kg		97	75 - 125

Lab Sample ID: 570-25008-A-1-F MSD
Matrix: Solid
Analysis Batch: 61755

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 61674

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	6.16		24.8	30.23		mg/Kg		97	75 - 125	1	20

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

GC Semi VOA

Prep Batch: 61613

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25057-1	B1-0.5	Total/NA	Solid	3545	
570-25057-2	B1-3.0	Total/NA	Solid	3545	
570-25057-3	B2-0.5	Total/NA	Solid	3545	
570-25057-4	B2-3.0	Total/NA	Solid	3545	
570-25057-5	B3-0.5	Total/NA	Solid	3545	
570-25057-6	B3-3.0	Total/NA	Solid	3545	
570-25057-7	B4-0.5	Total/NA	Solid	3545	
570-25057-8	B4-3.0	Total/NA	Solid	3545	
570-25057-9	B5-0.5	Total/NA	Solid	3545	
570-25057-10	B5-3.0	Total/NA	Solid	3545	
570-25057-11	B6-0.5	Total/NA	Solid	3545	
570-25057-12	B6-3.0	Total/NA	Solid	3545	
570-25057-13	QA1	Total/NA	Solid	3545	
MB 570-61613/1-A	Method Blank	Total/NA	Solid	3545	
LCS 570-61613/2-A	Lab Control Sample	Total/NA	Solid	3545	
LCSD 570-61613/3-A	Lab Control Sample Dup	Total/NA	Solid	3545	
570-25057-1 MS	B1-0.5	Total/NA	Solid	3545	
570-25057-1 MSD	B1-0.5	Total/NA	Solid	3545	

Analysis Batch: 61648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25057-3	B2-0.5	Total/NA	Solid	8081A	61613
570-25057-7	B4-0.5	Total/NA	Solid	8081A	61613
570-25057-11	B6-0.5	Total/NA	Solid	8081A	61613

Analysis Batch: 61652

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25057-1	B1-0.5	Total/NA	Solid	8081A	61613
570-25057-2	B1-3.0	Total/NA	Solid	8081A	61613
570-25057-3	B2-0.5	Total/NA	Solid	8081A	61613
570-25057-4	B2-3.0	Total/NA	Solid	8081A	61613
570-25057-5	B3-0.5	Total/NA	Solid	8081A	61613
570-25057-6	B3-3.0	Total/NA	Solid	8081A	61613
570-25057-7	B4-0.5	Total/NA	Solid	8081A	61613
570-25057-8	B4-3.0	Total/NA	Solid	8081A	61613
570-25057-9	B5-0.5	Total/NA	Solid	8081A	61613
570-25057-10	B5-3.0	Total/NA	Solid	8081A	61613
570-25057-11	B6-0.5	Total/NA	Solid	8081A	61613
570-25057-11	B6-0.5	Total/NA	Solid	8081A	61613
570-25057-11	B6-0.5	Total/NA	Solid	8081A	61613
570-25057-12	B6-3.0	Total/NA	Solid	8081A	61613
570-25057-13	QA1	Total/NA	Solid	8081A	61613
MB 570-61613/1-A	Method Blank	Total/NA	Solid	8081A	61613
LCS 570-61613/2-A	Lab Control Sample	Total/NA	Solid	8081A	61613
LCSD 570-61613/3-A	Lab Control Sample Dup	Total/NA	Solid	8081A	61613
570-25057-1 MS	B1-0.5	Total/NA	Solid	8081A	61613
570-25057-1 MSD	B1-0.5	Total/NA	Solid	8081A	61613

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Metals

Prep Batch: 61674

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25057-1	B1-0.5	Total/NA	Solid	3050B	
570-25057-3	B2-0.5	Total/NA	Solid	3050B	
570-25057-5	B3-0.5	Total/NA	Solid	3050B	
570-25057-7	B4-0.5	Total/NA	Solid	3050B	
MB 570-61674/1-A	Method Blank	Total/NA	Solid	3050B	
LCS 570-61674/2-A	Lab Control Sample	Total/NA	Solid	3050B	
LCSD 570-61674/3-A	Lab Control Sample Dup	Total/NA	Solid	3050B	
570-25008-A-1-E MS	Matrix Spike	Total/NA	Solid	3050B	
570-25008-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	3050B	

Analysis Batch: 61755

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25057-1	B1-0.5	Total/NA	Solid	6010B	61674
570-25057-3	B2-0.5	Total/NA	Solid	6010B	61674
570-25057-5	B3-0.5	Total/NA	Solid	6010B	61674
570-25057-7	B4-0.5	Total/NA	Solid	6010B	61674
MB 570-61674/1-A	Method Blank	Total/NA	Solid	6010B	61674
LCS 570-61674/2-A	Lab Control Sample	Total/NA	Solid	6010B	61674
LCSD 570-61674/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	61674
570-25008-A-1-E MS	Matrix Spike	Total/NA	Solid	6010B	61674
570-25008-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	6010B	61674

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Client Sample ID: B1-0.5

Date Collected: 04/06/20 08:05

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.05 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 12:04	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			1.99 g	100 mL	61674	04/07/20 06:55	WL8G	ECL 1
Total/NA	Analysis	6010B		1			61755	04/07/20 12:08	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B1-3.0

Date Collected: 04/06/20 08:38

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.06 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 12:18	UHHN	ECL 1
Instrument ID: GC44										

Client Sample ID: B2-0.5

Date Collected: 04/06/20 09:00

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.07 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 12:33	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.07 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		20			61648	04/07/20 16:47	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3050B			2.03 g	100 mL	61674	04/07/20 06:55	WL8G	ECL 1
Total/NA	Analysis	6010B		1			61755	04/07/20 12:10	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B2-3.0

Date Collected: 04/06/20 09:26

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			19.99 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 12:47	UHHN	ECL 1
Instrument ID: GC44										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Client Sample ID: B3-0.5

Date Collected: 04/06/20 09:42

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.01 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 13:01	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.07 g	100 mL	61674	04/07/20 06:55	WL8G	ECL 1
Total/NA	Analysis	6010B		1			61755	04/07/20 12:12	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B3-3.0

Date Collected: 04/06/20 10:03

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.03 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 13:15	UHHN	ECL 1
Instrument ID: GC44										

Client Sample ID: B4-0.5

Date Collected: 04/06/20 10:25

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.04 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 13:29	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.04 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		5			61648	04/07/20 17:00	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3050B			2.05 g	100 mL	61674	04/07/20 06:55	WL8G	ECL 1
Total/NA	Analysis	6010B		1			61755	04/07/20 12:14	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B4-3.0

Date Collected: 04/06/20 10:40

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.05 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 13:44	UHHN	ECL 1
Instrument ID: GC44										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Client Sample ID: B5-0.5

Date Collected: 04/06/20 11:15

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.06 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 13:58	UHHN	ECL 1
Instrument ID: GC44										

Client Sample ID: B5-3.0

Date Collected: 04/06/20 11:50

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.00 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 14:12	UHHN	ECL 1
Instrument ID: GC44										

Client Sample ID: B6-0.5

Date Collected: 04/06/20 11:59

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.03 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 14:26	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.03 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		10			61652	04/07/20 16:56	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.03 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		50			61652	04/07/20 17:10	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.03 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		5			61648	04/07/20 17:14	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B6-3.0

Date Collected: 04/06/20 12:20

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.00 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 14:40	UHHN	ECL 1
Instrument ID: GC44										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Client Sample ID: QA1

Lab Sample ID: 570-25057-13

Date Collected: 04/06/20 00:00

Matrix: Solid

Date Received: 04/06/20 14:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.0 g	10 mL	61613	04/06/20 15:49	USUL	ECL 1
Total/NA	Analysis	8081A		1			61652	04/07/20 14:55	UHHN	ECL 1
Instrument ID: GC44										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Method	Method Description	Protocol	Laboratory
8081A	Organochlorine Pesticides (GC)	SW846	ECL 1
6010B	Metals (ICP)	SW846	ECL 1
3050B	Preparation, Metals	SW846	ECL 1
3545	Pressurized Fluid Extraction	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-25057-1	B1-0.5	Solid	04/06/20 08:05	04/06/20 14:05	
570-25057-2	B1-3.0	Solid	04/06/20 08:38	04/06/20 14:05	
570-25057-3	B2-0.5	Solid	04/06/20 09:00	04/06/20 14:05	
570-25057-4	B2-3.0	Solid	04/06/20 09:26	04/06/20 14:05	
570-25057-5	B3-0.5	Solid	04/06/20 09:42	04/06/20 14:05	
570-25057-6	B3-3.0	Solid	04/06/20 10:03	04/06/20 14:05	
570-25057-7	B4-0.5	Solid	04/06/20 10:25	04/06/20 14:05	
570-25057-8	B4-3.0	Solid	04/06/20 10:40	04/06/20 14:05	
570-25057-9	B5-0.5	Solid	04/06/20 11:15	04/06/20 14:05	
570-25057-10	B5-3.0	Solid	04/06/20 11:50	04/06/20 14:05	
570-25057-11	B6-0.5	Solid	04/06/20 11:59	04/06/20 14:05	
570-25057-12	B6-3.0	Solid	04/06/20 12:20	04/06/20 14:05	
570-25057-13	QA1	Solid	04/06/20 00:00	04/06/20 14:05	



TEL: (714) 895-5494 . FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

DATE: April 6, 2020

PAGE: 1 OF 1

LABORATORY CLIENT: EEC Environmental				CLIENT PROJECT NAME / NUMBER:				P.O. NO.:			
ADDRESS: One City Blvd. West #1800				City of Huntington Beach/S-3506.02T				LAB CONTACT OR QUOTE NO.:			
CITY: Orange				STATE: CA				ZIP: 92868			
TEL: (714) 667-2300				FAX: (714) 667-2310				E-MAIL: (SEE BELOW)			
TURNAROUND TIME:											
☐ SAME DAY ☒ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) ☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ____ / ____ / ____ SPECIAL INSTRUCTIONS: Email results to lholder@eecenvironmental.com Also: aburnap@eecenvironmental.com											
REQUESTED ANALYSIS											
LAB. USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING DATE & TIME		MATRIX	NO. OF CONT.					
1	B1-0.5	North of residence	4/6/20	0805	SO	1	Preservatives	OCPs EPA 8081A	Lead EPA 6010B		
2	B1-3.0	North of residence		0838	SO	1	X	X			
3	B2-0.5	East of residence		0900	SO	1	X	X			
4	B2-3.0	East of residence		0926	SO	1	X				
5	B3-0.5	South of residence		0942	SO	1	X	X			
6	B3-3.0	South of residence		1003	SO	1	X				
7	B4-0.5	West of residence		1025	SO	1	X	X			
8	B4-3.0	West of residence		1040	SO	1	X				
9	B5-0.5	South central portion of residential lot		1115	SO	1	X	X			
10	B5-3.0	South central portion of residential lot		1150	SO	1	X	X			
11	B6-0.5	West portion of residential lot		1159	SO	1	X				
12	B6-3.0	West portion of residential lot		1220	SO	1	X	X			
13	QA1	Duplicate	4/6/20	--	SO	1	X				
Relinquished by: (Signature) <i>Aoz</i>							Received by: (Signature) <i>Hume</i>		Date: <i>04/06/20</i>	Time: <i>1405</i>	
Relinquished by: (Signature)							Received by: (Signature)		Date:	Time:	
Relinquished by: (Signature)							Received by: (Signature)		Date:	Time:	

3.6/2.7 sec

06/01/10 Revision

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-25057-1

Login Number: 25057

List Number: 1

Creator: Soriano, Precy

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-25057-2

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
4/10/2020 9:41:04 AM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	8
Lab Chronicle	9
Certification Summary	11
Method Summary	12
Sample Summary	13
Chain of Custody	14
Receipt Checklists	16



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Qualifiers

Metals

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Job ID: 570-25057-2

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-25057-2

Comments

No additional comments.

Receipt

The samples were received on 4/6/2020 2:05 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.7° C.

Metals

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-62199 and analytical batch 570-62245 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Client Sample ID: B1-3.0

Lab Sample ID: 570-25057-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	3.23		0.498	mg/Kg	1		6010B	Total/NA

Client Sample ID: B2-3.0

Lab Sample ID: 570-25057-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	3.52		0.518	mg/Kg	1		6010B	Total/NA

Client Sample ID: B3-3.0

Lab Sample ID: 570-25057-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.57		0.493	mg/Kg	1		6010B	Total/NA

Client Sample ID: B4-3.0

Lab Sample ID: 570-25057-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.81		0.513	mg/Kg	1		6010B	Total/NA

Client Sample ID: B5-0.5

Lab Sample ID: 570-25057-9

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	17.9		0.503	mg/Kg	1		6010B	Total/NA

Client Sample ID: B5-3.0

Lab Sample ID: 570-25057-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.43		0.483	mg/Kg	1		6010B	Total/NA

Client Sample ID: B6-0.5

Lab Sample ID: 570-25057-11

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	7.62		0.515	mg/Kg	1		6010B	Total/NA

Client Sample ID: B6-3.0

Lab Sample ID: 570-25057-12

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	12.8		0.483	mg/Kg	1		6010B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Method: 6010B - Metals (ICP)

Client Sample ID: B1-3.0
Date Collected: 04/06/20 08:38
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.23		0.498	mg/Kg	-	04/09/20 10:20	04/09/20 19:46	1

Client Sample ID: B2-3.0
Date Collected: 04/06/20 09:26
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.52		0.518	mg/Kg	-	04/09/20 10:20	04/09/20 19:48	1

Client Sample ID: B3-3.0
Date Collected: 04/06/20 10:03
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-6
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.57		0.493	mg/Kg	-	04/09/20 10:20	04/09/20 19:50	1

Client Sample ID: B4-3.0
Date Collected: 04/06/20 10:40
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-8
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.81		0.513	mg/Kg	-	04/09/20 10:20	04/09/20 19:52	1

Client Sample ID: B5-0.5
Date Collected: 04/06/20 11:15
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-9
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	17.9		0.503	mg/Kg	-	04/09/20 10:20	04/09/20 19:54	1

Client Sample ID: B5-3.0
Date Collected: 04/06/20 11:50
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-10
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.43		0.483	mg/Kg	-	04/09/20 10:20	04/09/20 19:57	1

Client Sample ID: B6-0.5
Date Collected: 04/06/20 11:59
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-11
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	7.62		0.515	mg/Kg	-	04/09/20 10:20	04/09/20 19:59	1

Client Sample ID: B6-3.0
Date Collected: 04/06/20 12:20
Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-12
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	12.8		0.483	mg/Kg	-	04/09/20 10:20	04/09/20 20:00	1

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-62199/1-A
Matrix: Solid
Analysis Batch: 62245

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 62199

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.500	mg/Kg		04/09/20 10:20	04/09/20 18:37	1

Lab Sample ID: LCS 570-62199/2-A
Matrix: Solid
Analysis Batch: 62245

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 62199

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	25.1	23.79		mg/Kg		95	80 - 120

Lab Sample ID: LCSD 570-62199/3-A
Matrix: Solid
Analysis Batch: 62245

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 62199

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Lead	25.3	24.18		mg/Kg		96	80 - 120	2	20

Lab Sample ID: 570-24627-A-10-C MS
Matrix: Solid
Analysis Batch: 62245

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 62199

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	55.2	F1	25.1	79.00		mg/Kg		95	75 - 125

Lab Sample ID: 570-24627-A-10-D MSD
Matrix: Solid
Analysis Batch: 62245

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 62199

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Lead	55.2	F1	25.3	94.55	F1	mg/Kg		156	75 - 125	18	20

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Metals

Prep Batch: 62199

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25057-2	B1-3.0	Total/NA	Solid	3050B	
570-25057-4	B2-3.0	Total/NA	Solid	3050B	
570-25057-6	B3-3.0	Total/NA	Solid	3050B	
570-25057-8	B4-3.0	Total/NA	Solid	3050B	
570-25057-9	B5-0.5	Total/NA	Solid	3050B	
570-25057-10	B5-3.0	Total/NA	Solid	3050B	
570-25057-11	B6-0.5	Total/NA	Solid	3050B	
570-25057-12	B6-3.0	Total/NA	Solid	3050B	
MB 570-62199/1-A	Method Blank	Total/NA	Solid	3050B	
LCS 570-62199/2-A	Lab Control Sample	Total/NA	Solid	3050B	
LCSD 570-62199/3-A	Lab Control Sample Dup	Total/NA	Solid	3050B	
570-24627-A-10-C MS	Matrix Spike	Total/NA	Solid	3050B	
570-24627-A-10-D MSD	Matrix Spike Duplicate	Total/NA	Solid	3050B	

Analysis Batch: 62245

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25057-2	B1-3.0	Total/NA	Solid	6010B	62199
570-25057-4	B2-3.0	Total/NA	Solid	6010B	62199
570-25057-6	B3-3.0	Total/NA	Solid	6010B	62199
570-25057-8	B4-3.0	Total/NA	Solid	6010B	62199
570-25057-9	B5-0.5	Total/NA	Solid	6010B	62199
570-25057-10	B5-3.0	Total/NA	Solid	6010B	62199
570-25057-11	B6-0.5	Total/NA	Solid	6010B	62199
570-25057-12	B6-3.0	Total/NA	Solid	6010B	62199
MB 570-62199/1-A	Method Blank	Total/NA	Solid	6010B	62199
LCS 570-62199/2-A	Lab Control Sample	Total/NA	Solid	6010B	62199
LCSD 570-62199/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	62199
570-24627-A-10-C MS	Matrix Spike	Total/NA	Solid	6010B	62199
570-24627-A-10-D MSD	Matrix Spike Duplicate	Total/NA	Solid	6010B	62199

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Client Sample ID: B1-3.0

Date Collected: 04/06/20 08:38

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			2.01 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 19:46	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B2-3.0

Date Collected: 04/06/20 09:26

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			1.93 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 19:48	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B3-3.0

Date Collected: 04/06/20 10:03

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			2.03 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 19:50	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B4-3.0

Date Collected: 04/06/20 10:40

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			1.95 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 19:52	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B5-0.5

Date Collected: 04/06/20 11:15

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			1.99 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 19:54	OYW3	ECL 1
Instrument ID: ICP8										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Client Sample ID: B5-3.0

Date Collected: 04/06/20 11:50

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			2.07 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 19:57	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B6-0.5

Date Collected: 04/06/20 11:59

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			1.94 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 19:59	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B6-3.0

Date Collected: 04/06/20 12:20

Date Received: 04/06/20 14:05

Lab Sample ID: 570-25057-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			2.07 g	100 mL	62199	04/09/20 10:20	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62245	04/09/20 20:00	OYW3	ECL 1
Instrument ID: ICP8										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	ECL 1
3050B	Preparation, Metals	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:


ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25057-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-25057-2	B1-3.0	Solid	04/06/20 08:38	04/06/20 14:05	
570-25057-4	B2-3.0	Solid	04/06/20 09:26	04/06/20 14:05	
570-25057-6	B3-3.0	Solid	04/06/20 10:03	04/06/20 14:05	
570-25057-8	B4-3.0	Solid	04/06/20 10:40	04/06/20 14:05	
570-25057-9	B5-0.5	Solid	04/06/20 11:15	04/06/20 14:05	
570-25057-10	B5-3.0	Solid	04/06/20 11:50	04/06/20 14:05	
570-25057-11	B6-0.5	Solid	04/06/20 11:59	04/06/20 14:05	
570-25057-12	B6-3.0	Solid	04/06/20 12:20	04/06/20 14:05	



25057

CHAIN OF CUSTODY RECORD

DATE: April 6, 2020

PAGE: 1 OF 1

eurofins
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 FAX: (714) 894-7501

Calscience

LABORATORY CLIENT:		CLIENT PROJECT NAME / NUMBER:		P.O. NO.:		
ADDRESS:		City of Huntington Beach/S-3506.02T		LAB CONTACT OR QUOTE NO.:		
CITY:		PROJECT CONTACT:		LAB USE ONLY		
STATE:		Laura Holder/Allison Burnap		LAB USE ONLY		
FAX:		SAMPLER(S) (SIGNATURE)		LAB USE ONLY		
TEL: (714) 667-2300		Allison Burnap		LAB USE ONLY		
TURNAROUND TIME:		REQUESTED ANALYSIS		LAB USE ONLY		
SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)		PRESERVATIVES		LAB USE ONLY		
SPECIAL INSTRUCTIONS:		OCPs EPA 8081A		LAB USE ONLY		
Email results to: lholder@eeceenvironmental.com		Lead EPA 6010B		LAB USE ONLY		
Also: aburnap@eeceenvironmental.com				LAB USE ONLY		
LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.
1	B1-0.5	North of residence	4/6/20	0805	SO	1
2	B1-3.0	North of residence		0838	SO	1
3	B2-0.5	East of residence		0900	SO	1
4	B2-3.0	East of residence		0926	SO	1
5	B3-0.5	South of residence		0942	SO	1
6	B3-3.0	South of residence		1003	SO	1
7	B4-0.5	West of residence		1025	SO	1
8	B4-3.0	West of residence		1040	SO	1
9	B5-0.5	South central portion of residential lot		1115	SO	1
10	B5-3.0	South central portion of residential lot		1150	SO	1
11	B6-0.5	West portion of residential lot		1159	SO	1
12	B6-3.0	West portion of residential lot		1200	SO	1
13	QA1	Duplicate	4/6/20		SO	1
Relinquished by: (Signature)		Received by: (Signature)		Date: 04/06/2020		Time: 1405
Relinquished by: (Signature)		Received by: (Signature)		Date:		Time:
Relinquished by: (Signature)		Received by: (Signature)		Date:		Time:

06/01/10 Revision

3.6/2.7 sec

Stephen Nowak

From: Laura Holder <lholder@eecenvironmental.com>
Sent: Thursday, April 09, 2020 2:40 PM
To: Stephen Nowak
Subject: RE: Preliminary Eurofins Calscience report files from 570-25057-1 City of Huntington Beach / S-3506.02T

EXTERNAL EMAIL*

Hi Steve,

We would like to run all of the samples you have there for lead on a rush TAT. It would be samples B1-3.0, B2-3.0, B3-3.0, B4-3.0, B5-0.5, B5-3.0, B6-0.5, and B6-3.0. We need them as fast as possible.

Thank you!!

Laura Holder
Project Manager
EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Stephen Nowak [<mailto:StephenNowak@eurofinsUS.com>]
Sent: Wednesday, April 08, 2020 2:33 PM
To: Laura Holder
Subject: Re: Preliminary Eurofins Calscience report files from 570-25057-1 City of Huntington Beach / S-3506.02T

Yes- we'll have them for another 60 days.

Stephen Nowak
Project Manager
Eurofins Calscience, LLC

Sent from my iPhone

On Apr 8, 2020, at 2:15 PM, Laura Holder <lholder@eecenvironmental.com> wrote:

EXTERNAL EMAIL*

Hi Steve,

Just a heads up that we may want to run some of the samples we collected Monday for lead analysis. We will know in the next day or two for sure. I assume you guys still have them and want you to know so you can still hold them for that. Can you confirm you still have them please?

Thanks!

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-25057-2

Login Number: 25057

List Number: 1

Creator: Soriano, Precy

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-25623-1

Laboratory Sample Delivery Group: 17631

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
4/14/2020 4:51:27 PM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	7
Surrogate Summary	19
QC Sample Results	20
QC Association Summary	24
Lab Chronicle	26
Certification Summary	31
Method Summary	32
Sample Summary	33
Chain of Custody	34
Receipt Checklists	36



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Job ID: 570-25623-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-25623-1

Comments

No additional comments.

Receipt

The samples were received on 4/13/2020 11:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

GC Semi VOA

Method 8081A: The continuing calibration verification (CCV) associated with 570-62847 recovered high and outside the control limits for DCB Decachlorobiphenyl (Surr) on one column. Results are confirmed on both columns and reported from the passing column.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Client Sample ID: B11-0.5

Lab Sample ID: 570-25623-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	13	p	5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDE	1900		500	ug/Kg	100		8081A	Total/NA
4,4'-DDT	610		500	ug/Kg	100		8081A	Total/NA
alpha-Chlordane	1.5	p	1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	1200		25	ug/Kg	1		8081A	Total/NA
Lead	10.2		0.495	mg/Kg	1		6010B	Total/NA

Client Sample ID: B11-3.0

Lab Sample ID: 570-25623-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.44		0.513	mg/Kg	1		6010B	Total/NA

Client Sample ID: B12-0.5

Lab Sample ID: 570-25623-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	5.7		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDE	240		50	ug/Kg	10		8081A	Total/NA
4,4'-DDT	100		50	ug/Kg	10		8081A	Total/NA
Dieldrin	1.6		0.99	ug/Kg	1		8081A	Total/NA
Toxaphene	59		25	ug/Kg	1		8081A	Total/NA
Lead	19.6		0.510	mg/Kg	1		6010B	Total/NA

Client Sample ID: B12-3.0

Lab Sample ID: 570-25623-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	4.07		0.493	mg/Kg	1		6010B	Total/NA

Client Sample ID: B13-0.5

Lab Sample ID: 570-25623-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	16		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDE	500		100	ug/Kg	20		8081A	Total/NA
4,4'-DDT	100		100	ug/Kg	20		8081A	Total/NA
Dieldrin	2.5		1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	180		25	ug/Kg	1		8081A	Total/NA
Lead	18.0		0.488	mg/Kg	1		6010B	Total/NA

Client Sample ID: B13-3.0

Lab Sample ID: 570-25623-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	7.7		5.0	ug/Kg	1		8081A	Total/NA
Lead	4.02		0.495	mg/Kg	1		6010B	Total/NA

Client Sample ID: B14-0.5

Lab Sample ID: 570-25623-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	8.2		4.9	ug/Kg	1		8081A	Total/NA
4,4'-DDE	110		25	ug/Kg	5		8081A	Total/NA
4,4'-DDT	53		25	ug/Kg	5		8081A	Total/NA
Lead	4.64		0.498	mg/Kg	1		6010B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Client Sample ID: B14-3.0

Lab Sample ID: 570-25623-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	3.57		0.493	mg/Kg	1		6010B	Total/NA

Client Sample ID: B15-0.5

Lab Sample ID: 570-25623-9

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	11.3		0.490	mg/Kg	1		6010B	Total/NA

Client Sample ID: B15-3.0

Lab Sample ID: 570-25623-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	10.9		0.505	mg/Kg	1		6010B	Total/NA

Client Sample ID: B16-0.5

Lab Sample ID: 570-25623-11

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	22		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDT	12		5.0	ug/Kg	1		8081A	Total/NA
alpha-Chlordane	2.2	p	1.0	ug/Kg	1		8081A	Total/NA
Lead	9.86		0.503	mg/Kg	1		6010B	Total/NA

Client Sample ID: B16-3.0

Lab Sample ID: 570-25623-12

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	5.05		0.521	mg/Kg	1		6010B	Total/NA

Client Sample ID: B17-0.5

Lab Sample ID: 570-25623-13

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	6.0		5.0	ug/Kg	1		8081A	Total/NA
Lead	4.08		0.493	mg/Kg	1		6010B	Total/NA

Client Sample ID: B17-3.0

Lab Sample ID: 570-25623-14

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	3.06		0.488	mg/Kg	1		6010B	Total/NA

Client Sample ID: B18-0.5

Lab Sample ID: 570-25623-15

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	20		4.9	ug/Kg	1		8081A	Total/NA
4,4'-DDT	8.2		4.9	ug/Kg	1		8081A	Total/NA
alpha-Chlordane	2.1	p	0.99	ug/Kg	1		8081A	Total/NA
Lead	10.5		0.485	mg/Kg	1		6010B	Total/NA

Client Sample ID: B18-3.0

Lab Sample ID: 570-25623-16

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
alpha-Chlordane	1.0	p	1.0	ug/Kg	1		8081A	Total/NA
Lead	11.0		0.505	mg/Kg	1		6010B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC)

Client Sample ID: B11-0.5
Date Collected: 04/13/20 09:52
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-1
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	13	p	5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
4,4'-DDE	1900		500	ug/Kg		04/13/20 13:51	04/14/20 12:34	100
4,4'-DDT	610		500	ug/Kg		04/13/20 13:51	04/14/20 12:34	100
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
alpha-Chlordane	1.5	p	1.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:38	1
Toxaphene	1200		25	ug/Kg		04/13/20 13:51	04/14/20 07:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	64		23 - 124	04/13/20 13:51	04/14/20 07:38	1
Tetrachloro-m-xylene	42		23 - 124	04/13/20 13:51	04/14/20 12:34	100
DCB Decachlorobiphenyl (Surr)	63		20 - 137	04/13/20 13:51	04/14/20 07:38	1
DCB Decachlorobiphenyl (Surr)	70		20 - 137	04/13/20 13:51	04/14/20 12:34	100

Client Sample ID: B11-3.0
Date Collected: 04/13/20 10:11
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
4,4'-DDE	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
alpha-Chlordane	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B11-3.0
Date Collected: 04/13/20 10:11
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:45	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	66		23 - 124			04/13/20 13:51	04/14/20 09:45	1
DCB Decachlorobiphenyl (Surr)	67		20 - 137			04/13/20 13:51	04/14/20 09:45	1

Client Sample ID: B12-0.5
Date Collected: 04/13/20 10:20
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-3
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	5.7		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
4,4'-DDE	240		50	ug/Kg		04/13/20 13:51	04/14/20 12:48	10
4,4'-DDT	100		50	ug/Kg		04/13/20 13:51	04/14/20 12:48	10
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
alpha-Chlordane	ND		0.99	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Dieldrin	1.6		0.99	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Toxaphene	59		25	ug/Kg		04/13/20 13:51	04/14/20 07:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	69		23 - 124			04/13/20 13:51	04/14/20 07:52	1
Tetrachloro-m-xylene	68		23 - 124			04/13/20 13:51	04/14/20 12:48	10
DCB Decachlorobiphenyl (Surr)	71		20 - 137			04/13/20 13:51	04/14/20 07:52	1
DCB Decachlorobiphenyl (Surr)	70		20 - 137			04/13/20 13:51	04/14/20 12:48	10

Client Sample ID: B12-3.0
Date Collected: 04/13/20 10:33
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
4,4'-DDE	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B12-3.0
Date Collected: 04/13/20 10:33
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
alpha-Chlordane	ND		0.99	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Dieldrin	ND		0.99	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:06	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	62		23 - 124	04/13/20 13:51	04/14/20 08:06	1
DCB Decachlorobiphenyl (Surr)	66		20 - 137	04/13/20 13:51	04/14/20 08:06	1

Client Sample ID: B13-0.5
Date Collected: 04/13/20 09:32
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-5
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	16		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
4,4'-DDE	500		100	ug/Kg		04/13/20 13:51	04/14/20 13:02	20
4,4'-DDT	100		100	ug/Kg		04/13/20 13:51	04/14/20 13:02	20
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
alpha-Chlordane	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Dieldrin	2.5		1.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:00	1
Toxaphene	180		25	ug/Kg		04/13/20 13:51	04/14/20 10:00	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	68		23 - 124	04/13/20 13:51	04/14/20 10:00	1
Tetrachloro-m-xylene	63		23 - 124	04/13/20 13:51	04/14/20 13:02	20
DCB Decachlorobiphenyl (Surr)	68		20 - 137	04/13/20 13:51	04/14/20 10:00	1
DCB Decachlorobiphenyl (Surr)	68		20 - 137	04/13/20 13:51	04/14/20 13:02	20

Client Sample ID: B13-3.0
Date Collected: 04/13/20 09:55
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-6
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
4,4'-DDE	7.7		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
alpha-Chlordane	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:20	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	57		23 - 124	04/13/20 13:51	04/14/20 08:20	1
DCB Decachlorobiphenyl (Surr)	63		20 - 137	04/13/20 13:51	04/14/20 08:20	1

Client Sample ID: B14-0.5
Date Collected: 04/13/20 08:45
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-7
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	8.2		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
4,4'-DDE	110		25	ug/Kg		04/13/20 13:51	04/14/20 13:16	5
4,4'-DDT	53		25	ug/Kg		04/13/20 13:51	04/14/20 13:16	5
Aldrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
alpha-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
alpha-Chlordane	ND		0.98	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
beta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
delta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Dieldrin	ND		0.98	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Endosulfan I	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Endosulfan II	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Endosulfan sulfate	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B14-0.5
Date Collected: 04/13/20 08:45
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-7
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Endrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Endrin aldehyde	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Endrin ketone	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
gamma-Chlordane	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
gamma-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Heptachlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Heptachlor epoxide	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Methoxychlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 10:14	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	66		23 - 124			04/13/20 13:51	04/14/20 10:14	1
Tetrachloro-m-xylene	63		23 - 124			04/13/20 13:51	04/14/20 13:16	5
DCB Decachlorobiphenyl (Surr)	70		20 - 137			04/13/20 13:51	04/14/20 10:14	1
DCB Decachlorobiphenyl (Surr)	66		20 - 137			04/13/20 13:51	04/14/20 13:16	5

Client Sample ID: B14-3.0
Date Collected: 04/13/20 09:10
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-8
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
4,4'-DDE	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
4,4'-DDT	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Aldrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
alpha-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
alpha-Chlordane	ND		0.98	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
beta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
delta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Dieldrin	ND		0.98	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Endosulfan I	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Endosulfan II	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Endosulfan sulfate	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Endrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Endrin aldehyde	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Endrin ketone	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
gamma-Chlordane	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
gamma-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Heptachlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Heptachlor epoxide	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Methoxychlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	46		23 - 124			04/13/20 13:51	04/14/20 08:35	1
DCB Decachlorobiphenyl (Surr)	46		20 - 137			04/13/20 13:51	04/14/20 08:35	1

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC)

Client Sample ID: B15-0.5
Date Collected: 04/13/20 07:42
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-9
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
4,4'-DDE	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
4,4'-DDT	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Aldrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
alpha-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
alpha-Chlordane	ND		0.98	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
beta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
delta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Dieldrin	ND		0.98	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Endosulfan I	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Endosulfan II	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Endosulfan sulfate	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Endrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Endrin aldehyde	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Endrin ketone	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
gamma-Chlordane	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
gamma-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Heptachlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Heptachlor epoxide	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Methoxychlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 10:28	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 10:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	60		23 - 124	04/13/20 13:51	04/14/20 10:28	1
DCB Decachlorobiphenyl (Surr)	58		20 - 137	04/13/20 13:51	04/14/20 10:28	1

Client Sample ID: B15-3.0
Date Collected: 04/13/20 07:56
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-10
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
4,4'-DDE	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
alpha-Chlordane	ND		0.99	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Dieldrin	ND		0.99	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B15-3.0

Date Collected: 04/13/20 07:56

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-10

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 08:49	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	75		23 - 124			04/13/20 13:51	04/14/20 08:49	1
DCB Decachlorobiphenyl (Surr)	75		20 - 137			04/13/20 13:51	04/14/20 08:49	1

Client Sample ID: B16-0.5

Date Collected: 04/13/20 08:06

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-11

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
4,4'-DDE	22		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
4,4'-DDT	12		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
alpha-Chlordane	2.2	p	1.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 10:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	60		23 - 124			04/13/20 13:51	04/14/20 10:46	1
DCB Decachlorobiphenyl (Surr)	58		20 - 137			04/13/20 13:51	04/14/20 10:46	1

Client Sample ID: B16-3.0

Date Collected: 04/13/20 08:22

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-12

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
4,4'-DDE	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
alpha-Chlordane	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B16-3.0
Date Collected: 04/13/20 08:22
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-12
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:03	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	68		23 - 124	04/13/20 13:51	04/14/20 09:03	1
DCB Decachlorobiphenyl (Surr)	69		20 - 137	04/13/20 13:51	04/14/20 09:03	1

Client Sample ID: B17-0.5
Date Collected: 04/13/20 08:36
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-13
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
4,4'-DDE	6.0		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
alpha-Chlordane	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:17	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	53		23 - 124	04/13/20 13:51	04/14/20 09:17	1
DCB Decachlorobiphenyl (Surr)	51		20 - 137	04/13/20 13:51	04/14/20 09:17	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC)

Client Sample ID: B17-3.0
Date Collected: 04/13/20 08:55
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-14
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
4,4'-DDE	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
alpha-Chlordane	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 09:31	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 09:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	57		23 - 124	04/13/20 13:51	04/14/20 09:31	1
DCB Decachlorobiphenyl (Surr)	60		20 - 137	04/13/20 13:51	04/14/20 09:31	1

Client Sample ID: B18-0.5
Date Collected: 04/13/20 08:04
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-15
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
4,4'-DDE	20		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
4,4'-DDT	8.2		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Aldrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
alpha-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
alpha-Chlordane	2.1	p	0.99	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
beta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
delta-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Dieldrin	ND		0.99	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Endosulfan I	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Endosulfan II	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Endosulfan sulfate	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Endrin	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Endrin aldehyde	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Endrin ketone	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
gamma-Chlordane	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
gamma-BHC	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Heptachlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B18-0.5
Date Collected: 04/13/20 08:04
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-15
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor epoxide	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Methoxychlor	ND		4.9	ug/Kg		04/13/20 13:51	04/14/20 11:00	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 11:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	63		23 - 124	04/13/20 13:51	04/14/20 11:00	1
DCB Decachlorobiphenyl (Surr)	66		20 - 137	04/13/20 13:51	04/14/20 11:00	1

Client Sample ID: B18-3.0
Date Collected: 04/13/20 08:14
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-16
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
4,4'-DDE	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
alpha-Chlordane	1.0	p	1.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 12:16	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 12:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	79		23 - 124	04/13/20 13:51	04/14/20 12:16	1
DCB Decachlorobiphenyl (Surr)	77		20 - 137	04/13/20 13:51	04/14/20 12:16	1

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 6010B - Metals (ICP)

Client Sample ID: B11-0.5
Date Collected: 04/13/20 09:52
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-1
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10.2		0.495	mg/Kg	-	04/13/20 13:30	04/13/20 18:24	1

Client Sample ID: B11-3.0
Date Collected: 04/13/20 10:11
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.44		0.513	mg/Kg	-	04/13/20 13:30	04/13/20 18:30	1

Client Sample ID: B12-0.5
Date Collected: 04/13/20 10:20
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-3
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	19.6		0.510	mg/Kg	-	04/13/20 13:30	04/13/20 18:32	1

Client Sample ID: B12-3.0
Date Collected: 04/13/20 10:33
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.07		0.493	mg/Kg	-	04/13/20 13:30	04/13/20 18:34	1

Client Sample ID: B13-0.5
Date Collected: 04/13/20 09:32
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-5
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	18.0		0.488	mg/Kg	-	04/13/20 13:30	04/13/20 18:36	1

Client Sample ID: B13-3.0
Date Collected: 04/13/20 09:55
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-6
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.02		0.495	mg/Kg	-	04/13/20 13:30	04/13/20 18:38	1

Client Sample ID: B14-0.5
Date Collected: 04/13/20 08:45
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-7
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.64		0.498	mg/Kg	-	04/13/20 13:30	04/13/20 18:41	1

Client Sample ID: B14-3.0
Date Collected: 04/13/20 09:10
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-8
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.57		0.493	mg/Kg	-	04/13/20 13:30	04/13/20 18:55	1

Client Sample ID: B15-0.5
Date Collected: 04/13/20 07:42
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-9
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	11.3		0.490	mg/Kg	-	04/13/20 13:30	04/13/20 18:57	1

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 6010B - Metals (ICP)

Client Sample ID: B15-3.0
Date Collected: 04/13/20 07:56
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-10
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10.9		0.505	mg/Kg		04/13/20 13:30	04/13/20 18:59	1

Client Sample ID: B16-0.5
Date Collected: 04/13/20 08:06
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-11
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	9.86		0.503	mg/Kg		04/13/20 13:30	04/13/20 19:01	1

Client Sample ID: B16-3.0
Date Collected: 04/13/20 08:22
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-12
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.05		0.521	mg/Kg		04/13/20 13:30	04/13/20 19:04	1

Client Sample ID: B17-0.5
Date Collected: 04/13/20 08:36
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-13
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	4.08		0.493	mg/Kg		04/13/20 13:30	04/13/20 19:06	1

Client Sample ID: B17-3.0
Date Collected: 04/13/20 08:55
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-14
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.06		0.488	mg/Kg		04/13/20 13:30	04/13/20 19:08	1

Client Sample ID: B18-0.5
Date Collected: 04/13/20 08:04
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-15
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10.5		0.485	mg/Kg		04/13/20 13:30	04/13/20 19:10	1

Client Sample ID: B18-3.0
Date Collected: 04/13/20 08:14
Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-16
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	11.0		0.505	mg/Kg		04/13/20 13:30	04/13/20 19:12	1

Surrogate Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		TCX1 (23-124)	DCB1 (20-137)
570-25623-1	B11-0.5	64	63
570-25623-1	B11-0.5	42	70
570-25623-2	B11-3.0	66	67
570-25623-3	B12-0.5	69	71
570-25623-3	B12-0.5	68	70
570-25623-4	B12-3.0	62	66
570-25623-5	B13-0.5	68	68
570-25623-5	B13-0.5	63	68
570-25623-6	B13-3.0	57	63
570-25623-7	B14-0.5	66	70
570-25623-7	B14-0.5	63	66
570-25623-8	B14-3.0	46	46
570-25623-9	B15-0.5	60	58
570-25623-10	B15-3.0	75	75
570-25623-11	B16-0.5	60	58
570-25623-12	B16-3.0	68	69
570-25623-13	B17-0.5	53	51
570-25623-13 MS	B17-0.5	60	60
570-25623-13 MSD	B17-0.5	69	70
570-25623-14	B17-3.0	57	60
570-25623-15	B18-0.5	63	66
570-25623-16	B18-3.0	79	77
LCS 570-62818/2-A	Lab Control Sample	86	86
LCSD 570-62818/3-A	Lab Control Sample Dup	86	89
MB 570-62818/1-A	Method Blank	86	87

Surrogate Legend

TCX = Tetrachloro-m-xylene

DCB = DCB Decachlorobiphenyl (Surr)

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC)

Lab Sample ID: MB 570-62818/1-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 62818

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
4,4'-DDE	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
4,4'-DDT	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Aldrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
alpha-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
alpha-Chlordane	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
beta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Chlordane	ND		25	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
delta-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Dieldrin	ND		1.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Endosulfan I	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Endosulfan II	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Endrin	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Endrin aldehyde	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Endrin ketone	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
gamma-Chlordane	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
gamma-BHC	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Heptachlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Methoxychlor	ND		5.0	ug/Kg		04/13/20 13:51	04/14/20 06:27	1
Toxaphene	ND		25	ug/Kg		04/13/20 13:51	04/14/20 06:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	86		23 - 124	04/13/20 13:51	04/14/20 06:27	1
DCB Decachlorobiphenyl (Surr)	87		20 - 137	04/13/20 13:51	04/14/20 06:27	1

Lab Sample ID: LCS 570-62818/2-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62818

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	25.0	18.61		ug/Kg		74	50 - 149
4,4'-DDE	25.0	19.22		ug/Kg		77	48 - 144
4,4'-DDT	25.0	21.30		ug/Kg		85	37 - 149
Aldrin	25.0	19.57		ug/Kg		78	43 - 139
alpha-BHC	25.0	19.75		ug/Kg		79	51 - 138
alpha-Chlordane	25.0	19.10		ug/Kg		76	47 - 136
beta-BHC	25.0	19.97		ug/Kg		80	47 - 135
delta-BHC	25.0	16.85		ug/Kg		67	40 - 146
Dieldrin	25.0	20.07		ug/Kg		80	48 - 141
Endosulfan I	25.0	19.38		ug/Kg		78	43 - 139
Endosulfan II	25.0	20.08		ug/Kg		80	48 - 142
Endosulfan sulfate	25.0	20.51		ug/Kg		82	47 - 144
Endrin	25.0	19.74		ug/Kg		79	35 - 144
Endrin aldehyde	25.0	18.17		ug/Kg		73	35 - 138
gamma-Chlordane	25.0	22.12		ug/Kg		88	33 - 155
gamma-BHC	25.0	19.39		ug/Kg		78	51 - 137

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 570-62818/2-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62818

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Heptachlor	25.0	19.82		ug/Kg		79	47 - 137
Heptachlor epoxide	25.0	19.11		ug/Kg		76	49 - 135
Methoxychlor	25.0	22.15		ug/Kg		89	39 - 142

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	86		23 - 124
DCB Decachlorobiphenyl (Surr)	86		20 - 137

Lab Sample ID: LCSD 570-62818/3-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 62818

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
4,4'-DDD	25.0	18.86		ug/Kg		75	50 - 149	1	17
4,4'-DDE	25.0	19.32		ug/Kg		77	48 - 144	1	18
4,4'-DDT	25.0	21.55		ug/Kg		86	37 - 149	1	17
Aldrin	25.0	19.10		ug/Kg		76	43 - 139	2	15
alpha-BHC	25.0	19.32		ug/Kg		77	51 - 138	2	17
alpha-Chlordane	25.0	18.89		ug/Kg		76	47 - 136	1	16
beta-BHC	25.0	18.80		ug/Kg		75	47 - 135	6	17
delta-BHC	25.0	16.67		ug/Kg		67	40 - 146	1	20
Dieldrin	25.0	19.95		ug/Kg		80	48 - 141	1	16
Endosulfan I	25.0	19.15		ug/Kg		77	43 - 139	1	16
Endosulfan II	25.0	19.81		ug/Kg		79	48 - 142	1	16
Endosulfan sulfate	25.0	20.84		ug/Kg		83	47 - 144	2	16
Endrin	25.0	19.67		ug/Kg		79	35 - 144	0	18
Endrin aldehyde	25.0	18.32		ug/Kg		73	35 - 138	1	13
gamma-Chlordane	25.0	21.61		ug/Kg		86	33 - 155	2	59
gamma-BHC	25.0	18.89		ug/Kg		76	51 - 137	3	17
Heptachlor	25.0	19.42		ug/Kg		78	47 - 137	2	17
Heptachlor epoxide	25.0	18.81		ug/Kg		75	49 - 135	2	17
Methoxychlor	25.0	22.78		ug/Kg		91	39 - 142	3	17

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Tetrachloro-m-xylene	86		23 - 124
DCB Decachlorobiphenyl (Surr)	89		20 - 137

Lab Sample ID: 570-25623-13 MS

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: B17-0.5

Prep Type: Total/NA

Prep Batch: 62818

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	ND		24.9	14.27		ug/Kg		55	12 - 180
4,4'-DDE	6.0		24.9	26.20		ug/Kg		81	8 - 184
4,4'-DDT	ND		24.9	26.40		ug/Kg		92	2 - 187
Aldrin	ND		24.9	12.22		ug/Kg		49	9 - 153
alpha-BHC	ND		24.9	12.86		ug/Kg		52	10 - 149
alpha-Chlordane	ND		24.9	15.08		ug/Kg		61	9 - 161

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 570-25623-13 MS

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: B17-0.5

Prep Type: Total/NA

Prep Batch: 62818

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
beta-BHC	ND		24.9	13.75		ug/Kg		55	9 - 156
delta-BHC	ND		24.9	11.17		ug/Kg		45	6 - 162
Dieldrin	ND		24.9	14.40		ug/Kg		56	11 - 164
Endosulfan I	ND		24.9	12.50		ug/Kg		50	4 - 156
Endosulfan II	ND		24.9	13.55		ug/Kg		54	12 - 161
Endosulfan sulfate	ND		24.9	13.89		ug/Kg		56	10 - 165
Endrin	ND		24.9	13.35		ug/Kg		54	6 - 166
Endrin aldehyde	ND		24.9	10.57		ug/Kg		43	1 - 156
gamma-Chlordane	ND		24.9	12.67	p	ug/Kg		51	7 - 177
gamma-BHC	ND		24.9	13.12		ug/Kg		53	9 - 154
Heptachlor	ND		24.9	12.50		ug/Kg		50	3 - 150
Heptachlor epoxide	ND		24.9	12.83		ug/Kg		52	7 - 169
Methoxychlor	ND		24.9	14.63		ug/Kg		59	8 - 163

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene	60		23 - 124
DCB Decachlorobiphenyl (Surr)	60		20 - 137

Lab Sample ID: 570-25623-13 MSD

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: B17-0.5

Prep Type: Total/NA

Prep Batch: 62818

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
4,4'-DDD	ND		24.8	17.70		ug/Kg		69	12 - 180	21	79
4,4'-DDE	6.0		24.8	34.14		ug/Kg		114	8 - 184	26	76
4,4'-DDT	ND		24.8	32.50		ug/Kg		117	2 - 187	21	78
Aldrin	ND		24.8	14.67		ug/Kg		59	9 - 153	18	77
alpha-BHC	ND		24.8	15.35		ug/Kg		62	10 - 149	18	85
alpha-Chlordane	ND		24.8	18.69		ug/Kg		75	9 - 161	21	79
beta-BHC	ND		24.8	15.46		ug/Kg		62	9 - 156	12	78
delta-BHC	ND		24.8	13.99		ug/Kg		57	6 - 162	22	85
Dieldrin	ND		24.8	18.09		ug/Kg		71	11 - 164	23	77
Endosulfan I	ND		24.8	15.68		ug/Kg		63	4 - 156	23	77
Endosulfan II	ND		24.8	16.12		ug/Kg		65	12 - 161	17	77
Endosulfan sulfate	ND		24.8	16.20		ug/Kg		65	10 - 165	15	73
Endrin	ND		24.8	16.79		ug/Kg		68	6 - 166	23	82
Endrin aldehyde	ND		24.8	12.86		ug/Kg		52	1 - 156	19	83
gamma-Chlordane	ND		24.8	21.03		ug/Kg		85	7 - 177	50	84
gamma-BHC	ND		24.8	15.66		ug/Kg		63	9 - 154	18	79
Heptachlor	ND		24.8	15.17		ug/Kg		61	3 - 150	19	85
Heptachlor epoxide	ND		24.8	15.83		ug/Kg		64	7 - 169	21	79
Methoxychlor	ND		24.8	18.03		ug/Kg		73	8 - 163	21	78

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Tetrachloro-m-xylene	69		23 - 124
DCB Decachlorobiphenyl (Surr)	70		20 - 137

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-62809/1-A
Matrix: Solid
Analysis Batch: 62736

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 62809

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.503	mg/Kg		04/13/20 13:30	04/13/20 18:05	1

Lab Sample ID: LCS 570-62809/2-A
Matrix: Solid
Analysis Batch: 62736

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 62809

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	24.6	21.93		mg/Kg		89	80 - 120

Lab Sample ID: LCSD 570-62809/3-A
Matrix: Solid
Analysis Batch: 62736

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 62809

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	24.9	22.13		mg/Kg		89	80 - 120	1	20

Lab Sample ID: 570-25623-1 MS
Matrix: Solid
Analysis Batch: 62736

Client Sample ID: B11-0.5
Prep Type: Total/NA
Prep Batch: 62809

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	10.2		25.6	37.62		mg/Kg		107	75 - 125

Lab Sample ID: 570-25623-1 MSD
Matrix: Solid
Analysis Batch: 62736

Client Sample ID: B11-0.5
Prep Type: Total/NA
Prep Batch: 62809

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	10.2		25.3	37.94		mg/Kg		110	75 - 125	1	20

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

GC Semi VOA

Prep Batch: 62818

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25623-1	B11-0.5	Total/NA	Solid	3545	
570-25623-2	B11-3.0	Total/NA	Solid	3545	
570-25623-3	B12-0.5	Total/NA	Solid	3545	
570-25623-4	B12-3.0	Total/NA	Solid	3545	
570-25623-5	B13-0.5	Total/NA	Solid	3545	
570-25623-6	B13-3.0	Total/NA	Solid	3545	
570-25623-7	B14-0.5	Total/NA	Solid	3545	
570-25623-8	B14-3.0	Total/NA	Solid	3545	
570-25623-9	B15-0.5	Total/NA	Solid	3545	
570-25623-10	B15-3.0	Total/NA	Solid	3545	
570-25623-11	B16-0.5	Total/NA	Solid	3545	
570-25623-12	B16-3.0	Total/NA	Solid	3545	
570-25623-13	B17-0.5	Total/NA	Solid	3545	
570-25623-14	B17-3.0	Total/NA	Solid	3545	
570-25623-15	B18-0.5	Total/NA	Solid	3545	
570-25623-16	B18-3.0	Total/NA	Solid	3545	
MB 570-62818/1-A	Method Blank	Total/NA	Solid	3545	
LCS 570-62818/2-A	Lab Control Sample	Total/NA	Solid	3545	
LCSD 570-62818/3-A	Lab Control Sample Dup	Total/NA	Solid	3545	
570-25623-13 MS	B17-0.5	Total/NA	Solid	3545	
570-25623-13 MSD	B17-0.5	Total/NA	Solid	3545	

Analysis Batch: 62847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25623-1	B11-0.5	Total/NA	Solid	8081A	62818
570-25623-1	B11-0.5	Total/NA	Solid	8081A	62818
570-25623-2	B11-3.0	Total/NA	Solid	8081A	62818
570-25623-3	B12-0.5	Total/NA	Solid	8081A	62818
570-25623-3	B12-0.5	Total/NA	Solid	8081A	62818
570-25623-4	B12-3.0	Total/NA	Solid	8081A	62818
570-25623-5	B13-0.5	Total/NA	Solid	8081A	62818
570-25623-5	B13-0.5	Total/NA	Solid	8081A	62818
570-25623-6	B13-3.0	Total/NA	Solid	8081A	62818
570-25623-7	B14-0.5	Total/NA	Solid	8081A	62818
570-25623-7	B14-0.5	Total/NA	Solid	8081A	62818
570-25623-8	B14-3.0	Total/NA	Solid	8081A	62818
570-25623-9	B15-0.5	Total/NA	Solid	8081A	62818
570-25623-10	B15-3.0	Total/NA	Solid	8081A	62818
570-25623-11	B16-0.5	Total/NA	Solid	8081A	62818
570-25623-12	B16-3.0	Total/NA	Solid	8081A	62818
570-25623-13	B17-0.5	Total/NA	Solid	8081A	62818
570-25623-14	B17-3.0	Total/NA	Solid	8081A	62818
570-25623-15	B18-0.5	Total/NA	Solid	8081A	62818
570-25623-16	B18-3.0	Total/NA	Solid	8081A	62818
MB 570-62818/1-A	Method Blank	Total/NA	Solid	8081A	62818
LCS 570-62818/2-A	Lab Control Sample	Total/NA	Solid	8081A	62818
LCSD 570-62818/3-A	Lab Control Sample Dup	Total/NA	Solid	8081A	62818
570-25623-13 MS	B17-0.5	Total/NA	Solid	8081A	62818
570-25623-13 MSD	B17-0.5	Total/NA	Solid	8081A	62818

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Metals

Analysis Batch: 62736

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25623-1	B11-0.5	Total/NA	Solid	6010B	62809
570-25623-2	B11-3.0	Total/NA	Solid	6010B	62809
570-25623-3	B12-0.5	Total/NA	Solid	6010B	62809
570-25623-4	B12-3.0	Total/NA	Solid	6010B	62809
570-25623-5	B13-0.5	Total/NA	Solid	6010B	62809
570-25623-6	B13-3.0	Total/NA	Solid	6010B	62809
570-25623-7	B14-0.5	Total/NA	Solid	6010B	62809
570-25623-8	B14-3.0	Total/NA	Solid	6010B	62809
570-25623-9	B15-0.5	Total/NA	Solid	6010B	62809
570-25623-10	B15-3.0	Total/NA	Solid	6010B	62809
570-25623-11	B16-0.5	Total/NA	Solid	6010B	62809
570-25623-12	B16-3.0	Total/NA	Solid	6010B	62809
570-25623-13	B17-0.5	Total/NA	Solid	6010B	62809
570-25623-14	B17-3.0	Total/NA	Solid	6010B	62809
570-25623-15	B18-0.5	Total/NA	Solid	6010B	62809
570-25623-16	B18-3.0	Total/NA	Solid	6010B	62809
MB 570-62809/1-A	Method Blank	Total/NA	Solid	6010B	62809
LCS 570-62809/2-A	Lab Control Sample	Total/NA	Solid	6010B	62809
LCSD 570-62809/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	62809
570-25623-1 MS	B11-0.5	Total/NA	Solid	6010B	62809
570-25623-1 MSD	B11-0.5	Total/NA	Solid	6010B	62809

Prep Batch: 62809

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25623-1	B11-0.5	Total/NA	Solid	3050B	
570-25623-2	B11-3.0	Total/NA	Solid	3050B	
570-25623-3	B12-0.5	Total/NA	Solid	3050B	
570-25623-4	B12-3.0	Total/NA	Solid	3050B	
570-25623-5	B13-0.5	Total/NA	Solid	3050B	
570-25623-6	B13-3.0	Total/NA	Solid	3050B	
570-25623-7	B14-0.5	Total/NA	Solid	3050B	
570-25623-8	B14-3.0	Total/NA	Solid	3050B	
570-25623-9	B15-0.5	Total/NA	Solid	3050B	
570-25623-10	B15-3.0	Total/NA	Solid	3050B	
570-25623-11	B16-0.5	Total/NA	Solid	3050B	
570-25623-12	B16-3.0	Total/NA	Solid	3050B	
570-25623-13	B17-0.5	Total/NA	Solid	3050B	
570-25623-14	B17-3.0	Total/NA	Solid	3050B	
570-25623-15	B18-0.5	Total/NA	Solid	3050B	
570-25623-16	B18-3.0	Total/NA	Solid	3050B	
MB 570-62809/1-A	Method Blank	Total/NA	Solid	3050B	
LCS 570-62809/2-A	Lab Control Sample	Total/NA	Solid	3050B	
LCSD 570-62809/3-A	Lab Control Sample Dup	Total/NA	Solid	3050B	
570-25623-1 MS	B11-0.5	Total/NA	Solid	3050B	
570-25623-1 MSD	B11-0.5	Total/NA	Solid	3050B	

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Client Sample ID: B11-0.5

Date Collected: 04/13/20 09:52

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.0 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 07:38	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.0 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		100			62847	04/14/20 12:34	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.02 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:24	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B11-3.0

Date Collected: 04/13/20 10:11

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.1 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 09:45	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			1.95 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:30	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B12-0.5

Date Collected: 04/13/20 10:20

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.2 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 07:52	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.2 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		10			62847	04/14/20 12:48	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			1.96 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:32	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B12-3.0

Date Collected: 04/13/20 10:33

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.2 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 08:06	UHHN	ECL 1
Instrument ID: GC44										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Client Sample ID: B12-3.0

Date Collected: 04/13/20 10:33

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			2.03 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:34	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B13-0.5

Date Collected: 04/13/20 09:32

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.0 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 10:00	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.0 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		20			62847	04/14/20 13:02	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.05 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:36	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B13-3.0

Date Collected: 04/13/20 09:55

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.1 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 08:20	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.02 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:38	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B14-0.5

Date Collected: 04/13/20 08:45

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.4 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 10:14	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.4 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		5			62847	04/14/20 13:16	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.01 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:41	ULPF	ECL 1
Instrument ID: ICP8										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Client Sample ID: B14-3.0

Date Collected: 04/13/20 09:10

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.4 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 08:35	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.03 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:55	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B15-0.5

Date Collected: 04/13/20 07:42

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.4 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 10:28	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.04 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:57	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B15-3.0

Date Collected: 04/13/20 07:56

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.2 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 08:49	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			1.98 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 18:59	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B16-0.5

Date Collected: 04/13/20 08:06

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.0 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 10:46	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			1.99 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 19:01	ULPF	ECL 1
Instrument ID: ICP8										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Client Sample ID: B16-3.0

Date Collected: 04/13/20 08:22

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.0 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 09:03	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			1.92 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 19:04	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B17-0.5

Date Collected: 04/13/20 08:36

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-13

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.0 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 09:17	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.03 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 19:06	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B17-3.0

Date Collected: 04/13/20 08:55

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-14

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.1 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 09:31	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.05 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 19:08	ULPF	ECL 1
Instrument ID: ICP8										

Client Sample ID: B18-0.5

Date Collected: 04/13/20 08:04

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-15

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.3 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 11:00	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.06 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 19:10	ULPF	ECL 1
Instrument ID: ICP8										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Client Sample ID: B18-3.0

Date Collected: 04/13/20 08:14

Date Received: 04/13/20 11:15

Lab Sample ID: 570-25623-16

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.1 g	10 mL	62818	04/13/20 13:51	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 12:16	UHHN	ECL 1
		Instrument ID: GC44								
Total/NA	Prep	3050B			1.98 g	100 mL	62809	04/13/20 13:30	WL8G	ECL 1
Total/NA	Analysis	6010B		1			62736	04/13/20 19:12	ULPF	ECL 1
		Instrument ID: ICP8								

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631

Method	Method Description	Protocol	Laboratory
8081A	Organochlorine Pesticides (GC)	SW846	ECL 1
6010B	Metals (ICP)	SW846	ECL 1
3050B	Preparation, Metals	SW846	ECL 1
3545	Pressurized Fluid Extraction	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25623-1
SDG: 17631


Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-25623-1	B11-0.5	Solid	04/13/20 09:52	04/13/20 11:15	
570-25623-2	B11-3.0	Solid	04/13/20 10:11	04/13/20 11:15	
570-25623-3	B12-0.5	Solid	04/13/20 10:20	04/13/20 11:15	
570-25623-4	B12-3.0	Solid	04/13/20 10:33	04/13/20 11:15	
570-25623-5	B13-0.5	Solid	04/13/20 09:32	04/13/20 11:15	
570-25623-6	B13-3.0	Solid	04/13/20 09:55	04/13/20 11:15	
570-25623-7	B14-0.5	Solid	04/13/20 08:45	04/13/20 11:15	
570-25623-8	B14-3.0	Solid	04/13/20 09:10	04/13/20 11:15	
570-25623-9	B15-0.5	Solid	04/13/20 07:42	04/13/20 11:15	
570-25623-10	B15-3.0	Solid	04/13/20 07:56	04/13/20 11:15	
570-25623-11	B16-0.5	Solid	04/13/20 08:06	04/13/20 11:15	
570-25623-12	B16-3.0	Solid	04/13/20 08:22	04/13/20 11:15	
570-25623-13	B17-0.5	Solid	04/13/20 08:36	04/13/20 11:15	
570-25623-14	B17-3.0	Solid	04/13/20 08:55	04/13/20 11:15	
570-25623-15	B18-0.5	Solid	04/13/20 08:04	04/13/20 11:15	
570-25623-16	B18-3.0	Solid	04/13/20 08:14	04/13/20 11:15	

25623

CHAIN OF CUSTODY RECORD

DATE: 4/13/2020

PAGE: 1 OF 2



570-25623 Chain of Custody

7440 LINCOLN WAY

GARDEN GROVE, CA 92841-1427

TEL: (714) 895-5494 . FAX: (714) 894-7501



CalScience

LABORATORY CLIENT: EEC Environmental		CLIENT PROJECT NAME / NUMBER: City of Huntington Beach/S-3506.02T 17031		P.O. NO.:	
ADDRESS: One City Blvd. West #1800		PROJECT CONTACT: Laura Holder/Allison Burnap		LAB CONTACT OR QUOTE NO.:	
CITY: Orange		STATE: CA		ZIP: 92868	
TEL: (714) 667-2300		FAX: (714) 667-2310		E-MAIL: (SEE BELOW)	
TURNAROUND TIME:		☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS		SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) ☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL / /	
SPECIAL INSTRUCTIONS: Email results to lholder@eecenvironmental.com & aburnap@eecenvironmental.com					
LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING		NO. OF CONT.
			DATE	MATRIX	
	B7-0.5	Northwest corner		SO	1
	B7-3.0	Northwest corner		SO	1
	B8-0.5	Southwest corner		SO	1
	B8-3.0	Southwest corner		SO	1
	B9-0.5	Northeast corner		SO	1
	B9-3.0	Northeast corner		SO	1
	B10-0.5	N Step out B6		SO	1
	B10-3.0	N Step out B6		SO	1
1	B11-0.5	E Step out B6	4/13/20 0952	SO	1
2	B11-3.0	E Step out B6	4/13/20 1611	SO	1
3	B12-0.5	S Step out B6	4/13/20 1020	SO	1
4	B12-3.0	S Step out B6	4/13/20 1033	SO	1
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		

Date: 04/13/2020 10:50

Date: 04/13/2020 1115

Date: 04/13/2020 1115

06/01/10 Revision

3-9/3-0 Sub

25623



CalScience

7440 LINCOLN WAY

GARDEN GROVE, CA 92841-1427

TEL: (714) 895-5494 . FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

DATE: 4/13/2020

PAGE: 2 OF 2

LABORATORY CLIENT: EEC Environmental		CLIENT PROJECT NAME / NUMBER: City of Huntington Beach/S-3506.02T 17631		P.O. NO.:	
ADDRESS: One City Blvd. West #1800		PROJECT CONTACT: Laura Holder/Allison Burnap		LAB CONTACT OR QUOTE NO.:	
CITY: Orange		STATE: CA		ZIP: 92868	
TEL: (714) 667-2300		FAX: (714) 667-2310		E-MAIL:	
TURNAROUND TIME:		☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS		SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) ☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ____ / ____ / ____	
SPECIAL INSTRUCTIONS: Email results to lholder@eecenvironmental.com & aburnap@eecenvironmental.com					
LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING DATE TIME		NO. OF CONT.
5	B13-0.5	W Step out B6	4/13/20	0932	1
6	B13-3.0	W Step out B6	4/13/20	0955	1
7	B14-0.5	N Step out B6	4/13/20	0845	1
8	B14-3.0	N Step out B6	4/17/20	0910	1
9	B15-0.5	NW Step out B4	4/13/20	0742	1
10	B15-3.0	NW Step out B4	4/13/20	0756	1
11	B16-0.5	W Step out B4	4/13/20	0806	1
12	B16-3.0	W Step out B4	4/13/20	0822	1
13	B17-0.5	SW Step out B4	4/13/20	0836	1
14	B17-3.0	SW Step out B4	4/13/20	0855	1
15	B18-0.5	SE Step out B4	4/13/20	0804	1
16	B18-3.0	SE Step out B4	4/13/20	0844	1
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		

Date: 04/13/2020 Time: 1050
 Date: 04/13/2020 Time: 1115
 Date: Time:

06/01/10 Revision

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-25623-1

SDG Number: 17631

Login Number: 25623

List Number: 1

Creator: Soriano, Precy

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-25647-1

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
4/15/2020 8:37:11 AM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	17
Lab Chronicle	19
Certification Summary	22
Method Summary	23
Sample Summary	24
Chain of Custody	25
Receipt Checklists	26



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
F1	MS and/or MSD recovery exceeds control limits.
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Job ID: 570-25647-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-25647-1

Comments

No additional comments.

Receipt

The samples were received on 4/13/2020 2:07 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.1° C.

GC Semi VOA

Method 8081A: The matrix spike, and matrix spike duplicate (MS/MSD) associated with preparation batch 570-62993 and analytical batch 570-62847 were out of control limit. Due to the additional level of 4,4'-DDE and 4,4'-DDT present in the spiked samples, the concentration of 4,4'-DDE and 4,4'-DDT in the MS/MSD was above the instrument calibration range.

Method 8081A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-62993 and analytical batch 570-62847 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8081A: The continuing calibration verification (CCV) associated with batch 570-63013 recovered above the upper control limit for alpha-BHC and gamma-BHC. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Client Sample ID: B7-0.5

Lab Sample ID: 570-25647-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	32	p	5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDE	3100		500	ug/Kg	100		8081A	Total/NA
4,4'-DDT	1300		500	ug/Kg	100		8081A	Total/NA
Toxaphene	1600	p	25	ug/Kg	1		8081A	Total/NA
Lead	30.0		0.495	mg/Kg	1		6010B	Total/NA

Client Sample ID: B7-3.0

Lab Sample ID: 570-25647-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	16		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDT	6.6		5.0	ug/Kg	1		8081A	Total/NA
Lead	5.16		0.503	mg/Kg	1		6010B	Total/NA

Client Sample ID: B8-0.5

Lab Sample ID: 570-25647-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	270		50	ug/Kg	10		8081A	Total/NA
4,4'-DDT	63		50	ug/Kg	10		8081A	Total/NA
Dieldrin	1.5		1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	110	p	25	ug/Kg	1		8081A	Total/NA
Lead	25.0		0.513	mg/Kg	1		6010B	Total/NA

Client Sample ID: B8-3.0

Lab Sample ID: 570-25647-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	13		5.0	ug/Kg	1		8081A	Total/NA
Lead	2.45		0.505	mg/Kg	1		6010B	Total/NA

Client Sample ID: B9-0.5

Lab Sample ID: 570-25647-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	17		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDT	9.6		5.0	ug/Kg	1		8081A	Total/NA
Lead	9.59		0.493	mg/Kg	1		6010B	Total/NA

Client Sample ID: B9-3.0

Lab Sample ID: 570-25647-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	3.33		0.495	mg/Kg	1		6010B	Total/NA

Client Sample ID: B10-0.5

Lab Sample ID: 570-25647-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	770		500	ug/Kg	100		8081A	Total/NA
4,4'-DDT	410		100	ug/Kg	20		8081A	Total/NA
alpha-Chlordane	1.8	p	1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	500		25	ug/Kg	1		8081A	Total/NA
Lead	47.3		0.488	mg/Kg	1		6010B	Total/NA

Client Sample ID: B10-3.0

Lab Sample ID: 570-25647-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.54		0.483	mg/Kg	1		6010B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC)

Client Sample ID: B7-0.5
Date Collected: 04/13/20 12:25
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-1
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	32	p	5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
4,4'-DDE	3100		500	ug/Kg		04/14/20 09:27	04/14/20 16:47	100
4,4'-DDT	1300		500	ug/Kg		04/14/20 09:27	04/14/20 16:47	100
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:37	1
Toxaphene	1600	p	25	ug/Kg		04/14/20 09:27	04/14/20 16:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	62		23 - 124	04/14/20 09:27	04/14/20 16:37	1
Tetrachloro-m-xylene	65		23 - 124	04/14/20 09:27	04/14/20 16:47	100
DCB Decachlorobiphenyl (Surr)	75	p	20 - 137	04/14/20 09:27	04/14/20 16:37	1
DCB Decachlorobiphenyl (Surr)	66		20 - 137	04/14/20 09:27	04/14/20 16:47	100

Client Sample ID: B7-3.0
Date Collected: 04/13/20 12:43
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
4,4'-DDE	16		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
4,4'-DDT	6.6		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B7-3.0

Date Collected: 04/13/20 12:43

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-2

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Toxaphene	ND		25	ug/Kg		04/14/20 09:27	04/14/20 16:22	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	55		23 - 124			04/14/20 09:27	04/14/20 16:22	1
DCB Decachlorobiphenyl (Surr)	54		20 - 137			04/14/20 09:27	04/14/20 16:22	1

Client Sample ID: B8-0.5

Date Collected: 04/13/20 11:58

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-3

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
4,4'-DDE	270		50	ug/Kg		04/14/20 09:27	04/14/20 15:59	10
4,4'-DDT	63		50	ug/Kg		04/14/20 09:27	04/14/20 15:59	10
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Dieldrin	1.5		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Toxaphene	110 p		25	ug/Kg		04/14/20 09:27	04/14/20 15:11	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	45		23 - 124			04/14/20 09:27	04/14/20 15:11	1
Tetrachloro-m-xylene	56		23 - 124			04/14/20 09:27	04/14/20 15:59	10
DCB Decachlorobiphenyl (Surr)	46		20 - 137			04/14/20 09:27	04/14/20 15:11	1
DCB Decachlorobiphenyl (Surr)	55		20 - 137			04/14/20 09:27	04/14/20 15:59	10

Client Sample ID: B8-3.0

Date Collected: 04/13/20 12:13

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-4

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
4,4'-DDE	13		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
4,4'-DDT	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B8-3.0
Date Collected: 04/13/20 12:13
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:26	1
Toxaphene	ND		25	ug/Kg		04/14/20 09:27	04/14/20 15:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	44		23 - 124	04/14/20 09:27	04/14/20 15:26	1
DCB Decachlorobiphenyl (Surr)	41		20 - 137	04/14/20 09:27	04/14/20 15:26	1

Client Sample ID: B9-0.5
Date Collected: 04/13/20 11:33
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-5
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
4,4'-DDE	17		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
4,4'-DDT	9.6		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:40	1
Toxaphene	ND		25	ug/Kg		04/14/20 09:27	04/14/20 15:40	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	51		23 - 124	04/14/20 09:27	04/14/20 15:40	1
DCB Decachlorobiphenyl (Surr)	48		20 - 137	04/14/20 09:27	04/14/20 15:40	1

Client Sample ID: B9-3.0

Date Collected: 04/13/20 11:43

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-6

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
4,4'-DDE	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
4,4'-DDT	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 15:54	1
Toxaphene	ND		25	ug/Kg		04/14/20 09:27	04/14/20 15:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	60		23 - 124	04/14/20 09:27	04/14/20 15:54	1
DCB Decachlorobiphenyl (Surr)	60		20 - 137	04/14/20 09:27	04/14/20 15:54	1

Client Sample ID: B10-0.5

Date Collected: 04/13/20 13:00

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-7

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
4,4'-DDE	770		500	ug/Kg		04/14/20 09:27	04/14/20 16:27	100
4,4'-DDT	410		100	ug/Kg		04/14/20 09:27	04/14/20 15:45	20
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
alpha-Chlordane	1.8	p	1.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Endrin aldehyde	ND	F1	5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B10-0.5
Date Collected: 04/13/20 13:00
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-7
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 14:55	1
Toxaphene	500		25	ug/Kg		04/14/20 09:27	04/14/20 14:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	78		23 - 124	04/14/20 09:27	04/14/20 14:55	1
Tetrachloro-m-xylene	58		23 - 124	04/14/20 09:27	04/14/20 15:45	20
Tetrachloro-m-xylene	51		23 - 124	04/14/20 09:27	04/14/20 16:27	100
DCB Decachlorobiphenyl (Surr)	57		20 - 137	04/14/20 09:27	04/14/20 14:55	1
DCB Decachlorobiphenyl (Surr)	64		20 - 137	04/14/20 09:27	04/14/20 15:45	20
DCB Decachlorobiphenyl (Surr)	57		20 - 137	04/14/20 09:27	04/14/20 16:27	100

Client Sample ID: B10-3.0
Date Collected: 04/13/20 13:20
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-8
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
4,4'-DDE	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
4,4'-DDT	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 16:08	1
Toxaphene	ND		25	ug/Kg		04/14/20 09:27	04/14/20 16:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	56		23 - 124	04/14/20 09:27	04/14/20 16:08	1
DCB Decachlorobiphenyl (Surr)	54		20 - 137	04/14/20 09:27	04/14/20 16:08	1

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 6010B - Metals (ICP)

Client Sample ID: B7-0.5
Date Collected: 04/13/20 12:25
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-1
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	30.0		0.495	mg/Kg	-	04/14/20 08:05	04/14/20 12:20	1

Client Sample ID: B7-3.0
Date Collected: 04/13/20 12:43
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	5.16		0.503	mg/Kg	-	04/14/20 08:05	04/14/20 12:22	1

Client Sample ID: B8-0.5
Date Collected: 04/13/20 11:58
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-3
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	25.0		0.513	mg/Kg	-	04/14/20 08:05	04/14/20 12:24	1

Client Sample ID: B8-3.0
Date Collected: 04/13/20 12:13
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.45		0.505	mg/Kg	-	04/14/20 08:05	04/14/20 12:25	1

Client Sample ID: B9-0.5
Date Collected: 04/13/20 11:33
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-5
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	9.59		0.493	mg/Kg	-	04/14/20 08:05	04/14/20 12:28	1

Client Sample ID: B9-3.0
Date Collected: 04/13/20 11:43
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-6
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.33		0.495	mg/Kg	-	04/14/20 08:05	04/14/20 12:30	1

Client Sample ID: B10-0.5
Date Collected: 04/13/20 13:00
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-7
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	47.3		0.488	mg/Kg	-	04/14/20 08:05	04/14/20 12:32	1

Client Sample ID: B10-3.0
Date Collected: 04/13/20 13:20
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-8
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.54		0.483	mg/Kg	-	04/14/20 08:05	04/14/20 12:34	1

Surrogate Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	TCX1 (23-124)	DCB1 (20-137)
570-25647-1	B7-0.5	62	75 p
570-25647-1	B7-0.5	65	66
570-25647-2	B7-3.0	55	54
570-25647-3	B8-0.5	45	46
570-25647-3	B8-0.5	56	55
570-25647-4	B8-3.0	44	41
570-25647-5	B9-0.5	51	48
570-25647-6	B9-3.0	60	60
570-25647-7	B10-0.5	78	57
570-25647-7	B10-0.5	51	57
570-25647-7	B10-0.5	58	64
570-25647-7 MS	B10-0.5	62	63
570-25647-7 MSD	B10-0.5	64	63
570-25647-8	B10-3.0	56	54
LCS 570-62993/2-A	Lab Control Sample	83	83
LCSD 570-62993/3-A	Lab Control Sample Dup	87	90
MB 570-62993/1-A	Method Blank	86	88
Surrogate Legend			
TCX = Tetrachloro-m-xylene			
DCB = DCB Decachlorobiphenyl (Surr)			

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC)

Lab Sample ID: MB 570-62993/1-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 62993

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
4,4'-DDE	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
4,4'-DDT	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Aldrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
alpha-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
alpha-Chlordane	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
beta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Chlordane	ND		25	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
delta-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Dieldrin	ND		1.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Endosulfan I	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Endosulfan II	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Endrin	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Endrin aldehyde	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Endrin ketone	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
gamma-Chlordane	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
gamma-BHC	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Heptachlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Methoxychlor	ND		5.0	ug/Kg		04/14/20 09:27	04/14/20 13:30	1
Toxaphene	ND		25	ug/Kg		04/14/20 09:27	04/14/20 13:30	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	86		23 - 124	04/14/20 09:27	04/14/20 13:30	1
DCB Decachlorobiphenyl (Surr)	88		20 - 137	04/14/20 09:27	04/14/20 13:30	1

Lab Sample ID: LCS 570-62993/2-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62993

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	25.0	18.16		ug/Kg		73	50 - 149
4,4'-DDE	25.0	18.65		ug/Kg		75	48 - 144
4,4'-DDT	25.0	20.45		ug/Kg		82	37 - 149
Aldrin	25.0	18.78		ug/Kg		75	43 - 139
alpha-BHC	25.0	19.00		ug/Kg		76	51 - 138
alpha-Chlordane	25.0	18.38		ug/Kg		74	47 - 136
beta-BHC	25.0	18.51		ug/Kg		74	47 - 135
delta-BHC	25.0	16.54		ug/Kg		66	40 - 146
Dieldrin	25.0	19.41		ug/Kg		78	48 - 141
Endosulfan I	25.0	18.78		ug/Kg		75	43 - 139
Endosulfan II	25.0	19.44		ug/Kg		78	48 - 142
Endosulfan sulfate	25.0	19.90		ug/Kg		80	47 - 144
Endrin	25.0	14.05		ug/Kg		56	35 - 144
Endrin aldehyde	25.0	20.72		ug/Kg		83	35 - 138
gamma-Chlordane	25.0	21.36		ug/Kg		85	33 - 155
gamma-BHC	25.0	18.57		ug/Kg		74	51 - 137

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 570-62993/2-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62993

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Heptachlor	25.0	19.40		ug/Kg		78	47 - 137
Heptachlor epoxide	25.0	18.52		ug/Kg		74	49 - 135
Methoxychlor	25.0	21.75		ug/Kg		87	39 - 142

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	83		23 - 124
DCB Decachlorobiphenyl (Surr)	83		20 - 137

Lab Sample ID: LCSD 570-62993/3-A

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 62993

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
4,4'-DDD	25.0	18.96		ug/Kg		76	50 - 149	4	17
4,4'-DDE	25.0	19.32		ug/Kg		77	48 - 144	4	18
4,4'-DDT	25.0	21.33		ug/Kg		85	37 - 149	4	17
Aldrin	25.0	19.04		ug/Kg		76	43 - 139	1	15
alpha-BHC	25.0	19.22		ug/Kg		77	51 - 138	1	17
alpha-Chlordane	25.0	18.80		ug/Kg		75	47 - 136	2	16
beta-BHC	25.0	18.64		ug/Kg		75	47 - 135	1	17
delta-BHC	25.0	16.87		ug/Kg		67	40 - 146	2	20
Dieldrin	25.0	19.97		ug/Kg		80	48 - 141	3	16
Endosulfan I	25.0	19.25		ug/Kg		77	43 - 139	2	16
Endosulfan II	25.0	20.17		ug/Kg		81	48 - 142	4	16
Endosulfan sulfate	25.0	20.79		ug/Kg		83	47 - 144	4	16
Endrin	25.0	14.50		ug/Kg		58	35 - 144	3	18
Endrin aldehyde	25.0	21.30		ug/Kg		85	35 - 138	3	13
gamma-Chlordane	25.0	21.43		ug/Kg		86	33 - 155	0	59
gamma-BHC	25.0	18.82		ug/Kg		75	51 - 137	1	17
Heptachlor	25.0	19.62		ug/Kg		78	47 - 137	1	17
Heptachlor epoxide	25.0	18.87		ug/Kg		75	49 - 135	2	17
Methoxychlor	25.0	22.97		ug/Kg		92	39 - 142	5	17

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Tetrachloro-m-xylene	87		23 - 124
DCB Decachlorobiphenyl (Surr)	90		20 - 137

Lab Sample ID: 570-25647-7 MS

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: B10-0.5

Prep Type: Total/NA

Prep Batch: 62993

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	ND		25.0	26.21		ug/Kg		92	12 - 180
4,4'-DDE	1000	E	25.0	1053	E 4	ug/Kg		163	8 - 184
4,4'-DDT	510	E	25.0	567.4	E 4	ug/Kg		238	2 - 187
Aldrin	ND		25.0	12.90		ug/Kg		52	9 - 153
alpha-BHC	ND		25.0	12.41		ug/Kg		50	10 - 149
alpha-Chlordane	1.8	p	25.0	16.25		ug/Kg		58	9 - 161

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 570-25647-7 MS

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: B10-0.5

Prep Type: Total/NA

Prep Batch: 62993

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
beta-BHC	ND		25.0	12.89		ug/Kg		52	9 - 156
delta-BHC	ND		25.0	11.30		ug/Kg		45	6 - 162
Dieldrin	ND		25.0	20.02		ug/Kg		80	11 - 164
Endosulfan I	ND		25.0	12.37	p	ug/Kg		49	4 - 156
Endosulfan II	ND		25.0	27.16		ug/Kg		109	12 - 161
Endosulfan sulfate	ND		25.0	26.72		ug/Kg		107	10 - 165
Endrin	ND		25.0	11.47	p	ug/Kg		46	6 - 166
Endrin aldehyde	ND	F1	25.0	40.75	E F1	ug/Kg		163	1 - 156
gamma-Chlordane	ND		25.0	13.62	p	ug/Kg		54	7 - 177
gamma-BHC	ND		25.0	12.39		ug/Kg		50	9 - 154
Heptachlor	ND		25.0	13.12		ug/Kg		52	3 - 150
Heptachlor epoxide	ND		25.0	20.15		ug/Kg		81	7 - 169
Methoxychlor	ND		25.0	38.96		ug/Kg		156	8 - 163

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene	62		23 - 124
DCB Decachlorobiphenyl (Surr)	63		20 - 137

Lab Sample ID: 570-25647-7 MSD

Matrix: Solid

Analysis Batch: 62847

Client Sample ID: B10-0.5

Prep Type: Total/NA

Prep Batch: 62993

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
4,4'-DDD	ND		25.0	36.06		ug/Kg		132	12 - 180	32	79
4,4'-DDE	1000	E	25.0	1081	E 4	ug/Kg		273	8 - 184	3	76
4,4'-DDT	510	E	25.0	547.3	E 4	ug/Kg		158	2 - 187	4	78
Aldrin	ND		25.0	13.22		ug/Kg		53	9 - 153	2	77
alpha-BHC	ND		25.0	12.70		ug/Kg		51	10 - 149	2	85
alpha-Chlordane	1.8	p	25.0	15.30		ug/Kg		54	9 - 161	6	79
beta-BHC	ND		25.0	13.10		ug/Kg		52	9 - 156	2	78
delta-BHC	ND		25.0	11.24		ug/Kg		45	6 - 162	1	85
Dieldrin	ND		25.0	23.46		ug/Kg		94	11 - 164	16	77
Endosulfan I	ND		25.0	15.90		ug/Kg		64	4 - 156	25	77
Endosulfan II	ND		25.0	29.88		ug/Kg		120	12 - 161	10	77
Endosulfan sulfate	ND		25.0	25.35		ug/Kg		101	10 - 165	5	73
Endrin	ND		25.0	19.55		ug/Kg		78	6 - 166	52	82
Endrin aldehyde	ND	F1	25.0	43.00	E F1	ug/Kg		172	1 - 156	5	83
gamma-Chlordane	ND		25.0	13.43	p	ug/Kg		54	7 - 177	1	84
gamma-BHC	ND		25.0	12.56		ug/Kg		50	9 - 154	1	79
Heptachlor	ND		25.0	13.44		ug/Kg		54	3 - 150	2	85
Heptachlor epoxide	ND		25.0	20.46		ug/Kg		82	7 - 169	2	79
Methoxychlor	ND		25.0	20.74	p	ug/Kg		83	8 - 163	61	78

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Tetrachloro-m-xylene	64		23 - 124
DCB Decachlorobiphenyl (Surr)	63		20 - 137

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-62941/1-A
Matrix: Solid
Analysis Batch: 63057

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 62941

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.495	mg/Kg		04/14/20 08:05	04/14/20 11:31	1

Lab Sample ID: LCS 570-62941/2-A
Matrix: Solid
Analysis Batch: 63057

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 62941

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	25.1	25.36		mg/Kg		101	80 - 120

Lab Sample ID: LCSD 570-62941/3-A
Matrix: Solid
Analysis Batch: 63057

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 62941

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Lead	24.6	25.10		mg/Kg		102	80 - 120	1	20

Lab Sample ID: 570-25404-A-1-N MS
Matrix: Solid
Analysis Batch: 63057

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 62941

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	13.4		24.2	32.20		mg/Kg		78	75 - 125

Lab Sample ID: 570-25404-A-1-O MSD
Matrix: Solid
Analysis Batch: 63057

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 62941

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Lead	13.4		25.3	34.12		mg/Kg		82	75 - 125	6	20

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

GC Semi VOA

Analysis Batch: 62847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25647-1	B7-0.5	Total/NA	Solid	8081A	62993
570-25647-2	B7-3.0	Total/NA	Solid	8081A	62993
570-25647-3	B8-0.5	Total/NA	Solid	8081A	62993
570-25647-4	B8-3.0	Total/NA	Solid	8081A	62993
570-25647-5	B9-0.5	Total/NA	Solid	8081A	62993
570-25647-6	B9-3.0	Total/NA	Solid	8081A	62993
570-25647-7	B10-0.5	Total/NA	Solid	8081A	62993
570-25647-8	B10-3.0	Total/NA	Solid	8081A	62993
MB 570-62993/1-A	Method Blank	Total/NA	Solid	8081A	62993
LCS 570-62993/2-A	Lab Control Sample	Total/NA	Solid	8081A	62993
LCSD 570-62993/3-A	Lab Control Sample Dup	Total/NA	Solid	8081A	62993
570-25647-7 MS	B10-0.5	Total/NA	Solid	8081A	62993
570-25647-7 MSD	B10-0.5	Total/NA	Solid	8081A	62993

Prep Batch: 62993

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25647-1	B7-0.5	Total/NA	Solid	3545	
570-25647-2	B7-3.0	Total/NA	Solid	3545	
570-25647-3	B8-0.5	Total/NA	Solid	3545	
570-25647-4	B8-3.0	Total/NA	Solid	3545	
570-25647-5	B9-0.5	Total/NA	Solid	3545	
570-25647-6	B9-3.0	Total/NA	Solid	3545	
570-25647-7	B10-0.5	Total/NA	Solid	3545	
570-25647-8	B10-3.0	Total/NA	Solid	3545	
MB 570-62993/1-A	Method Blank	Total/NA	Solid	3545	
LCS 570-62993/2-A	Lab Control Sample	Total/NA	Solid	3545	
LCSD 570-62993/3-A	Lab Control Sample Dup	Total/NA	Solid	3545	
570-25647-7 MS	B10-0.5	Total/NA	Solid	3545	
570-25647-7 MSD	B10-0.5	Total/NA	Solid	3545	

Analysis Batch: 63013

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25647-1	B7-0.5	Total/NA	Solid	8081A	62993
570-25647-3	B8-0.5	Total/NA	Solid	8081A	62993
570-25647-7	B10-0.5	Total/NA	Solid	8081A	62993
570-25647-7	B10-0.5	Total/NA	Solid	8081A	62993

Metals

Prep Batch: 62941

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25647-1	B7-0.5	Total/NA	Solid	3050B	
570-25647-2	B7-3.0	Total/NA	Solid	3050B	
570-25647-3	B8-0.5	Total/NA	Solid	3050B	
570-25647-4	B8-3.0	Total/NA	Solid	3050B	
570-25647-5	B9-0.5	Total/NA	Solid	3050B	
570-25647-6	B9-3.0	Total/NA	Solid	3050B	
570-25647-7	B10-0.5	Total/NA	Solid	3050B	
570-25647-8	B10-3.0	Total/NA	Solid	3050B	
MB 570-62941/1-A	Method Blank	Total/NA	Solid	3050B	
LCS 570-62941/2-A	Lab Control Sample	Total/NA	Solid	3050B	

Eurofins Calscience LLC

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Metals (Continued)

Prep Batch: 62941 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 570-62941/3-A	Lab Control Sample Dup	Total/NA	Solid	3050B	
570-25404-A-1-N MS	Matrix Spike	Total/NA	Solid	3050B	
570-25404-A-1-O MSD	Matrix Spike Duplicate	Total/NA	Solid	3050B	

Analysis Batch: 63057

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25647-1	B7-0.5	Total/NA	Solid	6010B	62941
570-25647-2	B7-3.0	Total/NA	Solid	6010B	62941
570-25647-3	B8-0.5	Total/NA	Solid	6010B	62941
570-25647-4	B8-3.0	Total/NA	Solid	6010B	62941
570-25647-5	B9-0.5	Total/NA	Solid	6010B	62941
570-25647-6	B9-3.0	Total/NA	Solid	6010B	62941
570-25647-7	B10-0.5	Total/NA	Solid	6010B	62941
570-25647-8	B10-3.0	Total/NA	Solid	6010B	62941
MB 570-62941/1-A	Method Blank	Total/NA	Solid	6010B	62941
LCS 570-62941/2-A	Lab Control Sample	Total/NA	Solid	6010B	62941
LCSD 570-62941/3-A	Lab Control Sample Dup	Total/NA	Solid	6010B	62941
570-25404-A-1-N MS	Matrix Spike	Total/NA	Solid	6010B	62941
570-25404-A-1-O MSD	Matrix Spike Duplicate	Total/NA	Solid	6010B	62941

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Client Sample ID: B7-0.5

Date Collected: 04/13/20 12:25

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			19.95 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 16:37	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			19.95 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		100			63013	04/14/20 16:47	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3050B			2.02 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:20	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B7-3.0

Date Collected: 04/13/20 12:43

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.03 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 16:22	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			1.99 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:22	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B8-0.5

Date Collected: 04/13/20 11:58

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.03 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 15:11	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.03 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		10			63013	04/14/20 15:59	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3050B			1.95 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:24	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B8-3.0

Date Collected: 04/13/20 12:13

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			19.96 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 15:26	UHHN	ECL 1
Instrument ID: GC44										

Eurofins Calscience LLC

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Client Sample ID: B8-3.0

Date Collected: 04/13/20 12:13

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			1.98 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:25	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B9-0.5

Date Collected: 04/13/20 11:33

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.05 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 15:40	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.03 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:28	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B9-3.0

Date Collected: 04/13/20 11:43

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.07 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 15:54	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3050B			2.02 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:30	OYW3	ECL 1
Instrument ID: ICP8										

Client Sample ID: B10-0.5

Date Collected: 04/13/20 13:00

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.05 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 14:55	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.05 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		20			63013	04/14/20 15:45	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3545			20.05 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		100			63013	04/14/20 16:27	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3050B			2.05 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:32	OYW3	ECL 1
Instrument ID: ICP8										

Eurofins Calscience LLC

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Client Sample ID: B10-3.0

Date Collected: 04/13/20 13:20

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.08 g	10 mL	62993	04/14/20 09:27	F7UI	ECL 1
Total/NA	Analysis	8081A		1			62847	04/14/20 16:08	UHHN	ECL 1
		Instrument ID: GC44								
Total/NA	Prep	3050B			2.07 g	100 mL	62941	04/14/20 08:05	MD3A	ECL 1
Total/NA	Analysis	6010B		1			63057	04/14/20 12:34	OYW3	ECL 1
		Instrument ID: ICP8								

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Method	Method Description	Protocol	Laboratory
8081A	Organochlorine Pesticides (GC)	SW846	ECL 1
6010B	Metals (ICP)	SW846	ECL 1
3050B	Preparation, Metals	SW846	ECL 1
3545	Pressurized Fluid Extraction	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary


Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-25647-1	B7-0.5	Solid	04/13/20 12:25	04/13/20 14:07	
570-25647-2	B7-3.0	Solid	04/13/20 12:43	04/13/20 14:07	
570-25647-3	B8-0.5	Solid	04/13/20 11:58	04/13/20 14:07	
570-25647-4	B8-3.0	Solid	04/13/20 12:13	04/13/20 14:07	
570-25647-5	B9-0.5	Solid	04/13/20 11:33	04/13/20 14:07	
570-25647-6	B9-3.0	Solid	04/13/20 11:43	04/13/20 14:07	
570-25647-7	B10-0.5	Solid	04/13/20 13:00	04/13/20 14:07	
570-25647-8	B10-3.0	Solid	04/13/20 13:20	04/13/20 14:07	



7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 . FAX: (714) 894-7501



570-25647 Chain of Custody

CHAIN OF CUSTODY RECORD

DATE: 4/13/2020

PAGE: 1 OF 2

Loc: 570
25647

LABORATORY CLIENT: EEC Environmental						CLIENT PROJECT NAME / NUMBER: City of Huntington Beach/S-3506.02T						P.O. NO.: 17631											
ADDRESS: One City Blvd. West #1800						PROJECT CONTACT: Laura Holder/Allison Burnap						LAB CONTRACT OR QUOTE NO.											
CITY: Orange						STATE: CA ZIP: 92868																	
TEL: (714) 667-2300		FAX: (714) 667-2310		E-MAIL:		SAMPLER(S) SIGNATURE: <i>Audon Burnap</i>						LAB USE ONLY ☐ - ☐ - ☐ - ☐											
TURNAROUND TIME: □ SAME DAY ■ 24 HR □ 48 HR □ 72 HR □ 5 DAYS □ 10 DAYS												REQUESTED ANALYSIS											
SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) □ RWQOB REPORTING □ ARCHIVE SAMPLES UNTIL ____/____/____																							
SPECIAL INSTRUCTIONS:																							
Email results to lholder@eeceenvironmental.com																							
LAB USE ONLY												Preservatives											
SAMPLE ID LOCATION / DESCRIPTION DATE TIME MATRIX NO. OF CONT.												OCPs EPA 8081A											
1 B7-0.5 Northwest corner 4/13/20 1225 SO 1												Lead EPA 6010B											
2 B7-3.0 Northwest corner 4/14/20 1243 SO 1																							
3 B8-0.5 Southwest corner 4/13/20 1158 SO 1																							
4 B8-3.0 Southwest corner 4/14/20 1213 SO 1																							
5 B9-0.5 Northeast corner 4/13/20 1133 SO 1																							
6 B9-3.0 Northeast corner 4/13/20 1143 SO 1																							
7 B10-0.5 N Step out B6 4/13/20 1300 SO 1																							
8 B10-3.0 N Step out B6 4/13/20 1320 SO 1																							
B11-0.5 E Step out B6 \$0 1																							
B11-3.0 E Step out B6 \$0 1																							
B12-0.5 S Step out B6 \$0 1																							
B12-3.0 S Step out B6 \$0 1																							
Retinquished by: (Signature) <i>[Signature]</i> Received By: (Signature) <i>[Signature]</i> Date: 4-13-2010 Time: 14:07																							
Retinquished by: (Signature) <i>[Signature]</i> Received By: (Signature) <i>[Signature]</i> Date: Date: Time:																							
Retinquished by: (Signature)																							

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-25647-1

Login Number: 25647

List Number: 1

Creator: Andujo, Italy

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-25950-1

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
4/17/2020 3:58:18 PM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	7
Surrogate Summary	17
QC Sample Results	18
QC Association Summary	21
Lab Chronicle	23
Certification Summary	27
Method Summary	28
Sample Summary	29
Chain of Custody	30
Receipt Checklists	32



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Job ID: 570-25950-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-25950-1

Comments

No additional comments.

Receipt

The samples were received on 4/16/2020 2:38 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.7° C.

GC Semi VOA

Method 8081A: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 570-63501 and analytical batch 570-63508 recovered outside control limits for the following analytes: alpha-BHC, Aldrin, beta-BHC, Dieldrin, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin aldehyde, Endrin ketone, gamma-BHC, Heptachlor and Heptachlor epoxide. The associated MS/MSD precision was within acceptance limits. therefore data has been reported and qualified.

Method 8081A: Due to the additional level of 4,4'-DDE and 4,4'-DDT present in the spiked samples, the concentration of 4,4'-DDE and 4,4'-DDT in the MS/MSD was above the instrument calibration range. The data have been reported and qualified.

Method 8081A: The continuing calibration verification (CCV) associated with batch 570-63736 recovered above the upper control limit for <Hexachlorobenzene>. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 8081A: The continuing calibration verification (CCV) associated with <Analytical Batch> recovered high and outside the control limits for < Endosulfan sulfate> on one column. Results are confirmed on both columns and reported from the passing column.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Client Sample ID: B26-0.5

Lab Sample ID: 570-25950-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	230		50	ug/Kg	10		8081A	Total/NA
4,4'-DDT	43	*1	25	ug/Kg	5		8081A	Total/NA
Dieldrin	1.1	p *1	1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	120		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B26-3.0

Lab Sample ID: 570-25950-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	29		5.0	ug/Kg	1		8081A	Total/NA

Client Sample ID: B27-0.5

Lab Sample ID: 570-25950-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	220		50	ug/Kg	10		8081A	Total/NA
4,4'-DDT	52	*1	50	ug/Kg	10		8081A	Total/NA
Toxaphene	100		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B27-3.0

Lab Sample ID: 570-25950-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	400		100	ug/Kg	20		8081A	Total/NA
4,4'-DDT	77		25	ug/Kg	5		8081A	Total/NA
Toxaphene	230		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B28-0.5

Lab Sample ID: 570-25950-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	420		100	ug/Kg	20		8081A	Total/NA
4,4'-DDT	130	*1	100	ug/Kg	20		8081A	Total/NA
Dieldrin	2.6	*1	1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	180		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B28-3.0

Lab Sample ID: 570-25950-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	33		5.0	ug/Kg	1		8081A	Total/NA

Client Sample ID: B29-0.5

Lab Sample ID: 570-25950-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	95	*1	50	ug/Kg	10		8081A	Total/NA
4,4'-DDE	1000		250	ug/Kg	50		8081A	Total/NA
4,4'-DDT	360		50	ug/Kg	10		8081A	Total/NA
alpha-Chlordane	2.5	p *1	1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	940		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B29-3.0

Lab Sample ID: 570-25950-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	61		25	ug/Kg	5		8081A	Total/NA
4,4'-DDT	27	*1	5.0	ug/Kg	1		8081A	Total/NA
Toxaphene	37		25	ug/Kg	1		8081A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Client Sample ID: B30-0.5

Lab Sample ID: 570-25950-9

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	38		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDE	460		100	ug/Kg	20		8081A	Total/NA
4,4'-DDT	120	*1	100	ug/Kg	20		8081A	Total/NA
alpha-Chlordane	2.4	*1	1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	410		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B30-3.0

Lab Sample ID: 570-25950-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	20		5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDT	8.2	*1	5.0	ug/Kg	1		8081A	Total/NA

Client Sample ID: B31-0.5

Lab Sample ID: 570-25950-11

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	11	p *1	5.0	ug/Kg	1		8081A	Total/NA
4,4'-DDE	650		100	ug/Kg	20		8081A	Total/NA
4,4'-DDT	130	*1	100	ug/Kg	20		8081A	Total/NA
alpha-Chlordane	2.1	p *1	1.0	ug/Kg	1		8081A	Total/NA
Toxaphene	380	p	25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B31-3.0

Lab Sample ID: 570-25950-12

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	190		50	ug/Kg	10		8081A	Total/NA
4,4'-DDT	62	*1	50	ug/Kg	10		8081A	Total/NA
Toxaphene	120	p	25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B32-0.5

Lab Sample ID: 570-25950-13

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDD	93	*1	25	ug/Kg	5		8081A	Total/NA
4,4'-DDE	1600		250	ug/Kg	50		8081A	Total/NA
4,4'-DDT	440	*1	250	ug/Kg	50		8081A	Total/NA
Toxaphene	1200		25	ug/Kg	1		8081A	Total/NA

Client Sample ID: B32-3.0

Lab Sample ID: 570-25950-14

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
4,4'-DDE	85		25	ug/Kg	5		8081A	Total/NA
4,4'-DDT	33	*1	25	ug/Kg	5		8081A	Total/NA
Toxaphene	50		25	ug/Kg	1		8081A	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC)

Client Sample ID: B26-0.5
Date Collected: 04/16/20 12:20
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-1
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
4,4'-DDE	230		50	ug/Kg		04/16/20 16:13	04/17/20 12:42	10
4,4'-DDT	43	*1	25	ug/Kg		04/16/20 16:13	04/17/20 10:47	5
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Dieldrin	1.1	p *1	1.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 08:38	1
Toxaphene	120		25	ug/Kg		04/16/20 16:13	04/17/20 08:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	68		23 - 124	04/16/20 16:13	04/17/20 08:38	1
Tetrachloro-m-xylene	64		23 - 124	04/16/20 16:13	04/17/20 10:47	5
Tetrachloro-m-xylene	67		23 - 124	04/16/20 16:13	04/17/20 12:42	10
DCB Decachlorobiphenyl (Surr)	67		20 - 137	04/16/20 16:13	04/17/20 08:38	1
DCB Decachlorobiphenyl (Surr)	56		20 - 137	04/16/20 16:13	04/17/20 10:47	5
DCB Decachlorobiphenyl (Surr)	60		20 - 137	04/16/20 16:13	04/17/20 12:42	10

Client Sample ID: B26-3.0
Date Collected: 04/16/20 12:40
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
4,4'-DDE	29		5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
4,4'-DDT	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B26-3.0
Date Collected: 04/16/20 12:40
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-2
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Toxaphene	ND		25	ug/Kg		04/16/20 16:13	04/17/20 08:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	77		23 - 124			04/16/20 16:13	04/17/20 08:52	1
DCB Decachlorobiphenyl (Surr)	78		20 - 137			04/16/20 16:13	04/17/20 08:52	1

Client Sample ID: B27-0.5
Date Collected: 04/16/20 12:55
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-3
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
4,4'-DDE	220		50	ug/Kg		04/16/20 16:13	04/17/20 11:01	10
4,4'-DDT	52	*1	50	ug/Kg		04/16/20 16:13	04/17/20 11:01	10
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Toxaphene	100		25	ug/Kg		04/16/20 16:13	04/17/20 09:06	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	74		23 - 124			04/16/20 16:13	04/17/20 09:06	1
Tetrachloro-m-xylene	69		23 - 124			04/16/20 16:13	04/17/20 11:01	10
DCB Decachlorobiphenyl (Surr)	74		20 - 137			04/16/20 16:13	04/17/20 09:06	1
DCB Decachlorobiphenyl (Surr)	63		20 - 137			04/16/20 16:13	04/17/20 11:01	10

Client Sample ID: B27-3.0
Date Collected: 04/16/20 13:15
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-4
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B27-3.0

Date Collected: 04/16/20 13:15

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-4

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDE	400		100	ug/Kg		04/16/20 16:13	04/17/20 11:16	20
4,4'-DDT	77		25	ug/Kg		04/16/20 16:13	04/17/20 13:34	5
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:26	1
Toxaphene	230		25	ug/Kg		04/16/20 16:13	04/17/20 09:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	74		23 - 124	04/16/20 16:13	04/17/20 09:26	1
Tetrachloro-m-xylene	78		23 - 124	04/16/20 16:13	04/17/20 11:16	20
Tetrachloro-m-xylene	77		23 - 124	04/16/20 16:13	04/17/20 13:34	5
DCB Decachlorobiphenyl (Surr)	76		20 - 137	04/16/20 16:13	04/17/20 09:26	1
DCB Decachlorobiphenyl (Surr)	73		20 - 137	04/16/20 16:13	04/17/20 11:16	20
DCB Decachlorobiphenyl (Surr)	70		20 - 137	04/16/20 16:13	04/17/20 13:34	5

Client Sample ID: B28-0.5

Date Collected: 04/16/20 13:25

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-5

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
4,4'-DDE	420		100	ug/Kg		04/16/20 16:13	04/17/20 11:30	20
4,4'-DDT	130	*1	100	ug/Kg		04/16/20 16:13	04/17/20 11:30	20
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Dieldrin	2.6	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B28-0.5

Date Collected: 04/16/20 13:25

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-5

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:40	1
Toxaphene	180		25	ug/Kg		04/16/20 16:13	04/17/20 09:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	78		23 - 124	04/16/20 16:13	04/17/20 09:40	1
Tetrachloro-m-xylene	85		23 - 124	04/16/20 16:13	04/17/20 11:30	20
DCB Decachlorobiphenyl (Surr)	78		20 - 137	04/16/20 16:13	04/17/20 09:40	1
DCB Decachlorobiphenyl (Surr)	79		20 - 137	04/16/20 16:13	04/17/20 11:30	20

Client Sample ID: B28-3.0

Date Collected: 04/16/20 13:40

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-6

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
4,4'-DDE	33		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
4,4'-DDT	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 09:54	1
Toxaphene	ND		25	ug/Kg		04/16/20 16:13	04/17/20 09:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	80		23 - 124	04/16/20 16:13	04/17/20 09:54	1
DCB Decachlorobiphenyl (Surr)	81		20 - 137	04/16/20 16:13	04/17/20 09:54	1

Client Sample ID: B29-0.5

Date Collected: 04/16/20 08:50

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-7

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	95	*1	50	ug/Kg		04/16/20 16:13	04/17/20 11:44	10
4,4'-DDE	1000		250	ug/Kg		04/16/20 16:13	04/17/20 11:59	50

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B29-0.5

Date Collected: 04/16/20 08:50

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-7

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDT	360		50	ug/Kg		04/16/20 16:13	04/17/20 11:44	10
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
alpha-Chlordane	2.5	p *1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:08	1
Toxaphene	940		25	ug/Kg		04/16/20 16:13	04/17/20 10:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	79		23 - 124	04/16/20 16:13	04/17/20 10:08	1
Tetrachloro-m-xylene	90		23 - 124	04/16/20 16:13	04/17/20 11:44	10
Tetrachloro-m-xylene	103		23 - 124	04/16/20 16:13	04/17/20 11:59	50
DCB Decachlorobiphenyl (Surr)	82		20 - 137	04/16/20 16:13	04/17/20 10:08	1
DCB Decachlorobiphenyl (Surr)	94		20 - 137	04/16/20 16:13	04/17/20 11:44	10
DCB Decachlorobiphenyl (Surr)	110		20 - 137	04/16/20 16:13	04/17/20 11:59	50

Client Sample ID: B29-3.0

Date Collected: 04/16/20 09:15

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-8

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
4,4'-DDE	61		25	ug/Kg		04/16/20 16:13	04/17/20 12:13	5
4,4'-DDT	27	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B29-3.0

Date Collected: 04/16/20 09:15

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-8

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:23	1
Toxaphene	37		25	ug/Kg		04/16/20 16:13	04/17/20 10:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	68		23 - 124	04/16/20 16:13	04/17/20 10:23	1
Tetrachloro-m-xylene	66		23 - 124	04/16/20 16:13	04/17/20 12:13	5
DCB Decachlorobiphenyl (Surr)	73		20 - 137	04/16/20 16:13	04/17/20 10:23	1
DCB Decachlorobiphenyl (Surr)	62		20 - 137	04/16/20 16:13	04/17/20 12:13	5

Client Sample ID: B30-0.5

Date Collected: 04/16/20 09:40

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-9

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	38		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
4,4'-DDE	460		100	ug/Kg		04/16/20 16:13	04/17/20 12:27	20
4,4'-DDT	120	*1	100	ug/Kg		04/16/20 16:13	04/17/20 12:27	20
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
alpha-Chlordane	2.4	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:37	1
Toxaphene	410		25	ug/Kg		04/16/20 16:13	04/17/20 10:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	71		23 - 124	04/16/20 16:13	04/17/20 10:37	1
Tetrachloro-m-xylene	61		23 - 124	04/16/20 16:13	04/17/20 12:27	20
DCB Decachlorobiphenyl (Surr)	78		20 - 137	04/16/20 16:13	04/17/20 10:37	1
DCB Decachlorobiphenyl (Surr)	64		20 - 137	04/16/20 16:13	04/17/20 12:27	20

Client Sample ID: B30-3.0

Date Collected: 04/16/20 10:15

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-10

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B30-3.0
Date Collected: 04/16/20 10:15
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-10
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDE	20		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
4,4'-DDT	8.2	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 10:51	1
Toxaphene	ND		25	ug/Kg		04/16/20 16:13	04/17/20 10:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	74		23 - 124	04/16/20 16:13	04/17/20 10:51	1
DCB Decachlorobiphenyl (Surr)	77	p	20 - 137	04/16/20 16:13	04/17/20 10:51	1

Client Sample ID: B31-0.5
Date Collected: 04/16/20 10:30
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-11
Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	11	p *1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
4,4'-DDE	650		100	ug/Kg		04/16/20 16:13	04/17/20 12:56	20
4,4'-DDT	130	*1	100	ug/Kg		04/16/20 16:13	04/17/20 12:56	20
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
alpha-Chlordane	2.1	p *1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B31-0.5

Date Collected: 04/16/20 10:30

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-11

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Toxaphene	380	p	25	ug/Kg		04/16/20 16:13	04/17/20 11:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	65		23 - 124			04/16/20 16:13	04/17/20 11:05	1
Tetrachloro-m-xylene	78		23 - 124			04/16/20 16:13	04/17/20 12:56	20
DCB Decachlorobiphenyl (Surr)	70		20 - 137			04/16/20 16:13	04/17/20 11:05	1
DCB Decachlorobiphenyl (Surr)	73		20 - 137			04/16/20 16:13	04/17/20 12:56	20

Client Sample ID: B31-3.0

Date Collected: 04/16/20 11:00

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-12

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
4,4'-DDE	190		50	ug/Kg		04/16/20 16:13	04/17/20 13:48	10
4,4'-DDT	62	*1	50	ug/Kg		04/16/20 16:13	04/17/20 13:48	10
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Toxaphene	120	p	25	ug/Kg		04/16/20 16:13	04/17/20 11:19	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	66		23 - 124			04/16/20 16:13	04/17/20 11:19	1
Tetrachloro-m-xylene	65		23 - 124			04/16/20 16:13	04/17/20 13:48	10
DCB Decachlorobiphenyl (Surr)	75	p	20 - 137			04/16/20 16:13	04/17/20 11:19	1
DCB Decachlorobiphenyl (Surr)	64		20 - 137			04/16/20 16:13	04/17/20 13:48	10

Client Sample ID: B32-0.5

Date Collected: 04/16/20 11:10

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-13

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	93	*1	25	ug/Kg		04/16/20 16:13	04/17/20 14:02	5
4,4'-DDE	1600		250	ug/Kg		04/16/20 16:13	04/17/20 14:16	50
4,4'-DDT	440	*1	250	ug/Kg		04/16/20 16:13	04/17/20 14:16	50
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B32-0.5

Date Collected: 04/16/20 11:10

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-13

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:33	1
Toxaphene	1200		25	ug/Kg		04/16/20 16:13	04/17/20 11:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	72		23 - 124	04/16/20 16:13	04/17/20 11:33	1
Tetrachloro-m-xylene	73		23 - 124	04/16/20 16:13	04/17/20 14:02	5
Tetrachloro-m-xylene	90		23 - 124	04/16/20 16:13	04/17/20 14:16	50
DCB Decachlorobiphenyl (Surr)	73	p	20 - 137	04/16/20 16:13	04/17/20 11:33	1
DCB Decachlorobiphenyl (Surr)	70		20 - 137	04/16/20 16:13	04/17/20 14:02	5
DCB Decachlorobiphenyl (Surr)	86		20 - 137	04/16/20 16:13	04/17/20 14:16	50

Client Sample ID: B32-3.0

Date Collected: 04/16/20 11:30

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-14

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
4,4'-DDE	85		25	ug/Kg		04/16/20 16:13	04/17/20 14:29	5
4,4'-DDT	33	*1	25	ug/Kg		04/16/20 16:13	04/17/20 14:29	5
Aldrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
alpha-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
alpha-Chlordane	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
beta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Chlordane	ND		25	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
delta-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Dieldrin	ND	*1	1.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Endosulfan I	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Endosulfan II	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Endosulfan sulfate	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Endrin	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Endrin aldehyde	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Endrin ketone	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
gamma-BHC	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Heptachlor	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Client Sample ID: B32-3.0

Date Collected: 04/16/20 11:30

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-14

Matrix: Solid

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor epoxide	ND	*1	5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Toxaphene	50		25	ug/Kg		04/16/20 16:13	04/17/20 11:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	62		23 - 124			04/16/20 16:13	04/17/20 11:48	1
Tetrachloro-m-xylene	68		23 - 124			04/16/20 16:13	04/17/20 14:29	5
DCB Decachlorobiphenyl (Surr)	70		20 - 137			04/16/20 16:13	04/17/20 11:48	1
DCB Decachlorobiphenyl (Surr)	60		20 - 137			04/16/20 16:13	04/17/20 14:29	5

Surrogate Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		TCX1 (23-124)	DCB1 (20-137)
570-25950-1	B26-0.5	68	67
570-25950-1	B26-0.5	67	60
570-25950-1	B26-0.5	64	56
570-25950-2	B26-3.0	77	78
570-25950-3	B27-0.5	74	74
570-25950-3	B27-0.5	69	63
570-25950-3 MS	B27-0.5	58	58
570-25950-3 MSD	B27-0.5	58	58
570-25950-4	B27-3.0	74	76
570-25950-4	B27-3.0	78	73
570-25950-4	B27-3.0	77	70
570-25950-5	B28-0.5	78	78
570-25950-5	B28-0.5	85	79
570-25950-6	B28-3.0	80	81
570-25950-7	B29-0.5	79	82
570-25950-7	B29-0.5	90	94
570-25950-7	B29-0.5	103	110
570-25950-8	B29-3.0	68	73
570-25950-8	B29-3.0	66	62
570-25950-9	B30-0.5	71	78
570-25950-9	B30-0.5	61	64
570-25950-10	B30-3.0	74	77 p
570-25950-11	B31-0.5	65	70
570-25950-11	B31-0.5	78	73
570-25950-12	B31-3.0	66	75 p
570-25950-12	B31-3.0	65	64
570-25950-13	B32-0.5	72	73 p
570-25950-13	B32-0.5	73	70
570-25950-13	B32-0.5	90	86
570-25950-14	B32-3.0	62	70
570-25950-14	B32-3.0	68	60
LCS 570-63501/2-A	Lab Control Sample	80	78
LCSD 570-63501/3-A	Lab Control Sample Dup	97	93
MB 570-63501/1-A	Method Blank	78	77

Surrogate Legend

TCX = Tetrachloro-m-xylene

DCB = DCB Decachlorobiphenyl (Surr)

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC)

Lab Sample ID: MB 570-63501/1-A

Matrix: Solid

Analysis Batch: 63508

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 63501

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
4,4'-DDE	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
4,4'-DDT	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Aldrin	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
alpha-BHC	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
alpha-Chlordane	ND		1.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
beta-BHC	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Chlordane	ND		25	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
delta-BHC	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Dieldrin	ND		1.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Endosulfan I	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Endosulfan II	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Endosulfan sulfate	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Endrin	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Endrin aldehyde	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Endrin ketone	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
gamma-Chlordane	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
gamma-BHC	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Heptachlor	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Heptachlor epoxide	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Methoxychlor	ND		5.0	ug/Kg		04/16/20 11:47	04/17/20 07:27	1
Toxaphene	ND		25	ug/Kg		04/16/20 11:47	04/17/20 07:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	78		23 - 124	04/16/20 11:47	04/17/20 07:27	1
DCB Decachlorobiphenyl (Surr)	77		20 - 137	04/16/20 11:47	04/17/20 07:27	1

Lab Sample ID: LCS 570-63501/2-A

Matrix: Solid

Analysis Batch: 63508

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 63501

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	25.0	17.53		ug/Kg		70	50 - 149
4,4'-DDE	25.0	18.27		ug/Kg		73	48 - 144
4,4'-DDT	25.0	19.67		ug/Kg		79	37 - 149
Aldrin	25.0	17.50		ug/Kg		70	43 - 139
alpha-BHC	25.0	17.85		ug/Kg		71	51 - 138
alpha-Chlordane	25.0	17.56		ug/Kg		70	47 - 136
beta-BHC	25.0	17.84		ug/Kg		71	47 - 135
delta-BHC	25.0	15.81		ug/Kg		63	40 - 146
Dieldrin	25.0	18.44		ug/Kg		74	48 - 141
Endosulfan I	25.0	16.84		ug/Kg		67	43 - 139
Endosulfan II	25.0	18.22		ug/Kg		73	48 - 142
Endosulfan sulfate	25.0	18.88		ug/Kg		76	47 - 144
Endrin	25.0	18.19		ug/Kg		73	35 - 144
Endrin aldehyde	25.0	16.63		ug/Kg		67	35 - 138
gamma-Chlordane	25.0	18.29		ug/Kg		73	33 - 155
gamma-BHC	25.0	17.42		ug/Kg		70	51 - 137

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 570-63501/2-A

Matrix: Solid

Analysis Batch: 63508

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 63501

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Heptachlor	25.0	18.13		ug/Kg		73	47 - 137
Heptachlor epoxide	25.0	17.38		ug/Kg		70	49 - 135
Methoxychlor	25.0	20.75		ug/Kg		83	39 - 142

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	80		23 - 124
DCB Decachlorobiphenyl (Surr)	78		20 - 137

Lab Sample ID: LCSD 570-63501/3-A

Matrix: Solid

Analysis Batch: 63508

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 63501

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
4,4'-DDD	25.0	21.18	*1	ug/Kg		85	50 - 149	19	17
4,4'-DDE	25.0	21.99		ug/Kg		88	48 - 144	18	18
4,4'-DDT	25.0	23.29		ug/Kg		93	37 - 149	17	17
Aldrin	25.0	21.86	*1	ug/Kg		87	43 - 139	22	15
alpha-BHC	25.0	21.93	*1	ug/Kg		88	51 - 138	21	17
alpha-Chlordane	25.0	21.21	*1	ug/Kg		85	47 - 136	19	16
beta-BHC	25.0	21.58	*1	ug/Kg		86	47 - 135	19	17
delta-BHC	25.0	19.12		ug/Kg		76	40 - 146	19	20
Dieldrin	25.0	22.43	*1	ug/Kg		90	48 - 141	19	16
Endosulfan I	25.0	21.50	*1	ug/Kg		86	43 - 139	24	16
Endosulfan II	25.0	21.65	*1	ug/Kg		87	48 - 142	17	16
Endosulfan sulfate	25.0	22.29	*1	ug/Kg		89	47 - 144	17	16
Endrin	25.0	21.86		ug/Kg		87	35 - 144	18	18
Endrin aldehyde	25.0	19.65	*1	ug/Kg		79	35 - 138	17	13
gamma-Chlordane	25.0	22.61		ug/Kg		90	33 - 155	21	59
gamma-BHC	25.0	21.43	*1	ug/Kg		86	51 - 137	21	17
Heptachlor	25.0	22.39	*1	ug/Kg		90	47 - 137	21	17
Heptachlor epoxide	25.0	21.62	*1	ug/Kg		86	49 - 135	22	17
Methoxychlor	25.0	24.09		ug/Kg		96	39 - 142	15	17

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Tetrachloro-m-xylene	97		23 - 124
DCB Decachlorobiphenyl (Surr)	93		20 - 137

Lab Sample ID: 570-25950-3 MS

Matrix: Solid

Analysis Batch: 63508

Client Sample ID: B27-0.5

Prep Type: Total/NA

Prep Batch: 63501

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
4,4'-DDD	ND	*1	25.0	16.00		ug/Kg		59	12 - 180
4,4'-DDE	270	E	25.0	217.2	E 4	ug/Kg		-217	8 - 184
4,4'-DDT	64	E	25.0	69.51	E	ug/Kg		21	2 - 187
Aldrin	ND	*1	25.0	14.06		ug/Kg		56	9 - 153
alpha-BHC	ND	*1	25.0	13.58		ug/Kg		54	10 - 149
alpha-Chlordane	ND	*1	25.0	14.35		ug/Kg		57	9 - 161

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method: 8081A - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 570-25950-3 MS

Matrix: Solid

Analysis Batch: 63508

Client Sample ID: B27-0.5

Prep Type: Total/NA

Prep Batch: 63501

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
beta-BHC	ND	*1	25.0	16.92		ug/Kg		68	9 - 156
delta-BHC	ND	*1	25.0	12.77		ug/Kg		51	6 - 162
Dieldrin	ND	*1	25.0	16.39		ug/Kg		63	11 - 164
Endosulfan I	ND	*1	25.0	15.08		ug/Kg		60	4 - 156
Endosulfan II	ND	*1	25.0	17.34		ug/Kg		69	12 - 161
Endosulfan sulfate	ND	*1	25.0	16.20		ug/Kg		65	10 - 165
Endrin	ND	*1	25.0	15.33		ug/Kg		61	6 - 166
Endrin aldehyde	ND	*1	25.0	13.04	p	ug/Kg		52	1 - 156
gamma-Chlordane	ND		25.0	13.39	p	ug/Kg		54	7 - 177
gamma-BHC	ND	*1	25.0	13.61		ug/Kg		55	9 - 154
Heptachlor	ND	*1	25.0	14.05		ug/Kg		56	3 - 150
Heptachlor epoxide	ND	*1	25.0	15.07		ug/Kg		60	7 - 169
Methoxychlor	ND		25.0	22.14		ug/Kg		89	8 - 163

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene	58		23 - 124
DCB Decachlorobiphenyl (Surr)	58		20 - 137

Lab Sample ID: 570-25950-3 MSD

Matrix: Solid

Analysis Batch: 63508

Client Sample ID: B27-0.5

Prep Type: Total/NA

Prep Batch: 63501

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
4,4'-DDD	ND	*1	25.0	15.74		ug/Kg		58	12 - 180	2	79
4,4'-DDE	270	E	25.0	213.1	E 4	ug/Kg		-233	8 - 184	2	76
4,4'-DDT	64	E	25.0	67.47	E	ug/Kg		12	2 - 187	3	78
Aldrin	ND	*1	25.0	14.23		ug/Kg		57	9 - 153	1	77
alpha-BHC	ND	*1	25.0	13.59		ug/Kg		54	10 - 149	0	85
alpha-Chlordane	ND	*1	25.0	14.22		ug/Kg		57	9 - 161	1	79
beta-BHC	ND	*1	25.0	16.69		ug/Kg		67	9 - 156	1	78
delta-BHC	ND	*1	25.0	12.80		ug/Kg		51	6 - 162	0	85
Dieldrin	ND	*1	25.0	16.09		ug/Kg		62	11 - 164	2	77
Endosulfan I	ND	*1	25.0	14.89		ug/Kg		60	4 - 156	1	77
Endosulfan II	ND	*1	25.0	16.75		ug/Kg		67	12 - 161	3	77
Endosulfan sulfate	ND	*1	25.0	15.73		ug/Kg		63	10 - 165	3	73
Endrin	ND	*1	25.0	15.05		ug/Kg		60	6 - 166	2	82
Endrin aldehyde	ND	*1	25.0	19.14		ug/Kg		77	1 - 156	38	83
gamma-Chlordane	ND		25.0	13.34	p	ug/Kg		53	7 - 177	0	84
gamma-BHC	ND	*1	25.0	13.63		ug/Kg		55	9 - 154	0	79
Heptachlor	ND	*1	25.0	14.05		ug/Kg		56	3 - 150	0	85
Heptachlor epoxide	ND	*1	25.0	14.67		ug/Kg		59	7 - 169	3	79
Methoxychlor	ND		25.0	19.30		ug/Kg		77	8 - 163	14	78

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Tetrachloro-m-xylene	58		23 - 124
DCB Decachlorobiphenyl (Surr)	58		20 - 137

Eurofins Calscience LLC

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

GC Semi VOA

Prep Batch: 63501

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25950-1	B26-0.5	Total/NA	Solid	3545	
570-25950-2	B26-3.0	Total/NA	Solid	3545	
570-25950-3	B27-0.5	Total/NA	Solid	3545	
570-25950-4	B27-3.0	Total/NA	Solid	3545	
570-25950-5	B28-0.5	Total/NA	Solid	3545	
570-25950-6	B28-3.0	Total/NA	Solid	3545	
570-25950-7	B29-0.5	Total/NA	Solid	3545	
570-25950-8	B29-3.0	Total/NA	Solid	3545	
570-25950-9	B30-0.5	Total/NA	Solid	3545	
570-25950-10	B30-3.0	Total/NA	Solid	3545	
570-25950-11	B31-0.5	Total/NA	Solid	3545	
570-25950-12	B31-3.0	Total/NA	Solid	3545	
570-25950-13	B32-0.5	Total/NA	Solid	3545	
570-25950-14	B32-3.0	Total/NA	Solid	3545	
MB 570-63501/1-A	Method Blank	Total/NA	Solid	3545	
LCS 570-63501/2-A	Lab Control Sample	Total/NA	Solid	3545	
LCSD 570-63501/3-A	Lab Control Sample Dup	Total/NA	Solid	3545	
570-25950-3 MS	B27-0.5	Total/NA	Solid	3545	
570-25950-3 MSD	B27-0.5	Total/NA	Solid	3545	

Analysis Batch: 63508

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25950-1	B26-0.5	Total/NA	Solid	8081A	63501
570-25950-2	B26-3.0	Total/NA	Solid	8081A	63501
570-25950-3	B27-0.5	Total/NA	Solid	8081A	63501
570-25950-4	B27-3.0	Total/NA	Solid	8081A	63501
570-25950-5	B28-0.5	Total/NA	Solid	8081A	63501
570-25950-6	B28-3.0	Total/NA	Solid	8081A	63501
570-25950-7	B29-0.5	Total/NA	Solid	8081A	63501
570-25950-8	B29-3.0	Total/NA	Solid	8081A	63501
570-25950-9	B30-0.5	Total/NA	Solid	8081A	63501
570-25950-10	B30-3.0	Total/NA	Solid	8081A	63501
570-25950-11	B31-0.5	Total/NA	Solid	8081A	63501
570-25950-12	B31-3.0	Total/NA	Solid	8081A	63501
570-25950-13	B32-0.5	Total/NA	Solid	8081A	63501
570-25950-14	B32-3.0	Total/NA	Solid	8081A	63501
MB 570-63501/1-A	Method Blank	Total/NA	Solid	8081A	63501
LCS 570-63501/2-A	Lab Control Sample	Total/NA	Solid	8081A	63501
LCSD 570-63501/3-A	Lab Control Sample Dup	Total/NA	Solid	8081A	63501
570-25950-3 MS	B27-0.5	Total/NA	Solid	8081A	63501
570-25950-3 MSD	B27-0.5	Total/NA	Solid	8081A	63501

Analysis Batch: 63736

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25950-1	B26-0.5	Total/NA	Solid	8081A	63501
570-25950-1	B26-0.5	Total/NA	Solid	8081A	63501
570-25950-3	B27-0.5	Total/NA	Solid	8081A	63501
570-25950-4	B27-3.0	Total/NA	Solid	8081A	63501
570-25950-4	B27-3.0	Total/NA	Solid	8081A	63501
570-25950-5	B28-0.5	Total/NA	Solid	8081A	63501
570-25950-7	B29-0.5	Total/NA	Solid	8081A	63501

Eurofins Calscience LLC

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

GC Semi VOA (Continued)

Analysis Batch: 63736 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25950-7	B29-0.5	Total/NA	Solid	8081A	63501
570-25950-8	B29-3.0	Total/NA	Solid	8081A	63501
570-25950-9	B30-0.5	Total/NA	Solid	8081A	63501
570-25950-11	B31-0.5	Total/NA	Solid	8081A	63501
570-25950-12	B31-3.0	Total/NA	Solid	8081A	63501
570-25950-13	B32-0.5	Total/NA	Solid	8081A	63501
570-25950-13	B32-0.5	Total/NA	Solid	8081A	63501
570-25950-14	B32-3.0	Total/NA	Solid	8081A	63501

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Client Sample ID: B26-0.5

Date Collected: 04/16/20 12:20

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.01 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 08:38	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.01 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		5			63736	04/17/20 10:47	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3545			20.01 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		10			63736	04/17/20 12:42	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B26-3.0

Date Collected: 04/16/20 12:40

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.03 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 08:52	UHHN	ECL 1
Instrument ID: GC44										

Client Sample ID: B27-0.5

Date Collected: 04/16/20 12:55

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.01 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 09:06	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.01 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		10			63736	04/17/20 11:01	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B27-3.0

Date Collected: 04/16/20 13:15

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.03 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 09:26	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.03 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		20			63736	04/17/20 11:16	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3545			20.03 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		5			63736	04/17/20 13:34	UHHN	ECL 1
Instrument ID: GC51										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Client Sample ID: B28-0.5

Date Collected: 04/16/20 13:25

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.05 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 09:40	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.05 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		20			63736	04/17/20 11:30	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B28-3.0

Date Collected: 04/16/20 13:40

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.04 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 09:54	UHHN	ECL 1
Instrument ID: GC44										

Client Sample ID: B29-0.5

Date Collected: 04/16/20 08:50

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.06 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 10:08	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.06 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		10			63736	04/17/20 11:44	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3545			20.06 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		50			63736	04/17/20 11:59	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B29-3.0

Date Collected: 04/16/20 09:15

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.06 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 10:23	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.06 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		5			63736	04/17/20 12:13	UHHN	ECL 1
Instrument ID: GC51										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Client Sample ID: B30-0.5

Date Collected: 04/16/20 09:40

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 10:37	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		20			63736	04/17/20 12:27	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B30-3.0

Date Collected: 04/16/20 10:15

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.01 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 10:51	UHHN	ECL 1
Instrument ID: GC44										

Client Sample ID: B31-0.5

Date Collected: 04/16/20 10:30

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 11:05	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		20			63736	04/17/20 12:56	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B31-3.0

Date Collected: 04/16/20 11:00

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 11:19	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		10			63736	04/17/20 13:48	UHHN	ECL 1
Instrument ID: GC51										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Client Sample ID: B32-0.5

Date Collected: 04/16/20 11:10

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-13

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 11:33	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		5			63736	04/17/20 14:02	UHHN	ECL 1
Instrument ID: GC51										
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		50			63736	04/17/20 14:16	UHHN	ECL 1
Instrument ID: GC51										

Client Sample ID: B32-3.0

Date Collected: 04/16/20 11:30

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-14

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		1			63508	04/17/20 11:48	UHHN	ECL 1
Instrument ID: GC44										
Total/NA	Prep	3545			20.00 g	10 mL	63501	04/16/20 16:13	USUL	ECL 1
Total/NA	Analysis	8081A		5			63736	04/17/20 14:29	UHHN	ECL 1
Instrument ID: GC51										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Method	Method Description	Protocol	Laboratory
8081A	Organochlorine Pesticides (GC)	SW846	ECL 1
3545	Pressurized Fluid Extraction	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-25950-1	B26-0.5	Solid	04/16/20 12:20	04/16/20 14:38	
570-25950-2	B26-3.0	Solid	04/16/20 12:40	04/16/20 14:38	
570-25950-3	B27-0.5	Solid	04/16/20 12:55	04/16/20 14:38	
570-25950-4	B27-3.0	Solid	04/16/20 13:15	04/16/20 14:38	
570-25950-5	B28-0.5	Solid	04/16/20 13:25	04/16/20 14:38	
570-25950-6	B28-3.0	Solid	04/16/20 13:40	04/16/20 14:38	
570-25950-7	B29-0.5	Solid	04/16/20 08:50	04/16/20 14:38	
570-25950-8	B29-3.0	Solid	04/16/20 09:15	04/16/20 14:38	
570-25950-9	B30-0.5	Solid	04/16/20 09:40	04/16/20 14:38	
570-25950-10	B30-3.0	Solid	04/16/20 10:15	04/16/20 14:38	
570-25950-11	B31-0.5	Solid	04/16/20 10:30	04/16/20 14:38	
570-25950-12	B31-3.0	Solid	04/16/20 11:00	04/16/20 14:38	
570-25950-13	B32-0.5	Solid	04/16/20 11:10	04/16/20 14:38	
570-25950-14	B32-3.0	Solid	04/16/20 11:30	04/16/20 14:38	

CHAIN OF CUSTODY RECORD


DATE: April 16, 2020

PAGE: 2 OF 2

7440 LINCOLN WAY

GARDEN GROVE, CA 92841-1427

TEL: (714) 895-5494 . FAX: (714) 894-7501



CalScience

[illegible]

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-25950-1

Login Number: 25950

List Number: 1

Creator: Ramos, Maribel

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-25647-2

Client Project/Site: City of Huntington Beach / S-3506.02T
Revision: 1

For:
EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
5/1/2020 5:07:06 PM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	7
QC Sample Results	8
QC Association Summary	11
Lab Chronicle	12
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	21



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Job ID: 570-25647-2

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-25647-2

Comments

No additional comments.

Receipt

The samples were received on 4/13/2020 2:07 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.1° C.

HPLC/IC

Sample B7-0.5 could not be completed for EPA 7199 due to lack of sample volume.
No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC Semi VOA

Method 8151A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 570-65548 and 570-65548 and analytical batch 570-66030 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8151A: The continuing calibration verification (CCV) associated with 570-66030 recovered high and outside the control limits for Dalapon on one column. Results are confirmed on both columns and reported from the passing column.

Method 8151A: The laboratory control sample and/or the laboratory control sample duplicate (LCS/LCSD) for preparation batch 570-65548 and analytical batch 570-66030 recovered outside control limits for the following analyte(s): Dinoseb. Dinoseb has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed. Batch precision also exceeded control limits for these analyte(s). These results have been reported and qualified.

Method 8151A: The matrix spike/matrix spike duplicate (MS/MSD) for preparation batch 570-65548 and 570-65548 and analytical batch 570-66030 exceeded control limits for the following analyte(s): Dinoseb, Note that this analyte is a known poor performer when analyzed using this method.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

Method 7471A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-65833 and analytical batch 570-66013 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 7471A: Elevated reporting limits are provided for the following sample due to insufficient sample provided for preparation: B7-0.5 (570-25647-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method 8151A: The following sample was unable to be prepared and/or analyzed due to broken glassware : (570-25647-A-1 MS).

Method 8151A: The following sample was re-prepared outside of preparation holding time due to broken glassware: (570-25647-A-1 MS).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Client Sample ID: B7-3.0

Lab Sample ID: 570-25647-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	380	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B8-0.5

Lab Sample ID: 570-25647-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	480		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B8-3.0

Lab Sample ID: 570-25647-4

No Detections.

Client Sample ID: B9-0.5

Lab Sample ID: 570-25647-5

No Detections.

Client Sample ID: B9-3.0

Lab Sample ID: 570-25647-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	360	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B10-0.5

Lab Sample ID: 570-25647-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	430		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B10-3.0

Lab Sample ID: 570-25647-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	310	J	400	200	ug/Kg	10		7199	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Method: 7199 - Chromium, Hexavalent (IC)

Client Sample ID: B7-3.0
Date Collected: 04/13/20 12:43
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-2
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	380	J	400	200	ug/Kg	-	04/29/20 13:42	04/30/20 11:59	10

Client Sample ID: B8-0.5
Date Collected: 04/13/20 11:58
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-3
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	480		400	200	ug/Kg	-	04/29/20 13:42	04/30/20 12:08	10

Client Sample ID: B8-3.0
Date Collected: 04/13/20 12:13
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-4
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg	-	04/29/20 13:42	04/30/20 12:35	10

Client Sample ID: B9-0.5
Date Collected: 04/13/20 11:33
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-5
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg	-	04/29/20 13:42	04/30/20 12:44	10

Client Sample ID: B9-3.0
Date Collected: 04/13/20 11:43
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-6
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	360	J	400	200	ug/Kg	-	04/29/20 13:42	04/30/20 12:53	10

Client Sample ID: B10-0.5
Date Collected: 04/13/20 13:00
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-7
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	430		400	200	ug/Kg	-	04/29/20 13:42	04/30/20 13:02	10

Client Sample ID: B10-3.0
Date Collected: 04/13/20 13:20
Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-8
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	310	J	400	200	ug/Kg	-	04/29/20 13:42	04/30/20 13:11	10

Surrogate Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	DCPAA1 (19-143)
570-25647-1	B7-0.5	91
570-25647-1 MS	B7-0.5	36
570-25647-1 MSD	B7-0.5	54
570-25647-2	B7-3.0	116
570-25647-5	B9-0.5	94
570-25647-6	B9-3.0	99
570-25647-7	B10-0.5	92
570-25647-8	B10-3.0	81
LCS 570-65548/2-A	Lab Control Sample	83
LCSD 570-65548/3-A	Lab Control Sample Dup	94
MB 570-65548/1-A	Method Blank	93
Surrogate Legend		
DCPAA = 2,4-Dichlorophenylacetic acid		

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 570-65548/1-A

Matrix: Solid

Analysis Batch: 66030

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 65548

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-T	ND		10		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
2,4,5-TP (Silvex)	ND		10		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
2,4-D	ND		100		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
2,4-DB	ND		100		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
Dalapon	ND		250		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
Dicamba	ND		10		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
Dichlorprop	ND		100		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
Dinoseb	ND		100		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
MCPA	ND		20000		ug/Kg		04/27/20 15:41	04/29/20 15:37	1
MCPP	ND		10000		ug/Kg		04/27/20 15:41	04/29/20 15:37	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	93		19 - 143	04/27/20 15:41	04/29/20 15:37	1

Lab Sample ID: LCS 570-65548/2-A

Matrix: Solid

Analysis Batch: 66030

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 65548

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
2,4,5-T	40.0	31.60		ug/Kg		79	26 - 135
2,4,5-TP (Silvex)	40.0	40.35		ug/Kg		101	42 - 145
2,4-D	400	387.0		ug/Kg		97	10 - 173
2,4-DB	400	338.7		ug/Kg		85	10 - 140
Dalapon	1000	972.1		ug/Kg		97	10 - 141
Dicamba	40.0	38.44		ug/Kg		96	10 - 150
Dichlorprop	400	355.5		ug/Kg		89	17 - 143
Dinoseb	200	ND *		ug/Kg		0	10 - 78
MCPA	40000	37070		ug/Kg		93	10 - 157
MCPP	40000	33950		ug/Kg		85	16 - 158

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4-Dichlorophenylacetic acid	83		19 - 143

Lab Sample ID: LCSD 570-65548/3-A

Matrix: Solid

Analysis Batch: 66030

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 65548

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
2,4,5-T	40.0	32.64		ug/Kg		82	26 - 135	3	45
2,4,5-TP (Silvex)	40.0	39.05		ug/Kg		98	42 - 145	3	52
2,4-D	400	363.5		ug/Kg		91	10 - 173	6	80
2,4-DB	400	522.5		ug/Kg		131	10 - 140	43	60
Dalapon	1000	689.8		ug/Kg		69	10 - 141	34	80
Dicamba	40.0	37.21		ug/Kg		93	10 - 150	3	52
Dichlorprop	400	353.3		ug/Kg		88	17 - 143	1	45
Dinoseb	200	ND * *1		ug/Kg		7	10 - 78	200	80
MCPA	40000	33810		ug/Kg		85	10 - 157	9	37
MCPP	40000	34060		ug/Kg		85	16 - 158	0	45

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Method: 8151A - Herbicides (GC) (Continued)

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
2,4-Dichlorophenylacetic acid	94		19 - 143

Lab Sample ID: 570-25647-1 MS

Matrix: Solid

Analysis Batch: 66030

Client Sample ID: B7-0.5

Prep Type: Total/NA

Prep Batch: 65548

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
2,4,5-T	ND		40.0	24.61		ug/Kg		62	26 - 135
2,4,5-TP (Silvex)	ND		40.0	27.66		ug/Kg		69	42 - 145
2,4-D	ND		400	278.4		ug/Kg		70	10 - 173
2,4-DB	ND		400	ND		ug/Kg		19	10 - 140
Dalapon	ND		1000	802.9		ug/Kg		80	10 - 141
Dicamba	ND		40.0	30.87		ug/Kg		77	10 - 150
Dichlorprop	ND		400	273.8		ug/Kg		68	17 - 143
Dinoseb	ND	* *1 F1	200	ND	F1	ug/Kg		0	10 - 78
MCPA	ND	F2	40000	22310		ug/Kg		56	10 - 157
MCPP	ND		40000	27830		ug/Kg		70	16 - 158

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
2,4-Dichlorophenylacetic acid	36		19 - 143

Lab Sample ID: 570-25647-1 MSD

Matrix: Solid

Analysis Batch: 66030

Client Sample ID: B7-0.5

Prep Type: Total/NA

Prep Batch: 65548

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
2,4,5-T	ND		39.8	35.14		ug/Kg		88	26 - 135	35	45
2,4,5-TP (Silvex)	ND		39.8	35.70		ug/Kg		90	42 - 145	25	52
2,4-D	ND		398	362.2		ug/Kg		91	10 - 173	26	80
2,4-DB	ND		398	231.0	F2	ug/Kg		58	10 - 140	100	60
Dalapon	ND		996	912.8		ug/Kg		92	10 - 141	13	80
Dicamba	ND		39.8	35.82		ug/Kg		90	10 - 150	15	52
Dichlorprop	ND		398	342.7		ug/Kg		86	17 - 143	22	45
Dinoseb	ND	* *1 F1	199	ND	F1	ug/Kg		0	10 - 78	NC	80
MCPA	ND	F2	39800	33710	F2	ug/Kg		85	10 - 157	41	37
MCPP	ND		39800	45060	F2	ug/Kg		113	16 - 158	47	45

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
2,4-Dichlorophenylacetic acid	54		19 - 143

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 570-65833/1-A

Matrix: Solid

Analysis Batch: 66013

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 65833

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0820		mg/Kg		04/28/20 18:00	04/29/20 11:49	1

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Method: 7471A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 570-65833/2-A

Matrix: Solid

Analysis Batch: 66013

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 65833

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.833	0.7757		mg/Kg		93	85 - 121

Lab Sample ID: LCSD 570-65833/3-A

Matrix: Solid

Analysis Batch: 66013

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 65833

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	0.862	0.8314		mg/Kg		96	85 - 121	7	10

Lab Sample ID: 570-26708-A-1-H MS

Matrix: Solid

Analysis Batch: 66013

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 65833

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.477	F2 F1	0.862	0.7667	F1	mg/Kg		34	71 - 137

Lab Sample ID: 570-26708-A-1-I MSD

Matrix: Solid

Analysis Batch: 66013

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 65833

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	0.477	F2 F1	0.820	0.6166	F2 F1	mg/Kg		17	71 - 137	22	14

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

HPLC/IC

Prep Batch: 65736

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25647-2	B7-3.0	Total/NA	Solid	3060A	
570-25647-3	B8-0.5	Total/NA	Solid	3060A	
570-25647-4	B8-3.0	Total/NA	Solid	3060A	
570-25647-5	B9-0.5	Total/NA	Solid	3060A	
570-25647-6	B9-3.0	Total/NA	Solid	3060A	
570-25647-7	B10-0.5	Total/NA	Solid	3060A	
570-25647-8	B10-3.0	Total/NA	Solid	3060A	

Analysis Batch: 66165

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25647-2	B7-3.0	Total/NA	Solid	7199	65736
570-25647-3	B8-0.5	Total/NA	Solid	7199	65736
570-25647-4	B8-3.0	Total/NA	Solid	7199	65736
570-25647-5	B9-0.5	Total/NA	Solid	7199	65736
570-25647-6	B9-3.0	Total/NA	Solid	7199	65736
570-25647-7	B10-0.5	Total/NA	Solid	7199	65736
570-25647-8	B10-3.0	Total/NA	Solid	7199	65736

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Client Sample ID: B7-3.0

Date Collected: 04/13/20 12:43

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	65736	04/29/20 13:42	M5Z3	ECL 1
Total/NA	Analysis	7199		10			66165	04/30/20 11:59	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B8-0.5

Date Collected: 04/13/20 11:58

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	65736	04/29/20 13:42	M5Z3	ECL 1
Total/NA	Analysis	7199		10			66165	04/30/20 12:08	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B8-3.0

Date Collected: 04/13/20 12:13

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	65736	04/29/20 13:42	M5Z3	ECL 1
Total/NA	Analysis	7199		10			66165	04/30/20 12:35	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B9-0.5

Date Collected: 04/13/20 11:33

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-5

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	65736	04/29/20 13:42	M5Z3	ECL 1
Total/NA	Analysis	7199		10			66165	04/30/20 12:44	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B9-3.0

Date Collected: 04/13/20 11:43

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	65736	04/29/20 13:42	M5Z3	ECL 1
Total/NA	Analysis	7199		10			66165	04/30/20 12:53	URMH	ECL 1
Instrument ID: IC11										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Client Sample ID: B10-0.5

Date Collected: 04/13/20 13:00

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	65736	04/29/20 13:42	M5Z3	ECL 1
Total/NA	Analysis	7199		10			66165	04/30/20 13:02	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B10-3.0

Date Collected: 04/13/20 13:20

Date Received: 04/13/20 14:07

Lab Sample ID: 570-25647-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	65736	04/29/20 13:42	M5Z3	ECL 1
Total/NA	Analysis	7199		10			66165	04/30/20 13:11	URMH	ECL 1
Instrument ID: IC11										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Method	Method Description	Protocol	Laboratory
7199	Chromium, Hexavalent (IC)	SW846	ECL 1
3060A	Alkaline Digestion (Chromium, Hexavalent)	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25647-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-25647-2	B7-3.0	Solid	04/13/20 12:43	04/13/20 14:07	
570-25647-3	B8-0.5	Solid	04/13/20 11:58	04/13/20 14:07	
570-25647-4	B8-3.0	Solid	04/13/20 12:13	04/13/20 14:07	
570-25647-5	B9-0.5	Solid	04/13/20 11:33	04/13/20 14:07	
570-25647-6	B9-3.0	Solid	04/13/20 11:43	04/13/20 14:07	
570-25647-7	B10-0.5	Solid	04/13/20 13:00	04/13/20 14:07	
570-25647-8	B10-3.0	Solid	04/13/20 13:20	04/13/20 14:07	

Stephen Nowak

From: Laura Holder <lholder@eecenvironmental.com>
Sent: Monday, April 27, 2020 4:48 PM
To: Stephen Nowak
Subject: Additional Analysis Requested

EXTERNAL EMAIL*

Hi Steve,

We would like to perform the following additional analysis on samples that you have from job number J25057-1 and J25647-1:

B4-0.5, B4-3.0, B6-0.5, B6-3.0, B7-0.5, B7-3.0, B8-0.5, B8-3.0, B9-0.5, B9-3.0, B10-0.5, and B10-3.0 for Title 22 Metals EPA 6010B/7471A and Hex Chrome EPA 3060A/7199.

Please let me know if you have any questions.

Thanks!!

Laura Holder
Project Manager

EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Stephen Nowak [mailto:StephenNowak@eurofinsUS.com]
Sent: Wednesday, April 22, 2020 1:16 PM
To: Laura Holder
Subject: RE: Huntington Beach 17631 Cameron Lane analysis questions

Laura-

1. Would it be possible to have all 50 samples re-run for herbicides and Title 22 Metals? EPA 8151 for herbicides and EPA 6010B/7471A for Title 22 metals- yes. Holding time for EPA 8151 is 14 days. Sample collected prior to or on 04/08/20 are already past holding time.
2. Would it be possible to re-run some of the samples for hex chrome?
Yes – EPA 3060A/7196A or EPA 3060A/7199?
3. What would be the cost for these analyses on a 5-day TAT and a 48-hour TAT?
EPA 8151 - \$200 on 10 day TAT.
EPA 6010B/7471A for Title 22 metals - \$80
EPA 3060A/7196A- \$60
EPA 3060A/7199 - \$80

We can't rush any of this at this time- these methods (8151 and Hex Cr) take additional time in preparation. Quickest TAT is 10 working days.

Stephen Nowak

Stephen Nowak

From: Laura Holder <lholder@eecenvironmental.com>
Sent: Monday, April 27, 2020 2:16 PM
To: Stephen Nowak
Cc: David Bernier
Subject: RE: Huntington Beach 17631 Cameron Lane analysis questions

EXTERNAL EMAIL*

Hi Steve,

We would like to run samples B7-05, B7-3.0, B9-0.5, B9-3.0, B10-0.5, and B10-3.0 (from J25647-1) for herbicides. Thank you for all of your help!!

Sincerely,

Laura Holder
Project Manager

EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Stephen Nowak [mailto:StephenNowak@eurofinsUS.com]
Sent: Monday, April 27, 2020 1:32 PM
To: Laura Holder
Subject: RE: Huntington Beach 17631 Cameron Lane analysis questions

OK-

I would need to know ASAP- to see if the lab can in fact start 25623/25647 today if needed.


25623 – holding time 14 days to extraction- has to be extracted today
25647 – holding time 14 days to extraction -has to be extracted today
25950 –holding time 14 days to extraction – has to be extracted by Thursday 4/30

Stephen Nowak
Project Manager




Eurofins Calscience, LLC
7440 Lincoln Way
GARDEN GROVE, CA 92841
USA
Phone: +1 714 895 5494

Email: StephenNowak@EurofinsUS.com
Website: www.EurofinsUS.com/Calscience



7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
CalScience
TEL: (714) 895-5494, FAX: (714) 894-7501



570-25647 Chain of Custody

Loc: 570
25647

CHAIN OF CUSTODY RECORD

DATE: 4/13/2020

PAGE: 1 OF 2

LABORATORY CLIENT: EEC Environmental

ADDRESS: One City Blvd. West #1800

CITY: Orange STATE: CA ZIP: 92868

TEL: (714) 667-2300 FAX: (714) 667-2310 E-MAIL:

TURNAROUND TIME: ☐ SAME DAY ☒ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)
☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL / /

SPECIAL INSTRUCTIONS:
Email results to lholder@eeceenvironmental.com

LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING		MATRIX	NO. OF CONT.	REQUESTED ANALYSIS											
			DATE	TIME														
1	B7-0.5	Northwest corner	4/13/20	1225	SO	1	X	X										
2	B7-3.0	Northwest corner	4/14/20	1243	SO	1	X	X										
3	B8-0.5	Southwest corner	4/13/20	1158	SO	1	X	X										
4	B8-3.0	Southwest corner	4/13/20	1213	SO	1	X	X										
5	B9-0.5	Northeast corner	4/13/20	1133	SO	1	X	X										
6	B9-3.0	Northeast corner	4/13/20	1143	SO	1	X	X										
7	B10-0.5	N Step out B6	4/13/20	1300	SO	1	X	X										
8	B10-3.0	N Step out B6	4/13/20	1320	SO	1	X	X										
	B11-0.5	E Step out B6			SO	1	X	X										
	B11-3.0	E Step out B6			SO	1	X	X										
	B12-0.5	S Step out B6			SO	1	X	X										
	B12-3.0	S Step out B6			SO	1	X	X										
Relinquished By: (Signature) <i>[Signature]</i>							Received By: (Signature) <i>[Signature]</i>											
Relinquished By: (Signature) <i>[Signature]</i>							Received By: (Signature) <i>[Signature]</i>											
Relinquished By: (Signature)							Received By: (Signature)											
Relinquished By: (Signature)							Received By: (Signature)											

3.0 / 2.1 SC6

Stephen Nowak

From: Laura Holder <lholder@eecenvironmental.com>
Sent: Tuesday, April 28, 2020 5:06 PM
To: Stephen Nowak
Cc: David Bernier
Subject: RE: Question about timing
Attachments: 25057 add on.pdf; 25647 Client add on.pdf; COC 570-26822 (202004281427).pdf

EXTERNAL EMAIL*

Hi Steve,

Yes, please change them – that will be awesome. It would be for both of the attached requests I made to you yesterday (though I'm sure you already know this).

Can you also please change the TAT for the samples we just collected today (job 570-26822- attached) to 72-hr TAT?

Thanks so much!!

Laura Holder
Project Manager

EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Stephen Nowak [mailto:StephenNowak@eurofinsUS.com]
Sent: Tuesday, April 28, 2020 4:22 PM
To: Laura Holder
Subject: RE: Question about timing

Laura- I can change them to 72hr TAT- results due Friday.

Cost per sample-
T22 Metals - \$100
Hex Cr - \$93.75
8151- \$300

Let me know if you would like me to change-

Stephen Nowak
Project Manager



Eurofins Calscience, LLC
7440 Lincoln Way
GARDEN GROVE, CA 92841
USA
Phone: +1 714 895 5494

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-25647-2

Login Number: 25647

List Source: Eurofins Calscience

List Number: 1

Creator: Andujo, Italy

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-25950-2

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
5/4/2020 10:33:32 AM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	8
Lab Chronicle	9
Certification Summary	10
Method Summary	11
Sample Summary	12
Chain of Custody	13
Receipt Checklists	16



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Job ID: 570-25950-2

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-25950-2

Comments

No additional comments.

Receipt

The samples were received on 4/16/2020 2:38 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.7° C.

HPLC/IC

Method 7199: The following samples were diluted due to the nature of the sample matrix: B31-0.5 (570-25950-11) and B31-3.0 (570-25950-12). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Client Sample ID: B31-0.5

Lab Sample ID: 570-25950-11

☐ No Detections.

Client Sample ID: B31-3.0

Lab Sample ID: 570-25950-12

☐ No Detections.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Method: 7199 - Chromium, Hexavalent (IC)

Client Sample ID: B31-0.5
Date Collected: 04/16/20 10:30
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-11
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		800	400	ug/Kg		04/30/20 14:23	05/01/20 17:26	20

Client Sample ID: B31-3.0
Date Collected: 04/16/20 11:00
Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-12
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		1600	800	ug/Kg		04/30/20 14:23	05/01/20 17:35	40

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Method: 7199 - Chromium, Hexavalent (IC)

Lab Sample ID: MB 570-66301/1-A

Matrix: Solid

Analysis Batch: 66450

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 66301

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg		04/30/20 14:23	05/01/20 15:31	10

Lab Sample ID: LCS 570-66301/2-A

Matrix: Solid

Analysis Batch: 66450

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 66301

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	20000	22360		ug/Kg		112	80 - 120

Lab Sample ID: LCSD 570-66301/3-A

Matrix: Solid

Analysis Batch: 66450

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 66301

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	20000	23260		ug/Kg		116	80 - 120	4	20

Lab Sample ID: 570-26367-A-3-A MS

Matrix: Solid

Analysis Batch: 66450

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 66301

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	ND		20000	22930		ug/Kg		115	75 - 125

Lab Sample ID: 570-26367-A-3-B MSD

Matrix: Solid

Analysis Batch: 66450

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 66301

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	ND		20000	22490		ug/Kg		112	75 - 125	2	25

Lab Sample ID: 570-26367-A-3-C MSI

Matrix: Solid

Analysis Batch: 66450

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 66301

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	ND		980000	1121000		ug/Kg		114	75 - 125

Lab Sample ID: 570-26367-A-3-D MSID

Matrix: Solid

Analysis Batch: 66450

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 66301

Analyte	Sample Result	Sample Qualifier	Spike Added	MSID Result	MSID Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	ND		980000	927200		ug/Kg		95	75 - 125	19	25

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

HPLC/IC

Prep Batch: 66301

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25950-11	B31-0.5	Total/NA	Solid	3060A	
570-25950-12	B31-3.0	Total/NA	Solid	3060A	
MB 570-66301/1-A	Method Blank	Total/NA	Solid	3060A	
LCS 570-66301/2-A	Lab Control Sample	Total/NA	Solid	3060A	
LCSD 570-66301/3-A	Lab Control Sample Dup	Total/NA	Solid	3060A	
570-26367-A-3-A MS	Matrix Spike	Total/NA	Solid	3060A	
570-26367-A-3-B MSD	Matrix Spike Duplicate	Total/NA	Solid	3060A	
570-26367-A-3-C MSI	Matrix Spike	Total/NA	Solid	3060A	
570-26367-A-3-D MSID	Matrix Spike Duplicate	Total/NA	Solid	3060A	

Analysis Batch: 66450

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-25950-11	B31-0.5	Total/NA	Solid	7199	66301
570-25950-12	B31-3.0	Total/NA	Solid	7199	66301
MB 570-66301/1-A	Method Blank	Total/NA	Solid	7199	66301
LCS 570-66301/2-A	Lab Control Sample	Total/NA	Solid	7199	66301
LCSD 570-66301/3-A	Lab Control Sample Dup	Total/NA	Solid	7199	66301
570-26367-A-3-A MS	Matrix Spike	Total/NA	Solid	7199	66301
570-26367-A-3-B MSD	Matrix Spike Duplicate	Total/NA	Solid	7199	66301
570-26367-A-3-C MSI	Matrix Spike	Total/NA	Solid	7199	66301
570-26367-A-3-D MSID	Matrix Spike Duplicate	Total/NA	Solid	7199	66301

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Client Sample ID: B31-0.5

Date Collected: 04/16/20 10:30

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	66301	04/30/20 14:23	M5Z3	ECL 1
Total/NA	Analysis	7199		20			66450	05/01/20 17:26	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B31-3.0

Date Collected: 04/16/20 11:00

Date Received: 04/16/20 14:38

Lab Sample ID: 570-25950-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	66301	04/30/20 14:23	M5Z3	ECL 1
Total/NA	Analysis	7199		40			66450	05/01/20 17:35	URMH	ECL 1
Instrument ID: IC11										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Method	Method Description	Protocol	Laboratory
7199	Chromium, Hexavalent (IC)	SW846	ECL 1
3060A	Alkaline Digestion (Chromium, Hexavalent)	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-25950-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-25950-11	B31-0.5	Solid	04/16/20 10:30	04/16/20 14:38	
570-25950-12	B31-3.0	Solid	04/16/20 11:00	04/16/20 14:38	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Stephen Nowak

From: Laura Holder <lholder@eecenvironmental.com>
Sent: Wednesday, April 29, 2020 1:27 PM
To: Stephen Nowak
Subject: RE: Question about timing

EXTERNAL EMAIL*

Hi Steve,

Can you please have sample B31-0.5 and B31-3.0 from job number J25950 sampled for hex chrome instead, also on the rush 72-hr TAT?

Thanks!!

Laura Holder
Project Manager

EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Stephen Nowak [mailto:StephenNowak@eurofinsUS.com]
Sent: Wednesday, April 29, 2020 12:46 PM
To: Laura Holder
Subject: RE: Question about timing

Laura-
Have to let you know-
We ran out of soil for sample B7-0.5, we are not going to be able to complete EPA 7199 Hex Cr.

Stephen Nowak
Project Manager



Eurofins Calscience, LLC
7440 Lincoln Way
GARDEN GROVE, CA 92841
USA
Phone: +1 714 895 5494

Email: StephenNowak@EurofinsUS.com
Website: www.EurofinsUS.com/Calscience

Please note: In order to continue to provide critical testing services, **Eurofins Environment Testing laboratories in the US are maintaining our courier services and continue to sample, analyze and report all test data as usual.** The situation around COVID-19 continues to be fluid and we are continuing to follow local and government mandates as applicable. For up-to-date business information, visit our [website](http://www.EurofinsUS.com/Calscience) and follow us on [Facebook](#) and [LinkedIn](#).

Links to use:

25950

CHAIN OF CUSTODY RECORD

DATE: April 16, 2020

PAGE: 1 OF 2




570-25950 Chain of Custody

7440 LINCOLN WAY

GARDEN GROVE, CA 92841-1427

TEL: (714) 895-5494 . FAX: (714) 894-7501



Calscience

LABORATORY CLIENT: EEC Environmental		CLIENT PROJECT NAME / NUMBER: City of Huntington Beach/S-3506.02T		P.O. NO.:	
ADDRESS: One City Blvd. West #1800		PROJECT CONTACT: Laura Holder/Kaelin Andelin		LAB CONTACT OR QUOTE NO.: Steve Nowak	
CITY: Orange		STATE: CA		ZIP: 92868	
TEL: (714) 667-2300		FAX: (714) 667-2310		E-MAIL:	
TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS					
SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)					
☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL / /					
SPECIAL INSTRUCTIONS:					
Email results to lholder@eecenvironmental.com					

LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING		MATRIX	NO. OF CONT.	PRESERVATIVES	REQUESTED ANALYSIS
			DATE	TIME				
1	B26-0.5	Step out B11-North	4/16	1220	SO	1	X	
2	B26-3.0	Step out B11-North		1240	SO	1	X	
3	B27-0.5	Step out B11-East		1255	SO	1	X	
4	B27-3.0	Step out B11-East		1315	SO	1	X	
5	B28-0.5	Step out B11-South		1325	SO	1	X	
6	B28-3.0	Step out B11-South		1340	SO	1	X	
7	B29-0.5	Step out B7-North		0850	SO	1	X	
8	B29-3.0	Step out B7-North		0915	SO	1	X	
9	B30-0.5	Step out B7-East		0940	SO	1	X	
10	B30-3.0	Step out B7-East		1015	SO	1	X	
11	B31-0.5	Step out B7-South		1030	SO	1	X	
12	B31-3.0	Step out B7-South		1100	SO	1	X	

Relinquished by: (Signature) Kaelin Andelin	Received by: (Signature) [Signature]	Date: 4/16/20	Time: 1738
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

06/01/10 Revision

3.6/2-7 S66

CHAIN OF CUSTODY RECORD

DATE: April 16, 2020

PAGE: 2 OF 2

7440 LINCOLN WAY

GARDEN GROVE, CA 92841-1427

TEL: (714) 895-5494 . FAX: (714) 894-7501



CalScience

[illegible]

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-25950-2

Login Number: 25950

List Source: Eurofins Calscience

List Number: 1

Creator: Ramos, Maribel

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-27951-1

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
5/13/2020 4:04:18 PM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	10
Lab Chronicle	11
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	21



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Job ID: 570-27951-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-27951-1

Receipt

The samples were received on 5/11/2020 5:05 PM; the samples arrived in good condition, properly preserved, and where required, on ice. The temperature of the cooler at receipt time was 4.4°C

Department HPLC/IC

Method 7199_ORGFM: The following samples were diluted due to the nature of the sample matrix: B7-A-4.0 (570-27951-21), B8-A-4.0 (570-27951-26) and B9-A-4.0 (570-27951-31). Elevated reporting limits (RLs) are provide

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Client Sample ID: B1-A-4.0

Lab Sample ID: 570-27951-1

No Detections.

Client Sample ID: B4-B-4.0

Lab Sample ID: 570-27951-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	350	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B5-A-4.0

Lab Sample ID: 570-27951-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	300	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B6-B-4.0

Lab Sample ID: 570-27951-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	570		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B7-A-4.0

Lab Sample ID: 570-27951-21

No Detections.

Client Sample ID: B8-A-4.0

Lab Sample ID: 570-27951-26

No Detections.

Client Sample ID: B9-A-4.0

Lab Sample ID: 570-27951-31

No Detections.

Client Sample ID: B10-A-4.0

Lab Sample ID: 570-27951-36

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	270	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: GW-1

Lab Sample ID: 570-27951-41

No Detections.

Client Sample ID: GW-2

Lab Sample ID: 570-27951-42

No Detections.

Client Sample ID: GW-3

Lab Sample ID: 570-27951-43

No Detections.

Client Sample ID: WS-1

Lab Sample ID: 570-27951-44

No Detections.

Client Sample ID: WS-2

Lab Sample ID: 570-27951-45

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Hexavalent chromium	0.086	J	0.20	0.038	ug/L	1		218.6	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Method: 218.6 - Chromium, Hexavalent (Ion Chromatography)

Client Sample ID: GW-1
Date Collected: 05/11/20 09:45
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-41
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	ND		0.20	0.038	ug/L	-		05/11/20 20:36	1

Client Sample ID: GW-2
Date Collected: 05/11/20 12:15
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-42
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	ND		0.20	0.038	ug/L	-		05/11/20 20:45	1

Client Sample ID: GW-3
Date Collected: 05/11/20 15:45
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-43
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	ND		0.20	0.038	ug/L	-		05/11/20 20:54	1

Client Sample ID: WS-1
Date Collected: 05/11/20 12:20
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-44
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	ND		0.20	0.038	ug/L	-		05/11/20 21:03	1

Client Sample ID: WS-2
Date Collected: 05/11/20 15:43
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-45
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	0.086	J	0.20	0.038	ug/L	-		05/11/20 21:12	1

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Method: 7199 - Chromium, Hexavalent (IC)

Client Sample ID: B1-A-4.0
Date Collected: 05/11/20 10:38
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-1
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg	-	05/12/20 16:37	05/13/20 11:40	10

Client Sample ID: B4-B-4.0
Date Collected: 05/11/20 11:20
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-6
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	350	J	400	200	ug/Kg	-	05/12/20 16:37	05/13/20 12:34	10

Client Sample ID: B5-A-4.0
Date Collected: 05/11/20 13:15
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-11
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	300	J	400	200	ug/Kg	-	05/12/20 16:37	05/13/20 12:43	10

Client Sample ID: B6-B-4.0
Date Collected: 05/11/20 14:35
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-16
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	570		400	200	ug/Kg	-	05/12/20 16:37	05/13/20 12:52	10

Client Sample ID: B7-A-4.0
Date Collected: 05/11/20 14:15
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-21
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		2000	1000	ug/Kg	-	05/12/20 16:37	05/13/20 13:01	50

Client Sample ID: B8-A-4.0
Date Collected: 05/11/20 08:30
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-26
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		1600	800	ug/Kg	-	05/12/20 16:37	05/13/20 13:10	40

Client Sample ID: B9-A-4.0
Date Collected: 05/11/20 10:19
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-31
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		1600	800	ug/Kg	-	05/12/20 16:37	05/13/20 13:19	40

Client Sample ID: B10-A-4.0
Date Collected: 05/11/20 13:40
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-36
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	270	J	400	200	ug/Kg	-	05/12/20 16:37	05/13/20 13:28	10

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Method: 218.6 - Chromium, Hexavalent (Ion Chromatography)

Lab Sample ID: MB 570-68311/15

Matrix: Water

Analysis Batch: 68311

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent chromium	ND		0.20	0.038	ug/L			05/11/20 17:25	1

Lab Sample ID: LCS 570-68311/16

Matrix: Water

Analysis Batch: 68311

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Hexavalent chromium	50.1	49.14		ug/L		98	95 - 107

Lab Sample ID: LCSD 570-68311/17

Matrix: Water

Analysis Batch: 68311

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Hexavalent chromium	50.1	48.89		ug/L		98	95 - 107	1	20

Lab Sample ID: 570-27951-45 MS

Matrix: Water

Analysis Batch: 68311

Client Sample ID: WS-2

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Hexavalent chromium	0.086	J	50.1	48.64		ug/L		97	85 - 121

Lab Sample ID: 570-27951-45 MSD

Matrix: Water

Analysis Batch: 68311

Client Sample ID: WS-2

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Hexavalent chromium	0.086	J	50.1	47.40		ug/L		95	85 - 121	3	25

Method: 7199 - Chromium, Hexavalent (IC)

Lab Sample ID: MB 570-68608/1-A

Matrix: Solid

Analysis Batch: 68704

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 68608

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg		05/12/20 16:36	05/13/20 10:37	10

Lab Sample ID: LCS 570-68608/2-A

Matrix: Solid

Analysis Batch: 68704

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 68608

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	20000	20400		ug/Kg		102	80 - 120

Eurofins Calscience LLC

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Method: 7199 - Chromium, Hexavalent (IC) (Continued)

Lab Sample ID: LCSD 570-68608/3-A

Matrix: Solid

Analysis Batch: 68704

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 68608

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chromium, hexavalent			20000	19600		ug/Kg		98	80 - 120	4	20

Lab Sample ID: 570-27951-1 MS

Matrix: Solid

Analysis Batch: 68704

Client Sample ID: B1-A-4.0

Prep Type: Total/NA

Prep Batch: 68608

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chromium, hexavalent	ND		20000	19920		ug/Kg		100	75 - 125		

Lab Sample ID: 570-27951-1 MSD

Matrix: Solid

Analysis Batch: 68704

Client Sample ID: B1-A-4.0

Prep Type: Total/NA

Prep Batch: 68608

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chromium, hexavalent	ND		20000	20080		ug/Kg		100	75 - 125	1	25

Lab Sample ID: 570-27951-1 MSI

Matrix: Solid

Analysis Batch: 68704

Client Sample ID: B1-A-4.0

Prep Type: Total/NA

Prep Batch: 68608

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chromium, hexavalent	ND		980000	901200		ug/Kg		92	75 - 125		

Lab Sample ID: 570-27951-1 MSID

Matrix: Solid

Analysis Batch: 68704

Client Sample ID: B1-A-4.0

Prep Type: Total/NA

Prep Batch: 68608

Analyte	Sample Result	Sample Qualifier	Spike Added	MSID Result	MSID Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chromium, hexavalent	ND		992000	969600		ug/Kg		98	75 - 125	7	25

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

HPLC/IC

Analysis Batch: 68311

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-41	GW-1	Total/NA	Water	218.6	
570-27951-42	GW-2	Total/NA	Water	218.6	
570-27951-43	GW-3	Total/NA	Water	218.6	
570-27951-44	WS-1	Total/NA	Water	218.6	
570-27951-45	WS-2	Total/NA	Water	218.6	
MB 570-68311/15	Method Blank	Total/NA	Water	218.6	
LCS 570-68311/16	Lab Control Sample	Total/NA	Water	218.6	
LCSD 570-68311/17	Lab Control Sample Dup	Total/NA	Water	218.6	
570-27951-45 MS	WS-2	Total/NA	Water	218.6	
570-27951-45 MSD	WS-2	Total/NA	Water	218.6	

Prep Batch: 68608

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-1	B1-A-4.0	Total/NA	Solid	3060A	
570-27951-6	B4-B-4.0	Total/NA	Solid	3060A	
570-27951-11	B5-A-4.0	Total/NA	Solid	3060A	
570-27951-16	B6-B-4.0	Total/NA	Solid	3060A	
570-27951-21	B7-A-4.0	Total/NA	Solid	3060A	
570-27951-26	B8-A-4.0	Total/NA	Solid	3060A	
570-27951-31	B9-A-4.0	Total/NA	Solid	3060A	
570-27951-36	B10-A-4.0	Total/NA	Solid	3060A	
MB 570-68608/1-A	Method Blank	Total/NA	Solid	3060A	
LCS 570-68608/2-A	Lab Control Sample	Total/NA	Solid	3060A	
LCSD 570-68608/3-A	Lab Control Sample Dup	Total/NA	Solid	3060A	
570-27951-1 MS	B1-A-4.0	Total/NA	Solid	3060A	
570-27951-1 MSD	B1-A-4.0	Total/NA	Solid	3060A	
570-27951-1 MSI	B1-A-4.0	Total/NA	Solid	3060A	
570-27951-1 MSID	B1-A-4.0	Total/NA	Solid	3060A	

Analysis Batch: 68704

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-1	B1-A-4.0	Total/NA	Solid	7199	68608
570-27951-6	B4-B-4.0	Total/NA	Solid	7199	68608
570-27951-11	B5-A-4.0	Total/NA	Solid	7199	68608
570-27951-16	B6-B-4.0	Total/NA	Solid	7199	68608
570-27951-21	B7-A-4.0	Total/NA	Solid	7199	68608
570-27951-26	B8-A-4.0	Total/NA	Solid	7199	68608
570-27951-31	B9-A-4.0	Total/NA	Solid	7199	68608
570-27951-36	B10-A-4.0	Total/NA	Solid	7199	68608
MB 570-68608/1-A	Method Blank	Total/NA	Solid	7199	68608
LCS 570-68608/2-A	Lab Control Sample	Total/NA	Solid	7199	68608
LCSD 570-68608/3-A	Lab Control Sample Dup	Total/NA	Solid	7199	68608
570-27951-1 MS	B1-A-4.0	Total/NA	Solid	7199	68608
570-27951-1 MSD	B1-A-4.0	Total/NA	Solid	7199	68608
570-27951-1 MSI	B1-A-4.0	Total/NA	Solid	7199	68608
570-27951-1 MSID	B1-A-4.0	Total/NA	Solid	7199	68608

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Client Sample ID: B1-A-4.0

Date Collected: 05/11/20 10:38

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		10			68704	05/13/20 11:40	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B4-B-4.0

Date Collected: 05/11/20 11:20

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		10			68704	05/13/20 12:34	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B5-A-4.0

Date Collected: 05/11/20 13:15

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-11

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		10			68704	05/13/20 12:43	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B6-B-4.0

Date Collected: 05/11/20 14:35

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-16

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		10			68704	05/13/20 12:52	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B7-A-4.0

Date Collected: 05/11/20 14:15

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-21

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		50			68704	05/13/20 13:01	P6WT	ECL 1
Instrument ID: IC11										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Client Sample ID: B8-A-4.0

Date Collected: 05/11/20 08:30

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-26

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		40			68704	05/13/20 13:10	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B9-A-4.0

Date Collected: 05/11/20 10:19

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-31

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		40			68704	05/13/20 13:19	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B10-A-4.0

Date Collected: 05/11/20 13:40

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-36

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68608	05/12/20 16:37	H2WS	ECL 1
Total/NA	Analysis	7199		10			68704	05/13/20 13:28	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: GW-1

Date Collected: 05/11/20 09:45

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-41

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	218.6		1			68311	05/11/20 20:36	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: GW-2

Date Collected: 05/11/20 12:15

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-42

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	218.6		1			68311	05/11/20 20:45	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: GW-3

Date Collected: 05/11/20 15:45

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-43

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	218.6		1			68311	05/11/20 20:54	P6WT	ECL 1
Instrument ID: IC11										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Client Sample ID: WS-1

Date Collected: 05/11/20 12:20

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-44

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	218.6		1			68311	05/11/20 21:03	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: WS-2

Date Collected: 05/11/20 15:43

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-45

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	218.6		1			68311	05/11/20 21:12	P6WT	ECL 1
Instrument ID: IC11										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Method	Method Description	Protocol	Laboratory
218.6	Chromium, Hexavalent (Ion Chromatography)	EPA	ECL 1
7199	Chromium, Hexavalent (IC)	SW846	ECL 1
3060A	Alkaline Digestion (Chromium, Hexavalent)	SW846	ECL 1

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:


ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-27951-1	B1-A-4.0	Solid	05/11/20 10:38	05/11/20 17:05	
570-27951-6	B4-B-4.0	Solid	05/11/20 11:20	05/11/20 17:05	
570-27951-11	B5-A-4.0	Solid	05/11/20 13:15	05/11/20 17:05	
570-27951-16	B6-B-4.0	Solid	05/11/20 14:35	05/11/20 17:05	
570-27951-21	B7-A-4.0	Solid	05/11/20 14:15	05/11/20 17:05	
570-27951-26	B8-A-4.0	Solid	05/11/20 08:30	05/11/20 17:05	
570-27951-31	B9-A-4.0	Solid	05/11/20 10:19	05/11/20 17:05	
570-27951-36	B10-A-4.0	Solid	05/11/20 13:40	05/11/20 17:05	
570-27951-41	GW-1	Water	05/11/20 09:45	05/11/20 17:05	
570-27951-42	GW-2	Water	05/11/20 12:15	05/11/20 17:05	
570-27951-43	GW-3	Water	05/11/20 15:45	05/11/20 17:05	
570-27951-44	WS-1	Water	05/11/20 12:20	05/11/20 17:05	
570-27951-45	WS-2	Water	05/11/20 15:43	05/11/20 17:05	




7440 LINCOLN WAY

GARDEN GROVE, CA 92841-1427

CalScience

TEL: (714) 895-5494 . FAX: (714) 894-7501



570-27951 Chain of Custody

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 1 OF 4

LABORATORY CLIENT:		EEC Environmental		CLIENT PROJECT NAME / NUMBER:		City of Huntington Beach/S-3506.02T		P.O. NO.:		S-3506	
ADDRESS:		One City Blvd. West #1800		PROJECT CONTACT:		Laura Holder/Kaelin Andelin		LAB CONTACT OR QUOTE NO.:		Steve Novak	
CITY:		Orange		STATE:		CA		ZIP:		92868	
TEL:		949-274-0224		FAX:		(714) 667-2310		E-MAIL:			
TURNAROUND TIME:		☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS		SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)				SAMPLER(S) (SIGNATURE)		Pauli Andelin □ □ - □ □ □ □	
SPECIAL INSTRUCTIONS:		☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ___ / ___ / ___		Email results to lholder@eecenvironmental.com; report results to MDLs/J-Flag				LAB USE ONLY			
REQUESTED ANALYSIS											
LAB USE ONLY		SAMPLE ID		LOCATION / DESCRIPTION		SAMPLING DATE		SAMPLING TIME		MATRIX	
NO. OF CONT.		NO. OF CONT.		NO. OF CONT.		NO. OF CONT.		NO. OF CONT.		NO. OF CONT.	
1		B1-A-4.0		East Center		5/11		1038		SO	
2		B1-A-5.0		East Center		1040		1040		SO	
3		B1-A-6.0		East Center		1042		1042		SO	
4		B1-A-7.0		East Center		1045		1045		SO	
5		B1-A-8.0		East Center		1048		1048		SO	
6		B4-B-4.0		Southeast		1120		1120		SO	
7		B4-B-5.0		Southeast		1122		1122		SO	
8		B4-B-6.0		Southeast		1125		1125		SO	
9		B4-B-7.0		Southeast		1127		1127		SO	
10		B4-B-8.0		Southeast		1130		1130		SO	
11		B5-A-4.0		South Center		1315		1315		SO	
12		B5-A-5.0		South Center		1317		1317		SO	
Relinquished by: (Signature)		Pauli Andelin		Relinquished by: (Signature)		Dannagh Carr		Date: 5/11/20		Time: 17:05	
Relinquished by: (Signature)				Relinquished by: (Signature)				Date:		Time:	
Relinquished by: (Signature)				Relinquished by: (Signature)				Date:		Time:	

4.8 / 4.4 scc

CalScience
TEL: (714) 895-5494, FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 3 OF 4

LABORATORY CLIENT: EEC Environmental					
ADDRESS: One City Blvd. West #1800					
CITY: Orange	STATE: CA	ZIP: 92868			
TEL: 949-274-0224	FAX: (714) 667-2310	E-MAIL:			
TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) ☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ____ / ____ / ____ SPECIAL INSTRUCTIONS:					
Email results to lholder@eecenvironmental.com; report results to MDLs/J-Flag					
LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING DATE TIME		NO. OF CONT.
25	B7-A-8.0	Northwest Corner	5/11	1425	1
26	B8-A-4.0	North Center		0830	1
27	B8-A-5.0	North Center		0832	1
28	B8-A-6.0	North Center		0835	1
29	B8-A-7.0	North Center		0837	1
30	B8-A-8.0	North Center		0840	1
31	B9-A-4.0	Northeast Corner		1019	1
32	B9-A-5.0	Northeast Corner		1021	1
33	B9-A-6.0	Northeast Corner		1023	1
34	B9-A-7.0	Northeast Corner		1025	1
35	B9-A-8.0	Northeast Corner		1027	1
36	B10-A-4.0	Southwest Corner		1340	1
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		

Calscience
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 . FAX: (714) 895-5495

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 4 OF 4

LABORATORY CLIENT:

EEC Environmental

One City Blvd. West #1800

CITY: Orange

STATE: CA ZIP: 92868

TEL:	949-274-0224	FAX:	(714) 667-2310	E-MAIL:
------	--------------	------	----------------	---------

TURNAROUND TIME:☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)

☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ____ / ____ / ____

SPECIAL INSTRUCTIONS:

Email results to holder@ececenvironmental.com; report results to MDLs/J-Flag

CLIENT PROJECT NAME / NUMBER:

City of Huntington Beach/S-3506.02T

PROJECT CONTACT:

Laura Holder/Kaelin Andelin

SAMPLER(S): (SIGNATURE)

AMPLER(S): (SIGNATURE) *Paul Oehl*

LAB USE ONLY

↓

P.O. NO.:

53506

LAB CONTACT OR QUOTE NO.:

Steve Novak

REQUESTED ANALYSIS

[illegible]

Relinquished by: (Signature)

Paula Ortel

Received by: (Signature)

122 23

Date: 7/1/78 Time:

Time: 0

Relinquished by: (Signature)

Received by: (Signature)

Date: / Time:

Time: _____

Relinquished by: (Signature)

Received by: (Signature)

Date:	Time:
-------	-------

Time: _____

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-27951-1

Login Number: 27951

List Number: 1

Creator: Le, Danny

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-27951-2

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
5/14/2020 4:48:17 PM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	8
Lab Chronicle	9
Certification Summary	11
Method Summary	12
Sample Summary	13
Chain of Custody	14
Receipt Checklists	19



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Job ID: 570-27951-2

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-27951-2

Comments

No additional comments.

Receipt

The samples were received on 5/11/2020 5:05 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.4° C.

HPLC/IC

Method 7199: The following sample was diluted due to the nature of the sample matrix: B7-A-5.0 (570-27951-22). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Client Sample ID: B4-B-5.0

Lab Sample ID: 570-27951-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	300	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B5-A-5.0

Lab Sample ID: 570-27951-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	540		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B6-B-5.0

Lab Sample ID: 570-27951-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	430		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B7-A-5.0

Lab Sample ID: 570-27951-22

No Detections.

Client Sample ID: B8-A-5.0

Lab Sample ID: 570-27951-27

No Detections.

Client Sample ID: B9-A-5.0

Lab Sample ID: 570-27951-32

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	980		400	200	ug/Kg	10		7199	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Method: 7199 - Chromium, Hexavalent (IC)

Client Sample ID: B4-B-5.0
Date Collected: 05/11/20 11:22
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-7
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	300	J	400	200	ug/Kg	—	05/13/20 20:05	05/14/20 09:59	10

Client Sample ID: B5-A-5.0
Date Collected: 05/11/20 13:17
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-12
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	540		400	200	ug/Kg	—	05/13/20 20:05	05/14/20 10:08	10

Client Sample ID: B6-B-5.0
Date Collected: 05/11/20 14:38
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-17
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	430		400	200	ug/Kg	—	05/13/20 20:05	05/14/20 10:17	10

Client Sample ID: B7-A-5.0
Date Collected: 05/11/20 14:17
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-22
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		800	400	ug/Kg	—	05/13/20 20:05	05/14/20 10:26	20

Client Sample ID: B8-A-5.0
Date Collected: 05/11/20 08:32
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-27
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg	—	05/13/20 20:05	05/14/20 10:35	10

Client Sample ID: B9-A-5.0
Date Collected: 05/11/20 10:21
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-32
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	980		400	200	ug/Kg	—	05/13/20 20:05	05/14/20 10:44	10

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Method: 7199 - Chromium, Hexavalent (IC)

Lab Sample ID: MB 570-68960/1-A

Matrix: Solid

Analysis Batch: 68997

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 68960

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg		05/13/20 20:05	05/14/20 08:56	10

Lab Sample ID: LCS 570-68960/2-A

Matrix: Solid

Analysis Batch: 68997

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 68960

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	20000	19140		ug/Kg		96	80 - 120

Lab Sample ID: LCSD 570-68960/3-A

Matrix: Solid

Analysis Batch: 68997

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 68960

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	20000	19030		ug/Kg		95	80 - 120	1	20

Lab Sample ID: 570-27951-12 MS

Matrix: Solid

Analysis Batch: 68997

Client Sample ID: B5-A-5.0

Prep Type: Total/NA

Prep Batch: 68960

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	540		20000	19810		ug/Kg		96	75 - 125

Lab Sample ID: 570-27951-12 MSD

Matrix: Solid

Analysis Batch: 68997

Client Sample ID: B5-A-5.0

Prep Type: Total/NA

Prep Batch: 68960

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	540		20000	19910		ug/Kg		97	75 - 125	0	25

Lab Sample ID: 570-27951-12 MSI

Matrix: Solid

Analysis Batch: 68997

Client Sample ID: B5-A-5.0

Prep Type: Total/NA

Prep Batch: 68960

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	540		973000	985800		ug/Kg		101	75 - 125

Lab Sample ID: 570-27951-12 MSID

Matrix: Solid

Analysis Batch: 68997

Client Sample ID: B5-A-5.0

Prep Type: Total/NA

Prep Batch: 68960

Analyte	Sample Result	Sample Qualifier	Spike Added	MSID Result	MSID Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	540		986000	1194000		ug/Kg		121	75 - 125	19	25

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

HPLC/IC

Prep Batch: 68960

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-7	B4-B-5.0	Total/NA	Solid	3060A	
570-27951-12	B5-A-5.0	Total/NA	Solid	3060A	
570-27951-17	B6-B-5.0	Total/NA	Solid	3060A	
570-27951-22	B7-A-5.0	Total/NA	Solid	3060A	
570-27951-27	B8-A-5.0	Total/NA	Solid	3060A	
570-27951-32	B9-A-5.0	Total/NA	Solid	3060A	
MB 570-68960/1-A	Method Blank	Total/NA	Solid	3060A	
LCS 570-68960/2-A	Lab Control Sample	Total/NA	Solid	3060A	
LCSD 570-68960/3-A	Lab Control Sample Dup	Total/NA	Solid	3060A	
570-27951-12 MS	B5-A-5.0	Total/NA	Solid	3060A	
570-27951-12 MSD	B5-A-5.0	Total/NA	Solid	3060A	
570-27951-12 MSI	B5-A-5.0	Total/NA	Solid	3060A	
570-27951-12 MSID	B5-A-5.0	Total/NA	Solid	3060A	

Analysis Batch: 68997

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-7	B4-B-5.0	Total/NA	Solid	7199	68960
570-27951-12	B5-A-5.0	Total/NA	Solid	7199	68960
570-27951-17	B6-B-5.0	Total/NA	Solid	7199	68960
570-27951-22	B7-A-5.0	Total/NA	Solid	7199	68960
570-27951-27	B8-A-5.0	Total/NA	Solid	7199	68960
570-27951-32	B9-A-5.0	Total/NA	Solid	7199	68960
MB 570-68960/1-A	Method Blank	Total/NA	Solid	7199	68960
LCS 570-68960/2-A	Lab Control Sample	Total/NA	Solid	7199	68960
LCSD 570-68960/3-A	Lab Control Sample Dup	Total/NA	Solid	7199	68960
570-27951-12 MS	B5-A-5.0	Total/NA	Solid	7199	68960
570-27951-12 MSD	B5-A-5.0	Total/NA	Solid	7199	68960
570-27951-12 MSI	B5-A-5.0	Total/NA	Solid	7199	68960
570-27951-12 MSID	B5-A-5.0	Total/NA	Solid	7199	68960

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Client Sample ID: B4-B-5.0

Date Collected: 05/11/20 11:22

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68960	05/13/20 20:05	H2WS	ECL 1
Total/NA	Analysis	7199		10			68997	05/14/20 09:59	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B5-A-5.0

Date Collected: 05/11/20 13:17

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-12

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68960	05/13/20 20:05	H2WS	ECL 1
Total/NA	Analysis	7199		10			68997	05/14/20 10:08	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B6-B-5.0

Date Collected: 05/11/20 14:38

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-17

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68960	05/13/20 20:05	H2WS	ECL 1
Total/NA	Analysis	7199		10			68997	05/14/20 10:17	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B7-A-5.0

Date Collected: 05/11/20 14:17

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-22

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68960	05/13/20 20:05	H2WS	ECL 1
Total/NA	Analysis	7199		20			68997	05/14/20 10:26	P6WT	ECL 1
Instrument ID: IC11										

Client Sample ID: B8-A-5.0

Date Collected: 05/11/20 08:32

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-27

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68960	05/13/20 20:05	H2WS	ECL 1
Total/NA	Analysis	7199		10			68997	05/14/20 10:35	P6WT	ECL 1
Instrument ID: IC11										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Client Sample ID: B9-A-5.0

Lab Sample ID: 570-27951-32

Date Collected: 05/11/20 10:21

Matrix: Solid

Date Received: 05/11/20 17:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	68960	05/13/20 20:05	H2WS	ECL 1
Total/NA	Analysis	7199		10			68997	05/14/20 10:44	P6WT	ECL 1
Instrument ID: IC11										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-2

Method	Method Description	Protocol	Laboratory
7199	Chromium, Hexavalent (IC)	SW846	ECL 1
3060A	Alkaline Digestion (Chromium, Hexavalent)	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T


Job ID: 570-27951-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-27951-7	B4-B-5.0	Solid	05/11/20 11:22	05/11/20 17:05	
570-27951-12	B5-A-5.0	Solid	05/11/20 13:17	05/11/20 17:05	
570-27951-17	B6-B-5.0	Solid	05/11/20 14:38	05/11/20 17:05	
570-27951-22	B7-A-5.0	Solid	05/11/20 14:17	05/11/20 17:05	
570-27951-27	B8-A-5.0	Solid	05/11/20 08:32	05/11/20 17:05	
570-27951-32	B9-A-5.0	Solid	05/11/20 10:21	05/11/20 17:05	



7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 . FAX: (714) 894-7501

CalScience



570-27951 Chain of Custody

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 1 OF 4

LABORATORY CLIENT: EEC Environmental		CLIENT PROJECT NAME / NUMBER: City of Huntington Beach/S-3506.02T		P.O. NO.: S-3506	
ADDRESS: One City Blvd. West #1800		PROJECT CONTACT: Laura Holder/Kaelin Andelin		LAB CONTACT OR QUOTE NO.: Steve Novak	
CITY: Orange		STATE: CA		ZIP: 92868	
TEL: 949-274-0224		FAX: (714) 667-2310		E-MAIL:	
TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) ☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ____ / ____ / ____ SPECIAL INSTRUCTIONS: Email results to lholder@eecenvironmental.com; report results to MDLs/J-Flag					
REQUESTED ANALYSIS					
LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING DATE	SAMPLING TIME	NO. OF CONT.
1	B1-A-4.0	East Center	5/11	1038	1
2	B1-A-5.0	East Center		1040	1
3	B1-A-6.0	East Center		1042	1
4	B1-A-7.0	East Center		1045	1
5	B1-A-8.0	East Center		1048	1
6	B4-B-4.0	Southeast		1120	1
7	B4-B-5.0	Southeast		1122	1
8	B4-B-6.0	Southeast		1125	1
9	B4-B-7.0	Southeast		1127	1
10	B4-B-8.0	Southeast		1130	1
11	B5-A-4.0	South Center		1315	1
12	B5-A-5.0	South Center		1317	1
Relinquished by: (Signature) <i>Kaelin Andelin</i>		Received by: (Signature) <i>Danagh Carr</i>		Date: <i>5/11/20</i> Time: <i>17:05</i>	
Relinquished by: (Signature)		Received by: (Signature)		Date: Time:	
Relinquished by: (Signature)		Received by: (Signature)		Date: Time:	

4.8/4.4 scc

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020
PAGE: 2 OF 2

LABORATORY CLIENT:

EEC Environmental

One City Blvd. West #1800

Orange

TEL: 949-274-0224

FAX: (714) 667-2310

STATE: CA ZIP: 92868

E-MAIL:

TURNAROUND TIME:

☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)

☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL / /

SPECIAL INSTRUCTIONS:

Email results to holder@eecenvironmental.com; report results to MDLs/J-Flag

LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING		MATRIX	NO. OF CONT.
			DATE	TIME		
13	B5-A-6.0	South Center	5/11	1320	SO	1
14	B5-A-7.0	South Center		1322	SO	1
15	B5-A-8.0	South Center		1325	SO	1
16	B6-B-4.0	West Center		1435	SO	1
17	B6-B-5.0	West Center		1438	SO	1
18	B6-B-6.0	West Center		1441	SO	1
19	B6-B-7.0	West Center		1443	SO	1
20	B6-B-8.0	West Center		1446	SO	1
21	B7-A-4.0	Northwest Corner		1415	SO	1
22	B7-A-5.0	Northwest Corner		1417	SO	1
23	B7-A-6.0	Northwest Corner		1420	SO	1
24	B7-A-7.0	Northwest Corner		1422	SO	1

Relinquished by: (Signature)

Paula Owen

Received by: (Signature)

Relinquished by: (Signature)

Received by: (Signature)

Relinquished by: (Signature)

Received by: (Signature)

222 25mug

Date: 02/11/20

Date: 1/1 Time: 1

Date:	Time:
-------	-------

CLIENT PROJECT NAME / NUMBER:

City of Huntington Beach/S-3506.02T

P.O. NO.:

9053-5

PROJECT CONTACT:

Laura Holder/Kaelin Andelin

SAMPLER(S): (SIGNATURE)

Wald-Oberlin

LAB USE ONLY

□ □ □ □ □

REQUESTED ANALYSIS

[illegible]

Received by: (Signature)

Date: 02/11/20

Date: 1/1 Time: 1

Date:	Time:
-------	-------



7440 LINCOLN WAY

GARDEN GROVE, CA 92841-1427

CalScience

TEL: (714) 895-5494 . FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 3 OF 4

LABORATORY CLIENT: EEC Environmental		CLIENT PROJECT NAME / NUMBER: City of Huntington Beach/S-3506.02T		P.O. NO.: S-3506	
ADDRESS: One City Blvd. West #1800		PROJECT CONTACT: Laura Holder/Kaelin Andelin		LAB CONTACT OR QUOTE NO.: Steve Nowak	
CITY: Orange		STATE: CA		ZIP: 92868	
TEL: 949-274-0224		FAX: (714) 667-2310		E-MAIL:	
TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS					
SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY) ☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ___/___/___					
SPECIAL INSTRUCTIONS: Email results to lholder@eecenvironmental.com; report results to MDLs/J-Flag					
LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING DATE	TIME	NO. OF CONT.
25	B7-A-8.0	Northwest Corner	5/11	1425	1
26	B8-A-4.0	North Center		0830	1
27	B8-A-5.0	North Center		0832	1
28	B8-A-6.0	North Center		0835	1
29	B8-A-7.0	North Center		0837	1
30	B8-A-8.0	North Center		0840	1
31	B9-A-4.0	Northeast Corner		1019	1
32	B9-A-5.0	Northeast Corner		1021	1
33	B9-A-6.0	Northeast Corner		1023	1
34	B9-A-7.0	Northeast Corner		1025	1
35	B9-A-8.0	Northeast Corner		1027	1
36	B10-A-4.0	Southwest Corner		1340	1
Relinquished by: (Signature) <i>Kaelin Andelin</i>		Received by: (Signature) <i>Dan Wugh</i>		Date: 5/11/20	
Relinquished by: (Signature)		Received by: (Signature)		Date: 5/11/20	
Relinquished by: (Signature)		Received by: (Signature)		Date: 5/11/20	

REQUESTED ANALYSIS									
Preservatives									
Hexavalent Chromium EPA 7199									
HOLD									

06/01/10 Revision

Calscience
TEL: (714) 895-5494 . FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 4 OF 4

[illegible]

Stephen Nowak

From: Laura Holder <lholder@eecenvironmental.com>
Sent: Wednesday, May 13, 2020 5:38 PM
To: Stephen Nowak
Subject: RE: Eurofins Calscience report and EDD files from 570-27951-1 City of Huntington Beach / S-3506.02T

EXTERNAL EMAIL*

Hi Steve,

Can we please analyze the following samples that were on hold on rush 24-hr TAT: B4-B-5.0, B5-A-5.0, B6-B-5.0, B7-A-5.0, B8-A-5.0, B9-A-5.0.

Thank you!!

Laura Holder
Project Manager

EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Stephen Nowak [mailto:noreply@eurofinslimsservices.com]
Sent: Wednesday, May 13, 2020 4:06 PM
To: Data; Laura Holder
Subject: Eurofins Calscience report and EDD files from 570-27951-1 City of Huntington Beach / S-3506.02T

Hello,

Attached please find the report and EDD files for job 570-27951-1; City of Huntington Beach / S-3506.02T

Please feel free to contact me if you have any questions.

Thank you.

Stephen Nowak
Project Manager

Eurofins Calscience LLC
Phone: 714-895-5494

E-mail: stephennowak@eurofinsus.com
www.eurofinsus.com/env



Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-27951-2

Login Number: 27951

List Number: 1

Creator: Le, Danny

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-27951-3

Client Project/Site: City of Huntington Beach / S-3506.02T

For:

EEC Environmental
One City Blvd
Suite 1800
Orange, California 92868

Attn: Laura Holder



Authorized for release by:
5/15/2020 2:17:44 PM

Stephen Nowak, Project Manager I
(714)895-5494
stephennowak@eurofinsus.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	7
QC Sample Results	9
QC Association Summary	10
Lab Chronicle	12
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Checklists	24



Definitions/Glossary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Job ID: 570-27951-3

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-27951-3

Comments

No additional comments.

Receipt

The samples were received on 5/11/2020 5:05 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.4° C.

HPLC/IC

Method 7199: The following sample was diluted due to the nature of the sample matrix: B6-B-8.0 (570-27951-20). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Client Sample ID: B4-B-6.0

Lab Sample ID: 570-27951-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	380	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B4-B-7.0

Lab Sample ID: 570-27951-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	330	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B4-B-8.0

Lab Sample ID: 570-27951-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	410		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B5-A-6.0

Lab Sample ID: 570-27951-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	330	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B5-A-7.0

Lab Sample ID: 570-27951-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	580		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B5-A-8.0

Lab Sample ID: 570-27951-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	200	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B6-B-6.0

Lab Sample ID: 570-27951-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	620		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B6-B-7.0

Lab Sample ID: 570-27951-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	350	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B6-B-8.0

Lab Sample ID: 570-27951-20

No Detections.

Client Sample ID: B7-A-6.0

Lab Sample ID: 570-27951-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	420		400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B7-A-7.0

Lab Sample ID: 570-27951-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	270	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B7-A-8.0

Lab Sample ID: 570-27951-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	330	J	400	200	ug/Kg	10		7199	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Detection Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Client Sample ID: B8-A-6.0

Lab Sample ID: 570-27951-28

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	250	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B8-A-7.0

Lab Sample ID: 570-27951-29

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	240	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B8-A-8.0

Lab Sample ID: 570-27951-30

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	210	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B9-A-6.0

Lab Sample ID: 570-27951-33

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium, hexavalent	320	J	400	200	ug/Kg	10		7199	Total/NA

Client Sample ID: B9-A-7.0

Lab Sample ID: 570-27951-34

No Detections.

Client Sample ID: B9-A-8.0

Lab Sample ID: 570-27951-35

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Method: 7199 - Chromium, Hexavalent (IC)

Client Sample ID: B4-B-6.0
Date Collected: 05/11/20 11:25
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-8
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	380	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 10:03	10

Client Sample ID: B4-B-7.0
Date Collected: 05/11/20 11:27
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-9
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	330	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 10:12	10

Client Sample ID: B4-B-8.0
Date Collected: 05/11/20 11:30
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-10
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	410		400	200	ug/Kg	-	05/14/20 16:14	05/15/20 10:21	10

Client Sample ID: B5-A-6.0
Date Collected: 05/11/20 13:20
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-13
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	330	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 10:30	10

Client Sample ID: B5-A-7.0
Date Collected: 05/11/20 13:22
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-14
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	580		400	200	ug/Kg	-	05/14/20 16:14	05/15/20 10:39	10

Client Sample ID: B5-A-8.0
Date Collected: 05/11/20 13:25
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-15
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	200	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 10:48	10

Client Sample ID: B6-B-6.0
Date Collected: 05/11/20 14:41
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-18
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	620		400	200	ug/Kg	-	05/14/20 16:14	05/15/20 10:57	10

Client Sample ID: B6-B-7.0
Date Collected: 05/11/20 14:43
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-19
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	350	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 11:06	10

Client Sample ID: B6-B-8.0
Date Collected: 05/11/20 14:46
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-20
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		800	400	ug/Kg	-	05/14/20 16:14	05/15/20 11:15	20

Client Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Method: 7199 - Chromium, Hexavalent (IC)

Client Sample ID: B7-A-6.0
Date Collected: 05/11/20 14:20
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-23
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	420		400	200	ug/Kg	-	05/14/20 16:14	05/15/20 11:42	10

Client Sample ID: B7-A-7.0
Date Collected: 05/11/20 14:22
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-24
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	270	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 11:51	10

Client Sample ID: B7-A-8.0
Date Collected: 05/11/20 14:25
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-25
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	330	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 12:00	10

Client Sample ID: B8-A-6.0
Date Collected: 05/11/20 08:35
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-28
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	250	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 12:09	10

Client Sample ID: B8-A-7.0
Date Collected: 05/11/20 08:37
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-29
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	240	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 12:18	10

Client Sample ID: B8-A-8.0
Date Collected: 05/11/20 08:40
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-30
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	210	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 12:27	10

Client Sample ID: B9-A-6.0
Date Collected: 05/11/20 10:23
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-33
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	320	J	400	200	ug/Kg	-	05/14/20 16:14	05/15/20 12:36	10

Client Sample ID: B9-A-7.0
Date Collected: 05/11/20 10:25
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-34
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg	-	05/14/20 16:14	05/15/20 12:45	10

Client Sample ID: B9-A-8.0
Date Collected: 05/11/20 10:27
Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-35
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg	-	05/14/20 16:14	05/15/20 09:54	10

QC Sample Results

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Method: 7199 - Chromium, Hexavalent (IC)

Lab Sample ID: MB 570-69160/1-A

Matrix: Solid

Analysis Batch: 69279

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 69160

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium, hexavalent	ND		400	200	ug/Kg		05/14/20 16:13	05/15/20 08:51	10

Lab Sample ID: LCS 570-69160/2-A

Matrix: Solid

Analysis Batch: 69279

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 69160

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	20000	19820		ug/Kg		99	80 - 120

Lab Sample ID: LCSD 570-69160/3-A

Matrix: Solid

Analysis Batch: 69279

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 69160

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	20000	19820		ug/Kg		99	80 - 120	0	20

Lab Sample ID: 570-27951-35 MS

Matrix: Solid

Analysis Batch: 69279

Client Sample ID: B9-A-8.0

Prep Type: Total/NA

Prep Batch: 69160

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	ND		20000	19360		ug/Kg		97	75 - 125

Lab Sample ID: 570-27951-35 MSD

Matrix: Solid

Analysis Batch: 69279

Client Sample ID: B9-A-8.0

Prep Type: Total/NA

Prep Batch: 69160

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	ND		20000	18230		ug/Kg		91	75 - 125	6	25

Lab Sample ID: 570-27951-35 MSI

Matrix: Solid

Analysis Batch: 69279

Client Sample ID: B9-A-8.0

Prep Type: Total/NA

Prep Batch: 69160

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec. Limits
Chromium, hexavalent	ND		992000	1002000		ug/Kg		101	75 - 125

Lab Sample ID: 570-27951-35 MSID

Matrix: Solid

Analysis Batch: 69279

Client Sample ID: B9-A-8.0

Prep Type: Total/NA

Prep Batch: 69160

Analyte	Sample Result	Sample Qualifier	Spike Added	MSID Result	MSID Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chromium, hexavalent	ND		992000	992300		ug/Kg		100	75 - 125	1	25

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

HPLC/IC

Prep Batch: 69160

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-8	B4-B-6.0	Total/NA	Solid	3060A	
570-27951-9	B4-B-7.0	Total/NA	Solid	3060A	
570-27951-10	B4-B-8.0	Total/NA	Solid	3060A	
570-27951-13	B5-A-6.0	Total/NA	Solid	3060A	
570-27951-14	B5-A-7.0	Total/NA	Solid	3060A	
570-27951-15	B5-A-8.0	Total/NA	Solid	3060A	
570-27951-18	B6-B-6.0	Total/NA	Solid	3060A	
570-27951-19	B6-B-7.0	Total/NA	Solid	3060A	
570-27951-20	B6-B-8.0	Total/NA	Solid	3060A	
570-27951-23	B7-A-6.0	Total/NA	Solid	3060A	
570-27951-24	B7-A-7.0	Total/NA	Solid	3060A	
570-27951-25	B7-A-8.0	Total/NA	Solid	3060A	
570-27951-28	B8-A-6.0	Total/NA	Solid	3060A	
570-27951-29	B8-A-7.0	Total/NA	Solid	3060A	
570-27951-30	B8-A-8.0	Total/NA	Solid	3060A	
570-27951-33	B9-A-6.0	Total/NA	Solid	3060A	
570-27951-34	B9-A-7.0	Total/NA	Solid	3060A	
570-27951-35	B9-A-8.0	Total/NA	Solid	3060A	
MB 570-69160/1-A	Method Blank	Total/NA	Solid	3060A	
LCS 570-69160/2-A	Lab Control Sample	Total/NA	Solid	3060A	
LCSD 570-69160/3-A	Lab Control Sample Dup	Total/NA	Solid	3060A	
570-27951-35 MS	B9-A-8.0	Total/NA	Solid	3060A	
570-27951-35 MSD	B9-A-8.0	Total/NA	Solid	3060A	
570-27951-35 MSI	B9-A-8.0	Total/NA	Solid	3060A	
570-27951-35 MSID	B9-A-8.0	Total/NA	Solid	3060A	

Analysis Batch: 69279

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-8	B4-B-6.0	Total/NA	Solid	7199	69160
570-27951-9	B4-B-7.0	Total/NA	Solid	7199	69160
570-27951-10	B4-B-8.0	Total/NA	Solid	7199	69160
570-27951-13	B5-A-6.0	Total/NA	Solid	7199	69160
570-27951-14	B5-A-7.0	Total/NA	Solid	7199	69160
570-27951-15	B5-A-8.0	Total/NA	Solid	7199	69160
570-27951-18	B6-B-6.0	Total/NA	Solid	7199	69160
570-27951-19	B6-B-7.0	Total/NA	Solid	7199	69160
570-27951-20	B6-B-8.0	Total/NA	Solid	7199	69160
570-27951-23	B7-A-6.0	Total/NA	Solid	7199	69160
570-27951-24	B7-A-7.0	Total/NA	Solid	7199	69160
570-27951-25	B7-A-8.0	Total/NA	Solid	7199	69160
570-27951-28	B8-A-6.0	Total/NA	Solid	7199	69160
570-27951-29	B8-A-7.0	Total/NA	Solid	7199	69160
570-27951-30	B8-A-8.0	Total/NA	Solid	7199	69160
570-27951-33	B9-A-6.0	Total/NA	Solid	7199	69160
570-27951-34	B9-A-7.0	Total/NA	Solid	7199	69160
570-27951-35	B9-A-8.0	Total/NA	Solid	7199	69160
MB 570-69160/1-A	Method Blank	Total/NA	Solid	7199	69160
LCS 570-69160/2-A	Lab Control Sample	Total/NA	Solid	7199	69160
LCSD 570-69160/3-A	Lab Control Sample Dup	Total/NA	Solid	7199	69160
570-27951-35 MS	B9-A-8.0	Total/NA	Solid	7199	69160
570-27951-35 MSD	B9-A-8.0	Total/NA	Solid	7199	69160

Eurofins Calscience LLC

QC Association Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

HPLC/IC (Continued)

Analysis Batch: 69279 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-27951-35 MSI	B9-A-8.0	Total/NA	Solid	7199	69160
570-27951-35 MSID	B9-A-8.0	Total/NA	Solid	7199	69160

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Client Sample ID: B4-B-6.0

Date Collected: 05/11/20 11:25

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 10:03	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B4-B-7.0

Date Collected: 05/11/20 11:27

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 10:12	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B4-B-8.0

Date Collected: 05/11/20 11:30

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 10:21	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B5-A-6.0

Date Collected: 05/11/20 13:20

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-13

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 10:30	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B5-A-7.0

Date Collected: 05/11/20 13:22

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-14

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 10:39	URMH	ECL 1
Instrument ID: IC11										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Client Sample ID: B5-A-8.0

Date Collected: 05/11/20 13:25

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-15

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 10:48	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B6-B-6.0

Date Collected: 05/11/20 14:41

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-18

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 10:57	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B6-B-7.0

Date Collected: 05/11/20 14:43

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-19

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 11:06	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B6-B-8.0

Date Collected: 05/11/20 14:46

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-20

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		20			69279	05/15/20 11:15	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B7-A-6.0

Date Collected: 05/11/20 14:20

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-23

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 11:42	URMH	ECL 1
Instrument ID: IC11										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Client Sample ID: B7-A-7.0

Date Collected: 05/11/20 14:22

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-24

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 11:51	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B7-A-8.0

Date Collected: 05/11/20 14:25

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-25

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 12:00	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B8-A-6.0

Date Collected: 05/11/20 08:35

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-28

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 12:09	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B8-A-7.0

Date Collected: 05/11/20 08:37

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-29

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 12:18	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B8-A-8.0

Date Collected: 05/11/20 08:40

Date Received: 05/11/20 17:05

Lab Sample ID: 570-27951-30

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 12:27	URMH	ECL 1
Instrument ID: IC11										

Lab Chronicle

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Client Sample ID: B9-A-6.0

Lab Sample ID: 570-27951-33

Date Collected: 05/11/20 10:23

Matrix: Solid

Date Received: 05/11/20 17:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 12:36	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B9-A-7.0

Lab Sample ID: 570-27951-34

Date Collected: 05/11/20 10:25

Matrix: Solid

Date Received: 05/11/20 17:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 12:45	URMH	ECL 1
Instrument ID: IC11										

Client Sample ID: B9-A-8.0

Lab Sample ID: 570-27951-35

Date Collected: 05/11/20 10:27

Matrix: Solid

Date Received: 05/11/20 17:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3060A			2.5 g	100 mL	69160	05/14/20 16:14	H2WS	ECL 1
Total/NA	Analysis	7199		10			69279	05/15/20 09:54	URMH	ECL 1
Instrument ID: IC11										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-29-20
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-29-20
Guam	State	20-003R	10-31-20
Nevada	State	CA00111	07-31-20
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-20

Method Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T

Job ID: 570-27951-3

Method	Method Description	Protocol	Laboratory
7199	Chromium, Hexavalent (IC)	SW846	ECL 1
3060A	Alkaline Digestion (Chromium, Hexavalent)	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:


ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: EEC Environmental
Project/Site: City of Huntington Beach / S-3506.02T


Job ID: 570-27951-3

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-27951-8	B4-B-6.0	Solid	05/11/20 11:25	05/11/20 17:05	
570-27951-9	B4-B-7.0	Solid	05/11/20 11:27	05/11/20 17:05	
570-27951-10	B4-B-8.0	Solid	05/11/20 11:30	05/11/20 17:05	
570-27951-13	B5-A-6.0	Solid	05/11/20 13:20	05/11/20 17:05	
570-27951-14	B5-A-7.0	Solid	05/11/20 13:22	05/11/20 17:05	
570-27951-15	B5-A-8.0	Solid	05/11/20 13:25	05/11/20 17:05	
570-27951-18	B6-B-6.0	Solid	05/11/20 14:41	05/11/20 17:05	
570-27951-19	B6-B-7.0	Solid	05/11/20 14:43	05/11/20 17:05	
570-27951-20	B6-B-8.0	Solid	05/11/20 14:46	05/11/20 17:05	
570-27951-23	B7-A-6.0	Solid	05/11/20 14:20	05/11/20 17:05	
570-27951-24	B7-A-7.0	Solid	05/11/20 14:22	05/11/20 17:05	
570-27951-25	B7-A-8.0	Solid	05/11/20 14:25	05/11/20 17:05	
570-27951-28	B8-A-6.0	Solid	05/11/20 08:35	05/11/20 17:05	
570-27951-29	B8-A-7.0	Solid	05/11/20 08:37	05/11/20 17:05	
570-27951-30	B8-A-8.0	Solid	05/11/20 08:40	05/11/20 17:05	
570-27951-33	B9-A-6.0	Solid	05/11/20 10:23	05/11/20 17:05	
570-27951-34	B9-A-7.0	Solid	05/11/20 10:25	05/11/20 17:05	
570-27951-35	B9-A-8.0	Solid	05/11/20 10:27	05/11/20 17:05	



7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 . FAX: (714) 894-7501

CalScience



570-27951 Chain of Custody

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 1 OF 4

LABORATORY CLIENT:		EEC Environmental		CLIENT PROJECT NAME / NUMBER:		City of Huntington Beach/S-3506.02T		P.O. NO.:		S-3506	
ADDRESS:		One City Blvd. West #1800		PROJECT CONTACT:		Laura Holder/Kaelin Andelin		LAB CONTACT OR QUOTE NO.:		Steve Novak	
CITY:		Orange		STATE:		CA		ZIP:		92868	
TEL:		949-274-0224		FAX:		(714) 667-2310		E-MAIL:			
TURNAROUND TIME:		☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)		☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ___ / ___ / ___ SPECIAL INSTRUCTIONS:		Email results to lholder@eecenvironmental.com; report results to MDLs/J-Flag					
LAB USE ONLY		SAMPLE ID		LOCATION / DESCRIPTION		SAMPLING DATE		TIME		MATRIX	
1		B1-A-4.0		East Center		5/11		1038		SO	
2		B1-A-5.0		East Center		1040		1040		SO	
3		B1-A-6.0		East Center		1042		1042		SO	
4		B1-A-7.0		East Center		1045		1045		SO	
5		B1-A-8.0		East Center		1048		1048		SO	
6		B4-B-4.0		Southeast		1120		1120		SO	
7		B4-B-5.0		Southeast		1122		1122		SO	
8		B4-B-6.0		Southeast		1125		1125		SO	
9		B4-B-7.0		Southeast		1127		1127		SO	
10		B4-B-8.0		Southeast		1130		1130		SO	
11		B5-A-4.0		South Center		1315		1315		SO	
12		B5-A-5.0		South Center		1317		1317		SO	
Relinquished by: (Signature)		Pauli Andelin		Received by: (Signature)		Dannagh Carr		Date: 5/11/20		Time: 17:05	
Relinquished by: (Signature)				Received by: (Signature)				Date:		Time:	
Relinquished by: (Signature)				Received by: (Signature)				Date:		Time:	

4.8/4.4 scc

CHAIN OF CUSTODY RECORD

DATE: May 11, 2020

PAGE: 3 OF 4

LABORATORY CLIENT: EEC Environmental				CLIENT PROJECT NAME / NUMBER: City of Huntington Beach/S-3506.02T			
ADDRESS: One City Blvd. West #1800				P.O. NO.: S-3506			
CITY: Orange				PROJECT CONTACT: Steve Novak			
TEL: 949-274-0224				LABORATORY CONTACT OR QUOTE NO.: Steve Novak			
FAX: (714) 667-2310				LAB USE ONLY: ☐ ☐ ☐ ☐ ☐ ☐			
TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☒ 48 HR ☐ 72 HR ☐ 5 DAYS ☐ 10 DAYS							
SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY)							
☐ RWQCB REPORTING ☐ ARCHIVE SAMPLES UNTIL ____ / ____ / ____							
SPECIAL INSTRUCTIONS:							
Email results to lholder@eecenvironmental.com; report results to MDLs/J-Flag							

LAB USE ONLY	SAMPLE ID	LOCATION / DESCRIPTION	SAMPLING		MATRIX	NO. OF CONT.
			DATE	TIME		
25	B7-A-8.0	Northwest Corner	5/11	1425	SO	1
26	B8-A-4.0	North Center		0830	SO	1
27	B8-A-5.0	North Center		0832	SO	1
28	B8-A-6.0	North Center		0835	SO	1
29	B8-A-7.0	North Center		0837	SO	1
30	B8-A-8.0	North Center		0840	SO	1
31	B9-A-4.0	Northeast Corner		1019	SO	1
32	B9-A-5.0	Northeast Corner		1021	SO	1
33	B9-A-6.0	Northeast Corner		1023	SO	1
34	B9-A-7.0	Northeast Corner		1025	SO	1
35	B9-A-8.0	Northeast Corner		1027	SO	1
36	B10-A-4.0	Southwest Corner		1340	SO	1

Relinquished by: (Signature) <i>Steve Novak</i>	Received by: (Signature) <i>Danmye Ezz</i>	Date: <i>5/11/20</i>	Time: <i>17:05</i>
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Stephen Nowak

From: Laura Holder <lholder@eecenvironmental.com>
Sent: Wednesday, May 13, 2020 8:15 PM
To: Stephen Nowak
Subject: FW: Eurofins Calscience report and EDD files from 570-27951-1 City of Huntington Beach / S-3506.02T

EXTERNAL EMAIL*

Hi Steve,

I know it's late but wanted to get this info to you asap. We would like to have the following additional samples added for 24-hr TAT for hex chrome 7199: B4-B-6.0, 7.0, and 8.0; B5-A-6.0, 7.0, and 8.0; B6-B-6.0, 7.0, and 8.0; B7-A-6.0, 7.0, and 8.0; B8-A-6.0, 7.0, and 8.0; and B9-A-6.0, 7.0, and 8.0. Basically it's all other samples for the boring locations B4, B5, B6, B7, B8, and B9. I'll do the same for the other job but will send in a separate Email.

Thanks!!

Laura Holder
Project Manager

EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Laura Holder
Sent: Wednesday, May 13, 2020 5:38 PM
To: stephennowak@eurofinsus.com
Subject: RE: Eurofins Calscience report and EDD files from 570-27951-1 City of Huntington Beach / S-3506.02T

Hi Steve,

Can we please analyze the following samples that were on hold on rush 24-hr TAT: B4-B-5.0, B5-A-5.0, B6-B-5.0, B7-A-5.0, B8-A-5.0, B9-A-5.0.

Thank you!!

Laura Holder
Project Manager

EEC Environmental
One City Boulevard West | Suite 1800 | Orange, CA 92868
O (714) 667-2304 | F (714) 667-2310 | C (949) 274-0224
lholder@eecenvironmental.com | www.eecenvironmental.com

From: Stephen Nowak [mailto:noreply@eurofinslimsservices.com]
Sent: Wednesday, May 13, 2020 4:06 PM
To: Data; Laura Holder
Subject: Eurofins Calscience report and EDD files from 570-27951-1 City of Huntington Beach / S-3506.02T

Hello,

Login Sample Receipt Checklist

Client: EEC Environmental

Job Number: 570-27951-3

Login Number: 27951

List Number: 1

Creator: Le, Danny

List Source: Eurofins Calscience

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	