



FACT SHEET

(Pursuant to the Solid Waste Disposal Regulations of the Nevada Administrative Code [NAC] 444.641.3[b])

Permittee Name: US Dept. of the Air Force, Nellis AF Base

Facility Name: Nevada Test and Training Range

Permit Number: SW209REV01

Description of Proposed Permit Modification

None at this time

Location Information

Site Summary — The TAAA Class II Landfill is located within the Nevada Test and Training Range (NTTR), on the west side of Cactus Flats in Nye County, Nevada. The landfill has been in use for over 15 years. A chain link fence encloses the entire landfill. The coordinates of the landfill are Latitude N37 degrees, 49 minutes, 51.4685 seconds and Longitude W116 degrees, 45 minutes, 51.4454 seconds.

Proposed Action

None at this time

Facility Summary

SITE Location & Description — The NTTR is federal lands that have been withdrawn from the Department of Interior for exclusive use by the United States Air Force (USAF).

The NTTR is not subject to county zoning ordinances. The landfill is owned and operated by the USAF. The area surrounding the landfill is primarily used for light industrial purposes.

Service Area & Population — The landfill was put into service and officially approved as the primary solid waste landfill for TAAA by NDEP on January 23, 1991.

The landfill was designed to accept less than 20 tons per day and serve a maximum population of 10,000 people. The maximum population served over the last few years has been less than 500 people, depending on site activities.

Configuration of the landfill — A plan illustrating the configuration of the landfill is provided below. The landfill plan shows the topography of the waste accumulation area within the landfill fence boundary and the surrounding land for a distance of approximately 200 feet. The plan also shows the final configuration of the landfill at closure, including the final grade, berms, swales for proper drainage, and control of surface water run-on and run-off for the site. A typical cross-section of the landfill is oriented north-south across the center of the landfill, and shows the existing landfill surface, the final grade at closure, and the drainage controls for surface water run-on and run-off for the site.

Final Cover — The final closure design for the landfill was based on information collected during the site inspection and from site process knowledge, as stated in the Landfill Closure Plan. As detailed in that plan, the final cover will consist of 18 inches of compacted native soil with a hydraulic conductivity less than 1.0E-05 cm/sec overlain by 6 inches of soil capable of sustaining

**FACT SHEET**

(Pursuant to the Solid Waste Disposal Regulations of the Nevada Administrative Code [NAC] 444.641.3[b])

vegetative growth. The final lift of waste under the cover will be compacted to minimize settlement, and will have a 3 percent grade. The compaction will be in accordance with specifications detailed in Appendix D of the Closure Plan.

Liner System — There is no liner system beneath the landfill. Pursuant to NAC 444.704, a liner system is not required since this is a Class II landfill. A "Request for Variance, Groundwater Monitoring and Composite Liner Requirements" is included from the 1998 Permit Application. That document provides a technical evaluation of the operation and closure activities and specifications in support of the variance request.

Leachate Collection and Removal System — The landfill was constructed without a leachate collection system. Pursuant to NAC 444.704, a leachate collection system is not required since this is a Class II landfill.

Devices for Monitoring and Controlling Landfill Gas — As mandated by NAC 444.667, the owner or operator of a municipal solid waste landfill must provide for the control of explosive gases at the facility. In accordance with this regulation, gas monitoring is performed in on-site structures and in the native soils. Landfill gas will be monitored annually during the active life of the landfill and the post-closure period. A mobile sensor and network of landfill gas monitoring wells will be used to monitor the potential migration of landfill gas from the facility.

Each well location will contain a cluster of two wells designed to monitor different intervals in the subsurface. Gas monitoring wells are monitored annually with appropriate equipment to ensure that landfill gas concentrations do not exceed the lower explosive limit (LEL) for methane at the facility boundary. Pursuant to NAC 444.667, ambient air in permanent structures at the landfill (at the metal building) are also monitored annually to ensure that landfill gas concentrations do not exceed 25 percent by volume of the LEL for methane. Monitoring data is entered into the operating record after the monitoring event.

Cover Material — The 6-inch daily soil cover and 12-inch intermediate soil cover will be constructed with soil excavated from the new landfill cells excavated north of the existing cell. Excess soil from the new cell excavations will be stockpiled at the landfill site. Soil will be taken from this stockpile to construct the final cover, consisting of an 18-inch compacted soil layer and 6-inch vegetative soil layer.

Drainage Control System — The final cover will be graded smooth, and the area around the landfill will be contoured to prevent run-on from a 100-year storm and six-hour up-slope precipitation events. A drainage swale around the foot of the landfill cover will be constructed to control run-on and run-off.

Document Availability

The ADMINISTRATIVE RECORD, which includes the DRAFT PERMIT, and correspondence are available for public review by appointment between 8:00 AM and 5:00 PM, Monday through Friday, at the Division offices located at: 901 S. Stewart St., Suite 4001, Carson City, NV 89701-5249.

Contact: Paul Eckert at (775) 687-9477, or by e-mail at: PEckert@ndep.nv.gov



NEVADA DIVISION OF ENVIRONMENTAL PROTECTION

FACT SHEET

(Pursuant to the Solid Waste Disposal Regulations of the Nevada Administrative Code [NAC] 444.641.3[b])

Procedure for Public Review

Questions or comments may be submitted on or before the end of the public comment period.

In writing: Paul Eckert, P.E.
Nevada Division of Environmental Protection
Bureau of Waste Management
901 S. Stewart St., Suite 4001
Carson City, NV 89701-5249

Phone: (775) 687-9477; fax: (775) 687-5856; e-mail: PEckert@ndep.nv.gov; or
web: [News and Public Notices](#)

The Division's Notice of Intent to approve the modified Permit for this facility, subject to the conditions contained in the Permit, will be published in a local newspaper. Additionally, the Public Notice will be mailed to interested persons on our mailing list. The Division will accept written comments on the proposed draft permit from all interested persons until the end of the public comment period.

Will there be a public hearing?

N/A

When does the comment period end?

N/A