

DRUG SCREEN COMPREHENSIVE URINE

Collected on Sep 03, 2024 8:40 AM



Results

Amphetamine Screen, Urine
Normal value: Negative

Value
Negative <1000 ng/mL

Results for medical purposes only.

Barbiturate Screen, Urine
Normal value: Negative

Value
Negative <200 ng/mL

Results for medical purposes only.

Cocaine Screen, Urine
Normal value: Negative

Value
Negative <300 ng/mL

Results for medical purposes only.

Opiate Screen, Urine
Normal value: Negative

Value
Positive >300 ng/mL

Abnormal

Results for medical purposes only.
Confirmation performed by PHYSICIAN request only.

Phencyclidine (PCP) Screen, Urine
Normal value: Negative

Value
Negative <25 ng/mL

Results for medical purposes only.

Marijuana Screen, Urine
Normal value: Negative

Value
Positive >50 ng/mL

Abnormal

Results for medical purposes only.
Confirmation performed by PHYSICIAN request only.

Fentanyl Screen, Urine

Normal value: Negative

Value

Negative <5 ng/ml

Results for medical purposes only.

Ordering provider: Resident Ryan Ley

Authorizing provider: Dr. Michael Neeki

Collection date: Sep 03, 2024 8:40 AM

Specimens: Urine (Urine, Clean Catch)

Result date: Sep 03, 2024 11:01 AM

Result status: Final

Resulting lab:

ARROWHEAD REGIONAL MEDICAL CENTER LAB

400 N. PEPPER AVENUE

COLTON CA 92324-1819

CAROLYN S. LEACH, MD (Lab director)

05D0643254 (CLIA #)

MyChart® licensed from Epic Systems Corporation© 1999 - 2026