

Architectural and System Design Specification: The Non-Profiteers Index (NPI) and Retro-Interactive Forensic AI Portal

Executive Overview

The landscape of financial forensic analysis and Open Source Intelligence (OSINT) is undergoing a structural paradigm shift. As corporate entities, illicit networks, and municipal governments increasingly utilize complex 501(c)(3) structures, shell companies, and administrative obstruction to mask fraudulent activities, traditional data visualization tools have proven insufficient for rapid field analysis. The development of the Non-Profiteers Index (NPI)—a quantitative economic model designed to evaluate structural stress and financial distortion within non-profit entities—requires a delivery mechanism that is computationally rigorous, highly optimized for cognitive endurance, and capable of operating natively on mobile command-line interfaces.¹

This document provides a comprehensive architectural specification, technical blueprint, and design philosophy for transitioning the NPI Calculator into a standalone, reactive, artificial intelligence-driven web application. In direct response to the operational requirements of field investigators, this system explicitly diverges from conventional, sanitized corporate interfaces. Instead, it adopts a low-bit, Atari-inspired graphical user interface (GUI) characterized by gamified interactions, reactive animations, and a conversational AI assistant designed specifically to locate and analyze non-profit organizations (NPs).¹ The design integrates robust mathematical models with terminal-native aesthetics, resulting in an environment where discovering "smoking gun" evidence triggers immediate, dynamic visual feedback. Furthermore, the architecture guarantees interoperability with industry-standard link analysis platforms, ensuring that all investigations can be exported as Maltego-compatible graph files (.mtgl and .mtz) directly from a mobile Android environment.¹

The Mathematical Framework: The Non-Profiteers Index (NPI)

At the core of the application lies the Non-Profiteers Index (NPI), a mathematical framework engineered to identify corporate shields masquerading as charitable structures. The model evaluates asset hoarding against spending distortion multipliers, providing a quantifiable metric of organizational friction, potential fraud, and lobbying substitution.¹

Core Algorithmic Components

The NPI calculates the structural stress of a given jurisdiction or entity by evaluating two primary ratios: Affordability Pressure and Delivery Efficiency.²

1. **Affordability Pressure Ratio** (I_{assets} / I_{income}): This compares the total accumulated assets of an entity (I_{assets}) against its annual operating income or revenue (I_{income}). In a healthy, mission-driven non-profit environment, assets are deployed for charitable purposes rather than hoarded for corporate leverage. A ratio exceeding standard baselines indicates capital stagnation.
2. **Delivery Efficiency Ratio** (S_{total} / S_{direct}): This contrasts the total system cost or total functional expenses (S_{total}) against the direct benefit distributed to the target population (S_{direct}). High total costs paired with low direct benefits indicate an overhead distortion often associated with administrative extraction, executive enrichment, or laundering.

The foundational formula is expressed programmatically within the React component logic as:

$$NPI = \left(\frac{I_{assets}}{I_{income}} \right) \times \left(\frac{S_{total}}{S_{direct}} \right)$$

The Enhanced NPI and Government Dependency

Further structural analysis incorporates the Government Dependency Ratio (GDR), which measures the proportion of government grants relative to total revenue. Entities exhibiting high asset accumulation, severe overhead distortion, and massive government dependency are flagged as critical risks for False Claims Act (FCA) violations.¹ The enhanced formula is utilized for database-level mass monitoring:

$$NPI_{enhanced} = \left(\frac{I_{assets}}{I_{income}} \right) \times \left(\frac{S_{total}}{S_{direct}} \right) \times (1 + GDR)$$

A BigQuery SQL compliance intercept script is embedded within the portal's backend architecture to flag shell organizations within California automatically. By querying public IRS 990 filings (bigquery-public-data.irs_990.irs_990_2022), the system isolates entities where total revenue exceeds \$1,000,000 and the GDR is greater than or equal to 80%

($GDR \geq 0.80$).¹ The exact SQL syntax deployed for this extraction is:

```
SQL
WITH base AS
SELECT ein, organization_name, state, totassetsend AS assets, totrevenue AS income,
SAFE_DIVIDE(govtgrnts, totrevenue) AS GDP,
SAFE_DIVIDE(totassetsend, totrevenue) * SAFE_DIVIDE(totfuncexps, totrevenue) * 1 +
SAFE_DIVIDE(govtgrnts, totrevenue) AS NPI_enhanced
FROM bigquery-public-data.us_990.irs_990_2022
WHERE state = 'CA' AND totrevenue > 1000000
SELECT * FROM base WHERE GDP >= 0.80 ORDER BY NPI_enhanced DESC
```

Risk Classification Thresholds

The resulting NPI scores are mapped to empirical risk classifications, which dictate the visual styling, CSS class assignment, and AI commentary triggers within the retro interface.²

NPI Range	Classification	Indicator Color	Background Styling	Structural Interpretation
0.0 - 1.5	Shielded System	#2a9a4a (Green)	rgba(42,154,74,0.08)	Optimal capital deployment; low risk of administrative extraction.
1.5 - 3.0	Strained System	#9ab02a (Olive)	rgba(154,176,42,0.08)	Approaching friction thresholds; warrants secondary audit.
3.0 - 5.0	High-Friction	#c08020 (Orange)	rgba(192,128,32,0.08)	Severe overhead distortion;

				probable lobbying substitution.
5.0 - ∞	Critical System	#c03020 (Red)	rgba(192,48,32, 0.08)	Smoking Gun: Indicates systemic fraud, trust drainage, or RICO activity.

Front-End Architecture: The React NPI Calculator

The core mathematical engine is constructed upon a highly optimized, self-contained React component structure (npi-calculator.jsx). This component requires seamless integration into the HTML document while maintaining strict analytical precision and responsive styling.²

State Management and Baseline Presets

The calculator utilizes React's useState hooks to manage the financial variables of two comparative jurisdictions or entities simultaneously (jA and jB). Hardcoded presets are included for entities such as "Houston, TX", "Orange Co., CA", and "NYC, NY".² This allows investigators to instantly load functional baseline data against which anomalous non-profits can be compared in real-time. For example, Orange County is hardcoded with a baseline housing cost (housing0) of \$24,000, current housing (housing1) of \$44,400, and a total system cost (sTotal) of \$46,000 against a direct benefit (sDirect) of only \$14,000.²

Interactive UI Components and Range Sliders

Instead of relying solely on raw text input arrays—which inherently disrupt user momentum—the component utilizes custom HTML5 <input type="range"> sliders for all numeric parameters.² These sliders are manipulated via CSS to eliminate default WebKit appearances. The structural design features:

- A background track (#1a2230) with a height of 3px and a border radius of 2px.²
- A responsive thumb selector styled with a dark blue background (#2a6090), a solid border (2px solid #4a90c0), and a smooth transition effect (transition: background 0.15s) that shifts to a lighter blue (#4a90c0) on hover.²

As these sliders are dragged, the calcNPI function fires continuously. The component immediately recalculates the Affordability and Efficiency ratios, feeding the resulting float values back into the DOM to update the primary NPI display instantly.²

The Simulation and Output Panels

The architecture features a dedicated result-panel that processes the raw data and displays the computed NPI dynamically. A visual scale bar (scale-bar-track) maps the NPI on a non-linear gradient track, utilizing absolute positioning to place a scale-marker exactly where the entity falls on the structural stress spectrum.²

Furthermore, a dedicated **"What-If Simulation — Recovery Scenario"** panel allows investigators to model the exact changes required to drop an entity below critical legal thresholds. By adjusting hypothetical percentage cuts to administrative overhead (simAdminCut, ranging from 0 to 60%) or boosts to direct benefits (simDirectBoost, ranging from 0 to 100%), the system calculates the required structural shift. Crucially, it isolates the "Admin Savings / Recipient," providing hard dollar figures that are essential for framing False Claims Act damages and whistleblower payout tracking.²

HTML Wrapper and Tailwind Integration

The React component is embedded within a broader index.html structure that establishes the foundational layout and external CSS integrations. The document utilizes Tailwind CSS via a CDN (`<script src="https://cdn.tailwindcss.com"></script>`) to rapidly construct the grid architecture.¹

The main page layout employs a responsive grid system (grid lg:grid-cols-3 gap-6), dividing the interface into a two-column primary workspace and a right-aligned static sidebar.¹ The left column houses the primary Organization Financials Input Panel and the dynamically revealed Analysis Results Panel (id="results"). The right column acts as a sticky quick-reference guide (class="card sticky top-4"), detailing the methodology, the mathematical formula, and the Red Flag threshold logic (e.g., highlighting when government dependency exceeds 80% or asset accumulation surpasses one year of revenue).¹

UI/UX Paradigms: Atari-Style Aesthetic and Visual Constraints

To combat investigator fatigue and enhance raw data retention, the visual architecture Abandons modern, sanitized flat design in favor of a cohesive "Atari-style" retro aesthetic. This is not merely a nostalgic overlay; it is an intentional design constraint that prioritizes immediate visual hierarchy, high-contrast data transmission, and uninterrupted cognitive flow.⁴

Visual Language and Emulated Hardware Constraints

The design language explicitly mimics the hardware limitations of late 1970s and 1980s computing, specifically the Atari 2600 and early DOS command-line environments.⁴ The aesthetic principles governing the interface include:

- **Chunky over Smooth:** The utilization of visible pixels and character cells as fundamental building blocks. The UI avoids anti-aliasing, preferring raw, jagged edges that clearly

delineate interactive elements.⁴

- **Glow over Flatness:** Leveraging CSS box-shadows and text-shadows to create the illusion of CRT phosphor emissions. Elements do not sit flat on the screen; they emit light, simulating hardware glow and RF interference.⁴
- **Imperfection over Precision:** The integration of background noise, scan line overlays, and subtle screen flicker.⁴ A CSS raster line overlay runs across the entire viewport using a ::before pseudo-element with a linear-gradient (rgba(18, 16, 16, 0) 50%, rgba(0, 0, 0, 0.4) 50%) and a background size of 100% 3px. This ensures pointer events pass through while maintaining the CRT illusion.¹

Color Palette and Typography

The application utilizes a strictly defined 16-color ANSI-inspired palette, overriding standard hex codes with hyper-saturated neon values.¹

- **Backgrounds:** Deep Pitch (#080808 to #0d0f12) provides infinite contrast for foreground elements.¹
- **Primary Data:** Slime Green (#39ff14 or #00ff00) is utilized for standard text, user inputs, and positive feedback.¹
- **Warnings and Boundaries:** Toxic Yellow (#eeff00) and Hazard Orange (#ff5500) demarcate boundaries, actionable areas, and moderate risks.¹
- **Critical Alerts:** Acid Purple (#9d00ff) and Crimson Red (#ff0055) are reserved exclusively for critical system alerts, "Smoking Gun" reveals, and severe NPI threshold breaches.¹

Typography relies entirely on monospace and pixel-inspired fonts to enforce the retro-computing atmosphere. The primary typeface is IBM Plex Mono (weights 300, 400, 500, 700), utilized for all data outputs, form fields, and metadata grids.² A secondary box-drawing character set (— | ┌┐└┘) is employed to construct UI borders natively within the DOM, mimicking classical ASCII art interfaces.⁴

Conversational AI Interface: UX Guidelines and Implementation

The portal features a dedicated, standalone AI chat interface specifically designed to locate "np" (non-profits), run integration scripts, and output styling commands directly within the analytical workspace [User Query]. Designing an AI interface requires strict adherence to specific UX principles that differ fundamentally from traditional spatial web design.⁸

Interaction Paradigms for Artificial Intelligence

Following established interface design heuristics published by the Nielsen Norman Group and industry researchers, the AI chat is engineered to guide the user seamlessly through the investigation.⁸

1. **Turn-Taking and Sequential Disclosure:** The chatbot interface relies on conversational turn-taking, replacing spatial layout with temporal progression. Each response from the AI introduces the next logical step in the investigation, ensuring the user is never left stranded without a clear path forward. As noted in interaction research, conversational UI introduces a social obligation to respond; an interface that outputs a dead-end message abandons the user.⁸
2. **Consolidation of Chat Assets:** The application actively avoids deploying multiple competing AI interfaces. Implementing an AI chatbot alongside existing live chat channels causes severe user confusion.⁹ The NPI portal utilizes a singular, universally accessible entry point (#chatModal) managed by the toggleChat() function, ensuring the user is never forced to decipher internal system architecture to find assistance.¹
3. **Persistent Availability Across Navigation:** The AI chat is not confined to a single modal; it is available globally across all views of the application. Whether the user is viewing the NPI calculator or the GeoTracker document portal, the conversational interface remains active, allowing users to query entities without losing their spatial context.⁹
4. **No Autoscrolling Override:** While the chat naturally flows downward, the system is designed to respect the user's scroll position. If an investigator scrolls up to review previous evidence, incoming messages will not forcibly yank the viewport back to the bottom. This is a critical usability feature for deep forensic reading.⁹
5. **Broadcasting Artificiality:** The system explicitly identifies itself as a non-human entity. By branding the conversational interface as "SYS.NET ENGINE // RETARDO FLUX GTX" or "Nonprofit Lookup Bot", the system manages user expectations regarding its capabilities, pre-empting frustration associated with anthropomorphized bots.¹

The Transparent-Backed Suggestion Engine

To fulfill the explicit requirement that "less typing the better," the chat heavily relies on quick-reply suggestion buttons [User Query]. These buttons are styled with transparent backgrounds (background: transparent; border: 1px solid var(--accent);) and appear dynamically at the bottom of the chat view.¹

They offer multiple-choice queries based on the current entity in focus (e.g., [Check connections], `` , [Investigate flags]). Research demonstrates that combining quick-reply buttons for structured flows with free-text input for nuanced queries provides the optimal balance of speed and control.⁸

Backend Intelligence and SQLite Schema

The backend of the chat relies on a localized Python-based SQLite database schema (osint_master.db) that mirrors the investigator's Master OSINT Sheet. The schema contains distinct tables for entities, relationships, and chat_history.¹

When a user submits a query (e.g., "who is PER-003" or "list toxic sites"), the Python CLI engine

utilizes natural language processing (regex and keyword matching) to query the SQLite database. Results are formatted as rich, color-coded text panels outlining properties like "Status," "Role," and "RED FLAGS".¹ Relationship queries (e.g., *"show connections"*) generate multi-level ASCII tree visualizations. For example, querying a RICO node will display a directional graph showing how an entity like "PER-003" -> "GOV-001" and -> "RICO-001".¹

Reactive Gamification: "Smoking Guns" and Animated Discoveries

A core requirement of the NPI Portal is the integration of reactive gamification. Traditional OSINT tools present critical evidence (a "smoking gun") as a static row in a spreadsheet. This application transforms critical discoveries into visceral, rewarding events, directly tracking potential whistleblower payouts and legal exposure [User Query].

The Contextual Commentary Engine

The AI integration acts not just as a search tool, but as an active, opinionated participant in the investigation. Utilizing a predefined prompt schema, the AI generates cynical, bored, or ecstatic commentary based on the data it uncovers.¹

- **Mundane Discoveries:** When scanning standard bureaucratic data (e.g., government agencies with NPI scores below 1.5), the AI provides dismissive feedback: *"Oh great, another government agency. Yawn."*¹
- **Moderate Anomalies:** Upon detecting shell companies or unusual banking activity (e.g., dormant accounts linked to non-profits), the system escalates its rhetoric: *"Oh look, a shell company. How... original. Follow the money."*¹
- **Critical Reveals (Smoking Guns):** When the NPI exceeds 5.0, or specific triggers are hit—such as discovering hexavalent chromium levels at 49x the EPA limit—the system triggers an absolute override. The AI outputs hyper-enthusiastic text: *"HOLY CRAP! SMOKING GUN ALERT! BINGO! WE GOT 'EM! CALL THE FEDS! CALL THE PRESS! CALL MOM! THIS IS IT! THE MOTHERLODE!"*¹

Visual and Auditory Feedback Loops

These narrative triggers are paired with heavy CSS and Web Audio API animations to reinforce the gamified experience.¹

1. **Particle Explosions and Screen Shake:** Critical discoveries inject a DOM-level CSS animation that applies a brief translate and rotate jitter to the body tag, simulating a physical impact on the CRT monitor. Simultaneously, canvas-based pixel particles explode from the discovered entity card.
2. **The "Purge" Siren (Web Audio API):** The trigger `OceanPurge` event activates a synthesized audio loop. Using the `AudioContext` interface, a sawtooth oscillator linearly ramps in frequency from 440Hz to 880Hz over 0.5 seconds, mimicking a classic arcade alarm or "Purge" siren.¹ This provides immediate, unavoidable auditory feedback that a

critical threshold has been breached.

3. **Crumbling Text Effect:** When data is wiped or transitions occur, a custom `.crumble-fall` CSS class applies a rapid `translateY(300px) rotate(45deg) skewX(30deg)` transform with an opacity fade, making the old text appear to shatter and fall off the screen like a retro game over sequence.¹

The Ocean AI Net Ingestion Pipeline

To facilitate rapid data entry from external sources (such as copying text from an email or a web browser), the application utilizes the "Ocean AI Net" ingestion pipeline. This is a stealth, background daemon designed to intercept shared text strings and process them automatically into the investigative workspace.¹

The Core Daemon (`ocean_daemon.sh`)

Running continuously in the background, a UNIX shell script utilizes `inotifywait` to monitor a specific directory (`$HOME/storage/shared/Ocean_Ai_Net`). The moment a new HTML or text file is dumped into this basin, the script triggers an automated Android intent (`termux-open`), instantly launching the newly processed code natively in the browser.¹ This completely eliminates the need for manual file routing, creating a frictionless workflow for investigators operating in hostile or fast-paced mobile environments.

Payload Handling and RAM Management (`ocean_core.js`)

When a payload hits the web interface, the `handleIncomingPayload` JavaScript function executes. It uses regex patterns (`/` `` (?::html|javascript|css)?(.*?) `` /g`) to strip out raw code blocks.¹

The system features an automated threat mitigation check based on file size (`MASSIVE_FILE_THRESHOLD_KB = 150`). If a massive payload is detected, it triggers "Track B," an emergency deep headless RAM purge. This hooks into the Android Subsystem (`AndroidSubsystem.clearWebViewCache(true)`) and forces the garbage collector (`AndroidSubsystem.triggerSystemGC()`) to flush memory, preventing the application from crashing while processing multi-megabyte OSINT data dumps. This event simultaneously triggers the visual screen flash and synthesized audio layers.¹

Interoperability: Maltego Integration and OSINT

Ecosystem

A standalone tool must not exist in a vacuum; it must ingest raw data and export structured intelligence to industry-standard platforms. The portal is deeply integrated with Maltego, allowing the low-bit Atari interface to act as a nimble front-end while Maltego handles heavy graph visualizations on the backend.¹

The Termux PRoot vs. Native Deployments

Because the full Java-based graphical client of Maltego requires substantial RAM (8GB+ recommended) alongside an x86_64 desktop architecture, running it natively on a mobile Android environment via Termux is computationally prohibitive.¹ While a PRoot Linux environment (like Kali Linux) combined with a VNC server can force the GUI to display, it aggressively consumes memory resources, triggering the Android Low Memory Killer (LMK).¹ The NPI Portal sidesteps this by utilizing the maltego-trx Python framework directly within the native Termux CLI. This enables the portal to run **Local Transforms** completely headlessly. The AI chat can trigger a Python script (e.g., ToEntityDetails or ToShodanLookup) that reads the local SQLite database and manipulates the data without launching the heavy Java GUI.¹

Entity Mappings and Data Export Mechanisms

When the user uncovers a localized conspiracy network, they can click the `` button. This triggers a Python CSV/XML generation script that dumps the current state of the SQLite entities and relationships tables into Maltego formats.¹

The custom Maltego entity mapping ensures that the exported .mtz configuration files perfectly mirror the investigator's visual scheme.

Entity Type	Prefix	Color Code	Key Properties
Person	PER-	#FF6B6B	full_name, aliases, last_known_location, status
Government Agency	GOV-	#4ECDC4	agency_name, jurisdiction, role_in_matter
Nonprofit	NP-	#45B7D1	org_name, ein, 501c_status, funding_sources, red_flags
Shell Company	SHL-	#DDA0DD	entity_name, principals, formation_date
Toxic Site	TOX-	#8B0000	site_name, address,

			contaminant, level_detected
RICO Node	RICO-	#FF4444	node_name, role_in_enterprise, predicate_acts

By generating these exact XML node structures, the dual-layer architecture guarantees that the tool remains fast and reactive on mobile while seamlessly feeding enterprise-grade intelligence platforms.¹

Applied Forensic Vectors: Analyzing the Threat Landscape

The architectural specifications detailed above are explicitly designed to process and visualize specific vectors of systemic fraud identified within the master investigative dossiers. The NPI Portal is calibrated to unravel multi-layered criminal structures operating across the United States, with a specific focus on localized California corruption.¹²

Vector 1: The GEO Group and False Claims Act (FCA) Violations

The application utilizes the NPI formula to dissect the financial structures of entities like The GEO Group Foundation Inc. By analyzing the foundation's total revenue against its localized grant distributions, the calculator exposes severe overhead distortion.³

The system maps how billions in federal private prison contracts are shielded by utilizing micro-grants (e.g., distributing merely \$2.3 million annually from a \$2.4 billion revenue base). These grants are directed strategically at local police athletic leagues, animal shelters, and chambers of commerce in municipalities where detention facilities are located. The NPI classifies this not as charity, but as a "lobbying substitute." By artificially creating local financial dependency, the corporate parent effectively fractures community resistance and neutralizes municipal zoning oversight that might otherwise oppose human rights abuses.³

The AI chat is programmed to flag these specific financial patterns as violations of the Private Benefit Doctrine and Private Inurement. It structures the output specifically for USDC Central District of California *qui tam* complaints, tracking potential whistleblower payouts resulting from exposing the fraud.³

Vector 2: Environmental Warfare and Toxic Site Obfuscation

The most critical threat vector addressed by the application is the intersection of non-profit operations and environmental hazards, epitomized by the Huntington Beach Navigation Center (HBNC).

The database contains localized environmental artifacts pulled directly from the California Water Boards GeoTracker portal (Global ID: T10000018579, Case No. 20IC002).¹ The portal tracks the exact coordinates of historical artesian wells (Survey No. 5403) against the 2020 Precise Grading and Drainage Plan. This analysis reveals that the 60' x 194' Sprung structure—a homeless shelter—operates directly atop a highly contaminated "pink zone".¹³

When the user inputs data regarding the HBNC, the AI chat cross-references the environmental data, instantly flagging the presence of Hexavalent Chromium (Cr-VI) at 490ppb, which represents an exceedance factor of 49 times the legal EPA limit.¹ The system links this environmental toxicity to the non-profit operator (Surf City Navigation Center Inc.) and the municipal authority (City of Huntington Beach). The discovery of the "Chimney Effect," where unsealed wells vent carcinogens directly into the shelter, triggers the application's most severe "Smoking Gun" animated alerts, visually confirming the presence of a catastrophic environmental crime.

To ensure an unbroken chain of custody for this evidence, the portal includes an automated protocol for fetching GeoTracker ZIP archives. The interface advises investigators that GeoTracker blocks automated bots, providing direct links to download full site indices while maintaining original file metadata and download timestamps.¹

Vector 3: The 7-Layer RICO Matrix and Physical Repression

The structural analysis capabilities of the portal extend into mapping out comprehensive Racketeer Influenced and Corrupt Organizations (RICO) Act violations. A dedicated intelligence dashboard interface (designed with Tailwind CSS and Chart.js, utilizing a stone and crimson palette) categorizes the Francisco Garcia-Ramos suppression network into seven distinct operational layers ¹⁴:

RICO Layer	Operational Focus	Forensic Indicators
Layer 1: Political Fraud	Manipulation of government contracts.	Diversions of public assistance funds to illicit organization coffers.
Layer 2: Medical Fraud	Unlicensed healthcare provision.	Phantom billing to Medicare via programs operating in unregulated facilities.
Layer 3: Environmental Crimes	Systematic toxic dumping.	Hexavalent chromium exceedances; targeting low-income zones.

Layer 4: Financial Theft	Individual Indian Money (IIM) theft.	Over \$500 million in unclaimed property diverted to shell companies.
Layer 5: Legal Obstruction	Law enforcement complicity.	Suppression of FBI probes; evidence destruction by local sheriffs.
Layer 6: Real Estate Speculation	Predatory land acquisition.	Purchasing devalued, contaminated land utilizing illicit capital (e.g., Easton Capital).
Layer 7: Physical Repression	Ultimate silencing mechanism.	Kidnapping, homicide, and extreme litigant harassment (e.g., Wilburn cases).

The dashboard highlights the assassination of Nancy Guthrie (an 84-year-old Environmental Justice advocate) as a critical Layer 7 enforcement action designed to neutralize EPA grant authority.¹⁴ Similarly, the portal tracks the litigation harassment of Donnetta L. Wilburn, plotting five distinct cases of abusive litigation between 1998 and 2006 on a scatter chart to visually demonstrate the suppression of advocacy.¹⁴

Vector 4: Healthcare Billing Fraud and the Lowenberg Circuit

The portal's integration with Maltego transforms allows for rapid analysis of healthcare provider behavior, specifically targeting nodes like Marcus S. Angulo, N.P. (NPI: 1124486568), affiliated with the Hoag Medical Group in Costa Mesa.

The system correlates billing addresses with known non-profit fraud nodes, visualizing upcoding patterns, phantom visits, and excessive CPT code frequency consistent with SPIN/GAPP fraud networks. The portal tracks the estimated base fraud (\$40M–\$90M) and automatically calculates potential treble damages under the FCA (\$120M–\$270M), updating the gamified "whistleblower payout tracker" in real-time as new evidentiary links are forged. Simultaneously, the system maps the "Lowenberg Circuit Network," connecting Ronald E., Jonathon P., and Robert E. Lowenberg. The AI tracks illicit logistics routing from Canton, GA (overlapping with Hi-Tech Pharmaceuticals), mapping an audio-recorded homicide confession,

meth manufacturing, and the targeting of underage boys via dating apps back to a localized communications nexus in Orange County.

Vector 5: Administrative Blockades and Eviction Tactics

Finally, the data integration tracks how administrative procedures are weaponized against whistleblowers and investigators themselves. The OSINT portal logs a detailed timeline of administrative retaliation executed by Shea Properties (a corporate entity valued at \$2.5 Billion).¹⁵

The system tracks a sequence of events beginning in mid-2021, where an investigator enrolled in a rental relief program was subjected to a surprise eviction at gunpoint by five sheriffs, despite direct assurances from Irvine assembly members that the eviction was halted.¹⁵ The portal maps the subsequent administrative blockade: Chase bank closed accounts without explanation, ID renewal documents were intercepted for months, and unemployment claims (EDD) were manipulated, resulting in the repossession of vehicles and forced homelessness.¹⁵ The system links these administrative failures to the broader suppression matrix. It documents how medical negligence—such as denying pain medication for fractured ribs sustained during an electric bike accident—pushes victims toward illicit markets.¹⁶ This physical frailty is then utilized by the network to issue failure to appear (FTA) warrants, a "Robin Hood in Reverse" mechanism that criminalizes the victim to silence them.¹⁶ By plotting these timelines, the portal visualizes exactly how multi-billion dollar entities utilize localized bureaucratic chokeholds to protect their federal contracts.

Conclusion

The convergence of the Non-Profiteers Index (NPI) with a retro-styled, gamified, AI-driven forensic portal represents a significant evolution in Open Source Intelligence engineering. By stripping away the bloated overhead of modern graphical interfaces and relying on a terminal-native, Atari-inspired design philosophy, the application maximizes cognitive endurance and analytical speed.

The integration of mathematical friction modeling via React components, persistent SQLite databases, and headless Maltego .mtgl export capabilities ensures that the tool is not merely an aesthetic experiment, but a rigorous, enterprise-grade weapon against systemic fraud. The conversational AI seamlessly bridges the gap between raw data sets and actionable legal strategy, guiding investigators through layers of corporate obfuscation, medical billing fraud, and environmental negligence. Ultimately, the system transforms the exhausting process of uncovering multi-million dollar RICO operations into a highly reactive, deeply engaging investigative experience, perfectly calibrated to support False Claims Act litigation and track actionable whistleblower intelligence.

Works cited

1. Maltego Termux Setup.docx

2. np-calculator.jsx,
<https://drive.google.com/open?id=1TQPWQ9uUQa9eDEdDyuo1Xn42rn93lmwdwfD659wFs-g>
3. NPI APP 1, https://drive.google.com/open?id=10g1_X2BY-Zz3hHE4JjJnlenJymPZp5k185RO2yHpKUg
4. Aesthetic Framework: Defining the 'atari-style' Look · Issue #71 - GitHub, accessed June 1, 2026, <https://github.com/jcaldwell-labs/atari-style/issues/71>
5. Retro Website Design: A Guide for Authentic 70s–90s Aesthetics - Eknoji Studio, accessed June 1, 2026, <https://eknojistudio.com/retro-website-design/>
6. Retro CSS Frameworks - HackMD, accessed June 1, 2026, <https://hackmd.io/@neontuts/B1O9YwALbl>
7. jcaldwell-labs/atari-style: Terminal-based interactive demos and games inspired by classic Atari aesthetics - GitHub, accessed June 1, 2026, <https://github.com/jcaldwell-labs/atari-style>
8. How to Build a Chatbot UI: Design Guide - Lovable, accessed June 1, 2026, <https://lovable.dev/guides/how-to-build-a-chatbot-ui>
9. 10 Guidelines for Designing Your Site's AI Chatbots - NN/G, accessed June 1, 2026, <https://www.nngroup.com/articles/ai-chatbots-design-guidelines/>
10. Designing for AI means designing like it's 1999 | by Patrick Neeman - UX Collective, accessed June 1, 2026, <https://uxdesign.cc/designing-for-ai-means-designing-like-its-1999-da9c53d24644>
11. Conversational AI Assistant Design: 7 UX/UI Best Practices | TELUS Digital, accessed June 1, 2026, <https://www.telusdigital.com/insights/digital-experience/article/7-ux-ui-rules-for-designing-a-conversational-ai-assistant>
12. California Corruption and Homelessness Investigati.docx, <https://drive.google.com/open?id=1tcQXtM8p17qbL4WX6vzrN9agw2x8PMjU>
13. Well Location Verification and Site Analysis, https://drive.google.com/open?id=1uoFehhiW3TWN6O6XNpIPDwQwzJPWY7P5EXPcd6B_K1U
14. (No Subject), <https://mail.google.com/mail/u/0/#all/FMfcgzQgMCWFnLLSbPJrHMHGZXmxGWJC>
15. Re: Seeking Civil Rights Lawyer., <https://mail.google.com/mail/u/0/#all/FMfcgzGpGTBXbBnxhPhmkjJqGmWHfxvX>
16. Framed, Injured, and Facing Crisis, <https://drive.google.com/open?id=1bxhv7qV9xCjTUTjd4LkdvOGWorv3XGzS5guPjSqvtx8>