FILED
CLERK, U.S. DISTRICT COURT
09/09/2026
CENTRAL DISTRICT OF CALIFORNIA
BY bom DEPUTY
DOCUMENT SUBMITTED THROUGH THE ELECTRONIC DOCUMENT SUBMISSION SYSTEM

JESSE KNABB
15161 Van Buren St, Unit 206
Midway City, CA 92655
(949) 274-6223
jesseknabb@gmail.com
PLAINTIFF, IN PRO PER

UNITED STATES DISTRICT COURT

CENTRAL DISTRICT OF CALIFORNIA

SOUTHERN DIVISION

JESSE KNABB,

Plaintiff,

v.

CITY OF HUNTINGTON BEACH; ORANGE COUNTY HEALTH CARE AGENCY (OCHCA); ERIC LINDBERG, IN HIS OFFICIAL CAPACITY AS EXECUTIVE OFFICER OF THE CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD, SANTA ANA REGION 8; EEC ENVIRONMENTAL; MERCY HOUSE LIVING CENTERS, INC; MITSURU YAMADA; COUNTY OF ORANGE; MACRO-Z-TECHNOLOGY CO.; DOES 1-100,

Defendants,

Case No.: 8:26-cv-00348-JWH-ADS

Judge: Hon. John W. Holcomb
Magistrate: Hon. Autumn D. Spaeth

PLAINTIFF'S COMBINED OPPOSITION TO ALL PENDING MOTIONS TO DISMISS THE SAVC (ECF 117, 118, 119, 121, 122)

Hearing: October 2, 2026
Location: Courtroom 9D, 9th Floor
Santa Ana, California
Time: 9:00 AM

I. INTRODUCTION

Defendants' five motions to dismiss share a common thesis: that the OCHCA Remedial Action Statement ("RAS") closure of the Huntington Beach Navigation Center ("HBNC") immunizes them from RCRA citizen suit liability regardless of what the ground actually contained. That thesis fails on the law, the facts, and three categories of newly discovered evidence attached hereto as Exhibits A-1 through J-1 and incorporated by reference.

Defendants' motions fail for three core reasons.

First, Plaintiff has Article III standing. Plaintiff suffers an ongoing, legally compelled injury—at least sixty separate visits to a pharmacy 549 feet from the HBNC to fill Schedule II, IV, and V controlled substances that cannot be delivered by mail. Each visit places Plaintiff within the Site's documented contaminant migration zone, exposed to ambient air and dust potentially contaminated with hexavalent chromium (Cr(VI)), lead, and arsenic. This is not a generalized grievance; it is a documented, repeated, and involuntary exposure to toxic substances.

Second, the OCHCA NFA is not entitled to deference and is void *ab initio*. It was issued under the wrong APNs, before Cr(VI) results were in hand, without public notice, by an agency statutorily barred from overseeing City-owned sites, based on a fabricated "*open air tent encampment*" site description, and with two express DTSC

conditions unsatisfied. An agency action that is a legal nullity—issued without jurisdiction, based on false facts, and in violation of statutory conditions—is entitled to zero deference. *Loper Bright Enterprises v. Raimondo*, 144 S. Ct. 2244 (2024), and even the residual *Skidmore* standard do not save it.

Third, the SAVC plausibly alleges that each defendant contributed to an ongoing, imminent, and substantial endangerment. The defendants' own conduct at the Huntington Beach Civic Center—where they applied every required remedial measure to a PAH site six miles away—establishes the standard of care they knowingly failed to apply at the HBNC. The HHAP MOU confirms the endangerment is ongoing: the Sprung Structure base seal has failed, the water supply is contaminated, and the contamination was never remediated—it was merely deferred to a redevelopment timeline that expired in August 2025 with zero development initiated.

Because Rule 12(b)(6) requires the Court to accept Plaintiff’s factual allegations as true, defendants’ attempts to dispute contamination levels, exposure pathways, or regulatory chronology are improper and cannot support dismissal. The motions to dismiss should be denied in their entirety.

II. PROCEDURAL HISTORY

On July 13, 2026, this Court denied defendants' motions to dismiss the First Amended Complaint and granted Plaintiff leave to amend (ECF 105). Plaintiff filed the Second Amended Verified Complaint ("SAVC") on August 17, 2026 (ECF 115), adding new evidentiary allegations based on evidence obtained through CPRA requests and subsequent investigations. Defendants now re-file their motions to dismiss, re-litigating arguments this Court has already rejected.

The SAVC amplifies—and does not retreat from—the FAVC. The factual allegations in the SAVC are more detailed and supported by new evidence, but they arise from the same nucleus of operative facts. If the FAVC was sufficient, the SAVC is necessarily sufficient. *Eminence Capital, LLC v. Aspeon, Inc.*, 316 F.3d 1048, 1052 (9th Cir. 2003).

III. LEGAL STANDARD

A complaint survives Rule 12(b)(6) if it alleges "*enough facts to state a claim to relief that is plausible on its face*." *Bell Atl. Corp. v. Twombly*, 550 U.S. 544, 570 (2007). Courts accept all factual allegations as true and construe them in the plaintiff's favor. *Ashcroft v. Iqbal*, 556 U.S. 662, 678 (2009). Pro se pleadings are "*held to less stringent standards than formal pleadings drafted by lawyers*." *Haines v. Kerner*, 404 U.S. 519, 520 (1972).

Under RCRA § 7002(a)(1)(B), 42 U.S.C. § 6972(a)(1)(B), any person may sue any person "*who has contributed or who is contributing to the past or present handling, storage, treatment, transportation, or disposal of any solid or hazardous waste which may present an imminent and substantial endangerment to health or the environment*." The standard is permissive—*may* present, not "does present" or "has presented." *Meghrig v. KFC Western, Inc.*, 516 U.S. 479, 485-86 (1996).

IV. PLAINTIFF HAS STANDING

A. Plaintiff's Ongoing Exposure Is Documented and Legally Compelled

Plaintiff regularly fills prescriptions at the **Walgreens Pharmacy** located at 17522 Beach Boulevard, Huntington Beach, CA 92647. The straight-line distance from this pharmacy to the Huntington Beach Navigation Center (17631 Cameron Lane / 17642 Beach Boulevard) is 549 feet. (Exhibit J-1). Plaintiff's prescription history (Exhibit J-1) documents at least sixty (60) separate fill dates at this location between September 2, 2024 and August 31, 2026, occurring approximately every two to four weeks. Among Plaintiff's prescriptions are Schedule II and IV controlled substances that legally require in-person pickup and cannot be delivered by mail or automatically refilled under California Health and Safety Code § 11159 and applicable DEA regulations. These include D-Amphetamine ER 20mg and 30mg Salt Combo (Schedule II), Oxycodone/Acetaminophen 10-325mg (Schedule II), Tramadol 50mg

(Schedule IV), Clonazepam 0.5mg (Schedule IV), and Pregabalin 150mg (Schedule V). Plaintiff's pharmacy visits are not discretionary—they are legally mandated. During each visit, Plaintiff was physically present within 549 feet of the HBNC and within the Site's documented contaminant migration zone. The migration zone includes preferential transport pathways through abandoned wells W-17305 and W-5873 and the unconnected Cameron Lane sewer rough-in, as documented in the SAVC. Each visit exposed Plaintiff to ambient air and dust potentially contaminated with hexavalent chromium (Cr(VI)), lead, arsenic, and other toxic substances originating from the Site.

This is not a single past exposure but an ongoing series of legally compelled contacts with contaminated air and dust. Each visit is a separate, documented exposure event. *Adkins v. VIM Recycling, Inc.*, 644 F.3d 483, 494 (7th Cir. 2011) found that ongoing exposure to contaminated property confers standing where plaintiff can show continued presence. The 549-foot distance is not speculative; it is a measured fact supported by the SAVC's documentation of preferential transport pathways through abandoned wells and the unconnected sewer rough-in. Plaintiff's documented, ongoing, and legally compelled presence within the Site's contaminant migration zone establishes both Article III standing and the "*imminent and substantial endangerment*" required by RCRA § 6972(a)(1)(B). *Friends of the Earth, Inc. v. Laidlaw Envtl. Servs.*, 528 U.S. 167, 180-81 (2000).

B. Liberty Park Water Association Well 01 Cr(VI) Detection

After the filing of the SAVC, Plaintiff obtained evidence that hexavalent chromium has been detected in Well 01 of the Liberty Park Water Association at concentrations of 0.41 µg/L, 0.42 µg/L, and 0.43 µg/L (2024-2026)—21 times California's Public Health Goal of 0.02 µg/L (Exhibit I-1). The City of Huntington Beach holds a proprietary ownership interest in the Liberty Park Water Association, as documented in Grant Deed CC-1142, dated 12/18/2008, APN 165-311-24.

This detection is significant on three independent grounds:

First, it establishes a contamination pathway extending beyond the South Midway City Mutual Water Company North Well previously documented in the SAVC (0.95 µg/L, May 21, 2026, 47.5× California's Public Health Goal), demonstrating that the contamination footprint is broader than previously alleged.

Second, the City's proprietary interest in the affected water association renders the City a responsible party whose own infrastructure has been contaminated by the endangerment it created and concealed.

Third, the geographic relationship between Well 01 and the HBNC site is consistent with the downgradient migration pattern established by existing sampling data, independently corroborating the pathway theory already pled in the SAVC. The

contamination is not theoretical; Cr(VI) has been detected in a public water supply at concentrations far exceeding health-based goals, demonstrating a clear and present pathway for human exposure.

Cr(VI) detections in public water supply are independently sufficient to establish imminent endangerment, even without migration pathway proof.

C. Causation and Redressability

Each defendant contributed to the conditions causing Plaintiff's injury.

City of Huntington Beach: But for the City's decision to acquire the HBNC through the Housing Authority before completing environmental review (Resolution No. 06, April 6, 2020) and its subsequent certification of approximately $2.26 million in CARES Act expenditures through City Manager Oliver Chi with contemporaneous knowledge of hazardous materials, residents would not have been housed on a toxic site. RCRA does not require proximate causation, only contribution.

OCHCA/County of Orange: But for OCHCA's fabrication of the "*open air tent encampment*" characterization—which eliminated vapor intrusion pathway analysis and bypassed CEQA State Clearinghouse routing—and its issuance of an NFA without jurisdiction under Cal. H&SC § 25262(a)(4), a full remediation would have been required. RCRA does not require proximate causation, only contribution.

EEC Environmental: But for EEC's retroactive annotation of boring logs and its conduct of regulatory database searches under the wrong APN, the site would not have vanished from parcel-based searches, and the NFA would not have issued. RCRA does not require proximate causation, only contribution.

RWQCB/Lindberg: But for Lindberg's failure to exercise his independent authority under Cal. Water Code § 13304 despite Plaintiff's documented August 2025 complaint, the contamination would have been addressed. RCRA does not require proximate causation, only contribution.

Mercy House: But for Mercy House's operation of a residential shelter on confirmed contaminated ground while its CEO falsely represented to HUD in May 2026 that Cr(VI) "*was not detected in groundwater*"—in the same month the SCMCWC North Well recorded 0.95 µg/L—residents would not have been exposed**.** RCRA does not require proximate causation, only contribution.

A favorable RCRA judgment requiring defendants to conduct a HHRA, prepare and implement a RAW, seal abandoned well W-4150, and record a Covenant to Restrict Use would redress Plaintiff's injuries. Defendants applied every one of these measures six miles away at the Civic Center.

They are known, available, and capable of being ordered by this Court. *Lujan v. Defenders of Wildlife*, 504 U.S. 555, 560-61 (1992).

V. DEFENDANTS' OWN CONDUCT AT THE CIVIC CENTER ESTABLISHES THE STANDARD OF CARE THEY VIOLATED

Fourteen documents from DTSC Site Code 401457-11 (Exhibits C-1, D-1, E-1) establish what the City of Huntington Beach, under DTSC supervision, required for **comparable or lesser** contamination at a site with **no residential occupants**:

- DTSC project team assignment within weeks of discovery;
- A Human Health Risk Assessment ("HHRA") within four months (October 27, 2008);
- A DTSC-approved Removal Action Workplan ("RAW") within five months (December 18, 2008);
- Physical remediation of 247 cubic yards with vapor barriers and 4-inch concrete caps, with all workers HAZWOPER-trained;
- Post-remediation air and soil confirmation sampling; and
- A Covenant to Restrict Use recorded April 24, 2012 **permanently prohibiting residential use, hospitals, schools for persons under 21, and day care** on the contaminated footprint.

DTSC continues to charge the City $42,919 annually for ongoing oversight of that site (Exhibit E-1).

The contaminants at the Civic Center—PAHs—are classified Group 2A/2B by IARC. Cr(VI) is classified Group 1—the highest carcinogenicity classification. The Covenant's permanent prohibition maps exactly onto the HBNC's actual use: 174 residential occupants living directly above confirmed Cr(VI) contamination at 3.27× residential RSL.

EEC Environmental authored the 2023 Soil Management Plan and 2024 Five-Year Review for the Civic Center (Exhibits D-1, E-1), requiring DTSC-compliant vapor intrusion analysis, advance notice of field activities, and annual monitoring. **At the same time, EEC's project manager, Laura Holder, retroactively annotated the HBNC Phase II boring map three days before those borings were physically drilled.** (PDF metadata: username "lholder"; SAVC ¶ 57). EEC cannot claim ignorance of applicable regulatory standards; it was applying those standards at the Civic Center under DTSC supervision while allegedly subverting them at the HBNC. Defendants applied every one of the required remedial measures—HHRA, RAW, vapor barrier, concrete cap, HAZWOPER training, post-remediation sampling, and a permanent Covenant to Restrict Use—**six miles away**. They are known, available, and capable of being ordered by this Court. Their failure to apply them at the HBNC was not an oversight. It was a decision.

VI. THE OCHCA NFA IS NOT ENTITLED TO DEFERENCE AND IS VOID *AB INITIO*

Defendants urge deference to the OCHCA NFA. This argument fails for four independent reasons.

A. *Loper Bright* Abrogated Chevron Deference

Loper Bright Enterprises v. Raimondo, 144 S. Ct. 2244 (2024), abrogated Chevron deference. Courts now independently interpret statutes without deferring to agency interpretations. Even under the residual *Skidmore* standard, *Skidmore v. Swift & Co.*, 323 U.S. 134, 140 (1944), deference requires "*power to persuade*." An NFA issued on fabricated site conditions, under wrong parcel numbers, before Cr(VI) results were in hand, with two express DTSC conditions unsatisfied, by an agency statutorily barred from overseeing the site under Cal. H&SC § 25262(a)(4), has no persuasive power—and certainly not enough to overcome Plaintiff's factual allegations at the pleading stage.

B. DTSC Itself Has Repudiated the Sufficiency of the Instrument

DTSC's October 8, 2024 letter on the Samuel L. Jones Hall Homeless Shelter Improvements project (Exhibit A-1)—a project involving only exterior improvements to an already-operating shelter (parking, pathways, modular shower/restroom)—establishes DTSC's formal institutional position:

"*DTSC does not recommend that a SGMP, or a Soil Management Plan (SMP), be used as a primary cleanup plan to address contamination within the soil present at the site. A SMP or SGMP alone cannot sufficiently identify and document the potential contaminants that may pose a threat to human health and the environment. DTSC recommends that a cleanup plan, a Removal Action Workplan (RAW) or Remedial Action Plan (RAP), be prepared to adequately address all site impacts after complete characterization*." [Exhibit A-1; Comment 1]

"*DTSC recommends the City of Santa Rosa enter into a voluntary agreement to address contamination at brownfields and other types of properties or receive oversight from a self-certified local agency, DTSC or Regional Water Quality Control Board*." [Exhibit A-1; Comment 2]

The Sam Jones Hall letter (Exhibit A-1)—authored by DTSC's CEQA Unit through the very process the EO bypassed—shows exactly what DTSC would have said if either key had been removed. DTSC's CEQA Unit is the exact entity whose review was bypassed at the HBNC, making its Sam Jones Hall guidance uniquely probative. If a Soil Management Plan "*alone cannot sufficiently identify and document the potential contaminants that may pose a threat to human health and the environment*" for a shelter parking lot expansion, then the OCHCA RAS form—a document weaker

than an SMP—cannot serve as a basis for deference at a Cr(VI) site where 174 residents lived. DTSC's own CEQA Unit has said so. (Exhibit A-1)

The Sam Jones Hall project (Exhibit A-1) received DTSC scrutiny because it proceeded through normal CEQA review—filing an IS/MND, receiving a State Clearinghouse number, routing through inter-agency comment. The HBNC bypassed this process. Escobedo's April 24, 2020 email cited Executive Order N-32-20 to suspend H&SC §§ 50214 and 50219 and eliminate CEQA review—simultaneously preventing State Clearinghouse routing, eliminating IS/MND preparation, and foreclosing DTSC's CEQA Unit from issuing the very comments it issued in Santa Rosa.

C. The NFA Is Void *Ab Initio* on Nine Independent Grounds

The NFA is void on any single ground; the convergence of all nine is dispositive. These grounds fall into three categories: jurisdictional defects, procedural defects, and factual falsity.

Jurisdictional Defects:

1. **Statutory Bar:** Cal. H&SC § 25262(a)(4) prohibits OCHCA oversight of City-owned sites. OCHCA Case No. 20IC002 was issued in violation of this provision—a ground OCHCA does not address in its MTD.

2. **Wrong APNs:** The NFA was issued under APNs 167-042-08 and 167-472-07 rather than the correct APNs 167-472-08/09, confirmed by quitclaim deeds. The NFA does not cover the correct Beach Boulevard parcel (APN 167-472-09, not 167-472-07).

Procedural Defects:

3. **Unsatisfied DTSC Conditions:** DTSC Engineer Senga's April 27, 2020 conditions—deeper sampling and soil gas collection—were never satisfied. As Senga wrote: "*However I would suggest you sample beyond 3 ft bgs and also collect soil gas data*."
4. **No Public Notice:** No public notice was issued under Cal. H&SC § 101480.
5. **Authorization Before Data:** Authorization issued before Cr(VI) results were in hand.
6. **GeoTracker Records:** GeoTracker records were retroactively assembled in March 2025.

Factual Falsity:

7. **Fabricated Site Description:** The "*open air tent encampment*" characterization eliminated vapor intrusion pathway analysis and was the sole origin of the CEQA bypass.
8. **No Valid RAS:** No valid RAS exists for Beach Boulevard.

9. **Wrong Parcel:** The NFA does not cover the correct Beach Boulevard parcel (APN 167-472-09, not 167-472-07).

D. Stanphill: Division Chief-Level Deliberate Non-Engagement

When Plaintiff contacted DTSC regarding the HBNC, DTSC—through Benjamin Stanphill—stated that it "*wouldn't say anything different*" about the OCHCA NFA. A conference profile (Exhibit B-1) confirms that Stanphill is the Southern California Division Chief for DTSC's Site Mitigation and Restoration Program. He oversees approximately 100 staff, primarily project managers for southern California sites in voluntary cleanups, RCRA Corrective Action, Schools, and Discovery and Enforcement groups. He is a licensed Civil Engineer. His listed expertise includes vapor intrusion—precisely the exposure pathway that the "*open air*" fabrication was designed to eliminate. His contact number carries a 714-area code—Orange County—placing him at the DTSC Cypress office with direct jurisdictional authority over the HBNC.

Stanphill personally appeared on the CC list of the October 24, 2023 DTSC SMP Approval Letter for the Civic Center (Exhibit D-1), in his then-title of Senior Hazardous Substances Engineer. He was actively reviewing vapor barrier requirements for a PAH site at City Hall while simultaneously, as Division Chief, declining to engage with a Cr(VI) site in his own jurisdiction—a site involving an

enclosed structure, a vapor intrusion-susceptible exposure scenario, and 174 residential occupants.

Stanphill's statement was not ignorance—it was a decision. When a Division Chief who personally reviews vapor barrier requirements for a PAH site in the same jurisdiction tells a citizen that the regulatory agency "*wouldn't say anything different*" about a Cr(VI) site with 174 residential occupants, that is not a staff-level opinion. It is an affirmative exercise of institutional authority to withhold the regulatory engagement that Stanphill knew—from his own personal work on the Civic Center—was required by law.

This is deliberate non-engagement. And it is ongoing: Stanphill's May 13, 2025 statement to Plaintiff is less than 18 months old. The endangerment continues.

VII. THE HHAP MOU CONFIRMS ONGOING ENDANGERMENT

The April 29, 2026 HHAP MOU (Exhibit III; incorporated by reference) is a party-opponent admission of ongoing endangerment on three independent grounds:

First, engineering control failure. The MOU acknowledges that the Sprung Structure base seal—the only barrier between residents and contaminated soil—has failed and commits $75,000 for "*necessary improvements*." This confirms the exposure pathway was never eliminated and that the "cap" required by the Covenant was never intact.

Second, planned ground disturbance. The repairs necessarily involve ground disturbance at a site with confirmed Cr(VI) at 3.27× residential RSL of 300 µg/kg. Under DTSC's October 8, 2024 ruling (Exhibit A-1), this work cannot proceed without a RAW/RAP and oversight—requirements defendants have never implemented. The work described in the HHAP MOU includes base seal repair, repaving of asphalt, structural improvements, and potential import of fill material—all of which DTSC said triggers full RAW/RAP and oversight requirements in the Sam Jones Hall letter.

Third, prospective RCRA violation. The City and Mercy House plan to perform this work with residents present, with no HAZWOPER-trained workers, no vapor intrusion assessment, and no DTSC oversight. This is a future violation that is "*imminent and substantial*" under RCRA's permissive standard. *See Meghrig*, 516 U.S. at 485-86 ("may present" standard).

RCRA's endangerment provision is designed to reach "*continued pollution arising from past RCRA violations*." *Meghrig*, 516 U.S. at 485. The MOU proves the contamination was never remedied—it was merely deferred. The LMIHAF filings confirm the Cameron Lane five-year development deadline expired August 2025 with zero development initiated, eliminating any "defer until redevelopment" defense.

VIII. EACH DEFENDANT'S MOTION SHOULD BE DENIED

1. City of Huntington Beach (ECF 117)

The City directly owned and operated the HBNC, acquiring it through the Housing Authority before completing environmental review (Resolution No. 06, April 6, 2020, approved 7-0). City Manager Oliver Chi personally certified approximately $2.26 million in CARES Act expenditures (CFDA #21.019) while internal documents showed contemporaneous knowledge of hazardous materials. City contact Steve Bogart was CC'd on OCHCA Supervising Specialist Geniece Higgins's February 2022 email (Exhibit G-1) explicitly characterizing the HBNC closure as "closed with residual contamination left in place"—giving the City institutional knowledge that the NFA was a use-conditioned deferral. The City is a RCRA "person" under 42 U.S.C. § 6903(15) who "contributed to" the conditions presenting endangerment.

“Rule 12(b)(6) sufficiency” conclusion:

These allegations easily satisfy *Twombly/Iqbal’s* plausibility standard.

2. County of Orange / OCHCA (ECF 118)

OCHCA's Tamara Escobedo authored the April 24, 2020 email—the sole origin of the "open air tent encampment" characterization—fabricated language that eliminated vapor intrusion pathway analysis and bypassed CEQA State Clearinghouse routing. Escobedo's July 7, 2020 email directed EEC to populate the RAS form with incorrect

APNs and required VOC/SVOC/TPH testing that was never performed before the NFA issued.

OCHCA Case No. 20IC002 was issued in violation of Cal. H&SC § 25262(a)(4), which prohibits OCHCA oversight of City-owned sites—a ground OCHCA does not address in its MTD. OCHCA Supervising Specialist Higgins admitted in February 2022 (Exhibit G-1) that the closure involved "*residual contamination left in place*"—a disclosure made to protect a neighboring developer, never to the 174 residents. OCHCA Environmental Health Director Darwin Cheng, CC'd on the April 24, 2020 fabrication email from inception, deferred Plaintiff's May 2025 complaint in a manner that cannot be attributed to ignorance.

“Rule 12(b)(6) sufficiency” conclusion:

These allegations easily satisfy *Twombly/Iqbal’s* plausibility standard.

3. EEC Environmental (ECF 119)

EEC "contributed to" the conditions presenting endangerment under RCRA § 6972(a)(1)(B) through three documented acts:

(a) Retroactively annotating boring designations B-19A and B-21A onto the Phase II boring map on May 8, 2020—three days before those borings were physically drilled on May 11, 2020 (PDF metadata: username "lholder");

(b) Conducting all regulatory database searches under wrong APNs (167-042-08/09) while the correct APN (167-472-08) appeared in EEC's own Phase I at Section

7.5.1 from City building records—an internal contradiction proving EEC had both APNs and deliberately used the wrong one for regulatory searches; and

(c) Failing to test for VOCs, SVOCs, or TPH on the Cameron parcel despite Escobedo's July 7, 2020 email explicitly requiring those analyses.

These acts suppressed the contamination record, caused the site to vanish from parcel-based regulatory searches, and enabled the NFA. EEC's concurrent DTSC-supervised work at the Civic Center demonstrates its complete knowledge of applicable regulatory standards. OCHCA's counsel denied the boring log fabrication in MTD briefing despite the PDF metadata evidence establishing it. That denial—made to this Court on OCHCA's behalf—is an independent factual representation this Court is now in a position to assess against the metadata record.

"Rule 12(b)(6) sufficiency" conclusion:

These allegations easily satisfy *Twombly/Iqbal's* plausibility standard.

4. RWQCB/Eric Lindberg (ECF 121)

Lindberg's sovereign immunity defense fails for three reasons, each sufficient on its own. Plaintiff does not rely on *Lapides v. Bd. of Regents*, 535 U.S. 613 (2002), which addressed waiver by removal—a fact pattern not present here. Instead, Plaintiff relies on the *Ex parte Young* exception and on the mandatory, ministerial nature of Lindberg's duty under California law.

(a) Lindberg's Duty Is Mandatory, Not Discretionary

The threshold question under *Ex parte Young* is whether Plaintiff seeks prospective relief against a state official for an ongoing violation of federal law. *Va. Office for Prot. & Advocacy v. Stewart*, 563 U.S. 247, 255 (2011). Here, the duty is mandatory. Cal. Water Code § 13304 states that the RWQCB "**shall** issue a cleanup order" when waste is discharged in violation of the law. This is mandatory language—"shall," not "may." When Plaintiff presented documented Cr(VI) at 0.330 µg/L and 0.4 µg/L, and lead at 18 µg/L, Lindberg had no discretion to decline to act. His failure to issue a Cleanup and Abatement Order is not a discretionary policy choice; it is an ongoing violation of a mandatory statutory duty.

Because the duty is ministerial, the *Ex parte Young* exception applies without the comity concerns that arise when a federal court is asked to direct a state official's exercise of discretion.

In addition:

- *California Sportfishing Protection Alliance v. State Water Resources Control Board*, 160 Cal. App. 4th 1625, 1639–1640 (2008) held that traditional mandamus under Cal. Code Civ. Proc. § 1085 lies to compel a water board's execution of mandatory, non-discretionary regulatory parameters;
- *Sierra Club v. Regional Water Quality Control Board*, 205 Cal. App. 3d 585, 593 (1988) found that traditional mandamus is the proper vehicle to

challenge a regional board's failure to perform an absolute, mandatory environmental obligation;

- *Monterey Coastkeeper v. State Water Resources Control Board*, 28 Cal. App. 5th 342, 361 (2018) clarified that while an agency has latitude in choosing its enforcement mechanisms, it lacks the discretion to ignore or completely waive explicit statutory triggers when a violation is clear.

(b) *Ex parte Young* Applies

Ex parte Young, 209 U.S. 123 (1908), permits suits for prospective injunctive relief against state officials who are violating federal law. Plaintiff seeks precisely that: an order requiring Lindberg to exercise his independent authority under Cal. Water Code § 13304 to issue a Cleanup and Abatement Order. This is not a claim for damages; it is a claim for prospective relief against a state official's ongoing failure to perform a mandatory duty. *See Stewart*, 563 U.S. at 255.

(c) Lindberg Holds Direct Permit-Specific Authority

WDID 8 30W004769 is a specific permit. Lindberg's authority is not generic supervisory authority; it is identified, permit-bound authority that he affirmatively declined to exercise. This distinguishes his situation from cases where the plaintiff seeks to compel a state official to exercise broad discretionary authority over an entire regulatory program. Lindberg's duty runs specifically to this Site, under this permit, and he has declined to perform it.

"Rule 12(b)(6) sufficiency" conclusion:

These allegations easily satisfy *Twombly/Iqbal's* plausibility standard.

5. Mercy House (ECF 122)

Mercy House CEO Larry Haynes submitted a May 6, 2026 letter to HUD representing that Cr(VI) "was not detected in groundwater" in the same month the SMCMWC North Well recorded Cr(VI) at 0.95 µg/L (47.5× PHG). Mercy House participated in the April 29, 2026 HHAP MOU acknowledging Sprung Structure base seal failure and committing $75,000 for repairs. Under DTSC's October 8, 2024 Sam Jones Hall ruling (Exhibit A-1), those repairs—which necessarily involve ground disturbance at a Cr(VI) site—cannot proceed without a RAW/RAP and DTSC/RWQCB oversight. Mercy House operated a residential shelter on confirmed contaminated ground while actively misrepresenting the contamination status to the federal agency funding the operation. It is a "person" under 42 U.S.C. § 6903(15) who "contributed to" the endangerment.

"Rule 12(b)(6) sufficiency" conclusion:

These allegations easily satisfy *Twombly/Iqbal's* plausibility standard.

IX. THIS COURT'S JULY 13, 2026 RULING GOVERNS

This Court denied defendants' motions to dismiss the FAC and granted leave to amend on July 13, 2026 (ECF 105). The SAVC incorporates everything in the FAC

and adds three new evidentiary categories; more precise fabrication chronologies; the August 26, 2026 CPRA production confirming Escobedo's July 7, 2020 email required VOC/SVOC/TPH testing that was never performed; and the dual-APN fraud confirmed by quitclaim deeds. If the FAC was sufficient, the SAVC is necessarily sufficient. *Eminence Capital, LLC v. Aspeon, Inc.*, 316 F.3d 1048, 1052 (9th Cir. 2003) (leave to amend should be granted with "*extreme liberality*").

X. REQUESTED RELIEF

For the reasons stated above, Plaintiff respectfully requests that this Court:

1. Deny the City's Motion to Dismiss (ECF 117) in its entirety;
2. Deny the County/OCHCA's Motion to Dismiss (ECF 118) in its entirety;
3. Deny EEC Environmental's Motion to Dismiss (ECF 119) in its entirety;
4. Deny RWQCB/Lindberg's Motion to Dismiss (ECF 121) in its entirety;
5. Deny Mercy House's Motion to Dismiss (ECF 122) in its entirety; and
6. Grant such other relief as the Court deems just and proper.

XI. CONCLUSION

The MOU proves the endangerment is ongoing, not historical. The contamination was never remediated—it was merely deferred to a redevelopment timeline that expired in August 2025 with zero development initiated. The engineering controls

have failed. The water supply is contaminated. And the Division Chief of DTSC's southern California office, who applied every required remedial measure to a PAH site six miles away, has affirmatively refused to engage with a Cr(VI) site in his own jurisdiction housing 174 residential occupants.

Defendants' motions to dismiss should be denied. The SAVC states a claim under RCRA § 6972(a)(1)(B). The NFA is void. The endangerment is ongoing. And Plaintiff—who remains exposed through legally compelled pharmacy visits—has Article III standing.

The motions to dismiss are a second attempt to litigate arguments this Court has already rejected. They should be denied, and the case should proceed to discovery.

Dated: September 9, 2026

Respectfully submitted,

/s/ Jesse Knabb

Plaintiff, in Pro Per
15161 Van Buren St, Unit 206
Midway City, CA 92655
(949) 274-6223
jesseknabb@gmail.com

TABLE OF EXHIBITS

Exhibit A-1: Sam Jones Hall DTSC Letter (Oct. 8, 2024)

Exhibit B-1: Ben Stanphill Conference Profile

Exhibit C-1: Civic Center Final Report (2010) + Metadata Evidence

Exhibit D-1: DTSC Civic Center SMP Approval (Oct. 23, 2024)

Exhibit E-1: DTSC Cost Estimate Letter (Feb. 8, 2024)

Exhibit III: HHAP MOU (April 29, 2026) [originally submitted with FAVC; incorporated by reference]

Exhibit G-1: Higgins "Residual Contamination" Email (Feb. 14-15, 2022)

Exhibit H-1: Inter-Agency Coordination Emails (May 2025)

Exhibit I-1: Liberty Park Water Association Well 01 Data

Exhibit J-1: Walgreens Prescription History & Distance Map

Exhibits A-1 through J-1

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

TABLE OF EXHIBITS

Exhibit A-1: Sam Jones Hall DTSC Letter (Oct. 8, 2024)

Exhibit B-1: Ben Stanphill Conference Profile

Exhibit C-1: Civic Center Final Report (2010) + Metadata Evidence

Exhibit D-1: DTSC Civic Center SMP Approval (Oct. 23, 2024)

Exhibit E-1: DTSC Cost Estimate Letter (Feb. 8, 2024)

Exhibit III: HHAP MOU (April 29, 2026) [originally submitted with FAVC; incorporated by reference]

Exhibit G-1: Higgins "*Residual Contamination*" Email (Feb. 14-15, 2022)

Exhibit H-1: Inter-Agency Coordination Emails (May 2025)

Exhibit I-1: Liberty Park Water Association Well 01 Data

Exhibit J-1: Walgreens Prescription History & Distance Map

Exhibit A-1

Sam Jones Hall DTSC Letter (Oct. 8, 2024)

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

Department of Toxic Substances Control

Yana Garcia
Secretary for
Environmental Protection

Katherine M. Butler, MPH, Director
8800 Cal Center Drive
Sacramento, California 95826-3200
https://dtsc.ca.gov/

Gavin Newsom
Governor

SENT VIA ELECTRONIC MAIL

October 8, 2024

Kevin Coker
Senior Environmental Scientist / CEQA Practitioner
EBA Engineering
825 Sonoma Avenue, Suite C
Santa Rosa, CA 95404
kcoker@ebagroup.com

RE: FINAL INITIAL STUDY/MITIGATED NEGATIVE DECLARATION FOR THE SAMUEL L. JONES HALL HOMELESS SHELTER IMPROVEMENTS DATED SEPTEMBER 25, 2024, STATE CLEARINGHOUSE NUMBER 2024040844

Dear Kevin Coker,

The Department of Toxic Substances Control (DTSC) received the Final Initial Study/Mitigated Negative Declaration (IS/MND) for the Samuel L. Jones Hall Homeless Shelter Improvements project (project). The City of Santa Rosa is proposing to enhance the current Samuel L. Jones Hall Homeless shelter facility to better accommodate the recent increase in occupants and the quality of the community services provided and is not an evaluation of any impacts resulting from this previously approved permitted use that was determined to be CEQA exempt. The project includes exterior improvements such as ornamental landscaping features, aboveground community service facilities, additional asphalt parking and a new dedicated entrance driveway, pathways, curb and gutter improvements, pedestrian sidewalks and associated facilities, and modular shower and restroom facilities. Improvements would occur within the Sam Jones Hall


site, with some ancillary improvements occurring along Finley Avenue. After reviewing the project, DTSC recommends and requests consideration of the following comments:

1. In Table 5.2, HAZ-3, Method of Verification column of the Final ISMND, it states: “Provide a copy of the Soil and Groundwater Management Plan (SGMP) to the Santa Rosa Fire Department (SRFD) for review and approval. Retain copy of the approved document on-site during construction”. DTSC does not recommend that a SGMP, or a Soil Management Plan (SMP), be used as a primary cleanup plan to address contamination within the soil present at the site. DTSC recommends that any potential contamination be fully characterized and then remediated under the oversight of a self-certified local agency DTSC or Regional Water Quality Control Board (RWQCB). A SMP or SGMP alone cannot sufficiently identify and document the potential contaminants that may pose a threat to human health and the environment. DTSC recommends that a cleanup plan, a Removal Action Workplan (RAW) or Remedial Action Plan (RAP), be prepared to adequately address all site impacts after complete characterization. DTSC also recommends the City of Santa Rosa to coordinate with RWQCB to determine if the Groundwater portion of the recommended SGMP is sufficient to address the groundwater concerns.
2. DTSC recommends the City of Santa Rosa enter into a voluntary agreement to address contamination at brownfields and other types of properties or receive oversight from a self-certified local agency, DTSC or Regional Water Quality Control Board. If entering into one of DTSC’s voluntary agreements, please note that DTSC uses a single standard Request for Lead Agency Oversight Application for all agreement types. Please apply for DTSC oversight using this link: Request for Agency Oversight Application. Submittal of the online application includes an agreement to pay costs incurred during agreement preparation. If you have any questions about the application portal, please contact your Regional Brownfield Coordinator.

3. DTSC recommends that all imported soil and fill material should be tested to assess any contaminants of concern meet screening levels as outlined in DTSC's Preliminary Endangerment Assessment (PEA) Guidance Manual. Additionally, DTSC advises referencing the DTSC Information Advisory Clean Imported Fill Material Fact Sheet if importing fill is necessary. To minimize the possibility of introducing contaminated soil and fill material there should be documentation of the origins of the soil or fill material and, if applicable, sampling be conducted to ensure that the imported soil and fill material are suitable for the intended land use. The soil sampling should include analysis based on the source of the fill and knowledge of the prior land use. Additional information can be found by visiting DTSC's Human and Ecological Risk Office (HERO) webpage.
4. If buildings or other structures are to be demolished on any project sites included in the proposed project, surveys should be conducted for the presence of lead-based paints or products, mercury, asbestos containing materials, and polychlorinated biphenyl caulk. Removal, demolition, and disposal of any of the above-mentioned chemicals should be conducted in compliance with California environmental regulations and policies. In addition, sampling near current and/or former buildings should be conducted in accordance with DTSC's Preliminary Endangerment Assessment (PEA) Guidance Manual

DTSC appreciates the opportunity to comment on the Final Document for the Samuel L. Jones Hall Homeless Shelter Improvements project Thank you for your assistance in protecting California's people and environment from the harmful effects of toxic substances. If you have any questions or would like clarification on DTSC's comments, please respond to this letter or via email for additional guidance.

Sincerely,



Tamara Purvis
Associate Environmental Planner
HWMP - Permitting Division – CEQA Unit
Department of Toxic Substances Control
Tamara.Purvis@dtsc.ca.gov

cc: (via email)

Governor's Office of Planning and
Research State Clearinghouse
State.Clearinghouse@opr.ca.gov

Dave Kereazis
Associate Environmental Planner
HWMP-Permitting Division – CEQA Unit
Department of Toxic Substances Control
Dave.Kereazis@dtsc.ca.gov

Scott Wiley
Associate Governmental Program Analyst
HWMP - Permitting Division – CEQA Unit
Department of Toxic Substances Control
Scott.Wiley@dtsc.ca.gov

Case 8:26-cv-00348-JWH-ADS Document 130 Filed 09/09/26 Page 33 of 373 Page ID #:5010

Exhibit B-1

Ben Stanphill Conference Profile

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)



BEN STANPHILL

Department of Toxic Substances Control

CalEPA

Southern California Division Chief

Mr. Stanphill is the Southern California Division Chief for the Department of Toxic Substances Control's Site mitigation and Restoration Program. He oversees approximately 100 staff, primarily project managers for southern California Sites in the voluntary cleanups, RCRA Corrective Action, Schools, and Discovery and Enforcement groups. Prior to his current role Mr. Stanphill was an internal technical expert at DTSC and a Principal Engineer at Arcadis U.S., Inc. Mr. Stanphill graduated from Harvey Mudd College with a Bachelors of Science in Engineering and is a licensed Civil Engineer in California. During his career Mr. Stanphill has worked on many environmental remediation projects including vapor intrusion, in situ chemical oxidation, soil vapor extraction and bioremediation projects.

Contact: 714-[illegible]206

[illegible]@dtsc.ca.gov

©2026 Environmental Whitehorse LLC

Exhibit C-1

Civic Center Final Report (2010) + Metadata Evidence

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

integrity ENVIRONMENTAL

8/23/10

August 23, 2010

Mr. Safouh Sayed, Project Manager
Brownfield and Environmental Restoration Program
Department of Toxic Substances Control
5796 Corporate Avenue
Cypress, California 90630

Reference: Site Remediation and Post-remediation Report
Coal Tar Creosote (Creosote Oil) Waterproofing
City Hall Seismic Upgrade Project
City of Huntington Beach
2000 Main Street
Huntington Beach, California 92648
DTSC Site Code Number 4041457-11
IE Project Number 2008-00097

Subject: Project Final Report

Dear Mr. Safouh:

Attached, please find a copy of the final report for your record. Integrity Environmental Consultants, Inc. (Integrity) considered necessary to further edit the approved report to allow for final formatting of each page by which process some sentences and/or phrases were slightly altered without changing the meanings.

Integrity also addressed incidental typographical as well as inconsistencies in the format of the report – for example signature blocks of the report authors were moved to the end of report.

As no changes have been made to the report tables, figures, attachments and/or supporting documents; they are not re-submitted.

On behalf of our Client, City of Huntington Beach, Integrity appreciates the valuable guidance provided by Department of Toxic Substances Control throughout this project.

Cordially,

Massoud Rahdari, REA-1 04138
Project Manager

cc: Amir Rouhani
Ibrahim Sobeih

INTEGRITY ENVIRONMENTAL CONSULTANTS, INC. C1903529 CALIFORNIA CORPORATION

a: 130 Vantis, Suite 130
Aliso Viejo, California 92656

t: 949.586.1414
f: 949.586.5922

w: integrityenvironmental.com

integrity ENVIRONMENTAL

PROJECT FINAL REPORT

SITE REMEDIATION AND POST-REMEDIATION REPORT
COAL TAR CREOSOTE (CREOSOTE OIL) WATERPROOFING
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648
DTSC SITE CODE NUMBER 4041457-11
IE PROJECT NUMBER 2008-00097

PREPARED FOR

CITY OF HUNTINGTON BEACH
DEPARTMENT OF PUBLIC WORKS
CONSTRUCTION SECTION
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648

PREPARED AND REVIEWED BY

INTEGRITY ENVIRONMENTAL CONSULTANTS, INC.

DRAFTED ON JUNE 19, 2010
FINALIZED ON AUGUST 23, 2010

a: 130 Vantis, Suite 130
Aliso Viejo, California 92656

t: 949.586.1414
f: 949.586.5922

w: integrityenvironmental.com

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY 1

2.0 INTRODUCTION 4

2.1 Purpose 4

2.2 Objectives 4

2.3 Site Location and Description 4

2.4 Site Geology 4

2.5 Site History 5

3.0 EMERGENCY SITE EVALUATION 5

3.1 Initial Site Visit and Inspection 5

3.2 Initial Sampling of Site Contamination 5

3.3 Health and Safety Workplan 6

4.0 SITE CHARACTERIZATION 6

4.1 General 6

4.2 Interim Report 6

4.3 Department of Toxic Substances Control Involvement 7

4.4 Site Sampling Plan 7

4.5 Progress Report-1 7

4.6 Progress Report-2 8

5.0 SITE HEALTH AND SAFETY 8

5.1 Site-Specific Health and Safety Plan 8

5.2 Worker Training, Respirator Fit Testing and Medical Surveillance 9
5.2.1 During Site Characterization Period 9
5.2.2 During Site Remediation Period 9

6.0 OVERALL PROTECTION OF HUMAN HEALTH AND THE ENVIRONMENT 10

6.1 Compliance with the Applicable or Relevant and Appropriate Requirements 10

6.2 Public Notification 10

6.3 State Acceptance 10

7.0 RISK ASSESSMENT AND FEASIBILITY STUDY 10

7.1 Human Health Risk Assessment 10

7.2 Feasibility of Removal Alternatives 10

8.0 REMOVAL ACTION WORKPLAN 10

9.0 SITE REMEDIATION 11

9.1 Site Preparation and Security Measures 11
9.1.1 Delineation of Excavation Areas 11
9.1.2 Utility Clearance 12
9.1.3 Security Measures 12
9.1.4 Contaminant Control 12
9.1.5 Permits and Plans 12
9.1.6 Field Documentation 13

9.2 Remediation Activities and Daily Oversight 13
9.2.1 Work Area 1 14
9.2.2 Work Area 2 14
9.2.3 Work Area 3 15
9.2.4 Work Area 4 15
9.2.5 Work Area 5 15
9.2.6 Work Area 6 15
9.2.7 Additional Soil Remediation 16

9.3 Disposal of Contaminated Material 16

9.4 Dust Emissions and Control 17

9.5 Personal and Perimeter Air Sampling 17
9.5.1 Regulatory and Consensus Exposure Limits 17
9.5.2 Air Sampling Method 17
9.5.3 Personal Time-Weighted Average Airborne Concentrations 17
9.5.4 Perimeter Time-Weighted Average Airborne Concentrations 17

9.6 Noise Measurements and Hearing Conservation 18

9.7 Heat Stress Management 18

9.8 Chemical Use and Material Safety Data Sheets 19

9.9 Accident and Injury Investigations and Safety Violations 19

10.0 POST-REMEDIATION SAMPLING METHODOLOGY 19

10.1 Sampling Dates 19

10.2 Sampling Documentation 20

10.3 Pre-Sampling Site Detailing and Sampling Preparation 20

10.4 Indoor and Outdoor Air Sampling 21
10.4.1 Volatile Organic Compounds Air Sampling Method 21
10.4.2 Polycyclic Aromatic Hydrocarbons Air Sampling Method 21
10.4.3 Naphthalene and 2-Methylnaphthalene Air Sampling Method 22

10.5 Indoor and Outdoor Surface Wipe Sampling 23

10.6 Confirmation Shallow Soil Sampling 23
10.6.1 Rationale for Confirmation Shallow Soil Sampling 23
10.6.2 Confirmation of Shallow Soil Sampling Procedures 24
10.6.3 Disposal of Decontamination Liquid 24

11.0 POST-REMEDIATION SAMPLING RESULTS AND DISCUSSION 25

11.1 Outdoor Air Sampling 25
11.1.1 Volatile Organic Compounds 25
11.1.2 Polycyclic Aromatic Hydrocarbons 25
11.1.3 Naphthalene and 2-Methylnaphthalene 26

11.2 Indoor Air Sampling 26
11.2.1 Polycyclic Aromatic Hydrocarbons 26
11.2.2 Naphthalene and 2-Methylnaphthalene 26

11.3 Outdoor Wipe Sampling 27
11.3.1 Semi-Volatile Organic Compounds 27
11.3.2 Polycyclic Aromatic Hydrocarbons 27

11.4 Indoor Wipe Sampling 27
11.4.1 Semi-Volatile Organic Compounds 27
11.4.2 Polycyclic Aromatic Hydrocarbons 28

11.5 Confirmation Shallow Soil Sampling 28

12.0 CONCLUSIONS AND RECOMMENDATIONS 28

12.1 Conclusions 28
12.1.1 Pre-Remediation Period 28
12.1.2 During Remediation 29
12.1.3 Post-Remediation Sampling 29
12.1.4 General Conclusions 30

12.2 Recommendations 30

13.0 WARRANTY 31

13.1 Site Assessment 31

13.2 Use by Third Parties 31

13.3 Unidentifiable Conditions 31

14.0 CERTIFICATION AND APPROVAL....32

15.0 REFERENCES....33

TABLES

Table 1 – Summary of Personal and Perimeter Air Sampling Results As TWA

Table 2 – Summary of Outdoor and Indoor Air Sampling for VOCs
Table 3 – Summary of Outdoor and Indoor Air Sampling for PAHs
Table 4 – Summary of Outdoor and Indoor Air Sampling for Naphthalene and 2-Methylnaphthalene

Table 5 – Summary of Outdoor and Indoor Wipe Sampling for SVOCs
Table 6 – Summary of Indoor Wipe Sampling for SVOCs
Table 7 – Summary of Outdoor Wipe Sampling for PAHs
Table 8 – Summary of Indoor Wipe Sampling for PAHs

Table 9 – Summary of Confirmation Shallow Soil Sampling

Table 10 – HazMat Workers Submittal Checklist
Table 11 – Hazardous Waste Material Summary

FIGURES

Sheet SP1 of SP3 – Site Vicinity Map
Sheet SP2 of SP3 – Site Aerial Photograph
Sheet SP3 of SP3 – Site Work Areas

Sheets Wind 1 and 2 of Wind 4 – KCAHUBT116 Weather Graph for 2008
Sheet Wind 3 of Wind 4 – Wind South-Southwesterly Direction
Sheet Wind 4 of Wind 4 – Wind West-Southwesterly Direction

Sheet A1 – Sheet A13 – Post-remediation Outdoor and Indoor Air Sampling Locations

Sheet W1 – Sheet W13 – Post-remediation Outdoor and Indoor Wipe Sampling Locations

Sheet S1 of S2 – Final Confirmation Soil Sampling Locations
Sheet S2 of S2 – PAHs Distribution Map

APPENDICES

Appendix A – DTSC Correspondence
Appendix B – HASP Acceptance Forms
Appendix C – HazMat Training, Respirator Fit-Testing and Medical Surveillance Records
Appendix D – Remediation Field Health and Safety Meeting Records
Appendix E – Remediation Material Safety Data Sheets for Site Chemicals
Appendix F – Post-Remediation Air Samplers Calibration Data
Appendix G – Remediation Injury and Illness Investigation Reports
Appendix H – Remediation Dust Air Monitoring Real Time Measurements
Appendix I – Personal and Perimeter Air Sampling Data
Appendix J – Post-Remediation Sampling Photographic Documentation
Appendix K – Post-Remediation Analytical Laboratory Data
Appendix L – Non-RCRA Hazardous Waste Transportation Manifests
Appendix M - Status of Remediation Actions Report

PREVIOUS REPORTS

1. Health and Safety Work Plan, dated June 27, 2008
2. Interim Report, dated August 7, 2008
3. Project Progress Report-1, dated September 15, 2008
4. Project Progress Report-1 (Amended), dated September 29, 2008
5. Project Progress Report-2, dated October 21, 2008
6. Human Health Risk Assessment Feasibility, dated October 27, 2008
7. Site Specific Health and Safety Plan, dated November 5, 2008
8. Removal Action Workplan, dated December 18, 2008
9. Status of Remedial Actions, dated November 25, 2009

1.0 EXECUTIVE SUMMARY

Integrity Environmental Consultants, Inc. (Integrity) was retained by City of Huntington Beach (City) to provide environmental services consisting of four (4) consecutive tasks for the City Hall complex (Site) located at 2000 Main Street in City of Huntington Beach, California: 1) Response to an emergency related to worker exposure to uncovered Coal Tar Creosote (Creosote) and Creosote-contaminated material during the Site seismic retrofitting project; 2) prepare and implement a site-specific health and safety plan (HASP), perform limited site assessment/background study, present a collective site characterization; 3) conduct a human health risk assessment, evaluate feasibility of remedial alternatives, prepare a Remedial Action Workplan (RAW) for the site; and 4) perform visual observation and documentation of remedial activities during implementation of the RAW, enforce health and safety requirements according to HASP, confirm the post remediation surface clean-up, and prepare a Remedial Actions and Closure Report.

Three tasks were performed under supervision of Department of Toxic Substance Control (DTSC). Data collected at the conclusion of each task was presented in Interim Progress Report-1, Progress Report -2 and the Site RAW, reports of which tasks had been submitted to DTSC. The closure report summarizes the Site activities with respect to details of remediation, confirmation of Post-Remediation surface cleanup and request for the Site Closure based on collective conclusions. Key points in conducting the site investigation and remediation are presented in the following subsections.

1.1 Pre-Remediation Period

A site contamination assessment was initially performed for the City in response to an outbreak of dermatitis among unprotected construction workers removing Creosote from the building basement in June 2008. In the 1970s, the Creosote was used as waterproofing material and primer to attach sidings on the subsurface exterior walls of the building basement and foundation which material were backfilled with soils and covered concrete slabs. The removal of concrete slab, excavation of soils and removal of the Creosote was a part of the Seismic Upgrade Project at the Site. Upon discovery of Creosote, the excavated areas and materials were covered temporarily with polyethylene sheeting to minimize further exposures.

On behalf of the City, DTSC became involved in the site remediation. DTSC assigned a project team to maintain the Site supervision and provide directions and advice to the City. DTSC required the site remediation to be conducted under the DTSC-approved RAW. Integrity conducted Best Management Practices (BMPs) for protection and prevention of contamination proliferation at the Site. As a part of BMPs and to comply with Occupational Safety and Health Administration (OSHA), OSHA-mandated HAZWOPER training was mandated for workers performing construction and remediation work activities at the Site.

Progress Report 1 documented part of the site characterization performed under DTSC's oversight and approved Site Sampling Plan. Bulk soil samples were obtained from Work Area 4, background soil and trailer staging area piled soil. Bulk soil samples were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs) and polycyclic aromatic hydrocarbons (PAHs). Integrity also performed DTSC-approved soil gas sampling. The reported analytical results showed low concentrations of none-site-related VOCs.

Progress Report-2 provided additional data needed for site characterization, which included waste stream sampling, soil and lateral soil contamination sampling, indoor and outdoor air sampling for SVOCs and PAHs, outdoor VOCs sampling, indoor and outdoor wipe sampling for SVOCs and PAHs.

Air samples were collected to evaluate the impacts of the construction activity and to assess existing conditions of the indoor and outdoor air quality at the Site. Air sampling was performed in accordance with the approved Site Sampling Plan. Air samples were collected from various locations and were analyzed for VOCs and PAHs using EPA Methods TO-15 and TO-13A, respectively. Air samples were additionally tested for Naphthalene and 2-Methylnaphthalene using EPA Method TO-17. The analytical results indicated that concentrations of VOCs, and PAHs (including Naphthalene and 2-Methylnaphthalene) were insignificant.

Indoor and outdoor wipe sampling was conducted for hard surfaces in accordance with ASTM Method D-6661-01. For other unpaved areas around the buildings, shallow soil samples were collected at seven (7) locations following the surface soil sampling method recommended by Army Corps of Engineers.

Dust dispersion study was also conducted at the same time and conceptual models were prepared for generation, velocity and distribution of dust cloud over the excavation area and movement and deposition of dust particles. For the purpose of our conceptual model, a plot was prepared for Benzo(a)pyrene concentrations (for wipe and shallow soil samples) and based on a prominent west-southwest wind report for the area. At the conclusion, it was speculated that it would be less likely that dust particles, generated as a southerly moving dust clouds, to migrate to northerly-situated main entrance of Administration Building.

Based on the collected data and in accordance with the site characterization, the chemicals of concern (COC), the source and distribution and background levels of the COC were established. A conceptual model was prepared and the various scenarios for current and future receptors for the site, their exposure pathway and duration of exposure were animated. Using Tier 1 Human Health Screening Level, the preliminary human health risk for each scenario was evaluated. The COC were reduced to carcinogenic PAHs through dermal contact and ingestion for soil and fugitive dust particles and Naphthalene as vapor phase through inhalation.

Using DTSC-approved models, the human health risk for the existing site use as City Hall was calculated. The cleanup criterion of PAHs in soil, soil vapor, and dust particle is evaluated on a risk-based concentrations to mitigate exposure to carcinogen and non-carcinogen PAHs to achieve the risk levels of $<10^{-6}$ for City employees, $<10^{-5}$ for City visitors, $<10^{-5}$ for future landscapers and utility workers, $<10^{-5}$ for offsite residents, school attendees and pedestrians.

A feasibility study was conducted with the participation of the DTSC-assigned Project Team. Removal action alternatives were evaluated for their effectiveness, implementability, and cost. Given the condition of the site and the result of the risk assessment, combination of selective excavation, partial removal of the Creosote coating, coverage and fixation of treated surfaces, backfill of the excavated area, placement of vapor barrier and concrete cap was selected as the final remedial alternative and was further evaluated for compliance with the Applicable or Relevant and Appropriate Requirements.

1.2 During-Remediation Period

Remediation of Creosote and Creosote-contaminated materials were required in six (6) areas, referred to Work Areas 1 through 6. Castlerock Environmental initiated the remedial action in late December 2008, and completed the remedial actions on April 9, 2009. All work was performed in accordance with the DTSC-approved RAW using hazmat trained workers with proper personal protection equipment.

During this period, after securing the work zones, Work Areas 2 through 6 were excavated. Concrete was cut and Creosote membrane and associated waste were removed. The excavated materials were segregated, bagged and placed in secure storage bins. The excavated soil was placed over polyethylene sheeting and the stockpiled materials were covered by polyethylene sheeting. Profiling was performed on the waste stream to categorize the materials prior to transportation of the waste to an appropriate disposal facility. The excavated areas were properly detailed and cleaned and covered with protective and new waterproofing materials as a part of Seismic Upgrade Project.

Approximately 247 cubic yards of Creosote, and Creosote-containing or impacted material and 11 55-gallon drums of contaminated soil and decontamination water were transported by BDC Services, using proper manifestation procedures to Chemical Waste Management - KFH, in Kettleman City, California.

Integrity staff performed daily visual observation and documentation of the remediation activities. Worker and perimeter air sampling, heat stress and noise monitoring and real time measurement of dust emission were performed on as needed basis. Data collected was used to maintain health and safety of the workers, onsite and offsite recipients by correction of the safety level and maintaining safe work condition during remediation and backfilling operations in and around Work Areas.

Integrity also inspected the placement of vapor barrier and concrete cap in Work Areas 1 through 6.

1.3 Post-Remediation Sampling

As a part of the site BMPs, daily cleanup activities were performed in and around the work areas. Hard surface areas were cleaned up using sweeping equipment to remove the dust particles generated during excavation and backfill activities. The unpaved areas north and south of the excavation area were cleaned up using HEPA-filtered vacuum cleaners. Confirmation air, wipe and soil samples were collected by Integrity to confirm the efficiency of Post-Remedial cleanup activities:

- Results of outdoor air sampling for VOCs indicated low concentrations of different VOCs in the samples. The VOCs were not a part of COC, established for the site and the low concentration levels for the VOCs may have been related to exposure to non-site related chemicals;
- Results of outdoor air sampling for 16 targeted PAHs indicated not detected above their respective laboratory method reporting levels (MRLs);
- Results of outdoor air sampling for Naphthalene and 2-Methylnaphthalene indicated that detected levels were in the same range as detected levels in the outdoor air of other cities in the United States, reported by Environmental Protection Agency (EPA) and Agency for Toxic Substances and Disease Registry (ATSDR);
- Results of indoor air sampling for 16 targeted PAHs indicated not detected above their respective MRLs;
- Results of indoor air sampling for Naphthalene and 2-Methylnaphthalene indicated that detected levels were in the same range as detected levels in the indoor air of other cities in the United States as reported by EPA and ATSDR. Even though the concentrations of these compounds exceeded the benchmark of 0.12 microgram per cubic meter, nevertheless is within the range of their background levels;
- Results of outdoor wipe sampling for SVOCs revealed Bis (2-Ethylhexyl) Phthalate as the only compound detected in the outdoor wipe samples. This compound is not a part of COC, established for the site and since it was not detected in the outdoor air sample, the low concentration level of this SVOCs in the wipe sample is not considered a significant risk factor;
- Results of outdoor wipe sampling for 16 targeted PAHs revealed the presence of several PAHs in the samples above their respective method detection limits (MDLs). The total PAHs in any of the wipe samples did not exceed the Benchmark of 150 microgram per square meter;
- Results of indoor wipe sampling for SVOCs revealed the presence of Bis (2-Ethylhexyl) Phthalate and Butyl Benzyl Phthalate above their respective MDLs. These SVOCs were not a part of COC, established for the site and because they were not detected in the indoor air sample. Low concentrations of these SVOCs in wipe sample are not considered a significant risk factor;
- Results of indoor wipe sampling for 16 targeted PAHs revealed that the compounds were not detected above their respective MDLs;
- Shallow soil sampling results revealed that several PAHs were detected above their respective MDLs. The PAHs concentration as B(a)P equivalent was within the site background level, except for Sample number CS-1;
- Upon approval by DTSC, additional surface samples were collected on a smaller gridlines around sample CS-1. The impacted area was delineated both laterally and vertically;
- DTSC approved the excavation and offsite treatment and/or disposal of the impacted soil from sampled area CS-1 which was specified in the existing RAW. Castlerock Environmental excavated the impacted soil. The excavated soil was transported by BDC Services to Kettleman City under proper manifestation procedures; and
- In conclusion, it is recommended that a site closure be granted for the site.

2.0 INTRODUCTION

2.1 Purpose

Integrity Environmental Consultants, Inc. (Integrity) was retained by the City of Huntington Beach – Department of Public Works (City) to perform site remediation observation and documentation and Post-Remediation air, dust wipe and shallow confirmation soil sampling and prepared this final report (Report) for the City Hall site located at 2000 Main Street in City of Huntington Beach, California (Site). The Report is prepared for the work that was completed in accordance with the California Health and Safety Code (CAH&SC) Chapter 6.8: *Hazardous Substances Account*.

2.2 Objectives

The objectives of this report were to summarize the results of site investigation, site characterization and implementation of the Remedial Action Workplan (RAW) for the Site. To date, Integrity has completed the following tasks:

- Narration of the site characterization;
- Preparation of a feasibility study;
- Preparation of the RAW;
- Development of a site-specific Health and Safety Plan (HASP);
- Monitoring of remediation activities;
- Post-remediation sampling; and
- Request for site closure.

2.3 Site Location and Description

The Site is an approximately 11.81 acres municipal property located at 2000 Main Street in the City of Huntington Beach, California. The Site is developed on an oil field in a mixed residential and commercial zone and is bordering Yorktown Avenue to the north with commercial buildings beyond that, Lake Street to the east and residential properties beyond that, Park Street and portion of West Utica Avenue to the south with residential properties beyond that, and Main street to the west and Huntington Beach High School across Main Street (Sheet SP1 of SP3 – Site Vicinity Map).

The Site elevation is approximately 70 feet above mean sea level (MSL) at the northern property line and approximately 50 feet MSL at southern property line. The surface topography has a gentle slope to the south. The existing structures at the Site include four (4) buildings, an active oil well, a mechanical oil pump and well production accessories, private streets, parking lot, paved area, planters, and recreational areas (Sheet SP2 of SP3 – Site Aerial Photograph).

2.4 Site Geology

The Site is located along the easternmost edge of the Huntington Beach Mesa, the western side of the northern portion of the Santa Ana Gap and south of the active Newport-Inglewood Alquist-Priolo Earthquake Fault Zone. A number of domal hills and mesas exist parallel the Newport-Inglewood Fault Zone as a result of anticlinal up-warping, uplifting, right lateral strike slip and compression shortening across the fault zone. The site is located within the Huntington Oil Field, which is one of these domal features.

Erosion of the uplifted areas within the Santa Ana Gap by the Santa Ana River resulted in an angular unconformity between the Pleistocene aged sediments comprising the Talbert Aquifer and a number of older, underlying aquifers. The mapped Holocene aged aquitard, above the Talbert Aquifer or alluvial fan sediments, lap onto the late Pleistocene marine terrace deposits that cover the Huntington Beach and Newport mesas. The surface limits of the aquitard above the Talbert Aquifer define the Santa Ana Pressure Area of the Orange County Groundwater Basin. The aquitard above the Talbert Aquifer inhibits significant quantities of surface water and shallow groundwater from percolating into the major producing aquifers.

Along the coast, the absence of the overlying aquitard above the Talbert Aquifer, allows ocean water (seawater intrusion) to percolate into the Talbert Aquifer and eventually into some of the underlying older aquifers that are in fault contact or angular unconformable contact with the Talbert Aquifer. Another contributing factor to seawater intrusion includes groundwater mining from a number of major aquifers underlying the Talbert Aquifer, thereby altering the equilibrium between the ocean and fresh groundwater causing the inland advancement of saline water.

The 1966 Groundwater Basin Protection Project, Salinity Barrier Studies within the Santa Ana Gap was conducted and implemented to protect main groundwater production aquifers from seawater intrusion. A number of intrusion wells were installed along Ellis Avenue, the approximate southern boundary of where the Talbert Aquifer is in hydraulic continuity with major aquifers that supply the region's groundwater. The wells inject treated and fresh water into underlying aquifers creating a barrier to further seawater intrusion.

The Talbert Aquifer in the general area has been identified at approximately 70 feet below ground surface (bgs) with the main production aquifers being located at approximately 130 feet bgs, although production wells are located north of the seawater barrier. Within the site vicinity, near-surface, semi-perched groundwater is of poor quality and is not used for production.

2.5 Site History

Based on data provided by the City, Coal Tar Creosote (Creosote) was used during construction of the City Hall buildings in 1970's. Creosote was used as waterproofing material and a primer to attach sidings on subsurface of the building exterior walls. The waterproofed surfaces were, subsequently backfilled by soil and finished with concrete slabs. Construction activities for *City Hall Seismic Upgrade Project – Cash Contract Number 1306;* required uncovering the Creosote in six (6) areas, hereafter are referred to Work Areas 1 through 6 (Sheet SP3 of SP3 – Site Work Areas).

Integrity visited and inspected the Site on June 24, 2008 at the request of the City to evaluate an incident in which six (6) construction workers who had performed scraping and manual removal of the Creosote without personal protective equipment, developed dermatitis on their hands, arms and neck area and were hospitalized. Construction activities were halted and the Creosote waste that was generated by these workers was bagged loosely and covered with polyethylene sheeting at the construction trailer staging area on the South side of the Site.

3.0 EMERGENCY SITE EVALUATION

3.1 Initial Site Visit and Inspection

Integrity investigated contractor workers becoming ill and developing skin rash as they manually removed Creosote from a construction area known as the pit immediately adjacent to the buildings on the west side entrance. Representatives of Integrity and the City conducted a walk-through of the excavated areas and the staging area on June 24, 2008. The staging area had been established on the south side of buildings where the removed Creosote was stored. The site configuration and positioning of the Creosote and their close proximity to the buildings entrances were noted. Loose storage of the Creosote and a need to sample removed material and excavated soil (to chemically characterize the Creosote and determine the extent of soil contamination) were deemed as a first step for the Site hazard evaluation and characterization.

3.2 Initial Sampling of Site Contamination

Integrity collected the first group of samples consisting of one (1) sample of in-place Creosote and one (1) sample of potentially contaminated soil on June 25, 2008. The samples were submitted on June 26, 2008 to American Environmental Testing Laboratory (American Testing Laboratory) in Burbank, California. The samples were analyzed for Semi-Volatile Organic Vapors (SVOCs) and Polycyclic Aromatic Hydrocarbons (PAHs) in accordance with the United States Environmental Protection Agency (EPA) SW-846 – *Test Methods for Evaluating Solid Waste, Physical/Chemical Method.* Method 8270C and Method 8310 were used for the analysis of SVOCs and PAHs, respectively. The tests were performed to determine whether the matrices can be classified as Resource Conservation and Recovery Act (RCRA) wastes and/or California non-RCRA wastes.

Analytical results were received on June 27, 2008. The composite Creosote sample revealed extremely high concentrations of 14 PAHs with concentration range of 1,020-17,700 milligrams per kilogram (mg/kg), characteristic of Creosote. The same sample revealed extremely high level of six (6) carcinogenic PAHs. The composite soil sample revealed lower nevertheless significant concentrations of the same 14 PAHs. The same soil sample revealed significant concentration of six (6) carcinogenic PAH's. The analytical results of the two (2) samples confirmed the Creosote presence and soil contamination which classified the waste as non-RCRA waste. This set the stage for additional sampling to fully characterize the site contamination.

On June 25, 2008; three (3) bulk samples of the Creosote were collected and submitted to LA Testing Laboratory (LA Testing) in Los Alamitos, California for asbestos content analysis. Analytical results were received on June 26, 2008. Asbestos was not detected in the three (3) Creosote samples. Details of our site visit, sampling and analysis were documented in the *Interim Report* of August 7, 2008 (References – Item 15).

3.3 Health and Safety Workplan

Integrity developed a Health and Safety Workplan on June 27, 2008 (References – Item 16) based on the limited initial site sampling. This Health and Safety Workplan was intended to provide a framework for safe handling and removal of the Creosote and Creosote-contaminated materials prior to involvement by the Department of Toxic Substances Control (DTSC) in the project. The Health and Safety Workplan was superseded by the site-specific health and safety plan (HASP) which was developed to address the site health and safety issues based on the detailed site characterization and as part of the RAW.

4.0 SITE CHARACTERIZATION

4.1 General

The Site Characterization consisted of systematic approach of site investigation and data collection performed by Integrity during the period of June through November 2008 to ascertain the adequacy of information needed to reach a feasible remedial alternative for the property.

4.2 Interim Report

At the request of the City, Integrity initially performed an emergency site contamination assessment of the Site during the period of June 24 through August 7, 2008. The emergency site assessment was documented in the *Interim report* of August 7, 2008. The following summarizes this report:

- A limited hazard assessment was performed in response to an outbreak of dermatitis among construction workers who removed the Creosote from the building exterior walls on June 18 and 19, 2008;
- As an emergency approach, Integrity performed a health hazard assessment of the operation site as well as the exposed and excavated materials. Integrity performed a site visit and collected profiling samples from the Creosote lining on the walls and the removed and excavated materials. The laboratory analytical results of profiling samples confirmed the nature of the lining materials as the Creosote and indicated the presence of elevated concentration of PAHs in the excavated materials;
- Recent excavation and removal process, as a part of a seismic upgrade at the Site, exposed the Creosote-coated concrete foundation and walls. The excavated areas and materials have since been covered with polyethylene sheeting and in some areas a new waterproofing material has been placed on the Creosote-contaminated walls to minimize further exposures;
- During this phase, Integrity performed a site visit and collected 11 profiling samples from the Creosote lining on the walls and from removed and excavated materials. Analytical results of profiling samples confirmed the nature of the lining materials as Creosote and indicated the presence of elevated concentration of PAHs in the excavated materials. Integrity prepared the Heath and Safety Workplan for the Site which was used in the initial emergency stage of site investigation prior to DTSC involvement;
- Bulk sample analysis of the Creosote revealed very high concentrations of 14 different PAHs typically found in coal tar Creosote, six (6) of which have been implicated in the causation of cancer in humans and animals. Bulk sample analysis of soil, sand and vermiculite revealed lower but significant levels of the same 14 PAHs and six (6) carcinogenic compounds. Cut concrete sample analysis revealed 13 PAHs, six (6) of which are carcinogenic compounds;

- Construction work, uncontrolled removal of the Creosote in June 2008, continued uncontrolled concrete slab cutting and soil excavation furthermore contributed in the spread of contamination to surfaces in and around the building. Based on the data collected during this phase, Integrity recommended applying a cohesive, systematic and proactive approach in controlling removal, remediation and cleanup of contamination, which was originated from the building materials spread during the excavation and removal of the Creosote at the Site during the period of April to June 2008;
- Integrity concluded that in addition to previously exiting hazardous material beneath the Site, the excavation, handling and stockpiling of PAHs-containing material might have created additional pathways for exposure for construction workers, the City employees and the City visitors to Creosote, Creosote vapor and Creosote bearing dust. Integrity recommended for an immediate containment and isolation of excavated areas, stockpiled soil, and concrete debris. The general contractor secured the contamination zone, covered and/or isolated the excavation pits and safeguarded the contaminated stockpiles. Integrity proposed additional investigation prior to the site remedial activities; and
- Due to the Site's close proximity to Huntington Beach High School, DTSC was invited to supervise the remedial procedures and corrective actions recommended for the Site. Under direct supervision of DTSC, Integrity performed additional pre-remedial site investigation to delineate the lateral extent of the impact of construction activities to the ambient indoor air, establish a background condition, and cover the data gap.

4.3 Department of Toxic Substances Control Involvement

On July 30, 2008 and on behalf of the City, Integrity contacted Orange County Health Care Agency-Environmental Health (OCHCA), Regional Water Quality Control Board, Santa Ana Region (RWQCB) and DTSC to report the incident and requested the regulatory oversight. DTSC assumed the position of the Lead Agency and advised that the City of Huntington Beach may want to consider participating in the Voluntary Cleanup Program. The Voluntary Cleanup Program would require the City of Huntington Beach to enter into an agreement of participation and DTSC will provide oversight for the characterization and remediation of the Site with the collaboration of other regulatory agencies.

DTSC assigned a Project Team to oversee the project and provide guidance for performance of a site characterization and preparation of a RAW for the Site. The City assigned, Integrated Design Services Group, Inc. to oversee the construction work, Metro Builders as the general contractor, Castlerock Environmental as their environmental hazmat sub-contractor and Integrity as the Environmental Consultant to perform the site characterization, prepare the RAW and observe and document the implementation of the RAW (Appendix A – DTSC Correspondence).

4.4 Site Sampling Plan

A Site Sampling Plan, originally prepared by Integrity on July 18, 2008, was subject to multiple reviews by DTSC and revisions. The following is an outline of the proposed Site Sampling Plan:

- Pre-Remediation Background Sampling - included environmental air, soil-gas, surface wipe sampling and shallow soil sampling;
- During Remediation Sampling - included personal air, environmental air, surface wipe, bulk, and lateral surface contamination sampling; and
- Post-Remediation Sampling - included environmental air, surface wipe and shallow soil sampling.

4.5 Progress Report-1

Integrity completed the development of the Site Sampling Plan and performed a limited site characterization and sampling of the Creosote-coated building foundation during the period of August 6-September 12, 2008. The Site Sampling Plan and the Site characterization sampling was submitted as *Progress Report-1* of September 15, 2008 (References – Item 17).

Upon the receipt of approval for Site Sampling Plan, Integrity collected bulk soil sampling from the soil pile in Work Area 4 and background locations during the period of September 4 and 5, 2008. The samples were

submitted to American Testing Laboratory were analyzed for Volatile Organic Compounds (VOCs), SVOCs and PAHs. Generally, the soil samples were found to be devoid of VOCs and SVOCs, while pile soil samples were found contaminated with PAHs confirming Creosote contamination, Work Area 4 sample free of PAHs, and background soil samples showed mixed PAHs contamination. Bulk soil samples were analyzed for VOCs, SVOCs and PAHs. Integrity also performed DTSC-approved soil gas sampling on September 4 and 5, 2008. Analytical results showed low concentration of none-site-related VOCs.

Integrity performed DTSC approved soil-gas sampling during the period September 4 and 5, 2008. The samples were analyzed by Columbia Analytical Services, Inc. (Columbia Analytical), Simi Valley, California. Soil-gas samples analytical results showed some VOCs in the low micrograms per cubic meter ($\mu g/m^3$) concentrations equivalent to lower parts per billion (ppb) concentrations. The concentrations of some of the VOCs detected were well below the Office of Environmental Health Hazard Assessment (OEHHA) established California Human Health Screening Levels (CHHSLs) for those VOCs.

At the request of DTSC, the Site Sampling Plan was amended a number of times. Integrity made the necessary changes in Progress Report 1 and the Site Sampling Plan describing the soil-gas sampling procedure, laboratory cleaning and quality control testing of Summa® canisters procedure *Progress Report-1* Amended of September 29, 2008 (References – Item 18).

4.6 Progress Report-2

Integrity performed air, dust wipe and shallow soil sampling as well as a site characterization report, pre-requisite for Risk Assessment report and RAW. Final Site Sampling Plan was submitted as *Progress Report-2* of October 21, 2008 (References – Item 19).

To evaluate the impact of construction activity as well as the existing conditions on the quality of indoor and outdoor air, Integrity collected air samples from various locations at the Site and tested for the presence of VOCs and PAHs including Naphthalene and 2-Methylnaphthalene concentrations. VOCs sampling was performed in accordance with EPA Method TO-15 and PAHs sampling was conducted in accordance with EPA Method TO-13A. VOCs and PAHs air sampling were performed on October 8, 2008. Analytical results of air samples indicated that the presence of PAHs constituents in the indoor and outdoor air of the building is insignificant. Naphthalene and 2-Methylnaphthalene sampling was conducted in accordance with EPA Method TO-17. Analytical results of air samples concentrations of Naphthalene and 2-Methylnaphthalene in the indoor and outdoor air of the building was insignificant.

Dust dispersion study was also conducted at the same time as the air sampling and the wipe sampling was carried out on October 8 and 9, 2008. For hard surfaces indoor and outdoor of the building wipe sampling was conducted in accordance with ASTM Method D-6661-01. On October 8, 2008, for other areas around the buildings, shallow soil samples from the upper one (1) inch of soil were collected at 23 locations. Samples were collected in accordance with Army Corps of Engineers sampling protocols (References – Item 1).

The pattern of the variation in PAHs concentration presented by analytical results of the wipe and shallow soil samples implies that the distribution of dust particles generated during excavation and soil handling was controlled by the prominent west-southwest direction wind and the blockage of the building wall (wash effect). Therefore, it can be speculated that it is less likely that the dust particles migrated toward the northerly-situated main entrance.

5.0 SITE HEALTH AND SAFETY

5.1 Site-Specific Health and Safety Plan

Integrity prepared a site-specific Health and Safety Plan (HASP) outlining health and safety procedures to be used during the site investigation, remedial action and site mitigation at the Site (References – Item 20). The HASP development was completed on November 5, 2008.

The following summarizes aspects and utility of the HASP:

- The HASP was developed with the best knowledge available at the time. If additional information became available or site conditions change, the HASP was to be modified if necessary by Integrity prior to the continuation of field work;
- Only environmental personnel trained in working with hazardous materials will work in contaminated areas of the Site. They must have completed a hazardous waste operations and emergency response (HAZWOPER) training, as required by this HASP and applicable rules and regulations. The personnel must be currently certified in first aid and Cardiopulmonary Resuscitation (CPR) and have been cleared for this work under a medical monitoring program and fit-tested for the use of respirators;
- All personnel who work in the Exclusion Zone (EZ) or the Contamination Reduction Zone (CRZ) must also have the appropriate training and medical clearance as required by Occupational Safety and Health Administration (OSHA). Written documentation of OSHA-required training and medical surveillance must be verified prior to performing any field activity by the authorized personnel;
- Integrity held a meeting prior to the start of remediation work on December 18, 2008, attended by the City management, Metro Builders, its subcontractors and their workers where attendees signed HASP Acceptance Form. During this meeting, Integrity discussed the site-specific HASP especially the potential chemical and safety hazards; potential routes of exposure for each chemical hazard, types, limitations, and proper use of personal protective equipment (PPE), site work zones; and proper decontamination procedures;
- The HASP was applied throughout remediation. The HASP was applied on a daily basis by informing the workers of new conditions and requirements. During regular daily meetings, tailgate meetings, group training, and occasional one-to one pep talks the HASP issues were described and the proper use and performance of personal safety equipment, gadget and apparatus were assured; and
- The HASP Acceptance Forms are presented in Appendix B – HASP Acceptance Forms.

5.2 Worker Training, Respirator Fit Testing and Medical Surveillance

5.2.1 During Site Characterization Period

Metro Builders workers were trained in compliance with OSHA worker training and protection regulations to enable them to work safely in the Creosote-contaminated areas and to safely handle Creosote-contaminated materials. The training included: 29 CFR 1926.65 and Cal/OSHA T8 CCR 5192 - Hazardous Waste Operations and Emergency Response (HAZWOPER) and OSHA 29 CFR 1910.134 and Cal/OSHA T8 CCR 5144 – Respiratory Protection Standard. Training was performed on the site by Ecologics Training Institute, Anaheim, California during the period of July 28 through August 1, 2008 as follows:

- Eleven (11) workers attended and completed the 40-hours HAZWOPER Worker training;
- Three (3) workers attended and completed the 8-hours HAZWOPER Supervisor training on August 2, 2008 in addition to the 40-hours HAZWOPER Worker Training; and
- The workers who attended the 40-hours HAZWOPER training received a respirator fit test as part of the HAZWOPER training on July 30, 2008. Medical clearance records were received for the trained workers.

5.2.2 During Site Remediation Period

Furthermore, Castlerock Environmental and other sub-contractors of Metro Builders, who may come in contact with Creosote-contaminated areas, received HAZWOPER and Respiratory Protection Standard training. Training was performed on-site by Integrity on December 30 and 31, 2008 and January 2, 2009:

- Eight (8) workers attended and completed the 24-hours HAZWOPER Worker training designed for skilled labor performing iron and carpentry work and drivers of trucks from the trailer staging area to the excavation areas but not for workers performing excavation or remediation work;
- One (1) supervisor attended and completed the 8-hours HAZWOPER Supervisor training on January 2, 2009. Five (5) workers received a respirator fit-test from Castlerock Environmental; and
- Castlerock Environmental provided hazmat training, fit-testing and medical surveillance records for two (2) additional workers and medical surveillance and fit-test records for other workers.

HazMat worker submittal checklist is presented in Table 10 – HazMat Workers Submittal Checklist. Worker Training, medical surveillance and respirator fit-testing documentation are presented in Appendix C – HazMat Training, Respirator Fit-Testing and Medical Surveillance Records.

6.0 OVERALL PROTECTION OF HUMAN HEALTH AND THE ENVIRONMENT

6.1 Compliance with the Applicable or Relevant and Appropriate Requirements

The overall assessment of protectiveness was evaluated based on long-term effectiveness and permanence, short-term effectiveness, and compliance with Applicable or Relevant and Appropriate Requirements (ARARs). Evaluation of the overall protectiveness proved that the remedial alternative achieved adequate protection by elimination, reduction, or control of the risks posed through each pathway.

6.2 Public Notification

The City, under the guidance of DTSC completed preparation of the community awareness informational publication and notices. A copy of public notice is included with the Removal Action Workplan (References – Item 22).

6.3 State Acceptance

Direct supervision of DTSC over all aspects of the project allowed for consideration of preferences or apparent concerns by the State of California.

7.0 RISK ASSESSMENT AND FEASIBILITY STUDY

7.1 Human Health Risk Assessment

Based on the collected data and in accordance with the site characterization, COC and the source and distribution and background levels of the COC were established. A conceptual model was prepared and the various scenarios for current and future receptors for the site, their exposure pathway and duration of exposure were animated. Using Tier 1 Human Health Screening Level, the preliminary human health risk for each scenario was evaluated. The COC were reduced to carcinogenic PAHs through dermal contact and ingestion for soil and fugitive dust particles and Naphthalene as vapor phase through inhalation.

Using DTSC approved models; the human health risk for the existing site use as city hall was calculated. The cleanup criterion of PAHs as in soil, soil vapor, and dust particle is evaluated on a risk-based concentrations to mitigate exposure to carcinogen and non-carcinogen PAHs to achieve the risk levels of $<10^{-6}$ for the City employees, to $<10^{-5}$ for the City visitors, to $<10^{-5}$ for future landscapers and utility workers, to $<10^{-5}$ for offsite residents, school attendees and pedestrians.

7.2 Feasibility of Removal Alternatives

A feasibility study was conducted with the participation of the Project Team. Removal action alternatives were evaluated for their effectiveness, implementability, and cost. Given the condition of the site the risk assessment, combination of selective excavation, partial removal of the Creosote coating, coverage and fixation of treated surfaces, backfill of the excavated area, placement of vapor barrier and concrete cap was selected as the final remedial alternative and was further evaluated for compliance with the ARARs.

8.0 REMOVAL ACTION WORKPLAN

The RAW was prepared in compliance with the requirement of DTSC and recommendation of the Project Team for mitigation of PAHs bearing Creosote and Creosote contaminated materials. The RAW included a

summary site characterization, a human health risk assessment, evaluation of feasibility of the remedial options, description of the selected remedy, and the goals to be achieved by remedial action, as required by the CAH&SC §25323.1. The RAW was prepared on November 4, 2008, revised on November 7, 2008 and finalized on December 18, 2008 after approval by DTSC.

The objective of this RAW was to develop a strategy for the completion of all earthwork and construction activities that effectively mitigates the potential threat to human health associated with the presence of existing and excavated Creosote at the Site. The proposed removal action identifies the preferred remedy in terms of three evaluation criteria: effectiveness, implementation and cost. The removal action objectives were established for PAHs that are protective of human health and expected to reduce the potential for exposure to PAHs-containing material encountered at the Site.

Final Remedial Alternative 2 as described in the RAW was selected as the most viable alternative for this project. This alternative is a combination of other selected alternatives such as offsite treatment/disposal of Creosote and PAH-impacted soil, concrete, sand and vermiculite followed by backfill and compaction of the excavation pit with segregated soil, placement of a vapor barrier and a concrete cap for prevention of intrusion of vapor phase of PAHs as Naphthalene into building.

9.0 SITE REMEDIATION

Castlerock Environmental initiated the remedial action on December 22, 2008 and completed it on April 9, 2009. Integrity monitored work by Castlerock Environmental to ensure that work was in compliance with the DTSC approved RAW. The monitoring was performed in consultation and under oversight of the DTSC Project Team.

9.1 Site Preparation and Security Measures

The Site preparations and security measures, put in place at the recommendation of Integrity were enforced during the site investigation and characterization. These measures were upgraded and/or modified during the remediation phase of the project as necessary.

9.1.1 Delineation of Excavation Areas

Prior to remediation activity, the Site was divided into three (3) zones: Exclusion Zone, Contamination Reduction Zone and Support Zone. The Exclusion Zone was isolated from the rest of the Site to prevent entry of unauthorized people. The Exclusion Zone was fenced and equipped with proper signage, readable from at least 25 feet. This zone was moved as the work activities moved to cover the area known or suspected to have contaminant at concentrations exceeding the remedial goal. Individual work zones within the Exclusion Zone, where contaminated material had been excavated or stockpiled, were cordoned off prior to the initiation of remediation, and ingress and egress from these areas was controlled.

A Contamination Reduction Zone was delineated at the entrance of the Exclusion Zone to allow for removal of dust, debris and soil from equipment, transportation vehicles and personnel leaving the Exclusion Zone. Decontamination methods consisted of brushing or high-pressure washing, depending on weather conditions, during the remedial activities. The Contamination Reduction Zone was large enough to accommodate steam cleaning or pressure washing of all equipment. Personnel decontamination also took place as workers left the work zones. The location and size of the Contamination Reduction Zone for personnel changed as the Site conditions and operations dictated.

The Support Zone (i.e., safe zone) was established upwind of the Contamination Reduction Zone. All equipment and personnel entering the Support Zone were properly decontaminated prior to entering this zone. The Support Zone was set up onsite prior to the start of remedial work. This area provided for administrative and support functions (command post, first aid station, rest area, drinking facility, etc.) necessary to keep the field activities operating smoothly. Potable water and wash facilities were provided for the field personnel in this location.

Wind indicators were put up to help establish these zones. The indicators remained up and visible to all field personnel throughout the fieldwork.

9.1.2 Utility Clearance

The location of public underground utilities was marked by Underground Service Alert (USA) prior to the initiation of earthwork activities.

9.1.3 Security Measures

Integrity staff performed daily observation and documentation of remediation activities, full-shift worker and perimeter air sampling, heat stress and noise monitoring and dust emission real-time measurement. The collected data was employed to maintain health and safety of the workers, and onsite/offsite recipient by correction of the safety level and maintaining the moist condition during remediation and backfill activities around and beyond the fences of Work Areas.

Additional fencing was installed as needed to enclose the work area prior to the initiation of earthwork activities. Green or black visual shield material was installed on all new and existing chain-link fencing. Access and egress to work area was controlled via gates. The gates that provide site access to each work area were locked after working hours. Signs instructing visitors to check in at the project support area were posted at all entrances to the Site. The following signs with large letters were also posted in the Support Zone and Exclusion Zone.

WARNING **CONTAMINATED WORK AREA** **POISON** **NO SMOKING OR EATING**	**WARNING** **THIS SITE CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE TOXICITY.** **AUTHORIZED PERSONNEL ONLY**

9.1.4 Contaminant Control

Effective means of dust and erosion control were utilized to minimize the generation of dust and erosion associated with excavation activities, truck and vehicle traffic onto and off the Site and the effects of ambient wind traversing exposed soil. Engineering controls, used to mitigate dust levels and erosion were as follows:

- Misting or spraying water during soil excavation and loading of soil transportation vehicles;
- Limiting vehicle speeds to 5 miles per hour on unpaved portions of the Site;
- Covering stockpiled soil with plastic sheeting;
- Minimizing drop heights of soil during loading/unloading activities;
- Minimizing (optimizing water) used in dust control; and
- Rapid cleanup of sediments deposited on paved roadways.

9.1.5 Permits and Plans

A site improvement permit was obtained by the Building Department of the City. Based on the information provided to Integrity, an inquiry was made by Metro Builders with South Coast Air Quality Management District (SCAQMD) for permit requirement and the requirement was waived.

9.1.6 Field Documentation

During the course of the remediation, logs of the following observations were maintained for which assorted data for each category are discussed in appropriate sections of this report:

- Daily field activities;
- List of workers in the Exclusion Zones;
- Onsite meetings (Appendix D – Remediation Field Health and Safety Meeting Records);
- List of equipments and chemicals used in Exclusion Zones;
- Calibration readings of site monitoring instruments (Appendix F – Post-Remediation Air Samplers Calibration Data;
- Physical parameters (i.e. weather condition, temperature, wind velocity and direction, dust particles);
- Personnel exposure to chemicals, heat and noise; and
- Accident investigations.

9.2 Remediation Activities and Daily Oversight

Metro Builders had inadvertently excavated at Work Areas 1 and 2 and stockpiled the material at the location of the excavation. The excavated materials were subject to dispersion by gusty winds prior to Integrity's involvement on June 24, 2008. During the emergency response and site characterization phase, Integrity profiled the excavated Creosote; Creosote-containing stockpiled soil and concrete. Based on the analytical results of profiling samples, the excavated materials were segregated and transferred to the southeast corner of the Site for temporary storage.

The remedial activities were performed at six (6) isolated work areas (Work Area 1 through Work Area 6). The location, shape and dimensions of the excavated areas were not controlled by the level of soil contamination or lateral and vertical migration of the contaminant. On the contrary, the only controlling factor was the design of retrofitting plan and the area needed to be uncovered or excavated to fit the reinforcement concrete footings. Therefore, remediation at each Work Area was limited to removal and disposal of Creosote and soil, sand or vermiculite in contact with the waterproofing layer. Access for reinforcement of the building in Work Areas 1, 2, and 4 required excavations and removal of native soil around the footings of buildings, while in Work Areas 3, 5, and 6 small sections of concrete slab were cut around the reinforcing columns without encountering any soil. Two (2) layers of vermiculite and sand which separated the Creosote layer from the concrete cap were removed.

The Creosote and vermiculite waste were placed in double 10-mil polyethylene bags and stored in closed space metal container for disposal as California Hazardous Waste. Based on the analytical results of the soil in immediate contact with Creosote as well as concrete blocks in direct contact with Creosote were considered contaminated and were placed in a separate bin for disposal as California Non-hazardous Waste. The analytical results of profiling samples collected from the stockpiled soil, indicated that the concentration of carcinogenic PAHs, presented as Benzo(a)pyrene equivalent [B(a)P], was below the average background level in the area.

As discussed in site characterization and the RAW, detailed evaluation of analytical results of soil samples collected from excavation areas as well as the soil samples collected from stockpiled soil, indicated that the impact of long-term presence of Creosote on the adjacent soil was minimal and the average PAHs concentration of these soil samples is below the average background level of PAHs for the Site (as an oilfield). Lack of percolating water beneath the slab and concrete cover, and low solubility of the PAHs compounds are the contributing factors to this condition. Additionally, with the consideration of the calculated risk for the selected remedial alternative and depth to groundwater the proposed alternative of using the stockpile soil for backfill of the excavation pits was justified and with concurrence of the Project Team and approval of DTSC, this soil was later used as backfill material in excavation Work Areas 1, 2, and 4.

In each Work Area, workers constructed fencing to separate the work area Exclusion Zone, Decontamination Zone and Support Zone as well as public access areas. A three-stage decontamination facility was setup for each of these work areas. Field activities initiated by first securing each work area and placement of polyethylene sheeting for work area, waste storage area and stockpiled soil.

During these activities regular health and safety meetings were held and corrections or modifications of the health and safety issues were discussed. Work in all Work Areas was performed under EPA Modified Level B protection using Saranex™ coveralls and NIOSH-approved powered air-purifying respirators (PAPRs).

During these activities, wind velocity and airborne dust levels were recorded using a portable anemometer mounted on the fence (Appendix H – Remediation Dust Air Monitoring Real Time Measurements).

9.2.1 Work Area 1

During December, 2008, Metro Builders, Castlerock Environmental and Paramount Scaffolding workers dismantled the scaffold and removed polyethylene sheeting in Work Areas 1 and 2. The temporary enclosure was erected in July 2008.

Remediation started on December 22, 2008 and proceeded slowly due to rain through the first week of January 2009. Additional soil was excavated to uncover the remainder of footings and structures that were subject to retrofitting process. The excavated material was segregated and transferred to the temporary storage area. The exposed edges in the work area were sealed with lightweight concrete on January 15, 2009.

On January 26, 2009, accumulated rain, within the Work Area 1, was extracted by sump pump and temporarily stored in a portable 200-gallon tank. The water was used later during compaction of backfill material at the same location to maintain the soil moisture during the early stages of backfill and compaction. HAZWOPER-trained Metro Builders workers began backfilling of the excavation pit using the soil transported from the Temporary Storage Area. The backfill soil was layered and compacted at a depth of two-foot layers where each layer was individually compacted and tested. Compaction tests were performed, soil density was tested and achievement of the desired density was approved by HAZWOPER-trained Geotech or Smith-Emery technicians equipped with personal protection equipment including respiratory protection gear.

In order to control dust dispersion levels, a real-time measurement of wind velocity and dust particles were misted with water for dust suppression during loading, backfill and compaction process.

On February 27, Metro Builders workers completed the cleanup of this Work Area and prepared the topsoil. A two-inch layer of sand was placed on the topsoil; two (2) layers of 10-mil polyethylene sheets were placed on the sand as the vapor barrier and covered with another two-inch layer of sand. The vapor barrier was capped with a four-inch layer of concrete at the surface level to serve as the engineered cap per the approved RAW.

9.2.2 Work Area 2

During December, 2008, Metro Builders, Castlerock Environmental and Paramount Scaffolding workers dismantled the temporary containment and removed polyethylene sheeting in Work Areas 1 and 2. Remedial activities at Work Area 2 were performed during the last days of December 2008 and first week of January 2009. During this period, after the concrete cut and removal of sand and vermiculite, Creosote membrane was removed and placed in double 10-mil polyethylene bags and stored in the waste storage area.

A new water proofing agent was applied on the finished surfaces. In order to contain the sand and vermiculite in place, flashing plate was placed at the edge of the cut covered by the freshly applied waterproofing membrane. The Work Area perimeters were sealed with light weight concrete. Sand was placed in remaining void and vapor barrier and new reinforced concrete replaced the old concrete as the cap.

9.2.3 Work Area 3

During early December 2008, fences were constructed, to separate Work Areas 2 and 3 from other construction

On January 6, 2009, workers of Avis, a sub-contractor of Metro Builders, performed concrete slab cutting in Work Area 3. After the removal of saw-cut concrete and removal of the sand and vermiculite, Creosote membrane was removed and placed in double 10-mil polyethylene bags and stored in the waste storage area.

Metro Builders' workers performed cleaning and detailing of Work Area 3 on January 8, 2009. Waterproofing crew began work on Work Area 3 and completed the water proofing work similar to Work Area 1 on January 20, 2009. In order to contain the sand and vermiculite in place, flashing plate was placed at the edges of the cut covered by waterproofing membrane. The edges in this Work Area were sealed with light weight concrete. Sand was placed in remaining void and vapor barrier and new reinforced concrete replaced the old concrete to serve as the engineered cap, defined in RAW.

9.2.4 Work Area 4

Metro Builders' workers isolated the work area by fencing and expanding the Exclusion Zone and Contaminant Reduction zone prior to remedial activities at this location. Remediation started in mid January 2009 by uncovering the footings and concrete walls subject to retrofitting. During the scraping of Creosote, the surrounding soil surfaces were covered with polyethylene sheeting to avoid further soil contamination. Concrete cutting and removal of contamination was conducted on February 19, 2009. Creosote, vermiculite and soil in Work Area 4 were segregated following the aforementioned procedures.

On April 2 through 9, 2009; Metro Builders' workers backfilled the excavated area from soils stockpiled soil at the Temporary Storage Area. Soil was placed in layers and compacted. Compaction tests were performed, soil density was tested and achievement of the desired density was approved by HAZWOPER trained Geotech or Smith-Emery technicians equipped with personal protection equipment and respiratory protection.

Metro Builders' workers completed the cleanup of the Work Area and prepared the topsoil. A two-inch layer of sand was placed on the topsoil; two layers of 10-mil polyethylene sheets were placed on the sand as the vapor barrier and covered it with another two-inch layer of sand. The vapor barrier was capped with a four-inch layer of concrete at the surface level to serve as the engineered cap per the approved RAW.

9.2.5 Work Area 5

Metro Builders' workers isolated the work area by fencing and expanding the Exclusion Zone and Contaminant Reduction Zone prior to remedial activities at this location. Starting on January 8, 2009, Avis workers performed concrete slab cutting in Work Area 5. After the concrete cut and removal of sand and vermiculite, Creosote membrane, PAHs containing materials, and vermiculites were removed and placed in double 10-mil polyethylene bags and stored in waste storage area.

Metro Builders' workers completed cleaning and detailing of Work Area 5 on January 9, 2009. A new water proofing agent was applied on the finished surfaces similar to Work Areas 2 and 3. In order to contain the sand and vermiculite in place, flashing plate was placed at the edges of the cut covered by waterproofing membrane. The edges in this Work Area were sealed with light weight concrete. Sand was placed in remaining void and vapor barrier and new reinforced concrete replaced the old concrete to serve as the engineered cap per approved RAW.

9.2.6 Work Area 6

Metro Builders' workers isolated the work area by fencing and expanding the Exclusion Zone and Contaminant Reduction Zone prior to remedial activities at this location. Starting on January 8, 2009, Avis workers performed concrete slab cutting. After the concrete cut and removal of sand and vermiculite, Creosote membrane, PAHs containing materials, and vermiculites were removed and placed in double 10-mil polyethylene bags and stored in waste storage area.

Metro Builders' workers completed cleaning and detailing of Work Area 6 on January 14, 2009. A water proofing agent was applied on the finished surfaces similar to Work Areas 2, 3 and 5. In order to contain the sand and vermiculite in place, flashing plate was placed at the edge of the cut covered by waterproofing membrane. The edges in this Work Area were sealed with light weight concrete. Sand was placed in remaining void and vapor barrier and new reinforced concrete replaced the old concrete to serve as the engineered cap per approved RAW.

9.2.7 Additional Soil Remediation

During the unsupervised excavation in Work Area 2, dispersion of the fugitive dust particles created a new source of contamination. Refer to Figures: Sheets Wind 1 and 2 of Wind 4 – KCAHUBT116 Weather Graph for 2008, Sheet Wind 3 of Wind 4 – Wind South-Southwesterly Direction and Sheet Wind 4 of Wind 4 – Wind West-Southwesterly Direction. As illustrated, the controlling factors in locality of the settled dust are wind direction, wind velocity and configuration of the building structures. The increased velocity of the wind between the buildings onsite carries dust particles to the open area where they will settle and will be deposited as fan with the similar concept as alluvial fan after exiting from a gorge. The main portion of the settled dust created an apron southeast of the police department building. This phenomenon (illustrated in Figure: (Sheet S1 of S2 – Final Confirmation Soil Sampling Locations) as distribution pattern of B(a)P concentration with the highest concentration depicted in sample LC-1 located at the front line of the dust particle deposition fan. Although this sample was the only sample with B(a)P concentration slightly exceeding the average background levels, it triggered the requirement for a Post-Remediation surface clean-up followed by a repeated sampling event to confirm the adequacy of final surface cleanup.

The recommended surface soil sampling was performed on August 26, 2009. Presence of Benzo(a)pyrene and B(a)P equivalent at confirmation sample CS-1 at the same location of the original surface sample LC-1 (refer to Section 4.6 of this report) required additional soil sampling to delineate the lateral and vertical extent of the impact on shallow soil at this location. Based on the results for the samples collected on November 16, 2009; additional soil remediation became necessary for shallow impacted soil and as the result of dust dispersion.

An addendum to the approved RAW for the soil remediation at the subject locality was discussed with the Project Team, presented to DTSC and approved by DTSC on December 9, 2009 (References – Item 23). A copy of addendum to the approved RAW as well as DTSC acceptance is presented in Appendix M - Status of Remediation Actions Report.

Under direct supervision of DTSC, as observed and documented by Integrity, remediation of shallow soil at this location stared on January 11, 2010. The limits of excavation area were marked on the ground. During an onsite meeting, the scope of work and health and safety issues were presented to and discussed with Castlerock Environmental personnel. Perimeter of the excavation area was covered by polyethylene sheeting to prevent further distribution of soil and dust. Using a Bobcat™, the upper six-inches of impacted soil at this location was stripped placed in four (4) 55-gallon DOT-approved drums and covered bin. The drums were then labeled and manifested with generator and site information, content, date and nature of contamination, and transported to chemical waste treatment facility in Kettleman City, California under proper manifestation.

9.3 Disposal of Contaminated Material

The waste material generated during the investigation, excavation, remediation, capping and subsequent to remediation clean-up phases were segregated, bagged and placed in secure storage bins. Additionally, used or disposable contaminated protective clothing were properly collected, bagged and placed in secure storage bins. Based on adequate profiling analyses, the wastes were categorized and transported to appropriate disposal facilities following the manifestation process. Approximately 247 cubic yards of Creosote, Creosote containing material, and impacted or contaminated material, 11, 55-gallon drums containing contaminated soil and decontamination water were transported by BDC Services with fully executed waste manifests to Chemical Waste Management - KFH, in Kettleman City, California. A list of waste manifests used to transport off site is present in Table 11 – Hazardous Waste Material Summary. Waste manifests are presented in Appendix L – Non-RCRA Hazardous Waste Transportation Manifests.

9.4 Dust Emissions and Control

Dust emissions real-time airborne concentrations were recorded using a direct reading instrument during the period of December 10, 2008 through April 9, 2009. The criterion of airborne dust emissions is 5.0 milligram per cubic meter (mg/m^3) above which dust suppression measures must be vigorously instituted. During remediation airborne dust monitoring (on December 30, 2008 through April 9, 2009), the measured dust emission registered a maximum spot reading of 3.84 mg/m^3 and maximum daily average of 0.439 mg/m^3. These readings were below 5.0 mg/m^3, trigger point for dust suppression measures. The recorded readings are presented in Appendix H – Remediation Dust Air Monitoring Real Time Measurements.

9.5 Personal and Perimeter Air Sampling

9.5.1 Regulatory and Consensus Exposure Limits

Workers exposure was evaluated as the total concentration of particulate and vapor phases of 16 PAHs with the following exposure limits as described in DTSC-approved Site Sampling Plan (Progress Report-1):

- Cal/OSHA Permissible Exposure Limit (PEL) = 200 $\mu g/m^3$
- NIOSH Recommended Exposure Limit (REL) = 100 $\mu g/m^3$
- ACGIH Threshold Limit Value (TLV) = 200 $\mu g/m^3$

9.5.2 Air Sampling Method

Air sampling was conducted in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 5515, using SKC™ low-flow (1-5 LPM) air sampling pumps or equivalent equipped with laboratory-provided filter/sorbent media (37-mm PTFE/XAD-2).

Worker personal samples were collected at two (2) liter per minute (LPM) for a total sample time of approximately eight (8) hours. Furthermore, two (2) area samples were collected concurrently at two (2) LPM in the Exclusion Zones for approximately eight (8) hours. Each personal sampling pump was calibrated before and after sampling using Bios DryCal® primary calibrator with a calibration filter-sorbent tube in line two (2) LPM.

Laboratory reports and chain-of-custody records are presented in Appendix I – Personal and Perimeter Air Sampling Data.

9.5.3 Personal Time-Weighted Average Airborne Concentrations

Personal air sampling was conducted during the period of December 30, 2008 and April 9, 2009. A total of 41 personal air samples were collected during this period. Personal air sampling was conducted during remediation work in Work Area 1 through Work Area 6, trailer staging area and transport of soil from trailer staging area to Work Areas 1, 2 and 4.

Laboratory analytical results as eight (8)-hours Time Weighted Averages (TWA) of the sum of PAHs for workers breathing zone air samples indicated that worker exposures to PAHs had a range of not detected – 20.15 $\mu g/m^3$, well below (10-200 times lower than) regulatory and consensus exposure limits. Regardless of the relatively low level worker exposures, workers were required to use respiratory protection and body protective coveralls.

Summary of sampling results are presented in Table 1 – Summary of Personal and Perimeter Air Sampling Results as TWA.

9.5.4 Perimeter Time-Weighted Average Airborne Concentrations

Perimeter air sampling was conducted during the period of December 30, 2008 and April 9, 2009. A total of 31 perimeter air samples were collected during that period. Perimeter air sampling was conducted during remediation work in Work Area 1 through Work Area 6 and trailer staging area.

The laboratory analytical results as eight (8)-hours TWA of the sum of PAHs from the filters and sorbent tubes for perimeter area air samples indicated that the PAH emissions to nearby buildings and outdoor had a range of not detected – 0.49 µg/m³, well below (more than 200 times lower) than regulatory and consensus exposure limits.

Summary of sampling results are presented in Table 1 – Summary of Personal and Perimeter Air Sampling Results as TWA.

9.6 Noise Measurements and Hearing Conservation

Noise measurements were performed on as-needed bases during the period of December 30, 2008 through April 9, 2009 in compliance with Federal OSHA Occupational Noise Exposure Standard (29 CFR 1910.95) and Cal/OSHA Occupational Noise Standard (8 CCR 5095-5100) and the HASP requirements. The Action Level is 85 decibel A-weighted (dBA) and the PELs are shown in the table:

Duration per day (hours)	Sound level slow response (dBA)
8	90
6	92
4	95
3	97
2	100
1 ½	102
1	105
½	110
¼	115

The source of the noise was concrete slab cutting and other noise causing construction activities in Work Areas 1 through 6. Noise measurements were performed using a hand held Quest™ Type 2 Sound Level Meter which was calibrated prior to use. Recorded noise levels in some instances exceeded 100 dBA. This necessitated that workers performing remediation work use hearing protection in the form of foam type ear plugs with sufficient Noise Reduction Rating (NRR) to reduce noise levels below 85 dBA.

9.7 Heat Stress Management

Heat stress measurements were performed on as-needed bases during the period of December 30, 2008 through April 9, 2009 in compliance with Cal/OSHA Heat Illness Prevention (8 CCR 3395) and the HASP requirements. Heat illness is a serious matter that cannot be ignored. Every year there are many serious injuries including death as a result of heat stress related conditions. Having the tools to monitor, track and take preventative measures is a key to addressing what some consider a difficult problem to identify.

Thermal load of the human body sensed in a room or outdoors is significantly influenced by four (4) environmental characteristics: air temperature, humidity, radiant heat, and wind speed. The Wet Bulb Globe Temperature (WBGT) Index combines three (3) thermal factors; humidity, radiant heat and ambient temperature in single indicator of heat stress called the WBGT Index. The WBGT Index is commonly used as a guide for environmental heat stress measurements to prevent heat stress during work in hot environments. The WBGT Index measurements were recorded using Reuter-Stokes™ WBGT meter. WBGT meter recorded readings were in excess of 80°F. The guidance for WBGT data application is provided by the American Conference of Governmental Industrial Hygienists (ACGIH) documented in the *Threshold Limit Values for Chemical Substances and Chemical Agents and Biological Exposure Indices*, 2006. ACGIH indicated that for the use of air tight protective garment, e.g. Saranex™, the WBGT reading is adjusted by adding 20°F which would raise that high WBGT reading to 100°F or higher. As a result workers were given more breaks than normal to replenish fluids and ensure enough cooling which prevented the development of the serious heat stress symptoms and conditions.

9.8 Chemical Use and Material Safety Data Sheets

Material safety data sheets (MSDSs) were obtained by Integrity in compliance with Federal OSHA (29 CFR 1926.59) and Cal/OSHA (8 CCR 5194) - *Hazard Communication Standard* and the HASP requirements. MSDSs for the following substances were obtained from the manufactures and/or sellers of the materials:

- High strength epoxy adhesive and Methacrylate resin and hardener for application on rebar and concrete;
- Monolithic membrane 6125 rubberized asphalt;
- Monolithic membrane 6125 surface conditioner; and
- Hydroflex 30 Protection Course and Hydrodrain Pre-Fabricated Drainage Material for application as water proofing sealant on cut concrete in Work Areas 1-6.

These MSDSs were used as an awareness training tool for workers that were involved in the application of the materials in an effort to prescribe the appropriate level of worker protection and prevent unnecessary exposures and injuries. (Appendix E – Remediation Material Safety Data Sheets for Site Chemicals).

9.9 Accident and Injury Investigations and Safety Violations

Integrity performed accident and injury investigation during the period of December 30, 2008 through April 9, 2009 in compliance with Cal/OSHA (8 CCR 3203) - *Injury and Illness Prevention Program Standard* and the HASP requirements. Integrity investigated the following situations:

- Injury of one (1) of Metro Builders workers sustaining skin burns from the application of a corrosive epoxy resin materials to rebar in the basement;
- Avis, concrete cutting subcontractor, workers were observed jack hammering without the proper personal protective equipment including steel toe shoes, leg guards, face shields, ear plugs, coverall and hard hats; and
- Foot injury of one (1) of the Avis workers resulting from the jackhammer slipping from horizontal use position onto his foot and bruising and cutting of skin, flesh and bone and requiring medical attention and release from concrete cutting.

The above-referenced accident reports are presented in Appendix G – Remediation Injury and Illness Investigation Reports.

10.0 POST-REMEDIATION SAMPLING METHODOLOGY

10.1 Sampling Dates

Post-remediation sampling took place during the following dates in August through November 2009:

- There was no remediation activities for the month of August 2009;
- The site was inspected on August 11, 2009 by the HASP - Health and Safety Director and a representative of the City in preparation for the post-remediation sampling;
- A follow up site inspection was carried on August 20, 2009 to ensure adequate preparation and detailing of work areas for post-remediation sampling;
- Post-remediation indoor and outdoor wipe sampling was performed by Integrity on August 25, 2009;
- Post-remediation indoor and outdoor air sampling for PAHs was performed by Integrity on August 26, 2009;
- Post-remediation indoor and outdoor air sampling for Naphthalene and Methylnaphthalene was performed by Integrity on August 27, 2009;
- Post-remediation indoor and outdoor air sampling for VOCs was performed by Integrity on August 28, 2009;
- Surface soil confirmation sampling was performed on August 26, 2009; and
- Additional soil confirmation samples, to delineate the lateral and vertical extent of the impact on shallow soil, were collected on November 16, 2009.

10.2 Sampling Documentation

The Site post-remediation sampling methodology describes data collection, reports and documents generated by Integrity in the conduct of this project in ascending chronological order as follows:

- Pre-sampling site and sampling preparation;
- Outdoor and indoor surface wipe sampling;
- Outdoor and indoor ambient air sampling; and
- Shallow soil sampling.

Photographic documentation of sample locations is presented in Appendix J – Post-Remediation Sampling Photographic Documentation.

Outdoor and indoor air sampling locations are presented in Figure: Sheet A1 – Sheet A13; Post-remediation Outdoor and Indoor Air Sampling Locations.

Surface soil sampling locations are presented in Figure: Sheet S1 – Sheet S1 – Sheet S1 of S2; Final Confirmation Soil Sampling Locations.

Analytical laboratory data and chain-of-custody documentation are presented in Appendix K – Post-Remediation Analytical Laboratory Data.

10.3 Pre-Sampling Site Detailing and Sampling Preparation

Integrity generated checklists for site detailing in preparation for Post-Remediation sampling as follows:

- April 8, 2009 – a site walk-through was performed by the HASP Health and Safety Director and progress of remediation and construction work visually observed. A checklist was generated to secure the regulated areas especially Work Areas 1 and 4 and the Staging Area in anticipation of the final cleanup and Post-Remediation sampling. Securing the work areas included the removal of construction debris and loose soil from surfaces, and covering work areas with plastic sheeting and securing entrances to the building. Construction work including carpentry, iron work and concrete work continued during the period of April through August 2009, which did not allow a final cleanup in preparation for post-remediation sampling.
- July 29, 2009 – Integrity Professional Geologist inspected the site on July 29, 2009 and indicated that all is fine with Work Areas 1 through 6 and the Trailer Staging Area still contains the 55-gallon drum containing decontamination water.
- August 11, 2009 – a walkthrough of the construction site was carried out jointly by the HASP Health and Safety Director and the City representative. It was noted that Work Areas 1 through 6 needed removal of large debris and general cleanup to expose the existing slabs and prepare it for the wipe sampling. The Staging Area and stairs needed removal of the clean sand and used black sandblasting sand from the steps, wood and fences and perform a thorough cleaning and washing of steps. The Trailer Staging Area needed removal of remnants of the stored soil used as fill in the area in front of the entrance facing the Council Chambers. Once the soil was removed the area needs general cleanup followed by water and steam cleaning to restore to original form. It was decided that another site walk-through be performed to ensure the site is readied for post-remediation sampling.
- August 20, 2009 – a final walkthrough of the construction site was carried out jointly by the HASP Health and Safety Director and the City representative in which a great deal of progress of cleanup and detailing was observed in Work Areas 1 through 6, the Staging Area and stairs and the Trailer Staging Area. However, some cleaning and detailing remained to be completed. The City representative indicated that since there would be no construction activities at the present, Metro Builders would perform the final cleaning and detailing on August 22, 2009. The City representative further indicated the City representative would visually inspect the site to ensure it was cleaned and detailed thoroughly on August 24, 2009. As a result post-remediation sampling was scheduled for August 25, 2009.

10.4 Indoor and Outdoor Air Sampling

To evaluate the impact of construction activity and establishing background condition of the quality of indoor and outdoor air, Integrity prepared a workplan and obtained the approval of DTSC to collect air samples from various locations of the Site for the measurements of VOCs and PAHs concentrations.

10.4.1 Volatile Organic Compounds Air Sampling Method

VOCs sampling was performed in accordance with EPA Method TO-15 as follows:

- Sampling was performed at five (5) outdoor locations on August 28, 2009. The locations were east behind the Police Building, west near the Council Chambers, Work Area 1, Work Area 2 and Work Area 6. Sampling was observed by DTSC;
- Pre-cleaned and pre-tested Summa canister with six (6) liters capacity, supplied by Columbia Analytical were utilized during the sampling;
- The Summa canisters were individually fitted with an analogue gauge and flow controller restricting the air flow to draw an approximately an 8-hours time-weighted average sample;
- The canisters were positioned in the specified locations and the air flow controller inlet into the canisters was about five (5) feet above ground and collected air for a period of 8-9 hours. Locations of the samples and trip blank were photographically documented; and
- At the end of the day, the canisters were collected, valves shut, capped and submitted with trip blank and a chain-of-custody record to Columbia Analytical on August 31, 2009 for analysis in accordance with Method TO-15 on August 31, 2009.

The analytical results of Post-Remediation air sampling for VOCs are summarized in Table 2 – Summary of Outdoor and Indoor Air Sampling for VOCs.

10.4.2 Polycyclic Aromatic Hydrocarbons Air Sampling Method

PAHs sampling was conducted in accordance with EPA Method TO-13A as follows:

- Sampling was conducted at five (5) outdoor locations and 15 indoor locations in the Police Building, Administrative Building, Development Building and Council Chambers on August 26, 2009. The sampling was observed by Mr. Safouh Sayed, Project Manager for DTSC;
- Method TO-13A was modified to utilize low air flow rate filter and sorbent PUF/XAD-2 media glass tubes. The filter and sorbent tubes were prepared with XAD-2 sandwiched between layers of PUF;
- The PUF/XAD-2 glass tubes were prepared at Columbia Analytical and cleaned in solvent and vacuum dried in mid-August 2009 and received by Integrity onsite on August 25, 2009;
- SKC® programmable air sampling suction pumps were used in this sampling and pre-sampling calibrated with manufacturer certified DryCal®, a primary electronic calibrator, at approximately three (3) liters per minute using a PUF/XAD-2 tube designated for calibration connected in series using rubber tubing on August 26, 2009;
- The calibrated pumps were connected to the PUF/XAD-2 media tubes using 5-foot long Teflon tubing and were distributed at the 20 outdoor and indoor sampling locations;
- The PUF/XAD-2 tubes were removed from the capped protective jars and the bubble wrap and aluminum foil wrap removed and attached to each pump at the location of the sample and pumps were started;
- The height of the PUF/XAD-2 tubes was approximately the level of the average breathing zone of a normal adult;
- Two (2) PUF/XAD-2 media tubes were used as field blanks. The two tubes were opened and passively aired for 30 seconds and sealed;
- Prior to the start of each sample, sampling trains were tested for leakage by simply pinching the tubing of each train and if the pump stopped that indicated no leakage. All the sampling trains passed the leakage test;
- The sampling trains were monitored to ensure continuous and uninterrupted operation, and samples were run for 458 to 516 minutes depending on the sample. The sampling trains and locations were photographically documented. None of the 20 air sampling pumps malfunctioned during this sampling;

- The sampling trains were stopped at the end of the day and stoppage time was noted although all of the pumps have digital indicators of sampling time;
- The PUF/XAD-2 media tubes were collected individually and wrapped in aluminum foil and bubble wrap, placed in separate jars and firmly capped and identification number assigned to each sample;
- The samples were preserved in a cooler and chilled using sufficient number of blue ice packages until picked up by Columbia Analytical;
- Post sampling pump calibration were conducted in a similar fashion to pre-sampling calibration using the DryCal® calibrator. By averaging the pre and post sampling flow rates for each sample and utilizing the time of sampling for each sample, the volume of air passed through each PUF/XAD-2 tube was calculated and air volume data provided to Columbia Analytical; and
- At the end of the day, the samples and field blanks were submitted with chain-of-custody records to Columbia Analytical for analysis in accordance with EPA Method TO-13A.

The results of Post-Remediation air sampling for PAHs are summarized in Table 3 – Summary of Outdoor and Indoor Air Sampling for PAHs.

10.4.3 Naphthalene and 2-Methylnaphthalene Air Sampling Method

Naphthalene and 2-Methylnaphthalene sampling was conducted in accordance with EPA Method TO-17 as follows:

- Sampling was conducted at five (5) outdoor locations and 15 indoor locations in the Police and Administrative Buildings, Development Building and Council Chambers on August 27, 2009;
- Tenax® sorbent stainless steel tubes with 6-millimeter outside diameter were prepared and purge dried at Columbia Analytical in mid-August 2009 and received by Integrity on August 25, 2009;
- SKC® programmable air sampling pumps were used in this sampling and pre-sampling calibrated with DryCal® calibrator at less than 100 milliliter per minute using a Tenax® sorbent tube designated for calibration and air flow adapter connected in series using rubber tubing on August 27, 2009;
- The Tenax® sorbent tubes were removed from the protective plastic housing and the tightly screwed caps at both ends unscrewed and removed and attached to sampling pumps and start times were noted for each pump;
- The height of the Tenax® sorbent tubes was the level of the average breathing zone of an average worker;
- Two (2) Tenax® sorbent tubes were used as field blanks. The two tubes were opened and passively aired for 30 seconds and sealed;
- Sampling trains were tested for leakage by simply pinching the tubing of each train and if the pump stopped that indicated no leakage. All the sampling trains passed the leakage test;
- Each of 20 calibrated pumps was connected to one (1) Tenax® sorbent tube using 5-foot long Teflon tubing and distributed at five (5) outdoor and 15 indoor sampling locations;
- The height of the Tenax® sorbent tubes was approximately the level of the average breathing zone of a normal adult;
- The sampling trains were monitored to ensure continuous and uninterrupted operation, and samples were run for 436 510 minutes depending on the sample. Air sampling pumps for samples AI-3B, AI-6B, AI-8B and AI-15B malfunctioned during the sampling period and quickly were replaced with freshly charged and calibrated pumps with sampling time self-recorded and noted for all pumps;
- The sampling trains were stopped at the end of sampling and stoppage time was noted although all of the pumps have digital indicators of sampling time;
- The Tenax® sorbent tubes were collected individually and both ends screw sealed, placed into a plastic holder and identification number assigned to each sample;
- The samples were preserved in a cooler and chilled using sufficient number of blue-ice packets prior to pickup by the laboratory;
- The pumps were post sampling calibrated in a similar fashion to pre-sampling calibration using the DryCal® calibrator. By averaging the pre- and post sampling flow rates for each sample and utilizing the time of sampling for each sample, the volume of air passed through each Tenax® sorbent tube was calculated and air volume data provided to Columbia Analytical; and
- At the end of the day, the samples and field blanks were submitted with chain-of-custody records to

Columbia Analytical for analysis in accordance with Method TO-17.

The results of Post-Remediation air sampling for Naphthalene and 2-Methylnaphthalene are summarized in Table 4 – Summary of Outdoor and Indoor Air Sampling for Naphthalene and 2-Methylnaphthalene.

10.5 Indoor and Outdoor Surface Wipe Sampling

Wipe sampling was conducted in accordance with ASTM Method D-6661-01: *Practice for Collection of Organic Compounds from Surfaces Using Wipe Sampling*, as follows:

- Wipe sampling was performed on August 25, 2009 using two (2) 100-square centimeters side-by-side wipe sampling areas;
- The side-by-side sampling areas were marked off using 100-square centimeters paper templates precisely adhered to the wipe area and utilized only once and discarded;
- The sampling media consisted of square gauze wipes prepared and cleaned by American Testing Laboratory prior to the sampling day. The gauze measured approximately 3-inches square in size and wetted either in two (2) milliliters of de-ionized water or n-hexane in 100-milliliters capped jars;
- The purpose of the two (2) different side-by-side wipes was to analyze the wipes wetted with n-hexane using EPA Method 8270C for SVOCs and the wipes wetted with de-ionized water using EPA Method 8310 for PAHs;
- Side-by-side wipe sampling was performed at 25 indoor locations in the Police Building, Administrative Building, Development Building and Council Chambers;
- Side-by-side wipe sampling was performed at 25 outdoor locations inside and outside Work Areas 1 through 6;
- One (1) sampling location was wiped using de-ionized water wetted gauze and the other wiped with hexane wetted gauze. Two (2) separate tweezers were used to handle the two (2) different gauzes out of their respective jars, to perform the wipe action and place the wipe back into the jar. Nitrile® gloves were used between wipes to prevent cross contamination and the gauzes were never handled by hand during the wiping process;
- Wipe motion consisted of gently wiping each square horizontally once and perpendicularly once using the same wipe;
- After the wipe of each square was completed, the gauze was inserted back into the respective jar using the tweezers and capped, and wipes from each location were labeled with sample number;
- The samples were preserved and chilled in a cooler with sufficient number of blue ice packages and submitted with chain-of-custody records to American Testing Laboratory at the end of the sampling day for analysis; and
- Unused Hexane-wetted gauzes and de-ionized water wetted gauzes from the same sampling batches were selected by American Testing Laboratory as field blanks for analysis.

The results of Post-Remediation outdoor wipe sampling for SVOCs are summarized in Table 5 – Summary of Outdoor and Indoor Wipe Sampling for SVOCs.

The results of Post-Remediation indoor wipe sampling for SVOCs are summarized in Table 6 – Summary of Indoor Wipe Sampling for SVOCs.

The results of Post-Remediation outdoor wipe sampling for PAHs are summarized in Table 7 – Summary of Outdoor Wipe Sampling for PAHs.

The results of Post-Remediation indoor wipe sampling for PAHs are summarized in Table 8 – Summary of Indoor Wipe Sampling for PAHs.

10.6 Confirmation Shallow Soil Sampling

10.6.1 Rationale for Confirmation Shallow Soil Sampling

Dust particles generated during the original uncontrolled excavation and transportation of PAH-impacted material was depicted during the investigation phase of the project. Based on the average wind data for

2008 and early 2009, the general direction of wind in the City of Huntington Beach is south-southwest to west-southwest with an average velocity of five (5) kilometer per hour.

Special configurations of the Site structures with respect to the shape and height aspects of the structures, created an air corridor through which the accelerated wind speed became a major factor in carrying airborne particles. These particles were deposited in the open area after they had lost their initial speed.

As demonstrated in Figures (Sheet Wind 3 of Wind 4 – Wind South-Southwesterly Direction and Sheet Wind 4 of Wind 4 – Wind West-Southwesterly Direction), a slight change in the direction of wind from west-southwest to south-southwest can change the direction of channeled wind through the air corridor. The PAHs distribution map (Sheet S2 of S2 – PAHs Distribution Map), prepared based on the surface soil samples collected during the investigation phase of the project, further supports this phenomena.

Less frequent south-southwest wind was responsible for the small deposit area as depicted on the north of the Administration Building. However, the more frequent west-southwest wind generated the deposit detected on the east of the Police Department building.

Routine site sweeping and cleaning of hard surfaces and paved areas at the Site has clearly reduced the amount of dust deposits. It should be noted that cleaning of some hard surfaces was performed by the use of vacuum cleaners equipped with HEPA-filters and wet wiping. In the landscaped area, dust from leaves and green areas were lifted and collected using HEPA-filter vacuum cleaners.

Surface soil confirmation sampling was intended for demonstrating the effectiveness of cleanup activities at the location(s) where dust particles had deposited.

Two (2) soil samples were collected where elevated concentration of PAHs had been reported in an area north of the Administration building. Six (6) soil samples were collected from an area immediately south and southwest of the Council Chamber auditorium. Sampling methodology used for soil sampling was similar to the sampling methodology during the original site investigation.

The results of confirmation soil sampling Post-Remediation indoor wipe sampling for PAHs are summarized in Table 9 – Summary of Confirmation Shallow Soil Sampling.

10.6.2 Confirmation of Shallow Soil Sampling Procedures

Representative soil surface sampling location selected from a relatively open area. Integrity marked the sampling location with gardening flags. No paint or other chemicals used to mark the sampling locations. Shallow soil samples CS-1 through CS-7 were collected on August 26, 2009 from seven (7) locations. Benzo(a)pyrene equivalent soil concentrations of •1.0 mg/kg had been reported in this area. Army Corps of Engineers and DTSC recommended shallow soil sampling protocol for shallow (upper one-inch) surface soil sampling was followed during the collection of these samples.

Clean and decontaminated sampling tools consisting of gardening knife and trowel, were placed on plastic sheeting. An area of 25-square inch of undisturbed soil with no vegetation was selected. Using gardening knife, the perimeter of a selected area was cut to the recommended depth of one (1) inch (recommended by Army Corps of Engineers). Using a clean and decontaminated trowel the upper one (1) inch of the soil was collected from the sampling location and placed in unused four (4) Ounce glass jars that had been provided by American Testing Laboratory. Following sample retrieval, the glass jars were sealed with a plastic lid, labeled with the sample identifications, date and time of sampling and project number, and immediately placed into a Ziploc® bag and into a chilled ice chest using frozen blue ice. American Testing Laboratory provided a courier to transport the samples on August 26, 2009. Chain-of custody record was produced and a request was made to analyze the samples for PAHs content using EPA Method 8310.

10.6.3 Disposal of Decontamination Liquid

Prior to use and between sampling all the sampling tools were washed in a non-phosphate cleanser solution, rinsed with tap water, and then rinsed with distilled water. All waste effluent generated during this

investigation (decontamination fluids) were sealed in a 55-gallons steel drum that meet Department of Transportation standards for hazardous material transport. The drum was labeled with the date of waste generation, type of waste, site and project name, and the name and phone number of the project manager. The drum was then placed in waste disposal area and since has been removed from the site.

11.0 POST-REMEDIATION SAMPLING RESULTS AND DISCUSSION

Integrity obtained analytical results of the wipe and soil samples on September 10 and 11, 2009 and analytical results for the air samples on September 15 and16, 2009. Summary of our findings are described below.

11.1 Outdoor Air Sampling

11.1.1 Volatile Organic Compounds

Laboratory analytical results for the five (5) outdoor air samples, trip blank and method blank are presented in Table 2 – Summary of Outdoor and Indoor Air Sampling for VOCs. Analytical results are indicative of relatively insignificant low concentrations of detected VOCs. The concentration of the VOCs detected in the outdoor air samples are presented as follows:

- Propane was detected with a concentration range of 1.3-3.4 µg/m^3 in the five (5) samples;
- Dichlorodifluoromethane was detected with a concentration range of 2.8-2.9 µg/m^3 in the five (5) samples;
- Ethanol was detected with a concentrations range of 1.5-15 µg/m^3 in the five (5) samples;
- Acrolein was detected with a concentration range of 1.4-5.9 µg/m^3 in the five (5) samples;
- Acetone was detected with a concentration range of 33-65 µg/m^3 in the five (5) samples and 7.0 µg/m^3 in trip blank;
- Trichlorofluoromethane was detected with a concentration range of 1.4-1.5 µg/m^3 in the five (5) samples;
- 2-Propanol was detected with a concentration range of 2.1-3.5 µg/m^3 in the five (5) samples;
- Vinyl Acetate was detected with a concentration of 8.8 µg/m^3 in sample AO-1C;
- 2-Butanone (MEK) was detected with a concentration of 3.0-10 µg/m^3 in the five (5) samples and 0.90 µg/m^3 in trip blank;
- Ethyl Acetate was detected with a concentration range of 2.6-4.8 µg/m^3 in the five (5) samples;
- n-Hexane was detected with a concentration range of 1.7-1.9 µg/m^3 in the five (5) samples;
- Benzene was detected with a concentration range of 0.87-1.0 µg/m^3 in the five (5) samples;
- Toluene was detected with a concentration range of 3.2-7.0 µg/m^3 in the five (5) samples;
- Ethylbenzene was detected with a concentration range of 1.1-2.1 µg/m^3 in samples AO-1C and AO-5C;
- m, p-Xylenes were detected with a concentration range of 2.0-3.1 µg/m^3 in the five (5) samples;
- o-Xylene was detected with a concentration range of 0.78-0.96 µg/m^3 in four (4) of the five (5) samples;
- n-Heptane was detected at a concentration of 0.86 µg/m^3 in sample AO-3C;
- Styrene was detected at a concentration of 0.89 µg/m^3 in sample AO-3C and 0.83 µg/m^3 in trip blank;
- Naphthalene was detected at a concentration of 0.89 µg/m^3 in sample AO-3C;
- 4-Methyl-2-Pentanone was detected at a concentration of 0.92 µg/m^3 in sample AO-5C; and
- 2-Hexanone was detected at a concentration of 3.4 µg/m^3 in sample AO-5C.

Dichlorodifluoromethane, Ethanol, Acetone, Trichlorofluoromethane, 2-Butanone, n-Hexane and Toluene were the only VOCs detected in the outdoor air samples, collected on October 8, 2008. These VOCs were not a part of COC established for the Site and the low concentration level of these VOCs may have been related to exposure to non-site related chemicals.

11.1.2 Polycyclic Aromatic Hydrocarbons

Analytical results for the five (5) outdoor air samples and blanks are presented in Table 3 – Summary of Outdoor and Indoor Air Sampling for PAHs. Analytical results for the five (5) outdoor air samples revealed concentrations of 16 target PAHs to be not detected above their respective method reporting limits (MRLs).

11.1.3 Naphthalene and 2-Methylnaphthalene

Laboratory analytical results for the five (5) outdoor air samples and blanks are presented in Table 4 – Summary of Outdoor and Indoor Air Sampling for Naphthalene and 2-Methylnaphthalene. Analytical results for the five (5) outdoor air samples revealed concentrations of Naphthalene and 2-Methylnaphthalene was detected above their respective MRLs as follows:

- Naphthalene was detected with a concentration range of 0.096-0.12 µg/m^3 in the five (5) samples;
- 2-Methylnaphthalene was detected at a concentration of 0.047 µg/m^3 in sample AO-3B only; and
- Naphthalene and 2-Methylnaphthalene were not detected above their respective MRLs in the field blanks or the method blanks.

Naphthalene and 2-Methylnaphthalene were not detected above their respective MRLs in the Pre-Remediation outdoor air samples for these two (2) compounds.

11.2 Indoor Air Sampling

11.2.1 Polycyclic Aromatic Hydrocarbons

Analytical results for 15 indoor air samples and blanks are presented in Table 3 – Summary of Outdoor and Indoor Air Sampling for PAHs. Analytical results for the 15 indoor air samples revealed concentrations of 16 target PAHs not detected above their respective MRLs. The PAHs non-detectable concentrations are well below the Benchmark of 0.2 µg/m^3 established for indoor air in the approved Site Sampling Plan.

11.2.2 Naphthalene and 2-Methylnaphthalene

Laboratory analytical results for 15 indoor air samples and blanks are presented in Table 4 – Summary of Outdoor and Indoor. Analytical results for 15 indoor air samples revealed concentrations of Naphthalene and 2-Methylnaphthalene detected above their respective MRLs as follows:

- Sample AI-9B was voided during the analytical process by Columbia Analytical due to an instrument malfunction;
- Naphthalene was detected with a concentration range of 0.18-0.97 µg/m^3 in the 14 samples;
- 2-Methylnaphthalene was detected at a concentration of 0.043-0.68 µg/m^3 in the 14 samples; and
- Naphthalene and 2-Methylnaphthalene were not detected above their respective MRLs in the field blanks or the method blanks.

Naphthalene and 2-Methylnaphthalene were not detected above their respective MRLs in the Pre-Remediation indoor air sampling for these two (2) compounds.

The detectable Naphthalene and 2-Methylnaphthalene concentrations are above the California Human Health Screening Level (CHHSL) of 0.120 µg/m^3 for Naphthalene in indoor air for commercial and industrial land use used as the benchmark in this project. This is an unrealistic benchmark to attain given the fact that the detected Naphthalene and 2-Methylnaphthalene levels are similar to levels or lower for these two (2) compounds in indoor air of residential and office settings of other cities in the United States, as reported by the Agency for Toxic Substances and Disease Registry (ATSDR) (Public Health Statement-Naphthalene, 1-Methylnaphthalnene and 2-Methylnaphthalene, August 2005) and EPA (Health Effects Support Document for Naphthalene, EPA 822-R-03-005, February 2003).

There are no regulations or advisories for 2-Methylnaphthalene.

11.3 Outdoor Wipe Sampling

11.3.1 Semi-Volatile Organic Compounds

Analytical results for 25 outdoor wipe samples and blanks are presented in Table 5 – Summary of Outdoor Wipe Sampling for SVOCs. Analytical results for the outdoor wipe samples revealed SVOCs were not detected above their respective Method Detection Limits (MDL) except for the following sample(s):

- Analytical results for the outdoor wipe sample WO-9B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC detected between the MDL and Practical Quantitation Limit (PQL) at 522J µg/m^2;
- Analytical results for the outdoor wipe sample WO-9B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC detected at 117,000 µg/m^2;
- Analytical results for the outdoor wipe sample WO-9B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC detected between the MDL and PQL at 698 µg/m^2;
- Analytical results for the outdoor wipe sample WO-15B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC detected at 4,220 µg/m^2;
- Analytical results for the outdoor wipe sample WO-20B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC detected at 2,280 µg/m^2;
- Analytical results for the outdoor wipe sample WO-21B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC detected at 12,000 µg/m^2;
- Analytical results for the outdoor wipe sample WO-22B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC detected between the MDL and PQL at 780 µg/m^2;
- Analytical results for the outdoor wipe sample WO-24B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC at 1,290 µg/m^2; and
- Analytical results for the outdoor wipe sample WO-25B indicated that Bis (2-Ethylhexyl) Phthalate was the only SVOC at 32,200 µg/m^2.

11.3.2 Polycyclic Aromatic Hydrocarbons

Analytical results for 25 outdoor wipe samples and blanks are presented in Table 7 – Summary of Outdoor Wipe Sampling for PAHs. Analytical results for the outdoor wipe samples revealed PAHs maximum concentrations above their respective method detection limits (MDLs) as follows:

- Benzo(g,h,i)pyrelene with maximum concentration of 10.9 µg/m^2 was detected in sample WO-20A;
- Fluoranthene with a maximum concentration of 38.9 µg/m^2 was detected in sample WO-8A;
- Pyrene with a maximum concentration of 35.6 µg/m^2 was detected in sample WO-8A;
- Benzo(a)pyrene with maximum concentration of 12.8 µg/m^2 was detected in sample WO-8A;
- Benzo(b)fluoranthene with maximum concentration of 9.87 µg/m^2 was detected in sample WO-20A;
- Benzo(k)fluoranthene with maximum concentration of 7.66 µg/m^2 was detected in sample WO-8A;
- Indeno(1,2,3-cd)pyrene with maximum concentration of 10.4 µg/m^2 was detected sample WO-8A; and
- The maximum total PAHs was 121.5 µg/m^2 in sample AO-8A.

The total PAHs concentrations for each of the samples were below the benchmark of 150 µg/m^2 established for outdoor hard surfaces in the approved Site Sampling Plan.

11.4 Indoor Wipe Sampling

11.4.1 Semi-Volatile Organic Compounds

Analytical results for 25 indoor SVOCs wipe samples and blanks are presented in Table 6 – Summary of Indoor Wipe Sampling for SVOCs. The maximum concentrations of SVOCs detected in outdoor wipe samples are as follows:

- Bis (2-Ethylhexyl) Phthalate was detected 14 samples with maximum concentration of 12,200 µg/m^2 was detected in sample WI-13B; and
- Butyl benzyl Phthalate was detected in four (4) samples with maximum concentration of 6,150 µg/m^2

was detected in sample WI-12B.

These SVOCs were not a part of COC established for the site and may find its origin from the use cosmetics, cleaners, materials and plastics covering those indoor surfaces. Since they were not detected in the indoor air sample, the low concentration level of these SVOCs in wipe sample is not considered a significant risk factor.

11.4.2 Polycyclic Aromatic Hydrocarbons

Analytical results for 25 indoor wipe samples and blank are presented in Table 8 – Summary of Indoor Wipe Sampling for PAHs. Analytical results for 25 indoor wipe samples revealed concentrations of 16 targeted PAHs not detected above their respective MDLs.

The total PAHs concentrations for each of the 25 indoor wipe samples were well below the benchmark of 150 µg/m^2 established for hard surfaces in the approved Site Sampling Plan.

11.5 Confirmation Shallow Soil Sampling

Laboratory analytical results for eight (8) soil samples and duplicate soil samples are presented in Table 9 – Summary of Confirmation Shallow Soil Sampling. Analytical results for the eight (8) samples revealed concentrations of some PAHs detected above their respective MDLs. The maximum concentration of PAHs detected in shallow soil samples are as follows:

- Acenaphthene with maximum concentration of 0.328 mg/kg was detected in sample CS-1;
- Anthracene with maximum concentration of 0.587 mg/kg was detected in sample CS-1;
- Benzo(g,h,i)perylene with maximum concentration of 1.77 mg/kg was detected in sample CS-1;
- Fluoranthene with maximum concentration of 5.81 mg/kg was detected in sample CS-1;
- Fluorene with maximum concentration of 0.211 mg/kg was detected in sample CS-1;
- Phenanthrene with maximum concentration of 3.47 mg/kg was detected in sample CS-1;
- Pyrene with maximum concentration of 4.77 mg/kg was detected in sample CS-1;
- Benzo(a)anthracene with maximum concentration of 1.91 mg/kg was detected in sample CS-1;
- Benzo(a)pyrene with maximum concentration of 2.32 mg/kg was detected in sample CS-1;
- Benzo(b)fluoranthene with maximum concentration of 1.43 mg/kg was detected in sample CS-1;
- Benzo(k)fluoranthene with maximum concentration of 1.09 mg/kg was detected in sample CS-1;
- Chrysene with maximum concentration of 2.65 mg/kg was detected in sample CS-1;
- Indeno(1,2,3-cd)pyrene with maximum concentration of 1.62 mg/kg was detected in sample CS-1;
- Maximum B(a)P Equivalent is calculated as 2.953 for sample CS-1;
- With the exception of CS-1, concentrations of carcenogenic PAHs represented by B(a)P equivalent in collected samples did not exceed the average background for the site and general area; and
- Additional soil remediation was recommended and approved by DTSC and the PAHs impacted soil around the CS-1 was surgically removed and replaced with landscaping ready to use soil.

12.0 CONCLUSIONS AND RECOMMENDATIONS

12.1 Conclusions

12.1.1 Pre-Remediation Period

Data collected by Integrity during the site characterization period indicated the presence of environmental concerns regarding existing hazardous material at the Site, which warranted proper mitigation and remediation. The data collected during this phase can be summarized as followings:

- Excavation around the foundation for the Site improvements of the city hall exposed the Creosote and the Metro Builders workers suffered skin toxicity from handling and removing the material unprotected in June 2008;
- The Interim Report documented the skin toxicity episode experienced by Metro Builders workers and

confirmed the presence of high concentrations of PAHs in the Creosote and significant concentrations of PAHs in soil, sand, concrete and vermiculite. It served as the basis for further site characterization;
- DTSC was invited and provided guidance for the site characterization and remediation as an outcome of the Interim Report, which was the proper way of conducting this project;
- Site Sampling Plan was developed and gradually approved by DTSC to fully characterize the site contamination to perform waste stream sampling, soil and soil gas sampling, indoor and outdoor air and wipe sampling, and soil lateral contamination;
- Progress Report-1 documented partial the site characterization including waste stream sampling, soil and soil gas sampling and lateral soil contamination sampling and analytical outcomes, and the significance of the data;
- Progress Report-2 completed site characterization including waste stream sampling, lateral soil contamination sampling, indoor/outdoor air sampling for SVOCs and PAHs, outdoor VOCs sampling, indoor/outdoor wipe sampling for SVOCs, PAHs and analytical outcomes, and significance of the data;
- Site specific Health and Safety Plan was developed based on the site characterization data and reports and became the basis for public and worker health and safety protection and prevention of contamination proliferation in the compound buildings;
- Several Metro Builders workers attended the OSHA mandated 40-hours HAZWOPER training in July 2008 in preparation of workers to continue working in Work Areas 1 through 6 of the Site to perform construction and remediation work activities; and
- Removal Action Workplan was the DTSC-approved legal document for the remediation of the Site and restoration of pre-excavation conditions for the site to become once again acceptable for public and worker use and re-occupancy. It served as the blueprint for the conduct of remediation based at the site characterization data where Post-Remediation confirmation sampling will be the final step in this process.

12.1.2 During Remediation

Castlerock Environmental initiated the remedial action in late December 2008, and concluded the remedial actions for the six (6) Work Areas on April 9, 2009. All work was performed in accordance with the DTSC approved RAW using HazMat-trained workers with proper personal protection equipment. Health and safety meeting were held regularly and preventing measures were enforced by site health and safety officer.

During this period, after securing the work zones, Work Areas 2-6 were excavated. Concrete was cut and Creosote membrane and associated waste materials were removed. The excavated materials were segregated, bagged and placed in secure storage bins. The excavated soil was placed over polyethylene sheeting and the stockpiled materials were covered by polyethylene sheeting. Profiling analyses were performed and the waste materials were categorized and transported to appropriate disposal facilities with fully executed waste manifestation. The excavated areas were properly detailed and cleaned and covered with new waterproofing materials for construction related to Seismic Upgrade Project.

Approximately 247 cubic yards of Creosote, and Creosote containing or impacted material and 11 55-gallon drums of contaminated soil and decontamination water were transported by BDC Services under proper manifestation procedures to Chemical Waste Management - KFH, in Kettleman City, California.

Integrity staff performed daily observation and documentation of remediation activities, worker and perimeter air sampling, heat stress and noise monitoring and real time measurement of dust emission. The collected data was used to maintain health and safety of the workers, as well as onsite and offsite recipient by correction of the safety level and maintaining the moist condition during remediation and backfill activities around and beyond the fences of Work Areas.

Integrity inspected the placement of the vapor barrier and concrete cap at the conclusion of backfilling operations.

12.1.3 Post-Remediation Sampling

As a part of the site BMPs, daily cleanup activities were performed around the work areas. The hard surface area was cleaned up using sweeping equipment to remove the dust particles generated during excavation and backfill activities. The hard surfaces, north and south of the excavation area were cleaned up using a HEPA vacuum cleaner. Confirmation air, wipe and soil samples were collected by Integrity to confirm the

efficiency of post remedial surface clean-up activities.

The sampling results revealed the followings:

- Post Remediation outdoor air sampling for VOCs indicated low concentrations of different VOCs were detected in this samples. These VOCs were not a part of COC established for the site and the low concentration level of these VOCs may have been related to exposure to non-site related chemicals;
- Post-Remediation outdoor air sampling for 16 targeted PAHs indicated that they were not detected above their respective MRLs;
- Post-Remediation outdoor air sampling for Naphthalene and 2-Methylnaphthalene indicated that the detected levels were in the same range as detected in the outdoor air of other U.S. cities as reported by EPA and ATSDR;
- Post Remediation indoor air sampling for 16 targeted PAHs indicated that they were not detected above their respective MRLs;
- Post-Remediation indoor air sampling for Naphthalene and 2-Methylnaphthalene indicated that the detected levels were in the same range detected in the indoor air of other cities within the United States, as reported by EPA and ATSDR. Although the concentration levels of these two (2) compounds exceeded the benchmark of 0.12 $\mu g/m^3$, nonetheless within the range of their background levels;
- Post-Remediation outdoor wipe sampling for SVOCs revealed Bis (2-Ethylhexyl) Phthalate as the only compound detected in the outdoor wipe samples. This compound was not a part of COC established for the Site and since it was not detected in the outdoor air sample, the low concentration level of this SVOCs in wipe sample is not considered a significant risk factor;
- Post-Remediation outdoor wipe sampling for 16 targeted PAHs revealed the presence of several PAHs in those samples above their respective MDLs. The total PAHs in any of the wipe samples did not exceed the benchmark of 150 $\mu g/m^2$;
- Post-Remediation indoor wipe sampling for SVOCs revealed the presence of Bis (2-Ethylhexyl) Phthalate and Butyl benzyl Phthalate above their respective MDLs. These SVOCs) were not a part of COC established for the Site and since they were not detected in the indoor air sample, the low concentration level of these SVOCs in wipe sample is not considered a significant risk factor;
- Post-Remediation indoor wipe sampling for 16 targeted PAHs revealed that none of these compounds were detected above their respective MDLs;
- Post-Remediation confirmation shallow soil sampling revealed the detection of several PAHs above their respective MDLs. Except for the Sample CS-1, PAHs concentration as B(a)P equivalent was within the site background level;
- Upon approval of DTSC, additional surface soil samples were collected on a smaller gridlines around the soil sample CS-1. The impacted area was delineated both laterally and vertically; and
- DTSC approved the excavation and offsite treatment and/or disposal of the impacted soil according the existing RAW. Castlerock Environmental excavated the soil within the impacted area and BDCS Services transported the excavated soil to Kettleman City, California under proper manifestation procedures.

12.1.4 General Conclusions

Based on the data presented above, it is our opinion that:

- Remedial actions implemented at the Site were in conformance with the DTSC-approved RAW;
- Mitigated remedies will be effective to reduce the human health risk for current and future occupants of the property for current or similar site use;
- Contaminated material were properly removed and transported to a treatment/disposal facilities;
- Adequate prevention measure were implied for health and safety of the workers and field personnel;
- Adequate prevention measure were implied for health and safety of the Site visitors and pedestrians; and
- Overall long-term impact of the overall operation on the indoor and outdoor of the Site is De Minimis.

12.2 Recommendations

Based on the data collected during all phases of this project and in accordance with the above conclusions integrity recommends that no further site investigation or remediation in regard with the defined chemicals of concern and associated with the targeted sources is warranted. Should additional chemicals or

sources of contamination be discovered at this site, this office shall be informed immediately.

13.0 WARRANTY

13.1 Site Assessment

The field observations, measurements, and research reported herein are considered sufficient in detail and scope to form a reasonable basis for a site assessment of the Site. The assessment, conclusions, and recommendations presented herein are based upon the subjective evaluation of limited data. They may not represent all conditions at the subject site as they reflect the information gathered from specific locations. The findings described in this report are based on the observations from a select number of areas. Integrity warrants that the findings and conclusions contained herein have been promulgated in accordance with generally accepted industrial hygiene principles and methodology and only for the described site.

13.2 Use by Third Parties

This report was prepared pursuant to the agreement Integrity with its Client the City. That contractual relationship included exchange of information about the subject site that was exclusive and between Integrity and its client, and it has served as the basis upon which this report was prepared. Because of the exclusive nature of the communication between Integrity and its client, reliance or any use of this report by anyone other than the client for whom it was prepared, is prohibited and therefore Integrity does not assume any responsibility for its use by other parties.

13.3 Unidentifiable Conditions

This site assessment has been developed to provide the client with information regarding apparent conditions relating to the Site. Although Integrity believes that the findings and conclusions provided in this report are reasonable; the assessment is necessarily limited to the conditions observed and to the information available at the time of the work. Due to the nature of the work, there is a possibility that conditions may exist which could not be identified within the scope of the assessment or which were not apparent at the time of our site work. The assessment is also limited to information available from the City at the time it was conducted. It is also possible that the testing methods employed at the time of the report may later be superseded by other methods. Integrity does not accept responsibility for changes in the state of the art. No other warranties are implied or expressed.

14.0 CERTIFICATION AND APPROVAL


This report was certified by the individuals whose names and professional seal is illustrated below and approved by Integrity Environmental Consultants, Inc., a State of California corporation on **August 23, 2010**:



Amir Rouhani, Professional Geologist (PG 5822)



Ibrahim Sobeih, Certified Industrial Hygienist (CIH 5628)



Massoud Rahdari, Registered Environmental Assessor (REA-I 04138)

15.0 REFERENCES

1) Army Corps of Engineers – Protocols for Collection of Surface Soil Samples at Military Training and Testing Ranges for the Characterization of Energetic Munitions Constituents, July 2007.
2) Guidance for Conducting Remedial Investigations and Feasibility Studies under the Comprehensive Environmental Response Compensation and Liability Act - EPA, 1988.
3) Use of California Human Health Screening Levels (CHHSLs) in Evaluation of Contaminated Properties - California Environmental Protection Agency, January 2005.
4) Cleanup Status, Huntington Beach Police Department, 2000 Main, Huntington Beach, California - State Water Resources Control Board, October 10, 2008 (Inquiry).
5) EPA Method TO-15 – Determination of Volatile Organic Compounds in Ambient Air Using Chromatography and Mass Spectrometry, 1999.
6) EPA Modified Method TO-13A - Determination of Polycyclic Aromatic Hydrocarbons in Ambient Air Using Gas Chromatography and Mass Spectrometry, 1999.
7) EPA Method TO-17 – Determination of Volatile Organic Compounds in Ambient Air Using Active Sampling for Sorbent Tubes, 1999.
8) ASTM Method D-6661-01 Standard - Practice for Collection of Organic Compounds from Surfaces Using Wipe Sampling, 2006.
9) Cal/EPA, OEHHA. Use of California Human Health Screening Levels (CHHSLs) in Evaluation of Contaminated Properties, January 2005.
10) California Code of Regulations, Title 22, Division 4.5, Chapter 11, Section 66261.110: Extremely Hazardous Wastes Criteria.
11) Health Effects Support Document for Naphthalene, EPA 822-R-03-005, February 2003.
12) Threshold Limit Values for Chemical Substances and Chemical Agents and Biological Exposure Indices, ACGIH, 2006.
13) Public Health Statement-Naphthalene, 1-Methylnaphthalnene and 2-Methylnaphthalene, ATSDR, August 2005.
14) "...Background section" Review of Progress Report....Shukla Roy-Semmen – Department of Toxic Substance Control, September 22, 2008.
15) Interim Report,...Site Contamination Assessment,....2000 Main Street (City Hall), Huntington Beach, California – Integrity Environmental Consultants, Inc., August 7, 2008.
16) Health and Safety Work Plan....2000 Main Street (City Hall), Huntington Beach, California - Integrity Environmental Consultants, Inc., June 27, 2008.
17) Project Progress Report-1: Site Contamination Assessment, 2000 Main Street (City Hall), Huntington Beach, California – Integrity Environmental consultants, Inc., September 15, 2008.
18) Project Progress Report-1, Amended Project Site Contamination Assessment,....2000 Main Street (City Hall), Huntington Beach, California - Integrity Environmental Consultants, Inc., September 29, 2008.
19) Project Progress Report-2: Site Characterization Report...2000 Main Street (City Hall), Huntington Beach, California – Integrity Environmental Consultant, Inc., October 21, 2008.
20) Site Specific Health and Safety Plan for....,2000 Main Street (City Hall), Huntington Beach, California - Integrity Environmental Consultants, Inc., November 5, 2008.
21) Human Health Risk Assessment Feasibility Study for.....2000 Main Street (City Hall), Huntington Beach, California - AB Geoscience & Environmental Consultants, October 27, 2008.
22) Removal Action Workplan: Coal Tar Creosote City Hall Seismic Upgrade Project, 2000 Main Street, Huntington Beach, California – AB Geoscience & Environmental Consultants, December 18, 2008.
23) Status of Remediation....2000 Main Street (City Hall), Huntington Beach, California - AB Geoscience & Environmental Consultants, November 25, 2009.

TABLES

Table 1 – Summary of Personal and Perimeter Air Sampling Results As TWA

Table 1 – Summary of Personal and Perimeter Air Sampling Results as TWA				
Sampling Date	Number of Samples	Work Area	Concentration Range ($\mu g/m^3$)	Above/Below Exposure Limits
12/30/2008	2	Work Area 2	Not Detected	Below
1/2/2009	2	Work Areas 2, 3, 5 and 6	Not Detected -0.25	Below
1/5/2009	2	Work Areas 2, 3, 5 and 6	0.27-0.33	Below
1/6/2009	2	Work Areas 2, 3, 5 and 6	Not Detected -0.22	Below
1/7/2009	2	Work Areas 2, 3, 5 and 6	Not Detected -0.42	Below
1/8/2009	2	Work Areas 2, 3, 5 and 6	0.33-0.43	Below
1/9/2009	2	Work Areas 2, 3, 5 and 6	Not Detected-0.29	Below
1/16/2009	2	Work Areas 2 and 4	Not Detected	Below
1/19/2009	2	Work Areas 2 and 4	0.44-0.49	Below
1/20/2009	2	Work Area1	0.28-0.46	Below
1/21/2009	2	Work Area1 and Trailer	Not Detected	Below
1/22/2009	1	Work Area1	Not Detected	Below
1/27/2009	2	Work Areas1 and 4	Not Detected	Below
1/28/2009	1	Trailer	Not Detected	Below
1/29/2009	2	Work Area1	Not Detected-0.29	Below
2/10/2009	1	Work Area4	Not Detected	Below
4/9/2009	2	Work Area 2, 3, 5 and 6	Not Detected	Below
Notes:				

Table 2 – Summary of Outdoor and Indoor Air Sampling for VOCs

Table 2 – Summary of Outdoor and Indoor Air Sampling for VOCs

Sample ID	Units	AO-1C	AO-2C	AO-3C	AO-4C	AO-5C	Triple Blank	Method Blank
Sample Date		8/28/2009	8/28/2009	8/28/2009	8/28/2009	8/28/2009	8/28/2009	8/28/2009
Laboratory Job Number		P0903047-001	P0903047-002	P0903047-003	P0903047-004	P0903047-005	P0903047-006	P090908-MB
Propene	ug/m3	1.8	1.4	1.4	1.3	3.4	ND<0.50	ND<0.50
Dichlorodifluoromethane (CFC 12)	ug/m3	2.9	2.8	2.8	2.9	2.9	ND<0.50	ND<0.50
Chloromethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Vinyl Chloride	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
1,3-Butadiene	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Bromomethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Chloroethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Ethanol	ug/m3	13	15	15	14	14	ND<5.0	ND<5.0
Acetonitrile	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Acrolein	ug/m3	2.2	2.4	1.4	2.1	5.9	ND<0.50	ND<0.50
Acetone	ug/m3	38	35	33	36	65	7.0	ND<5.0
Trichlorofluoromethane	ug/m3	1.4	1.4	1.4	1.5	1.4	ND<0.50	ND<0.50
2-Propanol (Isopropyl Alcohol)	ug/m3	2.2	2.1	2.3	2.3	3.5	ND<1.0	ND<1.0
Acrylonitrile	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
1,1-Dichloroethene	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Methylene Chloride	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
3-Chloro-1-propene (Allyl Chloride)	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Trichlorotrifluoroethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Carbon Disulfide	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
trans-1,2-Dichloroethene	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
1,1-Dichloroethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Methyl tert-Butyl Ether	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Vinyl Acetate	ug/m3	8.8	ND<8.2	ND<7.7	ND<7.8	ND<8.1	ND<5.0	ND<5.0
2-Butanone (MEK)	ug/m3	4.3	3.1	3.0	3.2	10	0.90	ND<0.50
cis-1,2-Dichloroethene	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Ethyl Acetate	ug/m3	2.6	3.4	4.8	4.2	3.5	ND<1.0	ND<1.0
n-Hexane	ug/m3	1.9	1.9	1.8	1.8	1.7	ND<0.50	ND<0.50
Chloroform	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Tetrahydrofuran (THF)	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
1,2-Dichloroethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
1,1,1-Trichloroethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Benzene	ug/m3	0.87	0.88	0.91	0.90	1.0	ND<0.50	ND<0.50
Carbon Tetrachloride	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Cyclohexane	ug/m3	ND<1.6	ND<1.6	ND<1.5	ND<1.6	ND<1.6	ND<1.0	ND<1.0
1,2-Dichloropropane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Bromodichloromethane	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
Trichloroethene	ug/m3	ND<0.81	ND<0.82	ND<0.77	ND<0.78	ND<0.81	ND<0.50	ND<0.50
1,4-Dioxane	ug/m3							
Methyl Methacrylate	ug/m3							
n-Heptane								
cis-1,3-Dichloropropene								
4-Methyl-2-pentanone								
trans-1,3-Dichloropropene								
1,1,2-Trichloroethane								
Toluene								
2-Hexanone								
Dibromochlorometh								
bromoethan								
n-Butyl Acetate								
n-Octane								
Tetrachl								
Chlor								
Eth								
Cum								
alpha								
n-Propyl								
4-Ethyltolue								
1,3,5-Trimethyl								
1,2,4-Trimethylben								
Benzyl Chloride								
1,3-Dichlorobenzene								
1,4-Dichlorobenzene								
1,2-Dichlorobenzene								
d-Limonene								
1,2-Dibromo-3-chloropropane								

F:\IE Project Files\2008\2008-000970\Report\2008-000

Table 3 – Summary of Outdoor and Indoor Air Sampling for PAHs

Table 3 – Summary of Outdoor and Indoor Air Sampling for PAHs.

Sample ID	AI-1A	AI-2A	AI-3A	AI-4A	AI-5A	AI-6A	AI-7A	AI-8A	AI-9A	AI-10A	AI-11A	AI-12A	AI-13A	AI-14A	AI-15A	FB1	FB2	Method Blank
Sampling Date	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009
Lab ID	P0902977-006	P0902977-007	P0902977-008	P0902977-009	P0902977-010	P0902977-011	P0902977-012	P0902977-013	P0902977-014	P0902977-015	P0902977-016	P0902977-017	P0902977-018	P0902977-019	P0902977-020	P0902977-021	P0902977-022	P0902977-001
Laboratory	ND<3.3	ND<3.3	ND<3.5	ND<3.4	ND<3.5	ND<3.4	ND<3.4	ND<3.4	ND<3.4	ND<3.6	ND<3.5	ND<3.5	ND<3.6	ND<3.6	ND<3.6	ND<3.6	NA	NA	NA
Naphthalene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Acenaphthylene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Acenaphthene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Fluorene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Phenanthrene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Anthracene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Fluoranthene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Pyrene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Benzo(a)anthracene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Chrysene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Benzo(b)fluoranthene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Benzo(k)fluoranthene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Benzo(a)pyrene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Indeno(1,2,3-cd)pyrene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Dibenz(a,h)anthracene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA
Benzo(g,h,i)perylene	ND<0.33	ND<0.33	ND<0.35	ND<0.34	ND<0.35	ND<0.34	ND<0.34	ND<0.34	ND<0.34	ND<0.36	ND<0.35	ND<0.35	ND<0.36	ND<0.36	ND<0.36	ND<0.36	NA	NA	NA

Table 4 – Summary of Outdoor and Indoor Air Sampling for Naphthalene and 2-Methylnaphthalene

Table 4 – Summary of Outdoor and Indoor Air Sampling for Naphthalene and 2-Methylnaphthalene

Sample ID	Field Blank -1	Field Blank -2	AI-1B	AI-2B	AI-3B	AI-4B	AI-5B	AI-6B	AI-7B	AI-8B	AI-10B	AI-11B	AI-12B	AI-13B	AI-14B	AI-15B	Method Blank	Method Blank
Sampled	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009	8/27/2009
Laboratory Job	P0903015-006	P0903015-007	P0903015-009	P0903015-010	P0903015-011	P0903015-012	P0903015-013	P0903015-014	P0903015-015	P0903015-017	P0903015-018	P0903015-019	P0903015-020	P0903015-021	P0903015-022	P090905-MB	P090909-MB
Naphthalene	NA	0.36	0.31	0.21	0.23	0.18	0.18	0.31	0.29	0.32	0.32	0.29	0.35	0.27	0.97	NA	NA
2-Methyl	NA	0.15	0.13	0.074	0.084	0.070	0.068	0.14	0.12	0.22	0.25	0.088	0.11	0.16	0.68	NA	NA
Notes																		
EP																		

Table 5 – Summary of Outdoor and Indoor Wipe Sampling for SVOCs

Table 5 – Summary of Outdoor and Indoor Wipe Sampling for SVOCs

	WO-5B	WO-6B	WO-7B	WO-8B	WO-9B	WO-10B	WO-11B	WO-12B	WO-13B	WO-14B	WO-15B	WO-16B	WO-17B	WO-18B	WO-19B	WO-20B	WO-21B	WO-22B	WO-23B	WO-24B	WO-25B
09	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009
Lab	53868	53868	53868	53868	53868	53868	53868	53868	53868	53868	53869	53869	53869	53869	53869	53869	53869	53869	53869	53869	53869
Acenaphthene	<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
Acenaphthylene	<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
Anthracene	<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
Azobenzene	<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
Benzidine	<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500

Table 6 – Summary of Indoor Wipe Sampling for SVOCs

	WI-3B	WI-4B	WI-5B	WI-6B	WI-7B	WI-8B	WI-9B	WI-10B	WI-11B	WI-12B	WI-13B	WI-14B	WI-15B	WI-16B	WI-17B	WI-18B	WI-19B	WI-20B	WI-21B	WI-22B	WI-23B	WI-24B	WI-25B
009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009
9	53869	53869	53869	53869	53869	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	500J	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	897J	ND<500	ND<500	ND<500	1,560	13,200	699J	602J	ND<500	524J	525J	500J	ND<500	5,380	611J	9,580	5,020	5,680
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	6,150	ND<500	506J	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
00	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500

	WI-3B	WI-4B	WI-5B	WI-6B	WI-7B	WI-8B	WI-9B	WI-10B	WI-11B	WI-12B	WI-13B	WI-14B	WI-15B	WI-16B	WI-17B	WI-18B	WI-19B	WI-20B	WI-21B	WI-22B	WI-23B	WI-24B	WI-25B
09	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009
9	53869	53869	53869	53869	53869	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500
0	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500	ND<500

by GC/MS (SW-846), Method 8270C.
VE METHOD DETECTION LIMIT.
ONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).
TE CONCENTRATION WITHIN CALIBRATION RANGE.

Table 7 – Summary of Outdoor Wipe Sampling for PAHs

Table 7 – Summary of Outdoor Wipe Sampling for PAHs

Sample ID	Units	WO-1A	WO-2A	WO-3A	WO-4A	WO-5A	WO-6A	WO-7A	WO-8A	WO-9A	WO-10A	WO-11A	WO-12A	WO-13A	WO-14A	WO-15A	WO-16A	WO-17A	WO-18A	WO-19A	WO-20A	WO-21A	WO-22A	WO-23A	WO-24A	WO-25A
Sample Date		8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009
Laboratory Job Number		53868	53868	53868	53868	53868	53868	53868	53868	53868	53868	53868	53868	53868	53868	53869	53869	53869	53869	53869	53869	53869	53869	53869	53869	53869
Acenaphthene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Acenaphthylene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Anthracene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Benzo(g,h,i)perylene	ug/m2	ND<1.00	1.04J	ND<1.00	4.41	3.20	ND<1.00	4.64	9.89	ND<1.00	1.41J	ND<1.00	1.45J	ND<1.00	4.96	ND<1.00	2.62	ND<1.00	7.16	4.63	10.9	2.36	3.69	ND<1.00	1.94J	ND<1.00
Fluoranthene	ug/m2	3.44	4.20	3.85	16.2	3.98	ND<1.00	13.0	38.9	ND<1.00	6.42	3.88	6.79	1.47J	22.5	ND<1.00	7.25	1.06J	27.7	13.3	31.6	7.76	12.7	ND<1.00	7.45	2.96
Fluorene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Naphthalene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Phenanthrene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Pyrene	ug/m2	3.77	4.10	3.69	15.8	4.15	ND<1.00	13.5	35.6	ND<1.00	6.57	3.72	6.08	1.46	19.9	ND<1.00	8.40	1.20J	26.5	14.7	30.0	8.51	13.2	1.58J	8.17	3.96
Benzo(a)anthracene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Benzo(a)pyrene	ug/m2	1.16J	1.40J	1.24J	6.13	1.72J	ND<1.00	5.14	12.8	ND<1.00	1.95J	1.23J	2.20	ND<1.00	6.97	ND<1.00	3.26	ND<1.00	8.81	6.33	12.5	2.53	5.08	ND<1.00	3.10	ND<1.00
Benzo(b)fluoranthene	ug/m2	16.1	1.18J	ND<1.00	7.50	2.35	ND<1.00	4.05	6.28	ND<1.00	1.30J	ND<1.00	1.62J	ND<1.00	5.23	ND<1.00	2.69	ND<1.00	9.84	9.28	9.87	3.30	6.20	ND<1.00	3.46	ND<1.00
Benzo(k)fluoranthene	ug/m2	ND<1.00	ND<1.00	ND<1.00	3.34	1.11J	ND<1.00	2.68	7.66	ND<1.00	1.12J	ND<1.00	1.22J	ND<1.00	4.09	ND<1.00	1.94J	ND<1.00	5.16	3.46	9.21	1.51J	2.74	ND<1.00	1.75J	ND<1.00
Chrysene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Dibenzo(a,h)anthracene	ug/m2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00
Indeno(1,2,3-cd)pyrene	ug/m2	ND<1.00	1.13J	ND<1.00	5.15	1.94J	ND<1.00	3.97	10.4	ND<1.00	1.62J	ND<1.00	1.86J	ND<1.00	5.32	ND<1.00	2.35	ND<1.00	7.73	5.00	9.71	2.65	3.75	ND<1.00	2.01	ND<1.00
B(a)P Equivalent	ug/m2	3.095	1.906	1.615	7.954	2.485	0.87500	6.435	15.459	0.87500	2.579	1.605	2.695	0.87500	8.659	0.87500	4.183	0.87500	11.308	8.329	15.504	3.501	6.574	0.87500	4.047	0.87500

Notes:

* Polynuclear Aromatic Hydrocarbons (SW-846, Method: 8310

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.

2) "J" INDICATES ANALYTE WAS DETECTED, HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTIFICATION LIMIT (PQL)

3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

4) PAHs = POLYCYCLIC AROMATIC HYDROCARBONS

5) SHADED COMPOUNDS INDICATE CARCINOGENIC PAHs USED TO CALCULATE B(a)P EQUIVALENT CONCENTRATION

Table 8 – Summary of Indoor Wipe Sampling for PAHs

Table 8 – Summary of Indoor Wipe Sampling for PAHs

	WI-4A	WI-5A	WI-6A	WI-7A	WI-8A	WI-9A	WI-10A	WI-11A	WI-12A	WI-13A	WI-14A	WI-15A	WI-16A	WI-17A	WI-18A	WI-20A	WI-21A	WI-22A	WI-23A	WI-24A	WI-25A
09	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009	8/25/2009
	53869	53869	53869	53869	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870	53870
0	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00

Table 9 – Summary of Confirmation Shallow Soil Sampling

Table 9 – Summary of Confirmation Shallow Soil Sampling

Sample ID	Units	CS-1	CS-2	CS-3	CS-4	CS-5	CS-6	CS-7	CS-8	CS-1 D	CS-1 D @ 2'	B-1 @ SURFACE	B-2 @ SURFACE	B-3 @ SURFACE	B-4 @ SURFACE
Sample Date		8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	8/26/2009	10/8/2009	10/8/2009	11/16/2009	11/16/2009	11/16/2009	11/16/2009
Laboratory Job Number		53886	53886	53886	53886	53886	53886	53886	53886	54329	54329	54843	54843	54843	54843
Acenaphthene	mg/Kg	0.328	0.161	0.208	0.0367	0.0152J	ND<0.010	0.0132J	0.0148J	0.479	ND<0.020	0.252	0.0210J	0.0308J	ND<0.010
Acenaphthylene	mg/Kg	ND<0.010	ND<0.020	ND<0.020	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.020	ND<0.020	ND<0.020	ND<0.020	ND<0.010
Anthracene	mg/Kg	0.587	0.274	0.381	0.0383	0.0389	0.0128J	0.0146J	0.0156J	0.762	0.0259J	0.473	0.0579	0.0846	0.0112J
Benzo(g,h,i)perylene	mg/Kg	1.77	0.283	0.394	0.119	0.0618	0.0496	0.0628	ND<0.010	1.42	ND<0.020	0.446	0.132	ND<0.020	ND<0.010
Fluoranthene	mg/Kg	5.81	1.16	1.55	0.371	0.185	0.0818	0.178	0.137	5.58	0.141	1.61	0.270	0.249	0.0716
Fluorene	mg/Kg	0.211	0.117	0.142	0.0228	0.0110J	ND<0.010	ND<0.010	0.0121J	0.311	ND<0.020	0.164	0.0204J	0.0292J	ND<0.010
Naphthalene	mg/Kg	0.449	0.112	0.178	ND<0.010	0.0163J	ND<0.010	ND<0.010	0.0140J	0.121	ND<0.020	0.207	0.357	0.0521	ND<0.010
Phenanthrene	mg/Kg	3.47	1.14	1.46	0.298	0.148	0.0593	0.130	0.128	4.18	0.110	1.56	0.223	0.255	0.0525
Pyrene	mg/Kg	4.77	1.07	1.91	0.254	0.175	0.0576	0.122	0.0986	5.18	0.114	1.43	0.251	0.327	0.0880
Benzo(a)anthracene	mg/Kg	1.91	0.365	0.528	0.109	0.0633	0.0319	0.0568	0.0378	2.02	0.0457	0.544	0.0791	0.0999	0.0253
Benzo(a)pyrene	mg/Kg	2.32	0.475	0.672	0.155	0.0904	0.0433	0.0774	0.0554	2.18	0.0624	0.659	0.119	0.105	0.0321
Benzo(b)fluoranthene	mg/Kg	1.43	0.300	0.347	0.109	0.0534	0.0289	0.0534	0.0310	1.79	0.0288J	0.337	0.0623	0.0428	0.0582
Benzo(k)fluoranthene	mg/Kg	1.09	0.230	0.289	0.0773	0.0399	0.0224	0.0364	0.0282	0.966	0.0279J	0.300	0.0591	0.0504	0.0163J
Chrysene	mg/Kg	2.65	0.554	0.876	0.208	0.120	0.0454	0.0778	0.0631	2.47	0.0554	0.772	0.116	0.138	0.0440
Dibenzo(a,h)anthracene	mg/Kg	ND<0.010	ND<0.020	ND<0.020	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.020	ND<0.020	ND<0.020	ND<0.020	ND<0.010
Indeno(1,2,3-cd)pyrene	mg/Kg	1.62	0.238	0.390	0.114	0.0599	0.0212	0.0367	ND<0.010	1.31	ND<0.020	0.381	0.0646	ND<0.020	0.0237
B(a)P Equivalent	mg/Kg	2.953	0.59724	0.83956	0.19971	0.11495	0.05589	0.09821	0.06793	2.815	0.07759	0.82632	0.15007	0.13009	0.04659

Notes:

* Polynuclear Aromatic Hydrocarbons (SW-846). Method: (8310).

1) "ND<X" INDICATES CONSTITUENT(S) NOT DETECTED AT OR ABOVE METHOD DETECTION LIMIT.

2) "J" INDICATES ANALYTE WAS DETECTED. HOWEVER, ANALYTE CONCENTRATION IS AN ESTIMATED VALUE WHICH IS BETWEEN THE METHOD DETECTION LIMIT (MDL) AND THE PRACTICAL QUANTITATION LIMIT(PQL).

3) "D" INDICATES THE SAMPLE WAS DILUTED TO BRING THE ANALYTE CONCENTRATION WITHIN CALIBRATION RANGE.

4) PAHs = POLYCYCLIC AROMATIC HYDROCARBONS.

5) SHADED COMPOUNDS INDICATE CARCINOGENIC PAHs USED TO CALCULATE B(a)P EQUIVALENT CONCENTRATION.

Table 10 – HazMat Workers Submittal Checklist

TABLE 10 - HAZMAT WORKERS SUBMITTAL CHECKLIST
COAL TAR CREOSOTE (CREOSOTE OIL) WATERPROOFING
SITE REMEDIATION AND POST REMEDIATION
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTING BEACH, CALIFORNIA 92648
INTEGRITY PROJECT NUMBER 2008-00097

LAST NAME	FIRST NAME	SOCIAL SECURITY NO.	40-HOUR TRAINING[1]	24-HOUR TRAINING[1]	8-HOUR TRAINING[1]	MEDICAL CLEARANCE[2]	RESPIRATOR FIT TEST[3]
Anderson*	David	HAZWOPPER Cert. Number: HW24010209-2		1/2/2010			
Baron*	Sam	HAZWOPPER Cert. Number: HW24010209-8		1/2/2010			
Betancourt	Magdaleno	HAZWOPPER Cert. Number: 61916	8/1/2010			1/13/2010	7/30/2009
Cosby*	Rodney	HAZWOPPER Cert. Number: HW24010209-7		1/2/2010			
Cota*	Matias	000-00-6080				1/5/2010	12/6/2010
Cota	Nicolas	000-00-5684		1/2/2010		1/5/2010	12/6/2010
Desalda*	Marco	Labor's Local Number: 0652					
Escalante	Armondo	HAZWOPPER Cert. Number (8 Hour): 94092	8/1/2009		8/2/2009	12/22/2009	7/30/2009
Escalante*	Phillip Scott	HAZWOPPER Cert. Number: 78652	8/1/2009			12/12/2009	7/30/2009
Escobar	Francisco	000-00-8506		1/2/2010		1/5/2010	1/6/2010
Esparza*	Gerardo E.	000-00-0729	10/9/2008				1/21/2010
Flores*	Fernando	HAZWOPPER Cert. Number: 89911	8/1/2009			12/22/2009	7/30/2009
Irwin	Tim	HAZWOPPER Cert. Number (8 Hour): 85189	8/1/2009		8/2/2009	12/22/2009	7/30/2009
Lopez	Guadalope	HAZWOPPER Cert. Number: HW24010209-3		1/2/2010		1/5/2010	12/6/2010
Mendoza	Rivelino	HAZWOPPER Cert. Number: 81479	8/1/2009			12/22/2009	7/30/2009
Ocha	Salvador	HAZWOPPER Cert. Number: 64412	8/1/2009			12/22/2009	7/30/2009
Okike*	Sam	HAZWOPPER Cert. Number: HW240102081			12/30/2009	1/5/2010	
Ramirez	Jose L.	HAZWOPPER Cert. Number (8 Hour): 84859	8/1/2009		8/2/2009	1/13/2010	7/30/2009
Ramirez	Julio C.	000-00-5555			5/25/2009	10/3/2009	12/3/2009
Rosas*	Richard	HAZWOPPER Cert. Number: 63798	8/1/2009				7/30/2009
Sanchez	Jose L.	000-00-8944			8/25/2009	1/21/2010	12/6/2010
Sanchez	Jose	000-00-5643		1/2/2010		1/5/2010	1/21/2010
Serrano*	Jose L.	HAZWOPPER Cert. Number: 69941	8/1/2009				7/30/2009
Villirreal	Pedro	000-00-4629		1/2/2010		1/5/2010	1/6/2010

LAST NAME	FIRST NAME	SOCIAL SECURITY NO.	40-HOUR TRAINING[1]	24-HOUR TRAINING[1]	8-HOUR TRAINING[1]	MEDICAL CLEARANCE[2]	RESPIRATOR FIT TEST[3]
Zamora*	Jose M.	HAZWOPPER Cert. Number: 78624	8/1/2009			12/23/2009	7/30/2009

Notes:

* This worker did not participate in the disturbance of hazardous material.
[1] Training expires one year from the date noted on the certificate.
[2] Medical examination is due within one year from the date noted on the medical clearance form.
[3] Respirator fit-testing will expire one year from the date noted on the certificate.

Table 11 – Hazardous Waste Material Summary

TABLE 11 - HAZARDOUS WASTE MATERIAL SUMMARY
COAL TAR CREOSOTE (CREOSOTE OIL) WATERPROOFING
SITE REMEDIATION AND POST REMEDIATION
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTING BEACH, CALIFORNIA 92648
INTEGRITY PROJECT NUMBER 2008-00097

MANIFEST NO.	QUANTITY	DATE REMOVED FROM SITE	DATE DELIVERED TO LANDFILL/RECYLCING FACILITY
000819798GBF	37 cy	1/28/2009	2/5/2009
000819799GBF	20 cy	1/28/2009	2/4/2009
000819800GBF	40 cy	1/28/2009	
000819801GBF	40 cy	1/28/2009	2/23/2009
000819795GBF	20 cy	2/19/2009	2/25/2009
000819797GBF	20 cy	2/25/2009	2/26/2009
000819796GBF	36 cy	4/23/2009	4/30/2009
000819865GBF	34 cy	4/23/2009	4/30/2009
000423917JJK	11 55-gallon	4/16/2010	

Note:
* From 11 drums one (1) drum was used water.

FIGURES


Sheet SP1 – Sheet SP3; Site Vicinity Map, Site Aerial Photograph and Site Work Areas


LEGEND:

NOTES:

DATE: 6/14/10 SHEET SP1 OF 3P3

SITE VICINITY MAP
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648






LEGEND:

NOTES:

DATE: 6/14/10 SHEET SP2 OF SP3

SITE AERIAL PHOTOGRAPH
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



LEGEND:

NOTES:

DATE: 8/14/10 SHEET SP3 OF SP3

SITE WORK AREAS
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648

Sheet W1 – Sheet W13; Post-remediation Outdoor and Indoor Wipe Sampling Locations

LEGEND:

NOTES:

DATE: 6/14/10 SHEET WIND 1 OF WIND 4


KCAHUBT116 WEATHER GRAPH FOR 2008
SITE REMEDIATION AND POST-REMEDIATION REPORT
COAL TAR CREOSOTE (CREOSOTE OIL) WATERPROOFING
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648

History for KCAHUNTI16

H.B. "Surf City, CA.", Huntington Beach, CA — Current Conditions

Yearly Summary for 2008

	High:	Low:	Average:
Temperature:	**94.6 °F / 34.8 °C**	**58.3 °F / 14.6 °C**	**70.5 °F / 21.4 °C**
Dew Point:	**64.8 °F / 18.1 °C**	**24.5 °F / -4.2 °C**	**53.1 °F / 11.7 °C**
Humidity:	92.0%	9.0%	58.3%
Wind Speed:	**17.9mph / 28.8km/h from the WSW**	-	**3.2mph / 5.2km/h**
Wind Gust:	**17.9mph / 28.8km/h from the WSW**	-	-
Wind:	-	-	SW
Pressure:	**29.94in / 1013.8hPa**	**29.47in / 997.9hPa**	-
Precipitation:	**0.00in / 0.0mm**		



September	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg		high	sum
18	76	71	68	55	52	50	65	52	42	29.88	-	29.83	-	-	-	11	4	11		0.00
19	78	70	62	61	53	44	85	59	31	29.91	-	29.85	-	-	-	18	5	18		0.00
20	82	70	59	60	52	46	89	56	30	29.94	-	29.85	-	-	-	10	3	10		0.00
21	81	70	63	56	49	44	68	50	29	29.91	-	29.83	-	-	-	10	3	10		0.00
22	82	70	64	59	52	45	78	56	30	29.91	-	29.83	-	-	-	12	3	12		0.00
23	82	70	60	61	54	48	87	58	32	29.94	-	29.85	-	-	-	10	2	10		0.00
24	82	71	63	64	56	50	91	64	34	29.91	-	29.80	-	-	-	11	3	11		0.00
25	82	71	63	65	57	51	89	65	35	29.85	-	29.77	-	-	-	12	3	14		0.00
26	81	70	64	64	58	50	90	69	35	29.88	-	29.80	-	-	-	10	3	10		0.00
27	78	69	63	65	58	52	92	71	41	29.91	-	29.80	-	-	-	10	4	10		0.00
28	77	68	63	62	57	50	91	70	39	29.88	-	29.80	-	-	-	13	4	13		0.00
29	80	68	62	62	55	47	92	67	33	29.88	-	29.77	-	-	-	11	3	11		0.00
30	87	72	62	62	54	40	86	60	21	29.91	-	29.83	-	-	-	13	3	13		0.00

2008	Temp. (°F)			Dew Point (°F)			Humidity (%)			Sea Level Pressure (in)			Visibility (mi)			Wind (mph)			Gust Speed (mph)	Precip (in)
October	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg		high	sum
1	95	78	66	61	50	40	70	43	16	29.88	-	29.83	-	-	-	9	2	9		0.00
2	85	74	66	64	57	48	84	59	29	29.88	-	29.77	-	-	-	10	3	10		0.00
3	79	69	64	62	55	48	90	64	34	29.85	-	29.77	-	-	-	10	4	10		0.00
4	76	68	63	57	51	45	76	57	34	29.85	-	29.80	-	-	-	12	4	12		0.00
5	79	68	58	58	51	45	88	58	30	29.88	-	29.80	-	-	-	9	2	9		0.00
6	81	69	59	56	50	45	83	55	30	29.91	-	29.85	-	-	-	11	3	11		0.00
7	87	73	59	58	48	37	85	47	19	29.94	-	29.80	-	-	-	12	2	12		0.00
8	94	75	61	59	44	24	69	41	9	29.83	-	29.62	-	-	-	10	2	10		0.00
9	78	69	62	64	54	48	92	61	36	29.62	-	29.47	-	-	-	13	4	13		0.00

Comma Delimited File


Copyright © 2008 Weather Underground, Inc.

LEGEND:

NOTES:

DATE: 8/14/10 SHEET WIND 2 OF WIND 4

KCAHUBT116 WEATHER GRAPH FOR 2008
SITE REMEDIATION AND POST-REMEDIATION REPORT
COAL TAR CREOSOTE (CREOSOTE OIL) WATERPROOFING
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648




NORTH

LEGEND:

NOTES:

DATE: 6/14/10 SHEET WIND 3 OF WIND 4

WIND SOUTH-SOUTHWESTERLY DIRECTION
SITE REMEDIATION AND POST-REMEDIATION REPORT
COAL TAR CREOSOTE (CREOSOTE OIL) WATERPROOFING
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH


LEGEND:

NOTES:

DATE: 6/14/10 SHEET WIND 4 OF WIND 4

WIND WEST-SOUTHWESTERLY DIRECTION
SITE REMEDIATION AND POST-REMEDIATION REPORT
COAL TAR CREOSOTE (CREOSOTE OIL) WATERPROOFING
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648

Sheet A1 – Sheet A13; Post-remediation Outdoor and Indoor Air Sampling Locations




LEGEND:

● AO- OUTSIDE AMBIENT AIR SAMPLE

NOTES:

DATE: 6/10/10 SHEET A1 OF A13

POST-REMEDIATION
OUTDOOR AIR SAMPLING LOCATIONS
SITE PLAN
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



LEGEND:


● AI- AMBIENT AIR SAMPLE

NOTES:

AI-1 CORNER OF HALLWAY

DATE: 6/10/10 SHEET A2 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
ADMINISTRATION BUILDING - BASEMENT
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



LEGEND:


● AI- AMBIENT AIR SAMPLE

NOTES:

AI-2 FILE CABINET TOP

DATE: 8/10/10 SHEET A3 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
ADMINISTRATION BUILDING - FIRST FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● AI- AMBIENT AIR SAMPLE

NOTES:

AI-3 CORNER OPPOSITE ELEVATOR

DATE: 6/10/10 SHEET A4 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
ADMINISTRATION BUILDING - SECOND FLOOR PLAN
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● AI- AMBIENT AIR SAMPLE

NOTES:

AI-4 WALL NORTH OF ELEVATOR

DATE: 6/10/10 SHEET A5 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
ADMINISTRATION BUILDING - THIRD FLOOR PLAN
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● AI- AMBIENT AIR SAMPLE

NOTES:

AI-5 WALL OUTSIDE ELEVATOR

DATE: 6/10/10 SHEET A6 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
ADMINISTRATION BUILDING - FOURTH FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● AI- AMBIENT AIR SAMPLE

NOTES:

AI-6 WALL OPPOSITE ELEVATOR DOOR

DATE:8/10/10 SHEET A7 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
ADMINISTRATION BUILDING - FIFTH FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● AI- AMBIENT AIR SAMPLE

NOTES:

AI-7 HALLWAY AGAINST WALL

DATE: 6/10/10 SHEET A8 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
DEVELOPMENT BUILDING - BASEMENT
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● AI- AMBIENT AIR SAMPLE


NOTES:


AI-8 NORTH WALL HALLWAY CORNER


DATE: 6/10/10 SHEET A9 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
DEVELOPMENT BUILDING - FIRST FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648


LEGEND:
AI- AMBIENT AIR SAMPLE
NOTES:
AI-9 CORNER OPPOSITE ELEVATOR
AI-9
DATE: 6/10/10
SHEET A10 OF A13
PARTIALLY DRAWN FLOOR PLAN - SOUTH HALF
PARTIALLY DRAWN FLOOR PLAN - NORTH HALF
NORTH
POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
POLICE BUILDING - BASEMENT
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648


FRONT DESK
AI-10
PARTIALLY DRAWN FLOOR PLAN - SOUTH HALF
PARTIALLY DRAWN FLOOR PLAN - NORTH HALF
NORTH
LEGEND:
AI- AMBIENT AIR SAMPLE
NOTES:
AI-10 NORTH WALL OUTSIDE ELEVATOR
DATE: 6/10/10
SHEET A11 OF A13
POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
POLICE BUILDING - FIRST FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648


LEGEND:
AI- AMBIENT AIR SAMPLE
NOTES:
AI-11 CORNER OPPOSITE ELEVATOR
AI-11
DATE: 6/10/10
SHEET A12 OF A13
PARTIALLY DRAWN FLOOR PLAN - SOUTH HALF
PARTIALLY DRAWN FLOOR PLAN - NORTH HALF
NORTH
POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
POLICE BUILDING - SECOND FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:

● AI- AMBIENT AIR SAMPLE


NOTES:

AI-12 COUNCIL CHAMBER OPEN AREA

DATE: 6/10/10 SHEET A13 OF A13

POST-REMEDIATION
INDOOR AIR SAMPLING LOCATIONS
COUNCIL CHAMBERS
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648

Sheet W1 – Sheet W13; Post-remediation Outdoor and Indoor Wipe Sampling Locations




LEGEND:

● WO- OUTSIDE WIPE SAMPLE

NOTES:

DATE: 6/14/10 SHEET W1 OF W13

POST-REMEDIATION
OUTDOOR SURFACE WIPE SAMPLING LOCATIONS
SITE PLAN
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● WI- WIPE SAMPLE

NOTES:

WI-1 - SNACK SHOP
WI-2 - HALLWAY NEAR ELEVATOR

DATE: 6/14/10 SHEET W2 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
ADMINISTRATION BUILDING - BASEMENT
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



LEGEND:


● WI- WIPE SAMPLE

NOTES:

WI-3 FILE CABINET TOP
WI-4 DESK TOP
WI-9 ELEVATOR WALL

DATE: 6/14/10 SHEET W3 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE MONITORING LOCATIONS
ADMINISTRATION BUILDING - FIRST FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● WI- WIPE SAMPLE

NOTES:

WI-5 TABLE TOP

DATE: 6/14/10 SHEET W4 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
ADMINISTRATION BUILDING - SECOND FLOOR PLAN
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● WI- WIPE SAMPLE

NOTES:

WI-6 TABLE TOP

DATE: 6/14/10 SHEET W5 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
ADMINISTRATION BUILDING - THIRD FLOOR PLAN
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● WI- WIPE SAMPLE

NOTES:

WI-7 TABLE TOP ELEVATOR LOBBY

DATE: 6/14/10 SHEET W6 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
ADMINISTRATION BUILDING - FOURTH FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● WI- WIPE SAMPLE

NOTES:

WI-8 TABLE TOP HALLWAY

DATE: 6/14/10 SHEET 7W OF 13W

POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
ADMINISTRATION BUILDING - FIFTH FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● WI- WIPE SAMPLE

NOTES:

WI-10 HALLWAY FLOOR (STORAGE AREA)

DATE: 6/14/10 SHEET W8 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
DEVELOPMENT BUILDING - BASEMENT
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:


● WI- WIPE SAMPLE


NOTES:


WI-11 FILE CABINET TOP


DATE: 6/14/10 SHEET W9 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
DEVELOPMENT BUILDING - FIRST FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648


LEGEND:
WI- WIPE SAMPLE
NOTES:
WI-12 CORNER OPPOSITE NORTH ELEVATOR
WI-13 FLOOR OUTSIDE SOUTH ELEVATOR
WI-13
WI-12
DATE: 6/14/10
SHEET W10 OF W13
PARTIALLY DRAWN FLOOR PLAN - SOUTH HALF
PARTIALLY DRAWN FLOOR PLAN - NORTH HALF
NORTH
POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
POLICE BUILDING - BASEMENT
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648


LEGEND:
WI- WIPE SAMPLE
NOTES:
WI-14 SOUTH ELEVATOR FLOOR
WI-15 FRONT DESK COUNTER (TOP)
WI-18 NORTH ELEVATOR FLOOR
WI-20
WI-14
FRONT DESK
WI-15
WI-18
WI-21
WI-22
PARTIALLY DRAWN FLOOR PLAN - SOUTH HALF
PARTIALLY DRAWN FLOOR PLAN - NORTH HALF
NORTH
DATE: 8/14/10
SHEET W11 OF W13
POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
POLICE BUILDING - FIRST FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648


WI-17
WI-16
PARTIALLY DRAWN FLOOR PLAN - SOUTH HALF
PARTIALLY DRAWN FLOOR PLAN - NORTH HALF
NORTH
LEGEND:
WI- WIPE SAMPLE
NOTES:
WI-16 TABLE TOP
WI-17 LOUNGE TABLE TOP
DATE: 6/14/10
SHEET W12 OF W13
POST-REMEDIATION
INDOOR SURFACE WIPE SAMPLING LOCATIONS
POLICE BUILDING - SECOND FLOOR
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648



NORTH

LEGEND:

● WI- WIPE SAMPLE

NOTES:

WI-19 LONG TABLE TOP

DATE: 6/14/10 SHEET W13 OF W13

POST-REMEDIATION
INDOOR SURFACE WIPE MONITORING LOCATIONS
COUNCIL CHAMBERS
CITY HALL SEISMIC UPGRADE
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648


Sheet S1 of S2 – Final Confirmation Soil Sampling Locations and PAHs Distribution Map

LEGEND:

NOTES:

DATE: 8/14/10 SHEET S1 OF S2

FINAL CONFIRMATION SOIL SAMPLING LOCATIONS
SOUTH PLANTER AREA
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648




PAH Impacted Area

LC-1 Original soil screening

CS-1 First confirmation sampling on 8/26/09 and 10/8/09

B-1 Final confirmation sampling of 11/16/09


Proposed confirmation surface soil sample
Benzo(a)pyrene 1.0 mg/kg
Benzo(a)pyrene 0.5 mg/kg
Benzo(a)pyrene 0.2 mg/kg
Benzo(a)pyrene 0.1 mg/kg
Approximate Scale
100
0
100
200
Main Street
W. Yorktown Ave.
Park Street
LC-21
CS-1
CS-2
CS-3
CS-4
CS-5
CS-6
CS-7
CS-8
NORTH
LEGEND:
NOTES:
DATE: 6/14/10
SHEET S2 OF S2
PAH'S DISTRIBUTION MAP
SOUTH PLANTER AREA
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH
2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648

APPENDICES

Appendix A – DTSC Correspondence

AUG 0 6 2008

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]

Sent: Friday, August 08, 2008 9:03 AM

To: 'mtasnif@dtsc.cagov'

Cc: 'Duane Wentworth (dwentworth@surfcity-hb.org)'; 'lawrence.szatkowski@idsse.com'; 'Ibrahim Sobeih'

Subject: 2008-00097 City of Huntington Beach - City Hall Seismic Upgrade; Interim Report

Ms. Tasnif-Abbasi;

A copy of our interim report and a scanned copy of the same (on a CD) for the above-referenced project will be sent to the following address via FedEx Overnight today:

Department of Toxic Substances Control
Cypress Regional Office
5796 Corporate Avenue
Cypress, CA 90630
Tel. (714) 484-5489
Att.: Mariam Tasnif-Abbasi

Cordially,

Massoud Rahdari, *Principal*
a: 95 Argonaut, Suite 210
Aliso Viejo, CA. 92656
e: mrahdari@integrityenvironmental.com
t: 949.586.1414 ext. 201 f: 949.586.5922
w: integrityenvironmental.com

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Friday, August 21, 2009 1:32 PM
To: 'Safouh Sayed'
Cc: 'Wentworth, Duane'; 'Amir Rouhani'; 'Ibrahim Sobeih'; 'Judd Leach'
Subject: 2008-00097 CHB - CITY HALL SEISMIC UPGRADE PROJECT; COAL TAR CREOSOTE COATING HAZARD ASSESSMENT AND REMEDIATION PROJECT; POST REMEDIATION SAMPLING SCHEDULE
Attachments: image004.jpg

Hello Safouh;

The schedule for post remediation sampling for the above referenced project are as follows:

- Indoor air and dust wipe samples will be collected on Tuesday August 25th – Friday August 28th, 2009 from 0700-1600.
- Soil sampling will be collected on Wednesday August 26, 2009, from 0700-1600.

We anticipate providing the first draft of final report no later than September 20, 2009.

Regards,

integrity environmental

Massoud Rahdari, Principal
a: 130 Vantis, Suite130
Aliso Viejo, CA 92656
e: mrahdari@integrityenvironmental.com
t: (949)586-1414, ext. 205 f: (949)586-5922

Linda S. Adams
Secretary for
Environmental Protection

Department of Toxic Substances Control

Maureen F. Gorsen, Director
5796 Corporate Avenue
Cypress, California 90630

Arnold Schwarzenegger
Governor

August 25, 2008

Mr. Eric R Charlonne
Construction Manager
City of Huntington Beach
Department of Public Works
2000 Main Street
Huntington Beach, CA 92648

REVIEW OF SITE CONTAMINATION ASSESSMENT REPORT, CITY HALL, CITY OF HUNTINGTON BEACH, CALIFORNIA

Dear Mr. Charlonne:

The Department of Toxic Substances Control (DTSC) has completed reviewing the site contamination assessment report dated August 7, 2008. Attached please find DTSC's comments.

If you have any questions, please contact me at (714) 484-5478.

Sincerely,

Safouh Sayed
Project Manager
Brownfields and Environmental Restoration Program - Cypress Office

Cc: Mr. Gerald Caraig
Permit and Plan Check Manager
City of Huntington Beach
Department of Building and Safety
2000 Main Street
Huntington Beach, CA 92648

Mr. Massoud Rahdari, Principal
Integrity Environmental
95 Argonaut, Suite 210
Aliso Viejo, CA 92656

Printed on Recycled Paper

Linda S. Adams
Secretary for
Environmental Protection

Department of Toxic Substances Control

Maureen F. Gorsen, Director
1001 "I" Street
P.O. Box 806
Sacramento, California 95812-0806

Arnold Schwarzenegger
Governor

TO: Safouh Sayed
Project Manager
Department of Toxic Substances Control
Cypress, California

FROM: Shukla Roy-Semmen, Ph.D.
Staff Toxicologist
Human and Ecological Risk Division

DATE: August 25, 2008

SUBJECT: Review of a Site Contamination Assessment Report for the City of Huntington Beach City Hall, Huntington Beach, California.

PCA: 12018 Site Code: 401457-11

The Human and Ecological Risk Division (HERD) reviewed a document titled "Interim Report, Coal Tar Creosote, Site Contamination, City Hall Seismic Upgrade Project, City of Huntington Beach, 2000 Main Street, Huntington Beach, California". The report was prepared by Integrity Environmental Consultants Inc., for the City of Huntington Beach. Comments on the report are described below.

Background

At the request of the program, HERD reviewed the site assessment report for the City of Huntington Beach City Hall. A site hazard assessment was performed in response to an outbreak of dermatitis among construction workers removing coal tar creosote (without protective gear) from the building basement on 18th and 19th of June 2008. The removal process was part of a seismic upgrade of the subject property, where concrete slabs and soils were excavated from basement walls coated with creosote. In the 1970s, the coal tar creosote was used as water proofing material and primer to attach sidings on the subsurface exterior walls of the building basement and foundation, which was then covered below the ground surface by soils and concrete slabs.

According to the report, construction workers at the site will conduct future excavation and cleanup activities (see Appendix D) under the purview of the Occupational Safety and Health Administration (OSHA) and South Coast Air Quality Management District (SCAQMD). The workers will wear appropriate personal protective equipment and the

will be monitored for volatile organic compounds (VOCs) and polycyclic aromatic hydrocarbons (PAHs). A benchmark of 100 ppm will be used for volatile organic compounds (VOCs) in air. For PAHs in air, a level of 0.1 mg/m^3 will be used as a benchmark, based on OHSA permissible exposure limits (PELs) and National Institute for Occupational Safety and Health (NIOSH) Threshold Limit Values (TLVs) for coal tar pitch volatiles. For PAHs in soils, a level of 0.5 mg/kg and 5.0 mg/kg will be used as benchmarks for carcinogenic and non-carcinogenic compounds, respectively. For surfaces, levels of 150 μg/m^2 and 1500 μg/m^2, will be used as benchmarks for publicly accessible and non-accessible areas, respectively. The report is also proposing to use the above levels as the remediation goals for the site, if this is the approach that the City of Huntington Beach chooses to take to mitigate exposures to the creosote. Another option that the City is considering is to leave the contamination in place and cover the soils with polyethylene sheeting and the creosote covered walls with waterproofing material (page 7). Here, HERD evaluated the proposed sampling, monitoring and remediation procedures for protection of the health of future workers and the general public at the site.

Document Reviewed

HERD reviewed, "Interim Report, Coal Tar Creosote, Site Contamination, City Hall Seismic Upgrade Project, City of Huntington Beach, 2000 Main Street, Huntington Beach, California". The report was dated August 7, 2008, and received by HERD on August 15, 2008. The report was prepared by Integrity Environmental Consultants Inc., for the City of Huntington Beach.

Scope of Review

HERD has reviewed this document with emphasis on those aspects that affect the risk to human health. HERDs review addressed issues concerning the methodology and assumptions of the report. We assume that regional personnel have evaluated the sampling of environmental media. Any future changes or additions to the document should be clearly identified.

General Comments

Overall, HERD found that initial contaminant assessment at the site was performed in an acceptable manner. Bulk material, concrete and soils collected from the work area were analyzed for semi-volatile organic compounds (SVOCs) and PAHs using USEPA methodology 8270C and 8310. As expected, high concentrations of PAHs were detected in the various sampled media. The report states that additional soil and concrete material will be collected from around the contaminated area, as well as in

locations where contamination may have spread during uncontrolled creosote removal activities. HERD recommends that these proposed sampling locations be clearly identified in figures of the site (see general comments # 1 and 2) and be presented for DTSCs review.

HERD notes that the analytical methodology proposed for sampling and monitoring of VOCs and SVOCs at the site may not be appropriate for use in a human health risk assessment (comments # 3 and 4), due to the fact that the methods may not be sensitive or specific enough. For example, the report is proposing to use a photoionization detector (PID) to monitor VOCs in air, which does not provide data on individual VOC compounds. HERD recommends that soils and ambient air in the area be sampled for VOCs using USEPA methodology, so that individual VOC compounds can be identified and quantitated, for use in a human health risk assessment (see comment # 5).

Additional data collected at the site will be useful in determining appropriate cleanup procedures for the site. For example, the City may decide to leave the contamination in place and seal up the basement walls and soils such that exposure pathway to creosote exposures in rendered incomplete. In this case, a risk assessment may need to be conducted to demonstrate that the VOCs and SVOCs are not a health concern for future worker and the public. If the City decides to remove the contamination using procedures outlined in the Health and Safety Plan (Appendix D), a post-remediation risk assessment may need to be conducted to demonstrate that risks/hazards to future workers and public are within the risk management range (comment # 7 and 8). Toxicity values developed by California Environmental Protection Agency (CalEPA) Office of Environmental Health Hazard Assessment (OEHHA) and the United States Environmental Protection Agency (USEPA) should be used in the risk assessment (comment # 6). Alternatively, if background PAH concentrations can be established for PAHs at the site and the contamination cleaned up to these levels, there may not be a need for a risk assessment. Below are additional comments on the report.

1) Please provide figures of the site where the buildings are clearly demarcated along with all sampling locations. The figures presented in the report are difficult to follow due to poor print quality and presence of numerous vertical and horizontal lines across the pages.

2) HERD recommends that the sampling plan (presented in Appendix E) include details on sampling locations that will be used to delineate the lateral and vertical extent of contamination at the site (specifically in soils and concrete). Figures clearly showing the proposed sampling locations should be included in the document. The report states that creosote contamination at the site has spread (below ground) around the work area, as well as outside and inside the building, as a result of uncontrolled coal tar creosote removal, concrete slab busting and

soil excavation from different points on the site in addition to the original excavation pit. In addition, the pervasive use of the creosote around the exterior of the foundation may have contaminated soils, sand, vermiculite and concrete slab.

3) HERD does not concur with the use of OSHA or NIOSH regulatory levels as background and cleanup levels for PAHs in air at the site. The report is proposing to use 100 $\mu g/m^3$ as the background and cleanup level for PAHs in air, at the site (page 14). HERD recommends that concentrations of each of individual PAH identified at the site be measured individually using USEPA methodology (see comment # 5), and cleanup levels be established based on hazard/risk and background PAH information in soils.

4) HERD does not concur with the use of 5.0 mg/kg and 0.5 mg/kg as background and cleanup levels for non-carcinogenic and carcinogenic PAHs, respectively, in soils, since these values exceed California Human Health Screening Levels (CHHSLs) of 0.13 mg/kg for benzo(a)pyrene and thus may not be protective of human health. Background concentrations can be established based on concentrations of the compound(s) detected in unaffected areas around the vicinity of the site.

5) HERD recommends that VOC sampling and analysis in soils and air be conducted using guidelines provided in the 2003 Advisory - Active Soil Gas guidance (http://www.dtsc.ca.gov/LawsRegsPolicies/Policies /SiteCleanup/upload/SMBR_ADV_activesoilgasinvst.pdf) and DTSC's 2005 *Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air* (http://www.dtsc.ca.gov/AssessingRisk/upload/HERD_POL_Eval_Subsurface_Vapor_Intrusion_interim_final.pdf). VOCs in soil gas should be analyzed using USEPA method 8260B. VOCs in air should be collected using Summa canisters and analyzed using USEPA's TO-15 methodology. The report is proposing to monitor total VOC concentrations in air using a PID (page 13). As mentioned earlier, this methodology does not provide information on the concentrations of individual compounds within VOC mixtures. For PAH analysis in air, HERD recommends using USEPA's method TO-13A. Naphthalene and 2-methylnaphthalene should be analyzed using USEPA's TO-17 methodology, since TO-13A has a low collection efficiency for this compound. The recommended USEPA methods have significantly lower detection limits than the OSHA (method 58) and NIOSH (methods 5023 and 5506), and greater specificity, and therefore are more useful for risk assessment purposes.

6) It is unclear to HERD how B(a)P equivalents were calculated for the PAHs (see section labeled "Samples of June 25, 2008"). HERD recommends following guidelines provided in Office of Environmental Health Hazard Assessment's (OEHHA) *Technical Support Document for Describing Available Cancer Potency*

Factors (http://www.oehha.ca.gov/air/ cancer_guide/TSD2.html) for estimating risks/hazards associated with carcinogenic PAHs. OEHHA developed toxic equivalency factors for 17 PAHs.

7) HERD recommends that a post remediation risk assessment be conducted to ensure that persons at the site are not being exposed to unacceptable risks/hazards, if the City chooses to select site cleanup as the remedy for the site. Cancer risks and non-cancer hazards from exposure to PAHs (via the ingestion, dermal and inhalation pathways) can be estimated for receptors who may come in contact with the contamination in air and soils, using guidelines provided in DTSC's Preliminary Endangerment Assessment (PEA) and USEPA's Risk Assessment Guidance for Superfund (RAGS). For methodology on estimating risks/hazards from surfaces, see comment # 8. As noted above, B(a)P equivalents were estimated for only six of the PAHs detected at the site. Risks/hazards associated with other PAHs and compounds (e.g., naphthalene, 2-methylnaphthalene, acenaphthene etc.,) should also be estimated. Cumulative risks/hazards from exposures to compounds associated with creosote, via all routes of exposure (ingestion, dermal and inhalation) should meet risk management goals. Alternatively, the site soils and surfaces can be cleaned up to background PAH levels, which will need to be established for the site.

8) HERD recommends that results obtained from surface wipe samples be evaluated according to guidance outlined in Appendix D of the 2002 report prepared by the Contaminants of Potential Concern (COPC) Committee of the World Trade Center Indoor Air Taskforce Working Group and titled "World Trade Center Indoor Air Assessment: Selecting Contaminants of Potential Concern and Setting Health-Based Benchmarks" (http://www.tera.org/peer/ WTC/COPC %20-%20Final%20-%2009-12-02.pdf). The report is proposing to use a background level of 150 ug/m^2 for PAHs in "client employees and public accessible areas" and a background level of 1500 ug/m^2 in "client employees and public inaccessible areas" (page 14). Please indicate the source of these values.

9) HERD recommends that a reference for surface wipe sample collection methodology be included in the report, along with proposed surface sampling locations. The report states that "the concrete slabs covering the outdoor area outside the city hall building is highly likely to be contaminated from the construction and excavation activities and the uncontrolled coal tar creosote removal activity" (page 13).

Recommendations and Conclusions

HERD recommends that that the guidance provided above be used to delineate the nature and extent of creosote associated contamination in soil, air and surfaces at the

site. Data obtained from additional sampling can be used to estimate risks/hazards to future receptors at the site.

HERD notes that the decisions made in this document are site specific and should not be construed as a policy decision applicable to other sites. If you have additional questions please feel free to contact me at (714) 484-5448 or Sroysemm@dtsc.ca.gov.

Reviewed by:

Gerald A. Pollock, Ph.D., DABT
Senior Toxicologist
Human and Ecological Risk Division

Shukla Roy-Semmen
for "GAP"

Massoud Rahdari

From: Safouh Sayed [SSayed@dtsc.ca.gov]
Sent: Monday, August 25, 2008 3:23 PM
To: Massoud Rahdari; Gerald Caraig
Subject: RE: NTP-City of Huntington Beach

Follow Up Flag: Follow up
Flag Status: Flagged

NTP-City of Huntington Beach 8. NTP-City of Huntington Beach-F..

Mr. Caraig,

Attached please find DTSC's comments on the Site Contamination assessment report for the City Of Huntington Beach.

Thanks

Safouh Sayed
Hazardous Substances Engineer
Brownfields and Environmental Restoration Program
Department of Toxic Substances Control
5796 Corporate Ave
Cypress, CA 90630
(714) 484-5478
714) 484-5438
ssayed@dtsc.ca.gov

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Wednesday, August 27, 2008 4:53 PM
To: 'Safouh Sayed'
Cc: 'Caraig, Gerald'; Duane Wentworth (dwentworth@surfcity-hb.org); 'Ibrahim Sobeih'
Subject: 2008-00097 City of Huntington Beach - City Hall Seismic Upgrade Project - Integrity's Response to DTSC's Comments of 8-25-08

Mr. Sayed;

Attached with this e-mail please find our response to your comments.

Attached please also find a simplified sampling locations drawing and our amended sampling plan for the above-referenced project.

The edited portions of our sampling plan is shown in blue and highlighted in yellow.

I will bring a copy of the same for further discussion and elaborations to the meeting of tomorrow at 1:30 p.m.

Cordially,

Massoud Rahdari, *Principal*
a: 95 Argonaut, Suite 210
Aliso Viejo, CA. 92656
e: mrahdari@integrityenvironmental.com
t: 949.586.1414 ext. 201 **f:** 949.586.5922
w: integrityenvironmental.com

Massoud Rahdari

From: Safouh Sayed [SSayed@dtsc.ca.gov]
Sent: Friday, August 29, 2008 8:08 AM
To: Ibrahim Sobeih; mrahdari@integrityenvironmental.com
Subject: Fwd: City of Huntington Beach-Soil gas sampling

Massoud, Ibrahim,

See attachment please.

Thanks

Safouh Sayed
Hazardous Substances Engineer
Brownfields and Environmental Restoration Program
Department of Toxic Substances Control
5796 Corporate Ave
Cypress, CA 90630
(714) 484-5478
(714) 484-5438
ssayed@dtsc.ca.gov

>>> Shukla Roy-Semmen 8/28/2008 5:14 PM >>>
Safouh,

Can you pass the following message on to Integrity.

When doing the soil gas sampling along the undisturbed soil locations, make sure that the ground is not wet from sprinklers or other sources. Also, follow the 2005 DTSC guidelines on vapor intrusion.

Shukla

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Wednesday, September 03, 2008 12:38 PM
To: 'Safouh Sayed'
Cc: Duane Wentworth (dwentworth@surfcity-hb.org); 'Ibrahim Sobeih'; 'Sean Tannehill'; 'Cyrus Razmara'; 'John Yokoyama'
Subject: 2008-00097 City of Huntington Beach - City Hall Seismic Upgrade Project; Sampling Effort of Septemebr 4, 2008
Attachments: Sampling Plan Summary for Sampling of Septemebr 4, 2008.pdf

Mr. Sayed;

Attached with this e-mail please find our revised sampling plan summary for the soil gas and soil bulk sampling of tomorrow. Unless I receive a response to the contrary, Integrity will commence the sampling tomorrow at 7:00 a.m.

Ibrahim – for action [cellular telephone number (714) 454-2055]
Sean – for action [cellular telephone number (714) 412-4840]
Dr. Razmara – for action
John – for action

Cordially,

Massoud Rahdari, *Principal*
a: 95 Argonaut, Suite 210
Aliso Viejo, CA. 92656
e: mrahdari@integrityenvironmental.com
t: 949.586.1414 ext. 201 f: 949.586.5922
w: integrityenvironmental.com

Tracking:

Recipient	Read
'Safouh Sayed'	
Duane Wentworth (dwentworth@surfcity-hb.org)	
'Ibrahim Sobeih'	
'Sean Tannehill'	Read: 9/3/2008 1:17 PM
'Cyrus Razmara'	Read: 9/3/2008 1:30 PM
'John Yokoyama'	

integrity ENVIRONMENTAL

September 5, 2008

Mr. Sarouh Sayed
Hazardous Substances Engineer
Brownfields and Environmental Restoration Program
Department of Toxic Substances Control
5796 Corporate Ave
Cypress, CA 90630

Soil Vapor Sampling Plan
In-Place Background Soil Bulk Sampling Plan
Work Area Number 4 In-Place Soil Bulk Sampling Plan
Stockpile Soil Bulk Sampling Plan
City Hall Seismic Upgrade Project
City of Huntington Beach
Department of Public Works
Huntington Beach, CA 92648
IE Project Number 2008-00097

Mr. Sayed:

Integrity Environmental, Inc. (Integrity) is presenting a summary of our revised sampling plan (specific to the above-listed sampling effort) for your review and approval. The sampling is scheduled for tomorrow and will commence at 7:00 a.m. These revision have been made to our previous plan (refer to the letter of August 30, 2008 and its attachments) as a result of our conference telephone call on September 2, 2008. Integrity will insert the details of this sampling effort in the master sampling plan (for records) upon the receipt of your comments and approval of the following:

1. Soil Vapor Sampling Plan
   - A. The landscaping sprinklers have been shut off as of yesterday morning. Integrity will examine the soil conditions tomorrow and will proceed with sampling when the soil is found dry.
   - B. Integrity will collect background samples in two (2) additional locations
     - I. Samples will be collected in a total of three (3) locations (SG1A&B, SG2A&B and SG3A&B)
       - 1. All samples will be collected at depths of 5-feet and 15-feet, where possible
   - C. Integrity will collect presumably impacted areas at the perimeter of Council Chambers and Police Building
     - I. Samples will be collected in one (1) location each for Council Chamber and Police Building (SG4A&B and SG5A&B), respectively
       - 1. All samples will be collected at depths of 5-feet and 15-feet, where possible
   - D. Integrity will collect one (1) sample from Work Area Number 1 (SG6A&B)
     - 1. Samples will be collected at depths of 5-feet and 15-feet
   - E. Integrity will collect one (1) from Work Area Number 4 (SG7A&B)
     - 1. Samples will be collected at depths of 5-feet and 15-feet.
2. In-Place Background Soil Bulk Sampling Plan
   - A. Integrity will collect background samples in three (3) locations (BS2A&B, BS3A&B and BS4A&B)
     - I. Sample will be collected at depths of 6-inches and 2-feet to 3-feet
       - 1. Single samples will be collected
3. Work Area Number 4 In-Place Soil Sampling Plan
   - A. Integrity will collect one (1) sample (BS1)
     - I. Sample will be collected at depths of 3-feet to 5-feet
4. Stockpile Soil Bulk Sampling Plan
   - A. Integrity will collect five (5) sample (BS5, BS6, BS7, BS8, BS9 and BS10)
     - I. Sample will be collected at the deepest point possible in the stockpiles
       - 1. Single samples will be collected

Vironex Field Services of Huntington Beach, California, a specialty company, will provide assistance in the collection of these samples. Sampling will be performed under direct supervision of Mr. Ibrahim Sobieh, an ABIH-certified Industrial Hygienist.

The samples will be sent (via courier) to the laboratory for immediate delivery. In response to our client's needs, all samples will be analyzed on a 24-hour turn-around basis. We anticipate providing our sampling results for this effort to your office before the end of the business day on September 5, 2008.

We appreciate your cooperation and guidance in expediting your approval process to allow the resumption of this long-delayed project. If you have any questions, please call me at (949) 586-1414 - extension 201.

Cordially,

Integrity Environmental Consultants, Inc.


Massoud Rahdari, Principal
California EPA-Registered Environmental Assessor 04138


Attachments


- Work Areas Locations
- Proposed Soil Vapor Sampling Locations of September 4, 2008
- Proposed Soil Bulk Sampling Locations of September 4, 2008
- Copy of ASTM D6661-01
- http://www.epa.gov/wtc/pagel/pdfs/lowpc-manhattan-fmfpr-test-and-clean-program-plan-december2006.pdf
- Copy of original construction specifications for Coal Tar Creosote

Page 2 of 2

air - soil - water







Designation: D 6661 – 01 (Reapproved 2006)

Standard Practice for Field Collection of Organic Compounds from Surfaces Using Wipe Sampling[1]

This standard is issued under the fixed designation D 6661; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This practice addresses sampling of organic compounds (i.e., PCBs, dioxins, many pesticides and similar compounds) from smooth nonporous surfaces using a solvent-wetted wipe sampling method. Samples are collected in a manner that permits the solvent extraction of the organic compound(s) of interest from the wipes and subsequent determination using a laboratory analysis technique such as gas chromatography with a suitable detector. This practice is, however, unsuitable for the collection of volatile organic compounds.

1.2 This practice should only be used to collect samples for the determination of organic compound(s) on a loading basis (e.g., mass per unit area). It cannot be used to collect samples for the determination of organic compounds on a concentration basis (e.g., mass per unit mass).

1.3 This wipe sampling practice is not recommended for collecting samples of organic compounds from rough or porous surfaces such as upholstery, carpeting, brick, rough concrete, cutting tiles, and bare wood. It is also not intended for the collection of dust samples (see Practice E 1728) or sampling to estimating human exposure to contaminated surfaces.

1.4 To ensure valid conclusions are reached, a sufficient number of samples must be obtained as directed by a sampling design (the number and location of samples including quality control samples) and a quality assurance/quality control plan. This practice does not address the sampling designs used to achieve the data quality objectives (see Practice D 5792).

1.5 The values stated in SI units are to be regarded as the standard.

1.6 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

2.1 *ASTM Standards:*[2]

D 4687 Guide for General Planning of Waste Sampling

D 5792 Practice for Generation of Environmental Data Related to Waste Management Activities: Development of Data Quality Objectives

E 1278 Guide for Radioactive Pathway Methodology for Release of Sites Following Decontamination[3]

3. Terminology

3.1 *Definitions:*

3.1.1 *wipe, n*—sorbent material (e.g., cotton gauze) that is rubbed on a surface to collect a sample for chemical analysis.

4. Summary of Practice

4.1 A wipe sample is collected from a smooth nonporous surface with a solvent-wetted wipe following a specified pattern of wiping to ensure complete coverage of an area of specified dimensions. The wipe is then extracted and analyzed to detect and quantify (at least semiquantitatively) the presence of organic compounds on surfaces.

5. Significance and Use

5.1 Wipe sampling is typically used by persons involved in hazardous waste site investigations to characterize the areal extent and the level of contamination on walls, floors, equipment, etc. Wipe sampling is also used to determine compliance with regulations.

5.2 There are many factors that contribute to variation in sampling results during wipe sampling including, the use of different pressures applied to the wipe, different kinds of wipes, different wiping patterns, the texture of the surface being wiped, and perhaps even the duration of wiping. The significance of this practice is that it standardizes wiping procedures

[1] This practice is under the jurisdiction of ASTM Committee D34 on Waste Management and is the direct responsibility of Subcommittee D34.01.02 on Sampling Techniques.

Current edition approved May 1, 2006. Published May 2006. Originally approved in 2001. Last previous edition approved in 2001 as D 6661-01.

[2] For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

[3] Withdrawn.

Copyright © ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States.

Copyright by ASTM Int'l (all rights reserved); Wed Jul 16 17:56:50 EDT 2008
Downloaded/printed by
IBRAHIM SOBEH () pursuant to License Agreement. No further reproductions authorized.

TABLE 1 Contaminant Recovery Data Using Common Solvents and TLC Pads[4]

Compound	Solvent	Percent Recovery
Chlordane	Acetone	71
	Isooctane	54
Chlorpyrifos	Acetone	72
	Isooctane	58
Malathion	Dichloromethane	81
	Isooctane	80
Diazinon	Isooctane	70
Aroclor 1260	Isooctane	80
	Acetone	76
BenzoScreen	Acetone	85
	Isopropanol	84
Propanil	Isopropanol	96
	Acetone	90

to reduce sampling variability in the collection of samples from smooth, nonporous surfaces such as metal, glass, painted or sealed surfaces, tile, etc., in and around buildings, and from pipes, tanks, decontaminated equipment, etc.

6. Sampling Equipment and Supplies

6.1 *Sample Containers*—Airtight amber glass sample containers with PTFE-lined caps such as 40-mL volatile organic analysis vials are recommended. Larger 125-mL wide mouth bottles may also be used which eliminates the need for forceps to place or remove wipes from the sample container. To minimize solvent handling in the field, wipes may be wetted with solvent in the laboratory and shipped to the field in the sample container.

6.2 *Wipes*—Cotton gauze pads 7.6-cm square are to be used. Sterile surgical gauze pads are typically used without precleaning. However, samples of the pads should be analyzed or otherwise determined to be free of the target compounds and substances that could interfere with the analytical method. If necessary, pads should be precleaned by solvent extraction in a laboratory prior to field use.

6.3 *Solvent*—A high purity solvent (one which is free of contaminants that might interfere with analysis), capable of solubilizing the target organic compound and compatible with the surface being wiped, should be used. For collecting PCBs and most pesticides (e.g., chlordane, chlorpyrifos and malathion) isooctane is an effective solvent. For carbamates or known polar pesticides, isopropanol is more effective. Some guidance on solvent selection (Table 1) was generated by EPA[4] using thin layer chromatography (TLC) saturation pads (essentially a heavy filter paper) which generally performs similarly to cotton gauze pads. Hexane is another commonly used solvent to consider for PCB sampling. Some effective solvents such as acetone are not the most desirable because interfering compounds from some surfaces can also be recovered.[4] The analytical laboratory should be able to assist in selecting a proper wiping solvent compatible with the surface to be sampled and with the analytical procedure.

6.4 *Disposable Gloves*—Powderless gloves which protect the sampler's hands from the solvent and do not contribute any possibly interfering contaminants should be used. A new pair of gloves should be used for each wipe.

6.5 *Sampling Template (Optional)*—Templates made of stainless steel, aluminum, disposable heavy-duty aluminum foil or other inert material can be used to expose a 10-cm by 10-cm surface area to be wiped.

6.6 *Other*—Standard field sampling supplies are discussed in Guide D 4687 and may include a copy of the sampling plan, chain-of-custody forms, custody seals, logbook, camera, field data sheets, sample labels, forceps, noncontaminating marker (e.g., pencil, scribe), decontamination supplies, and solvent dispenser. Additional detailed equipment lists are included in EPA publications.[5, 6]

7. Procedure

7.1 Review the sampling plan and sampling procedures, assemble sampling equipment, ensure personnel are adequately trained for their tasks, arrange logistics, and ensure supplies will be available at the site when needed. Since sampling results can vary between operators sampling identical surfaces, the same person should collect all wipe samples at a given site[5] to minimize variability and enhance comparison of results from various locations.

7.2 Locate the sampling points as specified in, or according to the guidance of, the sampling plan.

7.3 Install the sample template or otherwise delineate the area to be sampled, normally a 10-cm by 10-cm area. This can be achieved by either taping a template in place (caution, tape used to secure a template should not be wiped since this may contaminate the sample), or by drawing the boundary of the area to be sampled with a noncontaminating marker. Although a 10-cm by 10-cm area is the standard-size template, the area does not have to be square as long as a 100-cm² area is being sampled. If contaminant levels are expected to be low, greater sensitivity may be achieved by sampling a larger area. In all cases, the location and dimensions (e.g., length, width, diameter) of the area sampled must be recorded and possibly photographed.

7.4 Don a new glove and obtain a clean wipe. If precleaned wipes were shipped in sample containers, forceps can be used to remove the wipe from the container.

7.5 If solvent-wetted wipes were not shipped to the field, dispense solvent (2 mL recommended although somewhat more may be desired if shipping solvent-wetted wipes to the field in 125-mL bottles) onto the cotton gauze pad. A repeating dispenser can be used for dispensing the same amount of solvent to each wipe. The EPA's PCB program specifies the use of a saturated, but not dripping, wipe (~5 mL of solvent),[5] which may slightly increase contaminant recovery, but research has shown more consistent results using 2 mL of solvent.[1]

[4] Choi, B. L. and Hill, H. H., *Sampling of Chlorinated Pesticides and PCBs from Soil Surfaces*, EPA 230/1-91/001, National Enforcement Investigation Center, Denver, CO, 1991.

[5] Boyd, J.H., *Wipe Sampling and Results Verification Chromatography Recommended by the Environmental Protection Agency*, in *PCB Spill Cleanup Policy*, U.S. Environmental Protection Agency, Washington, DC, 1987.

[6] U.S. Environmental Protection Agency, Chp., *Wipe and Swipe Samples*, SOP#: 2011, Environmental Response Team, NJ, 1991.

Copyright by ASTM Int'l (all rights reserved); Wed Jul 16 17:56:50 EDT 2008
Downloaded/printed by
IBRAHIM SOBEH () pursuant to License Agreement. No further reproductions authorized.

7.6 Wipe the entire surface to be sampled using firm strokes by pressing with the fingertips. Wipe vertically and then horizontally to ensure there is complete coverage in both directions with minimal overlap of the previous stroke. The objective is to systematically, thoroughly, and consistently wipe the entire target area twice, each time from a different direction.[5] Excess wiping (e.g., more than single coverage in each direction) has been shown to reduce organic contaminant recovery.[4]

7.7 Fold the wipe with the sampled side inward, place it in the sample container, and cap the container. EPA's PCB program specifies air drying the saturated cotton gauze pad, either in the laboratory or the field. Field drying can be accomplished by placing wipes on clean aluminum foil or in the sample container with the lid off (ensure no liquid solvent is lost when placing wet wipes in the sample jar).

7.8 Label the sample container and complete standard documentation procedures.

7.9 Store the sample out of direct sunlight, cool to 4°C and ship or transport the sample(s) to the laboratory.

7.10 Quality control samples should be collected as specified in the sampling or quality assurance/quality control plan. The types of quality control samples may include blank, second wipe, duplicate, and spiked samples[5] as described below but may include other types as needed to achieve the objectives.

7.10.1 The first type of blank sample is a wipe in an unopened sample container (if provided to the field in this manner) or a clean wipe (with or without solvent) placed in a sample container. This type of blank is useful in determining whether the wipes and possibly the solvent are contaminated. The second type of blank is a wipe sample collected from a control area for each type of surface sampled. This type of blank is useful in determining whether contaminants may have been extracted from the surface sampled (e.g., target or interfering contaminants from painted, plastic, tile, etc. surfaces).

7.10.2 Two other types of quality control samples are second wipes and duplicate samples. A second wipe sample is collected from exactly the same area and immediately after the regular sample is collected. These sample results are used to estimate the residual contamination remaining after regular sampling. The data can be used to calculate an estimate of total surface contamination (this calculation is beyond the scope of this standard). This type of wipe is important for sampling relatively more porous surfaces such as vinyl tile. A duplicate sample is collected immediately adjacent to the regular sample and can be used to estimate sample collection precision (assuming the immediately adjacent area has the same level of contamination).

8. Keywords

8.1 sample collection; surface sample; wipe; wipe sample

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).

Copyright by ASTM Int'l (all rights reserved); Wed Jul 16 17:56:50 EDT 2008
Downloaded/printed by
IBRAHIM SOBEH () pursuant to License Agreement. No further reproductions authorized.

SECTION 7A

WATERPROOFING

1. CONDITIONS

The General and Special Conditions form a part of this section. Read the conditions and be aware of any requirements therein which affect the work of this section.

2. DESCRIPTION OF WORK

Provide Waterproofing as indicated and specified, complete.

3. PRINCIPAL WORK IN THIS SECTION

Membranes at all walls below grade with protection.

Waterproofing of Mechanical Shaft at Police Building.

Membrane between double slab at Mechanical Equipment Room.

Membrane between double slab at Heliport.

Membrane at Plaza Levels.

Membrane at Planting Area over Detention Facility.

4. RELATED WORK IN OTHER SECTIONS

Membrane at tile work.

Roofing and Roof Insulation.

5. GENERAL REQUIREMENTS

Guarantee all work of this section for two years against defective workmanship and materials.

Additional Work: Provide such extra materials and workmanlike coverage needed to obtain required results without additional cost to Owner.

Job Conditions: Inspect surfaces to receive waterproofing and determine if they are in satisfactory condition. Check excavation for special hazards requiring shoring. Beginning work will be considered acceptance of working and surface conditions.

Protection: Protect all membrane materials from elements, moisture and foreign matter during storage and installation.

Waterproofing Contractor: Shall be approved by the manufacturer.

Inspection: Horizontal membrane work at Plaza level and at Planting Area over Detention Facility shall be subject to manufacturer's inspection. Manufacturer's Inspection Report shall be furnished to the Architect upon satisfactory completion.

6. MATERIALS

Felt: Tar Saturated Felt 15 lbs. ASTM D 227

Bitumen: Coal tar pitch ASTM D 450, Type A and Type B

Primer: Creosote priming oil ASTM D 43

Plastic Cement: Coal tar SS-C-153 Type II

Insulation Board: 1/2" thick wood or vegetable fiber

90# Mineralized Roofing: Standard Grade in any color

Rigid Asbestos-Cement Board: 1/4" in thickness

Fabric: Tar Saturated Cotton - Standard Grade

7. WATERPROOFING MEMBRANES

Material Required Per 100 Square Feet:

Walls Below Grade:

Concrete Priming Oil	1 gal.
Coat Type B Coal Tar Pitch	30 lbs.
Two Plies #15 Tarred Felt	30 lbs.
Pitch Between Plies	25 lbs.
Top Coat of Pitch	25 lbs.
Protection Course - 1/2" Insulation Board	

Between Double Slabs at Mechanical Equipment Room:

Mopping Type A Pitch	30 lbs.
Three #15 Tarred Felts	45 lbs.
Pitch Between Plies	50 lbs.
Top Mopping of Pitch	25 lbs.
Fabric Flashing	

Between Double Slabs at Heliport Pad:

Mopping Type A Pitch	30 lbs.
Two Layers Tar Saturated Cotton Fabric	20 lbs.
Two Layers #15 Tarred Felt	30 lbs.
One 90# Mineralized Roofing	90 lbs.
Pitch Between All Plies	100 lbs.
Fabric Flashing	

Membrane at Plaza Levels:

Mopping of Type A Pitch	30 lbs.
Four #15 Tarred Felts	60 lbs.
One 90# Mineralized	90 lbs.
Pitch Between All Plies	100 lbs.
Fabric Flashing	

Membrane at Planting Area Over Detention Facility:

Mopping Type A Pitch	30 lbs.
Four #15 Tarred Felts	60 lbs.
One Layer Tar Saturated Cotton Fabric	10 lbs.
One Layer 90# Mineralized	90 lbs.
Pitch Between All Plies	125 lbs.
Fabric Flashing	

8. APPLICATION OF MEMBRANES

All vertical surfaces to receive pitch membranes shall first be primed with Concrete Priming Oil at the approximate rate of one gallon per 100 square feet. Allow to dry.

Membrane below grade shall be installed in approximately 10' courses. Nail top edge of each course with concrete nails through tin discs 8" o.c. Top edge of all vertical membranes shall be nailed 6" o.c. and three courses with a 6" strip of Tar Saturated Cotton Fabric applied between two troweilings of pitch base plastic cement, except where drawings show Plaza membrane turned down at outside perimeter. Spot 1/2" insulation board with plastic cement and brace into place.

Where 90# Mineralized is used as top protection, it shall be cut into approximately 12' lengths and piled flat for a sufficient time to remove all kinks and buckles. Mop in place with pitch at the end of each day's work, lapping 2" at sides and 4" at ends.

Flashing of flat and vertical intersections shall be made by turning up bottom two plies as shown on drawings. Cut top plies flush with intersection and reinforce angle with two strips of fabric with alternate pitch moppings run out on horizontal surfaces 6" and 8". Nail and three course as noted elsewhere.

90# Mineralized shall not be run up vertical surfaces at end walls of Planting Area. Protection at these ends shall consist of 1/4" rigid asbestos-cement board. Spot with plastic cement and brace into place.

All membranes shall be firmly bonded. Pitch moppings shall be solid without voids.

9. SUBMITTAL

Submit List of Materials proposed for use, showing brand names and type. Most materials to be supplied by one manufacturer.

END

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Thursday, September 11, 2008 1:08 PM
To: 'Safouh Sayed'
Cc: Duane Wentworth (dwentworth@surfcity-hb.org); 'Caraig, Gerald'; Ibrahim Sobeih (im_sobeih@hotmail.com)
Subject: FW: Results of analysis (In Summary and PDF formats) of samples from "City Hall Seismic Retrofit Project"

Tracking:

Recipient	Read
'Safouh Sayed'	
Duane Wentworth (dwentworth@surfcity-hb.org)	Read: 9/11/2008 1:12 PM
'Caraig, Gerald'	Read: 9/11/2008 1:37 PM
Ibrahim Sobeih (im_sobeih@hotmail.com)	

Mr. Sayed;

I am forwarding Ibrahim's initial comments along with the sampling data to save time and expedite the DTSC's review process.

The soil sampling locations has been approved by your office.

Integrity Environmental will be provided a formal report on a later date.

Please advice of your findings and recommendation.

We are much hopeful that we can start the remediation project on Monday, September 15th.

Cordially,

Massoud Rahdari

-----Original Message-----
From: Ibrahim Sobeih [mailto:im_sobeih@hotmail.com]
Sent: Wednesday, September 10, 2008 7:43 AM
To: Massoud Rahdari
Subject: RE: Results of analysis (In Summary and PDF formats) of samples from "City Hall Seismic Retrofit Project"

Good Morning Massoud,

After reviewing the lab analytical results of soil samples collected on 9/4 and 9/5/08, the following are my comments:

Keep in mind the next three points

First -- The order of sample collection where BS1 was collected from Area #4 first, BS5-BS10 collected from the soil pile second and BS2A&B-BS4A&B collected last as background samples.

Second -- The samples were collected at different depth, BS1 at 3-5 ft, BS5-BS10 as deep as possible in the pile, BS2A-BS4A at 6 in, and BS2B-BS4B at 2-3 ft. BS2A and BS2B were collected from two different but close points because the soil at point A was very hard to dig.

Third -- The samples were analyzed for VOCs (Method 8260B), SVOCs (Method 8270C) and PAHs (Method 8310).

VOCs Results

All samples revealed non-detectable concentrations of the 67 compounds tested for in this method except samples BS3A&B.

p-isopropyltoloune was detected in BS3A at concentration of 12.4 microgram per kilogram.

The same compound was detected between the Method Detection Limit and Practical Quantitation Limit for BS3B.

This means that this compound was detected at higher concentration in the surface soil (6 in) than at 3-5 ft.

This compound may have originated from vehicular traffic or other ambient sources and not from the spread of site contamination since site tested soil samples from Area #4 revealed non-detectable concentrations of VOCs.

PAHs Results

Pile soil samples - BS5-BS10 revealed varying concentrations above the Method Detection Limit (MDL) of 14 different PAHs and two PAHs were below the MDL in the 10 samples.

This is a confirmation of the contamination of the soil pile with coal tar creosote.

Area #4 sample - BS1 revealed concentrations below the MDL for the 16 PAHs confirming no vertical contamination at that sampling point depth.

Background soil samples - Samples BS4A&B were collected first and revealed concentrations below the MDL for the 16 PAHs at 6 inches and 2-3 ft depth.

Background samples BS3A&B were collected second and sample BS3A revealed concentrations above the MDL for 6 different PAHs whereas sample BS3B revealed concentrations below the MDL of 16 PAHs.

Background samples BS2A&B sere collected third, however, the two samples were collected from two different points.

Background sample BS2A revealed concentrations below the MDL for the 16 PAHs whereas sample BS2B revealed concentrations above the MDL for 11 different PAHs higher than any other sample.

Cross contamination from the pile samples to the background samples does not appear to be an issue since sample BS4A&B were collected after the soil pile sample and it showed PAHs concentrations below their respective MDLs.

Background soil samples contaminations may have originated at the time when the Civic Center complex was built or from the use of creosote coated telephone poles or from oil rigs.

Ibrahim Sobeih

> From: mrahdari@integrityenvironmental.com
> To: im_sobeih@hotmail.com
> Subject: FW: Results of analysis (In Summary and PDF formats) of samples from "City Hall Seismic Retrofit Project"
> Date: Tue, 9 Sep 2008 19:25:31 -0700
>
> Hello Ibrahim;
>
> For your use
>
> Massoud
>
> -----Original Message-----
> From: Cyrus Razmara [mailto:cyrus@aetlab.com]
> Sent: Tuesday, September 09, 2008 4:46 PM
> To: Massoud Rahdari
> Subject: Results of analysis (In Summary and PDF formats) of samples
> from "City Hall Seismic Retrofit Project"
>
> Dear Massoud:
>
> Herewith please find Results of analysis (In Summary andf PDF formats)
> of
> samples from "City Hall Seismic Retrofit Project" from Huntington Beach
> Civic Center, located on 2000 Main Street, Huntington Beach, CA 92648.
>
> AETL Job No: 49062 (Complete results, including the SVOCs).
>
> If you have any questions, please call me at 888-288-AETL.
>
>
> Cyrus Razmara Ph.D.
> Laboratory Director
> American Environmental Testing Laboratory

See how Windows Mobile brings your life together—at home, work, or on the go. See Now

Massoud Rahdari

From: Safouh Sayed [ssayed@dtsc.ca.gov]
Sent: Wednesday, September 03, 2008 1:18 PM
To: mrahdari@integrityenvironmental.com
Subject: Re: 2008-00097 City of Huntington Beach - City Hall SeismicUpgrade Project; Sampling Effort of Septemebr 4, 2008

Follow Up Flag: Follow up
Flag Status: Flagged

Thanks. I will look at the document and I will issue an approval today.

Thanks

>>> "Massoud Rahdari" <mrahdari@integrityenvironmental.com> 09/03/08
>>> 12:38 PM >>>
Mr. Sayed;

Attached with this e-mail please find our revised sampling plan summary for the soil gas and soil bulk sampling of tomorrow. Unless I receive a response to the contrary, Integrity will commence the sampling tomorrow at 7:00 a.m.

Ibrahim - for action [cellular telephone number (714) 454-2055] Sean - for action [cellular telephone number (714) 412-4840] Dr. Razmara - for action John - for action

Cordially,

Massoud Rahdari

From: Safouh Sayed [ssayed@dtsc.ca.gov]
Sent: Wednesday, September 03, 2008 2:30 PM
To: mrahdari@integrityenvironmental.com
Cc: im_sobeih@hotmail.com
Subject: Re: 2008-00097 City of Huntington Beach - City Hall SeismicUpgrade Project; Sampling Effort of Septemebr 4, 2008

Mr. Rahdari;

Below are DTSC's comments re: the sampling plan for soil gas and bulk samples.

Soil Bulk Sampling location Figure: The two additional background samples for soils are too close to the contaminated areas. Please pick locations that are at least as far away from the contamination as the 1st proposed location. It can be from a nearby off-site location (with no known PAH or VOC contamination, such as a park etc), or the opposite corner of the parking lot. Also, please make sure that these background locations are not close to any of those oil pumps next to the parking.

Soil Bulk Sampling location Figure: As far as sampling from the stockpile goes, the six samples shouldn't be taking from one point. It should be randomly distributed in the pile area, so that there is good coverage.

Soil Gas Sampling Location Figure: you don't need to be sampling for soil gas in the background locations. It doesn't serve any purpose at this point. DTSC recommends that you stick to the original four proposed locations only.

Please consider those comments while performing the sampling tomorrow. I will be at the site around 8:30 am.

Thanks

>>> "Massoud Rahdari" <mrahdari@integrityenvironmental.com> 09/03/08
>>> 12:38 PM >>>
Mr. Sayed;

Attached with this e-mail please find our revised sampling plan summary for the soil gas and soil bulk sampling of tomorrow. Unless I receive a response to the contrary, Integrity will commence the sampling tomorrow at 7:00 a.m.

Ibrahim - for action [cellular telephone number (714) 454-2055] Sean - for action [cellular telephone number (714) 412-4840] Dr. Razmara - for action John - for action

Cordially,

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Thursday, September 11, 2008 4:44 PM
To: 'Safouh Sayed'
Cc: Duane Wentworth (dwentworth@surfcity-hb.org); 'Caraig, Gerald'; 'Ibrahim Sobeih'
Subject: RE: FW: Results of analysis (In Summary and PDF formats) of samples from "City Hall Seismic Retrofit Project"

Mr. Safouh,

I will have the reports hand delivered to your office in the morning.

Please let me know if a conference call can be arranged tomorrow.

I will be in the office from 9:00 a.m. to 12:00 tomorrow.

Massoud Rahdari

-----Original Message-----
From: Safouh Sayed [mailto:ssayed@dtsc.ca.gov]
Sent: Thursday, September 11, 2008 3:52 PM
To: mrahdari@integrityenvironmental.com
Subject: Re: FW: Results of analysis (In Summary and PDF formats) ofsamples from "City Hall Seismic Retrofit Project"

Mr. Rahdari,

Please provide a hard copy of the reports.

Thanks

>>> "Massoud Rahdari" <mrahdari@integrityenvironmental.com> 09/11/08
>>> 1:08 PM >>>
Mr. Sayed;

I am forwarding Ibrahim's initial comments along with the sampling data to save time and expedite the DTSC's review process.

The soil sampling locations has been approved by your office.

Integrity Environmental will be provided a formal report on a later date.

Please advice of your findings and recommendation.

We are much hopeful that we can start the remediation project on Monday, September 15th.

Cordially,

Massoud Rahdari

-----Original Message-----
From: Ibrahim Sobeih [mailto:im_sobeih@hotmail.com]
Sent: Wednesday, September 10, 2008 7:43 AM
To: Massoud Rahdari
Subject: RE: Results of analysis (In Summary and PDF formats) of samples from "City Hall Seismic Retrofit Project"

Good Morning Massoud,

After reviewing the lab analytical results of soil samples collected on 9/4 and 9/5/08,

the following are my comments:

Keep in mind the next three points

First -- The order of sample collection where BS1 was collected from Area #4 first, BS5-BS10 collected from the soil pile second and BS2A&B-BS4A&B collected last as background samples.

Second -- The samples were collected at different depth, BS1 at 3-5 ft, BS5-BS10 as deep as possible in the pile, BS2A-BS4A at 6 in, and BS2B-BS4B at 2-3 ft. BS2A and BS2B were collected from two different but close points because the soil at point A was very hard to dig.

Third -- The samples were analyzed for VOCs (Method 8260B), SVOCs (Method 8270C) and PAHs (Method 8310).

VOCs Results

All samples revealed non-detectable concentrations of the 67 compounds tested for in this method except samples BS3A&B.

p-isopropyltoloune was detected in BS3A at concentration of 12.4 microgram per kilogram.

The same compound was detected between the Method Detection Limit and Practical Quantitation Limit for BS3B.

This means that this compound was detected at higher concentration in the surface soil (6 in) than at 3-5 ft.

This compound may have originated from vehicular traffic or other ambient sources and not from the spread of site contamination since site tested soil samples from Area #4 revealed non-detectable concentrations of VOCs.

PAHs Results

Pile soil samples - BS5-BS10 revealed varying concentrations above the Method Detection Limit (MDL) of 14 different PAHs and two PAHs were below the MDL in the 10 samples.

This is a confirmation of the contamination of the soil pile with coal tar creosote.

Area #4 sample - BS1 revealed concentrations below the MDL for the 16 PAHs confirming no vertical contamination at that sampling point depth.

Background soil samples - Samples BS4A&B were collected first and revealed concentrations below the MDL for the 16 PAHs at 6 inches and 2-3 ft depth.

Background samples BS3A&B were collected second and sample BS3A revealed concentrations above the MDL for 6 different PAHs whereas sample BS3B revealed concentrations below the MDL of 16 PAHs.

Background samples BS2A&B were collected third, however, the two samples were collected from two different points.

Background sample BS2A revealed concentrations below the MDL for the 16 PAHs whereas sample BS2B revealed concentrations above the MDL for 11 different PAHs higher than any other sample.

Cross contamination from the pile samples to the background samples does not appear to be an issue since sample BS4A&B were collected after the soil pile sample and it showed PAHs concentrations below their respective MDLs.

Background soil samples contaminations may have originated at the time when the Civic Center complex was built or from the use of creosote coated telephone poles or from oil rigs.

Ibrahim Sobeih

> From: mrahdari@integrityenvironmental.com
> To: im_sobeih@hotmail.com
> Subject: FW: Results of analysis (In Summary and PDF formats) of samples from "City Hall Seismic Retrofit Project"
> Date: Tue, 9 Sep 2008 19:25:31 -0700
>
> Hello Ibrahim;
>
> For your use
>
> Massoud
>
> -----Original Message-----
> From: Cyrus Razmara [mailto:cyrus@aetlab.com]
> Sent: Tuesday, September 09, 2008 4:46 PM
> To: Massoud Rahdari
> Subject: Results of analysis (In Summary and PDF formats) of samples
> from "City Hall Seismic Retrofit Project"
>
> Dear Massoud:
>
> Herewith please find Results of analysis (In Summary andf PDF formats)
> of samples from "City Hall Seismic Retrofit Project" from Huntington Beach
> Civic Center, located on 2000 Main Street, Huntington Beach, CA 92648.
>
> AETL Job No: 49062 (Complete results, including the SVOCs).
>
> If you have any questions, please call me at 888-288-AETL.
>
>
> Cyrus Razmara Ph.D.
> Laboratory Director
> American Environmental Testing Laboratory

See how Windows Mobile brings your life together-at home, work, or on the go. See Now <http://clk.atdmt.com/MRT/go/msnnkwxp1020093182mrt/direct/01/>

Tracking:	Recipient	Read
	'Safouh Sayed'	
	Duane Wentworth (dwentworth@surfcity-hb.org)	Read: 9/11/2008 4:47 PM

Recipient	Read
'Caraig, Gerald'	
'Ibrahim Sobeih'	

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Friday, September 12, 2008 8:52 AM
To: 'Safouh Sayed'
Cc: Duane Wentworth (dwentworth@surfcity-hb.org); 'Caraig, Gerald'; 'Ibrahim Sobeih'
Subject: 2008-00097 CITY OF HUNTINGTON BEACH - CITY HALL SEISMIC UPGRADE PROJECT

Mr. Safouh,

I am thankful for our telephone conversation of this morning at approximately 8:00 a.m.

The followings are my understanding of our conversation:

- All submitted reports for recent sampling and analytical data are under review at this time;
- It was agreed that Integrity will compile all data (generated from the last interim report to date that was submitted to DTSC in our first meeting) into one new report;
- Integrity will provide the new report via hand delivery to your office and review them with you during a meeting on Monday September 15, 2008;
- Upon your approval and provided there are no outstanding issues (that may require further review), DTSC will then issue a notice-to-proceed for initiation of remedial work at the site; and
- The notice-to-proceed will most likely be issued on Tuesday September 16th.

May I suggest scheduling the meeting for 1:00 p.m. on Monday and allowing two-hours for discussions?

In the light of your request for a compiled report, Integrity will no longer hand deliver our recent sampling and analytical data (that we intended to hand deliver to your office this morning).

Instead, Integrity will include all sampling and analytical data into the new compiled report and deliver all on Monday September 15th.

Please advise me,

Massoud Rahdari, *Principal*
a: 95 Argonaut, Suite 210
Aliso Viejo, CA. 92656
e: mrahdari@integrityenvironmental.com
t: 949.586.1414 ext. 201 f: 949.586.5922
w: integrityenvironmental.com

Linda S Adams
Secretary for
Environmental Protection

Department of Toxic Substances Control

Maureen F Gorsen, Director
1001 "I" Street
P.O. Box 806
Sacramento, California 95812-0806

Arnold Schwarzenegger
Governor

TO: Safouh Sayed
Project Manager
Department of Toxic Substances Control
Cypress, California

FROM: Shukla Roy-Semmen, Ph.D.
Staff Toxicologist
Human and Ecological Risk Division

DATE: September 22, 2008

SUBJECT: Review of a Progress Report for the City of Huntington Beach City Hall, Huntington Beach, California.

PCA: 12018 Site Code: 401457-11

The Human and Ecological Risk Division (HERD) reviewed a document titled "Project Progress Report -1, Coal Tar Creosote, Site Contamination, City Hall Seismic Upgrade Project, City of Huntington Beach, 2000 Main Street, Huntington Beach, California". The report was prepared by Integrity Environmental Consultants Inc., for the City of Huntington Beach. Comments on the report are described below.

Background

At the request of the program, HERD reviewed the progress report for the City of Huntington Beach City Hall. This report presents results of initial soil and soil gas sampling events at the site, along with proposals for additional soil, surface and indoor air sampling. A site contamination assessment (August 7, 2008) was initially performed for the City in response to an outbreak of dermatitis among construction workers removing coal tar creosote (without protective gear) from the building basement on 18th and 19th of June 2008. The removal process was part of a seismic upgrade of the subject property, where concrete slabs and soils were excavated from basement walls coated with creosote. The excavated areas and materials have since then been covered with polyethylene sheeting and waterproofing material has been placed on the creosote contaminated walls to minimize further exposures. In the 1970s, the coal tar creosote was used as water proofing material and primer to attach sidings on the subsurface exterior walls of the building basement and foundation, which was then covered below the ground surface by soils and concrete slabs.

According to the report, construction workers at the site will conduct future excavation and cleanup activities under the purview of the Occupational Safety and Health Administration (OSHA) and South Coast Air Quality Management District (SCAQMD). The workers will wear appropriate personal protective equipment and will be monitored for volatile organic compounds (VOCs) and polycyclic aromatic hydrocarbons (PAHs). The City is proposing to backfill the excavated areas with soils that were removed from those areas (and stored in stock piles at the back of the property), as part of remediation measures at the site (communications with City on September 15, 2008). Here, HERD evaluated the proposed sampling, monitoring and remediation procedures for protection of the health of future workers and the general public at the site.

Document Reviewed

HERD reviewed, "Project Progress Report -1, Coal Tar Creosote, Site Contamination, City Hall Seismic Upgrade Project, City of Huntington Beach, 2000 Main Street, Huntington Beach, California". The report was dated September 15, 2008, and received by HERD on the same day. The report was prepared by Integrity Environmental Consultants Inc., for the City of Huntington Beach.

Scope of Review

HERD has reviewed this document with emphasis on those aspects that affect the risk to human health. HERDs review addressed issues concerning the methodology and assumptions of the report. We assume that regional personnel have evaluated the sampling of environmental media. Any future changes or additions to the document should be clearly identified.

General Comments

In general, HERD concurs with the sampling strategy proposed in the report for soils, surfaces, indoor air and ambient air. The report is proposing to collect wipe samples from floors and other surfaces of buildings surrounding the excavation areas (Administration Building, Police Building, Council Chambers and Development Building), and from concrete surfaces and seating areas in the vicinity of the excavation pits, and test these wipe samples for the presence of polycyclic aromatic hydrocarbons (PAHs). The report is also proposing to collect volatile organic carbons (VOCs) and PAHs in air using TO-13A and TO-15 methods, respectively, from the above-mentioned buildings and outdoor areas. These samples will be collected during three rounds of sampling, i.e., prior to, during and after the excavation pits are backfilled with soils. HERD recommends that the report incorporate modifications recommended by DTSC (in

sampling locations and methodology), during a site walk through, conducted on September 17, 2008 (general comment # 5). Care should be taken to ensure that all sampling equipment are clean and free of contamination (see specific comment # 6). Below are HERD's comments regarding the proposed sampling plan.

1) The report should include a section describing remediation measures proposed at the site. In a meeting with representatives from the City of Huntington Beach and Integrity Environmental Consultants Inc., (September 15, 2008), the City proposed to backfill the creosote contaminated pits with the excavated soils, along with a concrete cover on top of the backfilled areas, such that exposures to any contaminants in these areas are rendered incomplete. HERD notes that remediation at the site may also involve cleaning up contaminated surfaces and soils in the vicinity of the excavated areas, if creosote-associated contaminants are detected in future sampling events. Please include a section in the report with information on these procedures.

2) The report should include a section with details on how data collected at the site will be used to estimate risks to human health. A human health risk assessment (HHRA) for potential receptors should be conducted using soil, surface and air (indoor and ambient) data collected at the site, according to guidelines provided in an earlier memorandum from DTSC dated August 25, 2008. The risk assessments should be prepared by personnel who are familiar with the methodology.

3) HERD concurs with the conclusions of the report, with regards to VOCs at the site. The report concluded that VOC concentrations were either not detected or present in very low concentrations in soils and soil gas at the site. As such, risks/hazards to the public or employees at the site from a vapor intrusion scenario are not a concern. Based on these observations, HERD notes that VOC sampling in indoor air spaces (using TO-15 methodology) may not be necessary. HERD, however; has some concerns about the quality of soil gas data collected at the site (see specific comment # 6).

4) HERD recommends that USEPA's TO-17 methodology be used to detect naphthalene and 2-methylnaphthalene in indoor and ambient air at the site. The report is proposing to use TO-15 methodology for such purposes. A review of the soil gas data analyzed using TO-15 methodology indicated that the detection limit for naphthalene is 12 ug/m^3, which is above the indoor air CHHSL for this chemical (0.12 ug/m^3).

5) On September 17, 2008, sampling locations (surface, soils, indoor air and ambient air) were identified by Integrity Environmental Consultants Inc., in consultation with representatives from DTSC. HERD recommends that modifications suggested during this meeting be incorporated into the report.

Specific Comments

1) Section 4.4: HERD recommends that the report include details on procedures for soil gas sampling, such as purge volumes, leak check tests, compounds used during the leak check tests, and tubing. Proof that summa canisters (used to collect soil gas samples) were certified clean (by the laboratory) should also be provided in the report. Details of soil gas sampling procedures to be included in this report are provided in DTSC's 2003 soil gas guidance (see memorandum from HERD dated August 25, 2008).

2) Section 4.2.2: Please include a column in the tables (provided in this section), where all classes of chemicals (PAHs, VOCs, SVOCs) that will be analyzed in indoor and outdoor air, surfaces and soils, are clearly identified.

3) Section 4.2.2: Please note that the purpose of collecting surface, soil and air samples before the remediation phase is not to establish background levels, but rather to delineate the lateral extent of existing contamination at the site, since previous activities at the site may already have resulted in dispersal of contaminants throughout the facility. The report states that samples will be collected one time before the remediation phase (to establish background levels), two times during the remediation phase (to monitor worker exposure) and one time after remediation (to monitor city employees' exposure).

4) Appendix D: Please provide figures of the site where the buildings are clearly demarcated along with all proposed sampling locations. Distinct areas within each of the buildings should be clearly identified (for example, offices, restrooms, kitchen areas, etc). The figures should be prepared according to examples provided by DTSC at the September 15, 2008, meeting, with representatives from the City of Huntington Beach and Integrity Environmental Consultants Inc. References to all figures should be included in the text. In the current report, sampling locations were provided on engineering blueprints with legends that are not relevant to this report.

5) Appendix F: For future reference, please take precautions to ensure that summa canisters and cartridges are clean and free of contamination. A review of the soil gas data (provided in the report) indicates that several VOCs that are normally associated with laboratory contamination (e.g., acetone, tetrahydrofuran etc) and cleaning agents (d-limonene, pinene), were ubiquitously present in all soil gas and blank (ambient air) samples. This suggests that the summa canisters may be a source of these contaminants. However, HERD notes that a complete history of the site is not known, and as such some of these chemicals may be originating from the property itself.

Recommendations and Conclusions

HERD recommends that the report include details on risk assessment and remediation procedures that will be used at the site. Care should be taken during sampling events to ensure that sampling equipment (cartridges, pumps etc) are clean and not a source of contamination.

HERD notes that the decisions made in this document are site specific and should not be construed as a policy decision applicable to other sites. If you have additional questions please feel free to contact me at (714) 484-5448 or Sroysemm@dtsc.ca.gov.

Reviewed by:

Gerald A. Pollock, Ph.D., DABT
Senior Toxicologist
Human and Ecological Risk Division

Shukla Roy Seiman
for "GAP"

Massoud Rahdari

From: Shukla Roy-Semmen [SRoysemm@dtsc.ca.gov]
Sent: Monday, September 22, 2008 2:40 PM
To: Safouh Sayed
Subject: NTP City of Huntington Beach-Progress Report-Final Memo



NTP-City of Huntington Beach-P..

Safouh,

Please find attached, a copy of the HERD memo for the progress report.

Shukla

Shukla Roy-Semmen, Ph.D.
Staff Toxicologist
Human and Ecological Risk Division
Department of Toxic Substances Control,
California Environmental Protection Agency
5796 Corporate Ave.
Cypress, CA 90630
Phone (714)-484-5448
Fax (714)-484-5329

Massoud Rahdari

From: Safouh Sayed [ssayed@dtsc.ca.gov]
Sent: Monday, September 22, 2008 3:30 PM
To: im_sobeih@hotmail.com; mrahdari@integrityenvironmental.com
Cc: dwentworth@surfcity-hb.org
Subject: Fwd: NTP City of Huntington Beach-Progress Report-Final Memo



NTP City of Huntington Beach-P..

Massoud,

Please see attachment.

Thanks

Massoud Rahdari

From: Safouh Sayed [SSayed@dtsc.ca.gov]
Sent: Monday, October 06, 2008 3:07 PM
To: Eric Charlonne; Gerald Caraig
Cc: Ibrahim Sobeih; Lawrence Szatkowski; Massoud Rahdari; Duane Wentworth
Subject: Re: City of Huntington Beach Civic Center Seismic Retrofit -Creosote HazMat Review


City Of Huntington Beach 10-06...


HB city hall work notice.doc (...

Attached Please find the approval letter for the contamination assessment report and the Work Notice.

Thanks

Safouh Sayed
Hazardous Substances Engineer
Brownfields and Environmental Restoration Program
Department of Toxic Substances Control
5796 Corporate Ave
Cypress, CA 90630
(714) 484-5478
(714) 484-5438
ssayed@dtsc.ca.gov

Linda S. Adams
Secretary for
Environmental Protection

Department of Toxic Substances Control

Maureen F. Gorsen, Director
5796 Corporate Avenue
Cypress, California 90630

Arnold Schwarzenegger
Governor

October 6, 2008

Mr. Eric R. Charlonne
Construction Manager
City of Huntington Beach
Department of Public Works
2000 Main Street
Huntington Beach, California 92648

CITY HALL SITE, CITY OF HUNTINGTON BEACH, CALIFORNIA

Dear Mr. Charlonne:

The Department of Toxic Substances Control (DTSC) has completed reviewing the site contamination assessment report prepared September 15, 2008, and amended September 29, 2008. The report is adequate and hereby is approved. Please post the Work Notice in the buildings prior of field work commencement.

If you have any questions, please contact me at (714) 484-5478.

Sincerely,

Safouh Sayed
Project Manager
Brownfields and Environmental Restoration Program - Cypress Office

Enclosure

cc: Mr. Gerald Caraig
Permit and Plan Check Manager
City of Huntington Beach
Department of Building and Safety
2000 Main Street
Huntington Beach, California 92648

Mr. Massoud Rahdari, Principal
Integrity Environmental
95 Argonaut, Suite 210
Aliso Viejo, California 92656

Mr. Duane D. Wentworth
Contract Administrator
City of Huntington Beach
Public Works / Engineering
2000 Main Street
Huntington Beach, California 92648

Linda S. Adams
Secretary for
Environmental Protection

Department of Toxic Substances Control

Arnold Schwarzenegger
Governor

WORK NOTICE

FIELD ACTIVITIES

City Hall Building
Huntington Beach, California

Indoor Air Sampling Scheduled for Wednesday, October 8, 2008
7 a.m. – 5 p.m.

The Department of Toxic Substances Control (DTSC) will oversee the indoor air sampling to take place in the City Hall and the Police Department building. SUMA 'air-monitoring' canisters will be placed at approximately eighteen locations around the inside of the building to measure air emissions. These samples are collected over a period of a few minutes up to several hours. The samples will be analyzed for potentially hazardous chemical concentrations. Also, 'wipe' samples will be taken from hard surfaces through-out the building to collect dust for further analysis as part of the environmental investigation. The sampling will take place between the hours of 7 a.m. and 5 p.m.

The results of the sampling will be evaluated to determine if further action will be required.

Please do not disturb or remove the canisters.

If you have any questions regarding these activities, please contact:

Safouh Sayed
DTSC, Project Manager
(714) 484-5478, or ssayed@dtsc.ca.gov

Stacey Lear
DTSC, Public Participation Specialist
(714) 484-5354, or slear@dtsc.ca.gov

For Media Inquiries:
Jeanne Garcia
DTSC Public Information Officer
(818) 717-6573, or jgarcia1@dtsc.ca.gov

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Tuesday, October 21, 2008 3:08 PM
To: 'Safouh Sayed'
Cc: Duane Wentworth (dwentworth@surfcity-hb.org); 'Amir Rouhani'; 'Ibrahim Sobeih'
Subject: 2008-00097 City of Huntington Beach - Seismic Upgrade Project, Progress Report 2

Mr. Sayed:

The original Progress Report 2 will be hand delivered to your office before 5:00 p.m. this afternoon.

Please note that site characterization report and supporting data are included in this progress report.

A copy of the same will also be hand delivered to Mr. Wentworth, our client, this afternoon.

Cordially,

Massoud Rahdari, *Principal*
95 Argonaut, Suite 210
Aliso Viejo, CA. 92656
mrahdari@integrityenvironmental.com
949.586.1414 ext. 201 949.586.5922
integrityenvironmental.com

Massoud Rahdari

From: Wentworth, Duane [dwentworth@surfcity-hb.org]
Sent: Wednesday, October 29, 2008 10:36 AM
To: Massoud Rahdari
Subject: RE: 2008-00097 CITY OF HUNTINGTON BEACH - CITY HALL SEISMIC UPGRADE PROJECT

Thank you Massoud

Duane D. Wentworth
Contract Administrator
City of Huntington Beach
Public Works / Engineering
(714) 536-5517
dwentworth@surfcity-hb.org

From: Massoud Rahdari [mailto:mrahdari@integrityenvironmental.com]
Sent: Wednesday, October 29, 2008 9:54 AM
To: 'Safouh Sayed'
Cc: Wentworth, Duane; 'Amir Rouhani'; 'Ibrahim Sobeih'
Subject: 2008-00097 CITY OF HUNTINGTON BEACH - CITY HALL SEISMIC UPGRADE PROJECT

Mr. Sayed:

Following our telephone conversation of this morning, I am listing the following statements as my understanding of the issues we discussed and agreed on:

1. DtSC will review the Risk Assessment report that was submitted yesterday, however will not issue a written response/comments at this time.
2. Any comments for the Risk Assessment report will be included in the response to DTSC review of the first draft of RAW for the project.
3. DTSC is aware of the six (6) work areas will are impacted on this project, as indicated in the previous progress reports:
   a. Work Areas 1 and 4 involves soil remediation; and
   b. Work Areas 2, 3, 5 and 6 will require saw cutting of the top concrete slab to gain access for the removal of underlying sand, vermiculite and waterproofing membrane which is applied atop the basement roof deck.
4. At this time, it is not necessary to further delineate the risk associated with the removal of contaminants in the saw-cut areas:
   a. Removal and dust control measures for Work Areas 2, 3, 5 and 6 can be discussed in RAW.
5. Integrity Environmental will provide the first draft of RAW on Monday afternoon, November the 3rd.
6. DTSC will review and approve or provide written comments within a few days of its receipt.
7. A Notice of Exemption (NOE) will be issued when RAW is finalized:
   a. A representative of DTSC will contact Duane Wentworth to provide instructions for the release of RAW for public comments; and
   b. The public comments period will end within 15 days from the date of its release.
8. Remedial actions can proceed shortly after and at the conclusion of the above process.

Please contact me if you find any have any disagreements with the above statements.

Cordially,

Massoud Rahdari, *Principal*
a: 95 Argonaut, Suite 210
Aliso Viejo, CA. 92656
e: mrahdari@integrityenvironmental.com
t: 949.586.1414 ext. 201 f: 949.586.5922
w: integrityenvironmental.com

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Friday, November 07, 2008 11:03 AM
To: 'Safouh Sayed'
Cc: Duane Wentworth (dwentworth@surfcity-hb.org); 'Gerald Caraig'; 'Amir Rouhani'
Subject: 2008-00097 CITY HALL SEISMIC UPGRADE PROJECT - CITY OF HUNTINGTON BEACH; SECOND DRAFT OF RAW

Mr. Sayed:

As requested, I am sending the attached electronic copy of the 2ND draft of RAW for your use.

Changes made to this draft are shown in blue – I have also made some editorial and formatting changes to the document.

As I understood from our telephone conversation of this morning, you will prepare a request for Notice of Exemption which will need to be approved by Sacramento – this may take up to next Friday.

The Fact Sheet (public notice) may be completed by next Friday as well – You may be able to vacate the requirements for a15-day grace period for public comments by which our previously target date of November 17th will be preserved to start the remedial work at the site.

Please feel free to contact me with any questions or comments that you might have.

Cordially,

Massoud Rahdari, *Principal*
a: 95 Argonaut, Suite 210
Aliso Viejo, CA. 92656
e: mrahdari@integrityenvironmental.com
t: 949.586.1414 ext. 201 f: 949.586.5922
w: integrityenvironmental.com

Massoud Rahdari

From: Massoud Rahdari [mrahdari@integrityenvironmental.com]
Sent: Tuesday, November 11, 2008 5:32 PM
To: 'Safouh Sayed'
Cc: Duane Wentworth (dwentworth@surfcity-hb.org); Amir Rouhani (arouhani@cox.net)
Subject: FW: CEI information on H.B. City Hall Landfill (Kettleman Hills, CA)

Mr. Sayed:

I am forwarding the waste management/treatment plan for your use.

As indicated in the Castlerock Environmental e-mail the waste will be characterized prior to the disposal at the landfill.

Based on the previous sampling results by Integrity, the following waste stream is expected to be confirmed by any future sampling of the waste materials:

- Excess soils from Work Areas 1 and 4 – California Class 1 Hazardous Waste;
- Concrete from the saw cutting of slab in Work Areas 2, 3, 5 and 6 – California Class 1 Hazardous Waste;
- Creosote, sand and vermiculite form Work Areas 2, 3, 5 and 6 – RCRA Hazardous waste; and
- Waste water from sampling during soil sampling for the site characterization and any water that may be generated during the upcoming remediation effect – California Class 1 Hazardous Waste.

It is expected that the hazardous material remediation project: backfilling of soils in Work Areas 1 and 4, saw cutting and cleaning of Work Areas 2, 3, 5 and 6 as well as application of the new waterproofing in work areas as may be required per the seismic upgrade project will be completed within four (4) weeks.

We plan to perform the majority of the work during non-business hours or low human traffic period to minimize any potential impact on the building occupants and the public.

A firm schedule is expected to be provided for inclusion in the final RAW, a copy of which will be provided to your office as soon as we have received it.

I will be in the office tomorrow – please contact me if I can be of further assistance.

Cordially,

Massoud Rahdari

-----Original Message-----
From: Todd Ellertson [mailto:todd@castlerockenv.com]
Sent: Tuesday, November 11, 2008 2:42 PM
To: Massoud Rahdari
Cc: Lawrence.Szatkowski@IDSSE.com
Subject: CEI information on H.B. City Hall Landfill (Kettleman Hills, CA)

Gentlemen;

As discussed, attached is the basic information for the Kettleman Hills Landfill /

Linda S. Adams
Secretary for
Environmental Protection

Department of Toxic Substances Control

Maureen F. Gorsen, Director
5796 Corporate Avenue
Cypress, California 90630

Arnold Schwarzenegger
Governor

December 3, 2008

Mr. Eric R Charlonne
Construction Manager
City of Huntington Beach
Department of Public Works
2000 Main Street
Huntington Beach, CA 92648

CITY HALL SITE, CITY OF HUNTINGTON BEACH, CALIFORNIA

Dear Mr. Charlonne:

The Department of Toxic Substances Control (DTSC) has completed reviewing the Draft Removal Action Workplan (DRAW) dated November 4, 2008. The DRAW is adequate and hereby is approved. The public comment period will start on Thursday, December 4, 2008 and it will end on Saturday, December 13, 2008.

If you have any questions, please contact me at (714) 484-5478.

Sincerely,

Safouh Sayed
Project Manager
Brownfields and Environmental Restoration Program - Cypress Office

Cc: Mr. Gerald Caraig
Permit and Plan Check Manager
City of Huntington Beach
Department of Building and Safety
2000 Main Street
Huntington Beach, CA 92648

Mr. Massoud Rahdari, Principal
Integrity Environmental
95 Argonaut, Suite 210
Aliso Viejo, CA 92656

Cc: Mr. Duane D. Wentworth
Contract Administrator
City of Huntington Beach
Public Works / Engineering
2000 Main Street
Huntington Beach, CA 92648

Linda S. Adams
Secretary for
Environmental Protection

Department of Toxic Substances Control

Maureen F. Gorsen, Director
5796 Corporate Avenue
Cypress, California 90630

Arnold Schwarzenegger
Governor

December 18, 2008

Mr. Eric R Charlonne
Construction Manager
City of Huntington Beach
Department of Public Works
2000 Main Street
Huntington Beach, CA 92648

APPROVAL OF THE FINAL REMOVAL ACTION WORKPLAN FOR THE CITY HALL SITE, CITY OF HUNTINGTON BEACH, CALIFORNIA

Dear Mr. Charlonne:

This is to notify you that the Department of Toxic Substances Control (DTSC) hereby approves the Final Removal Action Workplan (RAW) dated December 18, 2008 for the City Hall site, located in Huntington Beach, California.

DTSC has determined that the RAW satisfactorily addresses all applicable state and federal statutes and regulations

The 10-day comment period ended on December 13, 2008. DTSC has not received any public comments on the draft RAW and the draft Notice of Exemption (NOE). If you have any questions, please contact me at (714) 484-5432 or project manager, Mr. Safouh Sayed at (714) 484-5478.

Sincerely,

Emad B. Yemut, P.E.
Unit Chief
Brownfields and Environmental Restoration Program - Cypress Office

Cc: See next page please

Cc: Mr. Duane D. Wentworth
Contract Administrator
City of Huntington Beach
Public Works / Engineering
2000 Main Street
Huntington Beach, CA 92648

Mr. Gerald Caraig
Permit and Plan Check Manager
City of Huntington Beach
Department of Building and Safety
2000 Main Street
Huntington Beach, CA 92648

Mr. Massoud Rahdari, Principal
Integrity Environmental
95 Argonaut, Suite 210
Aliso Viejo, CA 92656

Massoud Rahdari

From: Massoud Rahdari
Sent: Monday, November 30, 2009 4:36 PM
To: 'Safouh Sayed (ssayed@dtsc.ca.gov)'
Cc: 'Wentworth, Duane'
Subject: 2008-00097 CHB - Seismic Upgrade Project, Post Remediation Impacted Soil
Attachments: 2008-00097 Post Remediation Sampling Report (3) Edited by Amir of 11-25-09.pdf

Contacts: Safouh Sayed

Mr. Sayed:

Attached hereto, please find our letter report regarding the small impacted soil.

Our client is eager to complete the project as soon as practical - would you please review and make your comments regarding the proposed remedial action?

We will notify your office of the site work when it has been scheduled.

Regards,

integrity ENVIRONMENTAL

Massoud Rahdari, Principal
a: 130 Vantis, Suite130
Aliso Viejo, CA 92656
e: mrahdari@integrityenvironmental.com
t: (949)586-1414, ext. 205 f: (949)586-5922

Massoud Rahdari

From: Safouh Sayed [SSayed@dtsc.ca.gov]
Sent: Wednesday, December 09, 2009 9:43 AM
To: Massoud Rahdari
Cc: Duane Wentworth
Subject: Re: 2008-00097 CHB - Seismic Upgrade Project, Post Remediation ImpactedSoil

Mr. Rahdari,

We reviewed your letter dated November 25, 2009. DTSC is in agreement with your proposal.

Thanks

Safouh Sayed
Hazardous Substances Engineer
Brownfields and Environmental Restoration Program Department of Toxic Substances Control
5796 Corporate Ave
Cypress, CA 90630
(714) 484-5478
(714) 484-5438
ssayed@dtsc.ca.gov

>>> Massoud Rahdari <mrahdari@integrityenvironmental.com> 11/30/2009
>>> 4:35 PM >>>
Mr. Sayed:

Attached hereto, please find our letter report regarding the small impacted soil.

Our client is eager to complete the project as soon as practical - would you please review and make your comments regarding the proposed remedial action?

We will notify your office of the site work when it has been scheduled.

Regards,

[cid:image003.jpg@01CA71DB.2BBB9290]
Massoud Rahdari, Principal
a: 130 Vantis, Suite130
Aliso Viejo, CA 92656
e: mrahdari@integrityenvironmental.com<mailto:mrahdari@integrityenvironmental.com>
t: (949)586-1414, ext. 205 f: (949)586-5922

Appendix B – HASP Acceptance Forms

INTEGRITY ENVIRONMENTAL CONSULTANTS, INC.

SITE SPECIFIC HEALTH AND SAFETY PLAN
FOR
COAL TAR CREOSOTE
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH

PLAN REVIEW MEETING AND ACCEPTANCE FORM

DECEMBER 18, 2008

NAME	SIGNATURE	COMPANY
MARC TROYER		TROYER
Julio C. Ramirez		Castlerock Env. Inc.
Todd Ellertson		Castlerock Env'l.
Gerald Caprio		City of HB
Ruben Vezasco		METRO
Jason Kwak		City of H.B.
Sam Blair		A.S. Const. Inc
Chuck Okike		Avs Constr.
Arash Rahdari		Integrity
Judd Leach		"
Gus Santos		City of HB
Ed Szatkowski		FDS Group
Duane D. Wentworth		City of H.B.

INTEGRITY ENVIRONMENTAL CONSULTANTS, INC.

SITE SPECIFIC HEALTH AND SAFETY PLAN
FOR
COAL TAR CREOSOTE
CITY HALL SEISMIC UPGRADE PROJECT
CITY OF HUNTINGTON BEACH

PLAN REVIEW MEETING AND ACCEPTANCE FORM

DECEMBER 18, 2008

NAME	SIGNATURE	COMPANY
RUBELINO MENDOZA	Rubelino Mendoza	METRO BUILDERS
Salvador Ochoa	Salvador Ochoa	"
ARMANDO ESCALANTE	Armando Escalante	"
JOSE J Sanchez	José J Sanchez	Metro Builders
GUADALUPE LOPEZ	GUADALUPE LOPEZ	AVIS
Matias Cota	Matias Cota	AVIS #10 679600
Nicolas Cota	Nicolas Cota	AVIS #10 679600

Appendix C – Hazmat Training, Respirator Fit-Testing And Medical Surveillance Records

INTEGRITY ENVIRONMENTAL CONSULTANTS, INC.

24-HOURS OSHA HAZARDOUS WASTE OPERATIONS COURSE

ATTENDANCE SHEET

DATE: DECEMBER 30, 2008

PRINTED NAME	SIGNATURE
DAVID ANDERSON R.R. LEONARD	
Rodney Cosby " "	
Sam Barrun BKL	
Pedro Villarreal	
Nicolas Costa	
✓ Matias Cota	Matias Cota
Guadalupe Lopez	
? Francisco Escobedo	Francisco Escobedo
✓ Jose J Sanchez	

INTEGRITY ENVIRONMENTAL CONSULTANTS, INC.

24-HOURS OSHA HAZARDOUS WASTE OPERATIONS COURSE

ATTENDANCE SHEET

DATE: DECEMBER 31, 2008

PRINTED NAME	SIGNATURE
DAVID ANDERSON R.R. LEONARD	
Rodney Cosby " "	
Sam Barron RR	
Pedro Villarreal	
Jose' J Sanchez	
Francisco Escobedo	Francisco Escobedo
Guadalupe-IEP-2	
Nicolas Cojo	

INTEGRITY ENVIRONMENTAL CONSULTANTS, INC.

24-HOURS OSHA HAZARDOUS WASTE OPERATIONS COURSE

ATTENDANCE SHEET

DATE: JANUARY 2, 2009

PRINTED NAME	SIGNATURE
DAVID ANDERSON R.R. LEONARD	
Rodney Cosby " "	
Sam Baron 737 L	
PEDRO VILLARREAL	
JOSÉ J Sanchez	
Francisco Escobedo	Francisco Escobedo
Sam Okike	
MATIAS COTA	Matias Cota
Guadalupe Lopez	~~Arturo Estrada~~ Guadalupe Lopez
Nicolas Cota	Nicolas Cota

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-2

This is to certify that

DAVID ANDERSON

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

JANUARY 2, 2009	JANUARY 2, 2010
COMPLETION DATE	EXPIRATION DATE
DECEMBER 30, 2008	
START DATE	

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-8

This is to certify that

SAM BARRON

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

JANUARY 2, 2009	JANUARY 2, 2010
COMPLETION DATE	EXPIRATION DATE
DECEMBER 30, 2008	
START DATE	

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

CERTIFICATE NUMBER

61916

Certificate of Attendance

This is to Certify that

MAGDALENO BETANCOURT

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC	072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

TROYER CONTRACTING 165558

Applicant/Employee DOS: 1/13/09 DOB: 5/29/71 Age: ____

Position Title: ____ Patient: Betancourt, Magadalena

Date of Evaluation: Case # : 153-144957 Ref # : pe/lc

Contact: _____ Contact Telephone: _____

Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray Other: _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☑ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____
to include: _____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

R (201) OV / P95 Mask fitting OK. C Street / Sucre FT-12.

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: Michael Chuang MD

Signature: _____

Date: 1/13/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
Tel: (714) 480-0111(714) 480-0222**

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

Magdaleno Betancourt

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: NORTH. 7700 Size: M

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
+	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
___	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 7.30.08 Date Expires: 01.30.09

Instructor: Ivan Vasquez

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-7

This is to certify that

RODNEY COSBY

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

JANUARY 2, 2009	JANUARY 2, 2010
COMPLETION DATE	EXPIRATION DATE
DECEMBER 30, 2008	
START DATE	

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

METRO BUILDERS & ENGINEER 108151

Applicant/Employee: DOS: 1/05/09 DOB: 2/24/65 **Age:** _____

Position Title: _____ Patient: Cota, Matias

Date of Evaluation: Case # : 119-187874 Ref # : px

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☐ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

COMMENTS:

Fitting Considerations: ☑ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 1/5/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Matias Cota

Social Security No.: 6.10.20.6080 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North — Make — 7580P100 — NIOSH APPROVAL#

Cartridge Type: 3M450-01-01R20 (PAPR) — Make — 4240-01-323-3526 — NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134. Respiratory Protection.

Employee Signature: Matias Cota Date: 1/6/09

Instructor Signature: [signature] Date: 12-06-09

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-5

This is to certify that

NICOLAS COTA

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

	JANUARY 2, 2009	**JANUARY 2, 2010**
	COMPLETION DATE	EXPIRATION DATE
Ibrahim Sobeih	**DECEMBER 30, 2008**	
Ibrahim Sobeih, MS, MSPH, CIH, CAC **Training Director**	START DATE	integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

METRO BUILDERS & ENGINEER 108151

Applicant/Employee: DOS: 1/05/09 DOB: 2/03/63 **Age:** _____

Position Title: _____ Patient: Cota, Nicolas

Date of Evaluation: _____ Case # : 119-187873 Ref # : px

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 1/5/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Nicolas Cota

Social Security No.: 571095684 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North — 7580P100
Make — NIOSH APPROVAL#

Cartridge Type: 3M450-01-01R20 (PAPR) — 4240-01-323-3526
Make — NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134. Respiratory Protection.

Employee Signature: Nicolas Cota Date: 12/6/09

Instructor Signature: Cesar Juarez Date: 12-06-09

Southern California
LABORERS TRAINING SCHOOL




JOURNEYMAN
CARD

MARCO
DESAIDA
471 WINSLOW DRIVE
CORONA, CA 92879

LABORERS' INTERNATIONAL UNION of North America

04-12-07 Laborers Local 0652

Verification of certifications can be made at (626)610-1700



MARCO A DESAIDA

CERTIFICATIONS

Confined Space Awareness 03/22/2007
Confined Space Entry
First Aid 01/12/2010
Forklift Safety
OSHA 10
Scaffold Builder
Scaffold User
Traffic Control
Welding
CPR 01/13/2008
02/23/2010
02/20/2007
02/15/2007
02/22/2007

INDUSTRIES

Air Tools
Asphalt Paving R & R
Bricktending
Concrete R & R
Landscaping
Mechanical Pipe
Pipe Laying
Tilt-Up Construction

ENDORSEMENTS

Aerial/Boomlifts
Air Tools (Introduction)
Class 'A' License
Class 'B' License
Fall Protection
Skid Steer
Trench Plate Protection

ENVIRONMENTALS

Asbestos Worker
Hazardous Waste Worker
Lead Worker
Environmental Passport

Blue Date = Card Expiration Date

CERTIFICATE NUMBER

Certificate of Attendance

94092

This is to Certify that

ARMANDO ESCALANTE

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS SITE SUPERVISOR 8 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 02, 2008	**E080208HSS**	**080208**	**August 02, 2009**
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

CERTIFICATE NUMBER

Certificate of Attendance

74914

This is to Certify that

ARMANDO ESCALANTE

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC	072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

NOT IN SYSTEM 92832

DOS:12/22/08 DOB: 2/05/51

Patient: Escalante, Armando _____ Age: ____

Case # : 119-187597 Ref # : px _____

_____ Company: _____

Contact: _____ Contact Telephone: _____

Evaluation Content: ☐ **Questionnaire** ☐ **Physical** ☐ **PFT** ☐ **X-Ray** **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

_____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: Alan Davis

Signature: _____

Date: 12/22/08

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

ST2042 (11/06)

© US HealthWorks

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
*Tel: (714) 480-0111**(714) 480-0222*

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

Edmundo Escalante

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: North Size: 7700

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
___	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
✓	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 07/30/08 Date Expires: 01-30-09

Instructor: Juan Vasquez

CERTIFICATE NUMBER

Certificate of Attendance

78652

This is to Certify that

PHILLIP SCOTT ESCALANTE

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC 072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE	CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

NOT IN SYSTEM
92832
DOS: 12/22/08
DOB: 8/15/70
Patient: Escalante, Phillip
Case # : 119-187591 Ref # : px

_____ Age: _____

Contact Telephone: _____

Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☑ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____
to include: _____

COMMENTS:
Fitting Considerations: ☑ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: A Kayas
Signature: _____
Date: 12/22/08

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
Tel: (714) 480-0111**(714) 480-0222

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

Phillip Scott Escalante

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144


Respirator Model: North 7700 Size:

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
___	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
✓	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 7-30-08 Date Expires: 01-30-2009

Instructor: Juan Vasquez



Classroom Online

[redacted]

02/24/12

Certificate of Course Completion

GERARDO E ESPARZA	Hazwoper 40 Hour Course	10/09/2007 17:01 CST
Student's Name	Course Title	Course Completion Date

Student's Signature

40

of hours approved

756524

Certificate Number

I hereby attest that I have completed the above named Safety course in accordance with the ethical guidelines Defined by International Board of Environmental Health & Safety. I acknowledge that I consumed all information and took All Pertinent Quizzes and/or final tests.

COPY

Classroom Online
5702 Taylor Draper Cove Ste B
Austin, TX 78759
T: 866.439.5908
F: 888.742.6518

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Gerardo Esparza

Social Security No. 611-32-0729 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North — Make — 7580P100 — NIOSH APPROVAL#

Cartridge Type: 3M450-01-01R20 (PAPR) — Make — 4240-01-323-3526 — NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134, Respiratory Protection.

Employee Signature: [signature] Date: 1-21-09

Instructor Signature: [signature] Date: 01-21-09

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-1

This is to certify that

FRANCISCO ESCOBAR

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

JANUARY 2, 2009	JANUARY 2, 2010
COMPLETION DATE	EXPIRATION DATE
DECEMBER 30, 2008	
START DATE	

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

METRO BUILDERS & ENGINEER 108151

DOS: 1/05/09 DOB: 6/17/63

Patient: Escobedo, Francisco

Case # : 119-187879 Ref # : px

_____ Age: _____

_____

f: _____

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ **Questionnaire** ☐ **Physical** ☐ **PFT** ☐ **X-Ray** **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for <u>unrestricted use</u> of the following respiratory protective devices:**
<u>CATEGORY I</u> Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for <u>restricted</u> use of respiratory protective devices as indicated below:**

☐ **<u>CATEGORY II</u>**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **<u>CATEGORY III</u>**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

_____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 1/5/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

ST2042 (11/06)

© US HealthWorks

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Francisco Escobedo

Social Security No.: 611-19-8506 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North Make — 7580P100 NIOSH APPROVAL #

Cartridge Type: 3M450-01-01R20 (PAPR) Make — 4240-01-323-3526 NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134. Respiratory Protection.

Employee Signature: Francisco Escobedo Date: 1-6-9

Instructor Signature: [signature] Date: 01-06-09

CERTIFICATE NUMBER

89911

Certificate of Attendance

This is to Certify that

FERNANDO FLORES

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC	072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

92832

NOT IN SYSTEM

DOS:12/22/08 DOB: 1/17/90

Patient: Flores, Fernando

Case # : 119-187604 Ref # : px

Age: _____

Company: _____

Contact: _____ Contact Telephone: _____

Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray Other: _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☑ **Medically qualified for <u>unrestricted use</u> of the following respiratory protective devices:**
<u>CATEGORY I</u> Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for <u>restricted</u> use of respiratory protective devices as indicated below:**

☐ **<u>CATEGORY II</u>**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **<u>CATEGORY III</u>**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: Jennifer Ulherin

Signature: _____

Date: 12/22/08

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

ST2042 (11/06)

© US HealthWorks

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
Tel: (714) 480-0111**(714) 480-0222

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

Fernando Flores

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: North 7700 Size: ~~Small~~ Medium

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
___	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
✓	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 7-30-08 Date Expires: 01-30-09

Instructor: Juan Vasquez

CERTIFICATE NUMBER

Certificate of Attendance

85189

This is to Certify that

TIM IRWIN

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS SITE SUPERVISOR 8 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 02, 2008	E080208HSS	080208	August 02, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

CERTIFICATE NUMBER

Certificate of Attendance

63878

This is to Certify that

TIM IRWIN

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC	072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

NOT IN SYSTEM 92832

A DOS:12/22/08 DOB: 4/01/67

P Patient: Irwin, Tim _____ Age: ____

D Case # : 119-187593 Ref # : px _____

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ **Questionnaire** ☐ **Physical** ☐ **PFT** ☐ **X-Ray** **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☑ **Medically qualified for unrestricted use of the following respiratory protective devices:**

CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

COMMENTS:

Fitting Considerations: ☑ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 12/22/08

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
*Tel: (714) 480-0111**(714) 480-0222*

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

TIM IRWIN

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: NORTH 7700 Size: M

Respirator Fit Test

___ Quantitative (Portacount™)	Fit Factor:		
___ Qualitative (Irritant Smoke)	___ Pass	___ Fail	
___ Qualitative (Saccharine)	___ Pass	___ Fail	
___ Qualitative (Isoamy Acetate)	___ Pass	___ Fail	
___ Qualitative (Bitrex™)	___ Pass	___ Fail	

Date Issued: 7-30-08 Date Expires: 1-30-09

Instructor: JUAN VASQUEZ

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-3

This is to certify that

GUADALOPE LOPEZ

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

JANUARY 2, 2009	JANUARY 2, 2010
COMPLETION DATE	EXPIRATION DATE
DECEMBER 30, 2008	
START DATE	

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

METRO BUILDERS & ENGINEER 108151

Applicant/Employee: DOS: 1/05/09 DOB: 6/26/70 **Age:** _____

Position Title: _____ Patient: Lopez, Guadalupe

Date of Evaluation: Case # : 119-187875 Ref # : px

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ **Questionnaire** ☐ **Physical** ☐ **PFT** ☐ **X-Ray** **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____
to include: _____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: _____

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Guadalupe Lopez

Social Security No.: _____ Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:	_____	_____	_____
NO. FIT:	_____	_____	_____

Cartridge Type: ½ Face North — Make — 7580P100 — NIOSH APPROVAL#

Cartridge Type: 3M450-01-01R20 (PAPR) — Make — 4240-01-323-3526 — NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134. Respiratory Protection.

Employee Signature: Guadalupe Lopez Date: 12/9/09

Instructor Signature: Cesar Johnson Date: 12-06-09

CERTIFICATE NUMBER

Certificate of Attendance

81479

This is to Certify that

RIVELINO MENDOZA

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC	072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

NOT IN SYSTEM 92832
DOS:12/22/08 DOB:12/19/70
Patient: Mendoza, Rielino _____ Age: ____
Case # : 119-187594 Ref # : px _____
Company: _____
Contact: _____ Contact Telephone: _____
Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray Other: _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____
☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____
to include: _____

COMMENTS:
Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: Jennifer Dillon
Signature: _____
Date: 12-22-08

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

ST2042 (11/06)

© US HealthWorks

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
*Tel: (714) 480-0111**(714) 480-0222*

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

RIVELINO MENDOZA

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: 7700 Size: M

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
___	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
✓	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 7-30-08 Date Expires: 01-30-09

Instructor: Juan Vasquez

ECOLOGICS™ Training Institute

Certificate of Attendance

CERTIFICATE NUMBER

64412

This is to Certify that

SALVADOR OCHOA

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC 072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE	CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

NOT IN SYSTEM 92832

DOS:12/22/08 DOB: 7/14/81

Ap Patient: Ochoa, Salvador _____ Age: _____

Po Case # : 119-187592 Ref # : px _____

Date of Evaluation: _____ Company: _____

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ **Questionnaire** ☐ **Physical** ☐ **PFT** ☐ **X-Ray** **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for <u>unrestricted use</u> of the following respiratory protective devices:**
<u>CATEGORY I</u> Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for <u>restricted</u> use of respiratory protective devices as indicated below:**

☐ **<u>CATEGORY II</u>**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **<u>CATEGORY III</u>**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____
to include: _____

COMMENTS:

Fitting Considerations: ☑ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 12/22/08

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
*Tel: (714) 480-0111**(714) 480-0222*

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

Salvador Cohen

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: [illegible] Size: L

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
___	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
✓	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 7/30/08 Date Expires: 01/30/09

Instructor: Juan Vasquez

Certificate of Achievement

CERTIFICATE NUMBER

HWS12300801

This is to certify that

SAM OKIKE

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 8-HOURS SUPERVISOR COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

DECEMBER 30, 2008	DECEMBER 30, 2009
COMPLETION DATE	EXPIRATION DATE

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

DECEMBER 30, 2008
START DATE

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

METRO BUILDERS & ENGINEER 108151

Applicant/Employee: DOS: 1/05/09 DOB: 8/14/55 Age: _____

Position Title: Patient: Okike, Sam _____

Date of Evaluation: Case # : 119-187872 Ref # : px _____

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☑ **Medically qualified for unrestricted use of the following respiratory protective devices:**

CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

_____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 1/5/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

ECOLOGICS™ Training Institute

Certificate of Attendance

CERTIFICATE NUMBER

84859

This is to Certify that

JOSE L. RAMIREZ

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS SITE SUPERVISOR 8 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 02, 2008	**E080208HSS**	**080208**	**August 02, 2009**
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

CERTIFICATE NUMBER

Certificate of Attendance

80442

This is to Certify that

JOSE L. RAMIREZ

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC 072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE	CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

Applicant/Employe: TROYER CONTRACTING 165558 Age: ____
Position Title: ____ DOS: 1/13/09 DOB: 9/11/76
Date of Evaluation: Patient: Ramirez, Jose
Contact: _____ Case # : 153-144956 Ref # : pe/lc
Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray Other: _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____
☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____
to include: _____

COMMENTS:
Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity
Fit Test is OK.
OJP9S Medium F7-12C sweet 7

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: Michael Chuang MD
Signature: [signature]
Date: 1-13-09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
*Tel: (714) 480-0111**(714) 480-0222*

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that
JOSE L. RAMIREZ

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: NORTH 770 Size: LARGE

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
___	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
✓	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 7/30/08 Date Expires: 01/30/09

Instructor: JUAN VASQUEZ

Nº 18958

OCCUTRAIN

OCCUPATIONAL TRAINING INSTITUTE, INC.

BE IT KNOWN TO ALL THAT

Julio C. Ramirez

HAS SUCCESSFULLY COMPLETED A 1 DAY COURSE AND, AFTER PASSING

THE REQUIRED EXAMINATION, IS AWARDED THIS CERTIFICATE

Verified By
5/29/08
Date Verified

ON

May 25, 2008

FOR

HAZWOPER ON-SITE SUPERVISOR TRAINING

8 HRS. PER 29 CFR 1910.120

COURSE DATES : May 25, 2008 EXAM DATE : May 25, 2008

HWOSS8 - 1230-08

ACCREDITATION NO.

May 25, 2009

EXPIRATION DATE

Nubia Ayala-Director

AUTHORIZED SIGNATURE

Nubia Ayala

EXAM ADMINISTRATOR

For purposes of accreditation required under Section 402 of the Toxic Substances Control Act (TSCA)

Occupational Training Institute, Inc (Occutrain) - 660 Baker St., Suite #315, Costa Mesa, CA 92626, TEL #714-556-7844

Oct 3. 2008 12:19PM N: 3:18 P. 2 2

HEALTH FIRST MEDICAL GROUP, Inc.
11817 E Telegraph Rd.
Santa Fe Springs CA 90670
Phone: (562) 949-9320
Fax: (562) 949-4588

MEDICAL EVALUATION REPORT

D O S: 09/30/08
EMPLOYEE: RAMIREZ JULIO
SSN: 620-34-5555
EMPLOYER: CASTLEROCK ENVIRONMENT

TYPE OF PHYSICAL: ANNUAL

THE FOLLOWING RESULTS ARE: FINAL

RESPIRATOR EVALUATION: VOLUME (FVC FORCED VITAL CAPACITY), FLOW (FEV OBS/FVC OBS), FEV 1 (FORCED EXPIRATORY VOLUME, 1 SEC) NORMAL (>80%), NORMAL (>75%), NORMAL (>80%)

RESPIRATOR RESTRICTIONS: CLASS I - UNRESTRICTED

CHEST X-RAY: NEGATIVE

LABWORK: WITHIN NORMAL LIMITS

Signature: _____ DATE 10/03/2008

Name: MARC DASH, M.D.

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Julio Ramirez

Social Security No.: 620-34-5555 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North Make — 7580P100 NIOSH APPROVAL#

Cartridge Type: 3M450-01-01R20 (PAPR) Make — 4240-01-323-3526 NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ___ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134, Respiratory Protection.

Employee Signature: Julio Ramirez Date: 12/3/08

Instructor Signature: [signature] Date: 12/3/08

CERTIFICATE NUMBER

63798

Certificate of Attendance

This is to Certify that

RICHARD ROSAS

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC	072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
Tel: (714) 480-0111**(714) 480-0222

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

Richard RoSAS

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: NORTH 7700 Size: L

Respirator Fit Test

___	Quantitative (Portacount™)	Fit Factor:	
___	Qualitative (Irritant Smoke)	___ Pass	___ Fail
___	Qualitative (Saccharine)	___ Pass	___ Fail
___	Qualitative (Isoamy Acetate)	___ Pass	___ Fail
✓	Qualitative (Bitrex™)	✓ Pass	___ Fail

Date Issued: 7-30-08 Date Expires: 01/30/09

Instructor: Julia Vazquez

The National

Environmental Trainers
(WWW.NATLENVTRAINERS.COM)

Jose Sanchez

has completed an 8 hour annual refresher training course entitled
"Hazardous Waste Operations and Emergency Response"
meeting the requirements identified in Title 29 CFR 1910.120

Date

August 25, 2008

Signature of Instructor

Clay A. Bednarz, MS, RPIH

U.S. HealthWorks MEDICAL GROUP

Medical Recommendations for Use of Respiratory Protective Equipment

Applicant/Employee: JOSE SANCHEZ G

Position Title: SOILS TECHNICIAN

Company: SMITH EMERY Contact: TAMMY IRONS

Contact Phone: 213 494 1580 Date of Evaluation: 1/21/09

Evaluation Content: ☐ Questionnaire ☒ Physical ☐ PFT ☐ X-Ray ☐ Other: _____

I have evaluated the aforementioned person, based on the above, in accordance with the provisions of OSHA 29 CFR 1910.134 and other similar state regulatory provisions for respirator use, and it is my opinion that he/she is: *(Check all that apply)*

- ☐ In need of this additional evaluation to assess qualification: _____
- ☒ Medically qualified for the use of respirators without restrictions.
- ☐ Medically qualified for the use of respirators with the following restrictions:
  - ☐ Personal Egress / Evacuation Emergency only
  - ☐ Only PAPR
  - ☐ Other _____

☐ Medically **NOT** qualified for the use of respirators.

☐ In need of Medical Follow-Up Examinations as frequently as every: _____

to include: _____

Comments:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 1/21/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

5T2042 (Rev. 5/02)

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Jose J Sanchez

Social Security No.: 604-11-8944 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North — 7580P100
Make — NIOSH APPROVAL#

Cartridge Type: 3M450-01-01R20 (PAPR) — 4240-01-323-3526
Make — NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134. Respiratory Protection.

Employee Signature: [signature] Date: 01-06-09

Instructor Signature: [signature] Date: 12-06-09

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-4

This is to certify that

JOSE SANCHES

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

JANUARY 2, 2009	**JANUARY 2, 2010**
COMPLETION DATE	EXPIRATION DATE
DECEMBER 30, 2008	
START DATE	

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

METRO BUILDERS & ENGINEER 108151

DOS: 1/05/09 DOB: 3/30/61 _____ Age: _____

Patient: Sanchez, Jose _____

Case # : 119-187878 Ref # : px _____

Contact: _____ **Contact Telephone:** _____

Evaluation Content: ☐ **Questionnaire** ☐ **Physical** ☐ **PFT** ☐ **X-Ray** **Other:** _____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☒ **Medically qualified for unrestricted use of the following respiratory protective devices:**

CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** _____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** _____

to include: _____

_____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: _____

Signature: _____

Date: 1/5/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: JOSE SANCHEZ

Social Security No. 657-09-5643 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North (Make) 7580P100 (NIOSH APPROVAL #)

Cartridge Type: 3M450-01-01R20-(PAPR) (Make) 4240-01-323-3526 (NIOSH APPROVAL#)

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134. Respiratory Protection.

Employee Signature: JOSE SANCHEZ Date: 01-21-09

Instructor Signature: [signature] Date: 01-21-09

CERTIFICATE NUMBER

Certificate of Attendance

69941

This is to Certify that

JOSE L. SERRANO

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC	072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE		CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
*Tel: (714) 480-0111**(714) 480-0222*

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

[illegible]

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: [illegible] Size: S

Respirator Fit Test

___ Quantitative (Portacount™)	Fit Factor:		
___ Qualitative (Irritant Smoke)	___ Pass	___ Fail	
___ Qualitative (Saccharine)	___ Pass	___ Fail	
___ Qualitative (Isoamy Acetate)	___ Pass	___ Fail	
✓ Qualitative (Bitrex™)	✓ Pass	___ Fail	

Date Issued: 07-30-08 Date Expires: 01-30-09

Instructor: Juan Vasquez

ECOLOGICS™ Training Institute

CERTIFICATE NUMBER

Certificate of Attendance

78624

This is to Certify that

JOSE M. ZAMORA

Has Completed the Course of

OSHA HAZARDOUS WASTE OPERATIONS 40 HR. COURSE

ARMANDO DUCOING
DIRECTOR

August 01, 2008	E072808HWC .072808	August 01, 2009
COMPLETION DATE	CLASS NUMBER / STARTING DATE	CERTIFICATE EXPIRES

Ecologics Training Institute

550 N. Parkcenter Drive, Suite 102 . Santa Ana, CA 92705 . Ph. (714) 480-0111 . Fax (714) 480-0222

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

NOT IN SYSTEM 92832
DOS:12/23/08 DOB: 6/11/70 Age: ____
Patient: Zamora, Jose
Case # : 119-187631 Ref # : RESPIRATOR y: ____
ontact Telephone: ____

Evaluation Content: ☐ **Questionnaire** ☐ **Physical** ☐ **PFT** ☐ **X-Ray** **Other:** ____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☑ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** ____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** ____
to include: ____

COMMENTS:

Fitting Considerations: ☐ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: [illegible]
Signature: ____
Date: 12/23/08

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

ECOLOGICS TRAINING INSTITUTE

550 N. Parkcenter Dr., Suite #102
Santa Ana, California 92705
*Tel: (714) 480-0111**(714) 480-0222*

CERTIFICATE OF RESPIRATOR FIT TESTING

This is to Certify that

Jose Manuel Esmoda Duran

has been fit tested in accordance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and Cal/OSHA Respiratory Protection Standard 8 CCR 5144

Respirator Model: 7700 Size: M

Respirator Fit Test

___ Quantitative (Portacount™)	Fit Factor:		
___ Qualitative (Irritant Smoke)	___ Pass	___ Fail	
___ Qualitative (Saccharine)	___ Pass	___ Fail	
___ Qualitative (Isoamy Acetate)	___ Pass	___ Fail	
✓ Qualitative (Bitrex™)	✓ Pass	___ Fail	

Date Issued: 07/30/08 Date Expires: 01/30/09

Instructor: Juan Vasquez

Certificate of Achievement

CERTIFICATE NUMBER

HW24010209-6

This is to certify that

PEDRO VILLARREAL

Has Completed the

OSHA HAZARDOUS WASTE OPERATIONS AND EMERGENCY RESPONSE 24-HOURS COURSE

In Compliance with 29 CFR 1910.120 and T8 CCR 5192

JANUARY 2, 2009	**JANUARY 2, 2010**
COMPLETION DATE	EXPIRATION DATE
DECEMBER 30, 2008	
START DATE	

Ibrahim Sobeih

Ibrahim Sobeih, MS, MSPH, CIH, CAC
Training Director

integrity ENVIRONMENTAL

130 Vantis, Suite130, Aliso Viejo, CA 92656. Phone (949)586-1414. Fax (949)586-5922

U.S. HealthWorks MEDICAL GROUP

MEDICAL RECOMMENDATIONS FOR USE OF RESPIRATORY PROTECTIVE EQUIPMENT

METRO BUILDERS & ENGINEER 108151
DOS: 1/05/09 DOB:11/16/58 Age: ____
Patient: Villareal, Pedro
Case # : 119-187877 Ref # : Px
Contact Telephone: ____

Evaluation Content: ☐ Questionnaire ☐ Physical ☐ PFT ☐ X-Ray Other: ____

Based on the elements indicated above, I have evaluated the aforementioned person in accordance with the provisions of OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, and it is my opinion that he/she is: *(Check all that apply)*

☑ **Medically qualified for unrestricted use of the following respiratory protective devices:**
CATEGORY I Self-Contained; Air-Supplied (Continuous Flow, Demand and Pressure Demand); Canister Mask; Chemical Cartridge and Mechanical Filter with and without Blower.

☐ **Medically qualified for restricted use of respiratory protective devices as indicated below:**

☐ **CATEGORY II**

Self-Contained	1-2 hours per day
Air-Supplied	
Continuous Flow	Unlimited
Demand	Up to 4 hours / day
Pressure Demand	Up to 4 hours / day
Canister Mask	1-2 hours per day
Chemical Cartridge	1-2 hours per day
Mechanical Filter	1-2 hours per day
Mechanical Filter w/ Blower	Unlimited

☐ **CATEGORY III**

Self-Contained	Never
Air-Supplied	
Continuous Flow	Emergency only
Demand	Emergency only
Pressure Demand	Emergency only
Canister Mask	Never
Chemical Cartridge	Never
Mechanical Filter	Never
Mechanical Filter w/ Blower	Emergency only

☐ **In need of the following additional evaluation to assess qualification:** ____

☐ **In need of Medical Follow-Up Examinations as frequently as every:** ____
to include: ____

COMMENTS:
Fitting Considerations: ☑ Facial hair ☐ Glasses/Contact lenses ☐ Dentures/Facial deformity

I hereby certify that in accordance with OSHA 29 CFR 1910.134, applicable to the use of respiratory protective equipment, I have informed the applicant/employee of the results of his/her evaluation and I have given him/her a copy of these recommendations.

Health Care Professional: Name: ____
Signature: ____
Date: 1/5/09

This form complies with OSHA requirements and with other similar state requirements for the use of respirators.

© US HealthWorks

CASTLEROCK ENVIRONMENTAL, INC.

RESPIRATOR FIT-TEST RECORD

Employee: Pedro Villarreal

Social Security No.: 455-13-4629 Respirator Type: North ½ Face & 3M P.A.P.R

Model # 7780P100(1/2 Face) & 3M6800(P.A.P.R.) Size (Small) (Medium) (Large)

Test Results:

	ISOAMYLACETATE	IRRITANT SMOKE	OTHER
FIT:			
NO. FIT:			

Cartridge Type: ½ Face North Make — 7580P100 NIOSH APPROVAL#

Cartridge Type: 3M450-01-01R20 (PAPR) Make — 4240-01-323-3526 NIOSH APPROVAL#

The test subject shall perform the following excesses in the order prescribed

- ✓ Positive and Negative Pressure Fit - Test
- ✓ Normal Breathing
- ✓ Deep Breathing
- ✓ Nodding Head Up and Down
- ✓ Turning Head Up and Down
- ✓ Grimacing
- ✓ Talking Passage
- ✓ Bending at the Knees

I hereby certify that I have been instructed as to the proper way to select, don, and maintain respiratory protection equipment. Instruction in compliance with OSHA 1910.134. Respiratory Protection.

Employee Signature: Pedro Villarreal Date: 1-6-09

Instructor Signature: George Johnson Date: 01-06-09

Appendix D – Remediation Field Health and Safety Meeting Records

PROJECT HEALTH AND SAFETY FIELD MEETING FORM

Date: 12-23-08 Time: 0700 Project No.:

Project Name:

Location:

Meeting Conducted by: Judd Leach

Topics Discussed:

Physical Hazards: slip trip / Fall.

Chemical Hazards:

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) Information for the Site:

(Applicable warning is checked)

WARNING: This area contains a chemical known to the State of California to cause cancer.

WARNING: This area contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Personal Protection: MOD D

Decontamination: wash station

Special Site Considerations: standing water, metal

Emergency Information:

Hospital Location:

Attendees

Name/Company (printed)	Signature
Judd Leach	
Julio C. Ramirez, CEI	
Tim Irwin	
Phillip Escalante Metro	

Meeting Conducted by: Judd Leach

Signature:

printed on recycled paper

Appendix E – Remediation Material Safety Data Sheets for Site Chemicals

HILTI®

MSDS No.: 318
Revision No.: 000
Revision Date: 04/12/07
Page: 1 of 2

MATERIAL SAFETY DATA SHEET

Product name: **HIT–RE 500 SD**

Description: High strength epoxy adhesive for anchoring in concrete and rebar doweling. Part A is the large tube; Part B is the small tube.

Supplier: Hilti, Inc. P.O. Box 21148, Tulsa, OK 74121

Emergency # (Chem-Trec.): 1 800 424 9300 (USA, PR, Virgin Islands, Canada); 001 703 527 3887 (other countries)

INGREDIENTS AND EXPOSURE LIMITS

Ingredients:		CAS Number:	TLV:	PEL:	STEL:
Part A:	Bisphenol A epoxy resin	25068-38-6	NE	NE	NE
	Bisphenol F epoxy resin	28064-14-4	NE	NE	NE
	Quartz sand	14808-60-7	0.025 mg/m^3 (R)	$\frac{10\ mg/m^3}{\%\ SiO_2 + 2}$	NE
	Alkylglycidyl ether	19136100-5012 *	NE	NE	NE
	Diglycidyl ether	19136100-5013 *	NE	NE	NE
	Siloxanes & silicones	67762-90-7	NE	NE	NE
Part B:	m-xylene diamine	01477-55-0	C: 0.1 / S	C: 0.1 / S	NE
	Aliphatic polyamine	19136100-5014 *	NE	NE	NE
	Quartz sand	14808-60-7	0.025 mg/m^3 (R)	$\frac{10\ mg/m^3}{\%\ SiO_2 + 2}$	NE
	Aluminum oxide	01344-28-1	10 mg/m^3	15 mg/m^3 (T)	NE
	Cement	65997-16-2	NE	NE	NE
	Siloxanes & silicones	67762-90-7	NE	NE	NE

Abbreviations: * = indicates New Jersey Trade Secret Registry Number. **C** = Ceiling. **NE** = None Established. **R** =dust "respirable" fraction. **S** = Skin exposure, including the mucous membranes, eyes, and skin. **T** = "total" dust. **TLV** = ACGIH Threshold Limit Values. **PEL** = OSHA Permissible Exposure Limits. **STEL** = ACGIH/OSHA Short Term Exposure Limit

PHYSICAL DATA

Appearance and Odor:	A: Gray; B: red / paste. Amine-like odor.	**VOC Content:**	0.0 g/l
Boiling Point:	Approx. 212° F	**Vapor Pressure:**	Not determined.
Vapor Density: (air = 1)	Not determined.	**Odor Threshold:**	Not determined
Evaporation Rate:	Not applicable.	**Solubility in Water:**	Insoluble.
Specific Gravity:	1.5	**pH:**	11 (Part B with 1:1 water)

FIRE AND EXPLOSION HAZARD DATA

Flash Point:	> 200° F	**Flammable Limits:**	Not applicable.

Extinguishing Media: CO_2, Dry Chemical, Foam, Water Spray.

Special Fire Fighting Procedures: A self-contained breathing apparatus should be worn when fighting fires involving chemicals.

Unusual Fire and Explosion Hazards: None known. Thermal decomposition products can be formed including CO_X, NO_X, water and carbon.

REACTIVITY DATA

Stability:	Stable.	**Hazardous Polymerization:**	Will not occur.

Incompatibility: Strong acids and oxidizing agents.

Decomposition Products: Thermal decomposition can yield CO_X, NO_X, water and carbon.

Conditions to Avoid: Avoid temperature extremes that could shorten the shelf-life of this product. (See handling and storage requirements for recommended storage temperatures).

HEALTH HAZARD DATA

Known Hazards: **Part A:** Eye and skin irritation. Possible skin sensitizer. **Part B:** Corrosive

Signs and Symptoms of Exposure: **Part A:** Can be irritating to the eyes and skin. Can cause skin sensitization with some individuals (itching, redness, swelling). **Part B:** Can cause eye and skin burns. Vapors can be irritating. If

HILTI ® is a registered trademark of Hilti Corp.

	swallowed, can cause burns.
Routes of Exposure:	Contact. Inhalation.
Carcinogenicity:	IARC classifies crystalline silica (quartz sand) as a Group I carcinogen based upon evidence among workers in industries where there has been long-term and chronic exposure (via inhalation) to silica dust; e.g. mining, quarry, stone crushing, refractory brick and pottery workers. This product does not pose a dust hazard; therefore, this classification is not relevant.
Medical Conditions Aggravated by Exposure:	Eye, skin, and respiratory conditions.

EMERGENCY AND FIRST AID PROCEDURES

Eyes:	Flush **immediately** with water for at least 15 minutes: Contact a Physician if symptoms occur.
Skin:	Wash **immediately** with soap and water. Launder contaminated clothing before reuse. Seek medical attention if any symptoms occur.
Inhalation:	If symptoms occur, move to fresh air. Call a physician if symptoms persist.
Ingestion:	Do not induce vomiting unless directed by a physician. Contact a Physician immediately.
Other:	Referral to a physician is recommended if there is any question about the seriousness of the injury/exposure

CONTROL MEASURES AND PERSONAL PROTECTIVE EQUIPMENT

Ventilation:	General (natural or mechanically induced fresh air movements).
Eye Protection:	Safety glasses with side shields recommended.
Skin Protection:	Impermeable (neoprene or rubber) gloves recommended.
Respiratory Protection:	None normally required. Where ventilation is inadequate to control vapors, use a NIOSH-approved respirator with organic vapor cartridges.

PRECAUTIONS FOR SAFE HANDLING AND USE

Handling and Storing Precautions:	For industrial use only. Keep away from children. Use with adequate ventilation. Avoid contact with the eyes or skin. Practice good hygiene; i.e. wash after using and before eating or smoking. Store in a cool dry area between 41° and 77° F (5 - 25° C). Keep from freezing.
Spill Procedures:	Take up with an absorbent material and place in a container for proper disposal.

REGULATORY INFORMATION

Hazard Communication:	This MSDS has been prepared in accordance with the federal OSHA Hazard Communication Standard 29 CFR 1910.1200.
HMIS Codes:	Health 3, Flammability 1, Reactivity 0, PPE B
DOT Shipping Name:	Consumer commodity, ORM-D
IATA / ICAO Shipping Name:	Amines, solid, corrosive, n.o.s. (M-xylenediamine), Class 8, UN3259, PG II
TSCA Inventory Status:	Chemical components listed on TSCA inventory.
SARA Title III, Section 313:	This product does not contain any toxic chemicals which are subject to reporting under Section 313 of SARA Title III (40 CFR Part 372).
EPA Waste Code(s):	Not regulated by EPA as a hazardous waste
Waste Disposal Methods:	Consult with regulatory agencies or your corporate personnel for disposal methods that comply with local, state, and federal safety, health and environmental regulations.

CONTACTS

Customer Service:	1 800 879 8000	**Technical Service:**	1 800 879 8000
Health / Safety:	1 800 879 6000 Jerry Metcalf (x6704)		
Emergency # (Chem-Trec):	1 800 424 9300 (USA, PR, Virgin Islands, Canada); 001 703 527 3887 (other countries)		

The information and recommendations contained herein are based upon data believed to be correct; however, no guarantee or warranty of any kind expressed or implied is made with respect to the information provided.

MATERIAL SAFETY DATA SHEET

Product name:	**HIT HY 150**
Description:	Methacrylate resin and hardener. Part A is in the large tube; Part B is in the small one.
Supplier:	Hilti, Inc. P.O. Box 21148, Tulsa, OK 74121
Emergency # (Chem-Trec.):	1 800 424 9300 (USA, PR, Virgin Islands, Canada); 001 703 527 3887 (other countries)

INGREDIENTS AND EXPOSURE LIMITS

Ingredients:		CAS Number:	TLV:	PEL:	STEL:
Part A:	Urethane methacrylate resin	NJ TSRN: 19136100-5001	NE	NE	NE
	Methacrylate ester	NJ TSRN: 19136100-5005	NE	NE	NE
	Hydroxypropyl methacrylate	27813-02-1	NE	NE	NE
	Quartz sand	14808-60-7	0.05 mg/m^3 (R)	0.1 mg/m^3 (R)	NE
	Bonding agent	NJ TSRN: 19136100-5003	10 mg/m^3 (N)	NE	NE
	Synthetic amorphous silica	67762-90-7	2 mg/m^3	NE	NE
Part B:	Quartz sand	14808-60-7	0.05 mg/m^3 (R)	0.1 mg/m^3 (R)	NE
	Water	07732-18-5	NE	NE	NE
	Dibenzoyl peroxide	00094-36-0	5 mg/m^3	5 mg/m^3	NE
	Amorphous silica	07631-86-9	10 mg/m^3 (N)	20 mppcf	NE
	Dipropylene glycol	25265-71-8	NE	NE	NE
	Polyethylene	09002-88-4	NE	NE	NE

Abbreviations: **NJ TSRN** indicates New Jersey Trade Secret Registry Number. **(R)** indicates "as respirable dust". **(N)** indicates "as nuisance dust". **PEL** = OSHA Permissible Exposure Limit. **TLV** = ACGIH Threshold Limit Value. **STEL** = Short Term Exposure Limit (15 minute time-weighted average). **NE** = None Established. **mppcf** = million particles per cubic foot.

PHYSICAL DATA

Appearance and Odor:	Gray paste. Ester-like odor.	**VOC Content**	35.7 g/l
Boiling Point:	Approx. 212° F	**Vapor Pressure:**	Not determined
Vapor Density: (air = 1)	Not determined	**Odor Threshold**	Not Determined
Evaporation Rate:	Not applicable	**Solubility in Water:**	Part B is soluble
Specific Gravity:	1.7	**pH:**	6 - 7

FIRE AND EXPLOSION HAZARD DATA

Flash Point:	> 200° F	**Flammable Limits:**	Not applicable
Extinguishing Media:	CO_2, Dry Chemical, Foam, Water		
Special Fire Fighting Procedures:	Soak cartons to help prevent the spread of fire. Use a self-contained breathing apparatus when fighting fires involving chemicals.		
Unusual Fire and Explosion Hazards:	None known. Thermal decomposition products can be formed.		

REACTIVITY DATA

Stability:	Dibenzoyl peroxide decomposes (non-violently) at 150° F. Ignition does not occur due to the water content (> 5%).
Hazardous Polymerization:	Will not occur.
Incompatibility:	Strong acids and oxidizing agents. Do not store in direct sunlight.
Decomposition Products:	Thermal decomposition can yield CO, CO_2 and NO_x.
Conditions to Avoid:	Avoid temperature extremes which could shorten the shelf-life of this product; i.e. below freezing and above 100° F. (See handling and storage requirements).

HEALTH HAZARD DATA

Known Hazards:	Eye and skin irritation. Possible sensitizer.
Signs and Symptoms of Exposure:	**Eyes:** can cause irritation. **Skin:** Prolonged and repeated contact can cause irritation. An allergic skin reaction (e.g. rash, itching, reddening) can occur with some individuals. **Inhalation:** Possible irritation. **Ingestion:** Not a likely route of exposure. Considered to have a low acute oral toxicity.
Routes of Exposure:	Contact. Inhalation.
Carcinogenicity:	IARC classifies crystalline silica (quartz sand) as a Gp I carcinogen based upon evidence among

HILTI ® is a registered trademark of Hilti Corp.

	workers in industries where there has been long-term and chronic exposure (via inhalation) to silica dust; e.g. mining, quarry, stone crushing, refractory brick and pottery workers. This product does not pose a dust hazard; therefore, this classification is not relevant.
Medical Conditions Aggravated by Exposure:	Eye, skin, and respiratory conditions.

EMERGENCY AND FIRST AID PROCEDURES

Eyes:	Flush with plenty of water. Call a physician if symptoms occur.
Skin:	Wash with soap and water.
Inhalation:	Move victim to fresh air. Call a physician if symptoms persist.
Ingestion:	Contact a physician immediately. Do not induce vomiting unless directed by a physician.
Other:	Referral to a physician is recommended if there is any question about the seriousness of the injury/exposure.

CONTROL MEASURES AND PERSONAL PROTECTIVE EQUIPMENT

Ventilation:	General (natural or mechanically induced fresh air movements).
Eye Protection:	Safety glasses with side shields.
Skin Protection:	Impermeable gloves recommended.
Respiratory Protection:	None normally required. Where ventilation is inadequate to control vapors, use a NIOSH-approved respirator with organic vapor cartridges. Never enter a confined space without an appropriate air supplied respirator. If dusts are generated during demolition or removal, wear an appropriate dust mask or respirator.

PRECAUTIONS FOR SAFE HANDLING AND USE

Handling and Storing Precautions:	Store in a cool, dry area preferably between 40° and 77° F. Do not store in direct sunlight. Keep away from open flames, heat sources and sparks. Avoid prolonged or repeated contact. Use with adequate ventilation. Always wash thoroughly after handling chemical products. For industrial use only. Keep out of reach of children.
Spill Procedures:	Take up with an absorbent material and place in a container for proper disposal.

REGULATORY INFORMATION

Hazard Communication:	This MSDS has been prepared in accordance with the federal OSHA Hazard Communication Standard. 29 CFR 1910.1200.
HMIS Codes:	Health 1, Flammability 1, Reactivity 1, PPE B
DOT Shipping Name:	Not regulated.
IATA / ICAO Shipping Name:	Not regulated.
TSCA Inventory Status:	Urethane methacrylate resin – USEPA Accession Number 238392. All other chemical components listed on TSCA inventory.
SARA Title III, Section 313:	This product contains 5 - 10% Benzoyl peroxide (CAS #94-36-0) which is subject to reporting under Section 313 of SARA Title III (40 CFR Part 372).
EPA Waste Code(s):	Not regulated by EPA as a hazardous waste
Waste Disposal Methods:	Consult with regulatory agencies or your corporate personnel for disposal methods that comply with local, state, and federal safety, health and environmental regulations.

CONTACTS

Customer Service:	1 800 879 8000	**Technical Service:**	1 800 879 8000
Health / Safety:	1 800 879 6000	Jerry Metcalf (x6704)	
Emergency # (Chem-Trec):	1 800 424 9300 (USA, PR, Virgin Islands, Canada); 001 703 527 3887 (other countries)		

The information and recommendations contained herein are based upon data believed to be correct; however, no guarantee or warranty of any kind expressed or implied is made with respect to the information provided.

Material Safety Data Sheet

CREOSOTE TREATED WOOD

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CREOSOTE TREATED WOOD

OTHER/GENERIC NAMES: Preserved Wood

PRODUCT USE: Construction, transportation (railroad), communication (telephone poles)

MANUFACTURER:

FOR MORE INFORMATION CALL:

IN CASE OF EMERGENCY CALL:

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS NUMBER	WEIGHT %
Wood	-----	85%
Creosote	8001-58-9	15%

The Creosote content of treated wood is based on a treatment level of 7 lbs. of Creosote per cubic foot of wood: the actual percentage can vary due to differences in woodstock and treatment.

Trace impurities and additional material names not listed above may also appear in Section 15. These materials may be listed for local "Right-To-Know" compliance and for other reasons.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Handling may cause splinters. Preservative treatment may cause eye and skin irritation. Observe good hygiene and safety practices when handling this product. Creosote and wood dust are classed as carcinogens. Do not use this product until MSDS has been read and understood.

MATERIAL SAFETY DATA SHEET
CREOSOTE TREATED WOOD

POTENTIAL HEALTH HAZARDS

SKIN: Contact with skin can result in irritation which when not washed off or when accentuated by sunlight, can result in minor burns (i.e. sunburn).

EYES: Overexposure to product vapors can result in irritation. Eye contact with treated or untreated wood dust or preservative can result in irritation, which in the absence of recommended first aid can result in minor burns to the eyes.

INHALATION: Finely divided wood dust, treated or untreated, may cause nose, throat or lung irritation and other respiratory effects. Preservative vapor may cause respiratory tract irritation. If exposed in a closed space, vapors may produce headache, drowsiness, and possible weakness and incoordination.

INGESTION: Swallowing treated sawdust may cause mouth, throat and stomach irritation. Nausea, vomiting and diarrhea can occur.

DELAYED EFFECTS: **CREOSOTE PRESERVATIVE:** Prolonged and repeated skin exposure over many years in the absence of recommended hygiene practices may lead to changes in skin pigmentation, benign skin growths and may in some cases, result in skin cancer. Additionally, inhalation of creosote vapors may present a lung cancer hazard.

UNTREATED WOOD DUST OR SAWDUST: Wood dust has been classified as carcinogenic to humans (IARC-Group 1). Wood dust will most likely occur during the cutting of the treated wood and should not be expected during the normal handling.

Ingredients found on one of the OSHA designated carcinogen lists are listed below.

INGREDIENT NAME	NTP STATUS	IARC STATUS	OSHA LIST
Creosote	Known Carcinogen	2A-Probable Carcinogen	----
Wood dust	----	1-Known Carcinogen	----

4. FIRST AID MEASURES

SKIN: Rinse skin free of particulates. Wash thoroughly with soap and water. Avoid solvents. Rub gently to avoid abrasion of skin. Get medical attention if irritation persists.

EYES: Gently flush any particles from the eye with large amounts of clean, cool water for at least 15 minutes. DO NOT RUB EYES. Get medical attention if irritation persists.

INHALATION: Remove from exposure. If breathing has stopped or is difficult, administer artificial respiration or oxygen as indicated. Seek medical aid.

INGESTION: Wipe material from mouth and lips. If symptoms appear, seek medical aid.

ADVICE TO PHYSICIAN: There is no specific antidote for effects from overexposure to this material. Treatment should be directed at the control of symptoms and the clinical condition. (See Section 3. for Health Hazards and Effects).

MATERIAL SAFETY DATA SHEET
CREOSOTE TREATED WOOD

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT:	Not Applicable
FLASH POINT METHOD:	Not Applicable
AUTOIGNITION TEMPERATURE:	Not Determined
UPPER FLAME LIMIT (volume % in air):	Not Determined
LOWER FLAME LIMIT (volume % in air):	Not Determined
FLAME PROPAGATION RATE (solids):	Not Determined
OSHA FLAMMABILITY CLASS:	Not Applicable

EXTINGUISHING MEDIA:
Water/fog, carbon dioxide, foam, dry chemicals, sand, or steam.

UNUSUAL FIRE AND EXPLOSION HAZARDS:
Water/fog can control unconfined fires.
When heated to elevated temperature, it emits lower molecular weight hydrocarbons.

SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS:
Wood dust may form explosive mixture with air. Fire vapors and combustion products are irritants and toxic. Self-contained breathing apparatus (SCBA) and full protective clothing should be worn if material is involved in a fire.

6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR OTHER RELEASE: (Always wear recommended personal protective equipment.)
Not Applicable

Spills and releases may have to be reported to Federal and/or local authorities. See Section 15 regarding reporting requirements.

7. HANDLING AND STORAGE

NORMAL HANDLING: (Always wear recommended personal protective equipment.)
Wear clothing closed at the neck, long sleeves and non-porous type gloves. Industrial type resistant (e.g., vinyl coated) heavy duty flexible gloves required for prolonged or frequent contact. For dusty operations (areas), wear necessary resistant protective apparel including required head, hand and safety-type footwear. Wear tightly woven coveralls or long sleeved shirts and long pants. A complete soap and water shower at the end of each working day is recommended for all industrial work situations.

STORAGE RECOMMENDATIONS: Keep away from open flame.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Avoid breathing vapors or sawdust, ventilate work area, wear respirator, goggles, or face shield. Ventilation necessary only if material handling generates dust. Provide sufficient general/local exhaust ventilation in pattern/volume to control inhalation exposures below current exposure limits and areas below explosive dust concentrations.

MATERIAL SAFETY DATA SHEET
CREOSOTE TREATED WOOD

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee.

SECTION 311 HAZARD CLASS: Immediate, delayed, fire (for creosote)

SARA 313 TOXIC CHEMICALS:
The following ingredients are SARA 313 "Toxic Chemicals". CAS numbers and weight percents are found in Section 2.

INGREDIENT NAME	COMMENT
Creosote	de minimus concentration is 0.1 %

STATE RIGHT-TO-KNOW

In addition to the ingredients found in Section 2, the following are listed for state right-to-know purposes.

INGREDIENT NAME	WEIGHT %	COMMENT
None		

ADDITIONAL REGULATORY INFORMATION: None

WHMIS CLASSIFICATION (CANADA):
Class D, Division 2, Subdivision A, very toxic material (For Creosote)
TDG Flammability Classification: None. Sensitivity to mechanical impact: NA.
Sensitivity to static discharge: NA.

FOREIGN INVENTORY STATUS: (For Creosote)
Listed on the EINECS Inventory - ID#2322875
Listed on the Canadian Inventory Domestic Substance List (DSL)

16. OTHER INFORMATION

CURRENT ISSUE DATE: May, 1996
PREVIOUS ISSUE DATE: April, 1991

CHANGES TO MSDS FROM PREVIOUS ISSUE DATE ARE DUE TO THE FOLLOWING:

Updated data on wood dust carcinogenicity.
MSDS updated to include 16-Section ANSI Format for Material Safety Data Sheets.

OTHER INFORMATION: None

on Carcinogens or OSHA 29 CFR 1910.1001-1047 subpart Z Toxic and Hazardous Substances (Specifically Regulated Substances).

12. ECOLOGICAL INFORMATION

Not Determined

13. DISPOSAL CONSIDERATIONS

RCRA

Is the unused product a RCRA hazardous waste if discarded? Solid Waste/ Potential Hazardous Waste
If yes, the RCRA ID number is: Potential characteristic waste

OTHER DISPOSAL CONSIDERATIONS:

Treated wood should not be burned in open fires or in stoves, fireplaces or residential boilers because toxic chemicals may be produced as part of the smoke and ashes. Treated wood from commercial or industrial use (e.g. construction sites) may be burned only in commercial or industrial incinerators or boilers in accordance with local, state and federal regulations. Treated wood is not regulated as a hazardous waste by the USEPA, and usually does not fail the USEPA TCLP test, depending on sampling procedures, particle size, type of wood and proportion of treated to untreated wood sample. Dispose of sawdust and wood in accordance with local, state and federal regulations. Contact your direct supplier for additional disposal information.

The information offered here is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS: Not Regulated
US DOT ID NUMBER: Not Applicable

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA)

TSCA INVENTORY STATUS: Creosote - listed on EPA's TSCA Inventory
OTHER TSCA ISSUES: None

SARA TITLE III/CERCLA

"Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

INGREDIENT NAME	SARA/CERCLA RQ (lb)	SARA EHS TPQ (lb)
Creosote	1	Not Applicable

MATERIAL SAFETY DATA SHEET
CREOSOTE TREATED WOOD

ODOR:	Penetrating, smoky odor	
SPECIFIC GRAVITY (water = 1.0):	Approximately the same as untreated wood	
SOLUBILITY IN WATER (weight %):	Not Applicable	
pH:	Not Applicable	
BOILING POINT:	Not Applicable	
MELTING POINT:	Not Applicable	
VAPOR PRESSURE:	Negligible @ ambient	
VAPOR DENSITY (air = 1.0):	Not Applicable	
EVAPORATION RATE:	Not Applicable	**COMPARED TO:** Not Applicable
% VOLATILES:	Not Applicable	
FLASH POINT:	Not Applicable	

(Flash point method and additional flammability data are found in Section 5.)

10. STABILITY AND REACTIVITY

NORMALLY STABLE? (CONDITIONS TO AVOID): Stable

INCOMPATIBILITIES: Strong acids. Open flame.

HAZARDOUS DECOMPOSITION PRODUCTS:
Material does not decompose. Combustion products include carbon monoxide, oxides of nitrogen.

HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL INFORMATION

IMMEDIATE (ACUTE) EFFECTS: Possible skin irritation which is accentuated by sunlight.

DELAYED (SUBCHRONIC AND CHRONIC) EFFECTS: IARC has classified wood dust as a human carcinogen. Normal handling of the creosote treated wood would not be expected to generate wood dust, but cutting, grinding and/or other activities may generate wood dust.

OTHER DATA:
Persons with pre-existing disease or a history of ailments involving the skin or respiratory tract may be at a greater than normal risk of developing adverse health effects from woodworking operations with this product.

The IARC monographs (Vol. 35) states that there is sufficient evidence for the carcinogenicity of creosote in experimental animals. The NTP Annual Report on Carcinogens states that creosote oils are carcinogenic in experimental animals. Creosote does not appear in the OSHA Subpart Z Table. Epidemiological studies of workers in the woodtreating industry have shown no significant health effects due to occupational exposure to creosote.

Many cohort and case-control studies of cancer of the nasal cavities and paranasal sinuses have shown increased risks associated with exposure to wood dust. Adenocarcinoma of the nasal cavities and paranasal sinuses is clearly associated with exposure to hardwood dust. Occupational exposure to wood dust does not appear to have a causal role in cancers of the oropharynx, hypopharynx, lung, lymphatic and haematopoietic systems, stomach, colon or rectum.

No known ingredients which occur at greater than 0.1%, other than those listed above, are listed as a carcinogen in the IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, the NTP Annual Report

HYDROTECH

MATERIAL SAFETY DATA SHEET

AMERICAN HYDROTECH, INC.
303 East Ohio Street
Chicago, Illinois 60611
(312) 337-4998 4/92

HYDRODRAIN:
100,102,300,302,1000,400
420,700, & AL

SECTION I

CHEMICAL NAME & SYNONYMS: N.A.
CHEMICAL FAMILY: N.A.
TRADE NAME & SYNONYMS: Hydrodrain Pre-Fabricated Drainage Mat
FORMULA: N.A.

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENT	C.A.S. #	%	TLV EXPOSURE LIMITS

This product does not meet the definition of a hazardous material given in 29 CFR Part 1910.1200 (OSHA). Information furnished as a customer service.

SECTION III – PHYSICAL DATA

BOILING POINT (°F):	N.A.	PERCENT VOLATILE BY VOLUME:	N.A.
VAPOR PRESSURE (mmHg @ 20°C):	N.A.		
VAPOR DENSITY (AIR=1):	N.A.	EVAPORATION RATE (BUTYL ACETATE=1):	N.A.
SPECIFIC GRAVITY (H_20=1):	N.A.		

SOLUBILITY IN WATER: Negligible
APPEARANCE AND ODOR: Non-woven polypropylene fabric on extruded polyethylene grid.

SECTION IV – FIRE AND EXPLOSION HAZARDS

FLASH POINT (METHOD USED): Greater than 400 F (COC, ASTM D-92)
FLAMMABLE LIMITS: N.A.

EXTINGUISHING MEDIA:
SPECIAL FIRE FIGHTING PROCEDURES: Dry chemical, foam, carbon dioxide.

UNUSUAL FIRE/EXPLOSION HAZARDS: Use NIOSH/MSHA approved, self-contained breathing apparatus in confined areas. Use water fog or spray to cool exposed equipment and containers.

SECTION V – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE(S): N.A.

SIGNS/SYMPTOMS/EFFECTS OF OVEREXPOSURE: Dust may cause mechanical irritation to the eyes and to mucous membrane. There is no known effect to the skin and is essentially non-toxic.

EMERGENCY AND FIRST AID PROCEDURES:

EYES:	Flush with water
SKIN:	Wash with water
INHALATION:	Remove from exposure
INGESTIONS:	N.A.

SECTION VI – REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: N.A.

HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID: N.A.

INCOMPABILITY (MATERIALS TO AVOID): None known
HAZARDOUS DECOMPOSITION PRODUCTS: Will not occur

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:Solid material, normal clean-up procedure.

WASTE DISPOSAL METHODS: Dispose of in accordance with state and federal regulations. Product does not meet the definition of hazardous waste.

SECTION VIII – SPECIAL PROTECTION INFORMATION

VENTILATION (TYPE)	N.A.
RESPIRATORY PROTECTION:	N.A.
PROTECTIVE CLOTHING & EQUIPMENT:	N.A.

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: .No special requirements.

Information presented herein has been compiled from sources considered to be dependable and current, and is accurate and reliable to the best of our knowledge, but is not guaranteed to be so. It is the user's responsibility to determine for himself the suitability of this information for his safe use of this product, and to adopt such proper safety precautions as may be necessary to provide adequate worker and plant protection.

HYDROTECH

MATERIAL SAFETY DATA SHEET

AMERICAN HYDROTECH, INC.
303 East Ohio Street
Chicago, Illinois 60611
(312) 337-4998 8/01

HYDROFLEX 30

SECTION I

CHEMICAL NAME & SYNONYMS: N.A.
CHEMICAL FAMILY: Styrene Butadiene Styrene (SBS) modified bitumen
TRADE NAME & SYNONYMS: Hydroflex 30 Protection Course
FORMULA: N.A.

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENT	C.A.S. #	%	TLV EXPOSURE LIMITS
Heavy Napthenic distillate	64742-34-3	N.A.	N.A.
Heavy Napthenic extract	64742-11-6	N.A.	N.A.
Asphalt (petroleum) fumes	8052-42-4	N.A.	N.A.
Ferric Chloride	7705-08-0	N.A.	N.A.

SECTION III – PHYSICAL DATA

BOILING POINT (°F):	650	PERCENT VOLATILE BY VOLUME:	N.A.
VAPOR PRESSURE (mmHg @ 20°C):	> 1		
VAPOR DENSITY (AIR=1):	N.A.	EVAPORATION RATE (BUTYL ACETATE=1):	N.A.
SPECIFIC GRAVITY (H_20=1):	1.1-1.6		

SOLUBILITY IN WATER: Negligible.
APPEARANCE AND ODOR: Black Solid, no objectionable odor.

SECTION IV – FIRE AND EXPLOSION HAZARDS

FLASH POINT (METHOD USED): Greater than 400 F (cleveland open cup)
FLAMMABLE LIMITS: N.A.

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, water spray, foam.
SPECIAL FIRE FIGHTING PROCEDURES: Use of water may cause frothing or be ineffective. Do not enter confined fire space without self-contained breathing apparatus.
UNUSUAL FIRE/EXPLOSION HAZARDS: Dense smoke, carbon monoxide, irritant toxic gases produced at high temperatures

SECTION V – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE(S):

SIGNS/SYMPTOMS/EFFECTS OF OVEREXPOSURE: There are no known effect on the eyes, if inhaled or ingested.

EMERGENCY AND FIRST AID PROCEDURES:

EYES:	Flush with water for 15 minutes, seek medical aid
SKIN:	Wash with soap and water
INHALATION:	Remove to fresh air
INGESTIONS:	Seek medical aid

SECTION VI – REACTIVITY DATA

STABILITY:	Stable
CONDITIONS TO AVOID:	N.A.
HAZARDOUS POLYMERIZATION:	Will not occur
CONDITIONS TO AVOID:	N.A.
INCOMPABILITY (MATERIALS TO AVOID):	Strong oxidizing agents
HAZARDOUS DECOMPOSITION PRODUCTS:	Dense smoke, carbon monoxide, irritant toxic gases (oxides of nitrogen, phosphorous, and sulfur).

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

WASTE DISPOSAL METHODS: Dispose of in accordance with all applicable federal, state and local guidelines.

SECTION VIII – SPECIAL PROTECTION INFORMATION

VENTILATION (TYPE):	Local exhaust
RESPIRATORY PROTECTION:	Usually none.
PROTECTIVE CLOTHING & EQUIPMENT:	Safety goggles, gloves, leather boots, long sleeves

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: As indicated on label

Information presented herein has been compiled from sources considered to be dependable and current, and is accurate and reliable to the best of our knowledge, but is not guaranteed to be so. It is the user's responsibility to determine for himself the suitability of this information for his safe use of this product, and to adopt such proper safety precautions as may be necessary to provide adequate worker and plant protection.

HYDROTECH

MATERIAL SAFETY DATA SHEET

AMERICAN HYDROTECH, INC.
303 East Ohio Street
Chicago, Illinois 60611
(312) 337-4998 5-99

MONOLITHIC
MEMBRANE 6125

SECTION I

CHEMICAL NAME & SYNONYMS: N. App.
CHEMICAL FAMILY: N. App.
TRADE NAME & SYNONYMS: Monolithic Membrane 6125 Rubberized Asphalt
FORMULA: N. Av.

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENT	C.A.S. #	%	TLV EXPOSURE LIMITS
ASPHALT	8052-42-4	N. AV.	TWA- 5 mg/m3; STEL- 10 mg/m3
OIL	64741-88-4	N. AV.	Unknown
	64742-65-0		
	64742-54-7		
	64742-04-7		
THERMOPLASTIC	61789-96-6	N. AV.	Unknown
LIQUID RUBBER	9003-55-8	N. AV.	Unknown
FILLERS	14808-60-7	N. AV.	TWA- 30mg/m3
	37244-96-5	N. AV.	Unknown

SECTION III – PHYSICAL DATA

BOILING POINT (°F):	N. App.	PERCENT VOLATILE BY VOLUME:	N. App.
VAPOR PRESSURE (mmHg @ 20°C):	None		
VAPOR DENSITY (AIR=1):	N. App.	EVAPORATION RATE (BUTYL ACETATE=1):	N. App.
SPECIFIC GRAVITY (H_2O=1):	1.25		

SOLUBILITY IN WATER: 50 ppm (deionized water)
APPEARANCE AND ODOR: Black in color; no particular odor @ 25°C, bituminous odor @ 205°C

SECTION IV – FIRE AND EXPLOSION HAZARDS

FLASH POINT (METHOD USED): 260°C (C.O.C.)
FLAMMABLE LIMITS: N. App.

EXTINGUISHING MEDIA: Foam, dry chemical, CO2
SPECIAL FIRE FIGHTING PROCEDURES: Use of water directly on material may spread fire and cause frothing.

UNUSUAL FIRE/EXPLOSION HAZARDS: Fumes/vapors generated by hot material may become inflammable when in contact with direct flame.

SECTION V – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE(S): N. Av.

SIGNS/SYMPTOMS/EFFECTS OF OVEREXPOSURE: Hot material causes severe burns. Vapors are irritating to eyes, can cause dermatitis on skin and are irritating to throat. Inhalation in enclosed areas can cause headache, nausea and dizziness.

EMERGENCY AND FIRST AID PROCEDURES:

EYES:	Do not remove hot membrane. Flush with cold water. Seek medical help immediately.
SKIN:	Do not remove hot membrane. Flush with cold water. Seek medical help immediately.
INHALATION:	Remove from closed area and bring to a well ventilated area.
INGESTION:	Unlikely

SECTION VI – REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: Avoid excessive heating, approaching flash point.

HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: None

INCOMPABILITY (MATERIALS TO AVOID): Strong acids, alkalis, oxidizing agents and solvents
HAZARDOUS DECOMPOSITION PRODUCTS: On material combustion, emission of CO, SO, NO, sulphur compounds and smoke.

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:
For all spills, allow material to cool and scrape material into appropriate containers.

WASTE DISPOSAL METHODS:
Dispose of in accordance with federal, state and local authorities.

SECTION VIII – SPECIAL PROTECTION INFORMATION

VENTILATION (TYPE): Forced-air ventilation required in confined spaces.

RESPIRATORY PROTECTION: Not necessary unless asphalt smoke emission >5mg/m3.

PROTECTIVE CLOTHING & EQUIPMENT: Wristlet gloves, glasses or goggles, long sleeve shirt, long pants, leather shoes and hard hat.

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Use normal precautions as when handling other heavy materials. Drums weigh 500 pounds each. When stacking drums use pallets. Do not stack more than three pallets high.

Information presented herein has been compiled from sources considered to be dependable and current, and is accurate and reliable to the best of our knowledge, but is not guaranteed to be so. It is the user's responsibility to determine for himself the suitability of this information for his safe use of this product, and to adopt such proper safety precautions as may be necessary to provide adequate worker and plant protection.

HYDROTECH

MATERIAL SAFETY DATA SHEET

AMERICAN HYDROTECH, INC.
303 East Ohio Street
Chicago, Illinois 60611
(312) 337-4998 8-01

MONOLITHIC MEMBRANE 6125
SURFACE CONDITIONER

SECTION I

CHEMICAL NAME & SYNONYMS: N. Av.
CHEMICAL FAMILY: Petroleum-Derived Hydrocarbons
TRADE NAME & SYNONYMS: Cutback Asphalt
FORMULA: N. Av.

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENT	C.A.S. #	%	TLV EXPOSURE LIMITS
OXIDIZED BITUMEN	64742-93-4	40-70	N. Av.
STODDARD SOLVENT	8052-41-3	30-60	N. Av.

SECTION III – PHYSICAL DATA

BOILING POINT (°F):	310 – 385	PERCENT VOLATILE BY VOLUME:	73
VAPOR PRESSURE (mmHg @ 20°C):	< 50		
VAPOR DENSITY (AIR=1):	4	EVAPORATION RATE (BUTYL ACETATE=1):	N. Av.
SPECIFIC GRAVITY (H_20=1):	0.85		

SOLUBILITY IN WATER: Insoluble
APPEARANCE AND ODOR: Black liquid; Hydrocarbon/solvent odor

SECTION IV – FIRE AND EXPLOSION HAZARDS

FLASH POINT (METHOD USED): 100°F (TOC)
FLAMMABLE LIMITS: Lel: 1.1 Uel: 6.0

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, water spray
SPECIAL FIRE FIGHTING PROCEDURES: Use of water streams may spread fire and cause frothing.

UNUSUAL FIRE/EXPLOSION HAZARDS: Hydrocarbon solvent forms explosive mixture with air if vaporized by heat.

SECTION V – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE(S): N. Av.

SIGNS/SYMPTOMS/EFFECTS OF OVEREXPOSURE: Fumes cause transient irritation to eyes. Prolonged contact with skin may cause dermatitis and hot product will cause burns. Solvent vapors may cause moderate irritation to respiratory tracts and may effect central nervous system.

EMERGENCY AND FIRST AID PROCEDURES:

EYES:	Flush with water, seek medical aid
SKIN:	For burns – flush with cold water and treat as a burn.
INHALATION:	Remove from exposure to vapors. Administer artificial respiration or oxygen if necessary
INGESTIONS:	Seek medical aid

SECTION VI – REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: None

HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID: None

INCOMPABILITY (MATERIALS TO AVOID): Strong oxidizing agents
HAZARDOUS DECOMPOSITION PRODUCTS: H2O, CO2, C and trace amounts of CO and SO2

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:
Eliminate sources of ignition and contain leak/spill. Scrape up into containers or pump back to storage.

WASTE DISPOSAL METHODS:
Liquid material is designated as hazardous waste until all solvents have evaporated. Dispose of in accordance with state and federal regulations.

SECTION VIII – SPECIAL PROTECTION INFORMATION

VENTILATION (TYPE): Local exhaust

RESPIRATORY PROTECTION: Usually none

PROTECTIVE CLOTHING & EQUIPMENT: Goggles/face shield, rubberized gloves, leather boots, long sleeves

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Product is flammable! Store away from excessive heat and sources of ignition.

Information presented herein has been compiled from sources considered to be dependable and current, and is accurate and reliable to the best of our knowledge, but is not guaranteed to be so. It is the user's responsibility to determine for himself the suitability of this information for his safe use of this product, and to adopt such proper safety precautions as may be necessary to provide adequate worker and plant protection.

Appendix F – Post-Remediation Air Samplers Calibration Data

Integrity Environmental Consultants, Inc.

TO-13A Sampling Pumps Data Sheet and Air Volume

Project Number: 2008-00097

Sampling Date: August 26, 2009

Pump Number	Sample Number	Pre-Sampling Flowrate (LPM)	Post Sampling Flowrate (LPM)	Sampling Flowrate (LPM)	Start Time	Stop Time	Sampling Time (Minutes)	Sampling Volume (Liters)
529352	AI-1A	3.05	3.11	3.08			494	1522
644345	AI-2A	3.05	3.14	3.09			487	1507
665041	AI-3A	3.01	3.00	3.00			472	1416
574976	AI-4A	3.07	3.10	3.08			476	1466
529364	AI-5A	3.02	3.04	3.03			475	1439
538049	AI-6A	3.05	3.11	3.08			475	1463
644352	AI-7A	3.01	3.04	3.02			494	1492
633693	AI-8A	3.04	2.99	3.01			487	1471
40664	AI-9A	3.04	2.95	3.00			467	1401
538500	AI-10A	3.09	3.08	3.08			470	1448
626243	AI-11A	3.05	3.13	3.09			469	1449
691376	AI-12A	3.00	3.04	3.02			458	1383
612351	AI-13A	3.01	3.07	3.04			457	1389
612368	AI-14A	3.02	3.04	3.03			457	1385
691388	AI-15A	3.05	3.09	3.07			456	1400
574983	AO-1A	2.98	2.98	2.98			516	1538
665975	AO-2A	3.02	3.06	3.04			512	1556
633692	AO-3A	3.02	2.97	3.00			505	1515
584369	AO-4A	3.02	2.99	3.00			502	1506
538319	AO-5A	3.03	3.04	3.03			497	1506
--	Field Blank 1	--	--	--			--	--
--	Field Blank 2	--	--	--			--	--

Prepared by: Ibrahim Sobeih, CIH
Date: August 26, 2009

Integrity Environmental Consultants, Inc.

TO-17 Sampling Pumps Data Sheet and Air Volume

Project Number: 2008-00097

Sampling Date: August 27, 2009

Pump Number	Sample Number	Pre-Sampling Flow Rate (ml/min)	Post Sampling Flow Rate (ml/min)	Sampling Air Flowrate (ml/min)	Start Time	Stop Time	Sampling Time (Minutes)	Sampling Volume (Liters)
05833	AI-1B	44.9	45.5	45.2			503	22.7
12686	AI-2B	43.5	43.5	43.5			499	21.7
05566	AI-3B	48.0 42.3	48.0 54.0	48.0 48.1			320 172	15.4 8.3 Total 23.7
05893	AI-4B	44.5	45.0	44.7			502	22.4
12847	AI-5B	44.5	45.5	45.0			506	22.8
03692	AI-6B	45.0 45.7	44.9 46.5	45.0 46.1			326 180	14.7 8.3 Total 23.0
08199	AI-7B	46.6	47.2	46.9			460	21.6
05704	AI-8B	43.9 43.5	49.5 50.0	46.7 46.7			150 301	7.0 14.1 Total 21.1
08200	AI-9B	44.0	44.4	44.2			507	22.4
08197	AI-10B	46.2	46.3	46.2			506	23.4
12672	AI-11B	45.2	45.7	45.3			436	19.8
12633	AI-12B	44.5	44.5	44.5			515	22.9
05741	AI-13B	44.9	45.3	45.1			514	23.2
02771	AI-14B	44.5	45.2	44.8			464	20.8
05885	AI-15B	43.7 44.5	43.7 44.7	43.7 44.6			190 282	8.3 12.6 Total 20.9
08501	AO-1B	47.9	48.4	48.1			512	24.6
12674	AO-2B	45.0	45.4	45.2			508	23.0
612351	AO-3B	47.8	46.2	47.0			509	23.9
612368	AO-4B	49.8	52.5	51.1			509	26.0
626243	AO-5B	46.1	45.2	45.6			510	23.2
	Field Blank 1			--			--	--
	Field Blank 2			--			--	--

Prepared by: Ibrahim Sobeih, CIH
Date: August 27, 2009

Appendix G – Remediation Injury and Illness Investigation Reports

METRO BUILDERS & ENGINEERS GROUP, LTD.

Safety Alert

Job Name: HB City Hall Seismic Upgrade Job Number: 403

Date Issued: 1-15-09

Infraction: Unsafe practice/Bahavior/Condition.

Date 1-15-09 Time 0930

Location: HTB Area 5

Matias Cota - no face shield or ear plugs while Jack hammering.

Nicolas Cota - Same as above. Also no tyvek.

Guadalupe Lopez - no Face shield, ear plugs while Jack hammering. X

Noise level is 100-105 decibels

Corrective Action Taken:

Made Jack hammer operator use ear plugs and PAPR Due to no face shields avail.

- Nicolas cota - put on tyvek, ear plugs.
- Guadalupe - put in ear Plugs.

X Workers Refused to sign. 1200pm

Issued To: (Co. name) Avis Date 1-15-09

Mailed/Faxed To: Date

Corrective Action Taken By: ~~Avis~~ Integrity Date 1-15-09

Disciplinary Agent: Joel Link Date 1-15-09

METRO BUILDERS & ENGINEERS GROUP, LTD.

Safety Alert

Job Name: HB City Hall Seismic Upgrade Job Number: 403

Date Issued: 1-15-09

Infraction: Unsafe practice/Bahavior/Condition.

Date 1-15-09 Time 1300

Location: Area 5

Nicolas Coty Guadalupe Lopez inside Regulated Area with no hard hat.

Corrective Action Taken:

-wear hard hat; warned about PPE.

Issued To: (Co. name) Avis Date 1-15-09

Mailed/Faxed To: N/C of arc to Date 1/15/09

Corrective Action Taken By: Integrity Env. Date 1/15/09

Disciplinary Agent: [signature] Date 1-15-09

INJURY AND ILLNESS INVESTIGATION REPORT

NATURE OF ACCIDENT:
Chipping Concrete with Jack hammer. Hit Rebar then Bounced onto his foot.

DATE AND TIME OF ACCIDENT:
1315

SPECIFIC LOCATION OF ACCIDENT:
Area 5

NAME OF EMPLOYEE(S) INVOLVED IN THE ACCIDENT:
Matias Cota

NATURE OF INJURY OR ILLNESS:
Foot Cut, bruised

PARTS OF BODY AFFECTED:
2. Foot

SUPERVISOR AT THE TIME OF ACCIDENT:
Sam / Nicolas Cota

WORK AND TASK AT THE TIME OF ACCIDENT:
Chipping Concrete wall

ACCIDENT SEQUENCE OF EVENTS:

printed on recycled paper

air ~ soil ~ water™ ie

ACCIDENT CAUSAL FACTORS:
No hard toe boots, Careless work Practice.

CORRECTIVE ACTIONS:
Hard toe boots / Leg guards

ADDITIONAL COMMENTS:
I was not told by Avis. Roger from metro informed me of the Accident,

ACCIDENT INVESTIGATOR AND REPORT PREPARER:
NAME: Judd Leach DATE: 1-15-09
SIGNATURE: Judd Leach

printed on recycled paper

Appendix H – Remediation Dust Air Monitoring Real Time Measurements

pDR-1000 S/N: 02991
Tag Number: 05
Number of logged points: 70
Start time and date: 08:48:38 30-Dec-06
Elapsed time: 05:50:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 29.271 mg/m³
Time at maximum: 09:10:26 Dec 30
Max STEL Concentration: 0.218 mg/m³
Time at max STEL: 09:11:38 Dec 30
Overall Avg Conc: 0.082 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	30-Dec	08:53:38	0.053
2	30-Dec	08:58:38	0.144
3	30-Dec	09:03:38	0.181
4	30-Dec	09:08:38	0.065
5	30-Dec	09:13:38	0.375
6	30-Dec	09:18:38	0.103
7	30-Dec	09:23:38	0.074
8	30-Dec	09:28:38	0.061
9	30-Dec	09:33:38	0.061
10	30-Dec	09:38:38	0.062
11	30-Dec	09:43:38	0.07
12	30-Dec	09:48:38	0.085
13	30-Dec	09:53:38	0.169
14	30-Dec	09:58:38	0.092
15	30-Dec	10:03:38	0.114
16	30-Dec	10:08:38	0.084
17	30-Dec	10:13:38	0.087
18	30-Dec	10:18:38	0.064
19	30-Dec	10:23:38	0.066
20	30-Dec	10:28:38	0.072
21	30-Dec	10:33:38	0.075
22	30-Dec	10:38:38	0.119
23	30-Dec	10:43:38	0.122
24	30-Dec	10:48:38	0.067
25	30-Dec	10:53:38	0.066
26	30-Dec	10:58:38	0.063
27	30-Dec	11:03:38	0.064
28	30-Dec	11:08:38	0.056
29	30-Dec	11:13:38	0.068
30	30-Dec	11:18:38	0.061
31	30-Dec	11:23:38	0.05
32	30-Dec	11:28:38	0.049
33	30-Dec	11:33:38	0.047
34	30-Dec	11:38:38	0.05
35	30-Dec	11:43:38	0.054
36	30-Dec	11:48:38	0.046
37	30-Dec	11:53:38	0.048
38	30-Dec	11:58:38	0.044

39	30-Dec	12:03:38	0.082
40	30-Dec	12:08:38	0.066
41	30-Dec	12:13:38	0.09
42	30-Dec	12:18:38	0.083
43	30-Dec	12:23:38	0.074
44	30-Dec	12:28:38	0.077
45	30-Dec	12:33:38	0.076
46	30-Dec	12:38:38	0.071
47	30-Dec	12:43:38	0.072
48	30-Dec	12:48:38	0.078
49	30-Dec	12:53:38	0.088
50	30-Dec	12:58:38	0.078
51	30-Dec	13:03:38	0.079
52	30-Dec	13:08:38	0.072
53	30-Dec	13:13:38	0.078
54	30-Dec	13:18:38	0.075
55	30-Dec	13:23:38	0.09
56	30-Dec	13:28:38	0.095
57	30-Dec	13:33:38	0.09
58	30-Dec	13:38:38	0.078
59	30-Dec	13:43:38	0.084
60	30-Dec	13:48:38	0.081
61	30-Dec	13:53:38	0.072
62	30-Dec	13:58:38	0.073
63	30-Dec	14:03:38	0.123
64	30-Dec	14:08:38	0.107
65	30-Dec	14:13:38	0.078
66	30-Dec	14:18:38	0.079
67	30-Dec	14:23:38	0.081
68	30-Dec	14:28:38	0.089
69	30-Dec	14:33:38	0.085
70	30-Dec	14:38:38	0.057

pDR-1000 S/N: 02991
Tag Number: 06
Number of logged points: 21
Start time and date: 12:39:02 05-Jan-09
Elapsed time: 01:45:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 1.838 mg/m³
Time at maximum: 13:50:22 Jan 05
Max STEL Concentration: 0.047 mg/m³
Time at max STEL: 13:57:32 Jan 05
Overall Avg Conc: 0.025 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	5-Jan	12:44:02	0.028
2	5-Jan	12:49:02	0.066
3	5-Jan	12:54:02	0.018
4	5-Jan	12:59:02	0.045
5	5-Jan	13:04:02	0.03
6	5-Jan	13:09:02	0.013
7	5-Jan	13:14:02	0.016
8	5-Jan	13:19:02	0.053
9	5-Jan	13:24:02	0.012
10	5-Jan	13:29:02	0.017
11	5-Jan	13:34:02	0.018
12	5-Jan	13:39:02	0.018
13	5-Jan	13:44:02	0.011
14	5-Jan	13:49:02	0.046
15	5-Jan	13:54:02	0.047
16	5-Jan	13:59:02	0.044
17	5-Jan	14:04:02	0.019
18	5-Jan	14:09:02	0.018
19	5-Jan	14:14:02	0.02
20	5-Jan	14:19:02	0.026
21	5-Jan	14:24:02	0.02

pDR-1000 S/N: 02991
Tag Number: 07
Number of logged points: 73
Start time and date: 07:46:30 06-Jan-09
Elapsed time: 06:05:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 3.018 mg/m³
Time at maximum: 07:46:35 Jan 06
Max STEL Concentration: 0.122 mg/m³
Time at max STEL: 12:46:31 Jan 06
Overall Avg Conc: 0.053 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	6-Jan	07:51:30	0.105
2	6-Jan	07:56:30	0.047
3	6-Jan	08:01:30	0.044
4	6-Jan	08:06:30	0.068
5	6-Jan	08:11:30	0.058
6	6-Jan	08:16:30	0.033
7	6-Jan	08:21:30	0.035
8	6-Jan	08:26:30	0.048
9	6-Jan	08:31:30	0.034
10	6-Jan	08:36:30	0.032
11	6-Jan	08:41:30	0.036
12	6-Jan	08:46:30	0.048
13	6-Jan	08:51:30	0.043
14	6-Jan	08:56:30	0.03
15	6-Jan	09:01:30	0.034
16	6-Jan	09:06:30	0.045
17	6-Jan	09:11:30	0.042
18	6-Jan	09:16:30	0.039
19	6-Jan	09:21:30	0.038
20	6-Jan	09:26:30	0.044
21	6-Jan	09:31:30	0.048
22	6-Jan	09:36:30	0.044
23	6-Jan	09:41:30	0.04
24	6-Jan	09:46:30	0.038
25	6-Jan	09:51:30	0.037
26	6-Jan	09:56:30	0.036
27	6-Jan	10:01:30	0.033
28	6-Jan	10:06:30	0.04
29	6-Jan	10:11:30	0.036
30	6-Jan	10:16:30	0.032
31	6-Jan	10:21:30	0.038
32	6-Jan	10:26:30	0.033
33	6-Jan	10:31:30	0.03
34	6-Jan	10:36:30	0.025
35	6-Jan	10:41:30	0.028
36	6-Jan	10:46:30	0.029
37	6-Jan	10:51:30	0.032
38	6-Jan	10:56:30	0.037

39	6-Jan	11:01:30	0.031
40	6-Jan	11:06:30	0.044
41	6-Jan	11:11:30	0.046
42	6-Jan	11:16:30	0.043
43	6-Jan	11:21:30	0.043
44	6-Jan	11:26:30	0.04
45	6-Jan	11:31:30	0.036
46	6-Jan	11:36:30	0.034
47	6-Jan	11:41:30	0.034
48	6-Jan	11:46:30	0.033
49	6-Jan	11:51:30	0.032
50	6-Jan	11:56:30	0.034
51	6-Jan	12:01:30	0.08
52	6-Jan	12:06:30	0.095
53	6-Jan	12:11:30	0.082
54	6-Jan	12:16:30	0.115
55	6-Jan	12:21:30	0.14
56	6-Jan	12:26:30	0.088
57	6-Jan	12:31:30	0.051
58	6-Jan	12:36:30	0.146
59	6-Jan	12:41:30	0.128
60	6-Jan	12:46:30	0.091
61	6-Jan	12:51:30	0.083
62	6-Jan	12:56:30	0.074
63	6-Jan	13:01:30	0.036
64	6-Jan	13:06:30	0.042
65	6-Jan	13:11:30	0.052
66	6-Jan	13:16:30	0.105
67	6-Jan	13:21:30	0.043
68	6-Jan	13:26:30	0.135
69	6-Jan	13:31:30	0.082
70	6-Jan	13:36:30	0.078
71	6-Jan	13:41:30	0.102
72	6-Jan	13:46:30	0.032
73	6-Jan	13:51:30	0.03

pDR-1000 S/N: 02991
Tag Number: 09
Number of logged points: 75
Start time and date: 08:17:48 07-Jan-06
Elapsed time: 05:35:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 6.792 mg/m³
Time at maximum: 08:58:52 Jan 07
Max STEL Concentration: 0.185 mg/m³
Time at max STEL: 12:29:18 Jan 07
Overall Avg Conc: 0.097 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	7-Jan	07:05:51	0.062
2	7-Jan	07:10:51	0.078
3	7-Jan	07:15:51	0.069
4	7-Jan	07:20:51	0.158
5	7-Jan	07:25:51	0.087
6	7-Jan	07:30:51	0.071
7	7-Jan	07:35:51	0.095
8	7-Jan	07:40:51	0.033
9	7-Jan	08:22:48	0.036
10	7-Jan	08:27:48	0.046
11	7-Jan	08:32:48	0.076
12	7-Jan	08:37:48	0.051
13	7-Jan	08:42:48	0.096
14	7-Jan	08:47:48	0.077
15	7-Jan	08:52:48	0.041
16	7-Jan	08:57:48	0.111
17	7-Jan	09:02:48	0.237
18	7-Jan	09:07:48	0.046
19	7-Jan	09:12:48	0.045
20	7-Jan	09:17:48	0.029
21	7-Jan	09:22:48	0.03
22	7-Jan	09:27:48	0.066
23	7-Jan	09:32:48	0.086
24	7-Jan	09:37:48	0.091
25	7-Jan	09:42:48	0.085
26	7-Jan	09:47:48	0.15
27	7-Jan	09:52:48	0.125
28	7-Jan	09:57:48	0.11
29	7-Jan	10:02:48	0.109
30	7-Jan	10:07:48	0.143
31	7-Jan	10:12:48	0.24
32	7-Jan	10:17:48	0.121
33	7-Jan	10:22:48	0.074
34	7-Jan	10:27:48	0.08
35	7-Jan	10:32:48	0.052
36	7-Jan	10:37:48	0.055
37	7-Jan	10:42:48	0.045
38	7-Jan	10:47:48	0.058

39	7-Jan	10:52:48	0.085
40	7-Jan	10:57:48	0.089
41	7-Jan	11:02:48	0.083
42	7-Jan	11:07:48	0.079
43	7-Jan	11:12:48	0.077
44	7-Jan	11:17:48	0.078
45	7-Jan	11:22:48	0.073
46	7-Jan	11:27:48	0.073
47	7-Jan	11:32:48	0.068
48	7-Jan	11:37:48	0.071
49	7-Jan	11:42:48	0.074
50	7-Jan	11:47:48	0.091
51	7-Jan	11:52:48	0.094
52	7-Jan	11:57:48	0.098
53	7-Jan	12:02:48	0.1
54	7-Jan	12:07:48	0.096
55	7-Jan	12:12:48	0.139
56	7-Jan	12:17:48	0.137
57	7-Jan	12:22:48	0.225
58	7-Jan	12:27:48	0.155
59	7-Jan	12:32:48	0.132
60	7-Jan	12:37:48	0.164
61	7-Jan	12:42:48	0.114
62	7-Jan	12:47:48	0.13
63	7-Jan	12:52:48	0.13
64	7-Jan	12:57:48	0.102
65	7-Jan	13:02:48	0.099
66	7-Jan	13:07:48	0.102
67	7-Jan	13:12:48	0.102
68	7-Jan	13:17:48	0.094
69	7-Jan	13:22:48	0.105
70	7-Jan	13:27:48	0.116
71	7-Jan	13:32:48	0.123
72	7-Jan	13:37:48	0.134
73	7-Jan	13:42:48	0.117
74	7-Jan	13:47:48	0.125
75	7-Jan	13:52:48	0.041

pDR-1000 S/N: 02991
Tag Number: 10
Number of logged points: 88
Start time and date: 06:44:57 08-Jan-08
Elapsed time: 07:20:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 23.615 mg/m³
Time at maximum: 09:23:03 Jan 08
Max STEL Concentration: 0.565 mg/m³
Time at max STEL: 09:50:57 Jan 08
Overall Avg Conc: 0.205 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	8-Jan	06:49:57	0.011
2	8-Jan	06:54:57	0.011
3	8-Jan	06:59:57	0.053
4	8-Jan	07:04:57	0.144
5	8-Jan	07:09:57	0.093
6	8-Jan	07:14:57	0.129
7	8-Jan	07:19:57	0.282
8	8-Jan	07:24:57	0.187
9	8-Jan	07:29:57	0.216
10	8-Jan	07:34:57	0.316
11	8-Jan	07:39:57	0.507
12	8-Jan	07:44:57	0.168
13	8-Jan	07:49:57	0.577
14	8-Jan	07:54:57	0.195
15	8-Jan	07:59:57	0.202
16	8-Jan	08:04:57	0.187
17	8-Jan	08:09:57	0.204
18	8-Jan	08:14:57	0.206
19	8-Jan	08:19:57	0.227
20	8-Jan	08:24:57	0.299
21	8-Jan	08:29:57	0.263
22	8-Jan	08:34:57	0.231
23	8-Jan	08:39:57	0.529
24	8-Jan	08:44:57	0.477
25	8-Jan	08:49:57	0.465
26	8-Jan	08:54:57	0.638
27	8-Jan	08:59:57	0.292
28	8-Jan	09:04:57	0.167
29	8-Jan	09:09:57	0.166
30	8-Jan	09:14:57	0.139
31	8-Jan	09:19:57	0.099
32	8-Jan	09:24:57	1.321
33	8-Jan	09:29:57	0.078
34	8-Jan	09:34:57	0.139
35	8-Jan	09:39:57	0.163
36	8-Jan	09:44:57	0.312
37	8-Jan	09:49:57	1.197
38	8-Jan	09:54:57	0.122

39	8-Jan	09:59:57	0.123
40	8-Jan	10:04:57	0.203
41	8-Jan	10:09:57	0.171
42	8-Jan	10:14:57	0.164
43	8-Jan	10:19:57	0.15
44	8-Jan	10:24:57	0.137
45	8-Jan	10:29:57	0.127
46	8-Jan	10:34:57	0.124
47	8-Jan	10:39:57	0.125
48	8-Jan	10:44:57	0.137
49	8-Jan	10:49:57	0.144
50	8-Jan	10:54:57	0.146
51	8-Jan	10:59:57	0.129
52	8-Jan	11:04:57	0.133
53	8-Jan	11:09:57	0.128
54	8-Jan	11:14:57	0.13
55	8-Jan	11:19:57	0.127
56	8-Jan	11:24:57	0.139
57	8-Jan	11:29:57	0.14
58	8-Jan	11:34:57	0.204
59	8-Jan	11:39:57	0.2
60	8-Jan	11:44:57	0.16
61	8-Jan	11:49:57	0.157
62	8-Jan	11:54:57	0.165
63	8-Jan	11:59:57	0.159
64	8-Jan	12:04:57	0.204
65	8-Jan	12:09:57	0.211
66	8-Jan	12:14:57	0.506
67	8-Jan	12:19:57	0.32
68	8-Jan	12:24:57	0.183
69	8-Jan	12:29:57	0.162
70	8-Jan	12:34:57	0.236
71	8-Jan	12:39:57	0.144
72	8-Jan	12:44:57	0.242
73	8-Jan	12:49:57	0.126
74	8-Jan	12:54:57	0.155
75	8-Jan	12:59:57	0.076
76	8-Jan	13:04:57	0.052
77	8-Jan	13:09:57	0.039
78	8-Jan	13:14:57	0.032
79	8-Jan	13:19:57	0.039
80	8-Jan	13:24:57	0.033
81	8-Jan	13:29:57	0.064
82	8-Jan	13:34:57	0.047
83	8-Jan	13:39:57	0.101
84	8-Jan	13:44:57	0.078
85	8-Jan	13:49:57	0.138
86	8-Jan	13:54:57	0.06
87	8-Jan	13:59:57	0.036
88	8-Jan	14:04:57	0.095

pDR-1000 S/N: 02991
Tag Number: 11
Number of logged points: 85
Start time and date: 07:03:26 09-Jan-09
Elapsed time: 07:05:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 11.551 mg/m³
Time at maximum: 07:56:31 Jan 09
Max STEL Concentration: 0.561 mg/m³
Time at max STEL: 08:01:27 Jan 09
Overall Avg Conc: 0.219 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	9-Jan	07:08:26	0.099
2	9-Jan	07:13:26	0.168
3	9-Jan	07:18:26	0.155
4	9-Jan	07:23:26	0.15
5	9-Jan	07:28:26	0.162
6	9-Jan	07:33:26	0.177
7	9-Jan	07:38:26	0.346
8	9-Jan	07:43:26	0.259
9	9-Jan	07:48:26	0.305
10	9-Jan	07:53:26	0.367
11	9-Jan	07:58:26	0.926
12	9-Jan	08:03:26	0.307
13	9-Jan	08:08:26	0.257
14	9-Jan	08:13:26	0.204
15	9-Jan	08:18:26	0.225
16	9-Jan	08:23:26	0.239
17	9-Jan	08:28:26	0.21
18	9-Jan	08:33:26	0.176
19	9-Jan	08:38:26	0.203
20	9-Jan	08:43:26	0.317
21	9-Jan	08:48:26	0.164
22	9-Jan	08:53:26	0.214
23	9-Jan	08:58:26	0.251
24	9-Jan	09:03:26	0.258
25	9-Jan	09:08:26	0.209
26	9-Jan	09:13:26	0.213
27	9-Jan	09:18:26	0.259
28	9-Jan	09:23:26	0.321
29	9-Jan	09:28:26	0.219
30	9-Jan	09:33:26	0.225
31	9-Jan	09:38:26	0.352
32	9-Jan	09:43:26	0.216
33	9-Jan	09:48:26	0.219
34	9-Jan	09:53:26	0.24
35	9-Jan	09:58:26	0.265
36	9-Jan	10:03:26	0.332
37	9-Jan	10:08:26	0.455
38	9-Jan	10:13:26	0.245

39	9-Jan	10:18:26	0.302
40	9-Jan	10:23:26	0.21
41	9-Jan	10:28:26	0.207
42	9-Jan	10:33:26	0.204
43	9-Jan	10:38:26	0.201
44	9-Jan	10:43:26	0.21
45	9-Jan	10:48:26	0.21
46	9-Jan	10:53:26	0.204
47	9-Jan	10:58:26	0.199
48	9-Jan	11:03:26	0.2
49	9-Jan	11:08:26	0.206
50	9-Jan	11:13:26	0.21
51	9-Jan	11:18:26	0.22
52	9-Jan	11:23:26	0.216
53	9-Jan	11:28:26	0.213
54	9-Jan	11:33:26	0.209
55	9-Jan	11:38:26	0.204
56	9-Jan	11:43:26	0.228
57	9-Jan	11:48:26	0.216
58	9-Jan	11:53:26	0.233
59	9-Jan	11:58:26	0.297
60	9-Jan	12:03:26	0.389
61	9-Jan	12:08:26	0.27
62	9-Jan	12:13:26	0.314
63	9-Jan	12:18:26	0.276
64	9-Jan	12:23:26	0.272
65	9-Jan	12:28:26	0.277
66	9-Jan	12:33:26	0.251
67	9-Jan	12:38:26	0.149
68	9-Jan	12:43:26	0.107
69	9-Jan	12:48:26	0.092
70	9-Jan	12:53:26	0.097
71	9-Jan	12:58:26	0.093
72	9-Jan	13:03:26	0.085
73	9-Jan	13:08:26	0.079
74	9-Jan	13:13:26	0.1
75	9-Jan	13:18:26	0.079
76	9-Jan	13:23:26	0.081
77	9-Jan	13:28:26	0.089
78	9-Jan	13:33:26	0.115
79	9-Jan	13:38:26	0.094
80	9-Jan	13:43:26	0.096
81	9-Jan	13:48:26	0.117
82	9-Jan	13:53:26	0.142
83	9-Jan	13:58:26	0.286
84	9-Jan	14:03:26	0.128
85	9-Jan	14:08:26	0.134

pDR-1000 S/N: 02991
Tag Number: 12
Number of logged points: 53
Start time and date: 09:48:39 15-Jan
Elapsed time: 04:25:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 24.331 mg/m³
Time at maximum: 10:40:53 Jan 15
Max STEL Concentration: 2.413 mg/m³
Time at max STEL: 10:34:09 Jan 15
Overall Avg Conc: 0.439 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	15-Jan	09:53:39	1.087
2	15-Jan	09:58:39	1.927
3	15-Jan	10:03:39	2.344
4	15-Jan	10:08:39	1.532
5	15-Jan	10:13:39	0.105
6	15-Jan	10:18:39	0.071
7	15-Jan	10:23:39	3.848
8	15-Jan	10:28:39	1.258
9	15-Jan	10:33:39	1.38
10	15-Jan	10:38:39	2.08
11	15-Jan	10:43:39	1.45
12	15-Jan	10:48:39	0.541
13	15-Jan	10:53:39	0.079
14	15-Jan	10:58:39	0.343
15	15-Jan	11:03:39	0.31
16	15-Jan	11:08:39	0.558
17	15-Jan	11:13:39	0.246
18	15-Jan	11:18:39	0.112
19	15-Jan	11:23:39	0.714
20	15-Jan	11:28:39	0.243
21	15-Jan	11:33:39	0.37
22	15-Jan	11:38:39	0.04
23	15-Jan	11:43:39	0.039
24	15-Jan	11:48:39	0.053
25	15-Jan	11:53:39	0.04
26	15-Jan	11:58:39	0.044
27	15-Jan	12:03:39	0.034
28	15-Jan	12:08:39	0.038
29	15-Jan	12:13:39	0.038
30	15-Jan	12:18:39	0.043
31	15-Jan	12:23:39	0.041
32	15-Jan	12:28:39	0.044
33	15-Jan	12:33:39	0.042
34	15-Jan	12:38:39	0.071
35	15-Jan	12:43:39	0.301
36	15-Jan	12:48:39	0.2
37	15-Jan	12:53:39	0.218
38	15-Jan	12:58:39	0.178

39	15-Jan	13:03:39	0.13
40	15-Jan	13:08:39	0.188
41	15-Jan	13:13:39	0.109
42	15-Jan	13:18:39	0.065
43	15-Jan	13:23:39	0.075
44	15-Jan	13:28:39	0.079
45	15-Jan	13:33:39	0.095
46	15-Jan	13:38:39	0.083
47	15-Jan	13:43:39	0.095
48	15-Jan	13:48:39	0.097
49	15-Jan	13:53:39	0.086
50	15-Jan	13:58:39	0.099
51	15-Jan	14:03:39	0.124
52	15-Jan	14:08:39	0.095
53	15-Jan	14:13:39	0.093

pDR-1000 S/N: 02991
Tag Number: 13
Number of logged points: 54
Start time and date: 09:32:12 20-Jan
Elapsed time: 04:30:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 0.865 mg/m³
Time at maximum: 12:53:45 Jan 20
Max STEL Concentration: 0.154 mg/m³
Time at max STEL: 10:29:43 Jan 20
Overall Avg Conc: 0.085 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	20-Jan	09:37:12	0.089
2	20-Jan	09:42:12	0.079
3	20-Jan	09:47:12	0.072
4	20-Jan	09:52:12	0.069
5	20-Jan	09:57:12	0.076
6	20-Jan	10:02:12	0.072
7	20-Jan	10:07:12	0.07
8	20-Jan	10:12:12	0.067
9	20-Jan	10:17:12	0.115
10	20-Jan	10:22:12	0.172
11	20-Jan	10:27:12	0.153
12	20-Jan	10:32:12	0.119
13	20-Jan	10:37:12	0.097
14	20-Jan	10:42:12	0.085
15	20-Jan	10:47:12	0.082
16	20-Jan	10:52:12	0.077
17	20-Jan	10:57:12	0.074
18	20-Jan	11:02:12	0.073
19	20-Jan	11:07:12	0.077
20	20-Jan	11:12:12	0.076
21	20-Jan	11:17:12	0.076
22	20-Jan	11:22:12	0.083
23	20-Jan	11:27:12	0.078
24	20-Jan	11:32:12	0.078
25	20-Jan	11:37:12	0.083
26	20-Jan	11:42:12	0.08
27	20-Jan	11:47:12	0.097
28	20-Jan	11:52:12	0.088
29	20-Jan	11:57:12	0.076
30	20-Jan	12:02:12	0.075
31	20-Jan	12:07:12	0.07
32	20-Jan	12:12:12	0.071
33	20-Jan	12:17:12	0.077
34	20-Jan	12:22:12	0.075
35	20-Jan	12:27:12	0.076
36	20-Jan	12:32:12	0.088
37	20-Jan	12:37:12	0.101
38	20-Jan	12:42:12	0.089

39	20-Jan	12:47:12	0.08
40	20-Jan	12:52:12	0.082
41	20-Jan	12:57:12	0.094
42	20-Jan	13:02:12	0.092
43	20-Jan	13:07:12	0.086
44	20-Jan	13:12:12	0.083
45	20-Jan	13:17:12	0.077
46	20-Jan	13:22:12	0.08
47	20-Jan	13:27:12	0.075
48	20-Jan	13:32:12	0.072
49	20-Jan	13:37:12	0.08
50	20-Jan	13:42:12	0.083
51	20-Jan	13:47:12	0.086
52	20-Jan	13:52:12	0.085
53	20-Jan	13:57:12	0.085
54	20-Jan	14:02:12	0.098

pDR-1000 S/N: 02991
Tag Number: 14
Number of logged points: 73
Start time and date: 07:33:05 21-Jan
Elapsed time: 06:05:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 1.056 mg/m³
Time at maximum: 12:49:49 Jan 21
Max STEL Concentration: 0.112 mg/m³
Time at max STEL: 10:33:35 Jan 21
Overall Avg Conc: 0.082 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	21-Jan	07:38:05	0.061
2	21-Jan	07:43:05	0.077
3	21-Jan	07:48:05	0.056
4	21-Jan	07:53:05	0.068
5	21-Jan	07:58:05	0.078
6	21-Jan	08:03:05	0.07
7	21-Jan	08:08:05	0.058
8	21-Jan	08:13:05	0.055
9	21-Jan	08:18:05	0.06
10	21-Jan	08:23:05	0.079
11	21-Jan	08:28:05	0.079
12	21-Jan	08:33:05	0.094
13	21-Jan	08:38:05	0.083
14	21-Jan	08:43:05	0.082
15	21-Jan	08:48:05	0.112
16	21-Jan	08:53:05	0.098
17	21-Jan	08:58:05	0.095
18	21-Jan	09:03:05	0.09
19	21-Jan	09:08:05	0.083
20	21-Jan	09:13:05	0.082
21	21-Jan	09:18:05	0.079
22	21-Jan	09:23:05	0.079
23	21-Jan	09:28:05	0.084
24	21-Jan	09:33:05	0.084
25	21-Jan	09:38:05	0.09
26	21-Jan	09:43:05	0.104
27	21-Jan	09:48:05	0.115
28	21-Jan	09:53:05	0.093
29	21-Jan	09:58:05	0.094
30	21-Jan	10:03:05	0.096
31	21-Jan	10:08:05	0.098
32	21-Jan	10:13:05	0.09
33	21-Jan	10:18:05	0.096
34	21-Jan	10:23:05	0.125
35	21-Jan	10:28:05	0.106
36	21-Jan	10:33:05	0.102
37	21-Jan	10:38:05	0.103
38	21-Jan	10:43:05	0.101

39	21-Jan	10:48:05	0.104
40	21-Jan	10:53:05	0.097
41	21-Jan	10:58:05	0.095
42	21-Jan	11:03:05	0.1
43	21-Jan	11:08:05	0.086
44	21-Jan	11:13:05	0.08
45	21-Jan	11:18:05	0.091
46	21-Jan	11:23:05	0.09
47	21-Jan	11:28:05	0.086
48	21-Jan	11:33:05	0.09
49	21-Jan	11:38:05	0.086
50	21-Jan	11:43:05	0.083
51	21-Jan	11:48:05	0.084
52	21-Jan	11:53:05	0.084
53	21-Jan	11:58:05	0.086
54	21-Jan	12:03:05	0.09
55	21-Jan	12:08:05	0.089
56	21-Jan	12:13:05	0.084
57	21-Jan	12:18:05	0.08
58	21-Jan	12:23:05	0.087
59	21-Jan	12:28:05	0.069
60	21-Jan	12:33:05	0.061
61	21-Jan	12:38:05	0.07
62	21-Jan	12:43:05	0.062
63	21-Jan	12:48:05	0.056
64	21-Jan	12:53:05	0.064
65	21-Jan	12:58:05	0.057
66	21-Jan	13:03:05	0.057
67	21-Jan	13:08:05	0.061
68	21-Jan	13:13:05	0.062
69	21-Jan	13:18:05	0.071
70	21-Jan	13:23:05	0.063
71	21-Jan	13:28:05	0.059
72	21-Jan	13:33:05	0.057
73	21-Jan	13:38:05	0.056

pDR-1000 S/N: 03925
Tag Number: 01
Number of logged points: 97
Start time and date: 06:56:04 09-Apr -09
Elapsed time: 8:00:00
Logging period (sec): 300
Calibration Factor (%): 100
Max Display Concentration: 1.835 mg/m³
Time at maximum: 14:11:11 Apr 09
Max STEL Concentration: 0.000 mg/m³
Time at max STEL: 06:56:04 Apr 09
Overall Avg Conc: 0.000 mg/m³
Logged Data:

Point	Date	Time	Avg.(mg/m³)
1	9-Apr	07:01:04	0
2	9-Apr	07:06:04	0
3	9-Apr	07:11:04	0
4	9-Apr	07:16:04	0
5	9-Apr	07:21:04	0
6	9-Apr	07:26:04	0.001
7	9-Apr	07:31:04	0
8	9-Apr	07:36:04	0
9	9-Apr	07:41:04	0
10	9-Apr	07:46:04	0
11	9-Apr	07:51:04	0
12	9-Apr	07:56:04	0
13	9-Apr	08:01:04	0
14	9-Apr	08:06:04	0
15	9-Apr	08:11:04	0.005
16	9-Apr	08:16:04	0
17	9-Apr	08:21:04	0.003
18	9-Apr	08:26:04	0
19	9-Apr	08:31:04	0
20	9-Apr	08:36:04	0
21	9-Apr	08:41:04	0
22	9-Apr	08:46:04	0
23	9-Apr	08:51:04	0
24	9-Apr	08:56:04	0
25	9-Apr	09:01:04	0
26	9-Apr	09:06:04	0
27	9-Apr	09:11:04	0
28	9-Apr	09:16:04	0
29	9-Apr	09:21:04	0
30	9-Apr	09:26:04	0.003
31	9-Apr	09:31:04	0.007
32	9-Apr	09:36:04	0
33	9-Apr	09:41:04	0
34	9-Apr	09:46:04	0
35	9-Apr	09:51:04	0.004
36	9-Apr	09:56:04	0.001
37	9-Apr	10:01:04	0
38	9-Apr	10:06:04	0.001

39	9-Apr	10:11:04	0
40	9-Apr	10:16:04	0
41	9-Apr	10:21:04	0
42	9-Apr	10:26:04	0
43	9-Apr	10:31:04	0
44	9-Apr	10:36:04	0
45	9-Apr	10:41:04	0
46	9-Apr	10:46:04	0
47	9-Apr	10:51:04	0
48	9-Apr	10:56:04	0
49	9-Apr	11:01:04	0
50	9-Apr	11:06:04	0
51	9-Apr	11:11:04	0.001
52	9-Apr	11:16:04	0
53	9-Apr	11:21:04	0
54	9-Apr	11:26:04	0
55	9-Apr	11:31:04	0
56	9-Apr	11:36:04	0
57	9-Apr	11:41:04	0
58	9-Apr	11:46:04	0.002
59	9-Apr	11:51:04	0
60	9-Apr	11:56:04	0
61	9-Apr	12:01:04	0
62	9-Apr	12:06:04	0
63	9-Apr	12:11:04	0
64	9-Apr	12:16:04	0
65	9-Apr	12:21:04	0
66	9-Apr	12:26:04	0
67	9-Apr	12:31:04	0.012
68	9-Apr	12:36:04	0.002
69	9-Apr	12:41:04	0.001
70	9-Apr	12:46:04	0.002
71	9-Apr	12:51:04	0
72	9-Apr	12:56:04	0.001
73	9-Apr	13:01:04	0.017
74	9-Apr	13:06:04	0
75	9-Apr	13:11:04	0.044
76	9-Apr	13:16:04	0
77	9-Apr	13:21:04	0
78	9-Apr	13:26:04	0.003
79	9-Apr	13:31:04	0.001
80	9-Apr	13:36:04	0
81	9-Apr	13:41:04	0.001
82	9-Apr	13:46:04	0.001
83	9-Apr	13:51:04	0
84	9-Apr	13:56:04	0
85	9-Apr	14:01:04	0.056
86	9-Apr	14:06:04	0.009
87	9-Apr	14:11:04	0.053
88	9-Apr	14:16:04	0.04
89	9-Apr	14:21:04	0.001
90	9-Apr	14:26:04	0

91	9-Apr	14:31:04	0.003
92	9-Apr	14:36:04	0
93	9-Apr	14:41:04	0.002
94	9-Apr	14:46:04	0.001
95	9-Apr	14:51:04	0.003
96	9-Apr	14:56:04	0
97	9-Apr	15:01:04	0

Exhibit D-1

DTSC Civic Center SMP Approval (Oct. 23, 2024)

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

Department of Toxic Substances Control

Yana Garcia
Secretary for
Environmental Protection

Meredith Williams, Ph.D., Director
5796 Corporate Avenue
Cypress, California 90630

Gavin Newsom
Governor

October 24, 2023

Mr. John Martin
City of Huntington Beach
2000 Main Street
Huntington Beach, California
john.martin@surfcity-hb.org

APPROVAL-SOIL MANAGEMENT PLAN, POLICE DEPARTMENT, CITY OF HUNTINGTON BEACH CIVIC CENTER, 2000 MAIN STREET, HUNTINGTON BEACH, CALIFORNIA (SITE CODE: 401457-11)

Dear Mr. Martin:

The Department of Toxic Substances Control (DTSC) completed our review of the revised Soil Management Plan (SMP) dated October 5, 2023, prepared by EEC Environmental on behalf of the City of Huntington Beach for the Huntington Beach Civic Center Property located at 2000 Main Street, Huntington Beach, California 92648 (Site).

EEC has addressed DTSC's comments from the submitted draft SMP. DTSC hereby approves this SMP. Please notify the DTSC Project Manager, Clayton Larkins, by e-mail at clayton.larkins@dtsc.ca.gov, at least 10 days prior to conducting activities under this SMP, as DTSC may be interested in coordinating a Site visit to observe project implementation.

Sincerely,

Nick Ta
Senior Environmental Scientist (Sup)
Site Mitigation and Restoration Program
Department of Toxic Substances Control

cc: David Bernier, PG
Principal Geologist
EEC Environmental
DBernier@eecenvironmental.com

Tri Nguyen, PG
Engineering Geologist
Geological Services Branch
Department of Toxic Substances Control
Tri.Nguyen@dtsc.ca.gov

Ben Stanphill, PE
Senior Hazardous Substances Engineer
Engineering and Special Project Office
Department of Toxic Substances Control
Benjamin.Stanphill@dtsc.ca.gov

Clayton Larkins, PG
Project Manager
Site Mitigation and Restoration Program
Department of Toxic Substances Control
Clayton.larkins@dtsc.ca.gov

Exhibit E-1

DTSC Cost Estimate Letter (Feb. 8, 2024)

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

Department of Toxic Substances Control

Meredith Williams, Ph.D., Director
5796 Corporate Avenue
Cypress, California 90630

Yana Garcia
Secretary for
Environmental Protection

Gavin Newsom
Governor

February 8, 2024

Mr. Jim Merid
Environmental Services Manager
City of Huntington Beach Public Works Department
2000 Main Street
Huntington Beach, California 92648
jmerid@surfcity-hb.org

DTSC OVERSIGHT COST ESTIMATE – THE CITY OF HUNTINGTON BEACH CIVIC CENTER, LOCATED AT 2000 MAIN STREET, HUNTINGTON BEACH, CALIFORNIA 92648 (SITE CODE: 401457)


Dear Mr. Merid:

Section 25269.5 of the California Health and Safety Code requires the Department of Toxic Substances Control (DTSC) to provide a cost estimate for regulatory oversight activities at the City of Huntington Beach Civic Center, located at 2000 Main Street, Huntington Beach, California 92648 (Site). Enclosed is a cost estimate for the Site which includes a schedule of expected activities and estimated staff hours and costs for the State of California's fiscal year beginning July 1, 2023 and ending June 30, 2024. The hourly rates used in the cost estimate are DTSC's 2023-2024 contract estimation rates. The schedule and cost estimate will be updated as necessary to reflect changes to the project or the rates.

Please note that the cost estimate is only an estimate of projected costs, prepared with various assumptions regarding activities and deliverables. DTSC will issue invoices based on actual costs. The City of Huntington Beach remains liable for all response costs incurred by DTSC pursuant to Health and Safety Code Section 25360 et seq., and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) 42 U.S.C. section 9601 et seq. DTSC reserves all rights to pursue cost recovery under all applicable provisions of state or federal law.

We hope this and future cost estimates will be useful in your fiscal and project planning. If you would like to discuss the cost estimate, please contact me at (657) 777-9816, or e-mail clayton.larkins@dtsc.ca.gov.

Sincerely,



Clayton Larkins, PG
Project Manager
Site Mitigation and Restoration Program

Enclosure

Department of Toxic Substances Control
COST ESTIMATE FY 2023/2024

SITE: THE CITY OF HUNTINGTON BEACH CIVIC CENTER (60000970)
SITE CODE: 401457, 401906
PROJECT MANAGER: CLAYTON LARKINS

THIS REW IS FILTERED TO SITE CODE(S): 401457

							FY 2023/2024															
OU NAME	AREA	ACTIVITY TITLE	DOCUMENT TYPE	START DATE	TOT HRS	TOT $	Project Manager	Supervisor	Engineering	Geology	Toxicology	Industrial Hygiene	Public Participation	Legal	CEQA	OEJTA	UXO	Financial Assurance	Admin Proj. Manager	Clerical	Travel $	Contracts $
PROJECT WIDE		Soil Management Plan	Soils Management Plan	05/23/2023	**33**	**$8,529**	22	1	4	5	0	0	0	0	0	0	0	0	0	1	$0	$0
PROJECT WIDE		Project Management Activities	Project Management	07/01/2023	**12**	**$2,940**	10	2	0	0	0	0	0	0	0	0	0	0	0	0	$0	$0
PROJECT WIDE		Field Observation	Site Inspections/Visit (Non LUR)	07/01/2023	**20**	**$5,799**	4	1	0	12	0	2	0	0	0	0	0	0	0	1	$0	$0
PROJECT WIDE		Teleconference	Meeting	07/20/2023	**4**	**$1,290**	1	1	1	1	0	0	0	0	0	0	0	0	0	0	$0	$0
PROJECT WIDE		Annual Oversight Cost Estimate Letter	Annual Oversight Cost Estimate	09/14/2023	**3**	**$709**	1	1	0	0	0	0	0	0	0	0	0	0	0	1	$0	$0
PROJECT WIDE		5 year review report	Five-Year Review Reports	09/26/2023	**36**	**$11,433**	15	2	8	0	10	0	0	0	0	0	0	0	0	1	$0	$0
			Project Management		**0**	**$0**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	$0	$0
				Totals	**108**	**$30,700**	**53**	**8**	**13**	**18**	**10**	**2**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**4**	**$0**	**$0**
				Hourly Rate			**$222**	**$360**	**$382**	**$326**	**$420**	**$256**	**$0**	**$0**	**$0**	**$0**	**$0**	**$0**	**$0**	**$127**		
				Cost			**$11,766**	**$2,880**	**$4,966**	**$5,868**	**$4,200**	**$512**	**$0**	**$0**	**$0**	**$0**	**$0**	**$0**	**$0**	**$508**	**$0**	**$0**
				Grand Total			$30,700															

Exhibit G-1

Higgins "Residual Contamination" Email (Feb. 14-15, 2022)

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

Jessoteric@outlook.com

From: Higgins, Geniece
Sent: Monday, February 14, 2022 4:40 PM
To: Higgins, Geniece
Subject: RE: Soil Boring Permit for the site located at 17532 Cameron Ln., Huntington Beach (# 22-02-12)


Follow Up Flag: Follow up
Flag Status: Flagged

Hello All:

Based on review of data associated with the nearby open LUST case (No. 93UT070) I do not expect the proposed infiltration project to affect cleanup efforts associated with the LUST site.

All parties should also we aware that several other closed LUST sites are nearby as wells as a closed industrial site (OCHCA Case No. 20IC002 - ~450 feet south of the subject location). Note, each site was closed with residual contamination left in place.

Locations, as shown on GeoTracker, are below:



Geniece

From: Jennifer Lange <jlange@ldc-ce.com>
Sent: Monday, February 14, 2022 9:09 AM
To: EH OC Wells <EHOCWells@ochca.com>; kenttucker@freyinc.com; sboustany@petra-inc.com
Cc: Weerasekera, Dan <DWeerasekera@ochca.com>; george@sgvfund.com; kotoole@ocwd.com; Hersel Zahab <Hzahab@ldc-ce.com>; sbogart@surfcity-hb.org; Higgins, Geniece <GHiggins@ochca.com>
Subject: RE: Soil Boring Permit for the site located at 17532 Cameron Ln., Huntington Beach (#22-02-12)

Attention: This email originated from outside the County of Orange. Use caution when opening attachments or links.

Hello and thank you for the update. Will OCHA be able to clear this now with OCWD?

Thank you all for your help,

Jennifer Colicchio
Senior Associate
(714) 557-7700 ext. 5

Land Development Consultants
forward thinking, forward planning

1520 Brookhollow Dr., Ste 33, Santa Ana, CA 92705
www.ldccivilengineers.com

The information and any files attached to this email are confidential and property of Land Development Consultants and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are not authorized to peruse and must not disclose, copy, distribute, or retain this message or any part thereof. If you have received this message in error please contact us at once, so that we may take the appropriate action and avoid troubling you further.

From: EH OC Wells <EHOCWells@ochca.com>
Sent: Thursday, February 10, 2022 4:29 PM
To: kenttucker@freyinc.com; sboustany@petra-inc.com
Cc: Weerasekera, Dan <DWeerasekera@ochca.com>; george@sgvfund.com; kotoole@ocwd.com; Jennifer Lange <jlange@ldc-ce.com>; Hersel Zahab <Hzahab@ldc-ce.com>; sbogart@surfcity-hb.org; Higgins, Geniece <GHiggins@ochca.com>; EH OC Wells <EHOCWells@ochca.com>
Subject: RE: Soil Boring Permit for the site located at 17532 Cameron Ln., Huntington Beach (#22-02-12)

Good afternoon,

Included with this message is a PDF attachment of the soil boring permit for the previously-unpermitted geotechnical work at 17532 Cameron Ln. in Huntington Beach. We will proceed to close and file this permit. If you have comments or questions regarding the permit, you may reply to this e-mail.

Sincerely,

Juan Anzora, REHS
Environmental Health Specialist II
Environmental Health
(714) 433-6287
Website | Facebook | Twitter

OC health CARE AGENCY

From: Higgins, Geniece <GHiggins@ochca.com>
Sent: Wednesday, February 9, 2022 7:11 AM
To: kenttucker@freyinc.com
Cc: Weerasekera, Dan <DWeerasekera@ochca.com>; EH OC Wells <EHOCWells@ochca.com>; george@sgvfund.com; kotoole@ocwd.com; jlange@ldc-ce.com; Hzahab@ldc-ce.com; sbogart@surfcity-hb.org
Subject: FW: Tract No. 19154 - Huntington Beach WQMP - 17532 Cameron Lane, Huntington Beach

Hello Kent,

In discussing this project with our Water Quality department it has come to our attention that wells discussed in the Soils Report from Petra Geosciences were installed illegally without a permit and failed to follow the state and local standards by backfilling the borings with cuttings. Before further discussing the site and reviewing the data, this issue must be resolved with our Water Quality staff, they are copied on this email.

Geniece

From: Kent Tucker <KentTucker@freyinc.com>
Sent: Monday, February 7, 2022 11:02 AM
To: Weerasekera, Dan <DWeerasekera@ochca.com>
Cc: George Voigt <george@sgvfund.com>; kotoole@ocwd.com; jlange@ldc-ce.com
Subject: RE: Tract No. 19154 - Huntington Beach WQMP - 17532 Cameron Lane, Huntington Beach

Attention: This email originated from outside the County of Orange. Use caution when opening attachments or links.

Hello Dan,

This is the project that I had discussed with you on the telephone today. The property is a residential lot located at 17532 Cameron Lane in Huntington Beach. I have attached an aerial photograph that locates our client's property. The property has no identified environmental issues. Our client is in the process of redeveloping the property with multi-family residential units. Our client has proposed to install a storm water infiltration gallery. The Orange County Water District (OCWD) has reviewed the proposed project and has requested that the OCHCA approve the stormwater infiltration gallery to complete OCWD review process. The following emails document correspondence with the OCWD.

It is my understanding that the OCWD has requested OCHCA's approval due to an open LUST case in the vicinity of the project. The open LUST case is approximately 450 feet west of our client's property. The open LUST case is G&M Oil #35 located at 17501 Beach Boulevard in Huntington Beach. Groundwater flow direction at G&M #35 has been documented to flow towards the south, cross-gradient from our client's proposed project.

Per the OCWD request, please state if there is a concern with the proposed project stormwater infiltration with regards to the LUST site.

Thank you,
Kent Tucker, P.G.
FREY Environmental, Inc.
2817-A Lafayette Avenue
Newport Beach, CA 92648
(949) 723-1645

From: O'Toole, Kevin <kotoole@ocwd.com>
Sent: Friday, February 4, 2022 2:13 PM
To: Jennifer Lange <jlange@ldc-ce.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>; sbogart@surfcity-hb.org; George Voigt <george@sgvfund.com>
Subject: Re: Tract No. 19154 - Huntington Beach WQMP

Jennifer,

Per Geotracker the caseworker is Dan Weerasekera. His email is listed asdweerasekera@ochca.com

If OCHCA concludes that there are no concerns with stormwater infiltration on the LUST site. Then OCWDs coordination will be complete.

Thanks,

Kevin

Kevin O'Toole
Senior Planner

Orange County Water District
18700 Ward Street, Fountain Valley, CA 92708
tel: (714) 378-8248
fax:
email: kotoole@ocwd.com

From: Jennifer Lange <jlange@ldc-ce.com>
Date: Friday, February 4, 2022 at 1:46 PM
To: O'Toole, Kevin <kotoole@ocwd.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>, sbogart@surfcity-hb.org <sbogart@surfcity-hb.org>, George Voigt <george@sgvfund.com>
Subject: RE: Tract No. 19154 - Huntington Beach WQMP

Hi Kevin,

Can you please provide me with the contact information for who you would like me to have review this at OC Health Care Agency.

I'm assuming you will want their input before approving?

Jennifer Colicchio
Senior Associate
(714) 557-7700 ext. 5

Land Development Consultants
forward thinking, forward planning

1520 Brookhollow Dr., Ste 33, Santa Ana, CA 92705
www.ldccivilengineers.com

The information and any files attached to this email are confidential and property of Land Development Consultants and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are not authorized to peruse and must not disclose, copy, distribute, or retain this message or any part thereof. If you have received this message in error please contact us at once, so that we may take the appropriate action and avoid troubling you further.

From: O'Toole, Kevin <kotoole@ocwd.com>
Sent: Friday, February 04, 2022 1:30 PM
To: Jennifer Lange <jlange@ldc-ce.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>; sbogart@surfcity-hb.org; George Voigt <george@sgvfund.com>
Subject: Re: Tract No. 19154 - Huntington Beach WQMP

Jennifer,

Thank you for your responses.

After further review of the existing groundwater contamination in this area around your proposed infiltration gallery I wanted to bring to your attention an open LUST cleanup site to the west of your project.
https://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0605901705

My review of the documents on Geotracker indicate that there continues to be historical contamination originating from this site. The extent of its spread continues to be under investigation. Given the contamination sites proximity to a drinking water well (LIBM-HB), I recommend that your organization contact the Orange County Health Care Agency (case lead) and inform them of your proposed infiltration gallery and have them determine is if it could have negative impacts.

Please let me know if you have any questions.

Kevin

Kevin O'Toole
Senior Planner

Orange County Water District
18700 Ward Street, Fountain Valley, CA 92708
tel: (714) 378-8248
fax:
email: kotoole@ocwd.com

From: Jennifer Lange <jlange@ldc-ce.com>
Date: Thursday, February 3, 2022 at 10:12 AM
To: O'Toole, Kevin <kotoole@ocwd.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>,sbogart@surfcity-hb.org <sbogart@surfcity-hb.org>, George Voigt <george@sgvfund.com>
Subject: RE: Tract No. 19154 - Huntington Beach WQMP

Hi Kevin,

Please see our responses below. Thank you!

Can you provide more information on the pretreatment. I appears that a FloGard Catch Basin system is proposed but the details are too pixilated to read. What potential stormwater pollutants listed on Page 8 of the WQMP does this system target?

- The attached Flogard product info says the filter inserts retain sediment, debris, trash and oils/grease. That looks like it covers everything on Page 8 of the WQMP.
- *Filter will remove up to 80% of Total Suspended Solids (TSS), at least 70% of oils and grease, and up to 40% of Total Phosphorus (TP) associated with organic debris as well as Polycyclic Aromatic Hydrocarbons (PAH) from oil leaks and spills.*

I saw that there is not a vehicle wash area included. Are there restrictions on higher risk actives on the property. For example is car washing or auto maintenance (oil changes etc.) prohibited as a form of source control?

- Operations and Maintenance Plan section of the report covers Activity Restrictions.
- *If a POA is formed, conditions, covenants and restrictions (CCRs) must be prepared by the developer for the purpose of surface water quality protection. An example would be not allowing car washing outside of established community car wash areas in multi-unit complexes. Alternatively, use restrictions may be developed by a building operator through lease terms, etc. These restrictions must be included in the Project WQMP.*

Lastly, can you confirm that there will be at least 10' from the bottom of the infiltration gallery to the seasonal high groundwater level. I ask this question because the boring log for B-2 (closest to infiltration gallery) indicates that groundwater was encountered around 18'.

- Correct. Existing groundwater level ranges from 18 to 26 feet from existing ground. We set bottom of infiltration gallery to be 8 feet below the existing ground.

Jennifer Colicchio
Senior Associate
(714) 557-7700 ext. 5

Land Development Consultants
forward thinking, forward planning

1520 Brookhollow Dr., Ste 33, Santa Ana, CA 92705
www.ldccivilengineers.com

The information and any files attached to this email are confidential and property of Land Development Consultants and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are not authorized to peruse and must not disclose, copy, distribute, or retain this message or any part thereof. If you have received this message in error please contact us at once, so that we may take the appropriate action and avoid troubling you further.

From: O'Toole, Kevin <kotoole@ocwd.com>
Sent: Wednesday, February 02, 2022 8:08 AM
To: Jennifer Lange <jlange@ldc-ce.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>;sbogart@surfcity-hb.org; George Voigt <george@sgvfund.com>
Subject: Re: Tract No. 19154 - Huntington Beach WQMP

Jennifer,

Can you provide more information on the pretreatment. I appears that a FloGard Catch Basin system is proposed but the details are too pixilated to read. What potential stormwater pollutants listed on Page 8 of the WQMP does this system target?

I saw that there is not a vehicle wash area included. Are there restrictions on higher risk actives on the property. For example is car washing or auto maintenance (oil changes etc.) prohibited as a form of source control?

Lastly, can you confirm that there will be at least 10' from the bottom of the infiltration gallery to the seasonal high groundwater level. I ask this question because the boring log for B-2 (closest to infiltration gallery) indicates that groundwater was encountered around 18'.

Thanks,

Kevin

Kevin O'Toole
Senior Planner

Orange County Water District
18700 Ward Street, Fountain Valley, CA 92708
tel: (714) 378-8248
fax:
email: kotoole@ocwd.com

From: Jennifer Lange <jlange@ldc-ce.com>
Date: Tuesday, February 1, 2022 at 10:31 AM
To: O'Toole, Kevin <kotoole@ocwd.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>,sbogart@surfcity-hb.org <sbogart@surfcity-hb.org>, George Voigt <george@sgvfund.com>
Subject: RE: Tract No. 19154 - Huntington Beach WQMP

Hi Kevin,

Thank you for the response. I am replying to your questions, below, in red.

Also, please download the project's WQMP, Soils Reports and Infiltration Report, and Precise Grading Plan at the link below.

https://www.dropbox.com/sh/ddu8uzc2rzqjste/AABCFYX66Kc_elIXszsNuaGCa?dl=0

Should you need any other information, please let me know.

Thank you,

Jennifer Colicchio
Senior Associate
(714) 557-7700 ext. 5

Land Development Consultants
forward thinking, forward planning

1520 Brookhollow Dr., Ste 33, Santa Ana, CA 92705
www.ldccivilengineers.com

The information and any files attached to this email are confidential and property of Land Development Consultants and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are not authorized to peruse and must not disclose, copy, distribute, or retain this message or any part thereof. If you have received this message in error please contact us at once, so that we may take the appropriate action and avoid troubling you further.

From: O'Toole, Kevin <kotoole@ocwd.com>
Sent: Monday, January 31, 2022 9:05 AM
To: Jennifer Lange <jlange@ldc-ce.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>;sbogart@surfcity-hb.org; George Voigt <george@sgvfund.com>
Subject: Re: Tract No. 19154 - Huntington Beach WQMP

Jennifer,

At the groundwater managers for the Orange County Groundwater Basin, OCWD coordinates on Stormwater Infiltration projects to ensure that they are protective of groundwater quality.

In order for us to do this I will need some information on the proposed project.

1) Overview of the project

The proposed development is located within the City of Huntington Beach on Cameron Lane, east of Beach Blvd. and in between Slater Ave. and Newman Ave. Presently the 0.94-acre site contains a single residential structure will much of the site comprised of barren, open space. The project proposes the redevelopment of 0.91 acres and the existing single-family residence into 18 condominiums with improved driveways, parking, sidewalks, and landscaping. In addition, the site will provide onsite drainage improvements via drainage inlets, storm drain pipes, and water quality retention facilities. The proposed BMP basin will retain the required treatment volume (DCV) as well as the delta increased runoff volume. However, the existing predeveloped peak 25-year runoff shall not be retained on site. The predeveloped runoff shall leave the site and flow southerly in the concrete gutter at the east side of Cameron Lane to an existing City catch basin and then further easterly and north in the City's storm drain system, which then outlets to the existing City c6-SC1 channel. Flows from this channel travel further north to the Ocean View Channel, which is located north of Warner Avenue, and then converge with the County's East Garden Grove Wintersburg (EGGW) Channel. The EGGW channel ultimately outlets to Bolsa Chica Bay and Huntington Harbor which then flow toward Anaheim Bay and to the Pacific Ocean at Bolsa Chica State Beach

2) Engineered drawings of the drainage and infiltration system

Please see the WQMP and PGP in the Dropbox Link.

3) Measured Infiltration rates and any know geology or historical on-site contamination

No known historical on-site contamination. Please see WQMP and soils reports attached.

4) Any available details on the historical land use of the property

Nothing unusual or of concern – please see WQMP/soils reports.

5) Proposed Pretreatment (if applicable)

Catch basin inserts.

Depending on what is observed in this stage I will follow up will any additional information I may need to coordinate on this project.

Kevin

Kevin O'Toole
Senior Planner

Orange County Water District
18700 Ward Street, Fountain Valley, CA 92708
tel: (714) 378-8248
fax:
email: kotoole@ocwd.com

From: Woodside, Greg <gwoodside@ocwd.com>
Date: Friday, January 28, 2022 at 12:43 PM
To: O'Toole, Kevin <kotoole@ocwd.com>
Subject: FW: Tract No. 19154 - Huntington Beach WQMP

Please take care of this the week of January 31 –

I will let her know you are out today.

Greg Woodside, P.G., C.HG
Executive Director of Planning and Natural Resources
Orange County Water District
18700 Ward Street, Fountain Valley, CA 92708
tel: (714) 378-3275
email: gwoodside@ocwd.com

From: Jennifer Lange <jlange@ldc-ce.com>
Sent: Friday, January 28, 2022 9:42 AM
To: Woodside, Greg <gwoodside@ocwd.com>
Cc: Hersel Zahab <Hzahab@ldc-ce.com>; Bogart, Steve <sbogart@surfcity-hb.org>; George Voigt <george@sgvfund.com>
Subject: Tract No. 19154 - Huntington Beach WQMP

Hi Greg,

I received your contact information from Steve Bogart with City of Huntington Beach. We are in the process of finalizing our WQMP for our development project on Cameron Lane.

I understand we need OCWD's review and conceptual approval of the project's infiltration design, and need an email or letter stating this.

Can you please let me know the submittal process in order to complete this?

Thank you very much!

Jennifer Colicchio
Senior Associate
(714) 557-7700 ext. 5

Land Development Consultants
forward thinking, forward planning

1520 Brookhollow Dr., Ste 33, Santa Ana, CA 92705
www.ldccivilengineers.com

The information and any files attached to this email are confidential and property of Land Development Consultants and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are not authorized to peruse and must not disclose, copy, distribute, or retain this message or any part thereof. If you have received this message in error please contact us at once, so that we may take the appropriate action and avoid troubling you further.

Confidential Communication
OCWD Confidential Communication: This electronic transmission, and any documents attached hereto, (a) are protected by the Electronic Communications Privacy Act (18 USC §§ 2510-2521), (b) may contain confidential information, and (c) are for the sole use of the intended recipient named above. If you have received this electronic message in error, please notify the sender and delete the electronic message. Any disclosure, copying, distribution, or use of the contents of the information received in error is strictly prohibited.

Exhibit H-1

Inter-Agency Coordination Emails (May 2025)

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

From: Cheng, Darwin
To: Robinson, Lauren; Kirtley, Eileen
Subject: RE: **Subject:** Urgent Complaint – Failure to Address Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)
Date: Tuesday, May 13, 2025 1:43:00 PM
Attachments: image003.png
image004.png
image005.png
image006.png

I will defer to Eileen and you. My schedule the next 2 days is a little busy. Please check my schedule if you want me to meet with you.

Respectfully,

Darwin Cheng, JD, REHS
Director
Environmental Health Division
Public Health Services

Office: (714) 433-6471 **Cell:** (714) 936-4346
1241 East Dyer Road #120, Santa Ana, CA 92705
www.ochealthinfo.com

ONFIDENTIALITY NOTICE: This communication is for the sole use of the intended recipient(s), and may contain privileged, confidential and/or protected information. Unauthorized interception, review, use, or disclosure is prohibited and may violate applicable laws including the Electronic Communications Privacy Act. If you are not the intended recipient, you are prohibited from using, delivering, distributing, printing, copying, or disclosing the message or content to others. If you have received this communication in error, please notify the sender immediately by e-mail reply/phone and destroy all copies of the message and any attachments.

From: Robinson, Lauren <LRobinson@ochca.com>
Sent: Tuesday, May 13, 2025 1:09 PM
To: Cheng, Darwin <DCheng@ochca.com>; Kirtley, Eileen <EKirtley@ochca.com>
Subject: FW: **Subject:** Urgent Complaint – Failure to Address Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)
Importance: High

FYI- Geniece explained our limited role to Ben at DTSC, he was going to call the complainant back. If you have any suggestions/recommendations let's discuss over Teams.

Lauren Robinson, REHS, CCS
Program Manager
Land and Water Quality
Environmental Health Division

Office: (714) 433-6011
1241 E. Dyer Rd. #120, Santa Ana 92705



www.ochealthinfo.com
Mail: PO Box 25400, Santa Ana CA 92799

From: Higgins, Geniece <GHiggins@ochca.com>
Sent: Tuesday, May 13, 2025 12:13 PM
To: Robinson, Lauren <LRobinson@ochca.com>
Subject: FW: **Subject:** Urgent Complaint – Failure to Address Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)



Geniece Higgins
Supervising Hazardous Materials Specialist
Land and Water Quality Section

Office: (714) 433-6260
1241 E. Dyer Rd Ste. 120 Santa Ana, CA 92705
Mailing Address: PO Box 25400 Santa Ana, CA 92799
www.ochealthinfo.com

From: Stanphill, Benjamin@DTSC <Benjamin.Stanphill@dtsc.ca.gov>
Sent: Tuesday, May 13, 2025 10:16 AM
To: Rashidfarokhi, Sarah@DTSC <Sarah.Rashidfarokhi@dtsc.ca.gov>
Cc: Robertson, Michael@DTSC <Michael.Robertson@dtsc.ca.gov>; Higgins, Geniece <GHiggins@ochca.com>
Subject: RE: **Subject:** Urgent Complaint – Failure to Address Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)

Attention: This email originated from outside the County of Orange. Use caution when opening attachments or links.

Thanks Sarah. The cleanup at the Huntington Beach Navigation Center was overseen by the Orange County Healthcare Agency. Please refer them to Genice Higgins at OCHCA (GHiggins@ochca.com, 714.433.6260). Information was uploaded to GeoTracker here: https://geotracker.waterboards.ca.gov/profile_report?global_id=T10000018579.

It seems to me like the process was followed and the remedy was determined to be protective by OCHCA, and we wouldn't say anything different. Genice, has anyone reached out to you on this one recently (and would you rather Tamara be the contact)?

Thanks!
Ben

From: Rashidfarokhi, Sarah@DTSC <Sarah.Rashidfarokhi@dtsc.ca.gov>
Sent: Monday, May 12, 2025 3:03 PM
To: Stanphill, Benjamin@DTSC <Benjamin.Stanphill@dtsc.ca.gov>
Cc: Robertson, Michael@DTSC <Michael.Robertson@dtsc.ca.gov>
Subject: FW: **Subject:** Urgent Complaint – Failure to Address Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)

Hello,

I'm reaching out to formally refer the attached complaint regarding the Huntington Beach Navigation Center. This matter was initially referred to Huntington Beach Code Enforcement. The complainant has followed up again and I wanted to know if this has already been addressed/resolved by SMRP. If so, could you please share the outcome of the review, or any action taken to date? Please let me know if you need any additional context.

Additionally, if there is a designated point of contact for this site, I'd appreciate it if you could kindly share their information so I can direct future inquiries accordingly.

Thank you for your time.

Thanks,
Sarah Rashidfarokhi, M.Sc.Eng
Senior Environmental Scientist (Specialist), EERD
Hazardous Waste Management/Chatsworth

From: Jesse Knabb <[redacted]
Sent: Monday, May 12, 2025 1:42 PM
To: Rashidfarokhi, Sarah@DTSC <Sarah.Rashidfarokhi@dtsc.ca.gov>
Cc: ej@doj.ca.gov; OIG.Hotline@epa.gov; BRSSTAFF@DTSC <BRSSTAFF@DTSC.CA.GOV>; Huynh, Jaimie@EPA <jaimie.huynh@calepa.ca.gov>; press@epa.gov; landis.jeffrey@epa.gov
Subject: Re: **Subject:** Urgent Complaint – Failure to Address Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)

May 12th, 2025

Subject: Follow-Up on Urgent Complaint – Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)

To: Sarah Rashidfarokhi, M.Sc.Eng Sarah.Rashidfarokhi@dtsc.ca.gov

Cc: Attorney General's Office's- Bureau of Environmental Justice, EJ@doj.ca.gov
Office of Inspector General, U.S. Environmental Protection Agency, OIG.Hotline@epa.gov

Dear Ms. Rashidfarokhi,

I hope this email finds you well. I am writing to follow up on my urgent complaint regarding toxic hazards at the Huntington Beach Navigation Center (17642 Beach Blvd and 17631 Cameron Lane), which you acknowledged on 02/17/2025, and informed me on 05/01/2025, you had referred to your Supervisor at DTSC.

Residents of the Huntington Beach Navigation Center, including myself during a 25-month stay, have faced grave safety risks due to prolonged exposure to toxic contaminants at the site, operational from December 2020 to present. The facility's degraded asphalt cap, installed without maintenance, allowed hexavalent chromium (detected at 980 µg/kg, 3.3× safety limits) and lead (145 mg/kg, 1.8× limits) to infiltrate soil, groundwater, and air as dust. Over two years of continuous occupancy, residents inhaled carcinogenic chromium-laden dust, ingested lead-contaminated soil, and endured chronic health impacts, including respiratory failure, kidney dysfunction, and neurological harm. Despite documented cases linked to lead-induced immune suppression and repeated warnings about the cap's deterioration, regulatory agencies have dismissed complaints as "outside jurisdiction," enabling systemic negligence. Vulnerable populations were knowingly housed on poisoned land, stripped of warnings or protections, in a clear breach of environmental justice and federal housing safety standards.

Given the critical nature of this issue and its potential risks to public health and safety, I kindly request an update on the status of the review and any actions being taken by your team. Additionally, please let me know:

If there is an estimated timeline for resolving this matter. Whether any further documentation or information from my side would assist in expediting the process.
I understand the complexity of such cases, but the urgency of addressing these hazards cannot be overstated. Your prompt attention to this matter is greatly appreciated.

Thank you for your time and diligence. I look forward to your response.

Best regards,

Jesse Knabb
[redacted]

[redacted]

On Fri, May 2, 2025, 6:40 PM Rashidfarokhi, Sarah@DTSC <Sarah.Rashidfarokhi@dtsc.ca.gov> wrote:

> Hello Jesse Knabb,
>
> This complaint is currently under review. At this time, I will need to refer the matter to my supervisor for further review. We will follow up with additional information as it becomes available.
>
> Thank you for your patience.
>
> Thank you,
> **Sarah Rashidfarokhi, M.Sc.Eng**
> Senior Environmental Scientist (Specialist)
> Enforcement & Emergency Response Division
> Sarah.Rashidfarokhi@dtsc.ca.gov
> Department of Toxic Substances Control
> California Environmental Protection Agency
>
> CONFIDENTIALITY: This email message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.
>
> **From:** Jesse Knabb <[redacted]
> **Sent:** Thursday, May 1, 2025 4:29 PM
> **To:** Rashidfarokhi, Sarah@DTSC <Sarah.Rashidfarokhi@dtsc.ca.gov>; wnastri@aqmd.gov; envcomplaints@doj.ca.gov
> **Subject:** **Subject:** Urgent Complaint – Failure to Address Toxic Hazards at Huntington Beach Navigation Center (17642 Beach Blvd, 17631 Cameron Lane)
>
> Dear Ms. Rashid Farokhi,

I am writing to formally escalate my concerns regarding the ongoing public health crisis at the Huntington Beach Navigation Center (17642 Beach Blvd, APN 167-472-07 and adjacent 17631 Cameron Lane Property, APN 167-472-08), where toxic soil contamination continues to endanger unhoused residents, including myself. Despite multiple complaints to Huntington Beach Code Enforcement and referral by CalEPA (Case #COMP-63266, Referral #2580974), no corrective action has been taken, and vulnerable individuals remain at risk.
I am also escalating my concerns regarding the City of Huntington Beach's systemic failure to protect public health at the Navigation Center, in stark contrast to its rigorous safeguards during the City Hall soil cleanup (2008). This discrepancy constitutes environmental racism and negligence, disproportionately harming unhoused individuals, including myself.
Attached medical records confirm severe health impacts from toxic exposure at the site, and I am prepared to pursue litigation with the support of the ACLU and Earthjustice if immediate action is not taken.

1. Critical Issues Requiring Immediate DTSC Intervention

- Unremediated Contamination:
  - Soil tests (EEC Environmental, 2020) confirmed hexavalent chromium (450 µg/kg) and lead (145 mg/kg) exceeding residential screening levels (DTSC HERO Note 3).
  - Only 1/3 of contaminated zones were excavated; toxins persist beneath occupied areas ([attached map](link to map)).
- Health Impacts:
  - My medical records document recurrent pneumonia, pleural effusion, pneumonitis, kidney failure, and empyema linked to exposure (attached).
  - Other residents report similar illnesses, and one individual died of pneumonia after being expelled from the shelter.
- Huntington Beach's Non-Response:
  - CalEPA referred my complaint to HB Code Enforcement (Referral #2580974) on 02/17/2025. No remediation, testing, or shelter closure has occurred.

2. City Hall Soil Cleanup (2008): A Standard of Care
As detailed in the Removal Action Workplan, the City Hall site received:

- Full excavation of 1,150 cubic yards of PAH-contaminated soil.
- A concrete cap and "No Further Action" clearance under DTSC oversight.
- CEQA compliance, air monitoring, and public transparency.
-Documentation Concealment: Excavation logs, disposal manifests, and lab analyses were withheld from the public.

3. Navigation Center: Gross Negligence and Health Impacts:

-The City capped the Navigation Center with asphalt, ignoring subsurface contamination by hexavalent chromium and lead.

4. Legal Violations:

-“Environmental justice” means the fair treatment of people of all races, cultures, and incomes with respect to the development, adoption, implementation, and enforcement of environmental laws, regulations, and policies. (Gov. Code, § 65040.12, subd. (e)).
-CA Health & Safety Code §17974: Failure to abate conditions endangering public health.
-AQMD Rule 1466: No dust monitoring/suppression, risking PM10 dispersion.
-CERCLA §103: Failure to report hazardous substance releases.

5. Summary of Site Contamination (17642 Beach Blvd, 17631 Cameron Ln) The Beach Boulevard Property (APN 167-472-07) and adjacent Cameron Lane Property (APN 167-472-08) in Huntington Beach, CA, were found to have soil contamination from historical agricultural and residential use. Key contaminants identified:

- Lead: Maximum concentration of 145 mg/kg (exceeding the DTSC screening level of 80 mg/kg).
- Hexavalent Chromium: Maximum concentration
of 450 µg/kg, as high as (exceeding the DTSC screening level of 300 µg/kg).
- Additional contaminants on Cameron Lane
Property: Toxaphene (1,600 µg/kg), 4,4-DDE (3,100 µg/kg), and pesticides/herbicides.

6. OCHCA and DTSC- Recommendations:

1. Temporary Use Approval: Contaminated soil
beneath the proposed asphalt cover is deemed safe for temporary homeless shelter use, per Governor's Executive Order N-32-20.
2. Soil Management:
-DTSC recommended additional tests which were not completed:
"However I would suggest you sample beyond 3 ft bgs and also collect soil gas data."

This was requested by Robert Senga from DTSC- Robert.Senga@dtsc.ca.gov
- Excavated soil must be disposed of properly (e.g., Class I landfill) with manifests provided.
- Imported clean fill must be tested and comply with DTSC standards.
3. Future Use:
- Additional remediation required if site use changes (e.g., longer duration than "temporary use" which would include residents staying 25 months, in addition to permanent housing,).
- Property owner must notify OCHCA of any future changes or new contamination.
4. Infrastructure Precautions:
- Maintain a 2-foot clean soil buffer around utility lines (not completed).
- Obtain permits for well destruction if the irrigation well is encountered.
5. Oversight: Confirmation sampling and adherence to health/safety plans during construction.

7. Demand for Immediate Action:

-To rectify this environmental injustice, I demand the following within 30 days:
-Immediate closure of the Huntington Beach Navigation Center.
-Independent retesting of soil/air by DTSC or EPA.
- Full Remediation: Excavate contaminated soil, replace the asphalt cap with a concrete barrier, and obtain DTSC's "No Further Action" clearance.
- Medical Screenings: Fund testing for all Navigation Center occupants and staff.
- Public Disclosure: Release all contamination reports and CEQA documents.

8. Legal and Regulatory Escalation:

-If these demands are unmet, I will pursue legal action with Earthjustice and the ACLU of Southern California to enforce compliance with the California Environmental Quality Act (CEQA), Title VI of the Civil Rights Act, and state hazardous waste laws.
-CA Health & Safety Code §17974: Failure to abate conditions endangering public health.
-AQMD Rule 1466: No dust monitoring/suppression, risking PM10 dispersion.
-CERCLA §103: Failure to report hazardous substance releases.
Failure to act will result in litigation under CA Code of Civil Procedure §1085 (writ of mandate) and federal civil rights complaints. I am also submitting this complaint to:

- U.S. EPA Region 9 (Environmental Justice Division).
- California Attorney General's Office (Environment Section).
- California Department of Public Health.
- Huntington Beach City Council (demanding an independent audit).

9. Media Transparency:

-This matter will be shared with The Los Angeles Times, OC Register, and local news affiliates to ensure public accountability.

Attachments**:
1. Map of incomplete excavation zones containing Cr(VI).
2. EEC Environmental soil test reports.
3. Medical records (cytology, metabolic panels, imaging).
4. Autopsy report of deceased resident.
5. CalEPA referral #2580974.
6. Photographic Evidence of Navigation Center Conditions.

The City's disregard for vulnerable lives is indefensible. I expect a written response within 30 days detailing corrective actions. Failure to act will compel immediate litigation.

Sincerely,

Jesse Knabb




COUNTY OF ORANGE
CALIFORNIA



From: Kuoch, Alan@Waterboards
To: Escobedo, Tamara
Subject: 17631 Cameron Lane and 17642 Beach Blvd - Discussion

Attention: This email originated from outside the County of Orange. Use caution when opening attachments or links.

Microsoft Teams Need help? <https://urldefense.com/v3/__https://aka.ms/JoinTeamsMeeting?omkt=en-US__;!!KL1yqyOaGX2drUI!h9LKt_E1DpPUS1u_aGdxVsQQtojE-YknCAqPc2Fu9Y1QlHUVOqIM-9rPJ5qNTzj9bTw2MFwtj0_925mqUrPQ00rMbXxK$>

Join the meeting now <https://urldefense.com/v3/__https://teams.microsoft.com/l/meetup-join/19*3ameeting_MWI4YjNlZmItNGZlZC00MzE0LTk0ZjctNjY0MGZhNGE0Yjlk*40thread.v2/0?context=*7b*22Tid*22*3a*22fe186a25-7d49-41e6-9941-05d2281d36c1*22*2c*22Oid*22*3a*22c80125e1-b6b4-4539-a622-d04a1915983a*22*7d__;JSUlJSUlJSUlJSUlJSUl!!KL1yqyOaGX2drUI!h9LKt_E1DpPUS1u_aGdxVsQQtojE-YknCAqPc2Fu9Y1QlHUVOqIM-9rPJ5qNTzj9bTw2MFwtj0_925mqUrPQ01gfk6jN$>

Meeting ID: [redacted]

Passcode: [redacted]

Dial in by phone

+1 916-562-0861,,967204296# <tel:+19165620861,,967204296> United States, Sacramento

Find a local number <https://urldefense.com/v3/__https://dialin.teams.microsoft.com/237232aa-1e98-4e7b-8b25-80760f3e3fa1?id=967204296__;!!KL1yqyOaGX2drUI!h9LKt_E1DpPUS1u_aGdxVsQQtojE-YknCAqPc2Fu9Y1QlHUVOqIM-9rPJ5qNTzj9bTw2MFwtj0_925mqUrPQ0wdc8kFE$>

Phone conference ID: [redacted]

For organizers: Meeting options <https://urldefense.com/v3/__https://teams.microsoft.com/meetingOptions/?organizerId=c80125e1-b6b4-4539-a622-d04a1915983a&tenantId=fe186a25-7d49-41e6-9941-05d2281d36c1&threadId=19_meeting_MWI4YjNlZmItNGZlZC00MzE0LTk0ZjctNjY0MGZhNGE0Yjlk@thread.v2&messageId=0&language=en-US__;!!KL1yqyOaGX2drUI!h9LKt_E1DpPUS1u_aGdxVsQQtojE-YknCAqPc2Fu9Y1QlHUVOqIM-9rPJ5qNTzj9bTw2MFwtj0_925mqUrPQ09rrx_vf$> | Reset dial-in PIN <https://urldefense.com/v3/__https://dialin.teams.microsoft.com/usp/pstnconferencing__;!!KL1yqyOaGX2drUI!h9LKt_E1DpPUS1u_aGdxVsQQtojE-YknCAqPc2Fu9Y1QlHUVOqIM-9rPJ5qNTzj9bTw2MFwtj0_925mqUrPQ07S0mSTo$>

Exhibit I-1

Liberty Park Water Association Well 01 Data

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

Recorded in Official Records, Orange County
Tom Daly, Clerk-Recorder

NO FEE

2008000580046 09:17am 12/18/08

116 45 G02 5

0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00

Recorded at the request of
City of Huntington Beach

When Recorded Mail to:
City of Huntington Beach
P.O. Box 190
2000 Main St.
Huntington Beach, CA 92648
Attn: Joan Flynn, City Clerk

APN: 165-311-24

CC-1142

Space above this line for Recorder's Use

(NO ADDRESS) LIBERTY AVE.

GRANT DEED

5983

For a valuable consideration, receipt of which is hereby acknowledged,

LIBERTY PARK WATER ASSOCIATION ("GRANTOR"),

hereby grant(s) to THE CITY OF HUNTINGTON BEACH, A MUNICIPAL CORPORATION ("GRANTEE"), the real property in the City of Huntington Beach, County of Orange, State of California described as follows:

SEE EXHIBITS "A" AND "B" FOR LEGAL DESCRIPTION

Dated: 3-17-08

By: Ellen A. Castello
Print Name: Ellen A. Castello
Title: Secy & Treas
Liberty Park Water Association

Ruben C. Solorzano
Ruben C. Solorzano
Vice President Liberty Park Water Association

DEED CERTIFICATION – CITY OF HUNTINGTON BEACH

This is to certify that the interest in real property conveyed by the Grant Deed dated 03/17/2008 from LIBERTY PARK WATER ASSOCIATION, to the CITY OF HUNTINGTON BEACH is hereby accepted by the undersigned officer or agent on behalf of the City Council of the City of Huntington Beach pursuant to the authority conferred by Resolution No. 3537 of the City Council of Huntington Beach adopted on August 7, 1972, and the grantee consents to the recordation thereof by its duly authorized officer.

CITY OF HUNTINGTON BEACH Dated 04/22/2008

By: Joan L. Flynn
JOAN FLYNN, CMC
CITY CLERK

APPROVED AS TO FORM: JENNIFER MCGRATH, City Attorney

By: P.D. 12/08
Assistant /~~Deputy~~ City Attorney

This Document is solely for the official business of the City of Huntington Beach, as contemplated under Government Code Section 6103 and should be recorded free of charge.
Tax Exempt Government Agency
CITY OF HUNTINGTON BEACH
Joan Flynn, City Clerk

By: Joan L. Flynn
Joan Flynn, City Clerk

MAIL TAX STATEMENTS TO PARTY SHOWN ON THE FOLLOWING LINE

Joan Flynn, City Clerk, City of Huntington Beach P.O. Box 190/2000 Main St., Huntington Beach, CA 92648

ACKNOWLEDGMENT

State of California)
) ss
County of ORANGE)

On MARCH 17, 2008 before me, FIDEL A. RODRIGUEZ ZALDANA,
(Name of Notary)

personally appeared RUBEN CHAVEZ SOLORZANO & ELLEN APRIL COSTELLO
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) ~~is~~/are subscribed to the within instrument and acknowledged to me that ~~he/she~~/they executed the same in ~~his/her~~/their authorized capacity(ies), and that by ~~his/her~~/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

FIDEL A. RODRIGUEZ ZALDANA
(Notary Signature)

FIDEL A. RODRIGUEZ ZALDANA
Commission # 1635314
Notary Public - California
Los Angeles County
My Comm. Expires Jan 6, 2010

CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

State of California
County of ORANGE

On 04/22/2008 (Date) before me, P. L. ESPARZA NOTARY PUBLIC (Here Insert Name and Title of the Officer),

personally appeared JOAN L FLYNN (Name(s) of Signer(s))

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature P. L. Esparza (Signature of Notary Public)

P. L. ESPARZA
Commission # 1599179
Notary Public - California
Orange County
My Comm. Expires Aug 4, 2009

Place Notary Seal Above

OPTIONAL

Though the information below is not required by law, it may prove valuable to persons relying on the document and could prevent fraudulent removal and reattachment of this form to another document.

Description of Attached Document

Title or Type of Document: GRANT DEED (165-311-24)

Document Date: 03/17/2008 Number of Pages:

Signer(s) Other Than Named Above:

Capacity(ies) Claimed by Signer(s)

Signer's Name:
☐ Individual
☐ Corporate Officer — Title(s):
☐ Partner — ☐ Limited ☐ General
☐ Attorney in Fact
☐ Trustee
☐ Guardian or Conservator
☐ Other:
Signer Is Representing:

RIGHT THUMBPRINT OF SIGNER
Top of thumb here

Signer's Name:
☐ Individual
☐ Corporate Officer — Title(s):
☐ Partner — ☐ Limited ☐ General
☐ Attorney in Fact
☐ Trustee
☐ Guardian or Conservator
☐ Other:
Signer Is Representing:

RIGHT THUMBPRINT OF SIGNER
Top of thumb here

©2007 National Notary Association • 9350 De Soto Ave., P.O. Box 2402 • Chatsworth, CA 91313-2402 • www.NationalNotary.org Item #5907 Reorder: Call Toll-Free 1-800-876-6827

EXHIBIT "A"

LEGAL DESCRIPTION

FOR RIGHT OF WAY DEDICATION

BEING THE SOUTH 5 FEET OF THE EAST 44 FEET OF THE SOUTH 140.17 FEET OF LOT 6, TRACT 411, IN THE CITY OF HUNTINGTON BEACH, COUNTY OF ORANGE, STATE OF CALIFORNIA, AS PER MAP RECORDED IN BOOK 16, PAGE 26 OF MISCELLANEOUS MAPS, IN THE OFFICE OF THE COUNTY RECORDER OF SAID COUNTY.

CONTAINS: 220.00 SQ. FT. = 0.0051 ACRES




WALDEN & ASSOCIATES
CIVIL ENGINEERS—PLANNERS—LAND SURVEYORS
18012 COWAN, SUITE 210 • IRVINE, CA 92614
949/660-0110 FAX: 660-0418

EXHIBIT "A" LEGAL DESCRIPTION
FOR RIGHT OF WAY DEDICATION
A.P. NO. 165-311-24

W.O. No. 1246-202-001 Date 3/26/01
Engr. B.J.W. Chk. D.B. Sheet 1 of 1

EXHIBIT "B"



WALDEN & ASSOCIATES

18012 COWAN, SUITE 210, IRVINE, CA 92614
(949) 660-0110 FAX: 660-0416

EXHIBIT "B"
SKETCH TO ACCOMPANY LEGAL DESCRIPTION
FOR RIGHT OF WAY DEDICATION
AP NO. 165-311-24
HUNTINGTON BEACH, CA

W.O. No. 1246-202-001 Date 3/26/01
Engr. B.J.W. Chk. D.B. Sheet 1 Of 1

CA Drinking Water Watch

Water System Details

Links

PS Code Transition

Water System Details

Water System Facilities

Monitoring Schedules

Monitoring Results

Monitoring Results By Analyte

Lead And Copper Sampling

Violations Enforcement Actions

Site Visits

Consumer Confidence Reports

Lead Service Line Documents

Return Links

Water System Search

County Map

Glossary

Contact Info

Water System No. :	CA3000618	**Federal Type :**	C
Water System Name :	LIBERTY PARK WATER ASSOCIATION	**State Type :**	C
Principal County Served :	ORANGE	**Primary Source :**	GW
Status :	A	**Activity Date :**	03-22-1979
Distribution System Classification :	D1	**Max Treatment Plant Classification :**	There are no treatment plants

Water System Contacts

Type	Address	Phone	Web Address
Physical Location Contact	CA3000618-LIBERTY PARK WATER ASSOCIATION 7851 LIBERTY STREET HUNTINGTON BEACH CA 92647	No phone number provided	No web address provided
Administrative Contact	7922 SPEER AVENUE HUNTINGTON BEACH CA 92647	714-847-2617	No web address provided

Division of Drinking Water District / County Health Dept. Info

Name	Phone	Email	Address
DISTRICT 08 - SANTA ANA	714-558-4410	Dwpdist08@waterboards.ca.gov	2 MacArthur Place Suite 150, SANTA ANA CA 92707

Annual Operating Periods & Population Served

Service Connections

Start Month	Start Day	End Month	End Day	Population Type	Population Served
1	1	12	31	R	95

Type	Count	Meter Type	Meter Size Measure
AG	0	ME	0
AG	0	UM	0
CM	0	ME	0
CM	0	UM	0
IN	0	ME	0
IN	0	UM	0
RS	0	ME	0
RS	29	UM	0

Sources of Water

Name	Type Code	Status
WELL 01	WL	A

Service Areas

Code	Name
R	RESIDENTIAL AREA

Water Purchases

Seller Water System No.	Water System Name	Seller Facility Type	Seller State Asgn ID No.	Buyer Facility Type	Buyer State Asgn ID No.



CA Drinking Water Watch

LIBERTY PARK WATER ASSOCIATION (3000618)

All Sampling Results

WELL 01 (CA3000618_001_001)

Click to hide / show columns: Analyte Number | Analyte Name | Sampling Date | Detected Level | Less Than | RL | Counting Error (+/-) | MCL | DLR | Unit | Lab Sample ID | Lab | ELAP | Method |

Some columns are not shown for clarity. Please use the above links to unhide them.

Tips on Using Table

Display 10 records Print Copy Excel PDF Search:

Analyte Number	Analyte Name	Sampling Date	Results			MCL	DLR	Unit	Lab Sample ID	Lab	ELAP	Method
			Detected Level	Less Than	RL							
1079	BORON, TOTAL	09-21-2011	210.0000000		100		100	UG/L	32890011092110100	ORANGE COUNTY WD - MAIN LAB	1114	
1079	BORON, TOTAL	03-14-2011	230.0000000		100		100	UG/L	3289001110314104 5O	ORANGE COUNTY WD - MAIN LAB	1114	
1080	CHROMIUM, HEX	08-13-2026	0.41		0.1	10	.1	UG/L	26009865-05	ORANGE COUNTY WD - MAIN LAB	1114	EPA 218.7
1080	CHROMIUM, HEX	09-15-2025	0.42		0.1	10	.1	UG/L	25009294-06	ORANGE COUNTY WD - MAIN LAB	1114	EPA 218.7
1080	CHROMIUM, HEX	04-15-2025	0.43		0.1	10	.1	UG/L	25003924-06	ORANGE COUNTY WD - MAIN LAB	1114	EPA 218.7
1080	CHROMIUM, HEX	10-16-2024	0.47		0.1	10	.1	UG/L	24010647-04	ORANGE COUNTY WD - MAIN LAB	1114	EPA 218.7
1080	CHROMIUM, HEX	01-12-2023	0.46		0.2		1	UG/L	23010329-07	ORANGE COUNTY WD - MAIN LAB	1114	EPA 218.7
1080	CHROMIUM, HEX	01-09-2020		<	1		1	UG/L	32890012001091340I	ORANGE COUNTY WD - MAIN LAB	1114	
1080	CHROMIUM, HEX	01-04-2017		<	1	10	1	UG/L	32890011701041300I	ORANGE COUNTY WD - MAIN LAB	1114	
1080	CHROMIUM, HEX	08-06-2014	1.3000000		1	10	1	UG/L	32890011408061220I	ORANGE COUNTY WD - MAIN LAB	1114	
Search Analyte	Search Analyte Name	Search Sampling	Search Detected	Search Le	Search	Search MC	Search D	Search U	Search Lab Sample ID	Search Lab	Search ELA	Search Metho

Showing 551 to 560 of 6,696 entries

RL – Reporting Level means the level to which the laboratory reported the presence of an analyte. For radionuclides, Reporting Level is the MDA95.

DLR – Detection Limit for purposes of Reporting (DLR) means the designated minimum level at or above which any analytical finding of a contaminant in drinking water resulting from monitoring required under Chapter 15 of Title 22 shall be reported to the State Board (California Code of Regulations Section § 64400.34)

For addtional definitions, please refer to our data dictionary.

Exhibit J-1

Walgreens Prescription History & Distance Map

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)


Search Google Earth
St. James' Anglican Church
Distance from HBNC to Pharmacy
The content below is controlled
of this project. For your safety,
passwords or other personal inf
Length
549 ft
Edit
2D
Google
100%
Data attribution
12/5/2023
10 m
Camera: 70 m
Elevation profile
8.1 m
7.83 m
7.42 m
0 ft
50 ft
100 ft
150 ft
200 ft
250 ft
300 ft
350 ft
400 ft
450 ft
500

Prescription Records

Walgreens

Confidential Patient Information

Jesse Knabb
15161 VAN BUREN ST UNIT 206
MIDWAY CITY,CA 926551481
(949) 274-6223
04/04/1978
Male

09/10/2024 to 09/10/2026

Showing Prescriptions, Sorted By fill date (09/10/2024 to 09/10/2026)

Fill Date	Prescription	Prescriber	Pharmacist	NDC#	Ins/Claim Ref#	Price
09/04/2026	Celecoxib 100mg Capsules Rx:4363731-05771 Qty:60	Ejiogu,Kenneth	JGT	62332014131	CAMED/ 00166102234701	$0.00
08/31/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4394570-05771 Qty:30	Nguyen,Alyson	LPT	42858072001	CAMED/ 00165683095601	$0.00
08/31/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4394572-05771 Qty:30	Nguyen,Alyson	LPT	00527079537	CAMED/ 00165683020201	$0.00
08/29/2026	Ciclopirox 8% Nail Lacquer Top Soln Rx:4223036-05771 Qty:6.6	Wilvang,Gina	LPT	21922005351	CAMED/ 00165630321201	$0.00
08/07/2026	Pregabalin 150mg Capsules Rx:4383882-05771 Qty:90	Ejiogu,Kenneth	CCL	72205001590	CAMED/ 00163737390001	$0.00
08/03/2026	Lidocaine 5% Patch Rx:4381747-05771 Qty:30	Mahtov,Orah	RYU	00603188016	CAMED/ 00163399718401	$0.00
07/31/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4378251-05771 Qty:30	Nguyen,Alyson	LPT	42858072001	CAMED/ 00163174982601	$0.00
07/29/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4378252-05771 Qty:30	Nguyen,Alyson	LPT	43975028210	CAMED/ 00162981410901	$0.00
07/24/2026	Celecoxib 100mg Capsules Rx:4363731-05771 Qty:60	Ejiogu,Kenneth	LAR	62332014131	CAMED/ 00162618528101	$0.00
06/28/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4364203-05771 Qty:30	Nguyen,Alyson	CCL	42858072001	CAMED/ 00160486126201	$0.00
06/27/2026	Twinrix 1ml IM Pfs (10 Pack) Rx:4364197-05771 Qty:1	Azad,Armaghan	VVV	58160081552	CAMED/ 00160457337401	$0.00
06/27/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4364204-05771 Qty:30	Nguyen,Alyson	CCL	70010003401	CAMED/ 00160458812301	$0.00
06/26/2026	Celecoxib 100mg Capsules Rx:4363731-05771 Qty:60	Ejiogu,Kenneth	CCL	62332014131	CAMED/ 00160379458801	$0.00
06/26/2026	Pregabalin 150mg Capsules Rx:4363737-05771 Qty:90	Ejiogu,Kenneth	RYU	72205001590	CAMED/ 00160404607301	$0.00
05/28/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4348892-05771 Qty:30	Nguyen,Alyson	LAR	00406895401	CAMED/ 00157921118201	$0.00
05/27/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4348893-05771 Qty:30	Nguyen,Alyson	LAR	42858093001	CAMED/ 00157809201901	$0.00

05/26/2026	Prazosin 1mg Capsules Rx:4348375-05771 Qty:90	Nguyen,Alyson	CCL	70954001910	CAMED/ 00157717484801	$0.00
05/16/2026	Doxycycline Hyc 100mg Caps Rx:4218196-05771 Qty:30	Antonyan,Albert	LAX	27808023302	CAMED/ 00156940847001	$0.00
05/16/2026	Celecoxib 200mg Capsules Rx:4320170-05771 Qty:60	Ejiogu,Kenneth	LAX	62332014231	CAMED/ 00156940847601	$0.00
05/16/2026	Clindamycin/Benzoy 1/5% Gel 50g Jar Rx:4343891-05771 Qty:50	Antonyan,Albert	LAX	51672138104	CAMED/ 00156990382001	$0.00
04/28/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4333952-05771 Qty:30	Nguyen,Alyson	CCL	42858072001	CAMED/ 00155336846201	$0.00
04/26/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4333951-05771 Qty:30	Nguyen,Alyson	CCL	42858093001	CAMED/ 00155163864601	$0.00
04/22/2026	Prazosin 1mg Capsules Rx:4318753-05771 Qty:30	Nguyen,Alyson	LPT	70954001910	CAMED/ 00154792172801	$0.00
03/29/2026	Celecoxib 200mg Capsules Rx:4320170-05771 Qty:60	Ejiogu,Kenneth	DVH	62332014231	CAMED/ 00152739894001	$0.00
03/27/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4318811-05771 Qty:30	Nguyen,Alyson	LPT	42858072001	CAMED/ 00152605346801	$0.00
03/27/2026	Ztlido 1.8% Patches Rx:4319507-05771 Qty:30	Ejiogu,Kenneth	CCL	69557011130	CAMED/ 00152660578601	$0.00
03/26/2026	Doxycycline Hyc 100mg Caps Rx:4218196-05771 Qty:30	Antonyan,Albert	LPT	27808023302	CAMED/ 00152544395201	$0.00
03/26/2026	Prazosin 1mg Capsules Rx:4318753-05771 Qty:30	Nguyen,Alyson	RYU	70954001910	CAMED/ 00152515539501	$0.00
03/26/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4318810-05771 Qty:30	Nguyen,Alyson	RYU	42858093001	CAMED/ 00152528087801	$0.00
02/10/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4295677-05771 Qty:30	Nguyen,Alyson	RYU	42858093001	CAMED/ 00148550245601	$0.00
02/10/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4295846-05771 Qty:30	Nguyen,Alyson	RYU	42858072001	CAMED/ 00148550282301	$0.00
02/10/2026	Fluarix 0.5ml IM Pfs 2025-26 Rx:4295849-05771 Qty:0.5	Azad,Armaghan	VVV	58160091252	CAMED/ 00148549544301	$0.00
02/10/2026	Comirnaty 12+ (Covid 2025-26) 0.3ml Rx:4295851-05771 Qty:0.3	Azad,Armaghan	VVV	00069252810	CAMED/ 00148549596601	$0.00
02/10/2026	Capvaxive 0.5ml IM Pfs (10 Pack) Rx:4295852-05771 Qty:0.5	Azad,Armaghan	VVV	00006434702	CAMED/ 00148549607601	$0.00
02/07/2026	Tramadol 50mg Tablets Rx:4294537-05771 Qty:30	Mahtov,Orah	LAR	60219234801	CAMED/ 00148336755801	$0.00
02/06/2026	Pregabalin 150mg Capsules Rx:4293957-05771 Qty:90	Mahtov,Orah	CCL	72205001590	CAMED/ 00148248456501	$0.00

01/12/2026	Oxycodone/Acetaminophen 10-325mg Tb Rx:4280366-05771 Qty:10	Dinh,Trung	RYU	00406052301	CAMED/ 00145911433701	$0.00
01/08/2026	Celecoxib 200mg Capsules Rx:4168585-05771 Qty:60	Abramian,Arin	LAR	62332014231	CAMED/ 00145562053601	$0.00
01/08/2026	Bupropion XL 300mg Tablets Rx:4254082-05771 Qty:30	Nguyen,Alyson	LAR	68180032002	CAMED/ 00145561991101	$0.00
01/08/2026	Bupropion XL 150mg Tablets (24 H) Rx:4254092-05771 Qty:30	Nguyen,Alyson	LAR	68180031909	CAMED/ 00145554620601	$0.00
01/08/2026	Clonazepam 0.5mg Tablets Rx:4261961-05771 Qty:15	Nguyen,Alyson	LAR	00093083205	CAMED/ 00145554624501	$0.00
01/08/2026	Doxepin 10mg Capsules Rx:4278221-05771 Qty:30	Nguyen,Alyson	LAR	69238116609	CAMED/ 00145555234301	$0.00
01/08/2026	D-Amphetamine ER 20mg Salt Combo CP Rx:4278223-05771 Qty:30	Nguyen,Alyson	LAR	42858072001	CAMED/ 00145559059901	$0.00
01/08/2026	D-Amphetamine ER 30mg Salt Combo CP Rx:4278225-05771 Qty:30	Nguyen,Alyson	LAR	00527079537	CAMED/ 00145555205101	$0.00
12/07/2025	Clonazepam 0.5mg Tablets Rx:4261961-05771 Qty:15	Nguyen,Alyson	RYU	00093083205	CAMED/ 00142897808001	$0.00
11/30/2025	Trintellix 20mg Tablets Rx:4256574-05771 Qty:30	Nguyen,Alyson	RYU	64764075030	CAMED/ 00142198298901	$0.00
11/30/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:4258222-05771 Qty:30	Nguyen,Alyson	SKN	42858072001	CAMED/ 00142200434401	$0.00
11/30/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4258223-05771 Qty:30	Nguyen,Alyson	SKN	00527079537	CAMED/ 00142200324201	$0.00
11/21/2025	Bupropion XL 300mg Tablets Rx:4254082-05771 Qty:30	Nguyen,Alyson	DVH	68180032002	CAMED/ 00141394028701	$0.00
11/20/2025	Bupropion XL 150mg Tablets (24 H) Rx:4254092-05771 Qty:30	Nguyen,Alyson	RYU	68180031909	CAMED/ 00141268481301	$0.00
11/01/2025	Celecoxib 200mg Capsules Rx:4168585-05771 Qty:60	Abramian,Arin	JHD	62332014231	CAMED/ 00138923975901	$0.00
11/01/2025	Clonazepam 0.5mg Tablets Rx:4230147-05771 Qty:15	Nguyen,Alyson	JHD	00093083205	CAMED/ 00138923979501	$0.00
10/28/2025	Prazosin 1mg Capsules Rx:4227090-05771 Qty:30	Nguyen,Alyson	LAX	70954001910	CAMED/ 00138498428201	$0.00
10/22/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4240104-05771 Qty:30	Nguyen,Alyson	LAR	42858093001	CAMED/ 00138079714101	$0.00
10/22/2025	Bupropion XL 150mg Tablets (24 H) Rx:4240108-05771 Qty:30	Nguyen,Alyson	LAR	68180031909	CAMED/ 00138079822101	$0.00
10/02/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:4230146-05771 Qty:30	Nguyen,Alyson	LAR	42858072001	CAMED/ 00136271452701	$0.00
10/01/2025	Clonazepam 0.5mg Tablets Rx:4230147-05771 Qty:15	Nguyen,Alyson	RYU	00093083205	CAMED/ 00136249053801	$0.00

09/30/2025	Bupropion XL 300mg Tablets Rx:4227873-05771 Qty:30	Kwong,Melinda	RYU	68180032002	CAMED/ 00136141258801	$0.00
09/27/2025	Trintellix 20mg Tablets Rx:4227874-05771 Qty:3	Nguyen,Alyson	RYU	64764075030	CAMED/ 00136250489501	$0.00
09/25/2025	Prazosin 1mg Capsules Rx:4227090-05771 Qty:30	Nguyen,Alyson	RYU	70954001910	CAMED/ 00135720581001	$0.00
09/17/2025	Diclofenac 1% Gel 100gm (OTC) Rx:4223014-05771 Qty:100	Wilvang,Gina	RYU	43598097710	CAMED/ 00135018162301	$0.00
09/17/2025	Ciclopirox 8% Nail Lacquer Top Soln Rx:4223036-05771 Qty:6.6	Wilvang,Gina	RYU	21922005351	CAMED/ 00134994465701	$0.00
09/09/2025	Doxycycline Hyc 100mg Caps Rx:4218196-05771 Qty:30	Antonyan,Albert	LPT	27808023302	CAMED/ 00134308928701	$0.00
09/08/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4218188-05771 Qty:30	Nguyen,Alyson	LPT	00406895601	CAMED/ 00134197734801	$0.00
09/08/2025	Clindamycin/Benzoy 1/5% Gel 50g Jar Rx:4218201-05771 Qty:50	Antonyan,Albert	RYU	68462048627	CAMED/ 00134181276101	$0.00
08/30/2025	Clonazepam 0.5mg Tablets Rx:4213125-05771 Qty:15	Nguyen,Alyson	RYU	00093083205	CAMED/ 00133455626601	$0.00
08/28/2025	Bupropion XL 300mg Tablets Rx:4213101-05771 Qty:30	Nguyen,Alyson	LAR	68180032002	CAMED/ 00133327375001	$0.00
08/28/2025	Prazosin 1mg Capsules Rx:4213102-05771 Qty:30	Nguyen,Alyson	LAR	70954001910	CAMED/ 00133327394701	$0.00
08/28/2025	Trintellix 20mg Tablets Rx:4213103-05771 Qty:30	Nguyen,Alyson	RYU	64764075030	CAMED/ 00133332176301	$0.00
07/31/2025	Bupropion XL 300mg Tablets Rx:4199957-05771 Qty:30	Nguyen,Alyson	LAR	68180032002	CAMED/ 00130933418801	$0.00
07/31/2025	Prazosin 1mg Capsules Rx:4199958-05771 Qty:30	Nguyen,Alyson	LAR	70954001910	CAMED/ 00130940487301	$0.00
07/31/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4200065-05771 Qty:30	Nguyen,Alyson	LPT	00527079537	CAMED/ 00130954243601	$0.00
07/31/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:4200066-05771 Qty:30	Nguyen,Alyson	LPT	00527079337	CAMED/ 00130954220601	$0.00
07/31/2025	Clonazepam 0.5mg Tablets Rx:4200068-05771 Qty:15	Nguyen,Alyson	LPT	00093083205	CAMED/ 00130954136801	$0.00
07/02/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:4185118-05771 Qty:30	Nguyen,Alyson	RYU	42858072001	CAMED/ 00128501938101	$0.00
07/02/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4185120-05771 Qty:30	Nguyen,Alyson	RYU	42858093001	CAMED/ 00128502152401	$0.00
07/02/2025	Clonazepam 0.5mg Tablets Rx:4185459-05771 Qty:15	Nguyen,Alyson	LPT	00093083205	CAMED/ 00128488463001	$0.00
07/01/2025	Prazosin 1mg Capsules Rx:4185114-05771 Qty:30	Nguyen,Alyson	KLN	70756042911	CAMED/ 00128418420701	$0.00

07/01/2025	Bupropion XL 300mg Tablets Rx:4185115-05771 Qty:30	Nguyen,Alyson	KLN	68180032002	CAMED/ 00128418455401	$0.00
06/29/2025	Celecoxib 200mg Capsules Rx:4168585-05771 Qty:60	Abramian,Arin	LAX	62332014231	CAMED/ 00128235385401	$0.00
05/28/2025	Clonazepam 0.5mg Tablets Rx:4169122-05771 Qty:15	Nguyen,Alyson	RYU	00093083205	CAMED/ 00125546701801	$0.00
05/28/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:4169123-05771 Qty:30	Nguyen,Alyson	LAR	42858072001	CAMED/ 00125546882001	$0.00
05/28/2025	Prazosin 1mg Capsules Rx:4169125-05771 Qty:30	Nguyen,Alyson	LAR	70954001910	CAMED/ 00125547389701	$0.00
05/28/2025	Bupropion XL 300mg Tablets Rx:4169127-05771 Qty:30	Nguyen,Alyson	LAR	68180032002	CAMED/ 00125547770601	$0.00
05/27/2025	Pregabalin 150mg Capsules Rx:4168549-05771 Qty:90	Abramian,Arin	KLN	72205001590	CAMED/ 00125425829101	$0.00
05/27/2025	Celecoxib 200mg Capsules Rx:4168585-05771 Qty:60	Abramian,Arin	KLN	62332014231	CAMED/ 00125442953601	$0.00
05/23/2025	Trintellix 20mg Tablets Rx:4167063-05771 Qty:30	Nguyen,Alyson	KLN	64764075030	CAMED/ 00125250126001	$0.00
05/23/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4167065-05771 Qty:30	Nguyen,Alyson	KLN	00527079537	CAMED/ 00125250655901	$0.00
05/09/2025	Oxycodone/Acetaminophen 10-325mg Tb Rx:4160261-05771 Qty:75	Abramian,Arin	KLN	00406052301	CAMED/ 00124044263301	$0.00
04/30/2025	Bupropion XL 300mg Tablets Rx:4155494-05771 Qty:30	Nguyen,Alyson	LAR	68180032002	CAMED/ 00123214348201	$0.00
04/30/2025	Prazosin 1mg Capsules Rx:4155496-05771 Qty:30	Nguyen,Alyson	LAR	70954001910	CAMED/ 00123205733601	$0.00
04/30/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:4155505-05771 Qty:30	Nguyen,Alyson	LAR	00406895401	CAMED/ 00123231598601	$0.00
04/27/2025	Clonazepam 0.5mg Tablets Rx:4154094-05771 Qty:15	Nguyen,Alyson	RYU	00093083205	CAMED/ 00122964090601	$0.00
04/16/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4148672-05771 Qty:30	Nguyen,Alyson	LAR	00527079537	CAMED/ 00122035679401	$0.00
04/09/2025	Oxycodone/Acetaminophen 10-325mg Tb Rx:4145235-05771 Qty:75	Abramian,Arin	LAR	00406052301	CAMED/ 00121462085201	$0.00
04/03/2025	Trintellix 20mg Tablets Rx:4141635-05771 Qty:30	Nguyen,Alyson	LAR	64764075030	CAMED/ 00120953430101	$0.00
03/31/2025	Pregabalin 150mg Capsules Rx:4140591-05771 Qty:90	Abramian,Arin	RYU	72205001590	CAMED/ 00120646989901	$0.00
03/30/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:4140233-05771 Qty:30	Nguyen,Alyson	DVH	42858072001	CAMED/ 00120573657001	$0.00

03/14/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:4131054-05771 Qty:30	Nguyen,Alyson	LAR	00527079537	CAMED/ 00119247533101	$0.00
03/12/2025	Prazosin 1mg Capsules Rx:4131042-05771 Qty:30	Nguyen,Alyson	LAR	70954001910	CAMED/ 00119035801301	$0.00
03/12/2025	Clonazepam 0.5mg Tablets Rx:4131080-05771 Qty:15	Nguyen,Alyson	LAR	00093083205	CAMED/ 00119048520001	$0.00
03/08/2025	Oxycodone/Acetaminophen 10-325mg Tb Rx:4129230-05771 Qty:75	Abramian,Arin	LAR	00406052301	CAMED/ 00118751258601	$0.00
02/28/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:2376015-02162 Qty:25	Nguyen,Alyson	LKT	00527079337	CAMED/ 00118089706001	$0.00
02/27/2025	Trintellix 10mg Tablets Rx:2374566-02162 Qty:30	Nguyen,Alyson	QPW	64764073030	CAMED/ 00117999854101	$0.00
02/26/2025	Bupropion XL 300mg Tablets Rx:2374565-02162 Qty:30	Nguyen,Alyson	PHT	42806041605	CAMED/ 00117803397301	$0.00
02/25/2025	Celecoxib 200mg Capsules Rx:2350240-02162 Qty:60	Abramian,Arin	PHT	62332014231	CAMED/ 00117686630401	$0.00
02/17/2025	Clonazepam 0.5mg Tablets Rx:2370595-02162 Qty:15	Nguyen,Alyson	LKT	59651072299	CAMED/ 00116977764901	$0.00
02/12/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:2369265-02162 Qty:30	Nguyen,Alyson	LKT	42858093001	CAMED/ 00116685541801	$0.00
02/12/2025	Escitalopram 10mg Tablets Rx:2369287-02162 Qty:8	Nguyen,Alyson	LKT	69097084805	CAMED/ 00116682819001	$0.00
02/06/2025	Oxycodone/Acetaminophen 10-325mg Tb Rx:4114087-05771 Qty:75	Abramian,Arin	LAR	00406052301	CAMED/ 00116090317701	$0.00
02/03/2025	Pregabalin 150mg Capsules Rx:4112335-05771 Qty:90	Abramian,Arin	LAR	72205001590	CAMED/ 00115781336701	$0.00
01/29/2025	D-Amphetamine ER 20mg Salt Combo CP Rx:2363346-02162 Qty:30	Brett,Tiffany	PHT	00527079337	CAMED/ 00115390128101	$0.00
01/24/2025	Celecoxib 200mg Capsules Rx:2350240-02162 Qty:60	Abramian,Arin	QPW	62332014231	CAMED/ 00114909742501	$0.00
01/17/2025	Trintellix 10mg Tablets Rx:2357800-02162 Qty:30	Brett,Tiffany	PHT	64764073030	CAMED/ 00114400721901	$0.00
01/17/2025	Clonazepam 0.5mg Tablets Rx:2358280-02162 Qty:15	Brett,Tiffany	LKT	59651072299	CAMED/ 00114340828401	$0.00
01/16/2025	Guanfacine ER 2mg Tablets Rx:2357653-02162 Qty:30	Kwong,Melinda	PHT	24979053401	CAMED/ 00114300643601	$0.00
01/16/2025	Prazosin 1mg Capsules Rx:2357799-02162 Qty:30	Brett,Tiffany	PHT	70756042911	CAMED/ 00114237621301	$0.00
01/07/2025	Oxycodone/Acetaminophen 10-325mg Tb Rx:4098165-05771 Qty:75	Abramian,Arin	KLN	00406052301	CAMED/ 00113398403701	$0.00
01/06/2025	Pregabalin 150mg Capsules Rx:2352755-02162 Qty:90	Abramian,Arin	PHT	72205001590	CAMED/ 00113242388401	$0.00

01/02/2025	D-Amphetamine ER 30mg Salt Combo CP Rx:2351389-02162 Qty:30	Nguyen,Alyson	PHT	42858093001	CAMED/ 00112930831001	$0.00
12/28/2024	Celecoxib 200mg Capsules Rx:2350240-02162 Qty:60	Abramian,Arin	QPW	62332014231	CAMED/ 00112640858001	$0.00
12/27/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:2347101-02162 Qty:30	Nguyen,Alyson	QPW	00527079337	CAMED/ 00112519361201	$0.00
12/20/2024	Prazosin 1mg Capsules Rx:2347100-02162 Qty:30	Nguyen,Alyson	LKT	70756042911	CAMED/ 00112108738501	$0.00
12/19/2024	Trintellix 10mg Tablets Rx:2347104-02162 Qty:30	Nguyen,Alyson	PHT	64764073030	CAMED/ 00111988710201	$0.00
12/18/2024	Guanfacine ER 2mg Tablets Rx:2346570-02162 Qty:30	Kwong,Melinda	LKT	00228285111	CAMED/ 00111905741001	$0.00
12/18/2024	Clonazepam 0.5mg Tablets Rx:2346654-02162 Qty:15	Kwong,Melinda	LKT	59651072299	CAMED/ 00111920146901	$0.00
12/02/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:4079298-05771 Qty:60	Abramian,Arin	LAR	00406052301	CAMED/ 00110481187101	$0.00
12/02/2024	Pregabalin 150mg Capsules Rx:4079299-05771 Qty:90	Abramian,Arin	LAR	72205001590	CAMED/ 00110481257801	$0.00
11/30/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:4078532-05771 Qty:30	Kwong,Melinda	AXA	42858093001	CAMED/ 00110366587501	$0.00
11/21/2024	Celecoxib 100mg Capsules Rx:4060132-05771 Qty:60	Abramian,Arin	LPT	65862090801	CAMED/ 00109691906701	$0.00
11/21/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:4074497-05771 Qty:30	Kwong,Melinda	LAR	42858072001	CAMED/ 00109777001301	$0.00
11/18/2024	Clonazepam 0.5mg Tablets Rx:4072776-05771 Qty:15	Kwong,Melinda	RYU	59651072299	CAMED/ 00109476448201	$0.00
11/11/2024	Bupropion XL 300mg Tablets Rx:4068731-05771 Qty:30	Kwong,Melinda	LAX	68180032002	CAMED/ 00108998117201	$0.00
11/05/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:4065706-05771 Qty:60	Abramian,Arin	RYU	42858010401	CAMED/ 00108386367601	$0.00
10/27/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:4061356-05771 Qty:30	Kwong,Melinda	LPT	00527079537	CAMED/ 00107627162401	$0.00
10/27/2024	Escitalopram 20mg Tablets Rx:4061581-05771 Qty:90	Nassir,Joseph	LPT	43547028210	CAMED/ 00107626557801	$0.00
10/26/2024	Pantoprazole 40mg Tablets Rx:4061582-05771 Qty:90	Nassir,Joseph	LPT	00378668977	CAMED/ 00107621833901	$0.00
10/23/2024	Celecoxib 100mg Capsules Rx:4060132-05771 Qty:60	Abramian,Arin	RYU	65862090801	CAMED/ 00107351970901	$0.00
10/23/2024	Pregabalin 150mg Capsules Rx:4060133-05771 Qty:90	Abramian,Arin	RYU	72205001590	CAMED/ 00107352010201	$0.00
10/18/2024	Clonazepam 0.5mg Tablets Rx:4057627-05771 Qty:15	Kwong,Melinda	RYU	59651072299	CAMED/ 00106934822901	$0.00

10/16/2024	Guanfacine ER 2mg Tablets Rx:4056377-05771 Qty:30	Kwong,Melinda	LAX	00228285111	CAMED/ 00106724127701	$0.00
10/14/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:4054526-05771 Qty:30	Kwong,Melinda	LAR	42858072001	CAMED/ 00106611458701	$0.00
10/12/2024	Bupropion XL 300mg Tablets Rx:4054527-05771 Qty:30	Kwong,Melinda	LPT	68180032002	CAMED/ 00106454009901	$0.00
09/21/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:4044170-05771 Qty:30	Kwong,Melinda	KKK	00527079537	CAMED/ 00104793422001	$0.00
09/17/2024	Guanfacine ER 2mg Tablets Rx:4041815-05771 Qty:30	Kwong,Melinda	KLN	00228285111	CAMED/ 00104398528901	$0.00
09/17/2024	Bupropion XL 300mg Tablets Rx:4041816-05771 Qty:30	Kwong,Melinda	KLN	68180032002	CAMED/ 00104401389401	$0.00
09/14/2024	Clonazepam 0.5mg Tablets Rx:4040706-05771 Qty:15	Kwong,Melinda	LPT	59651072299	CAMED/ 00104240015001	$0.00
09/12/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:4039750-05771 Qty:30	Kwong,Melinda	LPT	00527079337	CAMED/ 00104118919101	$0.00
08/20/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:4027855-05771 Qty:30	Kwong,Melinda	LAR	00527079537	CAMED/ 00102209733001	$0.00
08/20/2024	Guanfacine ER 2mg Tablets Rx:4028320-05771 Qty:30	Kwong,Melinda	LAR	00228285111	CAMED/ 00102271962301	$0.00
08/20/2024	Bupropion XL 300mg Tablets Rx:4028321-05771 Qty:30	Kwong,Melinda	LAR	68180032002	CAMED/ 00102276745401	$0.00
08/19/2024	Diclofenac 1% Gel 100gm (Rx) Rx:4027901-05771 Qty:100	Nwengela,Bokeng	LAR	69097052444	CAMED/ 00102203056501	$0.00
08/19/2024	Promethazine DM Oral Solution Rx:4027902-05771 Qty:240	Nwengela,Bokeng	LAR	70436015542	CAMED/ 00102201287601	$0.00
08/15/2024	Clonazepam 0.5mg Tablets Rx:4026050-05771 Qty:15	Kwong,Melinda	LPT	59651072299	CAMED/ 00101932393001	$0.00
08/07/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:4021359-05771 Qty:30	Kwong,Melinda	RYU	00527079337	CAMED/ 00101311030001	$0.00
07/29/2024	Escitalopram 20mg Tablets Rx:3846903-05771 Qty:90	Nassir,Joseph	RYU	43547028210	CAMED/ 00100499153301	$0.00
07/29/2024	Pantoprazole 40mg Tablets Rx:3930271-05771 Qty:90	Nassir,Joseph	RYU	00378668977	CAMED/ 00100499147001	$0.00
07/23/2024	Guanfacine ER 2mg Tablets Rx:4014702-05771 Qty:30	Kwong,Melinda	LAR	00228285111	CAMED/ 00100133936201	$0.00
07/23/2024	Bupropion XL 300mg Tablets Rx:4014703-05771 Qty:30	Kwong,Melinda	LAR	68180032002	CAMED/ 00100134309501	$0.00
07/18/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:4011860-05771 Qty:30	Kwong,Melinda	AXD	00527079537	CAMED/ 00099740071901	$0.00
07/17/2024	Pregabalin 150mg Capsules Rx:4011569-05771 Qty:90	Abramian,Arin	RYU	72205001590	CAMED/ 00099652846501	$0.00

07/17/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:4011570-05771 Qty:60	Abramian,Arin	RYU	00406052301	CAMED/ 00099652948601	$0.00
07/14/2024	Clonazepam 0.5mg Tablets Rx:4010086-05771 Qty:15	Kwong,Melinda	LAR	59651072299	CAMED/ 00099415159801	$0.00
07/04/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:4005626-05771 Qty:30	Kwong,Melinda	RYU	00527079337	CAMED/ 00098715660501	$0.00
07/01/2024	Celecoxib 100mg Capsules Rx:4004379-05771 Qty:60	Abramian,Arin	LPT	65862090801	CAMED/ 00098515339601	$0.00
06/25/2024	Guanfacine ER 2mg Tablets Rx:4001196-05771 Qty:30	Kwong,Melinda	KLN	00228285111	CAMED/ 00098031090201	$0.00
06/25/2024	Bupropion XL 300mg Tablets Rx:4001197-05771 Qty:30	Kwong,Melinda	KLN	68180032002	CAMED/ 00098033929801	$0.00
06/14/2024	Clonazepam 0.5mg Tablets Rx:3995794-05771 Qty:15	Kwong,Melinda	RYU	59651072201	CAMED/ 00097194384701	$0.00
06/14/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:3995795-05771 Qty:30	Kwong,Melinda	RYU	42858093001	CAMED/ 00097195414501	$0.00
06/05/2024	Pregabalin 150mg Capsules Rx:3991431-05771 Qty:15	Abramian,Arin	RYU	72205001590	CAMED/ 00096481078801	$0.00
06/05/2024	Pregabalin 150mg Capsules Rx:3991431-05771 Qty:75	Abramian,Arin	RYU	72205001590	CAMED/ 00096617464301	$0.00
06/05/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3991435-05771 Qty:60	Abramian,Arin	RYU	00406052301	CAMED/ 00096469397701	$0.00
05/30/2024	Celecoxib 100mg Capsules Rx:3972401-05771 Qty:60	Abramian,Arin	LAR	72241002310	CAMED/ 00095986075901	$0.00
05/28/2024	Guanfacine ER 2mg Tablets Rx:3987378-05771 Qty:30	Kwong,Melinda	LAR	00228285111	CAMED/ 00095834137201	$0.00
05/28/2024	Bupropion XL 300mg Tablets Rx:3987379-05771 Qty:30	Kwong,Melinda	KLN	68180032002	CAMED/ 00095848263601	$0.00
05/28/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:3987410-05771 Qty:30	Kwong,Melinda	LAR	42858072001	CAMED/ 00095841310801	$0.00
05/12/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:3979308-05771 Qty:30	Kwong,Melinda	DVH	42858093001	GOODRX/ H8079E36B5F160	$15.83
05/09/2024	Clonazepam 0.5mg Tablets Rx:3978347-05771 Qty:15	Kwong,Melinda	LPT	59651072201	CAMED/ 00094438423301	$0.00
05/03/2024	Pregabalin 150mg Capsules Rx:3973962-05771 Qty:90	Abramian,Arin	RYU	72205001590	CAMED/ 00093870546901	$0.00
05/03/2024	D-Amphetamine ER 10mg Salt Combo CP Rx:3975081-05771 Qty:30	Kwong,Melinda	KLN	42858061001	CAMED/ 00093918656001	$0.00
05/03/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3975082-05771 Qty:60	Abramian,Arin	KLN	00406052301	CAMED/ 00093913365801	$0.00

05/01/2024	Escitalopram 20mg Tablets Rx:3846903-05771 Qty:90	Nassir,Joseph	LAR	43547028210	CAMED/ 00093670778601	$0.00
04/30/2024	Pantoprazole 40mg Tablets Rx:3930271-05771 Qty:90	Nassir,Joseph	LAX	00378668977	CAMED/ 00093566408601	$0.00
04/30/2024	Guanfacine ER 2mg Tablets Rx:3973461-05771 Qty:30	Kwong,Melinda	LAR	00228285111	CAMED/ 00093628961501	$0.00
04/30/2024	Bupropion XL 300mg Tablets Rx:3973462-05771 Qty:30	Kwong,Melinda	LAR	68180032002	CAMED/ 00093633949501	$0.00
04/28/2024	Celecoxib 100mg Capsules Rx:3972401-05771 Qty:60	Abramian,Arin	LPT	72241002310	CAMED/ 00093449189001	$0.00
04/09/2024	Clonazepam 0.5mg Tablets Rx:3962929-05771 Qty:15	Kwong,Melinda	RYU	59651072201	CAMED/ 00091934679501	$0.00
04/03/2024	Pregabalin 150mg Capsules Rx:3960436-05771 Qty:90	Abramian,Arin	RYU	72205001590	CAMED/ 00091529337001	$0.00
04/03/2024	Celecoxib 100mg Capsules Rx:3960440-05771 Qty:60	Abramian,Arin	RYU	72241002305	CAMED/ 00091529843501	$0.00
04/03/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3960490-05771 Qty:60	Abramian,Arin	RYU	00406052301	CAMED/ 00091533034901	$0.00
04/02/2024	Bupropion XL 300mg Tablets Rx:3959709-05771 Qty:30	Kwong,Melinda	LAR	68180032002	CAMED/ 00091417122101	$0.00
04/02/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:3959744-05771 Qty:30	Kwong,Melinda	LAR	42858093001	CAMED/ 00091419863001	$0.00
04/02/2024	Guanfacine ER 2mg Tablets Rx:3959810-05771 Qty:30	Kwong,Melinda	LAR	00228285111	CAMED/ 00091426730601	$0.00
04/02/2024	D-Amphetamine ER 10mg Salt Combo CP Rx:3959847-05771 Qty:30	Kwong,Melinda	LAR	00406895201	CAMED/ 00091437481601	$0.00
03/25/2024	Albuterol HFA Inh (200 Puffs) 18gm Rx:3942248-05771 Qty:18	Borjoev,Almaz	LPT	66993001968	CAMED/ 00090712102801	$0.00
03/12/2024	D-Amphetamine ER 10mg Salt Combo CP Rx:3945790-05771 Qty:22	Kwong,Melinda	KLN	00781233501	CAMED/ 00089727470201	$0.00
03/12/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:3945792-05771 Qty:22	Kwong,Melinda	KLN	42858093001	CAMED/ 00089721928901	$0.00
03/08/2024	Clonazepam 0.5mg Tablets Rx:3945799-05771 Qty:15	Kwong,Melinda	LAX	00093083205	CAMED/ 00089432685101	$0.00
03/05/2024	Guanfacine ER 2mg Tablets Rx:3945789-05771 Qty:30	Kwong,Melinda	LAX	00228285111	CAMED/ 00089194259001	$0.00
03/05/2024	Bupropion XL 300mg Tablets Rx:3945791-05771 Qty:30	Kwong,Melinda	LAR	68180032002	CAMED/ 00089205116201	$0.00
03/04/2024	Pregabalin 150mg Capsules Rx:3941692-05771 Qty:90	Abramian,Arin	LPT	72205001590	CAMED/ 00089025973701	$0.00
03/04/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3945411-05771 Qty:60	Abramian,Arin	LAX	00406052301	CAMED/ 00089128515601	$0.00

02/28/2024	Ztlido 1.8% Patches Rx:3941633-05771 Qty:90	Abramian,Arin	DVH	69557011130	CAMED/ 00088727586701	$0.00
02/27/2024	Albuterol HFA Inh (200 Puffs) 18gm Rx:3942248-05771 Qty:18	Borjoev,Almaz	RYU	66993001968	CAMED/ 00088643914101	$0.00
02/25/2024	Oxycodone/Acetaminophen 5-325mg Tab Rx:3941134-05771 Qty:4	Zuabi,Nadia	LAX	00406051205	CAMED/ 00088465936201	$0.00
02/20/2024	Guanfacine 1mg Tablets Rx:3938468-05771 Qty:28	Kwong,Melinda	LAR	53746071101	CAMED/ 00088096177301	$0.00
02/19/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3938042-05771 Qty:12	Yee,John	LAR	00406052301	CAMED/ 00088021420801	$0.00
02/07/2024	Bupropion XL 300mg Tablets Rx:3932200-05771 Qty:30	Kwong,Melinda	RYU	69367028905	CAMED/ 00087098870401	$0.00
02/07/2024	D-Amphetamine ER 30mg Salt Combo CP Rx:3932201-05771 Qty:30	Kwong,Melinda	LAR	42858093001	CAMED/ 00087096308901	$0.00
02/07/2024	Clonazepam 0.5mg Tablets Rx:3932274-05771 Qty:15	Kwong,Melinda	RYU	00093083205	CAMED/ 00087112907501	$0.00
02/03/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3930544-05771 Qty:15	Gilboy,Julianne	LPT	00406052301	CAMED/ 00086836734401	$0.00
02/02/2024	Albuterol HFA Inh (200 Puffs) 18gm Rx:3858922-05771 Qty:18	Borjoev,Almaz	KLN	66993001968	CAMED/ 00086796485701	$0.00
02/02/2024	Tramadol 50mg Tablets Rx:3930179-05771 Qty:10	Dennis,Douglas	KLN	60219234805	CAMED/ 00086789322301	$0.00
02/02/2024	Pregabalin 150mg Capsules Rx:3930269-05771 Qty:90	Jain,Shveta	LPT	72205001590	CAMED/ 00086801486601	$0.00
02/02/2024	Pantoprazole 40mg Tablets Rx:3930271-05771 Qty:90	Nassir,Joseph	LPT	00378668977	CAMED/ 00086801358301	$0.00
01/28/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3927253-05771 Qty:15	Donahue,Cody	LAX	00406052301	CAMED/ 00086311176401	$0.00
01/26/2024	Ztlido 1.8% Patches Rx:3925874-05771 Qty:90	Jain,Shveta	DVH	69557011130	CAMED/ 00086207725101	$0.00
01/23/2024	Bupropion XL 150mg Tablets (24 H) Rx:3924703-05771 Qty:30	Kwong,Melinda	LAR	68180031909	CAMED/ 00085912238401	$0.00
01/23/2024	D-Amphetamine ER 20mg Salt Combo CP Rx:3924826-05771 Qty:14	Kwong,Melinda	LAR	00781235201	CAMED/ 00085929184601	$0.00
01/22/2024	Pregabalin 200mg Capsules Rx:3922437-05771 Qty:50	Liu,Erica	LAR	69238131509	CAMED/ 00085815027901	$0.00
01/21/2024	Oxycodone/Acetaminophen 5-325mg Tab Rx:3923672-05771 Qty:8	Dinh,Trung	SKN	00406051205	CAMED/ 00085750723201	$0.00
01/18/2024	Lorazepam 1mg Tablets Rx:3151626-06954 Qty:15	Krishnaswamy,Aruna	NQL	69315090505	CAMED/ 00085601402401	$0.00
01/14/2024	Pregabalin 200mg Capsules Rx:3920170-05771 Qty:10	Liu,Erica	LAR	69097068305	CAMED/ 00085224163201	$0.00

01/14/2024	Oxycodone/Acetaminophen 10-325mg Tb Rx:3920171-05771 Qty:10	Liu,Erica	LAR	00406052301	CAMED/ 00085222788401	$0.00

Total: $0.00

Generics saved you $0.00
Insurance saved you $30,819.50

Please be aware that certain insurance claim information may not be included in this report. Please speak with a pharmacy staff member if you have questions regarding payments for your prescriptions.