Exhibit WWWW-1

Site Summary and Recommendations_AM.docx

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

CLAYTON CHAU, MD, PhD
DIRECTOR
(714) 834-2830
cchau@ochca.com

LILLY SIMMERING
ASSISTANT DIRECTOR
(714) 834-6748
lsimmering@ochca.com

STEVE THRONSON
DEPUTY AGENCY DIRECTOR
REGULATORY/MEDICAL SERVICES

CHRISTINE LANE, REHS
DIRECTOR
ENVIRONMENTAL HEALTH

1241 E. DYER ROAD, SUITE 120
SANTA ANA, CA 92705
TELEPHONE: (714) 433-6000
FAX: (714) 754-1732
E-MAIL: ehealth@ochca.com

REGULATORY/MEDICAL HEALTH SERVICES
ENVIRONMENTAL HEALTH

May 21, 2020

Carlos Marquez
City of Huntington Beach
200 Main Street
Huntington Beach, CA 92648

Subject: **Site Summary and Recommendations**

Re: Cameron Ln. Property (APN 167-042-08)
17631 Cameron Lane
Huntington Beach, CA 92647
OCHCA Case #20IC002

BACKGROUND

The project site (Site) is a 0.79 acre unpaved lot with a vacant single family home within an area of mixed commercial and residential use that is bounded by commercial properties to the north, an unpaved vacant property to the south, Beach Boulevard to the west and Cameron Lane to the east in the City of Huntington Beach, California. The future planned use of the Site is an asphalt-paved lot with a large tent structure to provide temporary shelter for people experiencing homelessness, as ordered by the Governor's Executive Order N-32-20, issued by Governor Newsom on March 18, 2020. Investigations of the Site were conducted by EEC Environmental (EEC) in several phases to assess the presence of contaminants that may have impacted the Site. Contaminants of concern found in soil at the Site were pesticides, hexavalent chromium and lead. On April 22, 2020, Orange County Health Care Agency (OCHCA) was contacted by the City of Huntington Beach requesting OCHCA review of EECs Phase I report and assessment reports. On April 27, 2020 the City of Huntington Beach entered into a Remedial Action Agreement with the OCHCA for oversight at the above referenced site (Case No. 20IC002). As such OCHCA has prepared this site summary and recommendations for the Site. The project site (Site) is a 0.79 acre unpaved vacant lot within an area of mixed commercial and residential use that is bounded by the Cameron Ln. Property (APN 167-042-08) which is associated with this project to the north (see attached), commercial properties to the south, Beach Boulevard to the west and Cameron Lane to the east in the City of Huntington Beach, California. The future planned use of the Site is an asphalt-paved lot with a large tent structure to provide temporary shelter for people experiencing homelessness, as ordered by the Governor's Executive Order N-32-20, issued by Governor Newsom on March 18, 2020. Investigations of the Site were conducted by EEC Environmental (EEC) in several phases to assess the presence of contaminants that may have impacted the Site. Contaminants of concern found in soil at the Site were hexavalent chromium and lead. On July 6, 2020, Orange County Health Care Agency (OCHCA) was contacted by the City of Huntington Beach requesting OCHCA review of EECs June 25, 2020 Site Assessment Report for the site referenced above. On April 27, 2020 the City of Huntington Beach entered into a Remedial Action Agreement with the OCHCA for oversight at the Cameron Ln. Property located at 17631 Cameron Lane (Case No. 20IC002). On July 17, 2020 the City of Huntington Beach entered into a revised Remedial Action Agreement that included the above referenced site. Say something about the case number. As such OCHCA has prepared this site summary and recommendations for the Site.

Deleted: vacant

Deleted: and

Deleted:

Deleted: n open air

Deleted: encampment to

Deleted: the

Deleted: to a lesser extent

Deleted: in soi

Deleted:

SITE INVESTIGATION AND LIMITED EXCAVATION

According to EEC's March 2020 Phase I report, the Site consists of two former single family residential homes, one irrigation well (Well W-4150), a cesspool that was abandoned in place and indicated past row crop agricultural use from the 1930s to the 1950s. Additionally, the Phase I report noted potential buried material at the Site based on uneven topography. Subsurface investigations of the Site were conducted from April 14, 2020 through July 21, 2020. A total of seventeen soil borings (B19 through B25, B-33 through B40, B19-A and B22-A) were advanced throughout the Site at depths ranging from 0.5 to 15 feet (ft) below ground surface (bgs). Select soil samples were submitted for analysis of Title 22 Metals (metals) including hexavalent chromium, organochlorine pesticides (OCPs), mercury, volatile organic compounds (VOCs), semi-VOCs, and total petroleum hydrocarbons (TPH). Samples with contaminant concentrations that exceeded screening levels[1] were found at the Site. Lead was detected in soil samples from soil

[1] USEPA, Region 9, Regional Screening Levels (residential exposure scenario), November 2019; Department of Toxic Substances Control Human and Ecological Risk Assessment (HHRA), Note 3, April 2019, University of California,

boring locations B22, B33 and B35 with a maximum concentration detected at 145 milligrams per kilograms (mg/kg) near one of the the former single family residential home. Hexavalent chromium was detected in soil samples from boring locations B19, B36, B37, and B38 with a maximum concentrations detected at 450 ug/kg (B38 at 5 ft bgs). All other analytes were below background and current screening levels

SITE INVESTIGATION AND LIMITED EXCAVATION

According to EEC's March 2020 Phase I report, the Site consists of one residential home that was built in 1947 and indicated past row crop agricultural use from the 1930s to the 1950s. Subsurface investigations of the Site were conducted from April 6, 2020 through May 11, 2020. On April 6, 2020 a total of six soil borings (B1 through B6) were advanced throughout the Site at depths ranging from 0.5 to 3 feet (ft) below ground surface (bgs). Soil samples were submitted for analysis of Title 22 Metals (metals) including hexavalent chromium, organochlorine pesticides (OCPs) and chlorinated herbicides. Samples with contaminant concentrations that exceed background and screening levels[2] were found at the Site. Lead was identified in one soil sample (B4 at 0.5 ft bgs) at a concentrations of 101 milligrams per kilograms (mg/kg) near the current vacant single family residential home. Toxaphene was identified in one soil sample (B6 at 0.5 ft bgs) in the western portion of the site at a concentration of 770 micrograms per kilogram (ug/kg). Hexavalent chromium was detected in soil samples from boring locations B4, B5 and B6 with a maximum concentrations detected at 820 ug/kg (B? at ?.? ft bgs). All other analytes were below background and screening levels.

Deleted:

Deleted: impacted soil

Deleted:

Deleted: impacted soil

Deleted: impacted soil were

Commented [MA1]: Please add this information.

Deleted: [3]

Deleted:

SITE INVESTIGATION AND LIMITED EXCAVATION

According to EEC's March 2020 Phase I report, the Site consists of two former single family residential homes, one irrigation well (Well W-4150), a cesspool that was abandoned in place and indicated past row crop agricultural use from the 1930s to the 1950s. Additionally, the Phase I report noted potential buried material at the Site based on uneven topography. Subsurface investigations of the Site were conducted from April 14, 2020 through July 21, 2020. A total of seventeen soil borings (B19 through B25, B-33 through B40, B19-A and B22-A) were advanced throughout the Site at depths ranging from 0.5 to 15 feet (ft) below ground surface (bgs). Select soil samples were submitted for analysis of Title 22 Metals (metals) including hexavalent chromium, organochlorine pesticides (OCPs), mercury, volatile organic compounds (VOCs), semi-VOCs, and total petroleum hydrocarbons (TPH). Samples with contaminant concentrations that exceeded screening levels[4] were found at the Site. Lead was detected in soil samples from soil

Kearney Foundation for Soil Science, Background Concentrations of Trace and Major Elements in California Soils, March 1996.

[2] USEPA, Region 9, Regional Screening Levels (residential exposure scenario), November 2019; Department of Toxic Substances Control Human and Ecological Risk Assessment (HHRA), Note 3, April 2019, University of California, Kearney Foundation for Soil Science, Background Concentrations of Trace and Major Elements in California Soils, March 1996.

[4] USEPA, Region 9, Regional Screening Levels (residential exposure scenario), November 2019; Department of Toxic Substances Control Human and Ecological Risk Assessment (HHRA), Note 3, April 2019, University of California,

boring locations B22, B33 and B35 with a maximum concentration detected at 145 milligrams per kilograms (mg/kg) near one of the the former single family residential home. Hexavalent chromium was detected in soil samples from boring locations B19, B36, B37, and B38 with a maximum concentrations detected at 450 ug/kg (B38 at 5 ft bgs). All other analytes were below background and current screening levels

Based on these findings, EEC two excavations were dug on April 13, 2020, to remove 2.78 cubic yards of contaminated soil which has been stored in drums on site pending disposal. Confirmation soil samples were collected on April 13, 2020 from the excavation sidewalls and bottoms (B11 through B18). Soil samples were submitted for analysis of lead and OCPs. Results of confirmation sampling around soil boring location B4 indicated that elevated lead concentrations were removed and remaining soil is below residential screening levels[5]. Results of confirmation soil sampling around soil boring location B6 indicated that toxaphene impacts were still present. Soil borings (B7 through B10, B26 through B32, B4B, B5A, B6B, B7A, B8A, B9A and B10A) were also drilled and sampled between April 13 and May 11, 2020 to depths ranging from 0.5 to 8 ft bgs to further delineate impacts at the Site. Soil samples were submitted for analysis of metals including hexavalent chromium, OCPs and chlorinated herbicides. Toxaphene was detected in five soil samples at 0.5 ft bgs (B7, B10, B11, B29 and B32) with a maximum concentration of 1,600 ug/kg. and 4,4 dichlorodiphenyldichloroethylene (DDE) was identified in one soil sample (B-7 at 0.5 ft bgs) at a concentration of 3,100 ug/kg. Hexavalent chromium was detected in nine soil borings at depths ranging from 0.5 to 8 ft bgs. (B4B, B5A, B6B, B7, B7A, B8, B9, B9A and B10) with a maximum concentration of 980 ug/kg. All other analytes were below background and screening levels[6]. In addition, three grab groundwater samples were collected at locations GW-1, GW2 and GW-3 on May 11, 2020. Groundwater samples were submitted for hexavalent chromium analysis and were not detected above the reporting limits of 0.028 micrograms per liter (ug/L). Please note, all assessment was conducted without OCHCA oversight.

Deleted: conducted
Deleted: 3x3x3 pothole soil
Deleted: . The
Deleted: excavated
Deleted: was
Deleted: Soil c
Deleted: installed
Deleted: s
Deleted: at
Deleted:
Deleted: impacted soil
Deleted: through
Deleted: ¶

Table 1 – Nature & Degree of Site Contamination

Formatted Table

Contaminant	Maximum Site Detection and Sample Identification	Regulatory Screening Level (Residential Scenario)
Lead	101 mg/kg B4-0.5	DTSC Hero Note 3r- 80 mg/kg

Kearney Foundation for Soil Science, Background Concentrations of Trace and Major Elements in California Soils, March 1996.

[5] Ibid.

[6] Ibid.

	(removed during excavation)	
Hexavalent Chromium	980 ug/kg B9A-5.0	DTSC Hero Note 3r- 300 ug/kg
4,4 DDE	3,100 ug/kg B7-0.5	RSLr- 2,000 ug/kg
Toxaphene	1,600 ug/kg B7-0.5	DTSC Hero Note 3r- 450 ug/kg

CONCLUSION AND RECOMMENDATION

Several phases of investigation were conducted at the Site, results of which showed the presence of 4,4 DDE, toxaphene and hexavalent chromium in excess of site screening levels and to a lesser extent lead in soil. Based on OCHCAs review of the information noted above, soil impacts located beneath the proposed asphalt cover are not considered to be a threat to the occupants of the temporary tent structure. Soil contamination however, must be addressed if changes to site use occur. Additional site assessment may also be required if changes to site use occur. It is the property owner's responsibility to notify this Agency if there is any change in site use and/or if there are future findings of additional contamination at the Site. Additionally, any excavated soil for tent structure installation must be managed, handled, and disposed of properly, in accordance with all regulatory requirements to minimize exposure to workers and the community.

If you have any questions regarding this matter, please contact the undersigned at (714) 433-6251.

Sincerely,

Tamara Escobedo
Hazardous Materials Specialist
Hazardous Materials Mitigation Section
Environmental Health Division

cc: Health Care Agency
OC Public Works
EEC

Deleted: –
Formatted: Centered
Deleted: future
Deleted: open air
Deleted: encampment to
Deleted: shelter the homeless.
Deleted:
Deleted: encampment
Deleted: ¶ ¶
Formatted: Indent: First line: 0"

Exhibit WWWW-2

Affordable Housing Overlay; Negative declaration for Beach and

Cameron Parcels

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

(ZTA) No. 19-006 (Beach and Edinger Corridors Specific Plan amendment) and approved the 2019 Housing Element Progress Report

Citing a conflict of interest, City Attorney Gates recused himself from participating in the item and introduced former Huntington Beach Assistant City Attorney Paul D'Allesandro to preside over the hearing due to his past experience and knowledge of the City's General Plan and Housing Element.

Deputy Director of Community Development Jennifer Villasenor presented a PowerPoint communication entitled *Housing Element Amendment & Beach and Edinger Corridors Specific Plan Amendment* with slides titled *Request, Housing Element & RHNA, Current RHNA Status, Accommodating the Lower Income RHNA Shortfall, BECSP Amendment - Affordable Housing Overlay, Affordable Housing Overlay Sites, HCD Review, Other Housing Element Program Changes & Housing Element Progress Report, Housing Element Progress Report,* and *Recommendation.*

Mayor Pro Tem Hardy confirmed with Deputy Director Villasenor that the seventh previously listed property on the Affordable Housing Overlay Sites, which is land that belongs to the State of California, was removed by the California Department of Housing and Community Development (HCD).

Councilmember Carr and Director Villasenor discussed that SB2 funding comes up annually. Director Villasenor and Director Luna-Reynosa described other possible Certified Housing Element funding sources.

Councilmember Posey confirmed with staff that the City lost access to about $625,000 in 2019 for Navigation Center funding because the City did not have a Certified Housing Element; however this year, with a Certified Housing Element, there is the opportunity to acquire approximately $480,000 for Navigation Center operational expenses.

Mayor Semeta opened the Public Hearing.

Pursuant to the Brown "Open Meetings" Act, City Clerk Estanislau announced Supplemental Communications to the City Council which were received after distribution of the Agenda Packet:

Email communication from Cesar Covarrubias, Executive Director, Kennedy Commission;

PowerPoint communication submitted by Deputy Director of Community Development, Jennifer Villasenor, entitled *Housing Element Amendment & Beach and Edinger Corridors Specific Plan Amendment;* and

Seven (7) email communications

Public Hearing Speakers — 12

Linda Rose, a Huntington Beach homeowner for 39 years and a member of Homeless United Huntington Beach, was called to speak and shared some of the services provided by the St. Peter's by the Sea Presbyterian Church volunteers who serve people in need. Ms. Rose stated that from her perspective the biggest need is for transitional housing, and therefore she and Homeless United Huntington Beach members support Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. (02:35:04)

Gigi Jackson was called to speak and stated the need to continue advocacy for the homeless in Huntington Beach, and support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Ms. Jackson further stated support for the City's efforts to have a Certified Housing Element and effort to move forward with a Navigation Center as well as planning for and building affordable housing. (02:37:48)

Karen Carroll, a 45-year resident of Huntington Beach and member of Homeless United Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Ms. Carroll stated her opinion that in spite of the many perceived differences coming from various community members and groups on homeless issues, she would suggest everyone keep their eyes on the common concerns. (02:41:09)

Jenny Braithwaite, a member of Homeless United Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Ms. Braithwaite further expressed her opinion that regardless of individual views toward the State and its regulations, current laws need to be followed. (02:44:24)

Natalie Moser, a Huntington Beach homeowner since 2001 and a member of Homeless United Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Ms. Moser described her expected potential outcomes if the item is or is not approved. (02:47:37)

Galen Pickett, a homeowner in Huntington Beach for 10 years, and member of Homeless United Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Mr. Pickett stated his opinion that this addresses homelessness, affordability, and quality of life issues. (02:50:25)

Ralph Bauer, long-time resident of Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Mr. Bauer stated three reasons for his support: 1) compliance with the law; 2) saving money and access to funds; and 3) providing a Navigation Center through which to offer needed services. (02:52:15)

Shirley Dettloff, a 55-year resident of Huntington Beach, and a member of Homeless United of Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Ms. Dettloff stated her support for a plan that is in compliance with State law, with expectations that approval will open the way to address the homelessness crisis through providing shelter and services, and her opinion that this is just one small step the City can take in the right direction. (02:53:53)

Howard Herdman, a long-time resident of Huntington Beach and member of Homeless United Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Mr. Herdman stated his opinion that approval will address the lawsuits, place the City in compliance with State law, and make it possible to acquire funding for the homelessness crisis. (02:57:06)

Michelle Kern, a homeowner in Huntington Beach and member of Homeless United of Huntington Beach, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Ms. Kern stated that as an individual who

has regular contact with the homeless, she believes this item is the right thing to do for the individuals desiring to change their circumstances, and that this item will benefit not only the homeless, but also residents and homeowners. (02:58:47)

Eva Weisz was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Ms. Weisz stated her opinion that this is the first step to address the homelessness crisis for those who will accept help to change their situation, and that more services are needed for those with mental illness. (03:01:25)

Adam Wood, a resident of Huntington Beach and Director of Government Affairs with Orange County Building Industry Associates, was called to speak and stated support for Agenda Item #20 (20-1357) regarding the Housing Element and Beach and Edinger Corridors Specific Plan amendments. Mr. Wood stated he supports many of the comments already made, and he sees this item as opening the door for the opportunity to secure funding from Sacramento. (03:02:56)

There being no more speakers, Mayor Semeta closed the Public Hearing.

Councilmember Carr stated her support for this item, and thanked staff for their diligence in reaching this point.

Mayor Pro Tem Hardy stated that she is supportive of taking care of the City's homeless population, but in her opinion this item does not necessarily provide affordable housing. Also, she would like for the City to qualify for eligible funding, however, in the end she cannot support an item that does not include discussion on individual projects and the impacts a specific project may have on its neighborhood.

Councilmember Posey described the situation of the State Legislature passing 40 bills since 2015 related to housing, Regional Housing Needs Assessment (RHNA), the threat of taking away local control, and fines associated with not meeting Housing Element requirements. He described previous Council actions to provide a Navigation Center and allow the Police Department to enforce anti-camping and curfew laws to be in compliance with the Martin vs Boise 9th Circuit Court ruling. The homeless community needs services, support and direction which take funding; and with a Navigation Center and Qualified Housing Element, SB2 and Orange County Housing Trust funding becomes accessible. Councilmember Posey shared statistics related to changes in the Beach and Edinger Corridors Specific Plan and stated that the action tonight is to zone for the deficiency of 413 units, and provide access to available funds.

Councilmember Peterson stated that in his opinion this is not a homelessness issue, there are issues in the lawsuit that the City should not walk away from, and the few low- and very-low income units are not going to alleviate the homeless situation, therefore he cannot support this item.

Councilmember Delgleize explained that from her perspective there are options available now to meet housing requirements that were not available five or six years ago, and she sees the Beach and Edinger Corridors as the appropriate place to locate needed housing units. She supports this item with the hope that more facilities will be provided in the future, including facilities and services for the homeless.

Councilmember Brenden thanked Homeless United, the Homeless Task Force, and other volunteers that are involved in the issue. He further stated that in his opinion this is an opportunity for the Council to act responsibly by supporting the Planning Commission and staff recommendation. Councilmember Brenden explained that even when he was a member of the Planning Commission, he believed that the Maximum

Allowed Net Development (MAND) should not be reduced to a level that could put the City in violation of the Housing Element, so there wouldn't be potential for de-certification or lawsuits.

Councilmember Posey briefly explained the history of changes to MAND, or total number of units allowed within the sphere of influence of the zoning overlay. Councilmember Posey stated his opinion that adding 413 units now is still approximately 35% less than what was approved by the Environmental Impact Report, or just a bit over half of what the Council approved in 2010. He further stated his opinion that approving this item will help in resolving the homelessness situation by providing access to funds for a Navigation Center, the City can still fight against the unconstitutional reach of some of the recent bills passed, and will become exempt from the penalties that come from the lack of a compliant Housing Element.

Mayor Semeta stated this item is not a vote about whether a homeless shelter will be built. Her concern is approving buy-right development, and she believes that discretionary control needs to be maintained. Mayor Semeta added that building the units in the Beach and Edinger Specific Plan created an affordability issue with rents increasing exponentially throughout the City. In addition, the legislative mandates from Sacramento trying to take local control of land use decisions is not okay, and asked why would the City just now roll over and accept it. Mayor Semeta stated she cannot support this item.

A motion was made by Brenden, second Delgleize to approve Planning Commission and Staff Recommendation for General Plan Amendment No. 19-003 and adopt Resolution No. 2020-06 (Attachment No. 1), "A Resolution of the City Council of the City of Huntington Beach Approving General Plan Amendment No. 19-003 (Housing Element Amendment)," and finding that it is covered under Negative Declaration No. 12-007, which was adopted by the City on August 27, 2013; and approve Zoning Text Amendment No. 19-006 with findings (Attachment No. 2) and adopt Resolution No. 2020-07, "A Resolution of the City Council of the City of Huntington Beach Approving an Amendment to the Beach and Edinger Corridors Specific Plan (SP 14) (Zoning Text Amendment No. 19-006)." (Attachment No. 3); and, approve the 2019 Housing Element Progress Report and forward to the California Department of Housing and Community Development and Governor's Office of Planning and Research.

The motion carried by the following vote:

AYES: Posey, Delgleize, Carr, and Brenden
NOES: Hardy, Semeta, and Peterson

ADMINISTRATIVE ITEMS

21. 20-1375 Approved Community Choice Energy (CCE) Feasibility Study Option C

City Manager Chi introduced Assistant City Manager Travis Hopkins who presented a PowerPoint communication entitled *Community Choice Energy Feasibility Study*, with slides titled *CCE Overview, CCE Background in HB, RFI Process Coordinated, Possible Ratepayer Savings, Irvine CCE JPA Option, Possible CCE Benefits, Identified CCE Risks, Next Steps,* and *Questions?*

Mayor Pro Tem Hardy and Assistant City Manager Hopkins discussed the Southern California Edison (SCE) proposed increase rate will most likely be for infrastructure replacement, and CCE customers will still also be responsible for infrastructure and SCE increased costs.

JENNIFER V.

APPROVED 4-3
(HARDY, SETTETA, PETERSON - NO)

City of Huntington Beach

File #: 20-1357 **MEETING DATE:** 2/3/2020

REQUEST FOR CITY COUNCIL ACTION

SUBMITTED TO: Honorable Mayor and City Council Members

SUBMITTED BY: Oliver Chi, City Manager

PREPARED BY: Ursula Luna-Reynosa, Director of Community Development

Subject:

Adopt Resolution Nos. 2020-06 and 2020-07 approving General Plan Amendment (GPA) No. 19-003 (Housing Element amendment) and Zoning Text Amendment (ZTA) No. 19-006 (Beach and Edinger Corridors Specific Plan amendment) and approve the 2019 Housing Element Progress Report

Statement of Issue:

Transmitted for your consideration is General Plan Amendment No. 19-003, which amends the 2013-2021 General Plan Housing Element in order to obtain certification from the California Department of Housing and Community Development (HCD) and become eligible to receive state SB 2 funding for homelessness response programs and Zoning Text Amendment No. 19-006, an amendment to the Beach and Edinger Corridors Specific Plan (BECSP) establishing an Affordable Housing Overlay in accordance with program actions proposed in the Housing Element amendment. On January 14, 2020, the Planning Commission held a public hearing on the amendments and recommended approval to the City Council. This request also includes consideration of the Housing Element Progress Report for the 2019 calendar year, which is also an eligibility requirement for SB 2 funding.

Financial Impact:

If the request is approved, the City would become eligible for SB 2 funding to use toward the City's efforts to address homelessness in addition to other state funding programs that require a certified Housing Element as eligibility or scoring criteria. The City has previously been awarded funding for park projects based on this criteria.

Recommended Action:

PLANNING COMMISSION AND STAFF RECOMMENDATION:

A) Approve General Plan Amendment No. 19-003 and adopt Resolution No. 2020-06 (Attachment No. 1), "A Resolution of the City Council of the City of Huntington Beach Approving General Plan Amendment No. 19-003 (Housing Element Amendment)," and finding that it is covered under Negative Declaration No. 12-007, which was adopted by the City on August 27, 2013; and

B) Approve Zoning Text Amendment No. 19-006 with findings (Attachment No. 2) and adopt Resolution No. 2020-07, "A Resolution of the City Council of the City of Huntington Beach Approving an Amendment to the Beach and Edinger Corridors Specific Plan (SP 14) (Zoning Text Amendment No. 19-006)." (Attachment No. 3); and,

C) Approve the 2019 Housing Element Progress Report and forward to the California Department of Housing and Community Development and Governor's Office of Planning and Research.

Alternative Action(s):

A) Deny General Plan Amendment No. 19-003 and Zoning Text Amendment No. 19-006.

B) Continue General Plan Amendment No. 19-003 and Zoning Text Amendment No. 19-006.

Analysis:

A. PROJECT PROPOSAL:

General Plan Amendment (GPA No. 19-003) is a request to amend the City Council adopted 2013-2021 General Plan Housing Element and pursue certification from the California Department of Housing and Community Development (HCD) in order to be eligible to receive state funding for homelessness response programs. The Housing Element is one of the seven State-mandated elements of the City's General Plan and was last updated in 2013 for the 2013-2021 planning period pursuant to California Government Code Section 65588. The housing element must identify how the City will meet its share of the regional housing need for all economic segments of the community, commonly referred to as RHNA. The Housing Element Amendment includes an Adequate Sites Program and identifies program actions to ensure that the City will continue to meet its lower income RHNA targets for the remainder of the planning period.

Zoning Text Amendment (ZTA No. 19-006) is a request to amend the Beach and Edinger Corridors Specific Plan (BECSP) to establish an Affordable Housing Overlay in accordance with the program actions proposed in the Housing Element amendment. No development or construction is proposed in conjunction with the BECSP amendment.

ZTA No. 19-006 is proposed for consideration concurrently with the Housing Element amendment as a requirement of certification from HCD. Essentially, HCD is requiring program implementation (i.e. - the BECSP amendment) concurrently with the Housing Element amendment due to the compressed timeline of the remainder of the planning period.

Housing Element Progress Report represents a state-mandated report on the progress of the Housing Element. Section 65400 of the California Government Code establishes a requirement for each jurisdiction to prepare an annual report on the status of the housing element and the progress in its implementation and submit to the Department of Housing and Community Development (HCD) and the Governor's Office of Planning and Research (OPR). Until January 1, 2018, charter cities were exempt from preparing and submitting an annual progress report, although the City would submit the report in order to be eligible for state funding programs such as housing related park funds. Staff has prepared the report utilizing the forms adopted by HCD

in accordance with the California Code of Regulations. A copy of the report is provided as Attachment No. 7.

B. BACKGROUND:

The General Plan Housing Element was certified by HCD upon adoption by the City Council in October 2013. In May 2015, the City Council adopted an amendment to the BECSP, which, among other items, lowered the residential development cap from 4,500 units to 2,100 units and placed a conditional use permit (CUP) requirement on all residential development within the specific plan area. Prior to the BECSP amendment, sites within the BECSP provided for the majority of the City's 533 unit lower income RHNA target. When the BECSP amendment became effective, the City no longer had enough sites to meet its lower income RHNA target. Consequently, HCD rescinded the City's Housing Element certification. The Housing Element has been decertified since that time.

In 2017, SB 2, called the Building Homes and Jobs Act, was signed into law and established funding sources that may be used toward programs to address homelessness. The City Council has expressed interest in obtaining state SB2 funds for the purpose of using the money toward the City's homelessness response programs. One of the eligibility criteria for SB2 funds is to have a state Department of Housing and Community Development (HCD) certified Housing Element. The application period for the next round of SB2 funding is anticipated to begin in April 2020. On November 4, 2019, the City Council directed staff to prepare amendments to the Housing Element and BECSP and pursue HCD certification to become eligible for SB2 funding.

As a result of the City Council direction, staff prepared an amendment to the Housing Element based on early informal consultation with HCD and formally submitted a draft Housing Element to HCD for a 60-day review on November 14, 2019. On January 10, 2020, HCD provided a written response determining that the draft Housing Element amendment meets all statutory requirements, and if adopted in conjunction with the proposed BECSP amendment, would be certified by HCD. A copy of the HCD letter is provided as Attachment No. 4.

A 30-day public review and comment period on the draft Housing Element amendment was also held from November 14, 2019 through December 13, 2019 in addition to a stakeholder meeting on December 5, 2019 and a Planning Commission study session on December 10, 2019. A copy of all comments received during the public review period is provided in Attachment No. 10.

C. PLANNING COMMISSION MEETING AND RECOMMENDATION:

On January 14, 2020, the Planning Commission held a public hearing on GPA No. 19-003 and ZTA No. 19-006. There were six speakers at the public hearing. All of the speakers represented the organization Homeless United and spoke in support of the proposed amendments. After some questions and discussion the Planning Commission took action to approve GPA No. 19-003 and ZTA No. 19-006 (Attachment No. 8).

Planning Commission Action on January 14, 2020:

The motion was made by Scandura, seconded by Mandic, to recommend to the City Council approval of GPA No. 19-003 and ZTA No. 19-006 with a modification to remove the state-owned site (Site #7) based on HCD's review carried by the following vote:

AYES:	Scandura, Mandic, Grant, Kalmick, Perkins, Ray
NOES	Garcia
ABSTAIN:	None
ABSENT:	None

It should be noted that the Planning Commission is not required to review the Housing Element Progress Report.

D. STAFF ANALYSIS:

Below is a summary of the statutory requirements and amendments to the Housing Element and Beach and Edinger Corridors Specific Plan (BECSP). For a more detailed description and comprehensive analysis of the proposed amendments covering housing element law, the proposed changes to the Housing Element and the BECSP, and General Plan consistency refer to the January 14, 2020, Planning Commission public hearing staff report in Attachment No. 9.

Housing Element Amendment

The City currently has a shortfall of sites to accommodate the remaining lower income regional housing needs allocation (RHNA) target of 413 units. According to state housing element law, when a local government's site capacity does not demonstrate that the supply of suitable, available, and appropriately zoned sites are sufficient to accommodate the RHNA by income level, the Housing Element must include a program that provides sufficient sites within the planning period. More specifically, an "adequate sites" program must commit a jurisdiction to the following:

- Rezoning sites to accommodate 100 percent of the lower income RHNA shortfall during the planning period;
- The zoning ordinance must allow owner-occupied and rental residential uses "by right" on the rezoned sites (a Conditional Use Permit (CUP) cannot be required);
- Sites must be large enough to accommodate a minimum of 16 units;
- The density must allow a minimum of 30 units per acre; and
- At least 50 percent of the rezoned sites must allow for exclusively residential uses.

In order to address the City's lower income unit RHNA shortfall, an adequate sites program is proposed in the Housing Element amendment within the parameters of state law consisting of the following:

- Establish an "Affordable Housing Overlay" within the BECSP to be applied to the six sites with sufficient capacity to accommodate the RHNA shortfall.
- Allow for residential development within the Overlay to accommodate the remaining lower income RHNA shortfall throughout the entire planning period.
- Replace the Conditional Use Permit (CUP) requirement with a "by-right" administrative Site Plan Review process on sites designated with the Overlay that propose at least 20% lower income units (encompassing extremely low, very low, and low income units) on site (no in lieu fees allowed).
- Replace the amended BECSP parking requirement with requirements in line with the citywide

multi-family parking standard for sites within the Overlay.

- Provide for exclusively residential uses on sites in the Overlay (no commercial component required).

BECSP Amendment - Affordable Housing Overlay

ZTA No. 19-006 would amend Book II - Development Code of the BECSP to establish an Affordable Housing Overlay and provide for the development of the City's remaining lower income RHNA target. No development project is proposed in conjunction with the BECSP amendment.

ZTA No. 19-006 would keep most of the 2015 BECSP amendments in effect such as amendments to provide more flexibility for auto dealers and commercial uses, increased setbacks along the street, and requirements for upper-story setbacks for residential development projects. Within the proposed Affordable Housing Overlay, which represents approximately nine of the 459 BECSP acres, residential development would not be subject to the existing 2,100 unit development cap until all of the remaining lower income RHNA units have been developed. In addition, for projects proposing a minimum of 20% low income units on site, no CUP shall be required and the development would be subject to the Huntington Beach Zoning and Subdivision Ordinance (HBZSO) multi-family residential parking requirements rather than the coastal zone parking requirements that are currently in place. Additionally, no commercial square footage would be required in conjunction with residential units within the proposed Affordable Housing Overlay. A legislative draft of the proposed Affordable Housing Overlay provisions is provided in Attachment No. 6.

Addressing housing element requirements through the proposed BECSP amendment would ensure that the remaining lower income RHNA can be accommodated in areas already designated and zoned for residential uses at the minimum "default" density consistent with the existing General Plan Land Use Map. As such, no changes to the existing land use designations or allowed densities of property within the City are necessary to accommodate the remaining lower income RHNA and obtain HCD certification.

E SUMMARY:

The proposed Housing Element amendment meets the requirements of Housing Element law as determined by HCD. If the City does not adopt the proposed Housing Element and BECSP amendments, the City would remain out of compliance with HCD.

Staff and the Planning Commission recommend approval of GPA No. 19-003 (Housing Element amendment), ZTA No. 19-006 (BECSP amendment), and the Housing Element Progress Report for the following reasons.

- GPA No. 19-003 is consistent with State Housing Element law.
- GPA No. 19-003 and ZTA No. 19-006 are consistent with City Council direction to pursue HCD certification and obtain eligibility for state SB 2 funding to support the City's homelessness response efforts;
- GPA No. 19-003 and ZTA No. 19-006 would ensure that the City will continue to meet its RHNA targets for the remainder of the planning period.
- GPA No. 19-003 would ensure that the Housing Element will continue to be internally consistent with other elements of the General Plan;

- ZTA No. 19-006 will implement the Housing Element Adequate Sites Program and is consistent with the goals and policies of the Housing Element; and
- The Housing Element Progress Report has been prepared in accordance with state law and will enable the City to be eligible for state SB 2 funding.

Environmental Status:

General Plan Amendment No. 19-003 (Housing Element amendment) is covered under Negative Declaration No. 12-007, which was adopted by the City on August 27, 2013, and is on file at the Community Development Department. Zoning Text Amendment No. 19-006 (BECSP Amendment) is within the scope of the BECSP Program Environmental Impact Report (EIR No. 08-008) certified by the Planning Commission on December 8, 2009. In accordance with CEQA Guidelines Sections 15162 and 15163, no subsequent EIR or supplement to the EIR need be prepared for this zoning text amendment and no further environmental review or documentation is required. The Housing Element Progress Report is exempt under Section 15061(b)(3) of the CEQA guidelines, which exempts activities where it can be seen with certainty that there is no possibility that the activity may have a significant effect on the environment.

Strategic Plan Goal:

Strengthen long-term financial and economic sustainability

Attachment(s):

1. City Council Resolution No. 2020-06 - General Plan Amendment No. 19-003 (Housing Element Amendment)
2. Suggested Findings for Approval - Zoning Text Amendment No. 19-006 (BECSP Amendment)
3. City Council Resolution No. 2020-07 - Zoning Text Amendment No. 19-006 (BECSP Amendment)
4. HCD Compliance Letter, dated January 10, 2020
5. Draft Housing Element Amendment - Legislative Draft
6. Draft Beach and Edinger Corridors Specific Plan Amendment - Legislative Draft
7. 2019 Housing Element Progress Report
8. Planning Commission Notice of Action, dated January 15, 2020
9. Planning Commission Public Hearing staff report
10. Public comments received on the draft Housing Element Amendment
11. November 4, 2019 City Council meeting minutes excerpt

In March 2010, the Huntington Beach City Council adopted *the Beach and Edinger Corridors Specific Plan* (BECSP), providing for up to 4,500 new housing units along two of the City's major commercial corridors. In addition to the 1,900 apartment units already constructed within the BECSP, the City's adopted 2014-2021 Housing Element identified seven vacant sites and five underutilized sites in the sites inventory as suitable for development within the planning period. As described in further detail under the Governmental Constraints chapter of this amendment to the Housing Element, in May 2015, the Huntington Beach City Council adopted amendments to the BECSP to reduce the Maximum Amount of New Development (MAND) permitted from 4,500 to 2,100 units, along with a conditional use permit requirement and other changes to development standards. With 1,900 units within six projects already developed, just 200 additional units can be accommodated within the new 2,100 unit MAND, a level insufficient to address the City's RHNA shortfall of 413 very low and low income units.

To address this shortfall, the City has identified several existing vacant and underutilized BECSP Housing Element sites plus two additional underutilized sites within the BECSP for designation within an "Affordable Housing Overlay". While the BECSP identifies many parcels throughout the specific plan area with potential to redevelop in the near term as well as over a longer period with capacity to accommodate several thousand units, these sites were selected because they have the greatest potential for moving forward with a development proposal within the current planning period. Although some of the sites are developed or have existing uses on them, it should be noted that every BECSP property that has been developed had existing buildings on it, and almost every BECSP property had existing occupied uses, and in some cases, multiple existing uses at the time development was proposed and approved. As indicated in Table IV-5, in aggregate, these six sites encompass a total 10.85 acres, providing potential development of 502 multi-family units at densities in excess of the minimum default density threshold of 30 units/acre for lower income site suitability. Additionally, as development within the Overlay occurs, if the remaining capacity of the sites cannot accommodate the remaining lower income RHNA, there is sufficient capacity within the BECSP, as noted above, to add sites to the Overlay and ensure the remaining lower income RHNA can be accommodated throughout the planning period. The following narrative describes the realistic development potential on each of these six sites.

Table IV-5: Potential Sites for Re-designation to Accommodate RHNA Shortfall

Map #	Location	Current Zoning	Proposed Zoning	Existing H.E. Site	Assumed Density	Site Acreage	Realistic Unit Potential
1	17631 Cameron/17642 Beach	SP14	SP14 — Affordable Housing Overlay	Underutilized Site D / Vacant Site 70	50 du/ac	1.58 (two 0.79-acre parcels held in common ownership)	79
2	18431 Beach	SP 14	SP14 — Affordable Housing Overlay	Vacant Site 66	55 du/ac	0.78	43
3 / 4	18700 Delaware/18811 Florida	SP14	SP14 — Affordable Housing Overlay	Underutilized Sites A & B/Vacant Sites 67 a/b	67 du/ac	4.0 (four parcels in common ownership)	271

5	19432 Beach	SP14	SP14-Affordable Housing Overlay	Vacant Site 65	40 du/ac	1.0	40
6	19471 Beach/19431 Beach	SP14	SP14-Affordable Housing Overlay	Underutilized Site E (combined with non HE site)	50 du/ac	1.39 (two parcels)	69
Total Site Capacity						**8.75**	**502**

Site 1: This site includes two properties already identified (and previously certified by HCD for the current planning period) in the Housing Element as Vacant Site 70 and Underutilized Site D. The site is located on Beach Boulevard within the BECSP – Neighborhood Boulevard segment, which envisions neighborhood-serving commercial, office and infill residential uses. This rectangular site has access from Beach Boulevard and Cameron Lane, and because it is a through lot, less land is taken up by fire lanes, enabling a developer to maximize densities. The site is under common ownership with underutilized site D, and the combined approximately 1.6 acre site is identified as an opportunity site in the BECSP. Existing office uses are developed north and south of the parcels and the existing underutilized RMH zoned site is located directly across Beach Boulevard. The existing single-family residence on Underutilized site D has no existing curb, gutter or sidewalk, no on-site parking for the unit, has had prior code enforcement issues, and is a nonconforming use. The realistic capacity is based on 4-story development and a comparison of the density yield for similar projects built within the BECSP.

Site 2: This site includes Vacant Site 66 identified (and previously certified by HCD for the current planning period) in the Housing Element. The Housing Element previously identified a realistic capacity on this site of 20 units. However, the City recently approved an acquisition loan agreement with an affordable housing developer who is in the process of purchasing the site for the development of a 43-unit 100 percent affordable (extremely low and low) senior project. The acquisition loan agreement provides approximately $3 million for the project primarily from City inclusionary housing funds. Therefore, the realistic capacity reflects the current project proposal.

Sites 3 and 4: These sites are identified (and previously certified by HCD for the current planning period) as Underutilized Sites A & B and Vacant Sites 67 a & b in the Housing Element. Realistic capacity for both sites is based on recent discussions with the property owner and various preliminary site plan configurations with 4-story buildings. The collective area of the sites is four acres. There are no structures currently developed on the site. A portion of the site is currently used as a parking lot for adjacent properties, while a portion of the site is vacant and unencumbered. The property owner is actively engaging with adjacent property owners to find alternative parking solutions for their uses. In fact, one of adjacent properties received approvals in 2018 to expand their current parking lot to accommodate their entire parking demand on site. In addition, the City is currently reviewing plans for development of a parking structure to accommodate parking for the remaining uses that currently utilize the site for parking. The property owner has indicated that he has begun preliminary site investigations such as geotechnical work and soil sampling in anticipation of developing the site. The City expects that a potential development project would be submitted in the first half of 2020.

Site 5: This site is identified (and previously certified by HCD in the current planning period) as Vacant Site 65 in the Housing Element. It is located on Beach Boulevard within the BECSP – Neighborhood Parkway segment. This BECSP subarea envisions primarily residential and neighborhood serving commercial uses. The City has had several inquiries for development of the site either by itself or in conjunction with adjacent properties and most recently reviewed a proposal for a 50-unit project on the site. The realistic capacity has been adjusted to reflect conversations within the last year with potential applicants as well as accounting for fire access constraints identified on the previous 50-unit proposal. In addition, the City has had discussions with affordable housing providers for a 100 percent lower income project on this site, although no project has been submitted.

Site 6: A portion of this site is identified (and previously certified by HCD in the current planning period) in the Housing Element as Underutilized Site E. The parcel is developed with a vacant office building and is currently for sale. The property has a 20-year history of code enforcement cases, has not been legally occupied since 1997, and is nonconforming. The adjacent parcel to the north is currently developed with a mattress store. The northern parcel has been added based on discussions within the last year with potential applicants, including one that previously controlled the site. The realistic capacity is based on development of the site with a 4-story building and previous discussions with potential developers of the site.

In order to address the 413 unit RHNA shortfall, the City will undertake an adequate sites program within the parameters of AB 2348 consisting of the following:

- Amend the BECSP to establish an "Affordable Housing Overlay" within the BECSP to be applied to the sites identified in Table IV-5 to accommodate the RHNA shortfall.
- Allow for residential development capacity within the Affordable Housing Overlay to accommodate the entire 413 unit lower income RHNA shortfall throughout the planning period.
- Replace the Conditional Use Permit (CUP) requirement with a "by-right" administrative Site Plan Review process (i.e. – no discretionary Planning Commission or City Council review) on sites designated with the Overlay that propose at least 20% lower income units (encompassing extremely low, very low, and low income units) on site (no in lieu fees allowed).
- Replace the amended BECSP parking requirement with requirements in line with the Citywide multi-family parking standard for sites within the Overlay.
- Provide for exclusively residential uses on sites in the Overlay.

Housing Element Program #8 - *Adequate Sites*, details the program and time frame for implementation. A map depicting the general location of potential sites for the Affordable Housing Overlay is provided in Appendix A, with aerial photographs of each site.

4. Pending Projects on Developed Sites

As described in the previous section, the City has six projects currently going through the entitlement process (April 2013). Two of these projects are on vacant sites and are already reflected in the vacant sites inventory, with four of these projects on sites with an existing commercial or residential structure, though not considered underutilized by the City's criteria and thus not included in Table IV-5. Given that the zoning is in place for these pending residential projects, the sites on which they are located are included within the Housing Element sites inventory, contributing 531 additional units (see Table IV-3). However, instead of basing the presumed affordability mix on the default density, unit capacity and affordability is based on each project's development application.

5. Availability of Infrastructure and Public Services

As a completely urbanized community, the City of Huntington Beach has already in place all of the necessary infrastructure to support future development. All land designated for residential use is served by sewer and water lines, streets, storm drains, and telephone, electrical, and gas lines. However, as an older community, much of the City's infrastructure is aging and will require improvements or replacement over time. The timing and funding of improvements need to be closely correlated with development phasing. The City has adopted an Integrated Infrastructure Master Plan that identifies needed improvement(s) and associated costs.

The City's 1996 General Plan identifies adequate transportation infrastructure, utility infrastructure and public service capacity to serve 18,500 additional residential units beyond what existed in 1990. Even with the 5,500 new units developed in Huntington Beach since 1990, the City has more than adequate infrastructure capacity to accommodate the City's residential growth needs (RHNA) for the 2013-2021 Housing Element cycle, which anticipates only 1,350 units. New development will tie into existing water and sewer mains, and in some instances mains may need to be upgraded to accommodate new demands generated by development. No specific parcels during the 2013-2021 planning horizon are constrained by infrastructure availability.

Exhibit WWWW-3

T0605901823.FA0023960 Bulkfile

(City of Huntington Beach Water Operations facility at 19001 Huntington Street, Regulatory Failures and Non-Compliance.)

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

COUNTY OF ORANGE
ENVIRONMENTAL HEALTH DIVISION
WASTE MANAGEMENT SECTION

ACTIVITIES REPORT

Company Name: Water Operations

Address: 19001 Huntington Street.

City: Huntington Beach State: 92648 Zip: _____

Contact Person(s): Mr. Fan Winslow Phone: 536-5242

Date	Staff	Activities/Comments
9-3-97	SP	Received a phone call from Fan Winslow. I informed him that the tank at his location must undergo legal closure. I asked him to contact Jim Sankey regarding tank info. Also I requested that Jim Sankey/Don Noble send me a letter informing me of the progress of the site. I mentioned that we should keep me updated on the site progress.
9-11-97	SP	Received status letter from HB

COMPUTER NUMBER: _____

Page ____ of _____

HEALTH INSPECTION REPORT (continued)
ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION
Office: 2009 E. Edinger, Santa Ana, CA 92705
(714) 667-3700

DBA _____ ADDRESS _____ CITY _____

ITEM NO.	
	Water ops - Received sample Plan - - proposed approved Civic center - in process of installg TEM - completion date on or Around 12/1/97
6/3/96	Faxed Ron Noble information regarding this location and other City of Huntington Beach locations. I informed Mr. Noble of each locations deficiencies, mainly the Financial responsibility. Mr. Noble did not know what Financial responsibility was. I explained to him what it was and that it is required for all of the City of Huntington Beach owned tanks. Mr. Noble asked me to make a copy of my most recent copy of the City of Huntington Beach's financial responsibility and fax it to him.
8-29-97	Contacted Ron Winslow. Left a message.
9-2-97	Contacted Ron Winslow. Left a message
9-3-97	Spoke with Ron Winslow about Water Operations. He stated that HB plans to remove the inoperable tank and replace it with a new tank.
9-3-97	Contacted Mr. Sankey and asked him to send me a letter with information about the proposed removal/ installation.
9-11-97	Received status letter from HB.

SPECIALIST _____ RECEIVED BY _____ DATE _____

COUNTY OF ORANGE
ENVIRONMENTAL HEALTH DIVISION
WASTE MANAGEMENT AGENCY

ACTIVITIES REPORT

Company Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Contact Person(s): _____ Phone: _____

_____ _____

_____ _____

Date	Staff	Activities/Comments
1-30-96	M. spoke w/ tom Hanson who ~~said~~ asked if they fill the tanks,	
can they ~~[illegible]~~ Continue as normal. & said that they		
must submit plans for	Repair or Closure within 30 days of	
pump at	filing the notice	could not release the city from
the requirements		
2-8-96- spoke w/ Steve Cuenters - Irvine - Fire Dept who		
contacted for guidance regarding the tank Closure. He said		
the City	wishes to address this tank during the City wide	
program	to deal w/ all the S.w. tanks - I requested	
to proceed for the City to review in consideration		
5/28/96 AM	- conducted a type I inspection facility is operating	
without a permit. Need financial responsability		
~~Annual inventory reconciliation~~. dispenser calibration		
Tank and pipeline integrity test and still need to		
submit closure or upgrade plans for tank.		
8-4-97 JG	wrote an NOV for	not monitoring tanks properly.
8-21-97 JG	sent NOV. Kenneth Bailey signed the NOV. I attached documents	
	for legal closure	- Abandonment and Removal, FMA, fees.

COUNTY OF ORANGE
ENVIRONMENTAL HEALTH DIVISION
WASTE MANAGEMENT SECTION

ACTIVITIES REPORT

Company Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Contact Person(s): _____ Phone: _____

Date	Staff	Activities/Comments
		To determine Vertical and Lateral extent. I told Don and Company that any "remedial" activities must be directed Toward Peter Pearson. I requested closure plans. Mr Noble wanted to schedule another Conference call for 1-17-900 Am.
1-12-95	MJ	Conference Call w/ Dnoble, J Gentry, "Debbie w/HB, Dale w/ Recon, Peter Pearson and P. Johnson. Mr. Pearson discussed requirements of remedial actions define vert + Horiz extent and requirements of approval. P Johnson then sent Lead. Phoned D noble after phone call and requested Tank info - status on Product levels, monitoring and measures to ensure pumping is not performed
12-9-95	MJ	Phoned D noble Regarding Tank status - left msg
1-9-96	RJ	Received the Annual Inventory Report. Report stated Tank had been pumped dry to prevent stagnation Called Don noble, left Msg. - Section 2670 (e) may apply
1-11-96	RJ	Received a call from Jim Gentili city of H.B. who advised the Tank had been pumped dry - I requested a pump out receipt. I referred him to T.Title 23 for guidance.

COUNTY OF ORANGE
ENVIRONMENTAL HEALTH DIVISION
WASTE MANAGEMENT SECTION

ACTIVITIES REPORT

Company Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Contact Person(s): _____ Phone: _____

Date	Staff	Activities/Comments
10.6.94	PJ	Meeting with Don Noble at the Corporate yard. Items discussed 1. Sampling plans in response to Re release, 2. UST upgrade requirements and monitoring procedure 3. Piping upgrade vs full system replacement 4. Vaulted systems 5. HB will develop a sampling plan for the County prior to upgrade.
1-9-95	PJ	Received completed phase II site investigation from Recon environmental Corp. Site sampled on 12.5/12.8 1994. Analytical indicated High levels of TRPH and BTEX were encountered down to a depth of 15' BGS. Copies of the analytical results, Site map cover page made for the file. Full report from Recon forwarded to ground water for review/action. Report written to Don Noble requesting closure or/ upgrade.
1-12-95	PJ	Received call from Noble, returned msg. not available.
1-13-95	PJ	Received a speaker phone call from Don Noble — Present during the conversation was Jim Sankey and in conference was Steve Wanner of Recon. Mr Noble said he would like to go with the recomendations of Recon and, perform further sampling

COUNTY OF ORANGE
ENVIRONMENTAL HEALTH DIVISION
WASTE MANAGEMENT SECTION

ACTIVITIES REPORT

Company Name: Water Operations

Address: 19001 Huntington Street

City: Huntington Beach State: CA Zip: 92648

Contact Person(s): Don Noble Maint. Operations Mgr Phone: 714 375-5024

Tom Herman Equip Support Coordinator

Date	Staff	Activities/Comments
9.22.94	PJ	on-site to advise H.B. City on sampling and to land assistance is performing sampling. Tom Herman advised me that the Contractor repaired the "ball valves" and repressurized the lines. the contractor located another leak on the fiberglass pipe approximately 1 foot from the termination to the dispenser. the pipe appeared laminated and "brown" at the leak location. soils surrounding pipe appeared dark, backfill (Pea gravel) and pipe seperation (placement) appeared standard. NO sampling was performed. the City (Tom Herman) was advised to submit either a repair or Closure plan and to contract an environmental firm to conduct sampling within 30 days. Tom was advised that no further repair work was to take place without an repair plan and, the excavation should be protected from potential flooding due to rainwater or other. - see report signed by tom Herman on 9.22.94.
	Approved	
9.27.94	PJ	Received URR

COMPUTER NUMBER: _____

94TI91 9-22-94

Page ____ of ____

HEALTH INSPECTION REPORT ~~(CONFIRMED)~~
ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION
Office: 2009 E. Edinger, Santa Ana, CA 92705
(714) 667-3700

DBA Water Operations ADDRESS 6001 Huntington Ave CITY H.B

ITEM NO.

Failed Product Pipeline Test - Confirmed leak on Fiberglass pipe 9-22-94 (visual).

1. Submit Repair plans or closure plans to this Agency prior to any further product pipe Repair/modifications. If Production Line is to be repaired - full upgrade will be required for piping to include Double wall pipes, containment sump under dispenser, Tank sumps and continuous monitoring equipment
2. Subsurface soils will have to be sampled with either closure or modification. Contract an Environmental Consultant to set up a sampling date. Due to the nature of the site, sampling must be scheduled within 30 days. Contact O.C. Health 48 hours prior to sampling 714.667.3709
3. Secure site so that potential Rainwaters will not soak into the excavation.

Contact O.C. Health immediately if there are any questions 714.667.3709.

SPECIALIST R. Johnson REHS RECEIVED BY Tom Herman DATE 9-22-94

COMPUTER NUMBER: 5963

94TI91

Page ___ of ___

HEALTH INSPECTION REPORT (continued)
ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION
Office: 2009 E. Edinger, Santa Ana, CA 92705
(714) 667-3700

9/21/94

DBA Water Operations ADDRESS 9001 Huntington Street CITY Huntington Beach

ITEM NO.

Met G.V. Maintenance on site to investigate Suspect Line leak as reported by TRIANGLE ENVIRONMENTAL. Concrete was broken out around the turbine of the U.L. Tank - Soils appeared unaffected by the Tank/pipeline. Concrete was broken out on the west side of the Unleaded dispenser. The soils appeared Grey/black. Petroleum like odor was present, Combustech Readings of 350-500 ppm at the spoils pile. Contractor spilled approximately 2 gallons of Gasoline onto the Concrete Apron and into dispenser excavation while "Clearing the Line of fuel". Nitrogen was used to pressure the line at 75 psi (Contractor Advised 150% of operating pressure). All exposed piping soaped, leak found at the "bell reducer" under the dispenser. Contractor Also indicated that the functional Element, Check Valve and sched Valve require replacement. the Contractor indicated the repairs would NOT involve the Fiberglass portion of the pipeline. Contractor informed TO have the Line precision tested using A State certified Method after the repairs. Sample(s) will be taken under the dispenser.

SPECIALIST _____ RECEIVED BY _____ DATE _____

ORANGE COUNTY HE...H CARE AGENCY/ENVIRONMENTAL HE H DIVISION
PRELIMINARY INVESTIGATION REQUEST

Account No. 5963 Active: YES NO IR#/TI#/IW# 94TI91
File No. 006779 Received By: Johnson
Date Received: 9.16.94

Requested By: HCA - Environmental Health
Name Street Address

2009 E. Edinger 92705 667-3700
City Zip Phone Number

Regarding: Water Operations
Company Name/Location

19001 Huntington ST H.B. 92648
Street Address City Zip Phone Number

Nearest Cross Streets: Garfield
Map Coordinates

Nature of Complaint/Request: [20] Confirmed leak of product from failed line test

Date	Staff	Activities/Comments
9/16/94	SJ	Received Test indicating Failed pipeline test
9-19-94	SJ	Report written ~~[illegible]~~ to Noble outlining requirements
9-21-94	SJ	On-site to observe contractor and advise the City on procedure once the leak had been found. Contractor (GW Maintenance) Pressurized line to 75psi, a leak was found at the "Bell reducer". Contractor informed that repair may be done without a plan but supply would have to be performed. Supply set up for 9-27-94.

-Use Form #33 - Activities Report If Needed- Prop 65 completed

CITY OF HUNTINGTON BEACH

2000 Main Street P.O.Box 190 California 92648

Les M. Jones II
Director

Public Works Department
(714) 536-5431

September 9, 1997

Ms. Jane Dong
O.C. Health Care Agency
Division of Environmental Health
2009 East Edinger Avenue
Santa Ana, CA 92705

Re: Closure of Underground Storage Tank located at
19001 Huntington Street, Huntington Beach, CA 92648
O.C.H.C.A. Case No. 94TI91

Dear Ms. Dong:

In response to your letter of August 19, 1997, please be advised that the UST in question is in the process of removal. It is the intention of the City to reconstruct the entire facility by removing and replacing the existing tanks with new double wall underground tanks and piping systems. We will also be increasing the capacity of the replacement tanks from 6,000 to 12,000 gallons.

As you are aware, Mr. Ron Winslow of our Water Division has been appointed the project coordinator. It will be his responsibility to process the paperwork necessary for the renovation of the facility. Should you have any questions on the status of the project, he can be reached at (714) 526-5242. Thank you for your assistance in this effort.

Sincerely,

James L. Sankey

James L. Sankey
Senior Analyst

cc: Don Noble
Ron Winslow

OCHCALT.DOC

RECEIVED
SEP 11 1997
HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH

CITY OF HUNTINGTON BEACH
2000 Main Street P.O.Box 190 California 92648

Les M. Jones II
Director

Public Works Department
(714) 536-5431

March 28, 1997

Mr. Jack Miller, Director
Environmental Health Division
OC Health Care Agency
2009 E. Edinger Avenue
Santa Ana, CA 92705

RE: **City UST Renovation Program**

Dear Sir,

In an effort to comply with the December 22, 1998, deadline for the renovation of underground storage tanks, the City of Huntington Beach hired an outside consultant to review of our system and identify what changes, if any, are needed to comply with the regulations.

Based on the outcome of the study, completed by Tait and Associates, it is apparent that an expenditure of at least $1,530,000 is needed to meet all reconstruction requirements and deadlines. However, because the City continues to face revenue shortfalls, it is unlikely that an appropriation of that amount can be made in time to complete all necessary work.

In view of this probability, a City Task Force developed a seven-year Master Plan to achieve the goal of system renovation. However, staff is reluctant to recommend to our City Council that this plan be approved until the Orange County Health Care Agency has reviewed and responded to the attached master plan.

We have drafted a financially feasible plan, but the utility of the proposal is dependent upon an affirmative answer to one vital question: Will regulators allow a program started prior to December 22, 1998, to remain in place and functioning after that date? This is the one issue which must be resolved before we propose the plan to our City Council.

Perhaps you can assist us in resolving this matter by reviewing our proposal and advising us of your thoughts. We would appreciate a letter of response by mid-April. Should you have any questions or concerns regarding this matter, please contact Mr. James Sankey, the Task Force Chairman, at (714) 536-5522.

Sincerely,

Daryl D. Smith acting Director

for Les M. Jones, Director of Public Works

Attachment

cc: Michael P. Dolder, Fire Chief, City of Huntington Beach
Ronald E. Lowenberg, Police Chief, City of Huntington Beach
Ronald T. Hagan, Director of Community Services, City of Huntington Beach
Daryl Smith, Superintendent of Parks, Trees and Landscaping, City of Huntington Beach
Donald R. Noble, Maintenance Operations Manager, City of Huntington Beach
Jeffery R. Renna, Water Operations Manager, City of Huntington Beach
City of Huntington Beach UST Task Force Members

SEVEN YEAR MASTER PLAN
TO RECONSTRUCT THE UNDERGROUND STORAGE TANK SYSTEM
FOR THE CITY OF HUNTINGTON BEACH

Prepared: March 24, 1997

Background: The City of Huntington Beach is a 28 square mile community with a population of 190,000 located in western Orange County, California. Currently the City facilities are serviced by thirty (30) underground storage tanks (UST's) located at eleven (11) sites throughout the City (map attached). Only two (2) of those tanks comply with 1998 EPA regulations.

In an effort to comply with 1998 specifications, the City formed a UST Task Force and employed a consultant (Tait & Associates of Orange, California) to complete a UST Compliance Study in 1996. This study, which proposed a reconstruction of the system, was received and a review completed in early 1997.

However, because of the high cost of system reconstruction (some $1,530,000) and financial constraints facing the City, the Task Force sought the guidance of a "UST Compliance Team" composed of the City's Directors of Public Works andCommunity Services, and the Chiefs of Fire and Police.

The Seven Year Master Plan: The Compliance Team requested that the staff Task Force formulate a seven year "master plan" for system reconstruction that could be reviewed by higher regulatory authorities prior to being presented to the Huntington Beach City Council for approval. The plan is as follows:

Year	Facility	Tanks	Types (Gallon Capacity)	$/Cost
1997	Water Yard	2	Unleaded (10,000), diesel (10,000)	200,000.00
	Murdy Fire Station	1	Remove diesel tank, (1,500)	20,000.00
1998	City Corporation Yard	9	Two unleaded (12,000 and 10,000), diesel (10,000), waste oil (2,000), two motor oil (1,000 and 280), tractor fluid (550), transmission fluid (550), hydraulic fluid (550)	340,000.00
1999	Lake Fire Station	1	Diesel (4,000)	80,000.00
	Warner Fire Station	2	Unleaded (6,000), diesel (2,000)	125,000.00
2000	Civic Center	3	Two unleaded (12,000)	190,000.00
2001	Beach Service Yard	3	Unleaded (5,000), diesel (2,000), waste oil (280)	140,000.00

2002	Fire Training Center	2	Diesel (1,500), mix (1,000)	125,000.00
	Gothard Fire Station	2	One Unleaded (4,000)	120,000.00
2003	Park Service Yard	3	Unleaded (10,000), diesel (5,000), waste oil (300)	140,000.00
	Total:	**28**		**1,530,000.00**

Considerations: Obviously a reconstruction plan that extends through the year 2003 does not fulfill the December 22, 1998, requirement set in UST legislation. The question this opens is a simple one: Will regulators allow a program started prior to December 22, 1998, to remain in place and functioning after that date?

Because twenty-eight (28) of the City's thirty (30) UST's must be upgraded or replaced to comply with the 1988/1998 regulations, the financial and operational impacts on the City service force will be great. It is unlikely that all the required work could be completed by December 22, 1998, even if sufficient funding could be obtained. This is why the Compliance Team proposed the seven year master plan illustrated above.

It should also be noted that the $1,530,000.00 figure does not contain any funds for soil remediation. Any discovery of contaminated soils will add to this cost and possibly delay the timetable.

TOM URAM
—DIRECTOR

HUGH F. STALLWORTH, M.D.
HEALTH OFFICER

JACK MILLER, REHS
DEPUTY DIRECTOR

MAILING ADDRESS
2009 EAST EDINGER AVENUE
SANTA ANA, CA 92705-4720

TELEPHONE: (714) 667-3600
FAX: (714) 972-0749

COUNTY OF ORANGE
HEALTH CARE AGENCY

PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

August 19, 1997

CERTIFIED LETTER

Don Noble/Jim Sankey
Water Operations
19001 Huntington Street
Huntington Beach, CA 92648

Subject: **NOTICE OF VIOLATION**

Re: Failure to Properly Close Underground Storage Tank at
19001 Huntington Street, Huntington Beach, CA 92648
O.C.H.C.A.Case #94TI91

Dear Mr. Noble:

This Agency is authorized to enforce the State Underground Storage Tank Law and Regulations [Chapter 6.7, Division 20 of the Health and Safety Code (H&SC) and Title 23, Chapter 16 of the California Code of Regulations (CCR)]. Section 25298(c)(4) of the H&SC and Section 2672(d) of the CCR states that no person shall close an underground storage tank unless it has been demonstrated to the local agency that no unauthorized release has occurred. This demonstration shall be based on soil sampling performed during, or immediately following, closure activities. Information provided to this Agency indicates that the underground storage tank located at the subject site was not closed in accordance with the requirements of the law.

You are hereby required to properly complete the closure of the underground storage tank within 30 days of receipt of the letter. A copy of this Program's closure guidelines is enclosed for your reference. Failure to comply with these provisions of the law and regulations may result in civil penalties of not less than five hundred dollars ($500.00) or more than five thousand dollars ($5,000.00) for each day the facility is in violation.

If you have any questions, please call Jane Dong at (714) 667-3783.

Kevin J. Baitx
Supervising Hazardous Waste Specialist
Hazardous Material Management Section
Environmental Health Division

KJB:dap

cc: Ron Stocking, Huntington Beach, Fire Department
Allan Patton, Regional Water Quality Control Board
Michael R. Capizzi, District Attorney's Office
Enclosure

City of Huntington Beach
2000 Main Street
Huntington Beach, CA 92647

Attn: Mr. Don Noble/Tom Herman
The following list of locations have the City of Huntington Beach owned underground storage tanks. During my inspection of these facilities deficiencies at each location was noted. Please submit the information requested for each site.

Heliport Huntington Beach Police Department
18401 Gothard Street
Huntington Beach, CA 92648
- Financial Responsibility
- Annual Preventative Maintenance (last date 7-14-94 by Triangle)

Gothard Fire Station
18311 Gothard Street
Huntington Beach, CA 92648
- Financial Responsibility
- Tank Tightness/Integrity Test (last date 7-8-94)
- Dispenser Calibration (will be due 7/96)

Huntington Beach Maintenance Yard
44 Huntington Avenue
Huntington Beach, CA 92648
- Operating without a permit (permit expired 3/31/96)
- Financial Responsibility
- Preventative Maintenance for the 2,000 gallon Diesel tank monitor is due.
- Dispenser Calibration (will be due 6-7-96)

Joint Powers Training Center
18301 Gothard Street
Huntington Beach, CA 92648
- Operating without a permit (permit expired 5/11/96)
- Financial Responsibility
- Annual Inventory Reconciliation
- Tank Tightness/Integrity Test (last date 9/95)
- Dispenser Calibration (will be due 7/96)

Water Operations
19001 Huntington Avenue
Huntington Beach, CA 92648
- Operating without a permit (permit expired 4/9/96)
- Financial Responsibility
- Dispenser Calibration

- Tank and Pipeline Tightness/Integrity Test (last date 6-10-94)
- Need to submit closure plans or upgrade plans for problem tank.

Warner Fire Station
3831 Warner Avenue
Huntington Beach, CA 92648
Permit expires 9/2/96
- Financial Responsibility
- Mechanical Leak Detector Test (last date 7-15-94)
- Pipeline Tightness/Integrity Test (last date 7-15-94)
- Tank Tightness/Integrity Test (will be due 7/96)

Civic Center
2000 Main Street
Huntington Beach, CA 92648
Permit expires 9/3/96
- Financial Responsibility
- New B form (During inspection Mr. Mark Boone completed the form, still need a signature)

Huntington Beach Police Department
2000 Main Street
Huntington Beach, CA 92648
Permit expires 9/3/96
- Financial Responsibility
- New B forms
- Pipeline and pressure loss leak detector test (Current for this year)
- Need to train staff how to use to Automatic Tank Gauge.

Lake Fire Station
530 Lake Street
Huntington Beach, CA 92648
Permit expires 9/3/96
- Financial Responsibility
- Dispenser/Meter calibration (will be due 7/96)
- Tank Tightness/Integrity Test (will be due 7/96)
- Pipeline Tightness/Integrity Test (will be due 7/97)

Orange Co y Health Care Agency

Environmental Health Division, Hazardous Materials Management Section
Mailing Address: P.O. Box 355, Santa Ana, CA 92702
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3700

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK INSPECTION REPORT

FILE NO: _____ ACCOUNT NO: _____ EPA #: _____
FACILITY: Water Operations UST PERMIT NO: _____
STREET: 16200 Huntington PERMIT: _____
CITY: [G] Huntington Beach ZIP: 92648 MAP COORDINATES: _____
NEAREST CROSS STREET: _____ DISTRICT: 301
TSD FACILITY? _____
NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? ___
NEW INFO: _____

HW INSPECTION TYPE: _____ NO OF UST ON SITE: 2 UST INSPECTION TYPE: SD
NUMBER OF EMPLOYEES: _____ # TANKS TO BILL : 2 UST COMPLIANCE CODE: 2
LAST DATE HW INSPECTED: _____ LAST DATE UST INSPECTED: _____
HW EXEMPT CODE: _____ UST EXEMPT CODE: _____
HW STATUS CODE: _____ UST STATUS CODE: _____
BUSINESS OWNER: _____ PHONE: (___) _____
TANK OPERATOR: _____ PHONE: (___) _____
CONTACT: _____ PHONE: (___) _____

HW BILLING (NAME & MAILING ADDRESS):

PHONE: (___) _____

UST BILLING (NAME & MAILING ADDRESS):

PHONE: (___) _____

PROPERTY OWNER (NAME & MAILING ADDRESS):

PHONE: (___) _____

TANK OWNER (NAME & MAILING ADDRESS):

PHONE: (___) _____

EMERGENCY CONTACTS

DAY: _____ PHONE: (___) _____
NIGHT: _____ PHONE: (___) _____

ACTIVE ICR: _____
INSPECTOR #: 266 NAME: [illegible] DATE: 9/19/90

Orange Co y Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: Water Operations

ADDRESS: Mooi Huntington

: Huntington Beach CA 92647

FILE NO: _____ ACCOUNT NO: _____ EPA #: _____

VIOLATION DESCRIPTIONS

FACILITY

___ 105 OPERATING UNDERGROUND STORAGE TANKS (UST) WITHOUT A PERMIT
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNERS AND OPERATORS
___ 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A DEVICE REPAIRMAN
___ 145 FAILURE TO MONITOR THE TANKS USING THE METHOD SPECIFIED ON THE PERMIT
___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON SITE
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
___ 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST WITHIN 30 DAYS
X 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
___ 130 FAILURE TO DEVELOP A RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
___ 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
___ 275 FAILURE TO PROPERLY CLOSE USTS
___ 280 FAILURE TO PROPERLY REPAIR USTS
___ 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANKS/PIPELINES
___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
___ 288 UNDERGROUND TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWALS
___ 290 OTHER

Record leak/fuel test. 125 due to failure of the UL product line. Submit A Completed UAR. Subsurface Soils must be sampled. #8

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 2 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: _____

SIGNATURE: Applied to MP Jr able DATE: 5/15/91

CITY OF HUNTINGTON BEACH
PUBLIC WORKS DEPARTMENT

17371 GOTHARD STREET P.O. BOX 190
HUNTINGTON BEACH, CALIFORNIA 92648

Don Noble
Maintenance Operations Manager
(714) 375-5024
(714) 960-8861

FAX (714) 375-5099

COUNTY O ORANGE HEALTH CAR AGENCY

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3700

☐ Haz. Waste
☐ UST
☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # _____ ACCOUNT # _____ EPA I.D.# _____

FACILITY Water Operations PERMIT # _____

STREET 7512 Garfield Ave MAP COORDINATES _____

CITY Huntington Beach ZIP 92647 DISTRICT _____

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE _____

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

Received the annual inventory reconciliation report. The report states the unleaded fuel tank has been removed.

Section 2670(e), Title 23, California Code of Regulations requires closure plans within 90 days of cessation of hazardous substance storage.

1. Provide a copy of the "Pump out Permit" used by USA to remove all fuel from the tank.
2. Provide closure plans within 90 days of the pump out date.

Pay $ 10 Fee with

ACTIVE ICRS # 94159 INSPECTOR # 266 NAME _____ DATE 1-N-21

I declare that I have read and received a copy of this inspection report

Print Name _____ Title _____

Signature _____ Date _____

Garfield

N ↑

Fiberglass pipe to steel

1 Soils around turbine appear unaffected by system

GW found: 1. Functional element and check valve never inspected by testing CO. TRIangle

2. Scheat valve never closed because of interference with conduit - Physically impossible to close valve

(2) Soils from under dispenser are dark and produce a petroleum like odor

325 ppm
500 ppm

work performed:
Line lines segregated (isolated) at the Turbine and at the dispenser

---

Dispenser - when blew back fuel approx 2 gallons spilled onto the pad inand under dispenser

CHECKLIST FOR TANK REMOVAL FIELD NOTES

	Yes/No/Comments/Readings
Is area secure from public access?	
Status of removal at time of arrival (triple rinsing/tank removed)	
Fire Department personnel on-site?	
Contractor on-site?	
Consultant on-site?	
Instrument readings of ambient air (perimeter, 5 ft. from excavation, at excavation)	
Are odors present? (strong, slight, etc.)	
Direction of prevailing wind?	
Condition of tank(s) (rusting/pitting/holes/corrosion, etc.)	
Number of tanks being removed	
Size of tank(s)	
Construction material of tank(s)	
Product(s) previously stored in tank(s)	
Condition of excavation (staining, etc.)	
Is free product noted in excavation?	
Is groundwater noted in excavation?	
Native soil type	
Depth to groundwater?	
Was piping removed?	
Location of samples (Chain of custody completed?)	
Instrument readings of excavation area	
Instrument readings of spoils	
Intended re-use or means of disposal of tank(s)	
Prop 65 notification been completed?	
Approximate dimensions of the excavation	
Was tank(s) triple rinsed? (manifest)	
Upon departure, is area or will area be secured (fencing, spoils covered)	
Proximity to residential area (on-plot sketch)	

Contract/Proposal

CONT.LIC.# 273397

G. W. MAINTENANCE, INC.

1101 EAST SIXTH STREET • SANTA ANA, CALIFORNIA 92701
PHONE: (714) 542-8726
FAX (714)375-5099

PROPOSAL SUBMITTED TO	PHONE	DATE
TOM HERMAN	(714)375-5047	9-2-94
STREET	JOB NAME	
HUNTINGTON BEACH CITY YARD	HUNTINGTON BEACH HELIPORT	
CITY, STATE AND ZIP CODE	JOB LOCATION	
HUNTINGTON BEACH, CA.		

WE PROPOSE TO REPLACE ONE POLLULERT FD210 PROBE AS NEEDED AND CERTIFY THE SYSTEM. IF MORE PARTS ARE REQUIRED, THEY WILL BE REPLACED ON A COST PLUS BASIS.

PROBE.....	$542.00
TAX.....	$ 42.01
CERTIFICATION....	$150.00
TOTAL	$734.01

UNDERGROUND OBSTRUCTION CLAUSE:
G. W. Maintenance, Inc. assumes no responsibility for underground obstruction such as sewer lines, water lines, electrical lines which may be broken under excavation unless we are provided with an accurate drawing of said underground obstruction(s) before job is started. In the event of said obstructions being damaged during excavation, repairs will be billed as an extra item.

We Propose hereby to furnish material and labor – complete in accordance with above specifications, for the sum of:

SEVEN HUNDRED THIRTY FOUR DOLLARS AND 01/100---------- DOLLARS ($ 734.01)

PAYMENT TO BE MADE AS FOLLOWS: NET THIRTY DAYS

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's Compensation Insurance.

G. W. MAINTENANCE, INC.

Authorized Signature

Note: This proposal may be withdrawn by us if not accepted within 60 DAYS

Acceptance of Proposal – The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature

Signature

DATE OF ACCEPTANCE

"NOTICE TO OWNER" ON REVERSE SIDE MUST BE READ AND SIGNED.

COUNTY OF ORANGE
HCA/ENVIRONMENTAL HEALTH
PROPOSITION 65
NOTIFICATION REPORT
(714) 667-3765

PROP. 65 ID# _____

DART CASE ID# 94IE91

DATE REPORTED: 9-21-94 TIME: 3PM DESIGNATED EMPLOYEE REPORTING: P. Johnson

REPORT SUBMITTED ON BEHALF OF ALL DESIGNATED EMPLOYEES OF WHAT AGENCY: OCHCA - Env. Health

DATE OF INCIDENT: 9-21-94 TIME: 10:30Am SOURCE OF INFORMATION: On-site

INCIDENT LOCATION: Water Operations (DBA) 15001 Huntington Ave (ADDRESS) Huntington Beach (CITY)

92648 (ZIP) (714) (SITE) 536-5505 (TELEPHONE) Don Noble (CO. CONTACT PERSON)

DESCRIPTION/CAUSE OF INCIDENT: Investigation of a failed ape test (unleaded Gasoline). Soils under dispenser excavated, Gastech readings of 500ppm from spoils removed from under dispenser. Petroleum like odor present.

RESPONSIBLE PARTY - NAME: City of H.B., Don Noble TELEPHONE: (714) 375 5024

IDENTIFICATION OF DISCHARGED WASTE:

CHEMICAL NAME/COMMON NAME	PHYSICAL STATE	VOLUME	HAZARDOUS PROPERTIES/LEGAL LIMITS
Gasoline	Liquid	unk	Carcinogen 300ppm

FIELD DATA/LAB RESULTS (INDICATE SOIL, GROUNDWATER, ETC.): Gastech readings of 500 ppm - odor present. Soils to be sampled for DISC method TPH-Gasoline and 8020 BTXE on 9-22-94

ENVIRONMENT AFFECTED: ROADWAY GROUNDWATER SEWER OR STORM DRAIN LAKE/STREAM/RIVER
BAY/OCEAN AIR (SOIL) FLOOD CHANNEL GROUND (PAVED)
OTHER _____

LOCALE: RESIDENTIAL (COMMERCIAL) INDUSTRIAL OPEN AREA PUBLIC PROPERTY PRIVATE PROPERTY RURAL

DESCRIPTION OF EXTENT OF CONTAMINATION (LATERAL AND VERTICAL) Soils under unleaded Gasoline dispenser. Extent not yet delineated

UMBER OF PERSONS REPORTEDLY INJURED: N/A NUMBER OF PERSONS RECEIVING MEDICAL TREATMENT: N/A

HERE?: N/A

GENCIES INVOLVED: N/A

NCIDENT MITIGATED: YES (NO) DOES FURTHER ACTION NEED TO BE TAKEN: (YES) NO

CTION: Referral to OCHCA - Env. Health LUST Group

EFERRED TO: - NAME/AGENCY: Peter Pearson / OCHCA-Env. Health DATE: 9.22.94 TIME: 8:00 am

LEANUP CONDUCTED BY: UNK. LEGAL INVESTIGATION: YES NO

REA PHYSICALLY ACCESSIBLE TO THE PUBLIC: YES (NO)

ROXIMITY TO THE PUBLIC (HOMES, SCHOOLS, ETC.) 1/4 mile

ACTORS THAT ARE LIKELY TO CAUSE SUBSTANTIAL INJURY TO THE PUBLIC HEALTH OR SAFETY:

Potential Ground water Contamination

DDITIONAL COMMENTS: No Public Access. Pipeline repaired 9.21.94.
affected soils are under A concrete pad.

ny designated government employee who obtains information in the course of his official uties, revealing the illegal discharge or threatened illegal discharge of a hazardous waste, hat is likely to cause substantial injury to the public health and safety, must report such nformation within 72 hours to the Board of Supervisors and Health Officer or face up to 25,000 in fines and/or up to three years in jail (pursuant to Section 25180.7 of the Health nd Safety Code). The information submitted in this report is based upon the best available nformation at the time the report was completed.

EPORT COMPLETED BY: R. Johnsen DATE: 9.21.94 TIME: 3:00 pm

EPORT REVIEWED BY: _____ DATE: _____ TIME: _____

ONTACT FOR FURTHER INFORMATION: _____ TELEPHONE NO. (___) _____
(Lead Person/Agency)

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT

EMERGENCY ☐ YES ☒ NO

HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED? ☐ YES ☒ NO

REPORT DATE: 09/21/94

CASE #:

FOR LOCAL AGENCY USE ONLY

I HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORMATION ACCORDING TO THE DISTRIBUTION SHOWN ON THE INSTRUCTION SHEET ON THE BACK PAGE OF THIS FORM.

SIGNED: _____ DATE: _____

REPORTED BY

NAME OF INDIVIDUAL FILING REPORT: Tom Herman

PHONE: (714) 375-5047

SIGNATURE: Tom Herman

REPRESENTING: ☒ OWNER/OPERATOR ☐ REGIONAL BOARD ☐ LOCAL AGENCY ☐ OTHER _____

COMPANY OR AGENCY NAME: City of Huntington Beach

ADDRESS: 17371 Gothard Street (STREET) Huntington Beach (CITY) CA (STATE) 92647 (ZIP)

RESPONSIBLE PARTY

NAME: City of Huntington Beach ☐ UNKNOWN

CONTACT PERSON: Tom Herman

PHONE: (714) 375-5047

ADDRESS: 17371 Gothard Street (STREET) Huntington Beach (CITY) CA (STATE) 92647 (ZIP)

SITE LOCATION

FACILITY NAME (IF APPLICABLE): Water Operations Facility

OPERATOR: Steve Tully

PHONE: (714) 536-5505

ADDRESS: 19001 Huntington Street (STREET) Huntington Beach (CITY) CA (COUNTY) 92648 (ZIP)

CROSS STREET: Garfield

IMPLEMENTING AGENCIES

LOCAL AGENCY — AGENCY NAME: Orange County Environmental Health

CONTACT PERSON:

PHONE: (714) 667-3709

REGIONAL BOARD:

CONTACT PERSON:

PHONE: ( )

SUBSTANCES INVOLVED

(1) NAME: 87 Octane Unleaded Gasoline — QUANTITY LOST (GALLONS): _____ ☒ UNKNOWN

(2) _____ ☐ UNKNOWN

DISCOVERY/ABATEMENT

DATE DISCOVERED: 06/10/94

HOW DISCOVERED: ☐ INVENTORY CONTROL ☐ SUBSURFACE MONITORING ☐ NUISANCE CONDITIONS ☐ TANK TEST ☐ TANK REMOVAL ☒ OTHER Line Test

DATE DISCHARGE BEGAN: ☒ UNKNOWN

HAS DISCHARGE BEEN STOPPED? ☒ YES ☐ NO IF YES, DATE 06/10/94

METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY)

☐ REMOVE CONTENTS ☐ CLOSE TANK & REMOVE ☐ REPAIR PIPING
☐ REPAIR TANK ☐ CLOSE TANK & FILL IN PLACE ☐ CHANGE PROCEDURE
☐ REPLACE TANK ☒ OTHER Shut Down Turbine

SOURCE/CAUSE

SOURCE OF DISCHARGE

☐ TANK LEAK ☐ UNKNOWN
☒ PIPING LEAK ☐ OTHER

CAUSE(S)

☐ OVERFILL ☐ RUPTURE/FAILURE ☐ SPILL
☐ CORROSION ☒ UNKNOWN ☐ OTHER _____

CASE TYPE

CHECK ONE ONLY

☒ UNDETERMINED ☐ SOIL ONLY ☐ GROUNDWATER ☐ DRINKING WATER - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)

CURRENT STATUS

CHECK ONE ONLY

☐ NO ACTION TAKEN
☒ LEAK BEING CONFIRMED
☐ REMEDIATION PLAN
☐ PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED
☐ PRELIMINARY SITE ASSESSMENT UNDERWAY
☐ CASE CLOSED (CLEANUP COMPLETED OR UNNECESSARY)
☐ POLLUTION CHARACTERIZATION
☐ POST CLEANUP MONITORING IN PROGRESS
☐ CLEANUP UNDERWAY

REMEDIAL ACTION

CHECK APPROPRIATE ACTION(S) (SEE BACK FOR DETAILS)

☐ CAP SITE (CD)
☐ CONTAINMENT BARRIER (CB)
☐ VACUUM EXTRACT (VE)
☐ EXCAVATE & DISPOSE (ED)
☐ EXCAVATE & TREAT (ET)
☐ NO ACTION REQUIRED (NA)
☒ OTHER (OT) To be assessed
☐ REMOVE FREE PRODUCT (FP)
☐ PUMP & TREAT GROUNDWATER (GT)
☐ TREATMENT AT HOOKUP (HU)
☐ ENHANCED BIO DEGRADATION (IT)
☐ REPLACE SUPPLY (RS)
☐ VENT SOIL (VS)

COMMENTS

HSC 05 (3/90)

INSTRUCTIONS

EMERGENCY
Indicate whether emergency response personnel and equipment were involved at any time. If so, a Hazardous Material Incident Report should be filed with the State Office of Emergency Services (OES) at 2800 Meadowview Road Sacramento, CA 95832. Copies of the OES report form may be obtained at your local underground storage tank permitting agency. Indicate whether the OES report has been filed as of the date of this report.

LOCAL AGENCY ONLY
To avoid duplicate notification pursuant to Health and Safety code Section 25180.5, a government employee should sign and date the form in this block. A signature here does not mean that the leak has been determined to pose a significant threat to human health or safety, only that notification procedures have been followed if required.

REPORTED BY
Enter your name, telephone number, and address. Indicate which party you represent and provide company or agency name.

RESPONSIBLE PARTY
Enter name, telephone number, contact person, and address of the party responsible for the leak. The responsible party would normally be the tank owner.

SITE LOCATION
Enter information regarding the tank facility. At a minimum, you must provide the facility name and full address.

IMPLEMENTING AGENCIES
Enter names of the local agency and Regional Water Quality Control Board involved.

SUBSTANCES INVOLVED
Enter the name and quantity lost of the hazardous substance involved. Room is provided for information on two substances if appropriate. If more than two substances leaked, list the two of most concern for cleanup.

DISCOVERY/ABATEMENT
Provide information regarding the discovery and abatement of the leak.

SOURCE/CAUSE
Indicate source(s) of leak. Check box(es) indicating cause of leak.

CASE TYPE
Indicate the case type category for this leak. Check one box only. Case type is based on the most sensitive resource affected. For example, if both soil and ground water have been affected, case type will be "Ground Water". Indicate "Drinking Water" only if one or more municipal or domestic water wells have actually been affected. A "Ground Water" designation does not imply that the affected water cannot be, or is not, used for drinking water, but only that water wells have not yet been affected. It is understood that case type may change upon further investigation.

CURRENT STATUS
Indicate the category which best describes the current status of the case. Check one box only. The response should be relative to the case type. For example, if case type is "Ground Water", then "Current Status" should refer to the status of the ground water investigation or cleanup, as opposed to that of soil. Descriptions of options follow:

No Action Taken - No action has been taken by responsible party beyond initial report of leak.
Leak Being Confirmed - Leak suspected at site, but has not been confirmed.
Preliminary Site Assessment Workplan Submitted - workplan/proposal requested of/submitted by responsible party to determine whether ground water has been, or will be, impacted as a result of the release.
Preliminary Site Assessment Underway - implementation of workplan.
Pollution Characterization - responsible party is in the process of fully defining the extent of contamination in soil and ground water and assessing impacts on surface and/or ground water.
Remediation Plan - remediation plan submitted evaluating long term remediation options. Proposal and implementation schedule for appropriate remediation options also submitted.
Cleanup Underway - implementation of remediation plan.
Post Cleanup Monitoring in Progress - periodic ground water or other monitoring at site, as necessary, to verify and/or evaluate effectiveness of remedial activities.
Case Closed - regional board and local agency in concurrence that no further work is necessary at the site.

IMPORTANT: THE INFORMATION PROVIDED ON THIS FORM IS INTENDED FOR GENERAL STATISTICAL PURPOSES ONLY AND IS NOT TO BE CONSTRUED AS REPRESENTING THE OFFICIAL POSITION OF ANY GOVERNMENTAL AGENCY.

REMEDIAL ACTION
Indicate which actions have been used to cleanup or remediate the leak. Descriptions of options follow:

Cap Site - install horizontal impermeable layer to reduce rainfall infiltration.
Containment Barrier - install vertical dike to block horizontal movement of contaminant.
Excavate and Dispose - remove contaminated soil and dispose in approved site.
Excavate and Treat - remove contaminated soil and treat (includes spreading or land farming).
Remove Free Product - remove floating product from water table.
Pump and Treat Groundwater - generally employed to remove dissolved contaminants.
Enhanced Biodegradation - use of any available technology to promote bacterial decomposition of contaminants.
Replace Supply - provide alternative water supply to affected parties.
Treatment at Hookup - install water treatment devices at each dwelling or other place of use.
Vacuum Extract - use pumps or blowers to draw air through soil.
Vent Soil - bore holes in soil to allow volatilization of contaminants.
No Action Required - incident is minor, requiring no remedial action.

COMMENTS - Use this space to elaborate on any aspects of the incident.

SIGNATURE - Sign the form in the space provided.

DISTRIBUTION
If the form is completed by the tank owner or his agent, retain the last copy and forward the remaining copies intact to your local tank permitting agency for distribution.

1. Original - Local Tank Permitting Agency
2. State Water Resources Control Board, Division of Clean Water Programs, Underground Storage Tank Program, P.O. Box 944212, Sacramento, CA 94244-2120
3. Regional Water Quality Control Board
4. Local Health Officer and County Board of Supervisors or their designee to receive Proposition 65 notifications.
5. Owner/responsible party.

USTMAN™

USTMAN SIR SYSTEM MONTHLY MONITORING
AND MANAGEMENT SERVICE CONTRACT
FOR UNDERGROUND STORAGE TANKS

This agreement is made between USTMAN Industries Inc. (herein referred to as "USTMAN") whose mailing address is 12265 West Bayaud Avenue, Suite 110, Lakewood, CO 80228 AND City of Huntington Beach, (herein referred to as "Customer"), whose mailing address is, 2000 Main St., Huntington Beach, CA 92648 Phone (714) 375-5047 Contact: Tom Herman. PO#216170

RECITALS:,

A. USTMAN has developed computer software and is providing USTMAN SIR System Monthly Monitoring and Management Services using the "Statistical Inventory Reconciliation" (SIR) method of release detection for petroleum underground storage tank systems (USTs).

B. Customer will provide information to USTMAN relating to Customer's underground storage tanks and USTMAN will analyze that information and assist Customer in maintaining compliance with federal and state regulations regarding leak detection for tanks and piping. USTMAN understands the importance of confidential treatment of Customer's information and will receive and hold that information in confidence.

C. The USTMAN SIR System has been certified by two nationally recognized independent third party laboratories as meeting Federal performance standards for SIR methods. (A copy of the evaluation report(s) applicable to Customers USTs is/are attached hereto and should be retained in Customer's files for review by regulatory agencies).

AGREEMENT:

In consideration of the mutual covenants and conditions contained herein, the parties agree as follows:

1. Customer hereby retains USTMAN to perform Monthly Monitoring and Management Services utilizing the USTMAN SIR System on designated USTs owned and/or operated by Customer.

2. Customer shall provide USTMAN, on a monthly basis, daily inventory information in accordance with USTMAN's current operating procedures. USTMAN will analyze the information provided and prepare reports of such analyses for Customer. USTMAN will not disclose such information to others without Customer's written consent, except that this does not apply to information which USTMAN holds without secrecy obligation or which is disclosed pursuant to order of court.

3. Customer shall pay fees for this service as follows:

(MM) For 13 tanks @ $ 200.00 per tank per year:	$2,600.00
One time set up fee $35.00 per tank:	$ N/C
Total Due:	$2,600.00

Payment Terms: Initial payment of $216.71 due upon execution of contract; followed by 11 monthly payments of $216.71 beginning Sept 1, 1994. Or $2600.00 payable at execution.

4. This agreement shall be effective as of Sept 1, 19 94, which is the first month for which UST data shall be submitted, and shall continue for One year(s). Upon expiration of the primary term, this agreement shall be automatically renewed for successive additional 1 year terms unless written notice of non-renewal is given by either party at least 60 days prior to the expiration date. Any such renewal shall be at fees in effect at the expiration date unless USTMAN gives notice of a new fee schedule at least 30 days prior to expiration date, in which case the new fee schedule shall apply.

The writing on the back side of this agreement is incorporated herein.

IN WITNESS WHEREOF, the parties agree to the above terms.

City of Huntington Beach
(Customer)

By: Tom L. Herman
Tom L. Herman

Title: Equipment Support Coordinator

Date: August 18, 1994

USTMAN INDUSTRIES, INC.

By: _____

Title: Dan R. Cook / President

Contact:
Joe Martinez
Territory Manager
(619) 940-9506

City of Huntington Beach

2000 MAIN STREET
HUNTINGTON BEACH, CALIFORNIA 92648
(714) 536-5221
Billing Inquiries: (714) 536-5448

PURCHASE ORDER
This number must appear on Packages and Invoices.

216170

DATE 08/12/94

685234528

VENDOR
USTMAN INDUSTRIES
12265 W BAYAUD AVE STE 500
LAKEWOOD CO 80228-0000

SHIP TO
D.W. KISER MUNICIPAL CORP. YARD
17371 GOTHARD ST.
HUNTINGTON BEACH, CA 92647-00
ATT:

F.O.B. DESTINATION	DELIVERY WITHIN	CONFIRM	PLUS FRT. PREPAY & ADD:	TERMS:
YES	365 DAYS	YES	NO	

QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	AMOUNT
		PER OUR QUOTATION #94-142-0805 ALL TERMS CONDITIONS AND SPECIFICATIONS OF WHICH BECOME A PART OF THIS ORDER		
		PROVIDE STATISTICAL INVENTORY RECONCILILATION (SIR) REPORTING AS REQUIRED BY STATE OF CALIFORNIA FOR UNDERGROUND STORAGE TANKS (UST), AS PER SECTION 2643 OF UNDERGROUND STORAGE TANK REGULATIONS.		2600.00

TOTAL → $ ****2680.00

TERMS AND CONDITIONS ON REVERSE FORM A PART OF THIS ORDER

Richard Amadei, Purchasing Manager - City of Huntington Beach

PO No. 113 Rev. 7/91

Recon
Environmental Corp.

January 5, 1995

Mr. Peter Johnson
Orange County Health Care Agency
Environmental Health Division
2009 East Edinger Avenue
Santa Ana, California 92705

Subject: Phase II Environmental Site Assessment Report
City of Huntington Beach, Water Operations Yard
19001 Huntington Street
Huntington Beach, California
RECON Project No. A40498

Dear Mr. Johnson:

Enclosed please find the Phase II Environmental Site Assessment Report prepared by Recon Environmental Corporation, (RECON) regarding the above referenced property. This investigation was conducted by the undersigned and consisted solely of the activities described in the Scope of Work of RECON Proposal Number LA94-621, dated November 2, 1994.

Significant soil contamination was encountered around the fuel-line leak to at least a depth of 15 feet below ground surface. Because the extent of contamination in relation to the groundwater elevation has not been defined, the Orange County Health Care Agency (OCHA) will likely require additional drilling and sampling of both the soil and possibly the groundwater in the area. This work should be accomplished prior to the up-grade of the fuel dispensing system in order that any excavation and removal of contaminated soil be accomplished concurrently with the system replacement.

If we could be of further assistance or if you have any questions concerning this report, please feel free to contact myself or James McAndrew at (714) 752-1818.

Sincerely,

Steve H. Winners
Associate Engineer

James S. McAndrew
Registered Geologist

cc: Don Noble, HBDPW
Dale B. Bodman, PE/RECON

2402 Michelson Drive, Suite 160, Irvine, CA 92715 • (714) 752-1818 • Fax (714) 752-5139
An EHP Group Company



CERTIFIED
CERTIFIED ENGINEERING & TESTING COMPANY, INC.
2402 Michelson Drive, Suite 160
Irvine, CA 92715
(714)752-1618 Fax(714)752-5139

CITY OF HUNTINGTON BEACH
WATER OPERATIONS YARD
19001 HUNTINGTON STREET
HUNTINGTON BEACH, CALIFORNIA

SITE PLAN / SOIL BORING LOCATIONS

Project No. A40498
FILE C:A404982

Figure No. 2

TABLE 1 Summary of Soil Analytical Results

City of Huntington Beach
Water Operations Yard
19001 Huntington Street
Huntington Beach, California
RECON Project No. A40498

Sample ID	Sample Depth (feet, bgs)	Date Sampled	Modified EPA 8015 DHS LUFT TPH (mg/Kg)	Modified EPA 8020 Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
HA1	−3	12/05/94	3,800	9,800	97,000	42,000	250,000
HA1	−5	12/05/94	180	250	4,000	2,400	17,000
HA1	−10	12/05/94	7,100	19,000	340,000	55,000	320,000
HA1	−15	12/05/94	320	ND(250)	5,500	4,000	28,000
HA2	−3	12/08/94	ND	ND	ND	ND	ND
HA2	−5	12/08/94	ND	ND	ND	ND	ND
HA2	−10	12/08/94	ND	ND	ND	ND	ND
HA2	−15	12/08/94	4,900	ND(25,000)	55,000	56,000	500,000
HA3	−3	12/08/94	ND	ND	ND	ND	ND
HA3	−5	12/08/94	ND	ND	ND	ND	ND
HA3	−10	12/08/94	ND	ND	ND	ND	ND
HA3	−15	12/08/94	ND	ND	ND	ND	ND
HA4	−3	12/08/94	ND	ND	ND	ND	ND
HA4	−5	12/08/94	ND	ND	ND	ND	ND
HA4	−10	12/08/94	ND	ND	ND	ND	ND
HA4	−15	12/08/94	ND	ND	ND	ND	ND
Detection Limit			500	5	5	5	5

ND = Not Detected
(##,###) = Raised detection limit
TPH = Total Petroleum Hydrocarbons

CITY OF HUNTINGTON BEACH

CITY CORPORATION YARD
17371 GOTHARD STREET
HUNTINGTON BEACH, CA 92647
(714) 960-8861

FAX NUMBER: (714) 375-5099

DATE: November 9, 1994

TO: Peter Johnsen @ 972-0749

FROM: Don Noble

TOTAL PAGES INCLUDING THIS PAGE: 21

COMMENTS: Peter: (1.) Does this Proposal Cover the Scope of work Required? (2.) Is the price fair.?

Thanks
Don

GEOFON INCORPORATED
5552 CERRITOS AVE., SUITE B, CYPRESS, CA 90630
TELEPHONE: (714) 220-2777 • (310) 926-7582
FAX: (714) 220-1208

FAX TRANSMITTAL

Page 1 of 2

DATE: November 8, 1994

TO: City of Huntington Beach

ATTN: Mr. Don Noble

FROM: Ted Gilmore

GEOFON Reference No.:

Fax No.: (714) 375-5092

DESCRIPTION OF MATERIAL BEING TRANSMITTED:

Letter dated 11-8-94, 2 pages

COMMENTS:

Please call if you have any questions. The following people can solve your problems with OSHCA.

FIRM	CONTACT	PHONE
ENVIRONMENTAL SOLUTIONS, INC. IRVINE, CA	Bill Becklar	727-9336
GEOSYNTEC, INC. HUNTINGTON BEACH, CA	Jeff Raines	843-6866
Groundwater Technology, Inc.	John Dablow	991-7112

Ted Gilmore

GEOFON
INCORPORATED
5552 CERRITOS AVE., SUITE B, CYPRESS, CA 90630
TELEPHONE: (714) 220-2777 • (310) 926-7582
FAX: (714) 220-1208

November 8, 1994

City of Huntington Beach
Public Works Department
17371 Gothard St.
Huntington Beach, CA 92647

Attn: Mr. Don Noble,
Director of Facilities Maintenance

Dear Mr. Noble,

I regret to inform you that GEOFON, Inc. will not be able to provide services for the fuel piping leak at the Water Operations Yard. Since we spoke, GEOFON's Environmental Services Group was impacted by a large demand for services to the Federal Government on existing contracts. This is the start of several agencies fiscal year when task authorizations are released.

GEOFON is a small business that focuses on providing high quality geotechnical engineering and environmental consulting services to its clients. We have many long established relationships providing on-call services. Unfortunately, we are not capable of also maintaining a level of service on your project that I would find satisfactory.

I believe that it is critical to respond quickly to the demands of Mr. Peter Jensen and other regulators that will be involved. I have attached the names of a few other well qualified and reputable U.S. based environmental engineering consultants with Orange County offices that can satisfy your needs. Mr. Jensen could suggest others as well.

I encourage you to be proactive with regard to the City's management of underground storage tanks to meet the December 22, 1998 deadline discused in Title 23, Division 3, Chapter 16, of the California Code of Regulations. It is not by accident that there has been a major reduction in the number of fueling stations operated by the oil companies. The long term costs to the City are likely to increase, Both financially and politically.

It was a pleasure meeting you. I wish you and the repair/improvement project great success. Please call if we can be of service in the future.

GEOFON, Inc.

Ted Gilmore, PE, GE
Project Manager

Recon Environmental Corp.

November 2, 1994

Mr. Don Noble
City of Huntington Beach
Public Works Department
17371 Gothard Street
Huntington Beach, CA 92647

Subject: Proposal for a Limited Phase II
Environmental Investigation
City of Huntington Beach, Water Operations Yard
19001 Huntington Street
Huntington Beach, CA
RECON Proposal No. LA94-621

Dear Mr. Noble:

Recon Environmental Corp., (RECON) is pleased to provide this proposal for a Limited Phase II Environmental Investigation at the above-referenced site.

BACKGROUND

The City of Huntington Beach, Water Operations Yard maintains a dispensing island with both diesel and unleaded gasoline. The system consists of two dispensers, associated piping and two, 6,000-gallon single-walled fiberglass underground storage tanks (UST). The product line failed an annual pressure test and a confirmed leak was discovered on September 22, 1994. The City of Huntington Beach plans on completing the work at this site in two stages. The first stage is a characterization of the product line leak and then the upgrade of the UST system. Since this characterization is being completed before the renovation and upgrade, opinion has held that a limited investigation should be performed. This investigation could be conducted in conjunction with the renovation and upgrade. The Orange County Health Care Agency, Environmental Health Division has requested that sampling be conducted at the Site and that significant upgrades be made with the dispensing system.

OBJECTIVE

The objective of this Limited Site Investigation is to evaluate the lateral and vertical extent of contamination in the subsurface soils, if any, due to a release of petroleum products from the unleaded product line.

Recon

TECHNICAL APPROACH

The USTs at the Site have undergone integrity testing and are not considered to be releasing any petroleum products. Since the lines and tanks are tested annually, and it was during the most recent test that the product line in question failed the test, it is RECON's professional opinion that a small-scale investigation can be performed with hand augers, rather than utilizing a truck-mounted drill rig. One boring will be installed at the point of release to evaluate the vertical extent of possible contamination. Three other borings will be installed along the product line and on each side of the release to evaluate the lateral extent of contamination. Analysis of the collected soil samples will be completed on a step approach to determine the limits of any existing contamination. To conduct our investigation utilizing this approach, RECON proposes the following:

- RECON will prepare a Site-specific Health and Safety Plan, in accordance with Occupational Safety and Health Administration (OSHA) regulations, to protect the health and safety of personnel and subcontractors investigating the Site.

- RECON's representative(s) will advance four (4) hand auger soil borings at the Site. Soil samples will be screened using an Organic Vapor Meter (OVM).

- The sampling will be at 2.5, 5 and 10 feet below ground surface (bgs). Twelve (12) soil samples will be submitted for analysis for volatile organic compounds using EPA method 8020, and for total petroleum hydrocarbons using EPA Method 8015. One sample will also be obtained from the excavated soil near the line leak. Only the first level of samples (2.5 feet) will be analyzed to determine if contamination exists. If a positive result is obtained, the next sample in depth will be analyzed to determine the extent of the contamination.

- Existing City of Huntington Beach reports show the depth to groundwater at approximately 51 feet bgs. It should be noted that groundwater in other areas of Huntington Beach is very shallow. Also of interest is the fact that the USTs at the Site do have concrete deadman to resist buoyancy due to shallow groundwater. If groundwater is encountered it will be allowed to accumulate in the base of the boring, and a sample will be collected using a pre-cleaned disposable bailer.

- All soil and groundwater samples will be stored on ice at 4 degrees Celsius until their delivery to a designated and State-certified laboratory for analysis.

- Soil boring cuttings and rinsate fluids will be properly containerized in 55-gallon drums, sealed, and marked for off-Site disposal.

SCHEDULE

The above work can begin within two days of receipt of a signed authorization from the Client. Estimated completion time for the field work is one day. Chemical analyses require approximately 10 days for normal turnaround time. A report will be submitted within three weeks of completion of the field work.

FINAL ANALYSIS/REPORT PREPARATION

All pertinent information obtained by RECON during this investigation will be compiled in a report and will serve as the basis for recommendations regarding any further actions at the Site.

The process to determine the extent of contamination at a particular site is based upon calculations, assumptions, and experience. Many variables exist, including governmental regulatory agencies and encountered Site conditions, which may alter the final scope of work. All work will be done on a not-to-exceed basis and will be billed accordingly. RECON believes that the investigations proposed herein should adequately address the aforementioned objectives and provide the information necessary to evaluate the environmental conditions at the subject Site. Your assistance in providing any additional information that you may have on the subject Site will assist in expediting the completion of this investigation.

Please do not hesitate to contact our office at (714) 752-1818 if you have any questions or require additional information. We look forward to providing you with the environmental services you require.

Sincerely,

Dale Bodman, P.E., REA
Director, Environmental Services

cc: Charles Victor /RECON



N

Not to Scale

CERTIFIED
CERTIFIED ENGINEERING & TESTING COMPANY, INC.
2402 Michelson Drive, Suite 160
Irvine, CA 92715
(714)752-1818 Fax(714)752-5139

CITY OF HUNTINGTON BEACH
WASTE WATER TREATMENT
19001 HUNTINGTON STREET
HUNTINGTON BEACH, CALIFRONIA

PROPOSED BORINGS
LOCATION MAP

Project No.	Figure No.
	1

Recon

AUTHORIZATION

If you agree with the Scope of Services proposed and wish for us to proceed, please sign both copies of this Proposal, and the attached Rider, and forward to our office for signature. An executed copy will be returned for your file and record.

_____ _____

Client Authorization **Date**

Water Operations Yard
19001 Huntington Street
City of Huntington Beach
RECON Proposal No. LA94-621
Rider

RIDER

Authorization for funding is given by _____ to RECON Environmental Corp., (RECON) to insure the removal and disposal of the following materials at this Site:

- **Drill Cuttings**

The removal and disposal of the above items from the site will be charged to you at **cost plus 15 percent.** Please sign below to authorize the performance of this work.

_____ _____

Client Authorization **Date**

Recon Environmental Corp.

November 2, 1994

Mr. Don Noble
City of Huntington Beach
Public Works Department
17371 Gothard Street
Huntington Beach, CA 92647

Subject: Proposal for a Limited Phase II
Environmental Investigation
City of Huntington Beach, Water Operations Yard
19001 Huntington Street
Huntington Beach, CA
RECON Proposal No. LA94-621

Dear Mr. Noble:

Recon Environmental Corp., (RECON) is pleased to provide this proposal for a Limited Phase II Environmental Investigation at the above-referenced site.

BACKGROUND

The City of Huntington Beach, Water Operations Yard maintains a dispensing island with both diesel and unleaded gasoline. The system consists of two dispensers, associated piping and two, 6,000-gallon single-walled fiberglass underground storage tanks (UST). The product line failed an annual pressure test and a confirmed leak was discovered on September 22, 1994. The City of Huntington Beach plans on completing the work at this site in two stages. The first stage is a characterization of the product line leak and then the upgrade of the UST system. Since this characterization is being completed before the renovation and upgrade, opinion has held that a limited investigation should be performed. This investigation could be conducted in conjunction with the renovation and upgrade. The Orange County Health Care Agency, Environmental Health Division has requested that sampling be conducted at the Site and that significant upgrades be made with the dispensing system.

OBJECTIVE

The objective of this Limited Site Investigation is to evaluate the lateral and vertical extent of contamination in the subsurface soils, if any, due to a release of petroleum products from the unleaded product line.

Recon

TECHNICAL APPROACH

The USTs at the Site have undergone integrity testing and are not considered to be releasing any petroleum products. Since the lines and tanks are tested annually, and it was during the most recent test that the product line in question failed the test, it is RECON's professional opinion that a small-scale investigation can be performed with hand augers, rather than utilizing a truck-mounted drill rig. One boring will be installed at the point of release to evaluate the vertical extent of possible contamination. Three other borings will be installed along the product line and on each side of the release to evaluate the lateral extent of contamination. Analysis of the collected soil samples will be completed on a step approach to determine the limits of any existing contamination. To conduct our investigation utilizing this approach, RECON proposes the following:

- RECON will prepare a Site-specific Health and Safety Plan, in accordance with Occupational Safety and Health Administration (OSHA) regulations, to protect the health and safety of personnel and subcontractors investigating the Site.

- RECON's representative(s) will advance four (4) hand auger soil borings at the Site. Soil samples will be screened using an Organic Vapor Meter (OVM).

- The sampling will be at 2.5, 5 and 10 feet below ground surface (bgs). Twelve (12) soil samples will be submitted for analysis for volatile organic compounds using EPA method 8020, and for total petroleum hydrocarbons using EPA Method 8015. One sample will also be obtained from the excavated soil near the line leak. Only the first level of samples (2.5 feet) will be analyzed to determine if contamination exists. If a positive result is obtained, the next sample in depth will be analyzed to determine the extent of the contamination.

- Existing City of Huntington Beach reports show the depth to groundwater at approximately 51 feet bgs. It should be noted that groundwater in other areas of Huntington Beach is very shallow. Also of interest is the fact that the USTs at the Site do have concrete deadman to resist buoyancy due to shallow groundwater. If groundwater is encountered it will be allowed to accumulate in the base of the boring, and a sample will be collected using a pre-cleaned disposable bailer.

- All soil and groundwater samples will be stored on ice at 4 degrees Celsius until their delivery to a designated and State-certified laboratory for analysis.

Recon

- Soil boring cuttings and rinsate fluids will be properly containerized in 55-gallon drums, sealed, and marked for off-Site disposal.

SCHEDULE

The above work can begin within two days of receipt of a signed authorization from the Client. Estimated completion time for the field work is one day. Chemical analyses require approximately 10 days for normal turnaround time. A report will be submitted within three weeks of completion of the field work.

FINAL ANALYSIS/REPORT PREPARATION

All pertinent information obtained by RECON during this investigation will be compiled in a report and will serve as the basis for recommendations regarding any further actions at the Site.

The process to determine the extent of contamination at a particular site is based upon calculations, assumptions, and experience. Many variables exist, including governmental regulatory agencies and encountered Site conditions, which may alter the final scope of work. All work will be done on a not-to-exceed basis and will be billed accordingly. RECON believes that the investigations proposed herein should adequately address the aforementioned objectives and provide the information necessary to evaluate the environmental conditions at the subject Site. Your assistance in providing any additional information that you may have on the subject Site will assist in expediting the completion of this investigation.

Please do not hesitate to contact our office at (714) 752-1818 if you have any questions or require additional information. We look forward to providing you with the environmental services you require.

Sincerely,

Dale Bodman

Dale Bodman, P.E., REA
Director, Environmental Services

cc: Charles Victor /RECON



Not to Scale

CERTIFIED
CERTIFIED ENGINEERING & TESTING COMPANY, INC.
2402 Michelson Drive, Suite 160
Irvine, CA 92715
(714)752-1818 Fax(714)752-5139

CITY OF HUNTINGTON BEACH
WASTE WATER TREATMENT
19001 HUNTINGTON STREET
HUNTINGTON BEACH, CALIFRONIA

PROPOSED BORINGS
LOCATION MAP

Project No.	Figure No.
	1

Recon

AUTHORIZATION

If you agree with the Scope of Services proposed and wish for us to proceed, please sign both copies of this Proposal, and the attached Rider, and forward to our office for signature. An executed copy will be returned for your file and record.

_____ _____

Client Authorization **Date**

Recon Environmental Corp.

November 2, 1994

Mr. Don Noble
City of Huntington Beach
Public Works Department
17371 Gothard Street
Huntington Beach, CA 92647

Subject: Cost Estimate for a Limited Phase II Environmental Investigation
City of Huntington Beach, Water Operations Yard
19001 Huntington Street
Huntington Beach, CA
RECON Cost Proposal No. LA94-621

Dear Mr. Noble:

Recon Environmental Corp., (RECON) is pleased to provide this Cost Estimate for the provision of a Limited Phase II Environmental Investigation at the above-referenced Site.

FEE ESTIMATE - (Time and Materials)

Pre-Field Activities Site contact, Health and Safety Plan, Utility clearance	$ 150.00
Field Activities Drilling/Sampling, RECON labor, equipment usage	$ 1,250.00
Subcontractors Chemical analyses	$ 1,375.00
Reporting Report Preparation, Contract Administration	$ 1,050.00
ESTIMATED TOTAL	$ 3,825.00

Soil and rinsate water will be disposed of at cost plus 15% and can be removed within one week of client authorization (see attached Rider). Costs for drum disposal can vary significantly depending on the contaminants and the concentration levels of the contaminants, therefore costs for this task are not included at this time.

Client Authorization _____ Date _____

Recon

AUTHORIZATION

If you agree with the Cost For Services proposed and wish for us to proceed, please sign both copies of this Proposal and return one, as well as the attached Terms and Conditions, as authorization for RECON to perform this work.

If you have any questions, please do not hesitate to contact me at our office, at (714) 752-1818. We look forward to providing you with the environmental services you require.

Sincerely,

Dale B. Bodman, P.E., REA
Director, Environmental Services

cc: Charles Victor/RECON

I:\...\SITEINV\LA94-621.CST

Attachments: RECON's Soil Disposal Rider

Client Authorization **Date**

Recon

AUTHORIZATION

If you agree with the Scope of Services proposed and wish for us to proceed, please sign both copies of this Proposal, and the attached Rider, and forward to our office for signature. An executed copy will be returned for your file and record.

_____ _____

Client Authorization **Date**

Recon

Water Operations Yard
19001 Huntington Street
City of Huntington Beach
RECON Cost Proposal No. LA94-621
Rider

RIDER

Authorization for funding is given by _____ to RECON Environmental Corp. (RECON) to insure the removal and disposal of the following materials at this site:

- **Drill Cuttings**

The removal and disposal of the above items from the Site will be charged to you at cost plus 15 percent. Please sign below to authorize this work to be performed.

_____ _____

Client Authorization **Date**

Recon Environmental Corp.

November 2, 1994

Mr. Don Noble
City of Huntington Beach
Public Works Department
17371 Gothard Street
Huntington Beach, CA 92647

Subject: Cost Estimate for a Limited Phase II Environmental Investigation
City of Huntington Beach, Water Operations Yard
19001 Huntington Street
Huntington Beach, CA
RECON Cost Proposal No. LA94-621

Dear Mr. Noble:

Recon Environmental Corp., (RECON) is pleased to provide this Cost Estimate for the provision of a Limited Phase II Environmental Investigation at the above-referenced Site.

FEE ESTIMATE - (Time and Materials)

Pre-Field Activities Site contact, Health and Safety Plan, Utility clearance	$ 150.00
Field Activities Drilling/Sampling, RECON labor, equipment usage	$ 1,250.00
Subcontractors Chemical analyses	$ 1,375.00
Reporting Report Preparation, Contract Administration	$ 1,050.00
ESTIMATED TOTAL	$ 3,825.00

Soil and rinsate water will be disposed of at cost plus 15% and can be removed within one week of client authorization (see attached Rider). Costs for drum disposal can vary significantly depending on the contaminants and the concentration levels of the contaminants, therefore costs for this task are not included at this time.

Recon

AUTHORIZATION

If you agree with the Cost For Services proposed and wish for us to proceed, please sign both copies of this Proposal and return one, as well as the attached Terms and Conditions, as authorization for RECON to perform this work.

If you have any questions, please do not hesitate to contact me at our office, at (714) 752-1818. We look forward to providing you with the environmental services you require.

Sincerely,

Dale B. Bodman, P.E., REA
Director, Environmental Services

cc: Charles Victor/RECON

I:\...\SITEINV\LA94-621.CST

Attachments: RECON's Soil Disposal Rider

Client Authorization

Date

Recon

Water Operations Yard
19001 Huntington Street
City of Huntington Beach
RECON Cost Proposal No. LA94-621
Rider

RIDER

Authorization for funding is given by _____ to RECON Environmental Corp. (RECON) to insure the removal and disposal of the following materials at this site:

- **Drill Cuttings**

The removal and disposal of the above items from the Site will be charged to you at cost plus 15 percent. Please sign below to authorize this work to be performed.

_____ _____

Client Authorization **Date**

RECEIVED
NOV 09 1994
HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH

City of Huntington Beach - Water Operations Facility - 7512 Garfield Avenue, Huntington Beach, CA 92648

Reconciliation of Underground Tank Number 2 Containing Diesel Fuel

For Month of December, 1994

TANK CAPACITY: 5737 ALLOWABLE ERROR: 130 PUMP TYPE: Remote RESPONSIBLE PERSON: Steve Tully @ (714) 536-5505

LAST TANK TEST: 01/22/92 LAST METER(S) TEST: 02/04/92 LAST LEAK DETECTOR TEST: 03/04/92

RECON DATES	RECON BY	WATER INCHES	(A) BEGIN GAL	(B) ADDED GAL	BEGIN METER	ENDING METER	(C) METER GAL	(D) (A+B-C) GAL	ENDING INCHES	(E) ENDING GAL	(E-D) ERROR GAL	ACCUM ERROR	EXCEED LIMITS
Thu 01	SRT	0.000	5030	0	15618	15618	0	5030	74.250	5030	0	0	****
Fri 02	SRT	0.000	5030	0	15618	15618	0	5030	74.250	5030	0	0	****
Mon 05	SRT	0.000	5030	0	15618	15618	0	5030	74.250	5030	0	0	****
Tue 06	SRT	0.000	5030	0	15618	15643	25	5005	73.875	5007	2	2	****
Wed 07	SRT	0.000	5030	0	15618	15643	25	5005	73.875	5007	2	2	****
Thu 08	SRT	0.000	5007	0	15643	15643	0	5007	73.875	5007	0	2	****
Tue 13	SRT	0.000	5007	0	15643	15643	0	5007	73.875	5007	0	2	****
Wed 14	SRT	0.000	5007	0	15643	15674	31	4976	72.750	4936	-40	-38	****
Thu 15	SRT	0.000	4936	0	15674	15674	0	4936	72.750	4936	0	-38	****
Fri 16	SRT	0.000	4936	0	15674	15686	12	4924	72.250	4904	-20	-58	****
Mon 19	SRT	0.000	4904	0	15686	15686	0	4904	72.250	4904	0	-58	****
Fri 23	SRT	0.000	4904	0	15686	15706	20	4884	72.250	4904	20	-38	****
Wed 28	SRT	0.000	4904	0	15706	15738	32	4872	72.000	4888	16	-22	****
Thu 29	SRT	0.000	4888	0	15738	15738	0	4888	72.000	4888	0	-22	****
Fri 30	SRT	0.000	4888	0	15738	15738	0	4888	72.000	4888	0	-22	NO

City of Huntington Beach - Water Operations Facility - 7512 Garfield Avenue, Huntington Beach, CA 92648

Reconciliation of Underground Tank Number 1 Containing Unleaded Gasoline

For Month of December, 1994

TANK CAPACITY: 5737 ALLOWABLE ERROR: 130 PUMP TYPE: Remote RESPONSIBLE PERSON: Steve Tully @ (714) 536-5505

LAST TANK TEST: 01/22/92 LAST METER(S) TEST: 02/04/92 LAST LEAK DETECTOR TEST: 03/04/92

RECON DATES	RECON BY	WATER INCHES	(A) BEGIN GAL	(B) ADDED GAL	BEGIN METER	ENDING METER	(C) METER GAL	(D) (A+B-C) GAL	ENDING INCHES	(E) ENDING GAL	(E-D) ERROR GAL	ACCUM ERROR	EXCEED LIMITS
Thu 01	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Fri 02	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Mon 05	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Tue 06	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Wed 07	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Thu 08	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Tue 13	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Wed 14	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Thu 15	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Fri 16	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Mon 19	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Fri 23	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Wed 28	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Thu 29	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	****
Fri 30	SRT	0.000	5740	0	28072	28072	0	5740	99.875	5740	0	0	NO

TOM URAM
DIRECTOR

L. REX EHLING, M.D.
HEALTH OFFICER

ENVIRONMENTAL HEALTH DIVISION
ROBERT E MERRYMAN, R. S. MPH
DEPUTY DIRECTOR

MAILING ADDRESS: P.O. BOX 355
SANTA ANA, CA 92702

County of Orange

HEALTH CARE AGENCY

PUBLIC HEALTH SERVICES

ENVIRONMENTAL HEALTH DIVISION
1725 W. 17TH STREET
SANTA ANA, CALIFORNIA 92706
(714) 834-8356

PERMIT TO OPERATE APPLICATION

(COMPLETE PAGE 1 & 2)

DATE: 6/26/89

FACILITY INFORMATION

NAME: Water Operations

STREET ADDRESS: 19001 Huntington Street

CITY: Huntington Beach, California

TOTAL NUMBER OF TANKS AT THIS LOCATION: 2

TYPE OF BUSINESS:

___ GASOLINE STATION ___ FARM

X GOVERNMENT ___ OTHER

FACILITY OPERATOR (CONTACT PERSON)

NAME: Donald W. Kiser

BUSINESS TELEPHONE NO.: (714) 848-0600

24 HOUR EMERGENCY CONTACT PERSON

DAYS: Donald W. Kiser (NAME) 848-0600 (TELEPHONE)

NIGHTS: Fire Training Facility (NAME) 536-5477 (TELEPHONE)

TANK OWNER

NAME (CORP., INDIVIDUAL, PUBLIC AGENCY)

City of Huntington Beach

STREET ADDRESS: 2000 Main Street

CITY: Huntington Beach

STATE: California ZIP: 92648

TELEPHONE NO.: (714) 848-0600

BILLING ADDRESS INFORMATION

BILL TO (NAME): City of Huntington Beach

BILL TO (ADDRESS): 17371 Gothard Street

CITY: Huntington Beach

STATE: California ZIP: 92647

TELEPHONE NO.: (714) 848-0600

IMPORTANT NOTE: SECTION 25293 OF THE UNDERGROUND STORAGE TANK LAW STATES THAT THE OPERATOR OF THE FACILITY SHALL MONITOR AND KEEP SUFFICIENT RECORDS OF MONITORING PERFORMED AT THE FACILITY USING AN APPROVED MONITORING METHOD. IF THE OPERATOR IS NOT THE OWNER OF THE TANK(S), THE OWNER SHALL PROVIDE A COPY OF THE PERMIT TO THE OPERATOR, ENTER INTO A WRITTEN CONTRACT WITH THE OPERATOR TO MONITOR THE UNDERGROUND STORAGE TANK(S) AS SPECIFIED, AND PROVIDE THE OPERATOR WITH A COPY OF SECTION 25299 OF THIS LAW. IT IS THE RESPONSIBILITY OF THE OWNER TO ENSURE THAT THE OPERATOR UNDERSTANDS THE MONITORING AND REPORTING REQUIREMENTS SET FORTH.

THIS APPLICATION MUST BE SIGNED BY: THE OWNER OF THE UNDERGROUND STORAGE TANK(S); A PRINCIPAL EXECUTIVE OFFICER AT A LEVEL OF VICE-PRESIDENT OR AN AUTHORIZED REPRESENTATIVE; A GENERAL PARTNER PROPRIETOR; OR A PRINCIPAL EXECUTIVE OFFICER, RANKING ELECTED OFFICIAL, OR AUTHORIZED REPRESENTATIVE OF A PUBLIC AGENCY.

(APPLICANT) OWNER OR AUTHORIZING SIGNATURE: Donald W Kiser DATE: 6-27-89

THE COMPLETION AND SUBMITTAL OF THIS APPLICATION DOES NOT CONSTITUTE THE ISSUANCE OF A PERMIT TO OPERATE BUT IS REQUIRED BY LAW. PLEASE BE ADVISED THAT DETAILED COMPLIANCE AND MONITORING INFORMATION MUST ALSO BE SUBMITTED AND APPROVED BY THIS AGENCY, AND VERIFIED BY ON-SITE INSPECTION, PRIOR TO THE ISSUANCE OF A PERMIT.

FORMS:PTOA
ljs:03/29/89

TANK INFORMATION

I.

TANK I.D.			#1 W-1	#2 W-2	#3	#4
MATERIALS STORED	CAS NO. OR WASTE I.D.	CURRENTLY				
		PROPOSED				
		PREVIOUSLY				
	FUEL TYPE (IF TRADE SECRET, PLEASE STATE)		UNLEADED	REGULAR		
CONTAINER	TYPE (TANK, SUMP, OTHERS)		TANK	TANK		
	DOUBLE WALL/SINGLE WALL		SINGLE	SINGLE		
	UL NUMBER					
	YEAR INSTALLED		1981	1981		
	VAULTED/NOT VAULTED		NOT	NOT		
	PRIMARY	MANUFACTURER	OWENS-CORNING	OWENS-CORNING		
		CAPACITY (GALLON)	6,000	6,000		
		CONSTRUCTION MATERIAL	FIBERGLASS	FIBERGLASS		
		THICKNESS (UNITS)	UNK	UNK		
		INTERIOR LINING	NONE	NONE		
	SECONDARY	MANUFACTURER				
		CAPACITY (GALLON)				
		CONSTRUCTION MATERIAL				
		THICKNESS (UNITS)				
	CORROSION PROTECTION		NONE	NONE		
	TYPE OF LEAK DETECTION (LIQUID, VAPOR, ETC.)		STOCK INVENTORY	STOCK INVENTORY		
	MANUFACTURER OF LEAK DETECTOR					
PIPING	LOCATION (UNDER/ABOVE GROUND)		UNDER	UNDER		
	SUCTION/PRESSURE GRAVITY/UNKNOWN		PRESSURE	PRESSURE		
	PRIMARY	CONSTRUCTION MATERIAL				
		MANUFACTURER				
	SECONDARY	CONSTRUCTION MATERIAL				
		MANUFACTURER				
	TYPE OF LEAK DETECTION (LIQUID, VAPOR, ETC.)					
	MANUFACTURER OF LEAK DETECTOR					
OVERFILL PROTECTION (TYPE)						
SPILL CONTAINMENT						

II. ATTACH A DIAGRAM (8 1/2" X 11") INCLUDE THE LOCATIONS OF THE UNDERGROUND STORAGE TANK(S), PIPING, AUXILIARY EQUIPMENT, BUILDINGS AND OTHER LANDMARKS.

OFFICE USE ONLY

MONITORING SYSTEM/ALTERNATIVE				

TOM URAM
DIRECTOR

L. REX EHLING, M.D.
HEALTH OFFICER

ENVIRONMENTAL HEALTH DIVISION
ROBERT E MERRYMAN, R. S. MPH
DEPUTY DIRECTOR

MAILING ADDRESS: P.O. BOX 355
SANTA ANA, CA 92702

County of Orange

HEALTH CARE AGENCY

PUBLIC HEALTH SERVICES

ENVIRONMENTAL HEALTH DIVISION
1725 W. 17TH STREET
SANTA ANA, CALIFORNIA 92706
(714) 834-8356

PERMIT TO OPERATE APPLICATION

(COMPLETE PAGE 1 & 2)

DATE: 6/26/89

FACILITY INFORMATION

NAME: Water Operations

STREET ADDRESS: 19001 Huntington Street

CITY: Huntington Beach, California

TOTAL NUMBER OF TANKS AT THIS LOCATION: 2

TYPE OF BUSINESS:

____ GASOLINE STATION ____ FARM

_X_ GOVERNMENT ____ OTHER

FACILITY OPERATOR (CONTACT PERSON)

NAME: Donald W. Kiser

BUSINESS TELEPHONE NO.: (714) 848-0600

24 HOUR EMERGENCY CONTACT PERSON

DAYS: Donald W. Kiser (NAME) 848-0600 (TELEPHONE)

NIGHTS: Fire Training Facility (NAME) 536-5477 (TELEPHONE)

TANK OWNER

NAME (CORP., INDIVIDUAL, PUBLIC AGENCY)

City of Huntington Beach

STREET ADDRESS: 2000 Main Street

CITY: Huntington Beach

STATE: California ZIP: 92648

TELEPHONE NO.: (714) 848-0600

BILLING ADDRESS INFORMATION

BILL TO (NAME): City of Huntington Beach

BILL TO (ADDRESS): 17371 Gothard Street

CITY: Huntington Beach

STATE: California ZIP: 92647

TELEPHONE NO.: (714) 848-0600

IMPORTANT NOTE: SECTION 25293 OF THE UNDERGROUND STORAGE TANK LAW STATES THAT THE OPERATOR OF THE FACILITY SHALL MONITOR AND KEEP SUFFICIENT RECORDS OF MONITORING PERFORMED AT THE FACILITY USING AN APPROVED MONITORING METHOD. IF THE OPERATOR IS NOT THE OWNER OF THE TANK(S), THE OWNER SHALL PROVIDE A COPY OF THE PERMIT TO THE OPERATOR, ENTER INTO A WRITTEN CONTRACT WITH THE OPERATOR TO MONITOR THE UNDERGROUND STORAGE TANK(S) AS SPECIFIED, AND PROVIDE THE OPERATOR WITH A COPY OF SECTION 25299 OF THIS LAW. IT IS THE RESPONSIBILITY OF THE OWNER TO ENSURE THAT THE OPERATOR UNDERSTANDS THE MONITORING AND REPORTING REQUIREMENTS SET FORTH.

THIS APPLICATION MUST BE SIGNED BY: THE OWNER OF THE UNDERGROUND STORAGE TANK(S); A PRINCIPAL EXECUTIVE OFFICER AT A LEVEL OF VICE-PRESIDENT OR AN AUTHORIZED REPRESENTATIVE; A GENERAL PARTNER PROPRIETOR; OR A PRINCIPAL EXECUTIVE OFFICER, RANKING ELECTED OFFICIAL, OR AUTHORIZED REPRESENTATIVE OF A PUBLIC AGENCY.

(APPLICANT) OWNER OR AUTHORIZING SIGNATURE: Donald W Kiser DATE: 6-27-89

THE COMPLETION AND SUBMITTAL OF THIS APPLICATION DOES NOT CONSTITUTE THE ISSUANCE OF A PERMIT TO OPERATE BUT IS REQUIRED BY LAW. PLEASE BE ADVISED THAT DETAILED COMPLIANCE AND MONITORING INFORMATION MUST ALSO BE SUBMITTED AND APPROVED BY THIS AGENCY, AND VERIFIED BY ON-SITE INSPECTION, PRIOR TO THE ISSUANCE OF A PERMIT.

FORMS:PTOA
lJs:03/29/89

TANK INFORMATION

I.

TANK I.D.			#1 W-1	#2 W-2	#3	#4
MATERIALS STORED	CAS NO. OR WASTE I.D.	CURRENTLY				
		PROPOSED				
		PREVIOUSLY				
	FUEL TYPE (IF TRADE SECRET, PLEASE STATE)		UNLEADED	REGULAR		
CONTAINER	TYPE (TANK, SUMP, OTHERS)		TANK	TANK		
	DOUBLE WALL/SINGLE WALL		SINGLE	SINGLE		
	UL NUMBER					
	YEAR INSTALLED		1981	1981		
	VAULTED/NOT VAULTED		NOT	NOT		
	PRIMARY	MANUFACTURER	OWENS-CORNING	OWENS-CORNING		
		CAPACITY (GALLON)	6,000	6,000		
		CONSTRUCTION MATERIAL	FIBERGLASS	FIBERGLASS		
		THICKNESS (UNITS)	UNK	UNK		
		INTERIOR LINING	NONE	NONE		
	SECONDARY	MANUFACTURER				
		CAPACITY (GALLON)				
		CONSTRUCTION MATERIAL				
		THICKNESS (UNITS)				
	CORROSION PROTECTION		NONE	NONE		
	TYPE OF LEAK DETECTION (LIQUID, VAPOR, ETC.)		STOCK INVENTORY	STOCK INVENTORY		
	MANUFACTURER OF LEAK DETECTOR					
PIPING	LOCATION (UNDER/ABOVE GROUND)		UNDER	UNDER		
	SUCTION/PRESSURE GRAVITY/UNKNOWN		PRESSURE	PRESSURE		
	PRIMARY	CONSTRUCTION MATERIAL				
		MANUFACTURER				
	SECONDARY	CONSTRUCTION MATERIAL				
		MANUFACTURER				
	TYPE OF LEAK DETECTION (LIQUID, VAPOR, ETC.)					
	MANUFACTURER OF LEAK DETECTOR					
OVERFILL PROTECTION (TYPE)						
SPILL CONTAINMENT						

II. ATTACH A DIAGRAM (8 1/2" X 11") INCLUDE THE LOCATIONS OF THE UNDERGROUND STORAGE TANK(S) PIPING, AUXILIARY EQUIPMENT, BUILDINGS AND OTHER LANDMARKS.

OFFICE USE ONLY

MONITORING SYSTEM/ALTERNATIVE				

OC CUPA
2009 E. Edinger Ave
Santa Ana
CA 92705
(714) 667-3600

UNIFIED PROGRAM CONSOLIDATED FORM

TANKS

UNDERGROUND STORAGE TANKS - FACILITY

(one page per site)

Page 1 of 1

TYPE OF ACTION (Check one item only)
☐ 1. NEW SITE PERMIT ☑ 3. RENEWAL PERMIT ☐ 5. CHANGE OF INFORMATION (Specify change - local use only)_____ ☐ 7. PERMANENTLY CLOSED SITE
☐ 4. AMENDED PERMIT ☐ 6. TEMPORARY SITE CLOSURE ☐ 8. TANK REMOVED 400

I. FACILITY / SITE INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) 3
CITY OF HUNTINGTON BEACH

FACILITY ID # 30 1

NEAREST CROSS STREET 401
HUNTINGTON ST & Garfield Ave.

BUSINESS TYPE ☐ 1. GAS STATION ☐ 2. DISTRIBUTOR ☐ 3. FARM ☐ 4. PROCESSOR ☑ 5. COMMERCIAL ☐ 6. OTHER 403

FACILITY OWNER TYPE
☐ 1. CORPORATION ☐ 2. INDIVIDUAL ☐ 3. PARTNERSHIP
☑ 4. LOCAL AGENCY/DISTRICT* ☐ 5. COUNTY AGENCY* ☐ 6. STATE AGENCY* ☐ 7. FEDERAL AGENCY* 402

TOTAL NUMBER OF TANKS REMAINING AT SITE
Two (2) 404

Is facility on Indian Reservation or trustlands? ☐ Yes ☑ No 405

*If owner of UST is a public agency: name of supervisor of division, section or office which operates the UST. (This is the contact person for the tank records.)
DONALD R. NOBLE 406

II. PROPERTY OWNER INFORMATION

PROPERTY OWNER NAME 407
CITY OF HUNTINGTON BEACH (WATER OPERATIONS)

PHONE 408
(714) 536-5432

MAILING OR STREET ADDRESS 409
PO BOX 190 (19001 HUNTINGTON STREET)

CITY 410
HUNTINGTON BEACH

STATE 411
CA

ZIP CODE 412
92648

PROPERTY OWNER TYPE
☐ 1. CORPORATION ☐ 2. INDIVIDUAL ☐ 3. PARTNERSHIP ☑ 4. LOCAL AGENCY / DISTRICT ☐ 5. COUNTY AGENCY ☐ 6. STATE AGENCY ☐ 7. FEDERAL AGENCY 413

III. TANK OWNER INFORMATION

TANK OWNER NAME 414
CITY OF HUNTINGTON BEACH

PHONE 415
(714) 536-5432

MAILING OR STREET ADDRESS 416
PO BOX 190

CITY 417
HUNTINGTON BEACH

STATE 418
CA

ZIP CODE 419
92648

TANK OWNER TYPE
☐ 1. CORPORATION ☐ 2. INDIVIDUAL ☐ 3. PARTNERSHIP ☑ 4. LOCAL AGENCY / DISTRICT ☐ 5. COUNTY AGENCY ☐ 6. STATE AGENCY ☐ 7. FEDERAL AGENCY 420

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER

TY (TK) HQ 44-016406 Call (916) 322-9669 if questions arise 421

V. PETROLEUM UST FINANCIAL RESPONSIBILITY

INDICATE METHOD(S)
☑ 1. SELF-INSURED ☐ 2. GUARANTEE ☐ 3. INSURANCE ☐ 4. SURETY BOND ☐ 5. LETTER OF CREDIT ☐ 6. EXEMPTION ☐ 7. STATE FUND ☐ 8. STATE FUND & CFO LETTER ☐ 9. STATE FUND & CD ☐ 10. LOCAL GOV'T MECHANISM ☐ 99. OTHER_____ 422

VI. LEGAL NOTIFICATION AND MAILING ADDRESS

Check one box to indicate which address should be used for legal notifications and mailing. Legal notifications and mailings will be sent to the tank owner unless box 1 or 2 is checked.
☐ 1. FACILITY ☐ 2. PROPERTY OWNER ☐ 3. TANK OWNER 423

VII. APPLICANT SIGNATURE

Certification: I certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF APPLICANT

DATE 424
12-21-00

PHONE 425
714 536-5430

NAME OF APPLICANT (print) 426
ERIC R. CHARLONNE

TITLE OF APPLICANT 427
CONTRACT ADMINISTRATOR

STATE UST FACILITY NUMBER (For local use only) 428

1998 UPGRADE CERTIFICATE NUMBER (For local use only) 429

F042-09.1585

UST - Facility

Complete the UST - Facility page for all new permits, permit changes or any facility information changes. This page must be submitted within 30 days of permit or facility information changes, unless approval is required before making any changes.
Submit one UST - Facility page per facility, regardless of the number of tanks located at the site. This form is completed by either the permit applicant or the local agency underground tank inspector. As part of the application, the tank owner must submit a scaled facility plot plan to the local agency showing the location of the USTs with respect to buildings and landmarks [23 CCR §2711 (a)(8)], a description of the tank and piping leak detection monitoring program [23 CCR §2711 (a)(9)], and, for tanks containing petroleum, documentation showing compliance with State financial responsibility requirements [23 CCR §2711 (a)(11)].
Refer to 23 CCR §2711 for state UST information and permit application requirements.
(Note: the numbering of the instructions follows the data element numbers that are on the UPCF pages. These data element numbers are used for electronic submission and are the same as the numbering used in 27 CCR, Appendix C, the Business Section of the Unified Program Data Dictionary.)

Please number all pages of your submittal. This helps your CUPA or local agency identify whether the submittal is complete and if any pages are separated.

1. FACILITY ID NUMBER - Leave this blank. This number is assigned by the CUPA. This is the unique number which identifies your facility.
3. BUSINESS NAME - Enter the full legal name of the business.
400. TYPE OF ACTION - Check the reason the page is being completed. CHECK ONE ITEM ONLY.
401. NEAREST CROSS STREET- - - Enter the name of the cross street nearest to the site of the tank.
402. FACILITY OWNER TYPE - Check the type of business ownership.
403. BUSINESS TYPE - Check the type of business.
404. TOTAL NUMBER OF TANKS REMAINING AT SITE - Indicate the number of tanks remaining on the site after the requested action.
405. INDIAN OR TRUST LAND - Check whether or not the facility is located on an Indian reservation or other trust lands.
406. PUBLIC AGENCY SUPERVISOR NAME - If the facility owner is a public agency, enter the name of the supervisor for the division, section or office which operates the UST. This person must have access to the tank records.
407. PROPERTY OWNER NAME
408. PROPERTY OWNER PHONE
409. PROPERTY OWNER MAILING OR STREET ADDRESS
410. PROPERTY OWNER CITY
411. PROPERTY OWNER STATE
412. PROPERTY OWNER ZIP CODE

> Complete items 407- 412 for the property owner, unless all items are the same as the Owner Information (items 111-116) on the Business Owner/Operator Identification page (OES Form 2730). If the same, write "SAME AS SITE" in this section.

413. PROPERTY OWNER TYPE - Check the type of property ownership.
414. TANK OWNER NAME
415. TANK OWNER PHONE
416. TANK OWNER MAILING OR STREET ADDRESS
417. TANK OWNER CITY
418. TANK OWNER STATE
419. TANK OWNER ZIP CODE

> Complete items 414- 419 for the tank owner,, unless all items are the same as the Owner Information (items 111-116) on the Business Owner/Operator Identification page (OES Form 2730). If the same, write "SAME AS SITE" in this section.

420. TANK OWNER TYPE - Check the type of tank ownership.
421. BOE NUMBER - Enter your Board of Equalization (BOE) UST storage fee account number. This fee applies to regulated USTs storing petroleum products. This is required before your permit application can be processed. If you do not have an account number with the BOE or if you have any questions regarding the fee or exemptions, please call the BOE at (916) 322-9669 or write to the BOE at: Board of Equalization, Fuel Taxes Division, P.O. Box 942879, Sacramento, CA 94279-0030.
422. PETROLEUM UST FINANCIAL RESPONSIBILITY CODE - Check the method(s) used by the owner and/or operator in meeting the Federal and State financial responsibility requirements. CHECK ALL THAT APPLY. If the method is not listed, check "other" and enter the method(s). USTs owned by any Federal or State agency and non-petroleum USTs are exempt from this requirement.
423. LEGAL NOTIFICATION AND MAILING ADDRESS - Indicate the address to which legal notifications and mailings should be sent. The notifications and mailings will be sent to the tank owner unless the facility (box 1) or the property owner (box 2) is checked.
SIGNATURE OF APPLICANT - The business owner/operator of the tank facility, or officially designated representative of the owner/operator, shall sign in the space provided. This signature certifies that the signer believes that all the information submitted is accurate and complete.
424. DATE CERTIFIED - Enter the date that the page was signed.
425. APPLICANT PHONE - Enter the phone number of the applicant (person certifying).
426. APPLICANT NAME - Enter the full printed name of the person signing the page.
427. APPLICANT TITLE - Enter the title of the person signing the page.
428. STATE UST FACILITY NUMBER - Leave this blank. This number is assigned by the CUPA as follows: the number is composed of the two digit county number, the three-digit jurisdiction number, and a six-digit facility number. The facility number must be the same as shown in item 1.
429. 1998 UPGRADE CERTIFICATE NUMBER - Leave this blank. This number is assigned by the CUPA.

THIS PER[redacted]ST BE POSTED IN A CONSPICUO[redacted]ATION

ORANGE COUNTY HEALTH CARE AGENCY
PUBLIC HEALTH / ENVIRONMENTAL HEALTH

PERMIT TO OPERATE
UNDERGROUND STORAGE TANKS

PERMIT NUMBER 5963-1	NUMBER OF TANKS OPERATED UNDER THIS PERMIT 2	ISSUANCE DATE 04-11-91	EXPIRATION DATE 04-09-96

FACILITY	OWNER	OPERATOR
WATER OPERATIONS 19001 HUNTINGTON ST HUNTINGTON BEACH, CA 92648	CITY OF HUNTINGTON BEACH 2000 MAIN ST ATTN: DON KISER HUNTINGTON BEACH, CA 92648	

The underground storage tanks located at this facility are permitted to operate provided the following conditions are complied with:

1. The following changes in the usage of an underground storage tank must be reported within thirty (30) days to the Underground Storage Tank (UST) Program.
   A. The storage of new hazardous substances.
   B. Changes in monitoring procedures.
   C. The replacement or repair of all or part of any underground storage tank or pipes connected thereto.
2. All unauthorized releases must be reported within 24 hours to the UST Program.
3. Written records of all monitoring performed shall be maintained on-site for a period of at least 3 years from the date the monitoring was performed. The written records of all monitoring performed in the last 3 years shall be shown to the UST Program staff representatives of the UST Program upon request during any site inspection.
4. If ownership of the underground tank(s) is transferred, the new owner must submit a Transfer of Ownership application to the Underground Storage Tank Program within thirty (30) days of the change in ownership.
5. The underground storage tank owner must apply to the Underground Storage Tank Program for permit renewal at least 180 days prior to the expiration of the permit.

Section 25299 of the California Health and Safety Code states that owners and operators of underground storage tanks are liable for civil penalties of not less than Five Hundred Dollars ($500.00) or more than Five Thousand Dollars ($5,000.00) per day for violating the conditions of the permit or any other provisions of the Underground Storage Tank Law or Regulations.

TANK	* * MONITORING ALTERNATIVE * *
5963-001	5 -INVENTORY RECONCILIATION, TANK TESTING, PIPELINE LEAK DETECTORS.
5963-002	5 -INVENTORY RECONCILIATION, TANK TESTING, PIPELINE LEAK DETECTORS.

UNDERGROUND STORAGE TANK PROGRAM
OFFICE ADDRESS: 2009 E. EDINGER AVE, SANTA ANA, CA 92705
MAILING ADDRESS: P.O. BOX 355, SANTA ANA, CA 92702
TELEPHONE: (714) 667-3700

ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH
(714) 834-8920

INTERIM PERMIT
TO OPERATE UNDERGROUND STORAGE TANKS

PERMIT NUMBER:	TANK COUNT AT THIS FACILITY:	ISSUANCE DATE:	EXPIRATION DATE:
5963	2	14 APR 1986	01 SEP 1986

FACILITY	OWNER	OPERATOR
WATER OPERATIONS 19701 HUNTINGTON ST HUNTINGTON BEACH, 92648	CITY OF HB WATER DIVISION P O BOX 190 HUNTINGTON BEACH, CA, 92648	E A ELEVATORSKI/WA

THIS IS AN INTERIM PERMIT TO OPERATE

You have selected monitoring alternative #5.

Inventory Reconciliation, Tank Testing, Pipeline Leak Detectors.

The following must be submitted to this office:

A.) Inventory reconciliation

A copy of the inventory reconciliation and excess variation procedures that are to be implemented at this facility. These procedures must conform to the requirements of Section 2644, Subchapter 16, Title 23, California Administrative Code. A summary of Section 2644 is enclosed.

B.) Tank Testing

Documentation (ie certified copy) that a Precision test (per NFPA 329) has been performed on the tank(s) indicating a leak rate of less than .05 gallons per hour per tank.

C.) Pipeline Leak Detectors

For pressure systems, documentation that all pressurized pipelines are being monitored using an automatic in line pressure loss detector and flow restriction device

OR

For suction systems, a copy of the procedure for daily monitoring of suction pipelines for indications of possible leaks.

This monitoring system must be installed and implemented prior to September 1, 1986.

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD

UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM A

COMPLETE THIS FORM FOR EACH FACILITY/SITE

MARK ONLY ONE ITEM: [x] 1 NEW PERMIT [ ] 2 INTERIM PERMIT [ ] 3 RENEWAL PERMIT [ ] 4 AMENDED PERMIT [ ] 5 CHANGE OF INFORMATION [ ] 6 TEMPORARY SITE CLOSURE [ ] 7 PERMANENTLY CLOSED SITE

I. FACILITY/SITE INFORMATION & ADDRESS - (MUST BE COMPLETED)

DBA OR FACILITY NAME: WATER OPERATIONS	NAME OF OPERATOR: PUBLIC WORKS - WATER		
ADDRESS: 19001 HUNTINGTON STREET	NEAREST CROSS STREET: GARFIELD AVENUE		PARCEL # (OPTIONAL)
CITY NAME: HUNTINGTON BEACH	STATE: CA	ZIP CODE: 92648	SITE PHONE # WITH AREA CODE: (714) 536-5921

✓ BOX TO INDICATE: [ ] CORPORATION [ ] INDIVIDUAL [ ] PARTNERSHIP [ ] LOCAL AGENCY DISTRICTS [ ] COUNTY AGENCY [ ] STATE AGENCY [ ] FEDERAL AGENCY

TYPE OF BUSINESS							
[ ] 1 GAS STATION	[ ] 2 DISTRIBUTOR	[ ] 3 FARM	[ ] 4 PROCESSOR	[x] 5 OTHER	[ ] ✓ IF INDIAN RESERVATION OR TRUST LANDS	# OF TANKS AT SITE: 2	E. P. A. I. D. # (optional): CAD 981381619

EMERGENCY CONTACT PERSON (PRIMARY)		EMERGENCY CONTACT PERSON (SECONDARY) - optional	
DAYS: NAME (LAST, FIRST): KISER, DONALD	PHONE # WITH AREA CODE: (714) 960-8861	DAYS: NAME (LAST, FIRST):	PHONE # WITH AREA CODE:
NIGHTS: NAME (LAST, FIRST): FIRE TRAINING FACILITY	PHONE # WITH AREA CODE: (714) 536-5477	NIGHTS: NAME (LAST, FIRST):	PHONE # WITH AREA CODE:

II. PROPERTY OWNER INFORMATION - (MUST BE COMPLETED)

NAME: CITY OF HUNTINGTON BEACH	CARE OF ADDRESS INFORMATION: 17371 GOTHARD STREET		
MAILING OR STREET ADDRESS: 2000 MAIN STREET	✓ box to indicate: [ ] INDIVIDUAL [x] LOCAL AGENCY [ ] STATE AGENCY [ ] CORPORATION [ ] PARTNERSHIP [ ] COUNTY AGENCY [ ] FEDERAL AGENCY		
CITY NAME: HUNTINGTON BEACH	STATE: CA	ZIP CODE: 92648	PHONE # WITH AREA CODE: (714) 960-8861

III. TANK OWNER INFORMATION - (MUST BE COMPLETED)

NAME OF OWNER: CITY OF HUNTINGTON BEACH	CARE OF ADDRESS INFORMATION: 17371 GOTHARD STREET		
MAILING OR STREET ADDRESS: 2000 MAIN STREET	✓ box to indicate: [ ] INDIVIDUAL [x] LOCAL AGENCY [ ] STATE AGENCY [ ] CORPORATION [ ] PARTNERSHIP [ ] COUNTY AGENCY [ ] FEDERAL AGENCY		
CITY NAME: HUNTINGTON BEACH	STATE: CA	ZIP CODE: 92648	PHONE # WITH AREA CODE: (714) 960-8861

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER - Call (916) 323-9555 if questions arise.

TY (TK) HQ 44-016407

V. PETROLEUM UST FINANCIAL RESPONSIBILITY - (MUST BE COMPLETED) – IDENTIFY THE METHOD(S) USED

✓ box to indicate: [x] 1 SELF-INSURED [ ] 2 GUARANTEE [ ] 3 INSURANCE [ ] 4 SURETY BOND [ ] 5 LETTER OF CREDIT [ ] 6 EXEMPTION [ ] 99 OTHER

VI. LEGAL NOTIFICATION AND BILLING ADDRESS

Legal notification and billing will be sent to the tank owner unless box I or II is checked.

CHECK ONE BOX INDICATING WHICH ABOVE ADDRESS SHOULD BE USED FOR LEGAL NOTIFICATIONS AND BILLING: I. [ ] II. [x] III. [ ]

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE)	APPLICANT'S TITLE	DATE MONTH/DAY/YEAR
DONALD W. KISER Donald W Kiser	OPERATIONS MANAGER	01/31/92

LOCAL AGENCY USE ONLY

COUNTY #	JURISDICTION #	FACILITY #
30	000	

LOCATION CODE - OPTIONAL	CENSUS TRACT # - OPTIONAL	SUPVISOR - DISTRICT CODE - OPTIONAL

THIS FORM MUST BE ACCOMPANIED BY AT LEAST (1) OR MORE PERMIT APPLICATION - FORM B, UNLESS THIS IS A CHANGE OF SITE INFORMATION ONLY.

INSTRUCTIONS FOR COMPLETING FORM "A"

GENERAL INSTRUCTIONS

1. One FORM "A" shall be completed for all NEW PERMITS, PERMIT CHANGES or any FACILITY/SITE INFORMATION CHANGES.
2. SUBMIT ONLY ONE (1) FORM "A" for a Facility/Site, regardless of the number of tanks located at the site.
3. This form should be completed by either the PERMIT APPLICANT or the LOCAL AGENCY UNDERGROUND TANK INSPECTOR.
4. Please type or print clearly all requested information.
5. Use a hard point writing instrument, you are making 3 copies.

TOP OF FORM: "MARK ONLY ONE ITEM"

Mark an (X) in the box next to the item that best describes the reason the form is being completed.

I. FACILITY/SITE INFORMATION & ADDRESS (MUST BE COMPLETED)

1. Record name and address (physical location) of the underground tank(s).
   NOTE: Address MUST have a valid physical location including city, state, and zip code.
   P.O. BOX NUMBERS ARE NOT ACCEPTABLE.
   Include nearest cross street and name of the operator.
2. Phone number must have an area code. If the night number is the same, write "SAME" in proper location.
3. Check the appropriate box for TYPE OF BUSINESS OWNERSHIP (ex. CORPORATION, INDIVIDUAL, etc.)
4. Check the appropriate box for TYPE OF BUSINESS.
5. If Facility/Site is located within an Indian reservation or other Indian trust lands, check the box marked "YES".
6. Indicate the NUMBER of TANKS at this SITE.
7. Record the E.P.A. ID # or write "NONE" in the space provided.

II. PROPERTY OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION 1; if the same, write "SAME AS SITE" across this section. Be sure to check PROPERTY OWNERSHIP TYPE box.

III. TANK OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION 1; If the same, write "SAME AS SITE" across this section. Be sure to check TANK OWNERSHIP TYPE box.

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER (MUST BE COMPLETED)

Enter your Board of Equalization (BOE) UST storage fee account number which is required before your permit application can be processed. Registration with the BOE will ensure that you will receive a quarterly storage fee return in reporting the $0.006 (6 mills) per gallon fee due on the number of gallons placed in your USTs. The BOE will code persons exempt from paying the storage fee so returns will not be sent. If you do not have an account number with the BOE or if you have any questions regarding the fee or exemptions, please call the BOE at 916-323-9555 or write to the BOE at the following address: Board of Equalization, Environmental Fees Unit, P.O. Box 942879, Sacramento, CA 94279-0001.

V. PETROLEUM UST FINANCIAL RESPONSIBILITY (MUST BE COMPLETED)

Identify the method(s) used by the owner and/or operator in meeting the Federal and State financial responsibility requirements. USTs owned by any Federal or State agency are exempt from this requirement.

VI. LEGAL NOTIFICATION AND BILLING ADDRESS

Check ONE BOX for the address that will be used for BOTH LEGAL AND BILLING NOTIFICATIONS.

APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.

INSTRUCTION FOR THE LOCAL AGENCIES

The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)739-3421. The facility number may be assigned by the local agency; however, this number must be numerical and cannot contain any alphabetical. If the local agency prefers the State Board to assign the facility number, please leave it blank.

IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THIS APPLICATION CANNOT BE PROCESSED IF THE BOE ACCOUNT NUMBER IS NOT FILLED IN. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS.

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
C/O S.W.E.E.P.S.
DATA PROCESSING CENTER
P.O. BOX 527
PARAMOUNT, CA 90723

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD

UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM B

COMPLETE A SEPARATE FORM FOR EACH TANK SYSTEM.

MARK ONLY ONE ITEM: [X] 1 NEW PERMIT; [ ] 2 INTERIM PERMIT; [ ] 3 RENEWAL PERMIT; [ ] 4 AMENDED PERMIT; [ ] 5 CHANGE OF INFORMATION; [ ] 6 TEMPORARY TANK CLOSURE; [ ] 7 PERMANENTLY CLOSED ON SITE; [ ] 8 TANK REMOVED

DBA OR FACILITY NAME WHERE TANK IS INSTALLED: 19001 HUNTINGTON STREET, HUNTINGTON BEACH, CA 92648

I. TANK DESCRIPTION

COMPLETE ALL ITEMS – SPECIFY IF UNKNOWN

A. OWNER'S TANK I. D. # 5963-001	B. MANUFACTURED BY: OWENS - CORNING
C. DATE INSTALLED (MO/DAY/YEAR) 1981	D. TANK CAPACITY IN GALLONS: 6,000

II. TANK CONTENTS

IF A-1 IS MARKED, COMPLETE ITEM C.

A. [X] 1 MOTOR VEHICLE FUEL; [ ] 2 PETROLEUM; [ ] 3 CHEMICAL PRODUCT; [ ] 4 OIL; [ ] 80 EMPTY; [ ] 95 UNKNOWN

B. [ ] 1 PRODUCT; [ ] 2 WASTE

C. [X] 1a REGULAR UNLEADED; [ ] 1b PREMIUM UNLEADED; [ ] 2 LEADED; [ ] 3 DIESEL; [ ] 4 GASAHOL; [ ] 5 JET FUEL; [ ] 6 AVIATION GAS; [ ] 7 METHANOL; [ ] 99 OTHER (DESCRIBE IN ITEM D. BELOW)

D. IF (A-1) IS NOT MARKED, ENTER NAME OF SUBSTANCE STORED — C. A. S. #

III. TANK CONSTRUCTION

MARK ONE ITEM ONLY IN BOXES A, B, AND C, AND ALL THAT APPLIES IN BOX D AND E

A. TYPE OF SYSTEM: [ ] 1 DOUBLE WALL; [X] 2 SINGLE WALL; [ ] 3 SINGLE WALL WITH EXTERIOR LINER; [ ] 4 SECONDARY CONTAINMENT (VAULTED TANK); [ ] 95 UNKNOWN; [ ] 99 OTHER

B. TANK MATERIAL (Primary Tank): [ ] 1 BARE STEEL; [ ] 2 STAINLESS STEEL; [X] 3 FIBERGLASS; [ ] 4 STEEL CLAD W/ FIBERGLASS REINFORCED PLASTIC; [ ] 5 CONCRETE; [ ] 6 POLYVINYL CHLORIDE; [ ] 7 ALUMINUM; [ ] 8 100% METHANOL COMPATIBLE W/FRP; [ ] 8 BRONZE; [ ] 10 GALVANIZED STEEL; [ ] 95 UNKNOWN; [ ] 99 OTHER

C. INTERIOR LINING: [ ] 1 RUBBER LINED; [ ] 2 ALKYD LINING; [ ] 3 EPOXY LINING; [ ] 4 PHENOLIC LINING; [ ] 5 GLASS LINING; [X] 6 UNLINED; [ ] 95 UNKNOWN; [ ] 99 OTHER

B. LINING MATERIAL COMPATIBLE WITH 100% METHANOL? YES ___ NO ___

D. CORROSION PROTECTION: [ ] 1 POLYETHYLENE WRAP; [ ] 2 COATING; [ ] 3 VINYL WRAP; [ ] 4 FIBERGLASS REINFORCED PLASTIC; [ ] 5 CATHODIC PROTECTION; [X] 91 NONE; [ ] 95 UNKNOWN; [ ] 99 OTHER

E. SPILL AND OVERFILL — SPILL CONTAINMENT INSTALLED (YEAR) _____ OVERFILL PREVENTION EQUIPMENT INSTALLED (YEAR) _____

IV. PIPING INFORMATION

CIRCLE A IF ABOVE GROUND OR U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE: A U 1 SUCTION; A (U) 2 PRESSURE; A U 3 GRAVITY; A U 99 OTHER

B. CONSTRUCTION: A U 1 SINGLE WALL; A U 2 DOUBLE WALL; A U 3 LINED TRENCH; A (U) 95 UNKNOWN; A U 99 OTHER

C. MATERIAL AND CORROSION PROTECTION: A U 1 BARE STEEL; A U 2 STAINLESS STEEL; A U 3 POLYVINYL CHLORIDE (PVC); A U 4 FIBERGLASS PIPE; A U 5 ALUMINUM; A U 6 CONCRETE; A U 7 STEEL W/ COATING; A U 8 100% METHANOL COMPATIBLE W/FRP; A U 9 GALVANIZED STEEL; A U 10 CATHODIC PROTECTION; A (U) 95 UNKNOWN; A U 99 OTHER

D. LEAK DETECTION: [ ] 1 AUTOMATIC LINE LEAK DETECTOR; [ ] 2 LINE TIGHTNESS TESTING; [ ] 3 INTERSTITIAL MONITORING; [ ] 99 OTHER

V. TANK LEAK DETECTION

[ ] 1 VISUAL CHECK; [X] 2 INVENTORY RECONCILIATION; [ ] 3 VADOZE MONITORING; [ ] 4 AUTOMATIC TANK GAUGING; [ ] 5 GROUND WATER MONITORING; [ ] 6 TANK TESTING; [ ] 7 INTERSTITIAL MONITORING; [ ] 91 NONE; [ ] 95 UNKNOWN; [ ] 99 OTHER

VI. TANK CLOSURE INFORMATION

1. ESTIMATED DATE LAST USED (MO/DAY/YR)	2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING ___ GALLONS	3. WAS TANK FILLED WITH INERT MATERIAL? YES [ ] NO [ ]

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE)	DATE
DONALD W. KISER Donald W Kiser	01/31/92

LOCAL AGENCY USE ONLY

THE STATE I.D. NUMBER IS COMPOSED OF THE FOUR NUMBERS BELOW

STATE I.D.#	COUNTY #	JURISDICTION #	FACILITY #	TANK #
	30	000		

PERMIT NUMBER	PERMIT APPROVED BY/DATE	PERMIT EXPIRATION DATE

FORM B (7-91) THIS FORM MUST BE ACCOMPANIED BY A PERMIT APPLICATION - FORM A, UNLESS A CURRENT FORM A HAS BEEN FILED.

FORM348-RB

INSTRUCTIONS FOR COMPLETING FORM "B"

GENERAL INSTRUCTIONS:

1. One FORM "B" shall be completed for each tank for all NEW PERMITS, PERMIT CHANGES, REMOVALS and/or any other TANK INFORMATION CHANGE.
2. This form should be completed by either the PERMIT APPLICANT or the LOCAL AGENCY UNDERGROUND TANK INSPECTOR.
3. Please type or print clearly all requested information.
4. Use a hard point writing instrument, you are making 3 copies.

TOP OF FORM: "MARK ONLY ONE ITEM"

1. Mark an (X) in the box next to the item that best describes the reason the form is being completed.
2. Indicate the DBA or Facility name where the tank is installed.

I. TANK DESCRIPTION - COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

A. Indicate owners tank ID # - If there is a tank number that is used by the owner to identify the tank (ex. AB70789).
B. Indicate the name of the company that manufactured the tank (ex. ACME TANK MFG.).
C. Indicate the year the tank was installed (ex. 1987).
D. Indicate the tank capacity in gallons (ex. 25,000 or 10,000 etc.).

II. TANK CONTENTS

A. 1. If MOTOR VEHICLE FUEL, check box 1 and complete items B & C.
2. If not MOTOR VEHICLE FUEL, check the appropriate box in section A and complete items B & D.
B. Check the appropriate box.
C. Check the type of MOTOR VEHICLE FUEL (if box 1 is checked in A).
D. Print the chemical name of the hazardous substance stored in the tank and the C.A.S.#. (Chemical Abstract Service number), if box 1 is NOT checked in A.

III. TANK CONSTRUCTION - MARK ONE ITEM ONLY IN BOX A, B, C & D

1. Check only one item in TYPE OF SYSTEM, TANK MATERIAL, INTERIOR LINING and CORROSION PROTECTION.
2. If OTHER, print in the space provided.

IV. PIPING INFORMATION

1. Circle A if above ground; circle U if underground; and circle both if applicable.
2. If UNKNOWN, circle, or if OTHER, print in space provided.
3. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirement for the piping.

V. TANK LEAK DETECTION

1. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirements for the tank.

VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

1. ESTIMATED DATE LAST USED - MONTH/YEAR (January, 1988 or 01/88).
2. ESTIMATED QUANTITY of HAZARDOUS SUBSTANCE remaining in the tank (in Gallons).
3. WAS TANK FILLED WITH INERT MATERIAL? Check 'Yes' or 'NO'.

APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.

INSTRUCTION FOR THE LOCAL AGENCIES

The state underground storage tank identification number is composed of the two digit county number, the three digit jurisdiction number, the six digit facility number and the six digit tank number. The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)739-3421. The facility number must be the same as shown in form "A". The tank number may be assigned by the local agency; however, this number must be numerical and cannot contain an alphabet. If the local agency prefers the State Board to assign the tank number, please leave it blank.

IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS.

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
C/O S.W.E.E.P.S.
DATA PROCESSING CENTER
P.O. BOX 527
PARAMOUNT, CA 90723

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD

UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM B

COMPLETE A SEPARATE FORM FOR EACH TANK SYSTEM.

MARK ONE ITEM: [X] 1 NEW PERMIT; [ ] 2 INTERIM PERMIT; [ ] 3 RENEWAL PERMIT; [ ] 4 AMENDED PERMIT; [ ] 5 CHANGE OF INFORMATION; [ ] 6 TEMPORARY TANK CLOSURE; [ ] 7 PERMANENTLY CLOSED ON SITE; [ ] 8 TANK REMOVED

DBA OR FACILITY NAME WHERE TANK IS INSTALLED: 19001 HUNTINGTON STREET, HUNTINGTON BEACH, CA 92648

I. TANK DESCRIPTION

COMPLETE ALL ITEMS – SPECIFY IF UNKNOWN

A. OWNER'S TANK I.D.#: 5963-002
B. MANUFACTURED BY: OWENS - CORNING
C. DATE INSTALLED (MO/DAY/YEAR): 1981
D. TANK CAPACITY IN GALLONS: 6,000

II. TANK CONTENTS

IF A-1 IS MARKED, COMPLETE ITEM C.

A. [X] 1 MOTOR VEHICLE FUEL; [ ] 2 PETROLEUM; [ ] 3 CHEMICAL PRODUCT; [ ] 4 OIL; [ ] 80 EMPTY; [ ] 95 UNKNOWN
B. [ ] 1 PRODUCT; [ ] 2 WASTE
C. [ ] 1a REGULAR UNLEADED; [ ] 1b PREMIUM UNLEADED; [X] 2 LEADED; [ ] 3 DIESEL; [ ] 4 GASAHOL; [ ] 5 JET FUEL; [ ] 6 AVIATION GAS; [ ] 7 METHANOL; [ ] 99 OTHER (DESCRIBE IN ITEM D. BELOW)
D. IF (A-1) IS NOT MARKED, ENTER NAME OF SUBSTANCE STORED: REGULAR — C.A.S.#:

III. TANK CONSTRUCTION

MARK ONE ITEM ONLY IN BOXES A, B, AND C, AND ALL THAT APPLIES IN BOX D AND E

A. TYPE OF SYSTEM: [ ] 1 DOUBLE WALL; [X] 2 SINGLE WALL; [ ] 3 SINGLE WALL WITH EXTERIOR LINER; [ ] 4 SECONDARY CONTAINMENT (VAULTED TANK); [ ] 95 UNKNOWN; [ ] 99 OTHER

B. TANK MATERIAL (Primary Tank): [ ] 1 BARE STEEL; [ ] 2 STAINLESS STEEL; [X] 3 FIBERGLASS; [ ] 4 STEEL CLAD W/FIBERGLASS REINFORCED PLASTIC; [ ] 5 CONCRETE; [ ] 6 POLYVINYL CHLORIDE; [ ] 7 ALUMINUM; [ ] 8 100% METHANOL COMPATIBLE W/FRP; [ ] 9 BRONZE; [ ] 10 GALVANIZED STEEL; [ ] 95 UNKNOWN; [ ] 99 OTHER

C. INTERIOR LINING: [ ] 1 RUBBER LINED; [ ] 2 ALKYD LINING; [ ] 3 EPOXY LINING; [ ] 4 PHENOLIC LINING; [ ] 5 GLASS LINING; [X] 6 UNLINED; [ ] 95 UNKNOWN; [ ] 99 OTHER
IS LINING MATERIAL COMPATIBLE WITH 100% METHANOL ? YES ___ NO ___

D. CORROSION PROTECTION: [ ] 1 POLYETHYLENE WRAP; [ ] 2 COATING; [ ] 3 VINYL WRAP; [ ] 4 FIBERGLASS REINFORCED PLASTIC; [ ] 5 CATHODIC PROTECTION; [X] 91 NONE; [ ] 95 UNKNOWN; [ ] 99 OTHER

E. SPILL AND OVERFILL: SPILL CONTAINMENT INSTALLED (YEAR) _____ OVERFILL PREVENTION EQUIPMENT INSTALLED (YEAR) _____

IV. PIPING INFORMATION

CIRCLE A IF ABOVE GROUND OR U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE: A U 1 SUCTION; A (U) 2 PRESSURE; A U 3 GRAVITY; A U 99 OTHER
B. CONSTRUCTION: A U 1 SINGLE WALL; A U 2 DOUBLE WALL; A U 3 LINED TRENCH; A (U) 95 UNKNOWN; A U 99 OTHER
C. MATERIAL AND CORROSION PROTECTION: A U 1 BARE STEEL; A U 2 STAINLESS STEEL; A U 3 POLYVINYL CHLORIDE (PVC); A U 4 FIBERGLASS PIPE; A U 5 ALUMINUM; A U 6 CONCRETE; A U 7 STEEL W/ COATING; A U 8 100% METHANOL COMPATIBLE W/FRP; A U 9 GALVANIZED STEEL; A U 10 CATHODIC PROTECTION; A (U) 95 UNKNOWN; A U 99 OTHER
D. LEAK DETECTION: [ ] 1 AUTOMATIC LINE LEAK DETECTOR; [ ] 2 LINE TIGHTNESS TESTING; [ ] 3 INTERSTITIAL MONITORING; [ ] 99 OTHER

V. TANK LEAK DETECTION

[ ] 1 VISUAL CHECK; [X] 2 INVENTORY RECONCILIATION; [ ] 3 VADOZE MONITORING; [ ] 4 AUTOMATIC TANK GAUGING; [ ] 5 GROUND WATER MONITORING; [ ] 6 TANK TESTING; [ ] 7 INTERSTITIAL MONITORING; [ ] 91 NONE; [ ] 95 UNKNOWN; [ ] 99 OTHER

VI. TANK CLOSURE INFORMATION

1. ESTIMATED DATE LAST USED (MO/DAY/YR):
2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING _____ GALLONS
3. WAS TANK FILLED WITH INERT MATERIAL ? YES [ ] NO [ ]

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE): DONALD W. KISER — Donald W Kiser — DATE: 01/31/92

LOCAL AGENCY USE ONLY

THE STATE I.D. NUMBER IS COMPOSED OF THE FOUR NUMBERS BELOW

STATE I.D.#: COUNTY # 30; JURISDICTION # 000; FACILITY #; TANK #

PERMIT NUMBER | PERMIT APPROVED BY/DATE | PERMIT EXPIRATION DATE

FORM B (7-91) THIS FORM MUST BE ACCOMPANIED BY A PERMIT APPLICATION - FORM A, UNLESS A CURRENT FORM A HAS BEEN FILED.

FORB594B-R5

INSTRUCTIONS FOR COMPLETING FORM "B"

GENERAL INSTRUCTIONS

1. One FORM "B" shall be completed for each tank for all NEW PERMITS, PERMIT CHANGES, REMOVALS and/or any other TANK INFORMATION CHANGE.
2. This form should be completed by either the PERMIT APPLICANT or the LOCAL AGENCY UNDERGROUND TANK INSPECTOR.
3. Please type or print clearly all requested information.
4. Use a hard point writing instrument, you are making 3 copies.

TOP OF FORM: "MARK ONLY ONE ITEM"

1. Mark an (X) in the box next to the item that best describes the reason the form is being completed.
2. Indicate the DBA or Facility name where the tank is installed.

I. TANK DESCRIPTION - COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

A. Indicate owners tank ID # - If there is a tank number that is used by the owner to identify the tank (ex. AB70789).
B. Indicate the name of the company that manufactured the tank (ex. ACME TANK MFG.).
C. Indicate the year the tank was installed (ex. 1987).
D. Indicate the tank capacity in gallons (ex. 25,000 or 10,000 etc.).

II. TANK CONTENTS

A. 1. If MOTOR VEHICLE FUEL, check box 1 and complete items B & C.
2. If not MOTOR VEHICLE FUEL, check the appropriate box in section A and complete items B & D.
B. Check the appropriate box.
C. Check the type of MOTOR VEHICLE FUEL (if box 1 is checked in A).
D. Print the chemical name of the hazardous substance stored in the tank and the C.A.S.#. (Chemical Abstract Service number), if box 1 is NOT checked in A.

III. TANK CONSTRUCTION - MARK ONE ITEM ONLY IN BOX A, B, C & D

1. Check only one item in TYPE OF SYSTEM, TANK MATERIAL, INTERIOR LINING and CORROSION PROTECTION.
2. If OTHER, print in the space provided.

IV. PIPING INFORMATION

1. Circle A if above ground; circle U if underground; and circle both if applicable.
2. If UNKNOWN, circle; or if OTHER, print in space provided.
3. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirement for the piping.

V. TANK LEAK DETECTION

1. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirements for the tank.

VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

1. ESTIMATED DATE LAST USED - MONTH/YEAR (January, 1988 or 01/88).
2. ESTIMATED QUANTITY of HAZARDOUS SUBSTANCE remaining in the tank (in Gallons).
3. WAS TANK FILLED WITH INERT MATERIAL? Check 'Yes' or 'NO'.

APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.

INSTRUCTION FOR THE LOCAL AGENCIES

The state underground storage tank identification number is composed of the two digit county number, the three digit jurisdiction number, the six digit facility number and the six digit tank number. The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)739-3421. The facility number must be the same as shown in form "A". The tank number may be assigned by the local agency; however, this number must be numerical and cannot contain an alphabet. If the local agency prefers the State Board to assign the tank number, please leave it blank.

IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS:

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
C/O S.W.E.E.P.S.
DATA PROCESSING CENTER
P.O. BOX 527
PARAMOUNT, CA 90723

State of California
State Water Resources Control Board

(Instructions on reverse)

For Regulatory Use Only

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

[ ] 500,000 dollars per occurrence
or
[X] 1 million dollars per occurrence

AND

[X] 1 million dollars annual aggregate
or
[ ] 2 million dollars annual aggregate

B. _____ hereby certifies that it is in compliance with the requirements of Section 2807,
(Name of Tank Owner or Operator)
Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.
The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
SELF INSURED	CITY OF HUNTINGTON BEACH 2000 MAIN STREET HUNTINGTON BEACH, CA 92648	NONE	1,000,000	CONT-INUOUS	INCL.	INCL.
		COPIES OF 1990 - 1991 CERTIFICATES ATTACHED FOR INFORMATION				

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

D. Facility Name	Facility Address
CIVIC CENTER HBPD	2000 MAIN STREET HUNTINGTON BEACH, CA 92648
CIVIC CENTER PUBLIC WORKS	2000 MAIN STREET HUNTINGTON BEACH, CA 92648
WATER OPERATIONS	19001 HUNTINGTON AVE. HUNTINGTON BEACH, CA 92648
BEACH MAINTENANCE YARD	44 HUNTINGTON AVE. HUNTINGTON BEACH, CA 92648
HBPD HELIPORT	18401 GOTHARD STREET HUNTINGTON BEACH, CA 92648

E. Signature of Tank Owner or Operator	Date	Name and Title of Tank Owner or Operator
Donald W. Kiser	6-24-92	DONALD W. KISER OPER. MGR.
Signature of Witness or Notary	Date	Name of Witness or Notary
Beverly J. Herman	6-24-92	BEVERLY J. HERMAN

CFR(04/92)

FILE: Original - Local Agency Copies - Facility Site(s)

State of California
State Water Resources Control Board

(Instructions on reverse)

For Regulatory Agency Use Only

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

[ ] 500,000 dollars per occurrence
or
[X] 1 million dollars per occurrence

AND

[X] 1 million dollars annual aggregate
or
[ ] 2 million dollars annual aggregate

B. _____ hereby certifies that it is in compliance with the requirements of Section 2807,
(Name of Tank Owner or Operator)
Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.

The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
SELF INSURED	CITY OF HUNTINGTON BEACH 2000 MAIN STREET HUNTINGTON BEACH, CA 92648	NONE	1,000,000	CONT-INUOUS	INCL.	INCL.
		COPIES OF 1990 - 1991 CERTIFICATES ATTACHED FOR INFORMATION				

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

D. Facility Name	Facility Address
JOINT POWERS TRAINING CENTER	18301 GOTHARD STREET HUNTINGTON BEACH, CA 92648
GOTHARD FIRE STATION	18311 GOTHARD STREET HUNTINGTON BEACH, CA 92648
LAKE FIRE STATION	530 LAKE STREET HUNTINGTON BEACH, CA 92648
WARNER FIRE STATION	3831 WARNER AVE. HUNTINGTON BEACH, CA 92649

E. Signature of Tank Owner or Operator: Donald W. Kiser — Date: 6-24-92 — Name and Title of Tank Owner or Operator: DONALD W. KISER OPER. MGR.

Signature of Witness or Notary: Beverly J. Herman — Date: 6-24-92 — Name of Witness or Notary: BEVERLY J. HERMAN

CFR(04/92)

FILE: Original – Local Agency Copies – Facility/Site(s)

State of California
State Water Resources Con' oard

(Instructions on reverse)

For Regulatory Agency Use Only

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

[ ] 500,000 dollars per occurrence or [X] 1 million dollars per occurrence AND [X] 1 million dollars annual aggregate or [ ] 2 million dollars annual aggregate

_____ hereby certifies that it is in compliance with the requirements of Section 2807,
(Name of Tank Owner or Operator)

Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.

The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
SELF INSURED	CITY OF HUNTINGTON BEACH 2000 MAIN STREET HUNTINGTON BEACH, CA 92648	NONE	1,000,000	CONT-INUOUS	INCL.	INCL.
		COPIES OF 1990 - 1991 CERTIFICATES ATTACHED FOR INFORMATION				

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

Facility Name	Facility Address
CIVIC CENTER HBPD	2000 MAIN STREET HUNTINGTON BEACH, CA 92648
CIVIC CENTER PUBLIC WORKS	2000 MAIN STREET HUNTINGTON BEACH, CA 92648
WATER OPERATIONS	19001 HUNTINGTON AVE. HUNTINGTON BEACH, CA 92648
BEACH MAINTENANCE YARD	44 HUNTINGTON AVE. HUNTINGTON BEACH, CA 92648
HBPD HELIPORT	18401 GOTHARD STREET HUNTINGTON BEACH, CA 92648

Signature of Tank Owner or Operator: Donald R Noble	Date: 2-10-94	Name and Title of Tank Owner or Operator: DON NOBLE, ACTING MT. OPER. MGR.
Signature of Witness or Notary: Beverly J. Herman	Date: 2-10-94	Name of Witness or Notary: BEVERLY J. HERMAN

FR(0492) FILE: Original – Local Agency Copies – Facility/Site(s)

State of California
State Water Resources Control Board

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

[ ] 500,000 dollars per occurrence or [X] 1 million dollars per occurrence AND [X] 1 million dollars annual aggregate or [ ] 2 million dollars annual aggregate

B. _____ *hereby certifies that it is in compliance with the requirements of Section 2807,*
(Name of Tank Owner or Operator)
Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.
The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
SELF INSURED	CITY OF HUNTINGTON BEACH 2000 MAIN STREET HUNTINGTON BEACH, CA 92648	NONE	1,000,000	CONTINUOUS	INCL.	INCL.

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

D. Facility Name	Facility Address
CIVIC CENTER HBPD	2000 MAIN STREET HUNTINGTON BEACH, CA 92648
CIVIC CENTER PUBLIC WORKS	2000 MAIN STREET HUNTINGTON BEACH, CA 92648
WATER OPERATIONS	19001 HUNTINGTON AVENUE HUNTINGTON BEACH, CA 92648
BEACH MAINTENANCE YARD	44 SUNRISE STREET HUNTINGTON BEACH, CA 92648
HBPD HELIPORT	18401 GOTHARD STREET HUNTINGTON BEACH, CA 92648

E. Signature of Tank Owner or Operator	Date	Name and Title of Tank Owner or Operator
Donald R. Noble	1-29-97	DONALD R. NOBLE, M.O. MANAGER
Signature of Witness or Notary	Date	Name of Witness or Notary
James L. Sankey	01-29-97	JAMES L. SANKEY

CF-1 (04/92) FILE: Original – Local Agency Copies – Facility/Site(s)

State Water Resources Control Board

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

[ ] 500,000 dollars per occurrence or [X] 1 millios dollars per occurrence AND [X] 1 million dollars annual aggregate or [ ] 2 million dollars annual aggregate

B. _____ *hereby certifies that it is in compliance with the requirements of Section 2807,*

(Name of Tank Owner or Operator)

Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.

The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
SELF INSURED	CITY OF HUNTINGTON BEACH 2000 MAIN STREET HUNTINGTON BEACH, CA 92648	NONE	1,000,000	CONTINUOUS	INCL.	INCL.

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

D. Facility Name	Facility Address
FIRE TRAINING CENTER	18301 GOTHARD STREET HUNTINGTON BEACH, CA 92648
GOTHARD FIRE STATION	18311 GOTHARD STREET HUNTINGTON BEACH, CA 92648
LAKE FIRE STATION	330 LAKE STREET HUNTINGTON BEACH, CA 92648
WARNER FIRE STATION	3831 WARNER AVENUE HUNTINGTON BEACH, CA 92649

E. Signature of Tank Owner or Operator: Donald R. Noble — Date: 1-29-97 — Name and Title of Tank Owner or Operator: DONALD R. NOBLE, M.O. MANAGER

Signature of Witness or Notary: James L. Sankey — Date: 01-29-97 — Name of Witness or Notary: JAMES L. SANKEY

CF(3692) FILE: Original - Local Agency Copies - Facility/Site(s)

State of California
State Water Resource ntrol Board

(Instructions on reverse)

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

☐ 500,000 dollars per occurrence or ☒ 1 million dollars per occurrence AND ☒ 1 million dollars annual aggregate or ☐ 2 million dollars annual aggregate

I Donald R. Noble hereby certifies that it is in compliance with the requirements of Section 2807,
(Name of Tank Owner or Operator)
Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.
The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
Self Insured	City of Huntington Beach	None	1,000,000	Cont-inuous	Incl.	Incl.

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

Facility Name	Facility Address
✓ Beach Maintenance Yard	44 Huntington Street Huntington Beach, CA 92648
✓ Water Operations Yard	19001 Huntington Street Huntington Beach, CA 92648

Signature of Tank Owner or Operator — Date: 7-1-98 — Name and Title of Tank Owner or Operator: Donal R. Noble, Maint. Ops. Mgr.

Signature of Witness or Notary — Date: July 1, 1998 — Name of Witness or Notary: James L. Sankey

James L. Sankey

CP-1 (5/92) FILE: Original - Local Board Copies - Facility Site(s)

State of California
State of Water Resources Control Board
Division of Financial Assistance
P.O. Box 944212
Sacramento, CA 94244-2120

(Instructions on reverse side)

For State Use Only

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the Required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

- [ ] 500,000 dollars per occurrence
  or
- [x] 1 million dollars per occurrence

AND

- [x] 1 million dollars annual aggregate
  or
- [ ] 2 million dollars annual aggregate

B. City of Huntington Beach (Name of Tank Owner or Operator) *hereby certifies that it is in compliance with the requirements of Section 2807, Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.*
The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp
Self Insured	City of Huntington Beach 2000 Main Street Huntington Beach, CA 92648	None	1,000,000	10/01/2004 to 9/30/2005	Yes	Yes

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

D. Facility Name: City of Huntington Beach Water Operations	Facility Address: 19001 Huntington Street Huntington Beach, CA 92648
Facility Name	Facility Address
Facility Name	Facility Address
E. Signature of Tank Owner or Operator — Date: 11/24/04	Name and Title of Tank Owner or Operator: Karen Foster - Risk Manager
Signature of Witness or Notary — Date: 11/29/04	Name of Witness or Notary: Derek Bradley

CFR (Revised 04/95) FILE: Original - Local Agency Copies - Facility/Site(s)

RECEIVED HCA/EH

DEC 07 2004

ENVIRONMENTAL HEALTH

State of California
State Water Resources Control Board

For Re y Agency Use Only

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

[ ] 500,000 dollars per occurrence or [X] 1 million dollars per occurrence AND [X] 1 million dollars annual aggregate or [ ] 2 million dollars annual aggregate

B. City of Huntington Beach *hereby certifies that it is in compliance with the requirements of Section 2807,*
(Name of Tank Owner or Operator)
Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.
The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
Self Insured	City of Huntington Beach 2000 Main Street Huntington Beach CA 92648	None	1,000,000	Continuous	Incl.	Inc.

Beach Maintenance Facility	8669 Edison Way Huntington Beach CA 92646
Police Heliport	18311 Gothard St Huntington Beach CA 92648
Water Operation	19001 Huntington St Huntington Beach CA 92648
Don Kiser Municipal Yard	17371 Gothard St Huntington Beach CA 92648
Police Department (2)	2000 Main St Huntington Beach CA 92648
Civic Center	2000 Main St Huntington Beach CA 92648

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

D. Facility Name	Facility Address
Lake Fire Station	530 Lake Huntington Beach CA 92648
Gothard Fire Station	18311 Gothard St Huntington Beach CA 92648
Joint Power Training Center	18301 Gothard St Huntington Beach CA 92648
Warner Fire Station	3831 Warner Huntington Beach CA 92648
Park Maintenance Yard	17581 Gothard St Huntington Beach CA 92648

RECEIVED HCA/RH
SEP 19 2003
ENVIRONMENTAL HLTH

E. Signature of Tank Owner or Operator	Date	Name and Title of Tank Owner or Operator
[signature]	9/16/03	Jim Jones, Maint. Oper. Manager
Signature of Witness or Notary [signature]	Date 9/16/03	Name of Witness or Notary Marilyn Goldstein

CP30(04/92)

FILE: Original – Local Agency Copies – Facility Site(s)

City of Huntington Beach

2000 Main Street **California 92648**

Certificate of Financial Responsiblity

Memorandum Number: FY 02/03 #026

This Evidence of Coverage is used as a matter of information only and confers no rights upon the Certificate Holder. This evidence of Coverage does not amend, extend, or alter the coverage afforded by the memoranda listed below.

Certificate Holder: **State of California, Water Resources Control Board**
County of Orange, Health Care Agency
Regulatory Health Services, Environmental Health
2009 East Edinger Avenue
Santa Ana, CA 92705

Coverage Effective: July 1, 2003 **Coverage Expires: July 1, 2004**

This is to certify that the City of Huntington Beach is self insured for general liability claims. Sufficient cash reserves to afford coverage for uninsured losses are maintained at $1,000,000.

Type of Coverage:	General Liability
Limit of Liability/Coverage:	$1,000,000 combined single limit per occurrence
Certificate Requested:	Eric Charlonne, Contract Administrator

Description of Operation, vehicle or property: This certificate is issued in compliance with the Certification of Financial Responsibility for underground storage tanks containing petroleum.

Should any of the above coverages for the Covered Party be changed or withdrawn prior to the expiration date issued above, City of Huntington Beach will mail 30 days written notice to the Certificate Holder, but failure to mail such notice shall impose no obligation or liabilitiy of any kind upon the City of Huntington Beach, its agents, officers or employees. If you have any questions, contact:

Karen S. Foster, Risk Manager

2000 Main Street. Huntington Beach, CA 92648 714/536-5589

Authorized Representative: _____

RECEIVED HCA/RH
SEP 19 2003
ENVIRONMENTAL HLTH

Automobile Bodily Injury Liability and Property Damage Liability

CERTIFICATE OF INSURANCE

Filed with the

DEPARTMENT OF HEALTH SERVICES OF THE STATE OF CALIFORNIA
Toxic Substances Control Program
714/744 P Street
P.O. Box 942732
Sacramento, CA 94234-7320

Name of Insured	Address	Phone Number
CITY OF HUNTINGTON BEACH	2000 MAIN ST., HUNTINGTON BCH 92648	714 536-5234
Name of Insurance Agency/Company	**Address**	**Phone Number**
SELF-INSURED		

CERTIFICATION

This is to certify that policies of insurance listed below have been issued to the insured named above and are in force at this time. The policies described herein provide Automobile Bodily Injury Liability and Property Damage Liability protection required for haulers of hazardous waste pursuant to the California Administrative Code, Title 22, Division 4, Chapter 30, "Minimum Standards for Management of Hazardous Wastes" with respect to the operation, maintenance, or use of any vehicle for which registration to haul hazardous waste is required by the Department of Health Services of the State of California, regardless of whether such vehicles are specifically described in the policy or not. THIS POLICY PROVIDES FINANCIAL RESPONSIBILITY FOR BODILY INJURY AND PROPERTY DAMAGE TO THIRD PARTIES CAUSED BY SUDDEN AND ACCIDENTAL OCCURRENCES ARISING FROM THE OPERATIONS OF THE ABOVE-NAMED COMPANY. THIS POLICY PROVIDES COVERAGE FOR SUDDEN AND ACCIDENTAL DISCHARGE OF POLLUTANTS.

☐ PRIMARY INSURANCE — Insurance Policy Number

Insurance Company Name	Address	Phone Number

For bodily injuries to or death of one person	For bodily injuries to or death of all persons injured or killed (subject to the maximum listed above for bodily injuries to or death of one person)	For loss or damage to property of others (excluding cargo)
$	$	$

☒ PRIMARY INSURANCE—COMBINED SINGLE LIMIT — Insurance Policy Number

Insurance Company Name	Address	Phone Number
CITY OF HUNTINGTON BEACH	2000 MAIN ST., HUNTINGTON BCH 92648	(714) 536-5234

For bodily injuries to or death of all persons injured or killed and for loss or damage to property of others from sudden accidental occurrences (excluding cargo) ..... $ 1,000,000.00

☐ EXCESS LIABILITY — IF PRIMARY INSURANCE COVERAGE IS LESS THAN MINIMUM, THIS POLICY CANNOT HAVE A POLLUTION EXCLUSION — Insurance Policy Number

Insurance Company Name	Address	Phone Number

For bodily injuries to or death of all persons injured or killed and for loss or damage to property of others (excluding cargo) for amounts in excess of the primary insurance shown above ..... $

CANCELLATION:

The insurance policies for which this certificate is issued are effective until canceled and may not be canceled until the Company has given ten (10) days notice in writing to the Toxic Substances Control Division of the California Department of Health Services at its office, 714 P Street, Sacramento, California 95814. Said ten (10) days to commence to run from the date the notice is actually received in the office of the Toxic Substances Control Division.

The certificate of insurance is filed with the Department of Health Services of the State of California, Toxic Substances Control Division, Surveillance and Enforcement Branch/Transportation Unit, 714/744 P Street, P.O. Box 942732, Sacramento, CA 94234-7320

Insurance Company Representative (Signature) Karen S. Foster

Name and Title of Person Signing (Please Print or Type) Karen S. Foster, Risk Manager

Telephone No (714) 536-5990 Date 11-19-91

DHS 8038 (5/85)

Automobile Bodily Injury Liability and Property Damage Liability

CERTIFICATE OF INSURANCE

Filed with the

DEPARTMENT OF HEALTH SERVICES OF THE STATE OF CALIFORNIA

TOXIC SUBSTANCES CONTROL DIVISION

714 P Street

Sacramento, California 95814

90-016

Name of Insured	Address	Phone Number
City of Huntington Beach	2000 Main St., Huntington Bch 92648	714.536.5234
Name of Insurance Agency/Company	**Address**	**Phone Number**
Self-insured		( )

CERTIFICATION

This is to certify that policies of insurance listed below have been issued to the insured named above and are in force at this time. The policies described herein provide Automobile Bodily Injury Liability and Property Damage Liability protection required for haulers of hazardous waste pursuant to the California Administrative Code, Title 22, Division 4, Chapter 30, "Minimum Standards for Management of Hazardous Wastes" with respect to the operation, maintenance, or use of any vehicle for which registration to haul hazardous waste is required by the Department of Health Services of the State of California, regardless of whether such vehicles are specifically described in the policy or not. THIS POLICY PROVIDES FINANCIAL RESPONSIBILITY FOR BODILY INJURY AND PROPERTY DAMAGE TO THIRD PARTIES CAUSED BY SUDDEN AND ACCIDENTAL OCCURRENCES ARISING FROM THE OPERATIONS OF THE ABOVE-NAMED COMPANY. THIS POLICY PROVIDES COVERAGE FOR SUDDEN AND ACCIDENTAL DISCHARGE OF POLLUTANTS.

☐ PRIMARY INSURANCE — Insurance Policy Number

Insurance Company Name	Address	Phone Number
		( )

For bodily injuries to or death of one person	For bodily injuries to or death of all persons injured or killed (subject to the maximum listed above for bodily injuries to or death of one person)	For loss or damage to property of others (excluding cargo)
$	$	$

☒ PRIMARY INSURANCE—COMBINED SINGLE LIMIT — Insurance Policy Number

Insurance Company Name	Address	Phone Number
City of Huntington Beach	2000 Main St., Huntington Bch 92648	714.536.5234

For bodily injuries to or death of all persons injured or killed and for loss or damage to property of others from sudden accidental occurrences (excluding cargo) $1,000,000.00

☐ EXCESS LIABILITY — IF PRIMARY INSURANCE COVERAGE IS LESS THAN MINIMUM, THIS POLICY CANNOT HAVE A POLLUTION EXCLUSION — Insurance Policy Number

Insurance Company Name	Address	Phone Number
		( )

For bodily injuries to or death of all persons injured or killed and for loss or damage to property of others (excluding cargo) for amounts in excess of the primary insurance shown above ..... $

CANCELLATION:

The insurance policies for which this certificate is issued are effective until canceled and may not be canceled until the Company has given ten (10) days notice in writing to the Toxic Substances Control Division of the California Department of Health Services at its office, 714 P Street, Sacramento, California 95814. Said ten (10) days to commence to run from the date the notice is actually received in the office of the Toxic Substances Control Division.

The certificate of insurance is filed with the Department of Health Services of the State of California, Toxic Substances Control Division, 714 P Street, Sacramento, CA 95814.

Insurance Company Representative _____ (Signature)

Name and Title of Person Signing (Please print or type): R. M. Moore, Liaibility/Safety Analyst

Telephone No. (714) 536.5234

Date: November 27, 1990

DHS 8038 (5/85)

Orang ounty Health Care Agency
Environmental Healt ivision, Hazardous Materi : Management Section
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3600

HAZARDOUS WASTE, UNDERGROUND STORAGE TANK, TIERED PERMITS INSPECTION REPORT

FILE NO: 006779 ACCOUNT NO: 5963

EPA# :CAD981381437
UST PERMIT NO: 5963-2
PERMIT: 06/09/99 - 06/07/200

FACILITY: WATER OPERATIONS

STREET: 19001 HUNTINGTON ST BLDG# STE# MAP COORDINATES: 858-A5

CITY: HUNTINGTON BEACH ZIP: 92648 DISTRICT: 203
CITY CODE: [9] HUNTINGTON BEACH
NEAREST CROSS STREET: GARFIELD
NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? ___

NEW INFO: _____

HW INSPECTION TYPE: 1
TIERED PERMIT INSPECTION TYPE: ___ NO OF UST ON SITE: 2 UST INSPECTION TYPE: 1

NUMBER OF EMPLOYEES: 8 M # TANKS TO BILL :2 UST COMPLIANCE CODE: 2

LAST HW ROUTINE INSPECTION: 06-20-00 LAST UST ROUTINE INSPECTION: 06-20-00

HW EXEMPT CODE: 2 UST EXEMPT CODE: 1

HW STATUS CODE: 1 UST STATUS CODE: 1

TIERED PERMIT EXEMPT CODE: TIERED PERMIT STATUS CODE:

SP NOTIFICATION FILED (Y/N)? ___ HHWCF ___

BUSINESS OWNER: _____ PHONE: (___) ___-____

BANK OPERATOR: ~~BOB NOBLE~~ Howard Johnson PHONE: (714) 536-5505

CONTACT: STEVE TULLY/HOWARD JOHNSON PHONE: (714) 536-5503

HW BILLING (NAME & MAILING ADDRESS):

_____
_____
_____
_____ ____ _____

PHONE: (___) ___-____

UST BILLING (NAME & MAILING ADDRESS):

CITY OF HB WATER DIVISION
17371 GOTHARD ST

HUNTINGTON BEACH CA 92647
PHONE: (714) 848-0600

PROPERTY OWNER (NAME & MAILING ADDRESS):

TY OF HUNTINGTON BEACH
9001 HUNTINGTON ST

NTINGTON BEACH CA 92648
ONE: (714) 536-5921

TANK OWNER (NAME & MAILING ADDRESS):

CITY OF HUNTINGTON BEACH
2000 MAIN ST

HUNTINGTON BEACH CA 92648
PHONE: (213) 315-4200

EMERGENCY CONTACTS

Y: STEVE TULLY PHONE: (714) 536-5505

TIVE ICR: 94TI91 91TI53

INSPECTOR #: 337 NAME: JEFF DeFAZ DATE: 6/25/01

n Date: 06-13-01 HW CNTR: 9 UST CNTR: 43 TP CNTR: 1 PAGE 1 OF 6

ENTERED JUL 1 4 2001

Orange County Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA
CITY CODE: [9] HUNTINGTON BEACH

FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

VIOLATION DESCRIPTIONS

FACILITY

___ 105 OPERATING UNDERGROUND STORAGE TANK (UST) WITHOUT A PERMIT
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNER(S) AND OPERATOR(S)
___ 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A CERTIFIED DEVICE REPAIRMAN
___ 145 FAILURE TO MONITOR THE TANK(S) USING THE METHOD SPECIFIED ON THE UST PERMIT
___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON-SITE
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
02/26/01 ✓ 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST(S)

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST(S) WITHIN 30 DAYS
___ 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
___ 130 FAILURE TO DEVELOP A LEAK RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
___ 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
~~02/26/01~~ ___ 260 FAILURE TO ANNUALLY CERTIFY CONTINUOUS MONITORING DEVICE
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
___ 275 FAILURE TO PROPERLY CLOSE UST(S)
___ 280 FAILURE TO PROPERLY REPAIR UST(S)
___ 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANK(S)/PIPELINES
___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
___ 288 UNDERGROUND STORAGE TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWLS
___ 290 OTHER

On site for a routine inspection. Veeder - Root indicates all functions normal. #198) Financial Responsibility Certification is past due. Submit current Financial Certification to this agency. Leak Response Plan is posted. Monitor certified 12-6-00

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 5/6 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: Howard Johnson, Supervisor

SIGNATURE: _____ DATE: 6/25/01

Orange County Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA 92648
CITY CODE:[9] HUNTINGTON BEACH
FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

005 006

!HCA TANK ID#	!CODE!	TANK # 005	!CODE!	TANK # 006	!CODE!	TANK #
!FACILITY TANK ID	!	!	!	!	!	!
!MATERIAL STORED	!	!	!	!	!	!
!Currently	!	!DOT1203 GASOLINE	!	!DOT1993-FO DIESEL	!	!
!Previously	!	!DOT1203 GASOLINE	!	!DOT1993-FO DIESEL	!	!
!Waste or Product	!2	!PRODUCT	!2	!PRODUCT	!	!
!FUEL TYPE	!1	!UNLEADED	!4	!DIESEL	!	!
!	!	!	!	!	!	!
!EXEMPT TYPE	!0	!NOT EXEMPT; INSPEC	!0	!NOT EXEMPT; INSPEC	!	!
!	!	!	!	!	!	!
!Double/Single Wall	!1	!DOUBLE WALL	!1	!DOUBLE WALL	!	!
!Compartment No.	!	!	!	!	!	!
!Year Installed	!	!1999	!	!1999	!	!
!Vault/Not Vaulted	!2	!NO	!2	!NO	!	!
!Primary Wall:	!	!	!	!	!	!
!Manufacturer	!2	!JOOR	!2	!JOOR	!	!
!Capacity / Gallons	!	!12000	!	!12000	!	!
!Construct Material	!1	!STEEL	!1	!STEEL	!	!
!Interior Lining	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Secondary Wall:	!	!	!	!	!	!
!Manufacturer	!2	!JOOR	!2	!JOOR	!	!
!Capacity / Gallons	!	!12000	!	!12000	!	!
!Construct Material	!5	!COMPOSITE (STEEL C	!5	!COMPOSITE (STEEL C	!	!
!Corrosion Protectn	!5	!Fiberglass Reinfor	!5	!Fiberglass Reinfor	!	!
!Leak Detect: Type	!5	!LIQ SENSOR CONTINU	!5	!LIQ SENSOR CONTINU	!	!
!Manufacturer	!48	!VEEDER-ROOT	!48	!VEEDER-ROOT	!	!
!PIPING:	!	!	!	!	!	!
!Dispensr/Tank Fill	!3	!PRESSURE	!3	!PRESSURE	!	!
!Double/Single Wall	!1	!DOUBLE WALL	!1	!DOUBLE WALL	!	!
!Primary Wall:	!	!	!	!	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Manufacturer	!42	!AMERON DUOLOY	!42	!AMERON DUOLOY	!	!
!Secondary Wall:	!	!	!	!	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Manufacturer	!42	!AMERON DUOLOY	!42	!AMERON DUOLOY	!	!
!Dispense Cont(Y/N)	!Y	!	!Y	!	!	!
!Leak Detect: Type	!32	!CONTINUOUS VAPOR O	!32	!CONTINUOUS VAPOR O	!	!
!Manufacturer	!19	!MARLEY / RED JACKE	!19	!MARLEY / RED JACKE	!	!
!TYPE OF OVERFILL	!	!	!	!	!	!
!PROTECTION	!13	!POSITIVE SHUTOFF &	!13	!POSITIVE SHUTOFF &	!	!
!SPILL	!	!	!	!	!	!
!CONTAINMENT	!1	!YES	!1	!YES	!	!
!MONITORING	!	!	!	!	!	!
!METHOD	!33	!DBL WALL TANKS & D	!33	!DBL WALL TANKS & D	!	!
!LAST TANK TEST	!	!	!	!	!	!
!STRIKER PLATE(Y/N)	!Y	!	!Y	!	!	!
!1998 UPGRADE (Y/N)	!Y	!	!Y	!	!	!

INSPECTION DATE: 6/25/01

RECEIVED
JUN 29 2001
HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH

COUNTY OF ORANGE HEALTH CARE AGENCY

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3600

☐ Haz. Waste
☒ UST
☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963-42 EPA I.D.# _____

FACILITY City of H.B (Water Operations) PERMIT # _____

STREET 19001 Huntington St. MAP COORDINATES _____

CITY Huntington Beach ZIP 92648 DISTRICT 203

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE _____

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

Received the following documents:

1) UPCF - UST Facility
2) UPCF - UST Tank (pages 1 & 2 per tank)
3) Updated Site Plot Plan
4) Monitor Certification

ACTIVE ICRS # _____ INSPECTOR # 337 NAME Jeff Nafal DATE 2-26-01

I declare that I have read and received a copy of this inspection report

Mailed copy to City of H.B. _____

Print Name Title

ENTERED MAR 6 2001

Signature Date

F042-09.1560 (R8/95) DISTRIBUTION 1 – MAIN FILE 2 – OPERATOR 3 – INSPECTOR FILE # 17

Orange County Health Care Agency
Environmental Health Division, Hazardous Materials Management Section
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3600

HAZARDOUS WASTE, UNDERGROUND STORAGE TANK, TIERED PERMITS INSPECTION REPORT

FILE NO: 006779 ACCOUNT NO: 5963 EPA# :
UST PERMIT NO: 5963-2
FACILITY: WATER OPERATIONS PERMIT: 06/09/99 - 06/07/20
STREET: 19001 HUNTINGTON ST BLDG# STE# MAP COORDINATES: 858-A5
CITY: HUNTINGTON BEACH ZIP: 92648 DISTRICT: 203
CITY CODE:[9] HUNTINGTON BEACH
NEAREST CROSS STREET: GARFIELD
NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? _
NEW INFO: _____
HW INSPECTION TYPE: / NO OF UST ON SITE: 2 UST INSPECTION TYPE: /
TIERED PERMIT INSPECTION TYPE: _____
NUMBER OF EMPLOYEES: 8 M # TANKS TO BILL :2 UST COMPLIANCE CODE: A
LAST HW ROUTINE INSPECTION: 06-09-99 LAST UST ROUTINE INSPECTION: 06-09-99
HW EXEMPT CODE: 2 UST EXEMPT CODE: 1
HW STATUS CODE: 1 UST STATUS CODE: 1
TIERED PERMIT EXEMPT CODE: TIERED PERMIT STATUS CODE:
TP NOTIFICATION FILED (Y/N)? _____ HHWCF _____
BUSINESS OWNER: _____ PHONE: (___) ___-___
TANK OPERATOR: DON NOBLE PHONE: (714) 536-5505
CONTACT: ~~MR HOWARD JOHNSON~~ Steve Tully/Howard Johnson PHONE: (714) 536-5503

HW BILLING (NAME & MAILING ADDRESS):

_____
_____
_____
_____ ____ _____
PHONE: (___) ___-_____

UST BILLING (NAME & MAILING ADDRESS):

CITY OF HB WATER DIVISION
17371 GOTHARD ST
HUNTINGTON BEACH CA 92647
PHONE: (714) 848-0600

PROPERTY OWNER (NAME & MAILING ADDRESS):

CITY OF HUNTINGTON BEACH
19001 HUNTINGTON ST
HUNTINGTON BEACH CA 92648
PHONE: (714) 536-5921

#146
TANK OWNER (NAME & MAILING ADDRESS):

CITY OF HUNTINGTON BEACH
2000 MAIN ST
ATTN: DON ~~NOBEL~~ Noble
HUNTINGTON BEACH CA 92647
PHONE: (213) 315-4200

EMERGENCY CONTACTS
DAY: STEVE TULLY PHONE: (714) 536-5505

ACTIVE ICR: 94TI91 91TI53
INSPECTOR #: 337 NAME: Jeff Nofal DATE: 6/29/00
Run Date: 05-17-00 HW CNTR: 8 UST CNTR: 41 TP CNTR:1 PAGE 1 OF 6

ENTERED JUL - 5 2000

Oran County Health Care Agenc
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA 92648
CITY CODE:[9] HUNTINGTON BEACH
FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

!HCA TANK ID#	!CODE!	TANK # 005	!CODE!	TANK # 006	!CODE!	TANK #
!FACILITY TANK ID	!	!	!	!	!	!
!MATERIAL STORED	!	!	!	!	!	!
!Currently	!	!DOT1203 GASOLINE	!	!DOT1993-FO DIESEL	!	!
!Previously	!	!DOT1203 GASOLINE	!	!DOT1993-FO DIESEL	!	!
!Waste or Product	!2	!PRODUCT	!2	!PRODUCT	!	!
!FUEL TYPE	!1	!UNLEADED	!4	!DIESEL	!	!
!	!	!	!	!	!	!
!EXEMPT TYPE	!0	!NOT EXEMPT: INSPEC	!0	!NOT EXEMPT: INSPEC	!	!
!	!	!	!	!	!	!
!Double/Single Wall	!1	!DOUBLE WALL	!1	!DOUBLE WALL	!	!
!Compartment No.	!	!	!	!	!	!
!Year Installed	!	!1999	!	!1999	!	!
!Vault/Not Vaulted	!2	!NO	!2	!NO	!	!
!Primary Wall:	!	!	!	!	!	!
!Manufacturer	!2	!JOOR	!2	!JOOR	!	!
!Capacity / Gallons	!	!12000	!	!12000	!	!
!Construct Material	!1	!STEEL	!1	!STEEL	!	!
!Interior Lining	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Secondary Wall:	!	!	!	!	!	!
!Manufacturer	!2	!JOOR	!2	!JOOR	!	!
!Capacity / Gallons	!	!12000	!	!12000	!	!
!Construct Material	!5	!COMPOSITE (STEEL C	!5	!COMPOSITE (STEEL C	!	!
!Corrosion Protectn	!5	!Fiberglass Reinfor	!5	!Fiberglass Reinfor	!	!
!Leak Detect: Type	!5	!LIQ SENSOR CONTINU	!5	!LIQ SENSOR CONTINU	!	!
!Manufacturer	!48	!VEEDER-ROOT	!48	!VEEDER-ROOT	!	!
!PIPING:	!	!	!	!	!	!
!Dispensr/Tank Fill	!3	!PRESSURE	!3	!PRESSURE	!	!
!Double/Single Wall	!1	!DOUBLE WALL	!1	!DOUBLE WALL	!	!
!Primary Wall:	!	!	!	!	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Manufacturer	!42	!AMERON DUOLOY	!42	!AMERON DUOLOY	!	!
!Secondary Wall:	!	!	!	!	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Manufacturer	!42	!AMERON DUOLOY	!42	!AMERON DUOLOY	!	!
!Dispense Cont(Y/N)	!Y	!	!Y	!	!	!
!Leak Detect: Type	!32	!CONTINUOUS VAPOR O	!32	!CONTINUOUS VAPOR O	!	!
!Manufacturer	!19	!MARLEY / RED JACKE	!19	!MARLEY / RED JACKE	!	!
!TYPE OF OVERFILL	!	!	!	!	!	!
!PROTECTION	!13	!POSITIVE SHUTOFF &	!13	!POSITIVE SHUTOFF &	!	!
!SPILL	!	!	!	!	!	!
!CONTAINMENT	!1	!YES	!1	!YES	!	!
!MONITORING	!	!	!	!	!	!
!METHOD	!33	!DBL WALL TANKS & D	!33	!DBL WALL TANKS & D	!	!
!LAST TANK TEST	!	!	!	!	!	!
!STRIKER PLATE(Y/N)	!Y	!	!Y	!	!	!
!1998 UPGRADE (Y/N)	!Y	!	!Y	!	!	!

INSPECTION DATE: 6/20/00

RECEIVED
JUN 30 2000
HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH

Orar County Health Care Agenc
UNDERG...JND STORAGE TANK INSPECTI... REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA
CITY CODE:[9] HUNTINGTON BEACH

FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

VIOLATION DESCRIPTIONS

FACILITY

___ 105 OPERATING UNDERGROUND STORAGE TANK (UST) WITHOUT A PERMIT
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNER(S) AND OPERATOR(S)
___ 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A CERTIFIED DEVICE REPAIRMAN
___ 145 FAILURE TO MONITOR THE TANK(S) USING THE METHOD SPECIFIED ON THE UST PERMIT
___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON-SITE
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
✓ 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST(S)

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST(S) WITHIN 30 DAYS
___ 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
___ 130 FAILURE TO DEVELOP A LEAK RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
___ 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
✓ 260 FAILURE TO ANNUALLY CERTIFY CONTINUOUS MONITORING DEVICE
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
___ 275 FAILURE TO PROPERLY CLOSE UST(S)
___ 280 FAILURE TO PROPERLY REPAIR UST(S)
___ 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANK(S)/PIPELINES
___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
___ 288 UNDERGROUND STORAGE TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWLS
___ 290 OTHER

On site for tank inspection. Veeder-Root indicates All Functions Normal. Test alarm is Functional. #198) Submit current Financial Responsibility last received 2/1/98. #260) Submit current monitor certification last received 5/2/99. Submit updated CUPA Forms A, Business Activities Form, and Forms B.

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 2 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: Howard Johnson, Supervisor

SIGNATURE: _____ DATE: 6/20/00

COUNTY OF ORANGE HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION

2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3600

☐ Haz. Waste
☒ UST
☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK
FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963-37 EPA I.D.# _____

FACILITY City of H.B. - Water Op. PERMIT # _____

STREET 19001 Huntington St MAP COORDINATES _____

CITY H.B. ZIP 92648 DISTRICT 302

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE 1

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

Received tank and line integrity test results for the above site. All tests indicate passing results

Please submit the following documentation:
1) Forms B and C (2 each)
2) Leak Response Plan
3) Monitoring Procedure
4) Monitoring System Warranty Checklist or Certification.

ACTIVE ICRS # _____ INSPECTOR # 337 NAME Jeff Mohl DATE 4-26-99

I declare that I have read and received a copy of this inspection report

Mailed copy to Tank owner
Print Name

ENTERED MAY 11 1999

Signature Date

F042-09.1560 (R8/95) DISTRIBUTION 1 – MAIN FILE 2 – OPERATOR 3 – INSPECTOR FILE # 17

CERTIFICATE OF UNDERGROUND STORAGE TANK SYSTEM TESTING

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757
(512) 451-6334
FAX (512) 459-1459

TEST RESULT SITE SUMMARY REPORT

TEST TYPE: VacuTect PURPOSE: COMPLIANCE

TEST DATE: 04/13/99 CUSTOMER PO: WORK ORDER NUMBER: 3205146

CLIENT: GRADIENT ENGINEERS
17781 COWAN STREET
IRVINE, CA 92614

BOB WEBB
(949)477-0555 ext. 105

SITE: CITY OF HUNTINGTON BEACH WATER OPERA
19001 HUNTINGTON ST.
HUNTINGTON BEACH, CA 92648

BOB WEB
(949)477-7055

The following test(s) were conducted at the site above in accordance with all applicable portions of Federal, NFPA and local regulations

Tank Tests

TANK NUMBER	PRODUCT	TANK CAPACITY (Gallons)	TANK DIAMETER (Inches)	TANK RESULTS	VOLUME CHANGE (gph)	ULLAGE RESULT
12k 1	REG UNLEAD	12,062	108.0	PASS	0.000	PASS
12k 2	DIESEL	12,062	108.0	PASS	0.000	PASS

Line and Leak Detector Tests

TANK NUMBER	PRODUCT	VOLUME CHANGE (gph) A	B	C	D	LINE RESULT (P=pass, F=fail I=inconclusive) A	B	C	D	LEAK DETECTOR PRESENT #1	#2	LEAK DETECTOR RESULT #1	#2
12k 1	REG UNLEAD	0.000				P				N			
12k 2	DIESEL	0.000				P				N			

Tanknology appreciates the opportunity to serve you, and looks forward to working with you in the future. Please call any time, day or night, when you need us.

Tanknology representative:
TODD PARKER

Test conducted by:
RICHMOND PHILLIPS

Reviewed:

Technician Certification Number: 91-1071

Printed 04/21/1999 09:55 KOHLMEYER

INDIVIDUAL TANK INFORMATION AND TEST RESULTS

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757 (512) 451-6334

TEST DATE: 04/13/99
CLIENT: GRADIENT ENGINEERS

WORK ORDER NUMBER 3205146
SITE: CITY OF HUNTINGTON BEACH

TANK INFORMATION

Tank ID:	12k 1	Tank manifolded:	NO	Bottom to top fill in inches:	154.0
Product:	REG UNLEAD	Vent manifolded:	NO	Bottom to grade in inches:	158.0
Capacity in gallons:	12,062	Vapor recovery manifolded:	NO	Fill pipe length in inches:	46.0
Diameter in inches:	108.00	Overfill protection:	YES	Fill pipe diameter in inches:	4.0
Length in inches:	307	Overspill protection:	YES	Stage I vapor recovery:	DUAL
Material:	DW STEEL	Installed:	ATG	Stage II vapor recovery:	ASSIST
		CP installed on:	/ /		

COMMENTS

TANK TEST RESULTS

Test Method: VacuTect

	Start (in)	End (in)
Dipped Water Level:	0.00	0.00
Dipped Product Level:	84.24	84.24
Probe Water Level:	0.000	0.000

Ingress Detected: Water N Bubble N Ullage N

Test time:	09:25-10:43
Inclinometer reading:	-1.00
VacuTect Test Type:	Multiple tanks
VacuTect Probe Entry Point:	Fill
Pressure Set Point:	-1.00
Tank water level in inches:	0.00
Water table depth in inches:	
Determined by (method):	NO WELL
Result:	PASS

COMMENTS
dws tanks

LEAK DETECTOR TEST RESULTS

Test method: FTA

	New/passed L.D. #1	Failed/replaced L.D. #1	New/passed L.D. #2	Failed/replaced L.D. #2
Make:				
Model:				
S/N:				
Open time in sec:				
Holding psi:				
Resiliency cc:	NOT		NOT	
Test leak rate ml/m:	TESTED		TESTED	
Metering psi:				
Calib. leak in gph:				
Results:				

COMMENTS
sump sensors positive shut down no leak detectors

LINE TEST RESULTS

Test type: TLD-1

LINE	A	B	C	D
Material:	DW FIBERG			
Diameter (in):	2.0			
Length (ft):	25.0			
Test psi:	50			
Bleedback cc:	0			
Test time (min):	30			
Start time:	09:35	NOT TESTED	NOT TESTED	NOT TESTED
End time:	10:05			
Final gph:	0.000			
Result:	PASS			
Pump type:	PRESSURE			
Pump make:	RED JACKET			

COMMENTS

Impact Valves Operational: YES

INDIVIDUAL TANK INFORMATION AND TEST RESULTS

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757 (512) 451-6334

TEST DATE: 04/13/99
CLIENT: GRADIENT ENGINEERS

WORK ORDER NUMBER 3205146
SITE: CITY OF HUNTINGTON BEACH

TANK INFORMATION

Tank ID:	12k 2	Tank manifolded:	NO	Bottom to top fill in inches:	154.0
Product:	DIESEL	Vent manifolded:	NO	Bottom to grade in inches:	157.0
Capacity in gallons:	12,062	Vapor recovery manifolded:	NO	Fill pipe length in inches:	46.0
Diameter in inches:	108.00	Overfill protection:	YES	Fill pipe diameter in inches:	4.0
Length in inches:	307	Overspill protection:	YES	Stage I vapor recovery:	NONE
Material:	DW STEEL	Installed:	ATG	Stage II vapor recovery:	NONE
		CP installed on:	/ /		

COMMENTS

TANK TEST RESULTS Test Method: VacuTect

	Start (in)	End (in)
Dipped Water Level:	0.00	0.00
Dipped Product Level:	82.51	82.51
Probe Water Level:	0.000	0.000

Ingress Detected: Water N Bubble N Ullage N
Test time: 09:25-10:43
Inclinometer reading: -0.95
VacuTect Test Type: Multiple tanks
VacuTect Probe Entry Point: Fill
Pressure Set Point: -1.00
Tank water level in inches: 0.00
Water table depth in inches:
Determined by (method): NO WELL
Result: PASS

COMMENTS
dvs

LEAK DETECTOR TEST RESULTS Test method: FTA

	New/passed L.D. #1	Failed/replaced L.D. #1	New/passed L.D. #2	Failed/replaced L.D. #2
Make:				
Model:				
S/N:				
Open time in sec:				
Holding psi:				
Resiliency cc:	NOT		NOT	
Test leak rate ml/m:	TESTED		TESTED	
Metering psi:				
Calib. leak in gph:				
Results:				

COMMENTS

LINE TEST RESULTS Test type: TLD-1

LINE	A	B	C	D
Material:	DW FIBERG			
Diameter (in):	2.0			
Length (ft):	20.0			
Test psi:	50			
Bleedback cc:	0			
Test time (min):	30			
Start time:	10:10	NOT TESTED	NOT TESTED	NOT TESTED
End time:	10:40			
Final gph:	0.000			
Result:	PASS			
Pump type:	PRESSURE			
Pump make:	RED JACKET			

COMMENTS

Impact Valves Operational: YES

Printed 04/21/1999 09:55

SITE DIAGRAM

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757
(512) 451-6334
FAX (512) 459-1459

TEST DATE: 04/13/99

WORK ORDER NUMBER 3205146

CLIENT: GRADIENT ENGINEERS

SITE: CITY OF HUNTINGTON BEACH WATER



Printed 04/21/1999 09:55 KOHLMEYER

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 East Edinger Avenue
Santa Ana, California 92705
(714) 667-3700

UNIFORM SUMMARY SHEET FOR TANK TEST RESULTS

CHECK APPROPRIATE BOX:

[X] ALL OF TANKS/ASSOCIATED PIPING HAVE BEEN TESTED TIGHT.

[ ] SOME OF THE TANKS AND ASSOCIATED PIPING HAVE FAILED TIGHTNESS TEST.

DATE: 04/13/99

REASON FOR TEST: ____ ANNUAL TEST ____ SUSPECTED LEAK ____ RETEST AFTER REPAIR X NEW TANK

____ OTHER (EXPLAIN) ____

TEST METHOD IS: ____ VOLUMETRIC X NON-VOLUMETRIC (EXPLAIN) VACUTECT

TANK FACILITY LOCATION	NAME:	CITY OF HUNTINGTON BEACH WATER OPERA	
	ADDRESS:	19001 HUNTINGTON ST.	
	CITY:	HUNTINGTON BEACH, CA	ZIP: 92648
TANK OPERATOR	NAME:		PHONE:
TANK OWNER	NAME:	GRADIENT ENGINEERS	PHONE: [949] 477-0555
	ADDRESS:	17781 COWAN STREET	
	CITY:	IRVINE STATE: CA	ZIP: 92614

TANK NO.	AGE OF TANK MO/YR	TANK CAPACITY	PRODUCT TYPE	TEST RESULTS: TANK GAL/HR	TANK PASS/FAIL	PRODUCT LINE GAL/HR	PRODUCT LINE PASS/FAIL	FILL, VENT, VAPOR PASS/FAIL	TEST DATE
1		12062	Reg Unlead	0.000	Pass	0.000	Pass	Pass	04/13/99
2		12062	Diesel	0.000	Pass	0.000	Pass	Pass	04/13/99
3									
4									
5									
6									

METHOD OF PRODUCT LINE TEST: HYDROSTATIC

METHOD OF VENT/VAPOR/REMOTE FILL LINE TEST: VACUTECT

INDICATE WHICH (IF ANY) TANKS ARE MANIFOLDED: NONE

PRESSURE LOSS LEAK DETECTOR WAS TESTED AND IS OPERATIONAL. DATE TESTED: 04/13/99 RESULTS ARE ATTACHED

THE TEST RESULTS HAVE BEEN CONDUCTED AND PERFORMED BY A TESTER CERTIFIED ACCORDING TO THE REQUIREMENTS OF THE TANK TEST EQUIPMENT MANUFACTURER. THE TESTER IS LICENSED BY THE WATER RESOURCES CONTROL BOARD OFFICE OF TANK TESTER LICENSING AND MEETS THE REQUIREMENTS OF SUBCHAPTER 17, TITLE 23 OF THE CALIFORNIA CODE OF REGULATIONS. THE TANK OWNER HAS BEEN NOTIFIED OF THESE RESULTS, AND HAS BEEN ADVISED OF THE REPORTING REQUIREMENTS FOR INTEGRITY TESTING. THE DATA AND CALCULATIONS NECESSARY TO PRODUCE THE TEST RESULTS ARE ATTACHED TO THIS FORM.

TESTING COMPANY: Tanksology-NDE NAME OF TEST METHOD: VACUTECT

PRINTED NAME OF TESTER: RICHMOND PHILLIPS LICENSE NO: 1071 EXP. DATE: 03/14/20

SIGNATURE OF TESTER: ____ DATE: 04/13/99

REV: 11/02/90

RECEIVED APR 2 9 1999

RECEIVED
APR 26 1999
ENVIRONMENTAL HEALTH

Orange ıunty Health Care Agency
Environmental Health Division, Hazardous Materials Management Section
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3600

HAZARDOUS WASTE, UNDERGROUND STORAGE TANK, TIERED PERMITS INSPECTION REPORT

'ILE NO: 006779 ACCOUNT NO: 5963 EPA# :
UST PERMIT NO: 5963-1
ACILITY: WATER OPERATIONS PERMIT: EXPIRED
STREET: 19001 HUNTINGTON ST BLDG# STE# MAP COORDINATES: 858-A5
:ITY: HUNTINGTON BEACH ZIP: 92648 DISTRICT: 203
ITY CODE:[9] HUNTINGTON BEACH
EAREST CROSS STREET: GARFIELD
EW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? ___
EW INFO: _____
W INSPECTION TYPE: / NO OF UST ON SITE: 2 UST INSPECTION TYPE: /
IERED PERMIT INSPECTION TYPE: _____
UMBER OF EMPLOYEES: 8 M # TANKS TO BILL :2 UST COMPLIANCE CODE: 2
AST HW ROUTINE INSPECTION: 06-09-97 LAST UST ROUTINE INSPECTION: 06-09-97
W EXEMPT CODE: 2 UST EXEMPT CODE: 1
W STATUS CODE: 1 UST STATUS CODE: 1
P EXEMPT CODE: TP STATUS CODE:
P NOTIFICATION FILED (Y/N)? _____ NO. PERMITS: PBR: _____ CA: _____ CE: ____
USINESS OWNER: _____ PHONE: (____) ____-_____
ANK OPERATOR: DON NOBLE PHONE: (714) 536-5505
ONTACT: MR HOWARD JOHNSON PHONE: (714) 536-5503

W BILLING (NAME & MAILING ADDRESS):

_____
_____
_____
_____ _____ _____
HONE: (____) ____-_____

UST BILLING (NAME & MAILING ADDRESS):
CITY OF HB WATER DIVISION
17371 GOTHARD ST
HUNTINGTON BEACH CA 92647
PHONE: (714) 848-0600

ROPERTY OWNER (NAME & MAILING ADDRESS):
ITY OF HUNTINGTON BEACH
9001 HUNTINGTON ST
UNTINGTON BEACH CA 92648
HONE: (714) 536-5921

TANK OWNER (NAME & MAILING ADDRESS):
CITY OF HUNTINGTON BEACH
2000 MAIN ST
ATTN: DON NOBEL
HUNTINGTON BEACH CA 92647
PHONE: (213) 315-4200

MERGENCY CONTACTS
AY: STEVE TULLY PHONE: (714) 536-5505

CTIVE ICR: 94TI91 91TI53
NSPECTOR #: 337 NAME: Jeff Nafel DATE: 6/9/99
un Date: 06-04-98 HW INSP CNTR: 7 UST INSP CNTR: 28 PAGE 1 OF 6

ENTERED JUN 15 1999

Orange County Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA
CITY CODE: 09 3 HUNTINGTON BEACH

FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

VIOLATION DESCRIPTIONS

FACILITY

~~06/18/97~~ ___ 185 OPERATING UNDERGROUND STORAGE TANK (UST) WITHOUT A PERMIT
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNER(S) AND OPERATOR(S)
___ 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A CERTIFIED DEVICE REPAIRMAN
___ 145 FAILURE TO MONITOR THE TANK(S) USING THE METHOD SPECIFIED ON THE UST PERMIT
___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON-SITE
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
___ 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST(S)

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST(S) WITHIN 30 DAYS
___ 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
___ 130 FAILURE TO DEVELOP A LEAK RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
~~06/18/97~~ ___ 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
___ 260 FAILURE TO ANNUALLY CERTIFY CONTINUOUS MONITORING DEVICE
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
___ 275 FAILURE TO PROPERLY CLOSE UST(S)
~~06/18/97~~ ___ 280 FAILURE TO PROPERLY REPAIR UST(S)
___ 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANK(S)/PIPELINES
___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
___ 288 UNDERGROUND STORAGE TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWLS
___ 290 OTHER

On site for routine UST inspection. Veeder-Root reads all functions normal. Test alarm activates audible and visual alarm. Walk all violations. Ensure that Leak Response Plan is posted. No violations observed

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 5/6 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: Steven R Tully Stock Clerk

SIGNATURE: Steven R Tully DATE: 6/9/99

Orange nty Health Care Agency
UNDERGF...D STORAGE TANK INSPECTIC.. REPORT

DBA: City of H.B. - Water Operations

ADDRESS: 1900 Huntington St.

: H.B. 92648

FILE NO: _____ ACCOUNT NO: _____ EPA #: _____

!HCA TANK ID#	!CODE	!TANK # 005	!CODE	!TANK # 006	!CODE	!TANK #
!FACILITY TANK ID	!					
!MATERIAL STORED	!	DOT 1203		DOT 1993-FO		
!Currently		Gasoline				
!Previously						
!Waste or Product	2	Product	2	Product		
!FUEL TYPE	1	Unl. Gas.	4	Diesel		
!						
!EXEMPT TYPE	0	Not Exempt	0	Not Exempt		
!						
!Double/Single Wall	1	D.W.	1	D.W.		
!Compartment No.						
!Year Installed		1999		1999		
!Vault/Not Vaulted	2	Not Vaulted	2	Not Vaulted		
!Primary Wall:						
!Manufacturer	2	Joor	2	Joor		
!Capacity / Gallons		12,000		12,000		
!Construct Material	1	Steel	1	Steel		
!Interior Lining	97	N.A.	97	N.A.		
!Secondary Wall:						
!Manufacturer	2	Joor	2	Joor		
!Capacity / Gallons		12,000		12,000		
!Construct Material	5	Composite	5	Composite		
!Corrosion Protectn	5	F.R.P.	5	F.R.P.		
!Leak Detect: Type	5	Liq. Sensor	5	Liq. Sensor		
!Manufacturer	48	Veeder-Root	48	Veeder-Root		
!PIPING:	1	Underground	1	Underground		
!Dispensr/Tank Fill	3	Pressure	3	Pressure		
!Double/Single Wall	1	D.W.	1	D.W.		
!Primary Wall:						
!Construct Material	3	Fiberglass	3	Fiberglass		
!Manufacturer	42	Ameron	42	Ameron		
!Secondary Wall:						
!Construct Material	3	Fiberglass	3	Fiberglass		
!Manufacturer	42	Ameron	42	Ameron		
!Dispense Cont(Y/N)		Yes		Yes		
!Leak Detect: Type	32	Continuous	32	Continuous		
!Manufacturer	19	Mackay	19	Mackay		
!TYPE OF OVERFILL						
!PROTECTION	13		13			
!SPILL						
!CONTAINMENT		Yes		Yes		
!MONITORING						
!METHOD	33		33			
!LAST TANK TEST						
!STRIKER PLATE(Y/N)		Yes		Yes		
!1998 UPGRADE (Y/N)		Yes		Yes		

INSPECTION DATE: ~~4-26-99~~ 6-9-99

COUNTY OF ORANGE HEALTH CARE AGENCY

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3600

☐ Haz. Waste
☒ UST
☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963-39 EPA I.D.# _____

FACILITY City of H.B. Water Op PERMIT # _____

STREET 19001 Huntington St. MAP COORDINATES _____

CITY H.B. ZIP 92648 DISTRICT 203

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE O

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

Received tank and line test results for the above site. Results indicate tank and line tests passed.

ACTIVE ICRS # _____ INSPECTOR # 337 NAME Jeff Nofal DATE 5-4-99

I declare that I have read and received a copy of this inspection report

Mailed copy to tank owner

Print Name Title

Signature Date

ENTERED MAY 12 1999

Tanknology
8900 Shoal Creek Blvd, Building 200
Austin, Texas 78757
Phone: (512) 451-6334
Fax: (512) 459-1459

COUNTY OF ORANGE ENVIRONMENTAL
2009 EAST EDINGER AVE
SANTA ANA, CA. 92705

Test Date: 04/13/1999
Order Number: 3205146

Dear Regulator,

Enclosed are the results of recent testing performed at the following facility:

GRADIENT ENGINE
19001 HUNTINGTON ST.
HUNTINGTON BEACH, CA. 92648

Testing performed:

Line tests
Tank tests

Sincerely,

Dawn Kohlmeyer

Dawn Kohlmeyer
Manager, Field Reporting

CERTIFICATE OF UNDERGROUND STORAGE TANK SYSTEM TESTING

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757
(512) 451-6334
FAX (512) 459-1459

TEST RESULT SITE SUMMARY REPORT

TEST TYPE: VacuTect
PURPOSE: COMPLIANCE
TEST DATE: 04/13/99
CUSTOMER PO:
WORK ORDER NUMBER: 3205146

CLIENT: GRADIENT ENGINEERS
17781 COWAN STREET
IRVINE, CA 92614

BOB WEBB
(949)477-0555 ext. 105

SITE: CITY OF HUNTINGTON BEACH WATER OPERA
19001 HUNTINGTON ST.
HUNTINGTON BEACH, CA 92648

BOB WEB
(949)477-7055

The following test(s) were conducted at the site above in accordance with all applicable portions of Federal, NFPA and local regulations

Tank Tests

TANK NUMBER	PRODUCT	TANK CAPACITY (Gallons)	TANK DIAMETER (Inches)	TANK RESULTS	VOLUME CHANGE (gph)	ULLAGE RESULT
12k 1	REG UNLEAD	12,062	108.0	PASS	0.000	PASS
12k 2	DIESEL	12,062	108.0	PASS	0.000	PASS

Line and Leak Detector Tests

TANK NUMBER	PRODUCT	VOLUME CHANGE (gph) A	B	C	D	LINE RESULT (P=pass, F=fail I=inconclusive) A	B	C	D	LEAK DETECTOR PRESENT #1	#2	LEAK DETECTOR RESULT #1	#2
12k 1	REG UNLEAD	0.000				P				N			
12k 2	DIESEL	0.000				P				N			

Tanknology appreciates the opportunity to serve you, and looks forward to working with you in the future. Please call any time, day or night, when you need us.

Tanknology representative:
TODD PARKER

Test conducted by:
RICHMOND PHILLIPS

Reviewed:

Technician Certification Number: 91-1071

INDIVIDUAL TANK INFORMATION AND TEST RESULTS

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757 (512) 451-6334

TEST DATE: 04/13/99
CLIENT: GRADIENT ENGINEERS

WORK ORDER NUMBER 3205146
SITE: CITY OF HUNTINGTON BEACH

TANK INFORMATION

Tank ID:	12k 1	Tank manifolded:	NO	Bottom to top fill in inches:	154.0
Product:	REG UNLEAD	Vent manifolded:	NO	Bottom to grade in inches:	158.0
Capacity in gallons:	12,062	Vapor recovery manifolded:	NO	Fill pipe length in inches:	46.0
Diameter in inches:	108.00	Overfill protection:	YES	Fill pipe diameter in inches:	4.0
Length in inches:	307	Overspill protection:	YES	Stage I vapor recovery:	DUAL
Material:	DW STEEL	Installed:	ATG	Stage II vapor recovery:	ASSIST
		CP installed on:	/ /		

COMMENTS

TANK TEST RESULTS Test Method VacuTect

	Start (in)	End (in)
Dipped Water Level:	0.00	0.00
Dipped Product Level:	84.24	84.24
Probe Water Level:	0.000	0.000

Ingress Detected: Water N Bubble N Ullage N
Test time: 09:25-10:43
Inclinometer reading: -1.00
VacuTect Test Type: Multiple tanks
VacuTect Probe Entry Point: Fill
Pressure Set Point: -1.00
Tank water level in inches: 0.00
Water table depth in inches:
Determined by (method): NO WELL
Result: PASS

COMMENTS
dws tanks

LEAK DETECTOR TEST RESULTS Test method: STA

	New/passed L.D. #1	Failed/replaced L.D. #1	New/passed L.D. #2	Failed/replaced L.D. #2
Make:				
Model:				
S/N:				
Open time in sec:				
Holding psi:				
Resiliency cc:	NOT		NOT	
Test leak rate ml/m:	TESTED		TESTED	
Metering psi:				
Calib. leak in gph:				
Results:				

COMMENTS
sump sensors positive shut down no leak detectors

LINE TEST RESULTS Test type: TLD-1

LINE	A	B	C	D
Material:	DW FIBERG			
Diameter (in):	2.0			
Length (ft):	25.0			
Test psi:	50			
Bleedback cc:	0			
Test time (min):	30	NOT	NOT	NOT
Start time:	09:35	TESTED	TESTED	TESTED
End time:	10:05			
Final gph:	0.000			
Result:	PASS			
Pump type:	PRESSURE			
Pump make:	RED JACKET			

COMMENTS

Impact Valves Operational: YES

INDIVIDUAL TANK INFORMATION AND TEST RESULTS

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757 (512) 451-6334

TEST DATE: 04/13/99
CLIENT: GRADIENT ENGINEERS

WORK ORDER NUMBER 3205146
SITE: CITY OF HUNTINGTON BEACH

TANK INFORMATION

Tank ID:	12k 2	Tank manifolded:	NO	Bottom to top fill in inches:	154.0
Product:	DIESEL	Vent manifolded:	NO	Bottom to grade in inches:	157.0
Capacity in gallons:	12,062	Vapor recovery manifolded:	NO	Fill pipe length in inches:	46.0
Diameter in inches:	108.00	Overfill protection:	YES	Fill pipe diameter in inches:	4.0
Length in inches:	307	Overspill protection:	YES	Stage I vapor recovery:	NONE
Material:	DW STEEL	Installed:	ATG	Stage II vapor recovery:	NONE
		CP installed on:	/ /		

COMMENTS

TANK TEST RESULTS Test Method: VacuTect

	Start (in)	End (in)
Dipped Water Level:	0.00	0.00
Dipped Product Level:	82.51	82.51
Probe Water Level:	0.000	0.000

Ingress Detected: Water N Bubble N Ullage N
Test time: 09:25-10:43
Inclinometer reading: -0.95
VacuTect Test Type: Multiple tanks
VacuTect Probe Entry Point: Fill
Pressure Set Point: -1.00
Tank water level in inches: 0.00
Water table depth in inches:
Determined by (method): NO WELL
Result: PASS

COMMENTS
dvs

LEAK DETECTOR TEST RESULTS Test method: FTA

	New/passed L.D. #1	Failed/replaced L.D. #1	New/passed L.D. #2	Failed/replaced L.D. #2
Make:				
Model:				
S/N:				
Open time in sec:				
Holding psi:				
Resiliency cc:	NOT		NOT	
Test leak rate ml/m:	TESTED		TESTED	
Metering psi:				
Calib. leak in gph:				
Results:				

COMMENTS

LINE TEST RESULTS Test type: TLD-1

LINE	A	B	C	D
Material:	DW FIBERG			
Diameter (in):	2.0			
Length (ft):	20.0			
Test psi:	50			
Bleedback cc:	0			
Test time (min):	30	NOT	NOT	NOT
Start time:	10:10	TESTED	TESTED	TESTED
End time:	10:40			
Final gph:	0.000			
Result:	PASS			
Pump type:	PRESSURE			
Pump make:	RED JACKET			

COMMENTS

Impact Valves Operational: YES

SITE DIAGRAM

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757
(512) 451-6334
FAX (512) 459-1459

TEST DATE: 04/13/99

WORK ORDER NUMBER 3205146

CLIENT: GRADIENT ENGINEERS

SITE: CITY OF HUNTINGTON BEACH WATER



Printed 04/21/1999 09:34 KOHLMEYER

ENVIRONMENTAL HEALTH DIVISION
HAZ DOUS MATERIALS MANAGEMENT SEC..ON
2009 East Edinger Avenue
Santa Ana, California 92705
(714) 667-3700

UNIFORM SUMMARY SHEET FOR TANK TEST RESULTS

CHECK APPROPRIATE BOX

[X] ALL OF TANKS/ASSOCIATED PIPING HAVE BEEN TESTED TIGHT.

[ ] SOME OF THE TANKS AND ASSOCIATED PIPING HAVE FAILED TIGHTNESS TEST.

DATE: 04/13/99

REASON FOR TEST: ____ ANNUAL TEST ____ SUSPECTED LEAK ____ RETEST AFTER REPAIR X NEW TANK

____ OTHER (EXPLAIN) ____

TEST METHOD IS: ____ VOLUMETRIC X NON-VOLUMETRIC (EXPLAIN) VACUTECT

TANK FACILITY LOCATION	NAME: CITY OF HUNTINGTON BEACH WATER OPERA		
	ADDRESS: 19001 HUNTINGTON ST.		
	CITY: HUNTINGTON BEACH, CA	ZIP: 92648	
TANK OPERATOR	NAME:	PHONE:	
TANK OWNER	NAME: GRADIENT ENGINEERS	PHONE: [949] 477-0555	
	ADDRESS: 17781 COWAN STREET		
	CITY: IRVINE	STATE: CA	ZIP: 92614

TANK NO.	AGE OF TANK NO/YR	TANK CAPACITY	PRODUCT TYPE	TEST RESULTS					TEST DATE
				TANK		PRODUCT LINE		FILL, VENT, VAPOR	
				GAL/HR	PASS/FAIL	GAL/HR	PASS/FAIL	PASS/FAIL	
1		12062	Reg Unlead	0.000	Pass	0.000	Pass	Pass	04/13/99
2		12062	Diesel	0.000	Pass	0.000	Pass	Pass	04/13/99
3									
4									
5									
6									

METHOD OF PRODUCT LINE TEST: HYDROSTATIC

METHOD OF VENT/VAPOR/REMOTE FILL LINE TEST: VACUTECT

INDICATE WHICH (IF ANY) TANKS ARE MANIFOLDED: NONE

PRESSURE LOSS LEAK DETECTOR WAS TESTED AND IS OPERATIONAL. DATE TESTED 04/13/99 RESULTS ARE ATTACHED.

THE TEST RESULTS HAVE BEEN CONDUCTED AND PERFORMED BY A TESTER CERTIFIED ACCORDING TO THE REQUIREMENTS OF THE TANK TEST EQUIPMENT MANUFACTURER. THE TESTER IS LICENSED BY THE WATER RESOURCES CONTROL BOARD OFFICE OF TANK TESTER LICENSING AND MEETS THE REQUIREMENTS OF SUBCHAPTER 17, TITLE 23 OF THE CALIFORNIA CODE OF REGULATIONS. THE TANK OWNER HAS BEEN NOTIFIED OF THESE RESULTS, AND HAS BEEN ADVISED OF THE REPORTING REQUIREMENTS FOR INTEGRITY TESTING. THE DATA AND CALCULATIONS NECESSARY TO PRODUCE THE TEST RESULTS ARE ATTACHED TO THIS FORM.

TESTING COMPANY: Tanknology-NDE NAME OF TEST METHOD: VACUTECT

PRINTED NAME OF TESTER: RICHMOND PHILLIPS LICENSE NO: 1071 EXP. DATE: 03/14/20

SIGNATURE OF TESTER: _____ DATE: 04/13/99

REV: 11/02/90

RECEIVED
APR 26 1999
ENVIRONMENTAL HEALTH

RECEIVED MAY 10 1999

COUNTY OF ORANGE HEALTH CARE AGENCY

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3600

☐ Haz. Waste
☒ UST
☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963-38 EPA I.D.# _____

FACILITY City of H.B. - Water Op. PERMIT # _____

STREET 19001 Huntington St. MAP COORDINATES _____

CITY Huntington Beach ZIP 92648 DISTRICT 203

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE O

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

Issued 1998 upgrade compliance certificates today to Shawn Lothrop for the above site.

Received the following documentation:
1) Monitoring Procedure for UST's.
2) Updated Leak Response Plan
3) Tank and Line integrity test results.
4) Veeder-Root Warranty Registration
5) Forms B and C (2 each)

ACTIVE ICRS # _____ INSPECTOR # 337 NAME Jeff Hotel DATE 4-29-99

I declare that I have read and received a copy of this inspection report

~~Mailed copy~~ SHAWN LOTHROP — Print Name
INTERN — Title

Signature
4/29/99 — Date

ENTERED MAY 1 2 1999

F042-09.1560 (R8/95) DISTRIBUTION: 1 – MAIN FILE 2 – OPERATOR 3 – INSPECTOR FILE # 17

TLS-350/350R System Periodic Maintenance Checklist

Maintenance Operation	When to Perform	What to Do	
TLS-350 Console 847000-XXX TLS-350R Console 848200-XXX	Yearly	1. Check printer for paper if equipped. 2. Check system status display. 3. Print out or check TLS inventory and verify to actual inventory. (350 only) 4. Print out Reconciliation Report and verify variance is within Federal, State, and Local guidelines. (350R only) 5. Print out or check TLS setup values. 6. Verify battery backup is working. See Note 2. 7. Verify in-tank tests are being performed if required. 8. Verify LLD tests are being performed. 9. Press Alarm/Test button to verify power, warning and alarm indicators light, and audible alarm sounds.	
Mag Probes 847XXX-XXX	Yearly	1. Verify epoxy kits have been installed on field wiring.	
Cap "0" Probe 7842XX-XXX Cap "1" Probe 8472XX-XXX	Yearly	1. Run diagnostic check on probes and verify there are no open or shorted segments. 2. Inspect probe cables for any cracking or swelling and replace as necessary. 3. Verify epoxy kits have been installed on field wiring.	
Line Leak Detector (VLLD) 847590-001	Yearly	1. Replace check valve filters (Diesel products only). 2. Check flexible fuel control lines for any chaffing, and replace as necessary. 3. Verify epoxy kits have been installed on field wiring.	
Pressure Line Leak (PLLD) 848480-00X	Yearly	1. Inspect containment sump for leakage around the pump. 2. Inspect sensor cable for cracking and replace as necessary. 3. Verify epoxy kits have been installed on field wiring.	
Piping Sump Sensor 794390-20X Interstitial Sensors 794390-40X	Yearly	1. Inspect sensors to verify float moves freely. 2. Turn sensor upside down to verify the monitor liquid alarm is activated. 3. Verify epoxy kits have been installed on field wiring.	
Discriminating Interstitial Sensor 794380-341	Yearly	1. Inspect sensor cables for any cracking or swelling and replace sensor as necessary. 2. Verify sensor is positioned correctly in the interstitial area of the tank 3. Verify epoxy kits have been installed on field wiring.	

Note 1: System status display should display "ALL FUNCTIONS NORMAL". If this is not displayed, then refer to TLS-350 System Operating Instructions, Manual No. 576013-610.

Note 2: Before verifying that the battery backup is working, print out or record all setup values.

INTRINSIC SAFETY CHECK LIST ON BACK–PLEASE COMPLETE.

The warranty is not valid unless the following registration form is completed and returned to Veeder-Root within 14 days of installation.

VEEDER-ROOT MONITORING SYSTEMS 96913
WARRANTY REGISTRATION AND CHECKOUT FORM

*INSTALLATION DATE: 4/8/99

№ 96109

***INSTALLATION LOCATION**

Oil Company ~~HUNTINGTON BEACH~~ Site #
Brand Name H.B City Yard
Street ~~2540 Garfield~~ 19001 HUNTINGTON STREET
City HUNTINGTON BEACH St CA Zip 92648
Phone 949-725-1498
Manager

INSTALLED BY

Company Name TEAM Petro
Street
City St Zip
Installation Supervisor
Certification No.

EQUIPMENT IDENTIFICATION

*CONSOLE FORM NUMBER	*CONSOLE SERIAL NUMBER
847090-022	9015%280005048

PROBE DATA	SERIAL NUMBER	FORM NUMBER
Probe 1	408974	847390-408
Probe 2	403050	847390-408
Probe 3		
Probe 4		
Probe 5		
Probe 6		
Probe 7		
Probe 8		

SENSOR IDENTIFICATION

SENSOR FORM NUMBER	QTY.	LOCATION
794380-208	4	☑ Sump ☐ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other
794390-420	2	☐ Sump ☑ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other
		☐ Sump ☐ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other
		☐ Sump ☐ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other
		☐ Sump ☐ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other
		☐ Sump ☐ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other
		☐ Sump ☐ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other
		☐ Sump ☐ Tank ☐ Well ☐ Hydro-static ☐ Dispenser Pan ☐ Other

***TANK DATA**

	Gallons	Diameter	Steel	Fiberglass	Single Wall	Double Wall	Fuel Type
TANK 1	12026	111	✓			✓	DSL
TANK 2	12056	111	✓			✓	UL
TANK 3							
TANK 4							
TANK 5							
TANK 6							
TANK 7							
TANK 8							

(FILL OUT ONLY IF EQUIPPED WITH LLD) PIPING SYSTEM DATA

	Piping type (Steel, Fiberglass, etc.)	Length	Dia.	Single Wall	Double Wall
LLD 1					
LLD 2					
LLD 3					
LLD 4					
LLD 5					
LLD 6					
LLD 7					
LLD 8					

VLLD/PLLD LINE LEAK DATA

Check Valve Serial #	Controller/Sensor Serial #

Is the TLS connected to a modem? ☐ YES ☐ NO
If yes, what type of modem?
☐ EXTERNAL ☐ INTERNAL
Phone Number

ADDITIONAL V/R EQUIPMENT, SUCH AS REMOTE DISPLAY, REMOTE PRINTER, ETC

	FORM NUMBER	SERIAL NUMBER
UNIT 1		
UNIT 2		

***DISTRIBUTOR**

I hereby certify that this system has been installed in accordance with the procedures specified in the proper Veeder-Root site rep and installation manual. I have also read all of the warnings and I certify that there are no intrinsic safety violations due to improper installation of this system.

Name (print) Manuel Verduzco
Signature
Certification No. 546-19-0385
Company Charles E Thomas Co.
Address 3701 S. Alma Ave
Date 4/8/99

Complete required data or WRACO will be returned.

***CUSTOMER**

I have been trained in the proper operation of this equipment? ☑ YES ☐ NO
Name (print) Ted Rutt
Signature Date 4-8-99

Business Category at Installation Location:
☐ Oil Company ☐ C-Store ☑ Government ☐ Utility
☐ Telephone ☐ Trucking ☐ Rental Car ☐ Airport
☐ Other (please specify)
☒ Underground Storage Tank ☐ Aboveground Storage Tank

VEEDER-ROOT Environmental Products
8th Avenue at Blairs Crossing, Post Office Box 1673, Altoona, PA 16603 TEL: (800) 873-3313, FAX (800) 234-6258

INSTALLATION AND INTRINSIC SAFETY CHECKLIST

- [ ] TLS Monitor is installed indoors in an accessible location.
- [ ] TLS Monitor has 12 gauge wire from barrier to earth ground in the power panel.
- [ ] Power wires are installed in conduit.
- [ ] TLS Monitor has a chassis ground connected.
- [ ] Conduits enter TLS Monitor only through pre-formed knock-outs.
- [ ] Monitor to probe wiring runs do not exceed 1000 ft.
- [ ] Monitor to sensor wiring runs do not exceed 4000 ft.
- [ ] Sensor and probe wiring is 14-18 gauge oil and gas resistant wire.
- [ ] Sensor and probe wiring is installed in rigid dedicated conduit.
- [ ] Sensor and probe wiring is installed in rigid metal conduit.
- [ ] Seal-offs are installed between building and tanks on probe and sensor conduits.
- [ ] Probe and sensor wiring connections in tank area are installed in suitable weatherproof junction boxes.
- [ ] All outdoor wiring connections for probes and sensors are sealed with epoxy sealing kits.

Monitor Software Version and Revision Level 17-02

Have you encountered any problems during check list? If so, list below:

_____

_____

_____

_____

_____

_____

Retain your copy. Fold, tape, and mail remaining copies. No postage necessary.

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 4 ALTOONA, PA

POSTAGE WILL BE PAID BY THE ADDRESSEE

ATTN CUSTOMER SERVICE DEPARTMENT
VEEDER ROOT COMPANY
PO BOX 1673
ALTOONA PA 16603-9955

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 East Edinger Avenue
Santa Ana, California 92705
(714) 667-3700

UNIFORM SUMMARY SHEET FOR TANK TEST RESULTS

CHECK APPROPRIATE BOX

[X] ALL OF TANKS/ASSOCIATED PIPING HAVE BEEN TESTED TIGHT

[ ] SOME OF THE TANKS AND ASSOCIATED PIPING HAVE FAILED TIGHTNESS TEST

DATE: 04/13/99

REASON FOR TEST: ____ ANNUAL TEST ____ SUSPECTED LEAK ____ RETEST AFTER REPAIR X NEW TANK

____ OTHER (EXPLAIN)

TEST METHOD IS: ____ VOLUMETRIC X NON-VOLUMETRIC (EXPLAIN) VACUTECT

TANK FACILITY LOCATION	NAME	CITY OF HUNTINGTON BEACH WATER OPERA	
	ADDRESS	18001 HUNTINGTON ST.	
	CITY	HUNTINGTON BEACH, CA	ZIP 92648
TANK OPERATOR	NAME		PHONE
TANK OWNER	NAME	GRADIENT ENGINEERS	PHONE (949) 477-0555
	ADDRESS	17701 COWAN STREET	
	CITY	IRVINE STATE CA	ZIP 92614

TANK NO	AGE OF TANK MO/YR	TANK CAPACITY	PRODUCT TYPE	TEST RESULTS: TANK GAL/HR	TANK PASS/FAIL	PRODUCT LINE GAL/HR	PRODUCT LINE PASS/FAIL	FILL VENT VAPOR PASS/FAIL	TEST DATE
1		12000	Reg Unlead	0.000	Pass	0.000	Pass	Pass	04/13/99
2		12000	Diesel	0.000	Pass	0.000	Pass	Pass	04/13/99
3									
4									
5									
6									

METHOD OF PRODUCT LINE TEST: HYDROSTATIC

METHOD OF VENT/VAPOR/REMOTE FILL LINE TEST: VACUTECT

INDICATE WHICH (IF ANY) TANKS ARE MANIFOLDED: NONE

PRESSURE LOSS LEAK DETECTOR WAS TESTED AND IS OPERATIONAL. DATE TESTED: 04/13/99 RESULTS ARE ATTACHED

THE TEST RESULTS HAVE BEEN CONDUCTED AND PERFORMED BY A TESTER CERTIFIED ACCORDING TO THE REQUIREMENTS OF THE TANK TEST EQUIPMENT MANUFACTURER. THE TESTER IS LICENSED BY THE WATER RESOURCES CONTROL BOARD OFFICE OF TANK TESTER LICENSING AND MEETS THE REQUIREMENTS OF SUBCHAPTER 17, TITLE 23 OF THE CALIFORNIA CODE OF REGULATIONS. THE TANK OWNER HAS BEEN NOTIFIED OF THESE RESULTS, AND HAS BEEN ADVISED OF THE REPORTING REQUIREMENTS FOR INTEGRITY TESTING. THE DATA AND CALCULATIONS NECESSARY TO PRODUCE THE TEST RESULTS ARE ATTACHED TO THIS FORM.

TESTING COMPANY: Tankology-NDE NAME OF TEST METHOD: VACUTECT

PRINTED NAME OF TESTER: RICHMOND PHILLIPS LICENSE NO: 1071 EXP. DATE: 03/14/20

SIGNATURE OF TESTER: [signature] DATE: 04/13/99

REV. 11/30/98

CERTIFICATE OF UNDERGROUND STORAGE TANK SYSTEM TESTING

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757
(512) 451-6334
FAX (512) 459-1459

RNW

TEST RESULT SITE SUMMARY REPORT

TEST TYPE: VacuTect PURPOSE: COMPLIANCE

TEST DATE: 04/13/99 CUSTOMER PO WORK ORDER NUMBER: 3205146

CLIENT: GRADIENT ENGINEERS
17781 COWAN STREET
IRVINE, CA 92614

BOB WEBB
(949) 477-0555 ext. 105

SITE: CITY OF HUNTINGTON BEACH MAINT OPERA
19001 HUNTINGTON ST.
HUNTINGTON BEACH, CA 92648

BOB WEB
(949) 477-7055

The following test(s) were conducted at the site above in accordance with all applicable portions of Federal, NFPA and local regulations

Tank Tests

TANK NUMBER		PRODUCT	TANK CAPACITY (gallons)	TANK DIAMETER (inches)	TANK RESULTS	VOLUME CHANGE (gals)	ULLAGE RESULT
12k	1	REG UNLEAD	12,062	108.0	PASS	0.000	PASS
12k	2	DIESEL	12,062	108.0	PASS	0.000	PASS

Line and Leak Detector Tests

TANK NUMBER		PRODUCT	VOLUME CHANGE (gals) A	B	C	D	LINE RESULT (Pressure, Pulse, Electronic/Visual) A	B	C	D	LEAK DETECTOR SENSITIVITY #1	#2	LEAK DETECTOR RESULT #1	#2
12k	1	REG UNLEAD	0.000				P				N			
12k	2	DIESEL	0.000				P				N			

Tanknology appreciates the opportunity to serve you, and looks forward to working with you in the future. Please call any time, day or night, when you need us.

Tanknology representative:
TODD PARKER

Test conducted by:
RICHMOND PHILLIPS

Reviewed:

Technician Certification Number: 91-1071

Draft 04/15/1999 14:57 TPARKER

INDIVIDUAL TANK INFORMATION AND TEST RESULTS

Tanknology

TEST DATE 04/13/99
CLIENT GRADIENT ENGINEERS

8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757 (512) 451-6334

WORK ORDER NUMBER3205146
SITE CITY OF HUNTINGTON BEACH

TANK INFORMATION

Tank ID:	12k 1	Tank manifolded:	NO	Bottom to top fill in inches:	154.0
Product:	REG UNLEAD	Vent manifolded:	NO	Bottom to grade in inches:	158.0
Capacity in gallons:	12,062	Vapor recovery manifolded:	NO	Fill pipe length in inches:	46.0
Diameter in inches:	108.00	Overfill protection:	YES	Fill pipe diameter in inches:	4.0
Length in inches:	307	Overspill protection:	YES	Stage I vapor recovery:	DUAL
Material:	DW STEEL	Installed:	ATG	Stage II vapor recovery:	ASSIST
		CP installed on:	/ /		

COMMENTS

TANK TEST RESULTS Test Method: VacuTect

	Start (in)	End (in)
Dipped Water Level:	0.00	0.00
Dipped Product Level:	86.24	86.24
Probe Water Level:	0.000	0.000

Ingress Detected: Water N Bubble N Ullage N

Test time:	09:25-10:43
Inclinometer reading:	-1.00
VacuTect Test Type:	Multiple tanks
VacuTect Probe Entry Point:	Fill
Pressure Set Point:	-1.00
Tank water level in inches:	0.00
Water table depth in inches:	
Determined by (method):	NO WELL
Result:	PASS

COMMENTS
one tanks

LEAK DETECTOR TEST RESULTS Test method: FIR

	New/passed L.D. #1	Failed/replaced L.D. #1	New/passed L.D. #2	Failed/replaced L.D. #2
Make:				
Model:				
S/N:				
Open time in sec:				
Holding psi:				
Resiency cc:	NOT		NOT	
Test leak rate ml/m:	TESTED		TESTED	
Metering psi:				
Calib. leak in gph:				
Results:				

COMMENTS
sump sensors positive shut down no leak detectors

LINE TEST RESULTS Test type: TP0-3

	LINE A	LINE B	LINE C	LINE D
Material:	DW FIBERG			
Diameter (in):	2.0			
Length (ft):	25.0			
Test psi:	50			
Bleedback cc:	0			
Test time (min):	30			
Start time:	09:35	NOT TESTED	NOT TESTED	NOT TESTED
End time:	10:05			
Final gph:	0.000			
Result:	PASS			
Pump type:	PRESSURE			
Pump make:	RED JACKET			

COMMENTS

Impact Valves Operational: YES

Draft 04/15/1999 14:57

INDIVIDUAL TANK INFORMATION AND TEST RESULTS

Tanknology
8900 SHOAL CREEK, BUILDING 200
AUSTIN, TEXAS 78757 (512) 451-6334

TEST DATE 04/13/99
CLIENT GRADIENT ENGINEERS

WORK ORDER NUMBER 3205146
SITE CITY OF HUNTINGTON BEACH

TANK INFORMATION

Tank ID:	12k 2	Tank manifolded:	NO	Bottom to top fill in inches:	156.0
Product:	DIESEL	Vent manifolded:	NO	Bottom to grade in inches:	157.0
Capacity in gallons:	12,062	Vapor recovery manifolded:	NO	Fill pipe length in inches:	46.0
Diameter in inches:	108.00	Overfill protection:	YES	Fill pipe diameter in inches:	4.0
Length in inches:	307	Overspill protection:	YES	Stage I vapor recovery:	NONE
Material:	DW STEEL	Installed:	ATG	Stage II vapor recovery:	NONE
		CP installed on:	/ /		

COMMENTS

TANK TEST RESULTS Test Method VacuTect

	Start (in)	End (in)
Dipped Water Level:	0.00	0.00
Dipped Product Level:	82.51	82.51
Probe Water Level:	0.000	0.000

Ingress Detected: Water N Bubble N Ullage N

Test time:	09:25-10:43
Inclinometer reading:	-0.95
VacuTect Test Type:	Multiple tanks
VacuTect Probe Entry Point:	Fill
Pressure Set Point:	-1.00
Tank water level in inches:	0.00
Water table depth in inches:	
Determined by (method):	NO WELL
Result:	PASS

COMMENTS
dra

LEAK DETECTOR TEST RESULTS Test method STA

	New/passed L.D. #1	Failed/replaced L.D. #1	New/passed L.D. #2	Failed/replaced L.D. #2
Make:				
Model:				
S/N:				
Open time in sec:				
Holding psi:				
Resiliency cc:	NOT TESTED		NOT TESTED	
Test leak rate ml/m:				
Metering psi:				
Calib. leak in gph:				
Results:				

COMMENTS

LINE TEST RESULTS Test type: SLD-1

	A	B	C	D
Material:	DW FIBERG			
Diameter (in):	2.0			
Length (ft):	29.0			
Test psi:	50			
Bleedback cc:	0			
Test time (min):	30	NOT TESTED	NOT TESTED	NOT TESTED
Start time:	10:10			
End time:	10:40			
Final gph:	0.000			
Result:	PASS			
Pump type:	PRESSURE			
Pump make:	RED JACKET			

COMMENTS

Impact Valves Operational: YES

Draft 04/15/1999 14:57

COUNTY OF ORANGE/HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION
2009 E. EDINGER, SANTA ANA, CA 92705
(714) 667-3600

UNDERGROUND STORAGE TANK LEAK RESPONSE PLAN

COMPANY NAME: Water Operations

ADDRESS: 19001 Huntington Street Huntington Beach, CA 92648

TELEPHONE NO. (714)536-5921

IF LEAK DETECTION ALARM OR SYSTEM IS ACTIVATED:

1. DETERMINE WHICH TANK AND/OR PIPELINE IS INVOLVED.
2. SHUT OFF PUMP OR DISCONTINUE OPERATION OF THE SYSTEM, IF NECESSARY.
3. CALL THE OWNER/RESPONSIBLE PERSON(S) IMMEDIATELY.

   TANK OWNER NAME: City of HUntington Beach (TITLE) TELEPHONE NO. (714) 536-5921 (DAY) (714) 536-2501 (EVENING)

   AGENT/ALTERNATE NAME: Team Petroleum-Todd Wunsch (TITLE) TELEPHONE NO. (800) 576-3835 (DAY) (714) 536-2501 (EVENING)

4. PERSON RESPONSIBLE FOR CONTACTING THE LEAK RESPONSE UNIT/COMPANY AND AUTHORIZING ANY WORK NECESSARY.

   NAME: Howard Johnson - Supervisor (TITLE) TELEPHONE NO.: (714) 536-5921 (DAY) (714) 536-2501 (EVENING)

   NAME: Rick Olsen - Supervisor (TITLE) TELEPHONE NO. (714) 536-5921 (DAY) (714) 536-2501 (EVENING)

5. INITIATE LEAK DETERMINATION AND CLEANUP PROCEDURES IMMEDIATELY.
6. CONTACT LOCAL AGENCIES WITHIN 24 HOURS (UNLESS THE MONITORING SYSTEM CAN BE REACTIVATED AND THE RELEASE HAS BEEN CLEANED UP WITHIN 8 HOURS AND THE STRUCTURAL INTEGRITY OF THE SECONDARY CONTAINER IS NOT IMPAIRED).

ORANGE COUNTY HEALTH DEPARTMENT (714) 667-3600

FIRE DEPARTMENT TELEPHONE NO.: (714) 536-5411

DESCRIBE THE METHODS AND TYPE OF EQUIPMENT TO BE USED FOR REMOVING HAZARDOUS SUBSTANCE

The City has two Haz-Mat Response Teams:

1) Gothard Fire Station - 18311 Gothard Street

2) City Yard - 17371 Gothard Street

DESCRIBE THE LOCATION AND AVAILABILITY OF CLEANUP EQUIPMENT.
IF EQUIPMENT IS ON-SITE, INCLUDE EQUIPMENT MAINTENANCE SCHEDULE (USE ATTACHMENTS AS NECESSARY)

All equipment is stored at both facilities and is maintained every 3000 miles or 6 months.

* NOTE: ALL UNAUTHORIZED RELEASES MUST BE REMOVED FROM THE SECONDARY CONTAINMENT WITHIN 30 DAYS, ADDITIONAL TESTS TO VERIFY THE INTEGRITY OF THE CONTAINMENT SYSTEM MAY BE REQUIRED.

PLEASE PRINT NAME: Eric Charlonne TITLE: Project Manager

SIGNATURE: E M Charlonne DATE: 3/16/99

A COPY OF THIS RESPONSE PLAN SHOULD BE POSTED NEAR THE CONTINUOUS MONITORING DEVICE.
KEEP THE ORIGINAL ON FILE AT ALL TIMES. SEND A COPY TO ORANGE COUNTY HEALTH CARE AGENCY (ADDRESS ABOVE)

OF NGE COUNTY HEALTH CARE ENCY
ENVIRONMENTAL HEALTH DIVISION
2009 E. Edinger, Santa Ana, CA 92705
(714) 667-3600

MONITORING PROCEDURE FOR NEW UNDERGROUND STORAGE TANKS

(Tanks Installed After 1984)

Title 23 of the California Code of Regulations (CCR) requires that a written monitoring procedure be established for new underground storage tanks. This form can be used to submit the required information or the owner of the underground tanks can submit a separate procedure which incorporates the information contained in Section 2632, Title 23, CCR.

COMPLETE THE INFORMATION BELOW AND RETURN A COPY OF THIS FORM TO:

Orange County Health Care Agency
Environmental Health Division
2009 E. Edinger Avenue
Santa Ana, CA 92705

Attention: Hazardous Materials Management Section

A COPY OF THIS FORM IS TO REMAIN ON-SITE FOR A PERIOD OF THREE (3) YEARS

FACILITY NAME: Water Operations

FACILITY ADDRESS: 19001 Huntington Street

Huntington Beach, CA 92648

FACILITY TELEPHONE NO.: (714) 536-5921

TANK OWNER NAME: City of Huntington Beach

TANK OWNER MAILING ADDRESS: P.O. Bos 190

Huntington Beach, CA 92648

TANK OWNER TELEPHONE NUMBER: (714) 536-5921

1. Identify all equipment used to monitor the new underground tank(s) on-site:

Manufacturer: Veeder Root

Model No: TLS 350 R

Probe Type (i.e., liquid, vapor, both): Liquid Sensor

Use attachments if needed

2. Identify the name(s) and title(s) of the person(s) responsible for performing the monitoring and/or maintaining the equipment. The person chosen is the designated operator of the underground tank(s).

Todd Wunsch - Team Petroleum — Manager
Name *(please print)* — Title



Signature — 3-16-99 Date

Alternate or second shift operator *(if none, indicate none)*:

None — Name *(please print)* — Title

Signature — Date

3. Identify the location of the monitoring equipment: Within electrical/telephone room of the Water Operations Administration Building.

4. Identify how frequently (i.e., monthly, annually, etc.) the monitoring equipment is tested/ checked for operational status. List each monitoring system separately: *(Use attachments if needed)*

Annually - Veeder Root - TLS 350 R

5. Identify how often the tank(s) are monitored on-site (i.e., daily, continuously). List each monitoring system separately: *(Use attachments if needed)*

Continuously - Veeder Root - TLS 350 R

6. Describe the training needed and provided to the operator(s) of the UST(s) for the proper operation of both the tank system and the monitoring equipment: *(Use attachments if needed)*

Review controls, operating key pad and how to print reports. Explain tank levels and limits along wiwth warning signals. Review leak detection alarms and testing procedures.

7. All equipment used in implementing the monitoring procedure shall be installed, calibrated, operated and maintained in accordance with the manufacturer's instructions, including routine maintenance and service checks. If there are no manufacturer's recommendations, the system must be checked at least once per calendar year for operability or proper running condition.

ATTACH THE MANUFACTURER'S RECOMMENDED CALIBRATION/MAINTENANCE SCHEDULE TO THIS FORM. IF THERE IS NO RECOMMENDATION, ATTACH A SCHEDULE FOR ALL EQUIPMENT THAT INDICATES AN ANNUAL MAINTENANCE SCHEDULE.

8. You must develop a rep ıg format/log that incorporates the fo ing information:

a) verification of equipment testing (see 4 above) Team Petroleum handles all printed reports and schedules maintenance of monitoring equipment

b) reporting/recording when alarm is indicated

c) maintenance performed

9. *Waste Oil Tank Overfill Prevention Exemption

Section 2635(b)(3) states that the local agency may waive the overfill prevention requirement in Section 2635(b)(2), if all of the following are met:

a) The tank inlet exists in an observable area,

b) The spill container is adequate to collect any overfill, and

c) The tank system is filled by manual transfers of no more than 25 gallons at one time.

If this exemption is to be implemented, indicate the person(s) responsible for insuring that the monitoring is conducted according to Section 2635(b)(3).

Name *(please print)* Title

Signature Date

*This exemption does not relieve the tank owner/operator from monitoring and corrosion protection requirements of the waste oil tank fill riser and/or remote fill lines.

I have read, completed and understand the foregoing information regarding implementation of this monitoring program for the UST(s) located at this facility, and I will monitor the UST(s) accordingly.

Eric Charlonne — Name *(please print)*

Project Manager — Title

Signature

3/16/99 — Date

COUNTY OF ORANGE HEALTH CARE AGENCY

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3700

☐ Haz. Waste
☐ UST
☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963 (5963-28) EPA I.D.# _____

FACILITY WATER OPERATIONS PERMIT # _____

STREET 19001 HUNTINGTON STREET MAP COORDINATES _____

CITY HUNTINGTON BEACH ZIP 92648 DISTRICT _____

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE 2

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

Received Certification of Financial Responsibility dated 7-1-98. ~~Certificate~~ Located.

Still out standing:
105) Operating without a permit
180) Failure to annually test pipeline pressure low leak detector
280) Failure to repair unlocked tank.

ACTIVE ICRS # _____ INSPECTOR # 337 NAME JEFF NOPPE DATE 7-8-98

I declare that I have read and received a copy of this inspection report

Print Name ENTERED JUL 2 3 1998 Title TC

Signature _____ Date _____

acct # 5963
AIC # 006779

6

COUNTY OF ORANGE HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION

2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3700

- ☐ Haz. Waste
- ☒ UST
- ☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963-27 EPA I.D.# _____

FACILITY Water Operations PERMIT # _____

STREET 19001 Huntington Street MAP COORDINATES _____

CITY Huntington Beach ZIP 92648 DISTRICT 204

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE 2

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

I received the following information:
① dispenser calibration
② tank integrity test results
③ pipeline integrity test results

Dispensers have been calibrated and tank and pipeline integrity test results indicate that they passed.

Violations # 140 and 286 have been abated.

Still outstanding # 105) operating without a permit
#180) failure to annually test pipeline pressure loss leak detectors
#280) failure to repair unleaded tank.

ACTIVE ICRS # _____ INSPECTOR # 231 NAME Jane Dong DATE 6-18-97

I declare that I have read and received a copy of this inspection report

ENTERED
JUN 24 1997

Print Name _____ Title _____

Signature _____ Date _____

F042-09 1560 (R8/95) DISTRIBUTION: 1 – MAIN FILE 2 – OPERATOR 3 – INSPECTOR FILE

Orange County Health Care Agency
Environmental Health Division, Hazardous Materials Management Section
Mailing Address: P.O. Box 355, Santa Ana, CA 92702
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3700

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK INSPECTION REPORT

FILE NO: 006779 ACCOUNT NO: 5963 EPA# :
UST PERMIT NO: 5963-1
FACILITY: WATER OPERATIONS PERMIT: EXPIRED
STREET: 19001 HUNTINGTON ST BLDG# STE# MAP COORDINATES: 858-A5
CITY: HUNTINGTON BEACH ZIP: 92648 DISTRICT: 204
CITY CODE: [9] HUNTINGTON BEACH
NEAREST CROSS STREET: GARFIELD TSD FACILITY? N
NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? ___
NEW INFO: _____

HW INSPECTION TYPE: 1 NO OF UST ON SITE: 2 UST INSPECTION TYPE: 1
NUMBER OF EMPLOYEES: 8 M # TANKS TO BILL :2 UST COMPLIANCE CODE: 2
LAST HW ROUTINE INSPECTION: 05-14-96 LAST UST ROUTINE INSPECTION: 05-14-96
HW EXEMPT CODE: 2 UST EXEMPT CODE: 1
HW STATUS CODE: 1 UST STATUS CODE: 1
BUSINESS OWNER: _____ PHONE: (____) ____-____
TANK OPERATOR: PHONE: (714) 536-5505
CONTACT: MR HOWARD JOHNSON PHONE: (714) 536-5505

HW BILLING (NAME & MAILING ADDRESS):

_____
_____
_____
_____ _____ _____
PHONE: (____) ____-_____

UST BILLING (NAME & MAILING ADDRESS):
CITY OF HB WATER DIVISION
17371 GOTHARD ST
HUNTINGTON BEACH CA 92647
PHONE: (714) 848-0600

PROPERTY OWNER (NAME & MAILING ADDRESS):
CITY OF HUNTINGTON BEACH
19001 HUNTINGTON ST
HUNTINGTON BEACH CA 92648
PHONE: (714) 536-5921

TANK OWNER (NAME & MAILING ADDRESS):
CITY OF HUNTINGTON BEACH
2000 MAIN ST
ATTN: DON NOBEL
HUNTINGTON BEACH CA 92647
PHONE: (213) 315-4200

EMERGENCY CONTACTS
DAY: STEVE TULLY PHONE: (714) 536-5505
NIGHT: SANDBY PHONE: ( ) -

ACTIVE ICR: 94TI91 91TI53 JAN 15 1997 ENTERED
INSPECTOR #: 231 NAME: Jane Dong DATE: 6,9,97
Run Date: 03-20-97 HW INSP CNTR: 6 UST INSP CNTR: 25 26 PAGE 1 OF 7

Orange County Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA 92648
CITY CODE:19 1 HUNTINGTON BEACH
FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

!HCA TANK ID#	!CODE	!TANK # 001 (001)	!CODE	!TANK # 002 (002)	!CODE	!TANK #
!FACILITY TANK ID	!	!	!	!	!	!
!MATERIAL STORED	!	! DOT1993FO	!	!	!	!
!Currently	!	!DOT1203 GASOLINE	!	!DOT1203 GASOLINE	!	!
!Proposed	!	!	!	!	!	!
!Previously	!	!DOT1203 GASOLINE	!	!DOT1203 GASOLINE	!	!
!Waste or Product	!2	!PRODUCT	!2	!PRODUCT	!	!
!FUEL TYPE	~~!2~~ !4	!~~REGULAR~~ Diesel	!1	!UNLEADED	!	!
!Trade Secret	!0	!NO	!0	!NO	!	!
!EXEMPT TYPE	!	!NO DESC ON FILE	!	!NO DESC ON FILE	!	!
!	!	!	!	!	!	!
!Double/Single Wall	!2	!SINGLE WALL TANK	!2	!SINGLE WALL TANK	!	!
!Compartment No.	!	!	!	!	!	!
!Year Installed	!	!1981	!	!1981	!	!
!Vault/Not Vaulted	!2	!NO	!2	!NO	!	!
!Primary Wall:	!	!	!	!	!	!
!Manufacturer	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Capacity / Gallons	!	!6000	!	!6000	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Thickness & Units	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Interior Lining	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Secondary Wall:	!	!	!	!	!	!
!Manufacturer	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Capacity / Gallons	!	!	!	!	!	!
!Construct Material	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Thickness & Units	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Corrosion Protectn	!	!	!	!	!	!
!Leak Detect: Type	!2	!INVENTORY RECONCIL	!2	!INVENTORY RECONCIL	!	!
!Manufacturer	!	!	!	!	!	!
!PIPING: Location	!1	!UNDERGROUND(10%+)	!1	!UNDERGROUND(10%+)	!	!
!Dispensr/Tank Fill	!3	!PRESSURE	!3	!PRESSURE	!	!
!Double/Single Wall	!2	!SINGLE WALL TANK	!2	!SINGLE WALL TANK	!	!
!Primary Wall:	!	!	!	!	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Manufacturer	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Secondary Wall:	!	!	!	!	!	!
!Construct Material	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Manufacturer	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Leak Detect: Type	!15	!PRESSURE LOSS DETE	!15	!PRESSURE LOSS DETE	!	!
!Manufacturer	!19	!MARLEY / RED JACKE	!19	!MARLEY / RED JACKE	!	!
!TYPE OF OVERFILL !PROTECTION	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!SPILL !CONTAINMENT	!	!	!	!	!	!
!MONITORING !METHOD	!5	!INVENTORY RECONCIL	!5	!INVENTORY RECONCIL	!	!
!LAST TANK TEST	!	!09/18/95	!	!09/18/95	!	!

INSPECTION DATE: 6/9/97 PAGE 5 OF 7

Orange County Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA
CITY CODE: 69) HUNTINGTON BEACH

FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

VIOLATION DESCRIPTIONS

FACILITY

02/28/97 X 105 OPERATING UNDERGROUND STORAGE TANK (UST) WITHOUT A PERMIT
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNER(S) AND OPERATOR(S)
02/28/97 X 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A CERTIFIED DEVICE REPAIRMAN
___ 145 FAILURE TO MONITOR THE TANK(S) USING THE METHOD SPECIFIED ON THE UST PERMIT
~~02/28/97~~ ___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON-SITE
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
~~02/28/97~~ ___ 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST(S)

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST(S) WITHIN 30 DAYS
___ 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
___ 130 FAILURE TO DEVELOP A RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
X 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
___ 275 FAILURE TO PROPERLY CLOSE UST(S)
X 280 FAILURE TO PROPERLY REPAIR UST(S)
02/28/97 X 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANK(S)/PIPELINES
~~X~~ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
___ 288 UNDERGROUND STORAGE TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWALS
___ 290 OTHER

I conducted an underground storage tank inspection.
Violations:
#105) operating underground storage tank without a permit
#140) Dispensers not inspected by the county dept of weights and measures or a certified device repairman. Please

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS ___ PAGE INSPECTION REPORT.

PRINT NAME & TITLE: Howard Johnson, Supervisor

SIGNATURE: _____ DATE: 6/9/97

COMPUTER NUMBER _____

HEALTH INSPECTION REPORT (continued)
ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION

Office: 2009 E. Edinger Ave, Santa Ana, CA 92705
(714) 667-3600

DBA Water Operations ADDRESS 9001 Huntington Street CITY HB

ITEM NO.	
	have the dispensers calibrated and send the results/ calibration record to this agency.
#180)	Failure to annually test pipeline leak detectors. Please send valid test results for the pipeline leak detectors.
#280)	Failure to properly repair UST(s) The unleaded tank has been in disrepair since 6/10/94. The UST needs to be repaired. If it cannot be repaired then the UST must undergo proper legal closure.
#286)	Failure to perform integrity test on pipelines. Please send valid test results for the pipeline system.
	Please correct all violation within 30 days. Failure to correct violations may result in civil or criminal penalties.
	Thank you.

SPECIALIST J. Dong RECEIVED BY _____ DATE 6997

F272-9.373.6 (R 6/91)

OFFICE COPY

Orange County Health Care Agency

Environmental Health Division, Hazardous Materials Management Section
Mailing Address: P.O. Box 355, Santa Ana, CA 92702
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3700

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK INSPECTION REPORT

FILE NO: 006779 ACCOUNT NO: 5963-25 EPA #: _____
UST PERMIT NO: _____
FACILITY: Water Operations PERMIT: _____
STREET: 19001 Huntington Street. MAP COORDINATES: _____
CITY: [9] Huntington Beach ZIP: 92648 DISTRICT: 204

NEAREST CROSS STREET: _____ TSD FACILITY? _____
NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? ___
NEW INFO: _____

HW INSPECTION TYPE: _____ NO OF UST ON SITE: _____ UST INSPECTION TYPE: 03
NUMBER OF EMPLOYEES: _____ # TANKS TO BILL : _____ UST COMPLIANCE CODE: ____
LAST HW ROUTINE INSPECTION: _____ LAST UST ROUTINE INSPECTION: _____
HW EXEMPT CODE: _____ UST EXEMPT CODE: _____
HW STATUS CODE: _____ UST STATUS CODE: _____
BUSINESS OWNER: _____ PHONE: (___) _____
TANK OPERATOR: Don Noble PHONE: (___) _____
CONTACT: _____ PHONE: (___) _____

HW BILLING (NAME & MAILING ADDRESS):

PHONE: (___) _____

UST BILLING (NAME & MAILING ADDRESS):

PHONE: (___) _____

PROPERTY OWNER (NAME & MAILING ADDRESS):

PHONE: (___) _____

TANK OWNER (NAME & MAILING ADDRESS):

PHONE: (___) _____

EMERGENCY CONTACTS

DAY: _____ PHONE: (___) _____
NIGHT: _____ PHONE: (___) _____

ENTERED MAR 25 1997

ACTIVE ICR: _____
INSPECTOR #: 231 NAME: Jack Dong DATE: 1/31/97

Orange County Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: Water Operations

ADDRESS: 19001 Huntington Street

: Huntington Beach, CA 92648

FILE NO: 6779 ACCOUNT NO: 5963 EPA #: _____

VIOLATION DESCRIPTIONS

FACILITY

X 105 OPERATING UNDERGROUND STORAGE TANKS (UST) WITHOUT A PERMIT
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNERS AND OPERATORS
X 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A DEVICE REPAIRMAN
X 145 FAILURE TO MONITOR THE TANKS USING THE METHOD SPECIFIED ON THE PERMIT
___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON SITE
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
X 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST WITHIN 30 DAYS
___ 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
___ 130 FAILURE TO DEVELOP A RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
___ 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
___ 275 FAILURE TO PROPERLY CLOSE USTS
___ 280 FAILURE TO PROPERLY REPAIR USTS
X 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANKS/PIPELINES
___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
___ 288 UNDERGROUND TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWLS
X 290 OTHER Pipeline pressure loss leak detector(s)

I reviewed the file for Water operations. The following are violations for your underground storage tanks and an explanation of how each violation may be corrected.

#105) Operating Underground storage Tanks (USTs) without a permit, to obtain a permit to operate your USTs, you must ensure

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 4 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: _____

SIGNATURE: _____ DATE: __/__/__

COMPUTER NUMBER: _____

HEALTH INSPECTION REPORT (continued)
ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION

Office: 2009 E. Edinger Ave, Santa Ana, CA 92705
(714) 667-3600

DBA Water Operations ADDRESS 19001 Huntington St. CITY HB 92648

ITEM NO.	
	that all paperwork, tests, etc. are current and valid, and meet the requirements of this agency.
	#140) Meters not inspected by the county department of weights and measures or a device repairman. Meters were last calibrated 5-5-93. Meters must be calibrated every 24 months/2 years. Please calibrate meters and send paperwork to this agency.
omit	#198) ~~Failure to obtain/show evidence of financial responsibility. Please submit evidence of financial responsibility.~~
	#266) Failure to perform tightness/integrity test on tanks and pipelines. Your USTs were last tested 6-10-94 tank and pipeline integrity test results expired 6-9-95. Have your tanks and pipelines tested and send the results to this agency. You must test your tanks and pipelines annually.
	#290) Pipeline pressure loss leak detectors not tested. The pipeline pressure loss leak detectors test expired 6-9-95. Please have your pressure loss leak detectors tested and send me test results to this agency.
	#145) Failure to monitor the USTs using the method specified on the permit. The tank ~~#2~~ that was

SPECIALIST _____ RECEIVED BY _____ DATE _____

F272-9.373.6 (R 9/91)

OFFICE COPY

COMPUTER NUMBER: _____

HEALTH INSPECTION REPORT (continued)
ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION

Office: 2009 E. Edinger Ave, Santa Ana, CA 92705
(714) 667-3600

DBA Water Operations ADDRESS 9001 Huntington St. CITY HB 92648

ITEM NO.	
	not being used must be used. If you plan to close the tank you must submit plans for removal. If you change the monitoring method, use, etc of any of you tanks, you must notify your inspector prior to making any changes, otherwise you could be in violation of California laws and regs. for USTs.
	Please correct all violations by March 7, 1997.

SPECIALIST J Dong RECEIVED BY _____ DATE _____

F272-9.373.6 (R 8/91)

OFFICE COPY

B15

COUNTY O. ORANGE HEALTH CA.. AGENCY

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3700

☐ Haz. Waste
☑ UST
☐ T.P.

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963-24 EPA I.D.# _____

FACILITY Water Operations PERMIT # _____

STREET 19001 Huntington Avenue MAP COORDINATES _____

CITY Huntington Beach ZIP 92648 DISTRICT 204

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE _____ UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL _____ UST COMPLIANCE CODE _____

STATUS TYPE _____ EXEMPT TYPE _____ STATUS TYPE _____

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

I received evidence of financial responsibility for the above referenced location. I received ① Certification form and ② a letter from the chief financial officer.

I need the following:
① meter/dispensor calibration
② Tank integrity test results
③ pipeline integrity test results
④ You need to submit closure plan for the tank that is not in operation or upgrade plans.

Please send the paperwork to this agency. Thank you.

ACTIVE ICRS # _____ INSPECTOR # 231 NAME Jane Dong DATE 2/28/97

I declare that I have read and received a copy of this inspection report

Print Name _____ Title _____

Signature _____ Date _____

ENTERED MAR 6 1997

F042-09.1560 (R8/95) DISTRIBUTION: 1 – MAIN FILE 2 – OPERATOR 3 – INSPECTOR FILE

B7

Orange County Health Care Agency

Environmental Health Division, Hazardous Materials Management Section
Mailing Address: P.O. Box 355, Santa Ana, CA 92702
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3700

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK INSPECTION REPORT

FILE NO: 006779 ACCOUNT NO: 5963-23 EPA #:
UST PERMIT NO:
FACILITY: Water Operations PERMIT:
STREET: 19001 Huntington St. MAP COORDINATES:
CITY: [9] Huntington Beach ZIP: 92648 DISTRICT: 204

NEAREST CROSS STREET: TSD FACILITY?

NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? ___

NEW INFO:

HW INSPECTION TYPE: NO OF UST ON SITE: UST INSPECTION TYPE: 3

NUMBER OF EMPLOYEES: # TANKS TO BILL : UST COMPLIANCE CODE:

LAST HW ROUTINE INSPECTION: LAST UST ROUTINE INSPECTION:

HW EXEMPT CODE: UST EXEMPT CODE:

HW STATUS CODE: UST STATUS CODE:

BUSINESS OWNER: PHONE: (___)

TANK OPERATOR: PHONE: (___)

CONTACT: PHONE: (___)

HW BILLING (NAME & MAILING ADDRESS):

PHONE: (___)

UST BILLING (NAME & MAILING ADDRESS):

PHONE: (___)

PROPERTY OWNER (NAME & MAILING ADDRESS):

PHONE: (___)

TANK OWNER (NAME & MAILING ADDRESS):

PHONE: (___)

EMERGENCY CONTACTS

DAY: PHONE: (___)

NIGHT: PHONE: (___)

ENTERED NOV 19 1996

ACTIVE IGR:

INSPECTOR #: 231 NAME: Jane Dong DATE: 11/7/96

Orange unty Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: Water Operations

ADDRESS: 19001 Huntington Street

: Huntington Beach

FILE NO: 006779 ACCOUNT NO: 5963 EPA #: _____

VIOLATION DESCRIPTIONS

FACILITY

X 105 OPERATING UNDERGROUND STORAGE TANKS (UST) WITHOUT A PERMIT
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNERS AND OPERATORS
X 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A DEVICE REPAIRMAN
___ 145 FAILURE TO MONITOR THE TANKS USING THE METHOD SPECIFIED ON THE PERMIT
___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON SITE
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
X 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST WITHIN 30 DAYS
___ 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
___ 130 FAILURE TO DEVELOP A RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
___ 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
X 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
___ 275 FAILURE TO PROPERLY CLOSE USTS
___ 280 FAILURE TO PROPERLY REPAIR USTS
X 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANKS/PIPELINES
___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
___ 288 UNDERGROUND TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWLS
___ 290 OTHER

105) Operating USTs without a permit
140) Meters not inspected by the county dept. of weights and measures or a device repairman
198) Failure to show evidence of financial responsibility
~~185) Failure to Sonk~~

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 3 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: James Sankey, Senior Analyst

SIGNATURE: James Sankey DATE: 11/07/96

COMPUTER NUMBER: _____

HEALTH INSPECTION REPORT (continued)
ORANGE COUNTY HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH DIVISION

Office: 2009 E. Edinger Ave, Santa Ana, CA 92705
(714) 667-3600

DBA Water Operations ADDRESS 19001 Huntington Street. CITY Huntington Bch 92648

ITEM NO.	
	#286) Failure to perform tank and pipeline integrity tests.
	Meeting held this date to discuss violations. Don Noble and Jim Sankey of the City of Huntington Beach and Kevin Baitx, Patti Gwaltney, and Jane Dong of O.C. Env. Health were present.

SPECIALIST J. Dong RECEIVED BY _____ DATE _____

F272-9.373.6 (R 8/91)

OFFICE COPY

B52

☐ Haz. Waste
☒ UST
☐ T.P.

COUNTY OF ORANGE HEALTH CARE AGENCY

ENVIRONMENTAL HEALTH DIVISION
HAZARDOUS MATERIALS MANAGEMENT SECTION
2009 E. EDINGER AVENUE
SANTA ANA, CA 92705-4720
(714) 667-3700

OK

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK FOLLOW-UP INSPECTION REPORT

FILE # 006779 ACCOUNT # 5963-22 EPA I.D.# _____

FACILITY Water Operations PERMIT # _____

STREET 19001 Huntington Street MAP COORDINATES _____

CITY Huntington Beach ZIP 92648 DISTRICT 204

HAZARDOUS WASTE INSPECTION TYPE _____ # OF UST ON-SITE 2 UST INSPECTION TYPE 93

NUMBER OF EMPLOYEES _____ # TANKS TO BILL 2 UST COMPLIANCE CODE 2

STATUS TYPE _____ EXEMPT TYPE 1 STATUS TYPE 1

EXEMPTION TYPE _____ # OF TANKS TO RECEIVE A SURCHARGE BILL _____

Wrote a memo to the city of Huntington Beach regarding their USTs (memo is attached).

Still need: ① Financial responsibility
② Dispenser calibration

Facility is still operating without a permit.

ACTIVE ICRS # _____ INSPECTOR # 231 NAME Jane Dong DATE 5/30/96

I declare that I have read and received a copy of this inspection report

_____ _____
Print Name Title

ENTERED
JUN 5 1996

_____ _____
Signature Date

F042-09.1560 (R8/95) DISTRIBUTION: 1 - MAIN FILE 2 - OPERATOR 3 - INSPECTOR FILE

Orang County Health Care Agency
Environmental Health Division, Hazardous Materials Management Section
Mailing Address: P.O. Box 355, Santa Ana, CA 92702
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3700

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK INSPECTION REPORT

FILE NO: 006779 ACCOUNT NO: 5963 EPA# :
UST PERMIT NO: 5963-1
FACILITY: WATER OPERATIONS PERMIT: 04/11/91 - 04/09/19
STREET: 19001 HUNTINGTON ST BLDG# STE# MAP COORDINATES: 858-A5
CITY: [9] HUNTINGTON BEACH ZIP: 92648 DISTRICT: 204

NEAREST CROSS STREET: GARFIELD TSD FACILITY? N
NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? _
NEW INFO: _____

HW INSPECTION TYPE: 1 NO OF UST ON SITE: 2 UST INSPECTION TYPE: 1
NUMBER OF EMPLOYEES: 8 M # TANKS TO BILL :2 UST COMPLIANCE CODE: 2
LAST HW ROUTINE INSPECTION: 01-24-95 LAST UST ROUTINE INSPECTION: 01-24-95
HW EXEMPT CODE: 2 UST EXEMPT CODE: 1
HW STATUS CODE: 1 UST STATUS CODE: 1
BUSINESS OWNER: _____ PHONE: (____) ____-____
TANK OPERATOR: PHONE: (714) 536-5505
CONTACT: MR HOWARD JOHNSON PHONE: (714) 536-5505

HW BILLING (NAME & MAILING ADDRESS):

_____
_____
_____
_____ ____ _____
PHONE: (____) ____-_____

UST BILLING (NAME & MAILING ADDRESS):
CITY OF HB WATER DIVISION
17371 GOTHARD ST
HUNTINGTON BEACH CA 92647
PHONE: (714) 848-0600

PROPERTY OWNER (NAME & MAILING ADDRESS):
CITY OF HUNTINGTON BEACH
19001 HUNTINGTON ST
HUNTINGTON BEACH CA 92648
PHONE: (714) 536-5921

TANK OWNER (NAME & MAILING ADDRESS):
CITY OF HUNTINGTON BEACH
2000 MAIN ST
ATTN: DON NOBEL
HUNTINGTON BEACH CA 92647
PHONE: (213) 315-4200

ENTERED
MAY 17 1996

EMERGENCY CONTACTS
DAY: STEVE TULLY PHONE: (714) 536-5505
NIGHT: ~~HAROLD PUGH~~ Stand-by PHONE: (714) ~~842-6424~~

ACTIVE ICR: 94T191
INSPECTOR #: 231 NAME: Jane Dong DATE: 5,14,9
Run Date: 03-18-96 HW INSP CNTR: 5 UST INSP CNTR: 21 PAGE 1 OF 6

Orang :ounty Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA

FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

VIOLATION DESCRIPTIONS

FACILITY

- X 105 OPERATING UNDERGROUND STORAGE TANKS (UST) WITHOUT A PERMIT
- ___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS
- ___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNERS AND OPERATORS
- ___ 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A DEVICE REPAIRMAN
- ___ 145 FAILURE TO MONITOR THE TANKS USING THE METHOD SPECIFIED ON THE PERMIT
- X 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON SITE
- ___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS
- ___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY/ANNUAL REPORT
- ___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE
- ___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN
- X 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY
- ___ 291 FAILURE TO SUBMIT A DIAGRAM SHOWING THE LOCATION OF UST

TANK

- ___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST WITHIN 30 DAYS
- ___ 125 FAILURE TO REPORT AN UNAUTHORIZED RELEASE
- ___ 130 FAILURE TO DEVELOP A RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER
- ___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY
- ___ 165 CONTINUOUS MONITORING DEVICES/EQUIPMENT/TANK LEVEL MONITORS/LINE LEAK DETECTORS INOPERABLE
- ___ 180 FAILURE TO ANNUALLY TEST AND/OR SUBMIT PROOF OF INSTALLATION OF PIPELINE LEAK DETECTORS
- ___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION
- ___ 195 FAILURE TO FOLLOW PROCEDURES WHEN INVENTORY RECONCILIATION/TANK GAUGING EXCEEDS ALLOWABLE VARIATIONS
- ___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS
- ___ 275 FAILURE TO PROPERLY CLOSE USTS
- ___ 280 FAILURE TO PROPERLY REPAIR USTS
- X 286 FAILURE TO PERFORM TIGHTNESS/INTEGRITY TEST ON TANKS/PIPELINES
- ___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING
- ___ 288 UNDERGROUND TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWLS
- ___ 290 OTHER

Conducted a routine UST inspection. Tanks are being monitored according to the method specified on the permit.

#150) Dispensers must be calibrated every 24 months. Please calibrate dispensers and send results/paperwork to this agency.

#198) Failure to show evidence of financial responsibility. Please obtain evidence of financial responsibility and send it to this agency.

~~#280)~~ + #105) You are currently operating without a permit. It is illegal to operate a tank without a permit. Please correct all violations immediately. Correction of violations may result in a permit renewal.

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 6 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: Steven R Tully Stock clerk

SIGNATURE: Steven R Tully DATE: 5/14/96

Orang :ounty Health Care Agency
UNDERGROUND STORAGE TANK INSPECTION REPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST BLDG# STE#
: HUNTINGTON BEACH, CA 92648

FILE NO: 006779 ACCOUNT NO: 5963 EPA# : _____

!HCA TANK ID#	!CODE	!TANK # 001 (001)	!CODE	!TANK # 002 (002)	!CODE	!TANK #
!FACILITY TANK ID	!	!	!	!	!	!
!MATERIAL STORED	!	!	!	!	!	!
!Currently	!	!DOT1203 GASOLINE	!	!DOT1203 GASOLINE	!	!
!Proposed	!	!	!	!	!	!
!Previously	!	!DOT1203 GASOLINE	!	!DOT1203 GASOLINE	!	!
!Waste or Product	!2	!PRODUCT	!2	!PRODUCT	!	!
!FUEL TYPE	!2	!REGULAR	!1	!UNLEADED	!	!
!Trade Secret	!0	!NO	!0	!NO	!	!
!EXEMPT TYPE	!	!NO DESC ON FILE	!	!NO DESC ON FILE	!	!
!	!	!	!	!	!	!
!Double/Single Wall	!2	!SINGLE WALL TANK	!2	!SINGLE WALL TANK	!	!
!Compartment No.	!	!	!	!	!	!
!Year Installed	!	!1981	!	!1981	!	!
!Vault/Not Vaulted	!2	!NO	!2	!NO	!	!
!Primary Wall:	!	!	!	!	!	!
!Manufacturer	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Capacity / Gallons	!	!6000	!	!6000	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Thickness & Units	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Interior Lining	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Secondary Wall:	!	!	!	!	!	!
!Manufacturer	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Capacity / Gallons	!	!	!	!	!	!
!Construct Material	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Thickness & Units	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Corrosion Protectn	!	!	!	!	!	!
!Leak Detect: Type	!2	!INVENTORY RECONCIL	!2	!INVENTORY RECONCIL	!	!
!Manufacturer	!	!	!	!	!	!
!PIPING: Location	!1	!UNDERGROUND(10%+)	!1	!UNDERGROUND(10%+)	!	!
!Dispensr/Tank Fill	!3	!PRESSURE	!3	!PRESSURE	!	!
!Double/Single Wall	!2	!SINGLE WALL TANK	!2	!SINGLE WALL TANK	!	!
!Primary Wall:	!	!	!	!	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Manufacturer	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Secondary Wall:	!	!	!	!	!	!
!Construct Material	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Manufacturer	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Leak Detect: Type	!15	!PRESSURE LOSS DETE	!15	!PRESSURE LOSS DETE	!	!
!Manufacturer	!19	!MARLEY / RED JACKE	!19	!MARLEY / RED JACKE	!	!
!TYPE OF OVERFILL	!	!	!	!	!	!
!PROTECTION	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!SPILL	!	!	!	!	!	!
!CONTAINMENT	!	!	!	!	!	!
!MONITORING	!	!	!	!	!	!
!METHOD	!5	!INVENTORY RECONCIL	!5	!INVENTORY RECONCIL	!	!
!LAST TANK TEST	!	~~03/11/92~~ 9/18/95	!	~~03/11/92~~ 9/18/95	!	!

INSPECTION DATE: 5/14/96

Orang County Health Care Agency
Environmental Healt.. Jivision, Hazardous Materials Management Section
Mailing Address: P.O. Box 355, Santa Ana, CA 92702
Office: 2009 E. Edinger, Santa Ana, CA 92705
Telephone: (714) 667-3700

HAZARDOUS WASTE & UNDERGROUND STORAGE TANK INSPECTION REPORT

FILE NO: 006779 ACCOUNT NO: 5963 UST PERMIT NO: 5963-0
FACILITY: WATER OPERATIONS PERMIT: NONE
STREET: 19001 HUNTINGTON ST MAP COORDINATES: 26-C3
CITY: 19 1 HUNTINGTON BEACH ZIP: 92648 DISTRICT: 11

NEAREST CROSS STREET: GARFIELD TSD FACILITY? ___
NEW DBA? ___ NEW BUSINESS? ___ NEW ADDRESS? ___ NEW OWNER? ___ PUBLIC AGENCY? ___
NEW INFO: ___

HW INSPECTION TYPE: ___ NO OF UST ON SITE: 2 UST INSPECTION TYPE: 1
NUMBER OF EMPLOYEES: ___ # TANKS TO BILL : 0 UST COMPLIANCE CODE: 2
LAST DATE HW INSPECTED: ___ LAST DATE UST INSPECTED: 01/08/90
HW EXEMPT CODE: ___ UST EXEMPT CODE: 2
HW STATUS CODE: ___ UST STATUS CODE: 1
BUSINESS OWNER: ___ PHONE:
TANK OPERATOR: STEVE TULLY PHONE: (714) 536-5505
CONTACT: ___ PHONE: (___) ___-____

HW BILLING (NAME & MAILING ADDRESS):

PHONE: (___) ___-____

UST BILLING (NAME & MAILING ADDRESS):
CITY OF HB WATER DIVISION
P O BOX 190
HUNTINGTON BEACH CA 92648
PHONE: (___) ___-____

PROPERTY OWNER (NAME & MAILING ADDRESS):
CITY OF HUNTINGTON BEACH
19001 HUNTINGTON ST
HUNTINGTON BEACH CA 92648
PHONE: 7145365921

TANK OWNER (NAME & MAILING ADDRESS):
CITY OF H. BEACH
2000 MAIN ST
Dan Kiser
HUNTINGTON BEACH CA 92648
PHONE: (714) 848-0600

EMERGENCY CONTACTS
DAY: STEVE TULLY PHONE: (714) 536-5505
NIGHT: HAROLD PUGH PHONE: (714) 842-6424

ENTERED
FEB 20 1991

ACTIVE ICR: ___
INSPECTOR #: 214 NAME: Bill Edinger DATE: 2/5/91
TIME SPENT: 60 HW INSP CNTR: UST INSP CNTR: 3 PAGE 1 OF ___

Orang[illegible] ounty Health Care Agency
UNDERGR[illegible] D STORAGE INSPECTION REP[illegible]

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST
: HUNTINGTON BEACH, CA

FILE NO: 006779 ACCOUNT NO: 5963 UST PERMIT NO: 5963-0

VIOLATION DESCRIPTIONS

FACILITY

X 105 OPERATING UNDERGROUND STORAGE TANKS (UST) WITHOUT A PERMIT - SECTION 25284(a), HS
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS - SECTION 2712(f), CCR
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNERS AND OPERATORS TO MONITOR THE UST - SECTION 2610(b), CCR
X 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A DEVICE REPAIRMAN - SECTION 2644(b), CCR
___ 145 FAILURE TO MONITOR THE TANKS USING THE METHOD SPECIFIED ON THE PERMIT - SECTION 25293, HS
___ 150 FAILURE TO MAINTAIN WRITTEN RECORDS OF ALL MONITORING, EQUIPMENT CALIBRATION, AND MAINTENANCE ON SITE - (2712)(c), CCR
___ 160 FAILURE TO SECURE THE MONITORING WELLS - SECTION 2648(j), CCR
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS - SECTION 2712(h), CCR
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY REPORT - SECTION 2644(e) CCR.
___ 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE - SECTION 25286 HS
___ 197 FAILURE TO IMPLEMENT/SELECT/DEVELOP AN APPROVED MONITORING SYSTEM/PLAN - SECTION 2640 & 2711 CCR
___ 198 FAILURE TO OBTAIN/SHOW EVIDENCE OF FINANCIAL RESPONSIBILITY - SECTION 25292.2 (a) HS

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST WITHIN 30 DAYS - SECTION 2712(a), CCR
___ 125 FAILURE TO REPORT UNAUTHORIZED RELEASE - SECTION 2650(b), CCR
___ 130 FAILURE TO DEVELOP A RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER - SECTION 2632(d)(2), CCR
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY - SECTION 2642(c), CCR
___ 165 CONTINUOUS MONITORING DEVICES INOPERABLE - SECTION 2632(c)(2)(A) CCR
X 180 FAILURE TO ANNUALLY TEST PIPELINE LEAK DETECTORS - SECTION 25292 HS
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION - SECTION 2643(e), CCR
___ 195 FAILURE TO FOLLOW THE PROCEDURE IN SECTION 2644(f) WHEN INVENTORY RECONCILIATION EXCEEDS THE ALLOWABLE VARIATION.
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS - SECTION 2712(a) CCR.
___ 275 FAILURE TO CLOSE UST PROPERLY - SECTION 2670-72, CCR
___ 280 FAILURE TO REPAIR UST PROPERLY - SECTION 2660-63, CCR
X 286 FAILURE TO ANNUALLY PERFORM TANK INTEGRITY TEST OF TANKS/PIPELINES - SECTION 25292 H & S
___ 287 PRESSURIZED LINE LEAK DETECTORS ARE NOT DESIGNED TO RESIST UNAUTHORIZED TAMPERING - SECTION 25292 HS
___ 288 UNDERGROUND TANK(S) NOT SECURED TO PREVENT UNAUTHORIZED INPUTS OR WITHDRAWALS - SECTION 2641(c)(B)(1) CCR
X 290 OTHER - UST Plot Plan, Section 2711(a)(8), CCR.

105) A permit to operate has not yet been issued by this Agency. One can not be issued until all violations, listed below, are abated.
140) Submit documentation for dispenser meter calibration - This must be done at least every 2 years. (ok?) 180) Submit document to verify last date of pipeline pressure loss/leak certification. This must be tested annually.

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 4 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: Left copy with Steve Tully. Copy will need to go to Don Kiser

SIGNATURE: _____ DATE: 2/5/91

COMPUTER NUMBER: _____

HEALTH INSPECTION REPORT (continued) Page 3 of 4

Orange County Health Care Agency / Public Health

Environmental Health

Mailing Address: P.O. Box 355
Santa Ana, CA 92702

DBA _____ ADDRESS _____ CITY _____

ITEM NO.	
	Our records indicate the last test was 9/8/89.
286)	Submit copy of annual tank/piping integrity test results. Our records indicate the last test was on 9/8/89. tested. 1/91 ?
290)	Submit copy of tank plot plan.
	Monitoring records are in good order.
	# Correct all violations and submit documents within 30 days.
	Contact: Bill Edinger 714-667-3729
	P.O. Box 355
	Santa Ana, CA 92702

SANITARIAN _____ RECEIVED BY _____ DATE 2/6/91

F0272-9.273.4

OFFICE COPY

Orang :ounty Health Care Agency
UNDERGR__ID STORAGE TANK INSPECTIOI. .EPORT

DBA: WATER OPERATIONS
ADDRESS: 19001 HUNTINGTON ST
: HUNTINGTON BEACH, CA 92648

FILE NO: 006779 ACCOUNT NO: 5963 UST PERMIT NO: 5963-0

!HCA TANK ID#	!CODE	!TANK # 001	!CODE	!TANK # 002	!CODE	!TANK #
!FACILITY TANK ID	!	!	!	!	!	!
!MATERIAL STORED	!	!	!	!	!	!
!Currently	!	!DOT1203 GASOLINE	!	!DOT1203 GASOLINE	!	!
!Proposed	!	!	!	!	!	!
!Previously	!	~~!DOT1203 GASOLINE~~	!	~~!DOTI203 GASOLINE~~	!	!
!Waste or Product	!2	!PRODUCT	!2	!PRODUCT	!	!
!FUEL TYPE	!2	!REGULAR	!1	!UNLEADED	!	!
!Trade Secret	!0	!NO	!0	!NO	!	!
!EXEMPT TYPE	!	!	!	!	!	!
!CONTAINER: Type	!10	!	!10	!	!	!
!Double/Single Wall	!2	!SINGLE WALL TANK	!2	!SINGLE WALL TANK	!	!
!Compartment No.	!	!	!	!	!	!
!Year Installed	!	!81	!	!81	!	!
!Vault/Not Vaulted	!2	!NO	!2	!NO	!	!
!Primary Wall:	!	!	!	!	!	!
!Manufacturer	~~0~~ 1	~~[illegible]~~ Owens Corning	~~0~~ 1	~~O.C.~~	!	!
!Capacity / Gallons	!	!6000	!	!6000	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Thickness & Units	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Interior Lining	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Secondary Wall:	!	!	!	!	!	!
!Manufacturer	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Capacity / Gallons	!	!	!	!	!	!
!Construct Material	!	!	!	!	!	!
!Thickness & Units	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Corrosion Protectn	!	!	!	!	!	!
!Leak Detect: Type	!2	!INVENTORY RECONCIL	!2	!INVENTORY RECONCIL	!	!
!Manufacturer	!	!	!	!	!	!
!PIPING: Location	1	~~APPR~~ GROUND	1	~~PRES~~ GROUND	!	!
!Dispensr/Tank Fill	3	pressure	3	pressure	!	!
!Double/Single Wall	2	SW	2	SW	!	!
!Primary Wall:	!	!	!	!	!	!
!Construct Material	!3	!FIBERGLASS	!3	!FIBERGLASS	!	!
!Manufacturer	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!Secondary Wall:	!	!	!	!	!	!
!Construct Material	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Manufacturer	!97	!NOT APPLICABLE	!97	!NOT APPLICABLE	!	!
!Leak Detect: Type	!15	!PRESSURE LOSS	!15	!PRESSURE LOSS	!	!
!Manufacturer	!19	!MARLEY / RED JACKE	!19	!MARLEY / RED JACKE	!	!
!TYPE OF OVERFILL	!	!	!	!	!	!
!PROTECTION	!99	!UNKNOWN	!99	!UNKNOWN	!	!
!SPILL	!	!	!	!	!	!
!CONTAINMENT	!	!	!	!	!	!
!MONITORING	!	!	!	!	!	!
!SYSTEM	!5	!INVENTORY RECONCIL	!5	!INVENTORY RECONCIL	!	!
!LAST TANK TEST	!	! 9/8/89	!	! 9/8/89	!	!

INSPECTION DATE: 2/5/91

Earth Sci. Technology

COUNTY OF [redacted]ANGE / HEALTH CA[redacted] AGENCY

ENVIRONMENTAL HEALTH (714) 834-8174
1729 WEST 17TH STREET, P.O. BOX 355
SANTA ANA, CA. 92702

ENTERED JAN 24 1990
NO FAX

UNDERGROUND TANK INSPECTION RUN DATE 15 SEP 1989 PAGE 1

ACCOUNT NO: 5963-2 PERMIT: 5963-0 - LAST INSP DATE: 07/30/87

FACILITY
DBA: WATER OPERATIONS EX.CD: 2 STATUS: 1 PUB AGCY: ___
ADDRESS: 19001 HUNTINGTON UST DISTRICT: 11 PROGRAMS: UST
HUNTINGTON BEACH, CA 92648 INSP. TYPE: 1
CITY: [9] HUNTINGTON BEACH
NEAREST CROSS STREET: GARFIELD MAP COORDINATE: 26-C3

DEALER/SUPV.: STEVE ~~HENRY~~ Tully PHONE: 714-536-5505

NO OF TANKS THIS LOCATION: 2 DEPTH TO WATER TABLE: ____ (FT) COMPLIANCE: 2

STATE VARIANCE: [ ] TYPE OF BUSINESS: [2] NOT A GAS STATION

BILL TO NAME: CITY OF HB WATER DIVISION

BILL TO STREET: P O BOX 190

:

BILL TO CITY: HUNTINGTON BEACH STATE: CA ZIP CODE: 92648

TANK OWNER
DBA: _____
STREET: _____
CITY: _____ STATE: _____ ZIP CODE: _____

CONTACT: ~~STEVE HENRY~~ Don Ktzer PHONE: ___-___-____

EMERGENCY CONTACT PERSONS
DAYS: STEVE ~~HENRY~~ Tully PHONE: 714-536-5505
NIGHTS: ~~HAROLD PUSH~~ PHONE: ~~714-842-4424~~

OUTSTANDING FACILITY VIOLATIONS

DATE	INSP BY	TYPE	TANK ID	VIO CODE	DESCRIPTION	ABATED

ELAPSED TIME 60 (MIN)

INSPECTOR #: 214 SIGNATURE: MBE DATE: 1/8/90

RECEIVED BY: Steven R Tully DATE: __/__/__

COUNTY OF ORANGE / HEALTH CARE AGENCY
ENVIRONMENTAL HEALTH (714) 834-8174
1729 WEST 17TH STREET, P.O. BOX 355
SANTA ANA, CA. 92702

UNDERGROUND TANK INSPECTION RUN DATE 15 SEP 1989 PAGE 2

ACCOUNT NO: 5963-2 PERMIT: 5963-0 - LAST INSP DATE: 07/30/87

HCA TANK ID: 001 001 DOT1203 FCLTY TANK ID: _____ YEAR INSTALLED: 81 TYPE: 2
STORED: DOT1203 NAME: GASOLINE T/S: [ ]
TANK CAPACITY: 6000 (GAL) SUCTION=1/GRAVITY=2/PRESSURE=3 : [3]
TANK CONSTRUCTION MATERIAL: [3] FIBERGLASS
PIPING CONSTRUCTION MATERIAL: [3] FIBERGLASS
TANK MONITOR: [2] INVENTORY RECONCILIATION
PIPING MONITOR: [15] PRESSURE LOSS
MONITORING OPTION: [5] INVENTORY RECONCILIATION, TANKREPAIR DATE: ___-___-___

VIOLATIONS: _____ OTHER: _____

HCA TANK ID: 002 002 DOT1203 FCLTY TANK ID: _____ YEAR INSTALLED: 81 TYPE: 2
STORED: DOT1203 NAME: GASOLINE T/S: [ ]
TANK CAPACITY: 6000 (GAL) SUCTION=1/GRAVITY=2/PRESSURE=3 : [3]
TANK CONSTRUCTION MATERIAL: [3] FIBERGLASS
PIPING CONSTRUCTION MATERIAL: [3] FIBERGLASS
TANK MONITOR: [2] INVENTORY RECONCILIATION
PIPING MONITOR: [15] PRESSURE LOSS
MONITORING OPTION: [5] INVENTORY RECONCILIATION, TANKREPAIR DATE: ___-___-___

VIOLATIONS: _____ OTHER: _____

HCA TANK ID: _____ FCLTY TANK ID: _____ YEAR INSTALLED ____ TYPE __
STORED: _____ NAME: _____ T/S: _____
TANK CAPACITY: _____ (GAL) SUCTION=1/GRAVITY=2/PRESSURE=3 : _____
TANK CONSTRUCTION MATERIAL: [ ] _____
PIPING CONSTRUCTION MATERIAL: [ ] _____
TANK MONITOR: [ ] _____
PIPING MONITOR: [ ] _____
MONITORING OPTION: [ ] _____ REPAIR DATE: ___-___-___

VIOLATIONS: _____ OTHER: _____

HCA TANK ID: _____ FCLTY TANK ID: _____ YEAR INSTALLED ____ TYPE __
STORED: _____ NAME: _____ T/S: _____
TANK CAPACITY: _____ (GAL) SUCTION=1/GRAVITY=2/PRESSURE=3 : _____
TANK CONSTRUCTION MATERIAL: [ ] _____
PIPING CONSTRUCTION MATERIAL: [ ] _____
TANK MONITOR: [ ] _____
PIPING MONITOR: [ ] _____
MONITORING OPTION: [ ] _____ REPAIR DATE: ___-___-___

VIOLATIONS: _____ OTHER: _____

INSPECTOR #: 214 SIGNATURE: MBE DATE: 1/8/90

RECEIVED BY: Steven R Tully DATE: 1/8/90

COUNTY OF ORANGE / HEALTH CARE AGENCY

ENVIRONMENTAL HEALTH (714) 834-8174
1729 WEST 17TH STREET, P.O. BOX 355
SANTA ANA, CA. 92702

UNDERGROUND TANK INSPECTION RUN DATE 15 SEP 1989 PAGE 3

ACCOUNT NO: 5963-2 PERMIT: 5963-0 - LAST INSP DATE: 07/30/87

VIOLATION DESCRIPTIONS

FACILITY

___ 105 OPERATING UNDERGROUND STORAGE TANKS (UST) WITHOUT A PERMIT - SECTION 25284(a), HSC
___ 115 FAILURE TO REPORT THE CHANGE IN OWNERSHIP WITHIN 30 DAYS - SECTION 2712(f), CCR
___ 130 FAILURE TO DEVELOP A RESPONSE PLAN TO REMOVE THE UNAUTHORIZED RELEASE FROM THE SECONDARY CONTAINER - SECTION 2632(d)(2), CCR
___ 135 FAILURE TO ENTER INTO A WRITTEN CONTRACT BETWEEN OWNERS AND OPERATORS TO MONITOR THE UST - SECTION 2618(b), CCR
___ 140 METERS NOT INSPECTED BY THE COUNTY DEPARTMENT OF WEIGHTS AND MEASURES OR A DEVICE REPAIRMAN - SECTION 2644(b)
___ 145 FAILURE TO MONITOR THE TANKS USING THE METHOD SPECIFIED ON THE PERMIT - SECTION 25293, HSC
___ 150 FAILURE TO MAINTAIN THE WRITTEN RECORDS OF ALL MONITORING PERFORMED ON SITE - SECTION 2712(c), CCR
___ 160 FAILURE TO SECURE THE MONITORING WELLS - SECTION 2648(j), CCR
___ 170 FAILURE TO CORRECT PREVIOUS VIOLATIONS WITHIN 30 DAYS - SECTION 2712(h), CCR
___ 190 FAILURE TO SUBMIT INVENTORY RECONCILIATION QUARTERLY REPORT - SECTION 2644(e) CCR.
X 196 FAILURE TO SUBMIT A "PERMIT TO OPERATE" APPLICATION FOR THE USTS AT THE SITE - SECTION 25286 H & S

TANK

___ 120 FAILURE TO REPORT THE CHANGES IN THE USAGE OF UST WITHIN 30 DAYS - SECTION 2712(a), CCR
___ 125 FAILURE TO REPORT UNAUTHORIZED RELEASE - SECTION 2650(b), CCR
___ 155 FAILURE TO MONITOR VISUALLY AT REQUIRED FREQUENCY - SECTION 2642(c), CCR
___ 165 CONTINUOUS MONITORING DEVICES INOPERABLE - SECTION 2632(c)(2)(A)
___ 180 FAILURE TO ANNUALLY TEST PIPELINE LEAK DETECTORS - SECTION 25292 H&S
___ 185 FAILURE TO SUBMIT TANK INTEGRITY TEST RESULTS WITHIN 30 DAYS OF TEST COMPLETION - SECTION 2643(g), CCR
___ 195 FAILURE TO FOLLOW THE PROCEDURE IN SECTION 2644(f) WHEN INVENTORY RECONCILIATION EXCEEDS THE ALLOWABLE VARIATION.
___ 270 FAILURE TO REPORT CHANGES IN MONITORING ALTERNATIVE PROCEDURES WITHIN 30 DAYS - SECTION 2712(a) CCR.
___ 275 FAILURE TO CLOSE UST PROPERLY - SECTION 2670-72, CCR
___ 280 FAILURE TO REPAIR UST PROPERLY - SECTION 2668-63, CCR
___ 286 FAILURE TO ANNUALLY PERFORM TANK INTEGRITY TEST OF TANKS/PIPELINES - SECTION 25292 H & S
___ 290 OTHER

COMMENTS: 196) Please fill out, sign & submit the permit to operate application form.

Submit a tank plot plan, indicating location, size & contents of the tanks.

Monitoring records are in good order. Tank integrity test, dated 9/88 indicated tightness of both tanks.

INSPECTOR #: 214 SIGNATURE: W. Edwards DATE: 1/8/90

RECEIVED BY: Steven R Tully DATE: 1/8/90

Exhibit WWWW-4

HBNC Weeds Breaching Asphalt Cap (March - July 2026.)

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

Reebok

Reebok

Exhibit WWWW-6

GeoTracker's environmental justice data confirming the severity of the Site's pollution burden: the Beach Boulevard Project (T10000018579) at 93%.

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

StormTech® MC-3500

Designed to meet the most stringent industry performance standards for superior structural integrity while providing designers with a cost-effective method to save valuable land and protect water resources. The MC-3500 chamber is designed primarily to be used under parking lots, thus maximizing land usage for commercial and municipal applications.



This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. Privacy Policy

Product Details

Product Details | Documentation

Overview

The StormTech system is designed primarily to be used under parking lots, thus maximizing land usage for private (commercial) and public applications. StormTech chambers can also be used in conjunction with Green Infrastructure, thus enhancing the performance and extending the service life of these practices.

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. Privacy Policy

- Min. Installed Storage* 175.0 ft3 (4.96 m3)
- Weight 134 lbs (60.8 kg)
- Shipping 15 chambers/pallet 7 end caps/pallet 7 pallets/truck

*Assumes 12" (300mm) stone above, 9" (230mm) below and stone between chambers with 40% stone porosity.

Documentation

LITERATURE +

DRAINAGE HANDBOOK +

STANDARD DETAILS / DRAWINGS +

INSTALLATION GUIDES +

SUBMITTAL PACKAGE +

TECHNICAL NOTES +

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. Privacy Policy

See how the scale and power of ADS continues to evolve and revolutionize stormwater management.

MC-3500 Case Studies

Get new product info and more in advance.

Email Address

Join The List

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. Privacy Policy

Pro Resources

- Find a Pro
- Engineers
- Contractors
- Distributors
- Pay My Invoice
- ADS Drainage Handbook
- ADS Products in Civil 3D
- Civil 3D Video Instructions

About Us

Social Impact

Careers

© 2026 Advanced Drainage Systems.
All rights reserved.

This website utilizes technologies such as cookies to enable essential site functionality, as well as for analytics, personalization, and targeted advertising. Privacy Policy

Exhibit WWWW-5

StormtTech MC-3500 Chambers, Dimensions

Submitted by:

Plaintiff Jesse Knabb

In Pro Per

Knabb v. City of Huntington Beach et al.

Case No. 8:26-cv-00348-JWH (ADSx)

BEACH BOULEVARD PROJECT (T10000018579) - (MAP)

SIGN UP FOR EMAIL ALERTS

17642 BEACH BOULEVARD
HUNTINGTON BEACH, CA 92647
ORANGE COUNTY
CLEANUP PROGRAM SITE (INFO)
COMPLETED - CASE CLOSED AS OF 8/21/2020 - DEFINITION
PRINTABLE CASE SUMMARY / CSM REPORT

CLEANUP OVERSIGHT A
ORANGE COUNTY *(LEAD*
CASE MANAGER: *TAI*
SANTA ANA RWQCB (REG

Notify the lead cleanup oversight agency prior to planned residential development and/or char

Public Participation

CATEGORY **DATE**

NONE SPECIFIED - INFO

ADDITIONAL PUBLIC PARTICIPATION DESCRIPTION

Environmental Justice

DWR 2016 DISADVANTAGED COMMUNITY DESIGNATION - INFO
Disadvantaged Community

CALENVIROSCREEN 3.0 SCORE - INFO
Percentile Range: 51-55%

CALENVIROSCREEN 4.0 SCORE - INFO
Percentile Range: 45-50%

Community Involvement Documents

NO COMMUNITY INVOLVEMENT DOCUMENTS HAVE BEEN UPLOADED

CalEnviroScreen 3.0

CalEnviroScreen 3.0

CalEnviroScreen data is provided by the Office of Environmental Health Hazard Assessment (OEHHA about CalEnviroScreen please go to www.oehha.ca.gov.

CalEnviroScreen Score

Census Tract:	6059099212
Population:	4914
CalEnviroScreen Percentile Score	51-55%
Pollution Burden Percentile	61%
Population Characteristics Percentile	43%

Pollution Burden

Exposure Indicators	Percentile
Air Quality: Ozone:	40%
Air Quality: PM 2.5:	66%
Diesel Particulate Matter:	66%
Pesticide Use:	14%
Toxic Releases:	93%
Traffic Density:	66%
Drinking Water Contaminants:	24%

Environmental Effects Indicators	Percentile
Cleanups Sites:	11%
Groundwater Threats:	53%
Hazardous Waste Generators & Facilities:	31%
Impaired Water Bodies:	0%
Solid Waste Sites and Facilities:	66%

Population Characteristics

Sensitive Population Indicators

Asthma:
Low Birth Weight:
Cardiovascular Rate:

Socioeconomic Factor Indicators

Education:
Linguistic Isolation:
Poverty:
Unemployment:
Housing Burden: