

LARAVEL PART 3

IT9a/L



Forms



Forms

- The concept here is to create a digital notebook, a way to record and save notes.
 - Create a new file named `notebook.blade.php` .
 - Register the route with the uri `'/'`.
 - Create a form and a textarea element.
-
- We will now use tailwind, the framework of CSS.
 - Use the tailwind CDN.



Forms

- use `<body class="bg-gray-800 p-6 max-w-xl mx-auto">` in the layout component.
- Use the code in the tailwind website for the textarea.
- Use the save button from the tailwind website.
- by default, a form just going to make a **get** request to the current page that is why the page loaded and you see the name and the value the user inputted.
- Use the **method="POST"** in the form and **action="/notes"**



Forms

- when we click the save, it is **419 page expired**.
- Laravel provides some automatic protection out of the box against what's known as ***cross site request forgery attack***.
- **Cross site request forgery** – This is an attack where a user is tricked or coerced into making a request to an entirely different server, an entirely different domain than the one they're currently on.



Forms

- **@csrf** – is a Blade helper directive that automatically generates a hidden HTML input field containing a CSRF (Cross-Site Request Forgery) token.
- add the token to the form.
- inspect the site, you can see an input element that has a token and value.
- try submit the form.



How to access the data

- We can do it a couple of ways.
- we can use the **dd(request()-all());** to get all the requests.
- Let's grab the note from the request.
- You can see different ways.
- `$note = request('note');`
- `$note = Request::input('note');`
- `function(Request $request){$request->input('note');}`



How to access the data

- **`$note = request('note');`**
- **`request()`** – it is a helper function that returns the value of the specific input field from the current request.
- **`$note = Request::input('note');`**
- **`Request`** – It is a facade. It performs the same action as the helper but uses a static method call.
- **`input()`** – it is a method for retrieving data from an HTTP request in Laravel.
- **`function(Request $request){$request->input('note');}`**



How to access the data

- We will use the helper function session -> **session()->push('notes', \$note);**
- All we can see is a white screen.
- redirect using -> return redirect('/');
- get the note using -> \$notes = session()->get('notes', []); in the '/' uri
- pass the data to the view using -> return view('notes', ['notes' => \$notes])



How to access the data

- loop the notes in the notes.blade.php using the @foreach and ul elements
- try creating your notes.
- Now, to delete the session data, create a route with the uri '/delete-notes', use the ***session()->forget('notes')*** then redirect it to the '/' uri