

Sample Data for Practice Using JOIN

Sample Tables

Table 1: Customers

customer_id	customer_name	email	phone	address
1	John Doe	john@example.com	123-456-7890	123 Elm St
2	Jane Smith	jane@example.com	321-654-0987	456 Oak St
3	Robert Johnson	robert@example.com	111-222-3333	789 Pine St
4	Emily Davis	emily@example.com	444-555-6666	101 Maple St
5	Michael Brown	michael@example.com	777-888-9999	202 Cedar St
6	Sarah Wilson	sarah@example.com	999-888-7777	303 Birch St
7	David Lee	david@example.com	555-444-3333	404 Walnut St
8	Anna Harris	anna@example.com	666-777-8888	505 Ash St
9	James Clark	james@example.com	000-111-2222	606 Fir St
10	Patricia Lewis	patricia@example.com	333-222-1111	707 Spruce St

Sample Table

Orders Table:

order_id	order_date	amount	customer_id
101	2024-10-01	250.50	1
102	2024-10-02	125.00	2
103	2024-10-03	320.75	3
104	2024-10-04	180.00	4
105	2024-10-05	220.20	5
106	2024-10-06	90.99	6
107	2024-10-07	150.10	7
108	2024-10-08	310.50	8
109	2024-10-09	175.75	9
110	2024-10-10	400.30	10

Sample Table

Products Table:

product_id	product_name	price
201	Laptop	1200.00
202	Smartphone	800.00
203	Headphones	150.00
204	Tablet	500.00
205	Smartwatch	250.00
206	Monitor	300.00
207	Keyboard	80.00
208	Mouse	40.00
209	Printer	150.00
210	Speaker	100.00

Sample Table

OrderDetails Table:

order_detail_id	order_id	product_id	quantity
1	101	201	1
2	102	202	2
3	103	203	1
4	104	204	3
5	105	205	2
6	106	206	1
7	107	207	2
8	108	208	1
9	109	209	1
10	110	210	3

Sample Problem

1. Retrieve all customers and their orders, even if no orders exist.
2. Retrieve all orders with customer details, even if customer info is missing.
3. Retrieve all customers and orders, including those without a match.
4. Retrieve all orders with customer details.

Retrieve all orders with customer details.

- `SELECT Customers.customer_name,
Orders.order_date, Orders.amount`
- `FROM Customers`
- `INNER JOIN Orders ON Customers.customer_id =
Orders.customer_id;`

Retrieve all customers and their orders, even if no orders exist.

- `SELECT Customers.customer_name,
Orders.order_date, Orders.amount`
- `FROM Customers`
- `LEFT JOIN Orders ON Customers.customer_id =
Orders.customer_id;`

Retrieve all orders with customer details, even if customer info is missing.

- `SELECT Customers.customer_name,
Orders.order_date, Orders.amount`
- `FROM Customers`
- `RIGHT JOIN Orders ON Customers.customer_id =
Orders.customer_id;`

Retrieve all customers and orders, including those without a match.

```
SELECT Customers.customer_name, Orders.order_date, Orders.amount  
FROM Customers
```

```
LEFT JOIN Orders ON Customers.customer_id = Orders.customer_id  
UNION
```

```
SELECT Customers.customer_name, Orders.order_date, Orders.amount  
FROM Customers
```

```
RIGHT JOIN Orders ON Customers.customer_id = Orders.customer_id;
```