Toporia library: current integration status

Small and medium round completed within the scopes below. Work remains on integration/physics for owner review; no push or merge has been performed.

115 implementations: 88 selectable plugins, nine underlying physics engines and 18 presets. Twelve models x 23 updaters yield 276 compositions; three whole methods bring the method-name total to 279.

This three-page update supersedes earlier status and remaining-task statements. The following 13-page linked catalogue is preserved as a dated 26 October snapshot. Its counts and pending list are historical; use this update and the repository status for current information.

Additions since the catalogue snapshot

Addition	Implemented scope / boundary
Machining accessibility	Independent Cartesian advection-diffusion filter, 2-D/3-D, full transpose adjoints; ideal tools and passive-solid shadows. No finite cutter/holder or forced-void regions.
Projection self-support	Independent 2-D cell-centred Gaynor-Guest wedge/local projection; full reverse sweep. Discrete support checks do not certify printability.
Multiresolution Q4	Aligned nested 2-D displacement grid, exact fine-cell integration and independent fine-Q4 referee. No 3-D/adaptive enrichment.
Neural coordinate field	NumPy smooth TOuNN-style field, 2-D/3-D backpropagation. Physical-density convergence now supplements weight change.
SINH / Hashin-Shtrikman	Basic shared-density SINH with effective budget/adjoints; fixed-nu HS upper envelope, 2-D/3-D. No hybrid resource fields or variable-nu HS.
Fixed-projection preset	MBB recipe using beta=16, existing density/Heaviside/MMA and tightened asymptotes. No beta schedule; not all Guest paper variants.

Research sources

Machining and MMA settings: Hoghoj & Traff, section 3.1; self-support: Gaynor & Guest; multiresolution: Nguyen et al.. See each plugin README for the exact independent variant and its reference.

Validation: practical results and limits

Reproducible scripts in experiments/ print measurements without saving runs by default. Bounded runs and failed recipes are retained as evidence, without loosening acceptance gates.

Fixed projection

At 600 steps, MBB 60x20 reaches C=197.1235, volume 0.500000 and 1.00% gray cells; cantilever 60x30 reaches C=81.2857, volume 0.400000 and 0.89% gray cells. Both improve substantially but miss MMA's stricter 1e-4 change tolerance. No global-optimum or size guarantee is claimed.

Machining and self-support

The 80-step machining recipes meet volume budgets and have zero inaccessible thresholded void cells in the selected ideal-ray check. They remain bounded runs with diffusion/projection artifacts. Longer 1000-step self-support runs remain unconverged, with 20.08% / 16.56% gray cells. A 0.5 threshold exceeds both volume budgets and leaves one unsupported cell each. Budget-limited thresholds remove those cells in the discrete check; they do not certify printing.

Neural field

The convergence fix observes physical-density motion as well as network weights, avoiding premature small-weight stopping. Two-seed fixed-projection MMA recipes with final small-move settling remain 89-100% gray. Thresholded compliance is poor; this recipe is not recommended for binary production designs. Same-weight 2x-mesh evaluations are checks, not retraining or mesh-independence proofs.

Minimum length

A feasible seeded 24x16 case reaches C=111.9079 at volume 0.500000 and satisfies the coarse geometric proxies. Its remaining gray field violates those proxies after 2x refinement. A uniform gray start stalls infeasible after two evaluations and is reported as failure. These are calibrated proxies, not continuum size certificates.

Usability and regression checks

Console obj= now prints the actual signed objective from the first iteration. Malformed structured CLI overrides give field-specific JSON/shell-quoting guidance before physics or output creation. Compare Methods has preset-by-preset GUI coverage and a bounded 321-compatible-pair audit; point springs require q4_mechanism.

After the neural core change, 611 broader composition/variant/golden/manufacturing tests passed. Focused checks cover the changed plugins, CLI, analysis modes, external references and GUI precision. The earlier full-suite result was 2655 passed / one optional skip; it is a dated baseline, not a claim of a new full-suite run. Q4/H8 numerical sources and internal goldens remain unchanged.

Original references and remaining scope

MATLAB R2026a Update 5 runs through batch execution; no upgrade was needed. The owner installed Image Processing Toolbox. The approved portable compiler, fsparse MEX, original sources and MMA helper are isolated under LocalAppData/ToporiaValidation. Global PATH, MATLAB startup/saved path and normal default compiler selection were not changed.

Evidence	Result / interpretation
Strict original trajectories	top88 sensitivity/density filters and top3d match their captured MATLAB trajectories at printed precision.
Native MMA reference	A convex six-variable problem matches the identified native Svanberg distribution copy. This checks mmapy, not equality to Toporia's one-budget MMA variant.
Strict additional FE checks	Challis initial/final returned binary field and top3D125 initial sine-front-face load match native printed precision. No optimizer-trajectory equality is claimed.
Qualified observations	top99neo/top3D125 complete bounded native runs; sharp neo oscillates and 3D125 ends at reported volume 0.309 against 0.3. TOPRBF remains qualified.
Rejected / unavailable	Unchanged TOBS uses removed options; a separately hashed compatibility copy hits its 200-step cap with poor compliance and is rejected. MMC188/RD lack retrievable byte-identifiable runnable author sources.

Preset provenance corrected

The L-bracket dimensions, point load and volume are Toporia choices, not a verified reproduction of Le et al.. Its full-edge clamp includes residual-stiffness ersatz elements. The robust preset thresholds match Fig. 6 in Wang et al., but its smooth maximum, intermediate-volume budget and continuation are independent choices. The paper uses dilated volume with an updated bound; no size/tolerance certificate transfers to this recipe. The 2022 correction is linked, but its subscription-only contents were not verified.

What remains outside this completed round

Full unreproduced paper variants, stronger tuning of rejected recipes, missing-original comparisons, generic whole-method MATLAB bridges, datasets and large framework changes remain future work. They are not silently marked complete. Further installation or MATLAB changes require the owner's approval.

Implementation, tests and reusable experiments remain; generated run outputs and scratch files are removed. Detailed measurements, source hashes, commands and per-task commits are recorded in docs/INTEGRATION-progress.md, experiments/README.md and the external-reference fixture. The owner reviews and merges the independent branches.

The library

What is implemented, what changed, and what remains

A linked catalogue of the current integration checkout, updated with the work completed through minimum-length constraints.

82	8	17
selectable plugins	physics engines	benchmark presets

107 implementations in total. The 11 models and 23 updaters form 253 named compositions, plus three whole methods: 256 method names.

26 October 2026
Branch `integration/physics` / implementation checkpoint `9abc824`

Completed work / Current catalogue / Remaining work

Work is isolated in the integration checkout. The GUI and launcher source checkouts are unchanged; the owner reviews and merges later.

Paper and repository links are clickable. Source-code links target integration/physics; newly committed files may require the local checkout until the branch is pushed. This document does not publish or merge code.

Completed integration work

The small and medium lists from the original PDF define this round. Existing physics was stabilised and checked before new methods were added. Each row below has its own commit; restricted variants are identified explicitly.

Addition	Implemented scope / result	Commit
Existing physics stabilised	Repaired compatible compositions, scaling, constraint guards and numerical issues. Existing thermal, dynamic and nonlinear physics remain in the catalogue.	2dc42a1
Q4 linearised buckling	Recovered and validated the eigenproblem, complete adjoint and column benchmark; sparse solution and deterministic mode handling.	b9f7a7f
Anisotropic Helmholtz filter	Conservative 2-D/3-D finite-volume filter with directional radii, preserved constants/volume and an exact adjoint.	ce9f4e2
Moving morphable voids	Restricted 2-D superelliptical voids through the MMC kernel. No 3-D B-spline surfaces or FE pruning.	6a10f2b
Floating projection	Updater with mass-preserving threshold, fixed-region/bound handling and internal beta continuation. The original backlog's 'without beta continuation' description is corrected.	00ffa9b
Annealing evaluation	Own bounded standard-SA experiment; not an adaptive topASA port. It missed the unchanged 10%-of-OC gate on three seeds at 200 and 2000 solves and is not registered.	8116acf

These are independently implemented paper variants unless the catalogue explicitly identifies a port or an external-package wrapper. No original code was copied where reuse permission was unclear.

Completed work / continued

Addition	Implemented scope / result	Commit
Compliant mechanisms	Physical input/output ground springs, signed output-displacement adjoint, a dedicated Q4 model and Force Inverter preset; pyMOTO cross-check.	4496e90
Geometry projection	Independent 2-D/3-D fixed-radius capsule bars with endpoint and activation variables, bounded union and complete derivatives; no GPTO code copied.	55c019e
Reaction-diffusion level set	Sparse cell-centred 2-D compliance method using the paper's elastic topological-sensitivity tensor, an implicit PDE step and updated-volume control.	c76509f
Hamilton-Jacobi level set	Godunov evolution with circular-hole plane-stress sensitivity, hole nucleation, reinitialisation and volume feedback. Not a standalone Amstutz geodesic solver.	a27b13b
Phase-field energy	2-D/3-D regularised-compliance objective with a physical diffuse-interface energy and exact derivatives. Uses existing optimisers; no dedicated Allen-Cahn/Cahn-Hilliard solver.	71abd18
Geometric minimum length	Solid and void constraints through a separate cone filter, complete adjoint, conservative nodal KS and fixed 1-D tolerance calibration. Not an exact geometric size certificate.	9abc824

Validation checkpoint

The latest full native run took 28 min 13 sec: **2303 passed, one optional multigrid skip and one outdated capability assertion failed**. Only that expected capability tuple was corrected; all six tests in its file passed on rerun. All **2304 current tests have passing coverage** across those runs. The original full-run log is retained, rather than described as a clean monolithic run.

The new methods have gradient, physical/geometric fixture and composed-run checks. GUI reachability, original golden checks, Ruff and whitespace checks pass. Original Q4/H8 sources and golden baselines are unchanged. MATLAB/Octave reference runs remain optional and have not been claimed as completed.

Minimum-length limitation: uniform gray starts stalled or retained violations in tested strict two-phase runs. A resolved feasible-seed cantilever with linear ersatz improved compliance from 115.115877 to 111.907874 at volume 0.5; fresh solid/void residuals were -2.22e-7 / -3.23e-8. This is a modest local validation, not evidence of reliable topology creation from a uniform start.

Detailed integration record / Reproducible validation recipes

The current catalogue

The following tables are generated from `toporia/plugins/LIBRARY.md`. They include the new entries and the already implemented physics. Source and paper references retain their clickable links. Optional packages remain separate dependencies.

Port: translated from named code. **Paper**: independently written from a paper. **Wraps**: calls an optional external package. **Own**: Toporia's own implementation or standard practice.

Design representations: what the design variables are (folder)

In the app	Name	File	Came in	From
Element densities	`element_density`	element_density.py	Own	Bendsøe 1989; Sigmund's 99-line code · papers 1 2
Moving morphable components (constant or variable thickness)	`mmc`	mmc.py	Paper	Guo, Zhang & Zhong 2014; variable thickness as in MMC188 (Zhang et al., *SMO* 2016) · papers 1 2
Moving morphable voids (restricted 2D superellipses)	`mmv`	mmv.py	Paper	Zhang et al., *CMAME* 2017; own geometric dual of MMC, without B-spline surfaces or FE pruning · paper
Geometry projection (2D/3D capsule bars)	`geometry_projection`	geometry_projection.py	Paper	Own fixed-radius, bounded-union variant with component activation; no GPTO code copied · papers 1 2
B-spline field	`bspline`	bspline.py	Paper	Qian, *CMAME* 2013 · paper

Filters: design to physical density, and fabrication rules (folder)

In the app	Name	File	Came in	From
Density filter	`density`	density.py	Port	top88 (Andreassen et al. 2011); Bruns & Tortorelli 2001; Bourdin 2001 · papers 1 2 3
PDE (Helmholtz) filter	`pde`	pde.py	Port	the PDE variant of top88 (top82.m); Lazarov & Sigmund 2011 · papers 1 2
Anisotropic PDE (Helmholtz) filter	`pde_anisotropic`	pde_anisotropic.py	Paper	Directional extension of Lazarov & Sigmund 2011, using conservative cell-centred finite volumes · paper
Sensitivity filter	`sensitivity`	sensitivity.py	Port	Sigmund 1997, as in the 99-line code and top88 · papers 1 2 3
Heaviside projection (fixed or volume-preserving threshold)	`heaviside`	heaviside.py	Paper	Guest et al. 2004; Wang, Lazarov & Sigmund 2011; volume-preserving as in top99neo (Ferrari & Sigmund 2020) · papers 1 2 3
Morphology filter (erode / dilate / open / close)	`morphology`	morphology.py	Paper	Sigmund, *SMO* 2007 · paper
AM overhang filter	`am`	am.py	Port	Langelaar's AMfilter.m (*SMO* 2017) · papers 1 2
Routing radius filter	`routing`	routing.py	Own	inspired by Sigmund 2007 · paper
Symmetry filter	`symmetry`	symmetry.py	Own	standard practice · paper
Extrusion (constant cross-section)	`extrusion`	extrusion.py	Paper	Ishii & Aomura 2004 · paper
Pattern repetition	`pattern`	pattern.py	Paper	Bendsøe & Sigmund 2003; Almeida, Paulino & Silva 2009 · papers 1 2
Casting (no undercuts)	`casting`	casting.py	Paper	Gersborg & Andreasen, *SMO* 2011 · paper

Material laws: density to stiffness (folder)

In the app	Name	File	Came in	From
SIMP (power law)	`simp`	simp.py	Paper	Bendsøe 1989 · paper
RAMP (rational)	`ramp`	ramp.py	Paper	Stolpe & Svanberg 2001 · paper
Ordered SIMP (multi-material)	`ordered_simp`	ordered_simp.py	Paper	Zuo & Saitou, *SMO* 2017 · paper

Physics models: what computes displacements and gradients (folder, elements in physics/)

In the app	Name	File	Came in	From
2-D Q4 plane stress (Toporia)	`q4`	q4.py, q4_plane_stress.py	Port	the physics half of top88 · paper
2-D Q4 compliant mechanism (Toporia)	`q4_mechanism`	q4_mechanism.py, q4_mechanism.py	Paper	Own port-spring Q4 engine; optional independent pyMOTO assembly/backpropagation check · paper
2-D Q4 with buckling (Toporia)	`q4_buckling`	q4_buckling.py, q4_buckling.py	Paper	Ferrari, Sigmund & Guest 2021; Toporia's p-norm aggregate and column geometry · paper
2-D Q4, large deformation (Toporia)	`q4_nonlinear`	q4_nonlinear.py, q4_nonlinear.py	Paper	Buhl, Pedersen & Sigmund, *SMO* 2000; energy interpolation after Wang, Lazarov, Sigmund & Jensen, *CMAME* 2014; open reference: Han et al. 2021 · papers 1 2 3
3-D H8 bricks (Toporia)	`h8`	h8.py, h8_solid.py	Port	top3d (Liu & Tovar, *SMO* 2014) · paper
Linear elasticity, pyMOTO network	`pymoto_elastic`	pymoto_elastic.py	Wraps	pyMOTO (MIT), `pip install pymoto`
2-D Q4 heat conduction (Toporia)	`q4_heat`	q4_heat.py, q4_heat.py	Paper	Bendsøe & Sigmund 2003, section 1.5; Gersborg-Hansen et al., *SMO* 2006 · paper
3-D H8 heat conduction (Toporia)	`h8_heat`	h8_heat.py, h8_heat.py	Paper	the 3-D brick of the same heat problem · paper
Heat conduction, pyMOTO network	`pymoto_heat`	pymoto_heat.py	Wraps	pyMOTO's `AssemblePoisson` (MIT), `pip install pymoto`; the cross-check of `q4_heat`
2-D Q4 with vibration (Toporia)	`q4_dynamic`	q4_dynamic.py, q4_dynamic.py	Paper	Pedersen, *SMO* 2000; Du & Olhoff, *SMO* 2007 · papers 1 2
Vibration, pyMOTO network	`pymoto_dynamic`	pymoto_dynamic.py	Wraps	pyMOTO `AssembleMass` and `EigenSolve`, `pip install pymoto`

Objectives and constraints (folder)

In the app	Name	File	Came in	From
Compliance	`compliance`	compliance.py	Own	the classic objective (Bendsøe & Sigmund 2003) · paper
Phase-field regularised compliance	`phase_field`	phase_field.py	Paper	Own 2-D/3-D fixed-load diffuse-interface energy, with existing gradient optimisers; no separate PDE solver · papers 1 2
Output displacement (maximise)	`output_displacement`	output_displacement.py	Paper	Signed point output, one shared spring-augmented adjoint · paper
Material volume	`volume`	volume.py	Own	as in Le et al. 2010 and pyMOTO's stress example · paper
Geometric minimum feature length	`minimum_length`	minimum_length.py	Paper	Own 2-D/3-D physical-field variant, separate cone filter, full indicator adjoint, conservative nodal KS and fixed tolerance · papers 1 2
Local von Mises stress (augmented Lagrangian)	`local_stress`	local_stress.py	Paper	Giraldo-Londoño & Paulino, *SMO* 2021 (PolyStress); Senhora et al., *SMO* 2020 · papers 1 2
End compliance (non-linear)	`end_compliance`	end_compliance.py	Paper	Buhl, Pedersen & Sigmund, *SMO* 2000 · paper
Peak von Mises stress	`stress`	stress.py	Paper	Le, Norato, Bruns, Ha & Tortorelli, *SMO* 2010 · paper
Buckling load factor	`buckling_load`	buckling.py	Paper	Reciprocal-factor aggregate; objective or constraint on `q4_buckling` · paper
Thermal compliance	`thermal_compliance`	thermal_compliance.py	Paper	Bendsøe & Sigmund 2003, section 1.5; Gersborg-Hansen et al., *SMO* 2006 · paper
Fundamental frequency (maximise)	`eigenfrequency`	eigenfrequency.py	Paper	Díaz & Kikuchi, *IJNME* 1992; Du & Olhoff, *SMO* 2007 · papers 1 2
Fundamental frequency (at least)	`eigenfrequency_limit`	eigenfrequency.py	Paper	the same, as a constraint
Dynamic compliance (harmonic load)	`dynamic_compliance`	dynamic_compliance.py	Paper	Ma, Kikuchi & Hagiwara, *Comput. Mech.* 1993 (no link); PolyDyna · paper

Optimisers: how the design moves (folder)

In the app	Name	File	Came in	From
Optimality criteria	`oc`	oc.py	Port	the 99-line code and top88 · papers 1 2
Floating projection (FPTO)	`floating_projection`	floating_projection.py	Paper	Huang, *Engineering Structures* 2020 and *Adv. Eng. Softw.* 2021; modular updater with internal β continuation · papers 1 2
Optimality criteria, several constraints	`oc_multi`	oc_multi.py	Own	after Zhou & Rozvany 1991 · paper
Method of moving asymptotes	`mma`	mma.py	Port	Svanberg 1987, one-constraint form of top88's MMA variant · papers 1 2
CONLIN (convex linearisation)	`conlin`	conlin.py	Paper	Fleury & Braibant 1986; Fleury 1989 · papers 1 2
Mirror descent (SiMPL)	`simpl`	simpl.py	Paper	Keith, Kim, Lazarov & Surowiec, *SMO* 2025 · paper
BESO (soft kill)	`beso`	beso.py	Paper	Huang & Xie 2007, 2010 · papers 1 2
BESO (hard kill)	`beso_hard`	beso_hard.py	Paper	Huang & Xie 2010 · papers 1 2
TOBS (integer LP)	`tobs`	tobs.py	Paper	Sivapuram & Picelli 2018; the 101-line code of Picelli et al. 2021; solved with HiGHS (SciPy) · papers 1 2
Augmented Lagrangian (local constraints)	`augmented_lagrangian`	augmented_lagrangian.py	Paper	PolyStress outer loop (Giraldo-Londoño & Paulino 2021) with MMA inner steps · papers 1 2
Adam (augmented Lagrangian)	`adam`	adam.py	Paper	Kingma & Ba 2015; the volume penalty of TOuNN (Chandrasekhar & Suresh 2021) · papers 1 2
Proportional topology optimisation	`pto`	pto.py	Paper	Biyikli & To, *PLoS ONE* 2015 · paper
MMA (pyMOTO), GCMMA (pyMOTO)	`pymoto_mma`, `pymoto_gcmma`	pymoto_optimizers.py	Wraps	pyMOTO (MIT) · papers 1 2
MMA (mmapy), GCMMA (mmapy)	`mmapy_mma`, `mmapy_gcmma`	mmapy_optimizers.py	Wraps	mmapy, Svanberg's reference code in Python (**GPL-3**, optional), `pip install mmapy` · papers 1 2
SLSQP (SciPy)	`scipy_slsqp`	scipy_slsqp.py	Wraps	SciPy (BSD), Kraft 1988
trust-constr (SciPy)	`scipy_trust_constr`	scipy_minimize.py	Wraps	SciPy (BSD) · paper
MMA, CCSAQ, SLSQP, augmented Lagrangian + L-BFGS (NLopt)	`nlopt_mma`, `nlopt_ccsaq`, `nlopt_slsqp`, `nlopt_auglag`	nlopt_optimizers.py	Wraps	NLopt (LGPL/MIT), `pip install nlopt` · papers 1 2 3 4
Null-space optimiser	`nullspace`	nullspace.py	Wraps	null-space optimizer of Feppon, Allaire & Dapogny 2020 (**GPL-3**, optional), `pip install nullspace_optimizer` · paper

Whole methods: their own loop (folder)

In the app	Name	File	Came in	From
RBF level set	`levelset`	levelset_rbf.py	Port	TOPRBF.m (Luo et al.); Wang & Wang, *CMAME* 2006 · papers 1 2
Reaction-diffusion level set	`levelset_reaction_diffusion`	levelset_reaction_diffusion.py	Paper	Otomori et al. 2015; own cell-centred variant, implicit diffusion and bisected volume multiplier · paper
Hamilton-Jacobi level set with circular-hole derivative	`levelset_hamilton_jacobi`	levelset_hamilton_jacobi.py	Paper	Challis 2010; independent upwind HJ/TD, reinitialisation and normalised augmented-Lagrangian volume feedback · paper

Every model can also be paired with every optimiser as a method called `<model>+<optimiser>`, for example `q4+nlopt_mma`. Those pairings are built on demand, so they are not listed here.

Continuation: parameters that change during a run (folder)

In the app	Name	File	Came in	From
Equal steps	`steps`	steps.py	Own	the classic SIMP continuation (Sigmund & Petersson 1998) · paper
Multiply by a factor	`geometric`	geometric.py	Own	the usual β continuation (Guest et al. 2004; Wang et al. 2011) · papers 1 2
Linear ramp	`linear`	linear.py	Own	-
When the design settles	`settled`	settled.py	Own	common practice in the projection literature (Wang et al. 2011) · paper

The robust formulation (one design evaluated in several versions) is a solver setting rather than a schedule. See the schedules README and the preset *MBB Beam (Robust)*.

Post-processing: what is made of the finished design (folder)

In the app	Name	File	Came in	From
Threshold to black and white	`threshold`	threshold.py	Own	as method comparisons do (Rojas-Labanda & Stolpe 2015) · paper
Connectivity check	`connectivity`	connectivity.py	Own	-
Feature size	`feature_size`	feature_size.py	Own	measures what Sigmund 2007 and Wang et al. 2011 promise · papers 1 2
Grey level (M_nd) over the run	`grey_level`	grey_level.py	Paper	Sigmund 2007 · paper
Export outline (SVG), (DXF)	`export_svg`, `export_dxf`	export_svg.py, export_dxf.py	Own	-
Smooth outline (SVG + DXF)	`smooth_outline`	smooth_outline.py	Paper	Subedi et al. 2020 (review); smoothing splines or Chaikin 1974 · papers 1 2
Export solid (STL)	`export_stl`	export_stl.py	Own	-

Benchmark problems (folder)

In the app	File	From
MBB Beam	mbb_beam.py	the 99-line code and top88 · papers 1 2
MBB Beam (Robust)	mbb_beam_robust.py	Wang, Lazarov & Sigmund 2011 · paper
Vibrating Beam	vibrating_beam.py	after Du & Olhoff 2007 · paper
Column Buckling	column_buckling.py	Toporia column geometry, Ferrari, Sigmund & Guest's linearised formulation · paper
Cantilever	cantilever.py	the 99-line code · paper
Nonlinear Cantilever	nonlinear_cantilever.py	Buhl, Pedersen & Sigmund 2000; Wang et al. 2014 · papers 1 2
Cantilever 3D	cantilever_3d.py	top3d (Liu & Tovar 2014) · paper
Michell Cantilever	michell_cantilever.py	Michell 1904 · paper
L-bracket (local stress)	l_bracket_stress.py	Giraldo-Londoño & Paulino 2021 (PolyStress); geometry of the L-bracket, limit chosen here · paper
L-bracket	l_bracket.py	Duysinx & Bendsøe 1998; Le et al. 2010 (dimensions still to be checked against the papers) · papers 1 2
Three-Point Bending	three_point_bending.py	the materials test
Heat Sink	heat_sink.py	Bendsøe & Sigmund 2003, section 1.5; Gersborg-Hansen et al. 2006 · paper
Standard Bar	standard_bar.py	Toporia's own
Drone Arm, Drone Arm (Camera View), Drone Arm (Point Loads)	drone_arm.py, drone_arm_camera_view.py, drone_arm_point_loads.py	Toporia's own application case
Force Inverter	force_inverter.py	Own 40 × 40 geometry and port values following Sigmund 1997; signed output and input/output ground springs · paper

Evaluated but not registered

The bounded simulated-annealing experiment misses the unchanged 10%-of-OC performance gate on all three seeds at 200 and 2000 solves. It remains reproducible outside plugin discovery; no failing part was registered and no threshold was relaxed. This is an own standard-SA baseline, not a port or evaluation of adaptive topASA. Catalogue implementation counts exclude unregistered experiments.

Remaining work

Current linear sequence: machining accessibility, projection-based self-support, multiresolution meshes, then neural reparameterisation (subject to dependency support). Machining has no code changes yet: a readable full-text copy of Langelaar (2019) is needed after institutional-download failures.

The original scope PDF remains unchanged. MATLAB/Octave oracles are optional; SINH/Hashin-Shtrikman and large framework work remain outside this agreed round.

Listed from least to most effort. "Code" means open code exists (port it, or check against it). "Paper" means it would be written from the paper. Details and status are in TODO.md.

Small: one file in an existing slot

What	Kind	Source	Notes
Reference results from the original MATLAB codes (top88, top99neo, top3d, TOBS, MMC, the level-set codes)	tests	Code: run once in GNU Octave or MATLAB · papers 1 2 3 4 5 6 7	proves the Python versions give the same answers

Medium: new physics or a whole method

What	Source
Machining accessibility, projection-based self-support	Paper: Langelaar 2019; Gaynor & Guest 2016 · papers 1 2
Multi-resolution design and analysis meshes	Paper: Nguyen et al. 2010 · paper
Neural reparameterisation (TOuNN)	Code: TOuNN (needs PyTorch or JAX, which may not install on Python 3.14) · paper
SINH and Hashin-Shtrikman material laws	Paper: Bruns 2005; Bendsøe & Sigmund 1999 (the material law has to see the volume and Poisson's ratio) · papers 1 2

Beyond this round

The original long-term research map is retained below. These larger framework changes and runtime blockers were not implemented in this integration round.

Large: the framework has to change first

What	Unlocks
Several fields per element	DMO, fibre orientation, true multi-material
Unstructured meshes	PolyTop/PolyMesher, VEM, FEniTop, CAD import
Beam and truss elements	ground structures (GRAND), Michell layouts
Multiscale, IGA, CutFEM	de-homogenisation (deHomTop808), IgaTop, GridapTopOpt
Fluids, transient, acoustics, photonics	topflow, TOFLUX, ceviche, Meep
Learned methods	TopoDiff, TopologyGAN, dl4to and the SELTO datasets

Historical runtime blockers

These runtime statements are retained from the original 24 October survey; package availability was not rechecked for this PDF update.

What	Why
IPOPT (`cyipopt`)	no Windows build for Python 3.14; would need conda or an older Python
ParOpt	not on PyPI
TOFLUX	the repository states no licence, so it cannot be reused
MATLAB bridge (run the originals as whole methods)	the MATLAB Engine for R2026a supports Python ≤ 3.13; GNU Octave is the free alternative

References retained from the original scope

Amstutz & Andra (2006): standalone geodesic topological-gradient algorithms remain a candidate; the implemented HJ/TD variant is described in the catalogue. NLopt documentation remains the upstream guide for its wrapped optimisers.