

v1.0

2026-05-23

macOS

Windows / iOS / Android

" "

1.

App

- 7:30
- 10:00
- 15:00
- 20:00
- 14:00
-
-
-

" "

2. Harness Engineering

2.1

Harness Engineering



Prompt

2.2 AI Agent

harness

- test harness
- evaluation harness
- agent harness

Harness Engineering

1.
- LLM
2.
3.
4.
5.
6.
- API

2.3 Harness Engineering

Harness Engineering

3.

3.1

1.
2.
3.
4.
5.
- "
- "
- "
- /
- /
- "

- 6.
- 7.

3.2

MVP

4.

1



1. LLM

- 2. 08:00
- 3. 10
- 4.
- 5. " 7:50 8:00 "

2



- 1.
- 2. 30
- 3.
- 4. " "

3

1234


1.
2. " "
3. 18:30
4.


4

- 10:00
-
- URL

1. 15
2.
3. " "
4.

5.





6.

6.1

- -
 -
 -
 -
 -
 -
- “ “ “ “
- MVP Python + PySide6 / PyQt6
 - Electron + React + Live2D / Spine / Rive
 - macOS NSUserNotification / pync / terminal-notifier
 - TTS Edge TTS / OpenAI TTS /
 - STT Whisper / faster-whisper /

6.2

Harness Engineering

1. Intent Router

2.

3. Task Planner

4.

5. " "

6. Tool Orchestrator

7.

8. State Manager

9. pending scheduled triggered acknowledged snoozed expired
cancelled

10. Memory Manager

11.

12. Permission Guard

13.

14. Failure Recovery

15.

16.

17.

18. Evaluation Harness

19.

6.3

- Reminder Service
- Alarm Service
- Calendar Service
- Parcel Service
- Ticket Reminder Service /
- Notification Service
- Preference Service
- Search Service
- Sync Service

6.4

MVP

- SQLite
 - SQLAlchemy ORM
 - Alembic
 - Chroma / SQLite FTS
-
- PostgreSQL
 - Redis
 - Qdrant / Milvus / pgvector
 - Kafka / RabbitMQ

6.5

- Apple Calendar / Google Calendar
- Gmail / Outlook
-
- API
-

-
- macOS
- / /Telegram
- API
- API

7.

7.1 MVP

	PySide6 / PyQt6
API	FastAPI
	SQLite
ORM	SQLAlchemy
	APScheduler
LLM	OpenAI-compatible API / Ark / OpenAI
	Pydantic JSON Schema
	macOS notification / pync
	Edge TTS / OpenAI TTS
	faster-whisper / Whisper API
	loguru / structlog
	pytest
	PyInstaller / Briefcase

7.2

	Electron + React / Tauri

	Live2D / Rive / Spine
	PostgreSQL + Supabase / Firebase
	Redis Queue / Celery
	Chroma / Qdrant / pgvector
	OpenTelemetry + Prometheus + Grafana
	Flutter / React Native

8.

8.1

```
class Reminder:
    id: str
    user_id: str
    title: str
    description: str | None
    category: str # alarm, meeting, parcel, ticket, travel,
bill, custom
    start_time: datetime
    timezone: str
    remind_offsets: list[int] # [-1440, -60, -10, 0]
    priority: str # low, normal, high, critical
    status: str # pending, scheduled, triggered, acknowledged,
snoozed, cancelled
    source: str # manual, calendar, email, sms, browser, llm
    action_url: str | None
    metadata: dict
    created_at: datetime
    updated_at: datetime
```

8.2

```
class ParcelTask:
    id: str
    carrier: str
    tracking_no: str | None
    pickup_code: str | None
    pickup_location: str | None
    status: str # waiting_pickup, picked_up, expired
    reminder_id: str | None
    raw_text: str | None
```

8.3

```
class TicketEvent:
    id: str
    event_name: str
    sale_time: datetime
    platform: str | None
    ticket_url: str | None
    city: str | None
    priority: str
    reminder_id: str
```

8.4

```
class UserPreference:
    user_id: str
    default_remind_offsets: list[int]
    quiet_hours: dict
    wakeup_time: str | None
    commute_time_minutes: int | None
    preferred_notification_channels: list[str]
    parcel_pickup_preferred_time: str | None
```

9. API

9.1 API

```
POST /api/reminders
GET /api/reminders
GET /api/reminders/{id}
PATCH /api/reminders/{id}
DELETE /api/reminders/{id}
POST /api/reminders/{id}/ack
POST /api/reminders/{id}/snooze
```

9.2 API

```
POST /api/agent/message
POST /api/agent/parse-reminder
POST /api/agent/plan
POST /api/agent/tool-call
```

9.3 API

```
POST /api/parcels/parse
GET /api/parcels
POST /api/parcels/{id}/picked-up
```

9.4 API

```
POST /api/tickets
GET /api/tickets
PATCH /api/tickets/{id}
```

9.5 API

```
POST /api/notifications/test
POST /api/notifications/send
GET /api/notifications/history
```

10.


10.1



10.2



10.3



11.

0

- PRD
-
- MVP
-

- 1.
- 2.
- 3.

1

-
- ER
- API
-
-

2

```
desktop-digital-human-assistant/
├─ apps/
│   ├─ desktop/          # PySide6
│   └─ api/              # FastAPI
├─ packages/
│   ├─ agent_harness/    #
│   ├─ scheduler/        #
│   ├─ integrations/     #
│   └─ shared/           #
├─ data/
│   └─ app.db
├─ tests/
├─ docs/
├─ scripts/
├─ pyproject.toml
├─ README.md
└─ .env.example
```

3

1. User / Preference
2. Reminder
3. ReminderInstance
4. EventLog
5. ParcelTask / TicketEvent
6. CRUD
- 7.

4

1. APScheduler
- 2.
- 3.

- 4.
- 5.
- 6.
- 7.

5 MVP

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

6 LLM

- 1. Prompt
- 2. Schema
- 3.
- 4.
- 5.
- 6.
- 7.

7

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

8

-
- API
-
- LLM
-
-
-

9

1. PyInstaller

macOS App
2.
3.
4.
5.
6.

10

-
-
-
-
-
-

12. MVP

-

-
- / / /
- SQLite
- APScheduler
- macOS
-
-

-
-
-
- 3D
-
-

13.

- 1.
2. API Key .env Keychain
- 3.
- 4.
- 5.
- 6.
- 7.

14.

14.1

-
-
-
- LLM
-

-
-

14.2

-
-
-
-
-
-

14.3

1234

-
-
-
-
-

15.

LLM	+	+

API	

16.

M1

-
- SQLite
- Reminder API
- APScheduler
- macOS

M2

MVP

-
-
-
-

M3 LLM

-
-
-
-

M4

-
-
-
-

M5

-
-
- macOS App
-

17.

Harness Engineering

MVP

- 1.
2. LLM
- 3.
- 4.