

Transcript

March 18, 2026, 3:06PM

● **Jesse Kenser** started transcription

JK **Jesse Kenser** 0:03

Let's look at the notes.

7.

All right. Welcome. First thing on the agenda, are we looking at how tool charging is happening?

 **Shaniya Cobbs** 0:19

Yeah, I just, yeah, Donna had Donna had posted this in one of our chats and I just wanted to bring this into the forefront and have a discussion about it, see how other sites are like taking care of tool charging.

JK **Jesse Kenser** 0:20

I think Donna. Oh, go ahead.

 **Shaniya Cobbs** 0:35

Because I think like later in that message thread, she had mentioned there were some concerns with the SVY sites, so I just wanted to see how the setup is at. In other regions, perhaps. Maybe I can bounce some ideas off of what's working for you.

 **Matt Goetz** 0:57

Do you know what the concern was? Because what I've seen in the past is there's usually just an array of like power tool chargers and they just kind of sit on a shelf and I don't really know any other way.

JK **Jesse Kenser** 1:07

Matt, the context from the question was the remember the storage space in Portland that we're looking at pictures like you shared the same pictures. So someone was

walking through there. I don't know if it was specific to that room that they just had way.



Matt Goetz 1:19

Yep, Yep.



Jesse Kenser 1:27

Too many chargers like either in one spot or one outlet or something like that. So the question was, do we have something that to force us to go out and look specifically at how we're charging tools at the sites?



Matt Goetz 1:32

Oh.

Our audit kind of touches on that, but not specifically about chargers or how they're plugged in. If they're all plugged into the same thing, uh, we can get more specific with that, but we do look at that during our audit.



Shaniya Cobbs 1:45

Thanks.



Jesse Kenser 1:56

Well, we look at what the tool 'cause we have the power.

Tool audit that we do what's once a quarter or whatever. Recheck the power tools.

Yeah, the inspections, yeah.



Matt Goetz 2:07

Do you mean the inspection, the operations? Yeah, we do have that quarterly. We could all we we could add that as a item in the form.



Jesse Kenser 2:12

And.



Matt Saucedo 2:13

It.



Jesse Kenser 2:15

Do we also have one for just GFC is or cords like for the extension cords?



Matt Saucedo 2:19

Yes.



Matt Goetz 2:21

Yes.

Yes.



Matt Saucedo 2:24

We have one for literally everything, Jesse. Hand tools, power tools, pneumatic tools, cords, GFCI's, electric power tools, cordless power tools.



Matt Goetz 2:26

Yep.



Jesse Kenser 2:34

Well, so with the cords, I haven't done the actual inspection. Is there anything in there for like check the charging areas or charging station or?



Matt Saucedo 2:44

No, I I mean, as far as the audit goes, I would say that this is just a visual inspection of the area.



Jesse Kenser 2:46

Yeah.



Matt Saucedo 2:52

I mean, how many charges do you guys have? It's like.



Jesse Kenser 2:54

We'll verify the charger's in good condition.



Matt Saucedo 2:59

Well, is the concern that there's too many chargers plugged into the same outlet or that they're just like what you see on social media where people are like cutting off the end of cords and cramming in batteries to try to charge it or?



Matt Goetz 3:01

I can add 1.

What kind of social media are you watching?



Jesse Kenser 3:15

Um.

I think it's, yeah.



Matt Saucedo 3:18

Guess what are we trying to solve here? That'd be a good, good question.



Jesse Kenser 3:21

If we're looking for at tool charging to me, so look, go back to electric power tools. I mean, we pretty much answered it in a couple of those questions right there.



Matt Goetz 3:22

Yeah.



Jesse Kenser 3:35

Like the only other thing that we would add to maybe would be.



Matt Saucedo 3:36

I guess.



Jesse Kenser 3:43

Is the GFCI overloaded? I don't know.



Matt Goetz 3:48

GFCI is already its own its own section already.



Matt Saucedo 3:49

Well, we have portable GSA right there.



Shaniya Cobbs 3:53

I I forgot which, uh, chat it was in. Let me see.



Jesse Kenser 3:54

Well, even extension cords. Look at extension cords real quick.

And spec storage should be stored clean direct.

Image inspect.



Matt Saucedo 4:12

Because like when I do an audit, I just look at the general cleanliness of their tool area. I'm not gonna sit there and judge them and be like, hey, you got like 4 batteries plugged in to this toolbox. So with that.



Matt Goetz 4:15

Same.

Yeah.

How would we? How would that be worded?



Shaniya Cobbs 4:29

Hmm.



Jesse Kenser 4:30

Yeah, I don't know.

H.



Matt Saucedo 4:34

Because I mean like to be honest with you, this is what I see typical at every site. They either have like the big Milwaukee box or a similar box and they have their batteries plugged in at the top.

 **Jesse Kenser** 4:42

Oh.

 **Matt Saucedo** 4:45

Um.

And that's just their battery charging area, or they have a space on their tool bench for charging portable batteries.

 **Jesse Kenser** 4:54

Yeah, where they have all the like the the outlet like mounted on the wall and then just plugged in there.

 **Matt Saucedo** 4:58

They may be mounted on like a pegboard.

Yeah.

Yeah, I mean, and honestly, I don't know any. None of my sites have maybe more than two chargers total.

 **Matt Goetz** 5:13

This is this might be too generic 'cause how are they supposed to know what the appropriate number of chargers is?

 **Matt Saucedo** 5:19

Yeah, I would. I wouldn't be that ambiguous because that's just gonna give us questions.

 **Jesse Kenser** 5:21

I I actually think that this answers most of the questions that we care about, so.

 **Shaniya Cobbs** 5:34

So in terms of like the second question or the second response that Donna had mentioned where she had said might be an audit enhancement. Recent conversation with Mary and IE and I hear Rada has requested a solution for SVY. Mary acknowledged fire risks.

So.

From that point if.



Matt Saucedo 5:55

Hold on, we need more context. What fire risk? What is the fire risk and what what solution does Rada want?



Shaniya Cobbs 5:58

That's all I wish that that's that's all that was here.
Um.



Matt Saucedo 6:08

Like I said, did it like and and I'm not asking you Shania, I'm just, I'm just asking an open-ended question. Are they just like, are they charging their batteries on top of a gas tank? Like what? What is the fire risk here?



Shaniya Cobbs 6:19

No, uh, give me one second. I'll I'll show you guys. Just one second.



Matt Saucedo 6:23

OK.



Matt Goetz 6:27

I think I just stroked out.



Jesse Kenser 6:30

Nope, you're still in.



Matt Saucedo 6:31

I mean between me, between me and y'all, I like to charge all my 18 Volt batteries on top of open topped fuel tanks in my garage and in closed space with no ventilation, you know?



Matt Goetz 6:41

Same. Yeah, I have an oil drum of just gasoline that I keep in mind. So when it drops, it's just.



Matt Saucedo 6:44

Do you? But is that? Yeah, yeah. And I like to frame my cords so that way rats won't go and bite them up because you'll see that they've already been bitten, right?



Jesse Kensler 6:46

I actually hang them by the power cord, so.

Yeah.

It it's like a better mousetrap, honestly.



Matt Saucedo 7:04

That's right.



Matt Goetz 7:08

So is this?

Addressing it and we can just call it a day.



Matt Saucedo 7:13

I'm gonna get so many questions about that. Hey, what's an impending fire risk?

Yeah, and I already know it.



Matt Goetz 7:16

Are you really plugging too many chargers into one outlet?



Matt Saucedo 7:22

How is that a fire risk? The charge is like half an amp.



Matt Goetz 7:25

If you plug an extension cord to an extension cord, and then you put a bunch of chargers on the end of that, that would.



Matt Saucedo 7:32

Well, how many chords are you plugging? Look, I can get into the math. How many

chords are you plugging in? Cause it takes a lot for voltage drop to really start to play and also the amps or the gauge size of our chords, which we have a minimum size that should be able to handle that.

 **Jesse Kenser** 7:39

Uh.

How about don't Daisy chain? How about verify no Daisy chained electrical cords?

 **Matt Goetz** 7:48

OK, so then.

 **Jesse Kenser** 7:58

I don't know if you guys are seeing the pictures Shaniah shared to the chat.

 **Matt Saucedo** 8:02

Oh, let me see.

OK.

So they all plugged into like the same pointing up outlet or.

They have. Is this like a like a a National Lampoon's Christmas where they have like the splitter with a splitter with a splitter with a splitter on it or like?

I would say that would be.

The only thing I would be more concerned about, but I'm guarantee you almost all those chargers are probably pulling half an amp or less, except for that big one.

 **Jesse Kenser** 8:51

Should I looking at the?

Picture. Did Rada send that to you or like, OK?

 **Shaniya Cobbs** 8:58

No, I just took it right now. See you later. Yeah. Oh, no, I just. I'm just over here now.

It's just two, two extension cords, but they're both coming from like the outlet source 120 Volt thing, but.

Yeah, I just wanted to see what you guys were doing, if it was similar to this or if it was different.



Matt Goetz 9:19

Are they Daisy chained chords or are they plugged into the same? Oh then.



Shaniya Cobbs 9:21

No, no, they're not. No.



Matt Saucedo 9:24

Hold on, let's ask another question. Are all those even plugged in?

Because what it looks like is that DeWalt 4 Bay charger is plugged in and maybe that Milwaukee on the top, but the the empty Milwaukee charger next to it, I don't know. And the one on top of that ancient printer looking thing probably maybe not plugged in also.



Shaniya Cobbs 9:30

Yes.



Matt Goetz 9:44

OK.



Matt Saucedo 9:48

And then there's another Milwaukee Charger over there they even used.

Do they have that many batteries?

That would need this many chargers. Just I'm just just asking. I don't know.



Shaniya Cobbs 10:17

I I I believe, I mean.

I would assume so, yes. I don't know exactly how many batteries are out, no.



Matt Goetz 10:25

And Shanai's not using these. There's no way she would like know that.



Matt Saucedo 10:28

Yeah, I mean, I don't know. May I just is maybe more like if you've walked in there and seen like 20 batteries sitting piled on top of each other.



Matt Goetz 10:40

Well, instead of getting into the weeds, like just looking at this, how do we? Come up with a solution to avoid whatever fire risk.



Matt Saucedo 10:46

But.

Move it somewhere else.



Shaniya Cobbs 10:51

Yeah, definitely. Yeah.



JK Jesse Kensler 10:51

That to me is housekeeping. Like you need to clean up your area, make sure it's neat like that's.



Matt Goetz 10:51

What's that?



Matt Saucedo 10:53

Yeah, this is housekeeping.



Shaniya Cobbs 10:57

Rada was mentioning about putting a like possibly utilizing our old flammable storage cabinet and putting them in there in that area.



Matt Saucedo 11:07

That is is so dumb. OK.



JK Jesse Kensler 11:08

Like in the cabinet or?



Shaniya Cobbs 11:09

Yeah, because the point is to try to like, you know, mediate the the fire hazard. So

that was a recommendation that that's that's what that's what Donna had mentioned in the chat that those they mentioned fire risks.



Matt Saucedo 11:15

What fire hazard?

All right, hold on. Where? Where do electrical fires happen? Do they happen where the battery's being plugged in, or do they happen in the wall where the overload is?



Shaniya Cobbs 11:24

O.



Matt Goetz 11:32

Why don't you just tell us?



Matt Saucedo 11:34

Because it happens in the wall.



Matt Goetz 11:37

OK.



Matt Saucedo 11:38

So if we put those chargers in, if we put those chargers.



Matt Goetz 11:39

So instead of going through like all this rigmarole, why don't we just come up with a solution? Because we're now we're just, I don't know if this is helpful. So what? What do we do? What? What's the answer here? Instead of asking Shenai a bunch of questions?



Matt Saucedo 11:49

I think you guys just need to clean it up.



Jesse Kensler 11:50

Well, that's what I'm trying to understand is what? What are we trying to solve?

What's the what are we trying to come up with a solution for? And I understand like this picture is showing that they're not very well organized, but.



Matt Goetz 11:54

Exactly.



Jesse Kenser 12:05

I'm just trying to understand better what like adding a thing to our audit, that's fine, but we really should be going in and covering this under housekeeping and all that stuff. So I don't know if there's really anything we need to add to our.



Matt Saucedo 12:21

Agreed.



Jesse Kenser 12:25

Our audit. Um.

Unless we get a better understanding of basically what Rada needs or is looking for.



Shaniya Cobbs 12:35

I wasn't sure if you had any information on the discussion perhaps because in that thread that that Donna had mentioned, she had included you into it. I know it kind of like lost communication there. Like we we didn't talk about it for some time. So I wanted to just see if there was something that you may have heard that I don't know.



Jesse Kenser 12:44

Yeah.



Matt Goetz 12:44

OK.



Shaniya Cobbs 12:53

Context of the situation, maybe. I don't know who Mary is, so I was just curious of like the all around scope of where this kind of stemmed from and and just wanted to get some feedback from the team to see if there's other ways that maybe like you purchased a a cabinet to keep these in specifically or whatnot. But that was all.

 **Jesse Kenser** 13:11

So when I talked with Donna, she said that Mary, I I can't remember who it was, was walking through. I think it was port O3B and the storage room looked very similar to this. So that's what kind of brought up the questions of.

What are we doing about the chargers? So really just from being disorganized and also from my understanding, you guys just don't have enough space to put all your stuff up there. So to me that's also something we need to know and and.

 **Matt Goetz** 13:42

Yes.

 **Jesse Kenser** 13:46

Be able to bubble up like, hey, this is a safety concern. We need to get this team more space so they can safely store all of their items. So but that's that's a whole nother thing that we need to do. But that's to me and talking with Donna, that's where it all stemmed from originally.

And it was actually pretty cool because as I brought this up to Goetz, he had actually gone through that same storage room and these are actually from Goetz. He took these pictures and was sharing them with the other managers, so.

But that's kind of the context behind where it started is Barry asked a question to Donna. Hey, is this a fire risk? Basically, if you look at this and to me.

I don't know. I'd have to go look at it, but.

 **Matt Saucedo** 14:34

It.

I think there's plenty of other fire risks happening in that picture that are not associated with those battery chargers.

 **Jesse Kenser** 14:37

That.

Right. I agree. So that's why it's like general housekeeping. Yes, we should be going, making sure things are clear. Tool rooms should be clean, organized and all that. We should be looking at power cords. We should be looking at all that stuff, which we already do in our audit or it's in the sites, audits of them.



Matt Goetz 14:43

Yeah.



Jesse Kenser 15:01

Themselves, but I don't know if there's a specific thing for us to put in for chargers, unless you guys can think of something or.



Matt Saucedo 15:12

It's like walking into a hoarder's house and then pointing at a Snickers wrapper on the ground and going, man, we really need to do something about this, this snacking.



Jesse Kenser 15:22

But Shaniah, if you talk to Rada and there's and there's something else that we could solve, then definitely.



Shaniya Cobbs 15:24

Just gonna. Yeah, yeah, this is.



Matt Saucedo 15:26

Yeah.



Shaniya Cobbs 15:30

I mean, I I I told you guys the recommendation that she had, which was, you know, cutting some holes into the flamebook cabinet and utilizing that as a a specific space for those charters. But I think what I'll do since we just had this conversation, I'm just going to bring it up to the comms during my one-on-ones with them and ask them to come up with a solution, maybe even if that.

Comes from organizing that area a little bit better, but that's probably the route I'm going to take, but I just.



Jesse Kenser 15:54

I think taking all those chargers and putting them in a metal cabinet is probably not

the best idea. I mean, if they're really worried about fires or any of that, I'd put like if they want to put them on like rubber pads or do something other than that, but.



Shaniya Cobbs 16:00

Uh.



Matt Saucedo 16:05

There's.

There are so many protect. There's so many protections in place. That battery, those batteries spontaneously combusting. So many things would have to happen for that to happen.



Shaniya Cobbs 16:20

Yeah. So definitely a great opportunity to connect with my team here. So I'll do that and just just encourage them to increase the organization of that area. That's will be the solution to that. So thanks team.



Jesse Kensler 16:34

Cool.



Matt Goetz 16:34

Yeah, just be clear, we don't need to add anything to our inspection forms or audits to address this.



Matt Saucedo 16:39

No, tell them to clean. Tell them to clean up their space before we decide to cut holes in cabinets and do more things.



Matt Goetz 16:40

Just thinking for action items here, OK.



Jesse Kensler 16:51

Yeah, what are they even using to cut those holes? And no, if they had a welder there, they could just Weld holes into it. I don't know if.



Matt Goetz 16:51

I think, I think Rod is looking for ways to use it.



Shaniya Cobbs 17:05

Oh yeah.



Matt Goetz 17:05

Now ship that off to sauce. He wants to use it.



Gloria Gonzales 17:06

Oh my God.



Jesse Kenser 17:07

All right. Uh, biannual.



Shaniya Cobbs 17:08

So.



Matt Saucedo 17:10

Yeah, if you all still want to send that welder my way, I can still use it.



Shaniya Cobbs 17:16

That's still tagged out. So that's pretty much. I don't wanna hear anything about that weather anymore. I am. No, no, not in that room. No, it's in.



Matt Saucedo 17:23

Is it in that room?



Matt Goetz 17:25

It is.



Matt Saucedo 17:27

Well, I'm just saying the room wouldn't be so messy if they had a bunch of stuff in that room that they come use.



Matt Goetz 17:28

Oh.



Shaniya Cobbs 17:33

Yeah, yeah.



Matt Goetz 17:33

In the L room.

What room is this, Shania?



Jesse Kenser 17:37

All right.



Shaniya Cobbs 17:38

That's the corridor area to go outside near the Lotto stuff.



Matt Goetz 17:41

Oh, OK. Got it. OK.



Shaniya Cobbs 17:44

Yeah.



Jesse Kenser 17:46

That's in the corridor.



Shaniya Cobbs 17:47

OK.



Jesse Kenser 17:48

I should, uh.



Matt Goetz 17:48

There's like a yeah, there's like a quarter like there's an outside door, a small corridor where the lotto devices are, and then another door where the OPS office is.



Shaniya Cobbs 17:49

Yes.

Space where they keep mm-hmm.



Matt Saucedo 17:56

Hey, why did they? Why did they have like a a super old like DOS printer?



Shaniya Cobbs 17:57

To go in.



Jesse Kenser 18:05

It's the only one that still works.



Matt Saucedo 18:07

And then they have like what looks to be like a Phillips Keurig machine, and then a handle for a butterfly valve just chilling all in the same place. Like there's you wanna talk about fire hazards?



Shaniya Cobbs 18:08

I don't even think they. I don't even know if they use it.



Matt Saucedo 18:23

That printer will probably burst into flames before those batteries do, and it can. It doesn't even need to be plugged in.



Jesse Kenser 18:30

All right, EHS OPS biannual audit criteria questions.



Matt Goetz 18:36

OK, something we didn't get to at the summit last week was actually getting into the granularity of our questions as we continue to evolve our audits. Do we want to talk about this at this forum?



Matt Saucedo 18:38

Yes.



Matt Goetz 18:51

Or do I do you want me to set up something separate to go over it? Because it seems like every week we have something that comes up where we could either add it to our audit or be more specific with our audits. So I think it's it's been a while since we talked about this.

So I feel like we should probably address it again, especially before our Q2 audits come up. I don't know if if right now is is the right platform. I have like half an hour until I have to drop for another call so I can I can set something up.

If if we feel like we have an appetite for that.



Matt Saucedo 19:30

I felt like the last time we talked about this, we were in a good spot. Let's say full send what we got and then adjust for next year.



Matt Goetz 19:34

OK.

So you you don't feel like a line by line audit or audit is needed. OK.



Matt Saucedo 19:44

No. Plus I I really want to get my my audit stuff sent out.
And scheduled for Q2.



Matt Goetz 19:51

OK.



Jesse Kensler 19:57

Looks like David gave his thumbs up too, so that two votes for it's good to go.



Matt Saucedo 20:04

That's my my vote.



Matt Goetz 20:10

Sweet. That was it.



Jesse Kenser 20:11

Good tonight.



Matt Goetz 20:16

Yeah.

Hello.



Shaniya Cobbs 20:17

More time to do so would be a good idea because I definitely do think going over it as we're evolving as a company and expanding, we want to make sure we're hitting all aspects that we can. So for sure, I like the idea. I think it's a great idea. Oh, OK, yeah, so.



Matt Goetz 20:27

Yeah, yeah. It's been about a year since we've looked at it.

Yeah.

OK, Q3 it is.



Matt Saucedo 20:37

Yep, I agree with Shania.



Jesse Kenser 20:40

All right, I know people are going to have to drop, so I'm going to skip over the UPS battery right now. Shania, we can come back to it if we have some time. The tech OPS newsletter EHS Corner.

Basically, we get the third page of the monthly tech OPS newsletter. We can do a half page, a full page. This is where we can talk about lessons learned, like a cleaned up version of the lessons learned, but this is really for us to be.

Able to talk to operators once a month. So what should that look like? What should we be putting in there for the teams? We could do our upcoming events in there for the step challenge or any of that stuff.



Matt Saucedo 21:31

I'm gonna say.



Matt Goetz 21:32

Yep.



Matt Saucedo 21:34

I was gonna say maybe upcoming items, maybe events or things that we're rolling out might be a good platform to start socializing it.



Jesse Kenser 21:44

We're going to need one person to kind of be the person to put this together, hand it to tech OPS each month. I don't want us to all be trying to scramble around at the 15th of the month trying to figure out what needs to go in there. So I will, we will need one person to own.

Uh, our part of the newsletter. Dave, go ahead.



David Nuckolls 22:08

Right. So assuming this is a digital format, not like a paper format, right? So would it be worthwhile to think of things that maybe are more dynamic in terms of content? Could be a video or a link to some place? I'm just thinking of you know.



Shaniya Cobbs 22:12

Yes.



Jesse Kenser 22:13

Correct.



Matt Saucedo 22:13

Cool.



Jesse Kenser 22:27

I take a look at the one that that they sent. I don't know if there's any links I.



David Nuckolls 22:29

Don't have to be every month or anything like that, but.



Jesse Kenser 22:36

I didn't look through the whole thing. I I don't know if this is gonna be something that people like are printing out at the sites or everybody just looks at the e-mail. So we'll have to figure that out. Like what would be the?

How are they actually sharing? I know they send it out in a what was in an e-mail or something like that to everybody.



Matt Saucedo 22:58

I think, um, I think every site does things like that differently.

Like one like one of the Chicago sites likes to print out the toolbox talks and then every of the other site in Central does not wanna do that.

So I can only imagine they would do things like this also, but there's QR codes in there.

So if they are printing it out, people can still scan them.



David Nuckolls 23:27

Yeah, I was just thinking like, you know, thinking back to your Lyft, TikTok, what to do, what not to do. QR code that bada boom bada Bing dynamic content.



Matt Saucedo 23:36

Yeah, yeah, yeah, we can do that. We can, we can also link or remember the EEWP tool I made last year.

That's something that we could link in there at some point with QR code.

But it looks like, uh, there's links in there. It says submit through tech OPS portal or request portal.



Jesse Kenser 24:01

Yeah, uh.



Matt Saucedo 24:02

Uh, I gotta drop. I'll be right back as soon as this is done.

 **Jesse Kenser** 24:22

So uh, what page are you on? Is that two or three?
3 OK.

 **Matt Goetz** 24:27

3.

 **Jesse Kenser** 24:30

Um.

When I asked China about it.

She said.

There always be a third page that's flexible, so um.

Sounds like to me.

We should be able to get this page or at least one page in their newsletter.

 **Matt Goetz** 24:58

I imagine that we won't be doing any formatting in here. We'll just send them the the content and then they'll put it in here however they want, OK?

 **Jesse Kenser** 25:03

Correct.

And it's for the, so they have this all put together like they need the information by the 15th of the month before. So like we wouldn't be doing anything for April.

Since they should already have it put together now.

 **Matt Goetz** 25:26

What about like challenge coin stuff and?

Alert media or anything that like Gloria is coordinating. Is there like an opportunity there? Because I know we have the step challenge, the great catch campaign.

 **Jesse Kenser** 25:46

Well, that's a that's a good. I mean, is there Gloria, is there enough content that like part of it's just mental health, like we just have part of it's just mental health where

it's challenge coins, upcoming events or just?
We just dedicate that to mental health each month.

GG **Gloria Gonzales** 26:08

Yeah, I mean, I was gonna say we should with me redoing the one source safety page, I feel like we should align this at least a little bit with what's on there. So I think we have enough events and things on the mental health calendar that. Could get plenty of ideas each month. or something in the tech ops monthly. Not sure if you want to align it with tool, the tool, like the mental health toolbox talk that goes out each month, but.

 **Matt Goetz** 26:46

That could be a snippet or a link.

GG **Gloria Gonzales** 26:50

Yeah.
Yeah, like a link to it in addition to whatever we're hosting.
For the month could even like do like a like keep doing like a reminder of the new challenge coin program sticker and challenge coin program.

JK **Jesse Kenser** 27:14

With our criteria.

GG **Gloria Gonzales** 27:15

Yeah.
Because the criteria is gonna be on the safety page, but.
just doing a reminder to go and check that and like, encourage people to participate.

JK **Jesse Kenser** 27:30

Well, let's say we we ask for one page. If we like, let's just take this page here. If we were to exact copy this page, would it make sense for Gloria for you to take like that right section?
Mental health or like maybe mental health would be the bottom 2 little like under

shout outs like remove all that, but then it'd be like the mental health stuff at the bottom.

 **Gloria Gonzales** 28:03

I think the thing on the right would be good for mental health.
Where it says your call.

 **Jesse Kenser** 28:13

Yeah, and I'm not saying we have to for, I'm just trying to come up with.

 **Gloria Gonzales** 28:18

Shout outs could be your guys's whoever you pick for your saucepice quarterly or whatever or monthly or.

 **Jesse Kenser** 28:26

Yets, can you go up to the second page or the page before?
And then up to the top, I'm just looking at the different layouts that they have of the.
Well, who? First of all, who's passionate about this? Does anybody want to lead getting stuff added to the newsletter each month?

 **Matt Goetz** 29:00

Well, I'm trying to see.

If what we are putting out in our change announcements and on our new crud OPS safety page, if that's going to be redundant, I was trying to make what whatever's going in this different to what we put in that.
And that's why I feel like the.

 **Jesse Kenser** 29:20

OK.

 **Matt Goetz** 29:23

The challenge coin stuff wouldn't make sense, but I don't know if there's enough like mental health content for for a monthly. I mean, we don't have to take a full page either, right? Because they might want to utilize a lot of the space and we could just take a corner.

 **Jesse Kenser** 29:31
Yeah.

 **Matt Goetz** 29:42
Of it. Um.

 **Gloria Gonzales** 29:44
I think there's plenty of mental health stuff that you could do that little your call, even if it's like whatever was on the toolbox talk. We have so much content and and like what what's it called like themes for each month.

 **Jesse Kenser** 29:44
W.

 **Matt Goetz** 29:47
OK.
Yeah, OK.

 **Gloria Gonzales** 30:04
I think there's plenty we could do with mental health.

 **Jesse Kenser** 30:10
And this could be and we've talked about this before. Matt is a sanitized version of our lessons learned, sending that out in a monthly format. So what if we just picked our top sauce? Or maybe this is where we post the top sauce.
Hospice of the month in here as so we either do tops Hospice of the month, those three that we we pick out and have them in here. I don't know if there's any numbers we want to sanitize and put it here.

 **Matt Goetz** 30:30
We could do that.

 **Jesse Kenser** 30:44
Uh.



Matt Goetz 30:47

I mean, we're gonna have the the dashboard with all the metrics on it and people if if people.



Jesse Kensler 30:51

Right. Oh, and maybe just a link to the dashboard or say, hey, you know, go to the dashboard at some point and we can change it up. We don't, we don't have to lock into a format right now and say this is how we're going to do it. I think for ease for ourself, we'd like to at some point come up with a.

Format that we we like, because then it'll make it easier for us to redo it every month. All right, well, Gloria, I'm gonna need you to help with the mental health stuff. So whatever we are gonna put in there for mental health, I'll need your help with.



Gloria Gonzales 31:35

Yeah, I mean, I would just refer to the mental health calendar and see which toolbox talk we send out for the mental health week.

So and that that's like all with the toolbox talk stuff so.



Jesse Kensler 31:52

Or we want to talk about events, the challenge coin stuff in here, like his announcements kind of to let people know I'm OK being redundant in our communications because the more different avenues we find to communicate with the operators, the better chance we have of them hearing.

Not everybody looks at their toolbox talks, so maybe you know we don't catch them there. Maybe they don't go to the EHS safety page, but they read this, you know, every couple of months. So this might be our only chance to to communicate with some of the operators, so.

One of the big things that we need to be able to do is over communicate things just to make sure that the the message gets out there. So I'm OK with some duplication of of those communications.

All right, so nobody's passionate about the newsletter.



Matt Goetz 32:56

I'll I'll take it.



Shaniya Cobbs 32:59

I do have a quick question. Is there like when is the deadline for when this has to be like sent to tech OPS?



Jesse Kenser 32:59

All right. Yes, ma'am.



Matt Goetz 33:07

14th of every month.



Jesse Kenser 33:08

The 15th, Yep.



Shaniya Cobbs 33:10

OK, 15 every month, OK.



Jesse Kenser 33:12

For the next month. So we would need all the. So really we'd be pulling the February stuff, but that's not really going to make it in until.

Like the next month.

But that's fine.



Shaniya Cobbs 33:33

I do like the idea of adding lessons learned into it.

Every month. I think that'd be really good to, you know, anonymously talk about what was the findings were.



Jesse Kenser 33:50

Well, uh, we could do the top softness of the month. Um.



Shaniya Cobbs 33:50

Um.

Right.

 **Jesse Kenser** 33:57

What was the other? Um?

Tops Hospice. If we have any OP LS that come out of our lessons learned meeting, that'd be a good place to either link it, show it, talk about it.

 **Shaniya Cobbs** 34:14

So the only thing is, is since we do lessons learned for the previous month and tops Hospice as well, it we would have those two kind of like delayed and then have the mental health be on track, right? Because every month of the year is a different mental health theme.

So would that be ideal, right?

 **Jesse Kenser** 34:33

Yeah, so.

When we're doing like February.

February stuff really doesn't get to tech OPS till the middle of March because then I think they put it out of into March or somewhere. So really it's for the month before. Is that what you're saying, Shania?

 **Shaniya Cobbs** 34:52

Right. So if it was due, let's say for example, March 15th, right? And we sent over our February information because we didn't have we we we had our lessons learned this that same week, so we sent it over.

And as well as the top saucepice for the month of February, because March is incomplete. So they're going to send out that all that information for April.

So they're gonna be getting receiving. Everyone's gonna be receiving sometime. So they'll be sending it out in March still. OK, OK.

 **Jesse Kenser** 35:23

Yeah, it'll be sometime in March.

For February, correct? Yeah, we can't. We can't look at the February stuff till the month's complete anyway, so.

 **Shaniya Cobbs** 35:34

Yeah. And I was just curious of when they're going to be sending out the Tech OPS monthly newsletter, if we're giving the information for the 15th of that month, if it was going to be like the following month's information or like the later weeks in that month that they're going to be sending it out, but OK.

Sounds good. Well, guys, if you need any support with that, I'm also open to to helping out too for sure. So we can we can sync up on that and OK, cool.



Matt Goetz 36:00

Sounds good. Thank you, Schneid. Appreciate that.
Absolutely.



Jesse Kenser 36:08

Yeah. Or we just come up with a format and say we're going to do our top three sauspice, we're going to do these and just finalize it as a team and say this is what we're going to do. And then should just be as easy as, I mean, at some point we could probably make a bot that'll grab all that information for us.



Matt Goetz 36:27

For sure.



Jesse Kenser 36:32

What's the safety page?



Gloria Gonzales 36:37

Our safety page.



Jesse Kenser 36:38

Oh, is that a response to David?



Gloria Gonzales 36:42

Yeah, he responded to me.



Jesse Kenser 36:45

OK.

Uh.

All right, so looks like we do have time for the UPS battery off gassing EOP, Shania.



Shaniya Cobbs 37:05

Yeah, so just, I mean I created the EOP for off gassing kind of like a standardized EHS like escalation steps of what to do in case of like an incident were to occur at any site.

Um, that's if you wanted. Did you want to share that or?



Matt Goetz 37:29

Oh, sure, you made it, but I'll pull it up. No problem.



Shaniya Cobbs 37:29

Yeah.

Yeah, if if you can, I I don't have it right here for me. Let me see.



Matt Goetz 37:43

I've got it right here.

It's taking its time to open. I've got it. There we go. I got it right here.



Shaniya Cobbs 38:04

Alright, let me see. OK.

So the plan was to talk to the team. Um.

During my next one-on-one to see if it's adequate, you know adequate enough like make sure every all these safety steps that need to be inputted are there and aligned with how the the the procedure would operate if they were, you know, attending to an incident like this.

So I guess at this time kind of wanted to see if anyone would like to like look over it, give some feedback, maybe add or or remove certain things here from this response because the goal will be to kind of.

Uh branches out to each region and we kind of make this like a standardized um EOP that's you know, input it into like uh the one source sharepoints.

However, each region will probably create their own style of how they would respond. But again, generally speaking, the safety point of how to respond to the situation would stay the same, so.

If anyone had any feedback on?
Pre action steps, that would be pretty good.



Matt Goetz 39:27

So.

So little context here, San Jose had a battery failure in their electrical room and I've actually seen this multiple times in in the Portland region as well. So it made sense for us to have an EOP and I'm sure some facilities already have something like this. But Shanaya put together like a comprehensive one that can be standardized and then each site can make their own site specific one. And I've actually looked at this it it looks good. I don't have any any feedback because it's it's.

It's pretty fresh from from San Jose and they went through these mitigating steps and they used a like a detector to check for for PPM right before entering the space. I feel like that's the appropriate response.

Depending on on the type of battery, um, but just wanted to give you all um.

You know, put this on a platform for you all to see it since it will be standardized. So yeah, take take a minute to look at this and let us know if if you see anything that just doesn't make sense and we can change it.

Shanaya, I would remove 16. I think that's a.

From the template.



Shaniya Cobbs 40:57

oh yeah

Oh well, from 16 down, that's where they would start making their steps for responding. So it's from basically 1 to 15.

And then after that, everything else was included in the procedure, like in the template itself.

That makes sense.



Matt Goetz 41:27

Well, I feel like you've already added steps for the for their response.

Uh, let's see here.



Jesse Kensler 41:35

For step seven, what are we doing with that information? It says check hydrogen monitoring alarms and BMS alerts associated with the room.



Matt Goetz 41:45

To see if it's 'cause like San Jose's got these monitors above each door. It's like a little blue indicator. And if that's lit, that that means hydrogen has been detected and to not enter the space 'cause we you don't know what the level would be, right? So that.



Jesse Kenser 41:49

Yeah.

Right. No, I understand. I I agree. I'm just saying we tell them to check it and then that's it. We don't tell them to if lights on, don't interrupt. We don't give them any more information other than say check the alarms or BMS. So do we want, what do we want them to do with that information is what I'm saying.



Matt Goetz 42:01

OK.

Oh, OK, so we do have them checking.

OK. So we kind of touched on that with with checking the levels, right? If it's, if it's 10 or higher, we don't enter the space and then you manually ventilate the space using BMS. That way you know not to go in there. But if you know it would make sense to be more explicit with if you see.



Shaniya Cobbs 42:33

Yeah.



Matt Goetz 42:36

Indicator don't enter right? Use BMS to ventilate the space and then when it when it seems safe to enter the space to use a detector to see what the levels are, you can do so. So yeah, that makes sense that we can add that granularity in there.



Shaniya Cobbs 42:52

I believe it depends though on how much of the PPMS is detected by the hydrogen alarms because let's say like I don't believe these went off in my rooms because it

wasn't as high enough to to like notify. So I figured it would be a good opportunity to.



Matt Goetz 42:59

Yeah.

Oh.

Interesting.



Jesse Kenser 43:09

Are are those alarms directly connected to that monitoring system?



Shaniya Cobbs 43:18

The BMS, yes.

But they were showing low like that was like they were. It was continuously throughout the entire time that it was showing that it wasn't really as severe. But however, you could still smell the the, the, the sulfur smell and and so and so on, even when they did take the measurements.

It was .00 something 17 PPM, so it was very low. So that's why I figured it'd be a good opportunity to.



Matt Goetz 43:50

That seems like a disconnect.



Jesse Kenser 43:54

Yeah, I I would add Step 12 if answer yes to question 11, do not in a room and begin ventilation procedures. I would add if it's an alarm, I would add all the criteria of.

We don't want you to go in there, so.



Matt Goetz 44:12

Good point.



Jesse Kenser 44:15

Let's see, check the hydro monitoring alarm. If it's an alarm, don't enter the room. If you can smell the rotten egg coming out under like all of it, it almost should be if answered yes to what 11?

1098 or 7.

And do not enter room.



Matt Goetz 44:47

Makes sense.



Jesse Kenser 44:47

I don't know what everybody else thinks.



Matt Goetz 44:47

Yeah.

Yeah, agree.



Shaniya Cobbs 44:51

Just making those. She's looking, making the adjustment now.



Matt Goetz 44:54

I am curious why it didn't go off though.

Seems.



Jesse Kenser 45:01

Well, that's what I'm saying. Sometimes those have independent detectors that are not necessarily tied to the same BMS detector. So just because the so that's why.



Matt Goetz 45:02

Like a calibration.

Yeah, I'm sure.



Shaniya Cobbs 45:11

Yeah.



Matt Goetz 45:11

Hmm.



Shaniya Cobbs 45:12

That's why they purchased. That's why they purchased the the sulfide detector, because it wasn't detecting.



Matt Goetz 45:18

Like the like the handheld, right? Yeah, yeah.



Shaniya Cobbs 45:19

Yeah, they we didn't have it at first.



Matt Goetz 45:26

And I think those hydrogen detectors that are like in the wall, I think those are installed after the fact.

Like they originally didn't have them, if I'm remembering correctly.



Jesse Kensler 45:38

I don't know. Every system I've seen them in, they didn't work very well, so.



Matt Goetz 45:44

Hmm.



Jesse Kensler 45:48

Because it depends on where they put the detectors, on where they're actually because hydrogen is heavier. So if it's up they won't really or no, I don't know.



Matt Goetz 46:00

Either way, the way that you've been mentioned it, we're addressing all the different reasons not to enter the room.



Jesse Kensler 46:08

Um.



Matt Goetz 46:08

Totally agree.



Jesse Kensler 46:11

Yeah, and I would. I don't know if anybody's volunteered, but Gerald, I would take this to your OPS team. Just have them walk through, see if it makes sense to them.

If we're gonna make this standard, then let's get some feedback from some of the other OPS teams.



Gerald Aldajuste 46:34

Sounds good.



Shaniya Cobbs 46:34

Yeah, I plan to get some information from OPS this week as well and make sure everything is that we're aligned with this, but definitely want to just check in with the team here, see if there was any other additional feedback. So thanks Jesse on those. I'll make those changes on.

Before, Gerald, before you send it out, I'll send it. Like I'll send a new one out with all the updated ones. Yeah, so I'll send an updated one into the chat once I make those changes and then we can go from there.



Jesse Kensler 47:08

We'll we'll need to work with tech OPS to get this added to the list of required EOPS for sites, just like we did with the elevator, right? We got that added.



Matt Goetz 47:18

Yep, I believe so.

Awesome. Thank you, Shanaya.



Shaniya Cobbs 47:29

Awesome. Thanks team. Thanks for the help with that.



Jesse Kensler 47:39

Right, baby.



David Nuckolls 47:42

I did have one thing that I wanted to bubble up that wasn't on the agenda, so I apologize for that. And this question comes from the NBA 05 DE team.

And let me just put the following into the chat.

And down.

And.

Share my screen for additional context.

So Rachel shared a list of electrical mechanical tools that currently quote UN quote lack clear calibration slash testing guidance, including multimeters, infrared thermographers, voltage testers, torque tools, etcetera.

She also attached a calibration list from different sites as reference and then I'm bringing it to the to this group. So I know that I have brought numerous similar cases I think.

To like gets in the past and I think he's always referenced the, you know, the communication that was sent up by tech OPS for the updated maintenance standards. But I didn't know if this level of granularity in terms of the ask.

Was one covered by the maintenance AP or, you know, yes, no. And then two, if no, is this more of a tech OPS?

Question. So with that, I'll yield the floor and let the team.



Matt Goetz 49:41

We wouldn't describe specifics for testing. That's not our expertise. We we would just say that the equipment that she's got listed here would need to be calibrated on an annual basis. So. So what they would need to do is find.



David Nuckolls 49:42

Oyen.



Matt Goetz 49:58

Like in Portland we use Transcat and you just take them in or they come on site to grab them and they and they calibrate them and and then send them back and and that's why we sent out like what you mentioned, we sent out the EHS testing.

Like Netsuite annual case that's generated, but that's as far as we would go for prescribing. We wouldn't, I mean we're not experts on on the calibration techniques for this type of of equipment. We would just have them send it.

To a third party, and that's as far as we would go.

And.

Yeah.



David Nuckolls 50:40

Right. But again, wanted to bring this to this team and now that we're transcribing the meeting notes, once the transcription is done, I'm going to take Matt's response. Massage it to Rachel and team and work with Gerald on that as well. Don't don't mean to leave Gerald out of the fun as well. So thank you team.



Jesse Kensler 51:05

Yeah, tell him to talk to tech OPS. That's definitely tech OPS role.

Any of the maintenance guidelines, any of that type of stuff should be coming from from tech OPS.

I think the mats are just nice and answer the questions because they've dealt with it as operators, so.



Matt Saucedo 51:22

Yes, whoever.

I just sent my or when I was the com I would send the meters and PQM and stuff like that to the same people that I would have like like gloves tested.



David Nuckolls 51:37

But.

Right, and that what you dropped into the chat sauce. Super helpful. I'm gonna grab that too, just like the transcript answer that Gets just provided. So love this crowdsourcing of of answers for Gerald and I. Much appreciated.



Matt Saucedo 51:49

Yeah.

Yeah, but to add what Jesse said, I would, I would say that probably falls under tech OPS to determine.

I mean, unless they want us, unless they want us to do it, then I would just say every 12 months send it out then increase your budget.



David Nuckolls 52:09

Totally agree. Yeah. No, no, no. I just wanted a sanity check.



Jesse Kenser 52:11

They have the.

They own the maintenance guidelines procedures, so to me they own maintenance guidelines.

HRA audits for health score. Nothing really yet for this. All the I know quite a few people helped with given the HRA criteria or the what is it?

Safeguards, conditions and all that to Boyd. Well, one of the things that we're probably going to do with that on the back end is have spot audits of HRAS. For us, it's not really going to be HRAS.

It's because we don't really have a ton of high risk activities going on at our sites. So to me it'd be more of we would go and do audits of it might be medium risk, but we need to come up with what we'd go do our audits of because like I said on the well on the construction side they have a ton of.

High-risk activities that happen all the time. So they're only going to go and audit like 10% of their overall audits. So we are going to do something similar where we'll go out and just do a spot check, make sure all the barriers are in place and all that for the high-risk activities.

So eventually that'll probably lead into our our site health score, but we still need to finish out the criteria and everything for it before we start doing that fall hazard assessment D to D.



Shaniya Cobbs 53:53

Yeah, that was just another one I put in there to get some feedback from the team.

So I know I was briefly discussing this in reference to the in reference to the dirt to delivery. I think we were talking about it maybe a couple weeks ago, but just wanted to get some.

Some additional clarity before speaking again with the regional CSM on whether or not us as in OSMS or they as in CSMS are responsible for completing this hazard assessment and delivering it prior to RFS.

Or on RFS. So as you know, my site's gonna be coming online next month and this was just something that is in the dirt delivery tracking as something that we are responsible for. But I know Jesse, I believe you were mentioning that since they have the exposure to.

The site prior and know the hazards that are associated with the, you know the fall

hazards and that on the site they should be able to complete this assessment and hand it over. But I know it was just a discussion that we briefly talked about South before again addressing this to.

Um, construction team. I just wanted to make sure we're aligned still on that adjustment.

 **Jesse Kenser** 55:15

Yeah, I thought that that was supposed to be done with the construction team and then handed over to us. Is anybody seen differently?

 **Shaniya Cobbs** 55:19

OK.

Yeah.

OK. So then that's great. Just wanted to get some clarity before again bringing it up because it's different on the dirt to delivery and and just wanted to make sure there's support there when having that discussion so.

 **Jesse Kenser** 55:36

Well, let me let me ask this question. Have anybody ever done a fall hazard assessment at our sites from our team?

 **Shaniya Cobbs** 55:44

Alright.

 **Jesse Kenser** 55:45

OK. I just want to make sure that, yeah.

 **Shaniya Cobbs** 55:51

Okay. All right, perfect. All right, thanks.

 **Jesse Kenser** 55:51

OK.

Now if it's when is RFS like?

 **Shaniya Cobbs** 56:00

Right now I believe it's like April 20. I think it's like April. I haven't, we haven't mentioned it because we're we meet bi-weekly with Patrick, but considering that we were away on the summit and stuff like that, we were supposed to meet this week, but he was unavailable. So I pushed it.

 **Jesse Kenser** 56:00

Are you getting push back from from them doing it or?

 **Shaniya Cobbs** 56:19

To next week. So I haven't brought this up yet considering that on the tracker itself when I share my screen it says you know OSM, so I didn't feel the need to address it with him. It was one of those items on hold between me and gets.

So now that it's we're getting to that point of like just kind of addressing those areas, this will be a conversation that I have with him next week. So no pushback yet, nothing. It hasn't really been a highlight of a discussion.

 **Jesse Kenser** 56:49

OK.

Hey, David, when we, when you guys talked through that, um.

Is our EHS construction team actually do the assessment or do they bring somebody in for that like when we do a noise assessment stuff?

 **David Nuckolls** 57:03

So the fall hazard assessment criteria wasn't. I don't believe it was a thing until like on the MVO 5A dirt delivery. If that was a deliverable, it was a construction safety manager deliverable. It was at 06 A.

Where that was the first time I saw it pop up either as a deliverable one or either assigned to the OPS Safety Manager 2. I don't. I don't know the answer to this. It's something that we're going to have to solve for. I know.

Like I know at a high level what we'd be looking for, but what do we what do we capture it on?

How do we, you know, you know what I mean? Like the I whenever I first saw that, I think I reached out to I forget who, but I know, you know, folks, I I was just looking for examples like what I want to do this. What does good look like?

 **Jesse Kenser** 57:47

Yeah, I don't.

 **David Nuckolls** 58:04

How have we addressed this in the past? Kind of like what Chennai is reaching out trying to do now. We just haven't been able to solve for it yet. But at places like say for instance MVA 05D where we've got in 05A where at 05A we've got second floor loading dock doors that roll up at 05D.

 **Jesse Kenser** 58:09

Yeah.

 **David Nuckolls** 58:24

We've got third floor rolling dock doors that say rolling dock doors, talk about roll up doors, you know what I mean? So those are automatic like, well, you know that that's a fall hazard, you know, right there. So we're basically looking for any place that we'd ever have to tie off.

 **Jesse Kenser** 58:28

Open up.

 **David Nuckolls** 58:39

As a function to to work right O.

 **Jesse Kenser** 58:44

OK. Well, should I let us know if if you do get any pushback or just feedback how it goes so we can update our process to me that that checklist should still have the construction.

Uh, that should still be a construction deliverable to me. Um.

Yeah, unless somebody can convince me otherwise. I we don't do it. We've never done it, so.

 **Matt Saucedo** 59:13

Well, how are we supposed to do it?

 **Jesse Kenser** 59:16

I don't know exactly. We're not there before RFS. Well, I'd like to get us in there before RFS, but.

 **Matt Saucedo** 59:18

We're now there.

Yes.

But you know what I mean? They're there every day. Yeah, they're there every day for a year or longer.

 **Jesse Kenser** 59:27

Yeah, it's not our building yet. I agree.

I'm in agreement.

 **David Nuckolls** 59:39

Even still, it won't be rocket science, right? We we should be able to batch process these situations and the one-offs that that we would need to search for are going to be pretty few and far between.

 **Jesse Kenser** 59:52

We.

All right, HRA audits for health score. Like I said, I already talked through that. I'm going to leave it on here because we will be talking about it eventually.

Uh, all right. Anybody have anything else?

 **Matt Saucedo** 1:00:10

Paul, I have a question about this EOP that Shanaya dropped.

I don't know what you guys talked about before I got back. Question Shania, do you have, what kind of batteries do you have? Are they lithium or are they standard BRLA?

 **Jesse Kenser** 1:00:14

OK.



Shaniya Cobbs 1:00:25

Lithium VRLA. We have a few, four different types. I can't. I'm blinking out the other two. Lithium VRLA. I have a note on my desk, but I'm not there right now.

Right now, no.



Matt Saucedo 1:00:44

Does every UPS room have hydrogen monitoring?



Shaniya Cobbs 1:00:48

Yes, but it didn't pick it up.



Matt Saucedo 1:00:51

Yeah, because it's just one battery that gas, right? That's the whole, that's the whole point. OK. So I guess the question is, what was their indication that a battery had gas when they walked in the room, they smelled something?



Shaniya Cobbs 1:00:54

Yes.

Yeah, so first, mom.



Matt Saucedo 1:01:06

I would, I would say.



Shaniya Cobbs 1:01:08

Well, they smelled it in the hallway as well. It was kind of spreading.



Matt Saucedo 1:01:12

I would say if if that was like the indication, if they had like like the hydrogen injector go off or they smelled something odd from a room, I would say before they walked into the room with the tester because it says right here walk in the room with this tester, does it does it indicate above 10 PPM? If yes.

Do not enter the room while you're already in the room, right? I would say first thing would would.



Shaniya Cobbs 1:01:35

Yeah.



Jesse Kenser 1:01:36

Or can they can they stick the detector underneath? Or is there a way to insert it without entering the room?



Matt Saucedo 1:01:42

Probably not, because the hydrogen is going to be lighter than air. You're not going to pick anything up on the floor, right? I would say the first thing you should go do is go check the battery monitoring on all the strings, because if a battery has gassed, you're going to have an open string.



Shaniya Cobbs 1:01:44

No.

Yeah.

Yeah, BMS. Yeah. OK.



Matt Saucedo 1:02:01

And then I would say if you see an open string, I would start the ventilation process and let it run for like at least 15 minutes and then go in there and then open that string. That's that would be my EOP for basically any standard U PS, including lithium. But I'm not gonna tell how to run the site. What I would not do is walk in there and then go, hey, it smells like rotten eggs and I see electrolyte and or visible flames. If they're visible flames, you're gonna have another indication of smoke or a fire alarm going off.



Jesse Kenser 1:02:29

I don't know if I'd want a time limit on that, only because let's say I am under the like 10 parts per million and all that.



Matt Saucedo 1:02:42

That's fine, whatever. I was just given a nominal time range that would make people feel OK about walking in the door.

 **Jesse Kenser** 1:02:44

Well, no, no, no. What what I'm thinking is.

Because what if that breaker didn't open? What if that string's just sitting there still going and you need to go in and because our.

 **Matt Saucedo** 1:02:51

It well.

It won't. It won't open. It's not. What it's not gonna do is it's not gonna burst into flames.

 **Jesse Kenser** 1:02:57

Oh.

I agree with that.

 **Matt Saucedo** 1:03:01

Because once that battery, once that cell is open, you won't have any more voltage throw through it. What you're gonna see is you're gonna see a drop in UPS capacity. Where you have like a like your greatest, your greatest, and this is just standard for any battery system, lithium or otherwise, right? Where you're gonna have your greatest threat of like fire is when you have thermal runaway and the only time you're gonna have thermal runaway is when you're discharging.

Especially with those lithium cells, each every single one has a has that PCB built in with battery monitoring in it, but it also it's also the trickle charge, right? So it's not like it's receiving.

50 amps constant to charge. It's receiving one amp. But when you're discharging, you're discharging at whatever the full strength potential is. And I don't know whether it could be. It could be 200 amps, right? So if you're going to have a battery over heat, which is when?

Most batteries gases on discharge you'll have, you know, you could have four or five batteries pop at the same time, which is the point of the hydrogen monitoring, right? But if that's the case and say they don't pop and then one of them burst into flames cause the the casing melted or the wires melted and it.

Art against the frame, which is the only thing I could think of that would start a fire.

That's when you'll start having thermal runaway and have a real problem. But then you'll have fire and smoke and have a whole bigger problem than the Seat.

 **Jesse Kenser** 1:04:35

What's LTO? I haven't heard of LTO before.

 **Matt Saucedo** 1:04:40

What? LTO?

 **Jesse Kenser** 1:04:41

Is that the brand LTO?

 **Matt Saucedo** 1:04:44

With him.

 **Jesse Kenser** 1:04:45

She said it's flooded cell VRLA lithium, lithium ion LTO. I was just asking what LTO is if you knew.

 **Matt Saucedo** 1:04:50

Oh, it's in the dash.

Blooded cell. You have flooded cells. Are you serious? How old is your building?

Good God.

 **Shaniya Cobbs** 1:04:55

Uh, I think.

 **Matt Saucedo** 1:05:03

I can't believe you'd even have this on operation.

 **Shaniya Cobbs** 1:05:04

Yeah.

Right.

 **Matt Saucedo** 1:05:09

Let me see LCL battery.

Lithium titanite oxide titanite type of rechargeable lithium ion. It's just a different type of lithium battery.

 **Jesse Kenser** 1:05:14

I.

The other thing, Shanaya, for this is we did have JSA's created for all the batteries, so I don't know if we want to reference them specifically in the EOP or tell people.

Depending on the like, go look at the JSA for hazards and all that stuff.

But we should probably point them to the JSA's also, unless we're going to take portions of the JSA and add them to the EOP.

 **Matt Saucedo** 1:05:55

Now you know, for like flooded cells like that, if you have a battery room, which is like typical of like really old legacy data centers, you're always gonna have a constant amount of hydrogen in the air.

Because they're constantly gassing.

Which is just normal operations, but it should never exceed whatever dangerous amounts of hydrogen would be in the air because you should have ventilation and other other controls in place to to evacuate it.

 **Jesse Kenser** 1:06:33

All right.

 **Shaniya Cobbs** 1:06:34

Yeah, we do have a legacy building. It's a so.

 **Matt Saucedo** 1:06:38

I can't believe they're still allowing flooded cells. They're so.

 **Shaniya Cobbs** 1:06:39

More likely, that's what it's at.

 **Matt Saucedo** 1:06:45

Crappy compared to everything else on the market at the moment.



Shaniya Cobbs 1:06:56

Oh, so I definitely will look back at these notes and include the JSA as well, incorporate into the into the EOP where it's feasible at and just make those other adjustments. Thanks. I I appreciate you looking at this sauce.



Jesse Kenser 1:07:13

Mm-hmm.



Shaniya Cobbs 1:07:15

From from your standpoint as well. So I'll send out and I was mentioning that I'll send out the updated version just prior to discussing it with the comms and it and you know you know likewise for all of you because the goal is to kind of make this more of like a standardized EOP that's.



Matt Saucedo 1:07:20

Yes.



Shaniya Cobbs 1:07:35

Used in throughout all regions, so I'll keep you updated on that.



Jesse Kenser 1:07:46

Alright.



Matt Saucedo 1:07:46

Oh.



Jesse Kenser 1:07:52

Final call. Anybody got anything?

All right, going once gone twice old.

Dave, you want to jump on our one-on-one?

Sounds good. All right, team, I'll see you tomorrow for the team building. I don't see you guys on the Sauspice open office hours later today.



Matt Saucedo 1:08:23

I'm on PTO tomorrow, so I will not see you.



Jesse Kenser 1:08:27

Well, you enjoy your PTO tomorrow. Are you off the rest of the week or just tomorrow?



Matt Saucedo 1:08:32

No, just tomorrow. I'm taking my kids to the TX2K in this. It's a big. Yeah, it's it's called TX2K. It's a big auto show. Started yesterday and rolls through Sunday.



Jesse Kenser 1:08:33

OK, well.

What the 2K is it?

Oh, OK.



David Nuckolls 1:08:49

NS Nope.



Jesse Kenser 1:08:49

Nice.



Matt Saucedo 1:08:50

Yeah, and it is. And it's Motor Speedway. That's a big car. It's a big car show. Lots of races, drag races, different levels of it.



Jesse Kenser 1:08:52

And uh.



David Nuckolls 1:08:54

Yep, quarter mile.



Matt Saucedo 1:09:03

It's a good time.

 **Jesse Kenser** 1:09:03

That's cool.

Sounds good. I won't see you guys on Friday since it is Focus Friday, so there shouldn't be any internal meetings on Friday, so.

 **Matt Saucedo** 1:09:14

I may not. I may not see you at all until two weeks from now.

 **Jesse Kenser** 1:09:18

Yeah, I'll be traveling next week, so probably won't get to see you guys much next week either. I'll be at the COO Summit in no in Fort Worth, so.

 **Matt Saucedo** 1:09:23

Oh.

Fort Worth. I'll be in. I'll be in Chicago next week. You know what, Jesse? I'll just. I'll just see you in April, man. Have a good rest of your month.

 **David Nuckolls** 1:09:37

Hey, Matt, watch out for the speed traps in Ellis County. That's the last time I got a speeding ticket like 14 years ago or whatever, driving back up from Houston.

 **Jesse Kenser** 1:09:37

Sounds good.

 **Matt Saucedo** 1:09:45

Oh, dude, trust me, they're probably in full swing right now because it is. It's not.

Yeah, I mean, this is like you can enter your car. It's spring break. You can enter your car. You know people are from all over driving in and.

 **David Nuckolls** 1:09:54

Spring break time. Yeah, yeah.

Yeah, you got hillbilly gems all over the place. Watch out.

 **Matt Saucedo** 1:10:07

It'll be. It'll be a good time. My kids are excited. I'm more. I'm more excited than they are. They don't even know.



Jesse Kenser 1:10:10

Have fun.

They don't know what to be excited yet, but they'll be excited for next year based on this year.



Matt Saucedo 1:10:18

No.

That's right. How are y'all?



Jesse Kenser stopped transcription