



LSCCommitment Guide



LSCatch Reporting



Team Fishel Manual

JHA revision 1-15-2025



Quicklook Training

Daily Work Plan & Job Hazard Analysis

Date:	Job Number:	Work Order #:
Jobsite Address:		
Medical Facility:		911 Caller:
		Back-up Caller:
Supervisor:	Foreman/Crew Leader:	
Safety Coordinator:	Teammate in-Charge if Foreman/CL Leaves:	
Rally point in case of emergency:		Stretch & Flex Lead by:
Chemicals (GHS)	First Level - First Aid Responder Services	
Infotrac (800) 535-5053	On-Site (866) 998-2750	Work Strategies (800) 634-8536
		Core Medical (877) 201-2681
REFOCUS	A.M.	Mid-Day
		P.M.

PLAN FOR THE DAY

Describe the work to be performed today (tell the story for the day).

Acknowledgement of Smith 5 Keys:

1) AIM HIGH IN STEERING	2) GET THE BIG PICTURE	3) KEEP YOUR EYES MOVING
4) LEAVE YOURSELF AN OUT	5) MAKE SURE THEY SEE YOU	**DVIR(s) COMPLETE
All Teammates fit for duty and injury free?		Did we discuss spotters needed for vehicles being backed up?

LIFE SAVING COMMITMENTS

Confined Spaces**	Motor Vehicles	
Electrical**	Traffic Control**	
Excavations**	Elevated Work	
Utility Locating**	LOTO/Energy Control	
Equipment	Material Handling/Rigging	
Slips, Trips, Falls	Environmental	

GENERAL HAZARD CHECKLIST

General Hazards	Teammate Hazards	Public Hazards
Animals/Insects	Allergies/Special Conditions	360 Cones
Atmospheric	Climbing/3pt Contact	Wheel Chocks
Chemical	Change in Elevation	Lifting >105lbs or >50lbs
Biological	Surface Encumbrances	Mechanical (Moving parts)
Dust	Lifting, Twisting, Bending	Rigging (inspection, legible tag, WLL)
Noise	Line of Fire	Small Equipment (compactor, air compressor, generator)
Vegetation (Poison ivy, etc.)	New Teammates (< 1 Yr.)	
Ventilation (Fumes)	Other Contractors/Crews	
Visibility/Lighting	Pinch Points	
Water	Repetitive Motion	
Weather: hot, cold, rain, ice	Sharp Objects	Hand Tools
Hydration**	Slipping/Tripping/Terrain	Red Zone
Restoration**	Fatigue/12+ Hours Worked	Pedestrians

PPE CHECKLIST (LAST LINE OF DEFENSE)					
Identify and discuss proper use of all PPE to be used during the job tasks for the day. Safety Manual Section 1 (Rule 108)					
Standard		Special Considerations			
Work Gloves (A4)		Chainsaw Chaps		Fire Extinguishers	
Hard Hat		Face Shield		First Aid Kit Inspected	
Hearing Protection		Fall Protection		Metatarsal Boot Protection	
Proper Work Boots		Goggles		O2 Monitors Calibrated	
Safety Glasses		Rain Gear		Welding Helmet/Hood	
Traffic Vests		Respirator Protection		Face Coverings	
SAFETY HAZARD ANALYSIS & PLAN					
Document any changes made in AM, Mid-Day and PM huddles.					
Following briefing, have everyone you briefed initial in the box below acknowledging they were present for the briefing. Safety Manual Section 1 (Rule 104)					
1. What about our tasks that can kill or seriously injure us?					
2. What controls are in place to protect us when we fail?					
3. Are the controls we put in place enough to allow us to fail safely?					
High Risk Work Activities & Who's Performing Them (Include all items identified in the checklist)		Steps Taken to Eliminate/Control the Hazards (Elimination, Engineering)		Initials/TM #	

UTILITY LOCATING PROCEDURES - DAILY UTILITY LOCATE INSPECTION CHECKLIST									
Inspections to be completed daily, before the start of each work shift prior to performing any type of excavating either by hand or with mechanized equipment. Safety Manual Section 10									
This practice is to ensure all known utilities are marked and properly exposed before excavating.									
Will you Excavate Today?		Y/N		Locate Number:		Date Ticket Valid:			
Locates have been completed and are valid for work today.						Y / N		Date Ticket Expires:	
All known utility/facility marks on the ground are visible.						Y / N		All utilities to be crossed have been potholed and the location and the depth have been verified as required by Team Fishel's ULP.	
A visual check for pedestal, riser, new trench lines, ect. was completed.						Y / N			
All Teammates have been informed of any potential hazards.						Y / N			
Service feeds from building and homes have been identified.						Y / N			
All marked utilities have been properly potholed.						Y / N		Supervisor Signature required for All Critical Facility Crossings:	
All exposed utilities are properly supported and have been protected.						Y / N			
Utilities	Service/Main	Located?	Depth	Additional Utilities/Private		All Paralleling utilities within 3 ft. of our path have been potholed and the location and depth have been verified every _____ feet.			
Gas	S / M	Y / N							
Electric	S / M	Y / N				Pre-Job Pictures/Videos Taken?			
Water	S / M	Y / N							
Sewer	S / M	Y / N				Post-Job Pictures/Videos Taken?			
Telephone	S / M	Y / N							
Fiber Optic	S / M	Y / N							
Other	S / M	Y / N							
HORIZONTAL DRILLING INSPECTION REPORT									
Inspections are to be completed daily, before the start of each work shift and any additional drill shots. Safety Manual Section 19									
GENERAL CONDITIONS					DRILL INSPECTION CHECKLIST				
Communication Device/Signals					Strike Alert Operational			Entry Pit Guarded	
Proper Tooling for Shot					Drill Head Calibrated			Properly Grounded	
Proper Mud Mix					Equipment Guards In Place			Vac Trailer/Truck in Place	
Dielectric/EH Boots in Use					Equipment Fluids Checked			Depth Verified	
Site Properly Barricaded					Job Print Page #		Dielectric Gloves Inspection Date:		
RESTORATION									
This must be done at the end of each day where restoration practices have been conducted.									
Did you restore sidewalks today?			Y / N		Did you restore street cuts today?			Y / N	
Is the surface even/flush with surrounding areas?			Y / N		Steel plates used? Pinned? Recessed?			Y / N	
Are all trip/fall hazards addressed?			Y / N		Are steel plate signs in use?			Y / N	
Are open pits/trenches guarded properly?			Y / N		Restoration safe for the general public?			Y / N	
Is the sidewalk properly restored?			Y / N		Has the project been completed restored?			Y / N	
Pre-Job Pictures/Video Taken?			Y / N		Post-Job Pictures/Video Taken?			Y / N	
EXCAVATION INSPECTION REPORT									
Inspections are to be completed daily, before the start of each work shift and as conditions warrant for any trench or excavations before anyone is allowed to enter the trench. Safety Manual Section 8									
GENERAL CONDITIONS					SPECIAL CONSIDERATIONS				
Inspect, check, and document all that apply.					All surface encumbrances have been supported.				
Depth:		Length:		Width:		All utilities have been properly guarded/protected.			
Soil Test		Soil Type?		Type B	Type C	Atmosphere test performed as necessary.			
Set Back	2 ft - equip/material from edge				Forced air ventilation required?				
Ladder Use	3 ft - rungs extended above landing				Protect Teammates form any water accumulation.				
Access/Egress	4 ft - trench depth & access every 25'				Trench Inspection				
Protection	5 ft - trench depth				Competent Person Name:				
Walkways/Fall Protection	6 ft - over trench				Reason for Re-Inspection				
Have equipment inspection reports been completed for each piece of equipment?					Time				
DESCRIPTION OF PROTECTIVE SYSTEM					Bench				
					Slope				
					Shore				
					Box/Shield				
					Tab Data				
Controls to protect equipment working in close proximity to excavation									
Type of control if preventing access to part of an excavation									
Additional Notes:									

CONFINED SPACE PRE-ENTRY CHECKLIST & INSPECTION FORM

This checklist & inspection form is required to be completed prior to any teammate entering any confined space.

Safety Manual Section 9

PRCS	*If the confined space contains one or more of the hazards listed below you will be unable to reclassify the space as "Non Permit Confined Space. NO ONE IS PERMITTED TO ENTER A PERMIT REQUIRED CONFINED SPACE PER POLICY!
NPRCS	*If after initial testing is performed from the outside of the confined space and no hazards exist, the space may be reclassified as Non-Permit Confined Space and entry is permitted.
Alternate Procedure	If the only hazard present is a potential atmospheric hazard that can be controlled by forced air ventilation and continuous monitoring and inspection is performed.

COMPETENT PERSON NAME:

HAZARD IDENTIFICATION	STEPS TO CONTROL HAZARD	REQUIRED ATMOSPHERIC TESTING
Reclassified to Non-Permit Confined Space?	Yes or No	If No, All Stop Is Required until Reclassified
Did You Test the Lid Before Removing?	Yes or No	Air Monitor Reading Required -
Have all Teammates associated with the Confined Space work been properly trained?		Yes or No If No, ALL Stop is required!
Lack of Oxygen		Initial Test Test 2 Test 3 Test 4
Toxic Atmosphere		Time
Biohazard		O2 (%)
Slips & Falls		LEL (%)
WATER IN SPACE		CO (PPM)
Mechanical		H2S (PPM)
Electrical		TM:
Animals/insects		Additional Notes:
Visibility		

ELECTRICAL HAZARD ANALYSIS

A hazard analysis is to be completed daily, before the start of each work shift and as conditions warrant. Safety Manual Section 7

QUALIFIED OBSERVER:

Required while establishing and maintaining clearances during energized work.

ELECTRICAL HAZARDS	If checked, describe means to control/eliminate hazards
Primary/Secondary	
Induction/Back Feed	
Under Build	
Adjacent Lines	
MECHANICAL HAZARDS	If checked, describe controls of hazards
Structures	
Equipment	
Material Handling	
INSPECTIONS COMPLETED	Frequency of Inspection Required
Rigging	Inspection completed and documented prior to use: Yes N/A
Equipment	Inspection documented: Yes N/A
Rubber Gloves	Gloves within 6 months of stamped date: Yes No
Rubber Sleeves	Sleeves within 12 months of stamped date: Yes No
Blankets	Blankets within 12 months of stamped date: Yes No
Hot Sticks	Hot sticks within 12 months of stamped date: Yes No
Grounds	Grounds within 12 months of stamped date: Yes No

TEAMMATE NAME COMPLETING THIS SECTION:

ENERGY SOURCE CONTROLS	Number(s)	Description(s)
Was Clearance Issued?		Who received the clearance?
Circuit #		
Switching Request #		
Recloser Turned Off		
Normal Open		
INSULATE/ISOLATE PROCEDURES	If checked, describe means to control/eliminate hazards	
Cover Up		
Minimum Approach		
Gloving/Sleeves		
OPT (One Potential)		
Grounds	How Many Installed?	How Many Removed?
Address/Structure #	Date:	
Bucket Truck Dielectric Test Dates (Truck # & Expiration Date):		
Additional Notes:		

HYDRATION MONITOR NAME:			
HEAT ILLNESS PREVENTION HYDRATION ACTION PLAN (IF HEAT INDEX IS UNKNOWN, FOLLOW NEXT TIER TEMP PLAN)			
Safety Manual Section 2 Appendix B			
TEMPERATURE	MAXIMUM TIME BETWEEN HYDRATION BREAKS	HYDRATION TARGET	TODAYS TEMPERATURE
<80		8-12 OZ/HR	
80-85		8-16 OZ/HR	REST BREAK LOCATION
86-90	50 (10 MIN) CAUTION	12-20 OZ/HR	
91-95	45 (10 MIN) MODERATE	16-24 OZ/HR	
96-103	40 (10 MIN) HIGH	24-32 OZ/HR	
103-115	35 (10 MIN) VERY HIGH	32-40 OZ/HR	
>115	30 (10 MIN) EXTREME	40-44 OZ/HR	
HYDRATION	O=16OZ BOTTLE	BREAK TIME	NUTRITION
TM NAME	HYDRATION INTAKE PER HOUR	Up 1 Tier with more PPE	PROPER NUTRITION?
	000000000000000000000000000000		
	000000000000000000000000000000		
	000000000000000000000000000000		
	000000000000000000000000000000		
	000000000000000000000000000000		
	000000000000000000000000000000		
	000000000000000000000000000000		
	000000000000000000000000000000		
TRAFFIC CONTROL PLAN			
This section is for work that impacts any vehicular traffic or pedestrian walkways. Completion of this section is required if you do not already have a Traffic Control Plan supplied for your workzone.			
Type of Impedement		Signs	
Sidewalk		Correct signs utilized based on work impediment(s)?	
Roadway		Properly Spaced Based on Road Speed?	
Private Drive		Taken down or covered at end of day?	
Parking Lot		Cones	
Intersection		Set out a sufficient amount of cones set out?	
Other		Ensure all cones properly spaced?	
Flagging		Ensure all cones are in good condition before use?	
All Flaggers Properly Trained?		Arrow Board	
All Flagger Tools Available? (paddles)		Lights Working Properly?	
Steel Plates		Properly Spaced and Positioned?	
Recessed to ground		Additional Items	
Pinned (unless jurisdiction states otherwise)		Alternate Route or Escort Available to Pedestrians?	
Identified by Signage		Proper Illumination of Signs and Lighting for Night Work?	
Planned Date for Removal?		Is a Police Officer Required Onsite?	
Additional Notes:			

POST JOB DE-BRIEFING

Any new health issues or injuries that did not exist at the start of the day need to be reported?	
What went well and according to our plan?	
What did not go as planned? (unforeseen issues)	
Did we have the correct tool, equipment, and Teammates for the job?(If not,what is needed)	
What can we do with our plan to be more successful tomorrow?	
What is our plan for tomorrow and what do we need to accomplish it safely? (Materials, tools, equipment)	
What items need to be communicated with supervision? Has this been communicated and how?	
Does any equipment issues need to be communicated to the shop? Has this been communicated and how?	

Space For Additional Items/Notes

Equipment Safety Inspection & Repair Report



Division _____ Date _____

Location _____

Equipment # _____ Type _____

Hour Meter _____

N/A = Not Applicable OK = No Repairs Needed RR = Requires Repair

Outside

NA	OK	RR	
☐	☐	☐	Lights
☐	☐	☐	Steps/Handrails
☐	☐	☐	Tires/Tracks
☐	☐	☐	Exhaust
☐	☐	☐	Fenders
☐	☐	☐	Bucket
☐	☐	☐	Cutting Edge/Teeth
☐	☐	☐	Lifting Mechanism
☐	☐	☐	Hoses
☐	☐	☐	Fittings Greased
☐	☐	☐	Hitch/Coupler Wipers
☐	☐	☐	Drill Head Calibrated
☐	☐	☐	Strike Alert Tested
☐	☐	☐	Dielectrics

Engine Compartment

NA	OK	RR	
☐	☐	☐	Battery Cable
☐	☐	☐	Fan Belt
☐	☐	☐	Hoses
☐	☐	☐	Air Filter
☐	☐	☐	Guards

Inside Cab

NA	OK	RR	
☐	☐	☐	Brake Service
☐	☐	☐	Brakes Parking
☐	☐	☐	Backup Alarm
☐	☐	☐	Fire Extinguisher
☐	☐	☐	Gauges
☐	☐	☐	Horn
☐	☐	☐	Hydraulic Controls
☐	☐	☐	Glass (all sides)

Engine Compartment

NA	OK	RR	
☐	☐	☐	Mirror
☐	☐	☐	Roll Over Protection
☐	☐	☐	Seat Belt/Seat
☐	☐	☐	Steering

Fluids

NA	OK	RR	
☐	☐	☐	Visible Leaks
☐	☐	☐	Oil Level/Pressure
☐	☐	☐	Coolant Level (Check only when equipment is cold)
☐	☐	☐	Hydraulic Oil Level
☐	☐	☐	Fuel Level

Explanation of Defects _____

_____Repairs or adjustment needed _____Repairs or adjustment needed for safe equipment operation

Operator's Signature _____