

Transport Planning App: Build Specification

Version: 1.0 (draft)

Owner: Luke Deakin

Working name: TBC (referred to as "the app" throughout)

Date: October 2026

0. How to use this document (instructions for the AI builder)

You are building a production-quality, multi-company web app that helps small and medium-sized manufacturers and distributors plan their deliveries, using both their own vehicles and outside hauliers.

Rules for the build:

1. **Build in the stages set out in Section 14, in order.** Do not start a stage until the previous stage's "Done when" checks all pass.
 2. **Build the design system first (Stage 0),** before any feature screen. Every screen must use its tokens and components. No one-off colours, font sizes or spacing values.
 3. **Nothing is hard-coded to one industry.** Doors, windows, tyres and so on are *configuration* (handling unit types, vehicles, site rules), never special-case code.
 4. **The app assists; it never decides.** It suggests and warns. A person approves every plan.
 5. **Write tests as you go.** The rules engine (Section 7) and the data isolation between companies (Section 5) must have automated tests.
 6. **Keep a** `CLAUDE.md` **in the repo root summarising the architecture, conventions, and current stage, and update it at the end of each stage.**
 7. **If something in this spec is unclear or seems wrong, stop and ask** rather than guessing.
 8. Use UK conventions throughout: British English, dd/mm/yyyy dates, 24-hour times, kg, metres/mm, miles for road distance, £, Europe/London timezone.
-

1. Product summary

Most SME manufacturers plan transport in Excel, from knowledge held in one person's head. Existing software is either built for hauliers (who *are* the transport company) or is enterprise-priced shipper software. The app fills the gap: a clean, configurable planner for companies that run a few vehicles of their own **and** book outside hauliers or pallet networks, scheduling around production readiness.

What it does in one sentence: it plans fuller loads, picks the cheapest valid option, and stops failed deliveries.

Core value (what customers pay for)

1. **Captures the planner's knowledge.** Every site's restrictions are stored once and checked automatically every time.
2. **Proposes loads ready to approve,** instead of the planner building every load from scratch.
3. **Shows the cheapest valid option** (own vehicle vs each haulier vs a pallet network) with invalid options ruled out.
4. **Flags problems before the day:** unready orders, unloading conflicts, missing bookings, access issues.
5. **Keeps a searchable history** with documents, confirmations and proof of delivery, to settle disputes.

Pilot

The first live user will be a door manufacturer. Door loads must often travel upright, so the tail lift on a Luton van can't be used for them, and they need a forklift or handballing at the other end. The app must handle this purely through configuration.

2. Product principles

1. **Assist, don't automate.** Suggestions always show *why* (e.g. "grouped because all 4 drops are within 18 miles and ready Thursday").
2. **Configurable, not custom.** A new customer is a setup job, never a code change.
3. **Organisation is the product.** Everything is where a planner expects it, in the order they work.
4. **It must look and feel better than Excel.** Calm, clean, well spaced, fast. See Section 10.

5. **Every warning is actionable.** Each one says what is wrong and offers a fix.
6. **Record who decided what.** Overrides, confirmations and changes are logged, protecting the planner and the business.

3. Users and roles

Role	Who	Can do
Admin	Owner / transport manager	Everything, including Settings, users and billing
Planner	Transport planner	Create and edit orders, customers, sites and loads; approve plans; override warnings (with reason)
Warehouse	Pickers / loaders	View pick sheets; tick items as picked and loaded; flag shortages
Driver	Own-fleet drivers	View own run sheet on phone; record proof of delivery; report issues
Office	Sales / admin staff	View-only access to orders, plans and history; search; no edits

A user belongs to one organisation in v1. Roles are enforced on the server, not just hidden in the interface.

4. Technology

Area	Choice	Notes
Framework	Next.js (App Router) + TypeScript (strict)	
Hosting	Vercel	Preview deploy per branch
Database, auth, file storage	Supabase (Postgres, Auth, Row Level Security, Storage)	
UI	Tailwind CSS + shadcn/ui (Radix	

components	primitives)	Restyled to our design tokens
Drag and drop	dnd-kit	Plan board
Maps	Leaflet with a commercial-use tile provider (e.g. MapTiler or Stadia free tier)	Do not use the public OpenStreetMap tile servers in production
Postcode lookup	postcodes.io	Free; cache results in our database
Road distance / time	OpenRouteService (HGV profile)	Fall back to straight-line distance × 1.3 if unavailable; cache results
Email (later stage)	Resend	
Testing	Vitest (unit), Playwright (end-to-end and screenshots)	
Validation	Zod	Shared between client and server

All third-party calls go through a small service layer so providers can be swapped later.

5. Multi-company setup (critical)

- Every business table has an `organisation_id`.
- **Row Level Security** ensures a user can only ever read or write their own organisation's data.
- Automated tests must prove that a user from Organisation A cannot read, list, update or delete anything belonging to Organisation B, through any route.
- Files in storage are stored under an organisation-specific path, with matching storage policies.
- Each organisation has its own settings: brand colour, logo, depot address(es), warning thresholds, unit types, vehicles, hauliers.

6. Data model

Field lists below are the minimum. Every table also has `id`, `organisation_id`, `created_at`, `updated_at`, `created_by`.

6.1 Organisation and users

- **Organisation:** name, logo, brand accent colour, timezone, default depot(s), warning thresholds (Section 7.3), site-info staleness period (default 180 days).
- **Depot:** name, address, postcode, lat/lng, loading equipment, opening hours. An organisation can have several (e.g. factory plus warehouse).
- **Membership:** user ↔ organisation, role.

6.2 Handling unit types (what is moved)

Configured per organisation. Examples: Euro pallet, UK pallet, glass stillage, A-frame, door pack, tyre stack, crate, cage, long length (loose).

Fields:

- name, short code, colour tag (from a fixed palette)
- length / width / height (mm), typical weight (kg)
- stackable (yes/no), max stack height
- **must stay upright** (yes/no)
- fragile (yes/no)
- **returnable asset** (yes/no) → links to asset tracking (6.11)
- **requires two people** to handle (yes/no)
- minimum unloading method (any / forklift only / crane only)
- load securing notes (free text, printed on run sheets)

6.3 Vehicles

- **Vehicle:** name, registration, type (van, Luton, 7.5t, 12t, 18t, 26t, artic, flatbed, curtainsider, HIAB/crane, other), owned or hired.
- Deck internal length / width / height (mm), payload (kg), gross weight (kg), overall length (m).
- **Unloading methods supported** (multi-select): tail lift (with max lift kg, default 750), side access (curtainsider), rear only, crane (with max lift kg).
- **Capacity per handling unit type** (e.g. 12 pallets or 6 stillages). Stored as a matrix; mixed loads are checked by floor space and weight.

- Crew size default (1 or 2).
- Compliance: Euro emissions standard, London HGV safety permit (yes/no, expiry), clean air zone compliant (yes/no).
- Running cost: £ per mile, £ per driver hour.
- Active / off road (with dates, e.g. for servicing).

6.4 Drivers

Name, phone, licence categories, linked user (optional), availability by day.

6.5 Hauliers and rate cards

- **Haulier**: name, type (haulier / pallet network / courier), contacts, vehicle types available, coverage (postcode areas), services (tail lift, timed, two-person, crane), notes, rating (internal, 1–5).
- **Rate card** (one haulier can have several, each with valid-from/to dates):
 - per pallet by postcode zone and pallet size (quarter / half / full)
 - full load / part load prices by zone
 - per drop charge, extra drop charge
 - surcharges: tail lift (per pallet), timed delivery, remote area postcodes, waiting time (£/hour after X minutes), two-person
- **Marketplace-ready fields** (not used in v1, but include them now):
`is_platform_listed`, `is_sponsored`, `sponsored_until`. Include a **QuoteRequest** table: order(s), haulier, sent at, status, quoted price, response notes.

6.6 Customers, sites and contacts

- **Customer**: name, account ref, notes, default delivery instructions.
- **Site** (a customer has many): name, address, postcode, lat/lng (from postcode lookup; draggable map pin to correct it).
 - **Access**: max vehicle type / length / weight, no HGVs, height restriction (m), narrow access note, parking note.
 - **Unloading at site**: forklift / Moffett / pump truck / none; handball allowed (yes/no); people needed for handballing; crane drop allowed.
 - **Booking**: booking required (yes/no), lead time (hours), how to book, opening hours, delivery windows by day.
 - **Site rules**: PPE, induction, site contact must be present (yes/no).
 - **Info freshness**: `last_verified_at`, `verified_by`.
 - Free-text notes.

- **Contact:** name, role, phone, email, linked to a customer and/or site.

6.7 Orders

- customer, site, order ref, **customer PO number, delivery note number, invoice number**
- required delivery date, earliest delivery date, latest date
- **urgency:** standard / timed / critical
- **readiness:** not started / in production / part ready / ready, plus a free-text "missing items" note and expected ready date
- status: unplanned / planned / loaded / out for delivery / delivered / failed / cancelled
- **lines:** handling unit type, quantity, weight per unit, description
- attachments (PDF, images)
- delivery instructions (pre-filled from site, editable per order)

6.8 Loads and stops

- **Load:** date, depot, vehicle or haulier, driver(s), crew size, status (draft / planned / confirmed / loading / out / complete), notes.
- **Stop:** load, sequence number, site, order(s), planned ETA window, **booking ref and slot time**, status (pending / delivered / part delivered / failed).
- **Delivery confirmation** (on stop, all optional except "confirmed"):
 - confirmed (yes/no), confirmed by (name, chosen from site contacts or typed), method (email / phone / text / in person / portal), confirmed at, note, attachment (e.g. email screenshot).

6.9 Warning overrides

Warnings are calculated live (Section 7), not stored. When a planner overrides a **blocking** warning, store an **Override:** warning code, load/stop/order, reason (required), user, timestamp.

6.10 Proof of delivery

Per stop: received by (name), signature image, photos, delivered quantity per order line, damage / shortage notes, timestamp, GPS location (if allowed).

6.11 Returnable assets (stillages, A-frames, cages)

- **Asset:** type (handling unit type with "returnable" set), asset number/ID, status (at depot / on vehicle / at customer / lost / retired), current customer/site, date dropped, expected return date.

- **Asset movement:** asset, from, to, load/stop, timestamp, user.

6.12 Standing runs

For businesses with routine routes (e.g. tyre wholesalers, parts suppliers).

- name, days of week, order cut-off time, default vehicle and driver, list of regular sites in default order.
- Generates a draft load each run day; orders for those sites received before cut-off are suggested onto it.

6.13 Reference data (seeded, admin-updatable)

- **Postcode zones:** groups of postcode areas per organisation (for rate cards and planning colours).
- **Compliance zones:** London (LEZ, ULEZ, HGV safety permit area) and the English clean air zone cities, stored as postcode district lists with rules per vehicle class. Seed with current data and show the data's "last updated" date in Settings.

6.14 Audit log

Every create / update / delete on orders, loads, stops, sites and settings: who, when, what changed (before/after).

7. Rules engine (the heart of the app)

7.1 Design

- Each check is a **pure function** in its own file: `(context) => Warning[]`.
- A warning has: `code`, `severity` (`blocking` / `check` / `info`), `title`, `detail` (plain English, naming the actual items), `entity` (`load` / `stop` / `order`), and `fixes` (list of suggested actions, e.g. "Switch to curtainsider", "Assign second crew member").
- Checks run whenever a load, stop or order changes, and on the Today screen.
- Every check has unit tests covering pass, warn and edge cases.
- Severity thresholds come from organisation settings where marked .

7.2 Checks for v1

Code	Severity	Fires when
CAPACITY_SPACE	Blocking	

		Units exceed vehicle floor space / capacity
CAPACITY_WEIGHT	Blocking (Check at  90%)	Load weight exceeds payload
UPRIGHT_TAIL_LIFT	Blocking	A unit must stay upright, the vehicle's only unloading method is a tail lift, and the site has no forklift or handballing
UPRIGHT_HANDBALL	Check	As above, but the site allows handballing: tell the planner how many people are needed
TAIL_LIFT_WEIGHT	Blocking	A unit's weight exceeds the vehicle's tail lift limit and there is no other method
NO_UNLOAD_METHOD	Blocking	No compatible combination of vehicle method and site equipment exists
CREW_TOO_SMALL	Check	Two-person units or handballing require more crew than assigned
SITE_VEHICLE_ACCESS	Blocking	Vehicle exceeds the site's max length, weight or type, or site is "no HGVs"
BOOKING_MISSING	Blocking within  24 h, Check before	Site requires booking and the stop has no booking ref
OUTSIDE_WINDOW	Check	Planned ETA falls outside the site's opening hours or delivery window
ORDER_NOT_READY	Blocking	Order readiness is not "ready" and the load date is before the expected ready date
ORDER_PART_READY	Check	Order is part ready
NOT_CONFIRMED	Check within  2 days	Delivery not confirmed with customer
SITE_INFO_STALE	Info	Site's last verified date is older than  180 days
ZONE_COMPLIANCE	Check	Vehicle not compliant for a compliance zone the stop falls in

DRIVER_HOURS	Check	Estimated run duration exceeds  the driving / duty limit
LATE_DELIVERY	Check	Planned date is after the order's required date
ASSET_OVERDUE	Info	Returnable assets at a site beyond the expected return date

7.3 Overrides

- A **blocking** warning stops a load being marked "Confirmed" until it's fixed or overridden.
- Overriding requires a written reason and is logged (6.9). The warning stays visible with an "Overridden by [name]: [reason]" note.
- **Check** and **info** warnings can be dismissed per load without a reason, but dismissals are still logged.

8. Suggestions (assist features)

All suggestions show their reasoning and can be accepted, edited or ignored. Nothing is applied without a click.

8.1 Suggested loads

- Inputs: orders that are ready (or will be by the date), required dates, site locations, unit types, available vehicles, depot.
- v1 method: group orders by required date window, cluster by distance from each other and from the depot, then fill vehicles up to capacity, using the rules engine to reject invalid combinations.
- Output: proposed loads, each with a summary line (e.g. "5 drops · 31 miles spread · 18t · 14/16 pallet spaces · no blocking warnings"), shown on the plan board as ghost cards with **Accept / Edit / Dismiss**.

8.2 Cheapest valid option

For any order or load, list every option ranked by cost:

- **Own vehicle:** road distance × £/mile + estimated hours × £/driver hour.
- **Each haulier / pallet network:** priced from their current rate card, including applicable surcharges (tail lift, timed, remote area, two-person).

- Options failing a **blocking** check are shown greyed out at the bottom with the reason ("Tail lift only; doors must travel upright").
- Show a cost breakdown on tap. Clearly label any estimate.

8.3 Fill the gaps

For a planned load with spare capacity, suggest ready orders within  X miles of the route that could go early or on time, with the extra miles and the cost saving shown.

8.4 Stop order

Suggest a drop sequence (nearest-neighbour from the depot, respecting time windows). The planner can drag to reorder. The warehouse load order is automatically the reverse of the drop order.

8.5 Asset collections

When a load passes within  X miles of a site holding overdue returnable assets, suggest adding a collection stop.

9. Screens

Navigation: a left sidebar on desktop, a bottom bar on phone. The seven tabs, in this order:

9.1 Today

- Header: date, number of loads, vehicles out, drops.
- **Needs attention** panel at the top: all blocking warnings first, then checks, grouped by load. Each one links straight to the fix.
- Today's loads as cards: vehicle, driver, stop count, capacity bar, status, warnings badge.
- Orders due in the next  5 working days that are unplanned or not ready.
- Overdue returnable assets (count, linked).

9.2 Plan

The main working screen.

- **Week view** by default (Mon–Fri, toggle Sat/Sun), with a day view as well.
- **Left panel:** unplanned orders pool, with filters (date, postcode zone, customer, readiness, urgency) and search. Each order is a compact card: customer, site

town/postcode, units summary, required date, readiness chip.

- **Main area:** columns for days; within each day, a card per load (vehicle or haulier).
- **Drag** an order onto a load to add it. The load's **capacity bars** (space and weight) fill as you drag, turning amber near the limit and red over it, *before* you drop.
- Load card shows: vehicle/haulier, driver, stops in order, capacity bars, estimated miles and cost, warnings badge.
- **Map panel** (toggle, side-by-side on wide screens): pins for unplanned orders (colour by required date) and planned loads (colour per load, with route line). Selecting a pin highlights the order card and vice versa.
- **Suggest loads** button → ghost suggestions (8.1).
- Clicking a load opens a **side panel** (not a new page): stops list with drag reorder, booking and confirmation fields per stop, warnings with fixes, cheapest option comparison, notes, status actions.

9.3 Orders

- Table with saved filters, column chooser, search across refs, PO, delivery note, customer and postcode.
- Order detail: lines, readiness, documents, site details (read-only, with link), history of changes, linked load.
- **Import CSV** button (Section 11).

9.4 Customers

- Customer list → customer page with tabs: **Sites, Contacts, Orders, Assets, Notes**.
- Site page: address with map pin, access, unloading, booking rules, contacts, notes, "Last verified" with a **Mark as verified** button.

9.5 Warehouse

- Day picker; list of loads for the day.
- Per load: the **pick sheet**, in load order (last drop first), showing order ref, customer, units, quantities, handling notes, and load securing notes.
- Tick boxes per line (picked, loaded), shortage flag with note. Progress visible to the planner on the load card.
- Large tap targets for tablet use. Print button (Section 10.8).

9.6 History

- Search by customer, site, date range, order ref, PO number, delivery note number, vehicle, driver, haulier.

- Results show the load, stops, confirmation record, documents, and proof of delivery.
- "What did we send [customer] in [month]?" must take one search.

9.7 Settings

Sections: Organisation & branding · Depots · Users & roles · Handling unit types · Vehicles · Drivers · Hauliers & rate cards · Postcode zones · Standing runs · Warning thresholds · Compliance zones (data date shown) · Import/export.

9.8 Driver view (phone)

- Today's run: stops in order, each with address, contact (tap to call), delivery instructions, booking slot, handling notes.
 - Navigate button (opens the phone's map app).
 - At each stop: **Delivered** / **Part delivered** / **Failed** → capture name, signature, photos, quantities, damage notes. Failed requires a reason from a list plus a note.
 - Works with a weak signal: queue submissions and send when back online.
-

10. Design system and quality bar

The app must look and feel noticeably better than a spreadsheet. Calm, organised, and spacious, without wasting room.

10.1 Typography

- Font: **Inter** (via `next/font`), with tabular numbers turned on for all figures and tables.
- Type scale (px): 12 / 14 / 16 / 20 / 24 / 32. Body 14 in dense views, 16 elsewhere.
- Weights: 400 regular, 500 medium (labels), 600 semibold (headings). No other weights.
- Line height 1.5 for body, 1.25 for headings.

10.2 Spacing and layout

- 4px base unit; use only 4, 8, 12, 16, 24, 32, 48, 64.
- Page padding: 24 desktop, 16 phone.
- Cards: 16 padding, 12 radius, 1px border, subtle shadow only on raised elements (dragging, menus).
- Consistent alignment: labels, inputs and table columns line up on a shared grid across all screens.

10.3 Colour

- Neutral grey scale for surfaces, borders and text.
- **One accent colour per organisation** (set in Settings, default deep blue). Used for primary buttons, active tab, focus rings, selection. The app checks contrast and adjusts text colour automatically.
- **Status colours carry meaning only**, never decoration:
 - Red: blocking
 - Amber: check
 - Green: ready / complete
 - Blue: info
- Status is always shown with an **icon and a label** as well as colour (for colour-blind users).
- Load colours on the map use a fixed, distinguishable palette of 10.
- **Light and dark mode**, both fully designed, following the system setting with a manual toggle.

10.4 Components (build these first, in Stage 0)

Button (primary / secondary / ghost / danger) · Input, Select, Combobox, Date picker · Checkbox, Toggle · Chip / Badge (status) · Card · Table (sortable, sticky header, column chooser) · Side panel · Modal · Tabs · Toast · Empty state · Skeleton loader · Capacity bar · Warning item (with fixes) · Map panel · Avatar · Tooltip.

Build a **component gallery page** (`/dev/components` , dev only) showing every component in every state, in light and dark mode.

10.5 Density

A **Comfortable / Compact** toggle per user. Compact reduces row height and padding for scanning large lists; it never reduces font size below 14px.

10.6 States

Every screen and panel must have a designed **empty state** (with a helpful next action), **loading state** (skeletons, not spinners), and **error state** (plain English, with a retry). A new organisation should never see a blank or broken-looking page.

10.7 Text and overflow rules

- Nothing overlaps, ever. No text spills out of its container.
- Long names truncate with an ellipsis and show the full text on hover/tap.

- Numbers never wrap.
- Layouts must work at **375px** (phone), **768px** (tablet) and **1280px+** (desktop).

10.8 Print

Dedicated A4 print layouts for: pick sheet, driver run sheet, delivery note summary.
Clean black-and-white friendly, organisation logo, page numbers, no app chrome.

10.9 Accessibility

- WCAG 2.2 AA contrast in both themes.
- Full keyboard use, visible focus rings, labelled controls.
- Drag-and-drop always has a non-drag alternative (e.g. an "Add to load" menu).

10.10 Quality gate for every stage

Before a stage is signed off:

1. Playwright screenshots of every new screen at 375, 768 and 1280 widths, in light and dark mode.
2. Review the screenshots for overlaps, overflow, misalignment and inconsistent spacing; fix any found.
3. All unit and end-to-end tests pass.

11. Import and export

- **CSV import** for orders, customers/sites, and vehicles:
 1. Upload file → 2. Map columns to fields (remember the mapping per organisation) → 3. Preview with row-by-row validation errors → 4. Import valid rows, download a file of the rejected rows.
- Postcodes are looked up and validated during import.
- **CSV export** for any table view (respecting the current filters).
- PDF output via the print layouts (10.8).

12. Non-functional requirements

- **Performance:** the Plan screen stays smooth with 300 unplanned orders and 30 loads in a week.

- **Security:** Row Level Security on every table; server-side role checks; no secrets in the client; rate limiting on auth.
 - **Data protection (UK GDPR):** organisation admins can export all their data and request deletion; personal data (contacts, drivers, signatures) is only visible to the owning organisation; privacy notice and data processing terms (to be written later) linked from Settings.
 - **Backups:** Supabase point-in-time recovery enabled on the production project.
 - **Audit:** see 6.14.
 - **Reliability:** external services (maps, postcodes, routing) failing must never stop planning; show a notice and fall back.
-

13. Seed and demo data

Create a demo organisation, "**Example Doors Ltd**", based in the Cotswolds, with:

- unit types: door pack (must stay upright), Euro pallet, UK pallet, long length
- vehicles: Luton with tail lift (750 kg), 7.5t curtainsider, 18t curtainsider
- 3 hauliers (one pallet network) with sample rate cards
- 15 customers with 25 sites across the South West, Midlands and South Wales, with a realistic mix of restrictions
- 40 orders across the next two weeks, mixed readiness
- a few returnable stillages out at customer sites

The demo must trigger every warning in Section 7.2 at least once, so the rules engine can be demonstrated. **Do not use any real company's customer data.**

14. Build stages

Each stage ends with the quality gate (10.10).

Stage	Build	Done when
0. Foundations	Repo, Next.js, Supabase, Tailwind, design tokens, all components (10.4), component gallery, light/dark mode, app shell with seven tabs and responsive navigation	Gallery shows every component in every state in both themes; shell works at all three widths

1. Accounts	Sign-up, sign-in, organisations, roles, invitations, Row Level Security	Isolation tests prove Organisation A cannot access Organisation B's data by any route; roles enforced server-side
2. Settings	Depots, unit types, vehicles (with capacity matrix), drivers, hauliers and rate cards, postcode zones, thresholds, branding	All settings can be created, edited and deleted with validation; accent colour applies app-wide
3. Customers	Customers, sites (postcode lookup, map pin), contacts, verification	Site restrictions are fully captured; a postcode places a correct pin; stale-site info shown
4. Orders	Orders, lines, readiness, documents, CSV import	200-row CSV imports with clear error reporting; search finds orders by any reference
5. Planning core	Plan board, drag-and-drop, capacity bars, load side panel, stops, booking and confirmation fields, rules engine and overrides	Every check in 7.2 has passing unit tests; the demo data shows each warning with working fixes; blocking warnings prevent confirmation unless overridden with a reason
6. Map and suggestions	Map panel, road distances, suggested loads, cheapest valid option, fill the gaps, stop ordering	Suggestions explain their reasoning; invalid options appear greyed with the reason; nothing applies without a click
7. Warehouse	Pick sheets, tick-off, shortages, print layouts	Pick sheet lists items in reverse drop order; prints cleanly on A4
8. Drivers	Driver phone view, proof of delivery, failed delivery reasons, offline queue	POD with signature and photos saves correctly, including after a period offline
9. History and assets	History search, returnable asset tracking, asset collection suggestions, standing runs	One search answers "what did we send X in month Y"; assets move correctly with loads
10. Today and reports	Today dashboard; basic reports (cost per drop, vehicle fill %, failed deliveries by reason, haulier spend by month)	Today shows all attention items with working links; report figures match underlying data

15. Later versions (design for these now, build later)

- **Customer messages:** automatic delivery confirmations, booking-in requests and day-before reminders by email/text.
- **Return-leg suggestions:** collections, supplier pickups and moves between own sites on the way back.
- **Dangerous goods module:** UN number / transport category on order lines, automatic ADR small-load points calculation, warning above the threshold.
- **Haulier marketplace:** local haulier suggestions with one-click quote requests; hauliers pay per quote request; sponsored listings clearly labelled; free listings always shown.
- **Integrations:** Sage, Microsoft Business Central, Xero; live vehicle tracking.
- **Advanced reporting:** empty running, CO₂ estimates, on-time-in-full, customer-level delivery cost.

16. Out of scope for v1

- Fully automatic planning without approval
- Live GPS tracking of vehicles
- Invoicing and billing customers for transport
- Tachograph data analysis
- Multi-organisation users (e.g. one user across several companies)
- Native mobile apps (the web app must work well on phones)

17. Open decisions

- Product name and branding
- Pricing model (per vehicle, per user, or tiered)
- Tile and routing provider accounts (choose at Stage 6)
- Written agreement with the pilot company covering ownership of the software and use of its data