

# 1

## Chemical naming

ALL elements in the periodic table with the exception of the noble gases—He, Ne, Ar, Kr, Xe and Rn—combine to produce chemical compounds. Most of these chemicals are useful in your every day life, and you drink water to quench your thirst, use Clorox to clean your house or baking soda to get rid of a stinky refrigerator. In this chapter you will learn not only how to name these chemicals but also to read chemical formulas—we call this to formulate chemicals. Still, chemical elements such as hydrogen and oxygen do not combine randomly and they only choose specific elemental partners to form a compound. As an example, hydrogen combines with oxygen using specific proportions to produce  $\text{H}_2\text{O}$  and not  $\text{HO}_2$ . In this chapter you will also learn the rules that chemical elements use to combine.

### 1.1 Ions & ionic charges

Atoms gain and loose electrons to produce ions. An ion is just an atom with a positive or negative charge. Ions result from an electron transfer. Positive ions have lost negatively charged electrons, whereas negative ions have gained electrons. The reason for this electron transfer is that atoms try to achieve a very stable electronic configuration with eight electrons in the valence, and this is called the octet electron configuration. Examples of ions are:  $\text{H}^+$ ,  $\text{Ca}^{2+}$  or  $\text{O}^{2-}$ . This section covers the properties of ions and the ionic charges.

**Cations** Atoms that loose electrons become positively charged. These ions are called cations. Example of cations are  $\text{Li}^+$  or  $\text{Mg}^{2+}$  called lithium cation and magnesium cation, respectively.

**Anions** Atoms that gain electrons become negatively charged, as electrons have negative charge. These ions are called anions. Example of anions are  $\text{F}^-$  called fluoride or  $\text{N}^{3-}$  called nitride. The way to name anions is by using the name of the element and the suffix -ide.

**Ionic charges: the valences** How do we know that hydrogen produces a  $\text{H}^+$  ion and nitrogen a  $\text{N}^{3-}$  anion. The charge of an ion is called ionic charges, and the numbers are coming from the periodic table. H, Na or K are in the group IA (left of the table) and hence the ionic charge will be  $1+$ . Similarly, Mg or Ca are in the group IIA (left of the table) and hence the ionic charge will be  $2+$ . Differently, F, Cl or Br are in the group 7A (right of the table) and its charge will be  $1-$ . Oxygen is in group 6A (right of the table) and the ionic charge will be  $2-$ . Figure ?? contains all ionic charges. What if the element is not in this list such as the case of Iron (Fe)? In that case, very



#### GOALS

- 1 Name and formulate ionic compounds
- 2 Name and formulate covalent compounds
- 3 Name and formulate acids and bases
- 4 Name and formulate oxosalts
- 5 Name and formulate common chemicals

**Discussion:** think about your household and the chemicals you use at home. List three chemicals you found around you, with its correct chemical name

probably it will have several ionic charges and this charge has to be indicated in the chemical name. An example would be Fe, which ionic charge is not in Figure ?? as iron can have several ionic charges.

### Sample Problem 1

Identify the correct ionic state of: Cl, K, O and C.

#### SOLUTION

Cl is on the 7A group and hence its charge is  $1-$ , whereas potassium belongs to 1A and its charge will be  $1+$ . Oxygen and carbon will have  $2-$  and  $4-$  charges. The final ionic states are:  $\text{Cl}^-$ ,  $\text{K}^+$ ,  $\text{O}^{2-}$  and  $\text{C}^{4-}$ .

#### STUDY CHECK

Identify the correct ionic state of: N and Br.

Answer:  $\text{N}^{3-}$  and  $\text{Br}^-$ .


Figure 1.1: Ionic charges (valences) for different elements

	1 IA	2 IIA												13 IIIA	14 IVA	15 VA	16 VIA	17 VIIA	18 VIIIA
1	$\text{H}^+$																		
2	$\text{Li}^+$	$\text{Be}^{2+}$												$\text{B}^{3+}$		$\text{N}^{3-}$	$\text{O}^{2-}$	$\text{F}^-$	
3	$\text{Na}^+$	$\text{Mg}^{2+}$												$\text{Al}^{3+}$		$\text{P}^{3-}$	$\text{S}^{2-}$	$\text{Cl}^-$	
4	$\text{K}^+$	$\text{Ca}^{2+}$				$\text{Cr}^{2+}$ $\text{Cr}^{3+}$	$\text{Mn}^{2+}$ $\text{Mn}^{3+}$	$\text{Fe}^{2+}$ $\text{Fe}^{3+}$	$\text{Co}^{2+}$ $\text{Co}^{3+}$		$\text{Cu}^+$ $\text{Cu}^{2+}$	$\text{Zn}^{2+}$	$\text{Ga}^{3+}$					$\text{Br}^-$	
5	$\text{Rb}^+$	$\text{Sr}^{2+}$									$\text{Ag}^+$	$\text{Cd}^{2+}$			$\text{Sn}^{2+}$ $\text{Sn}^{4+}$			$\text{I}^-$	
6	$\text{Cs}^+$	$\text{Ba}^{2+}$													$\text{Pb}^{2+}$ $\text{Pb}^{4+}$				

## 1.2 Ionic compounds

Ionic compounds are chemicals resulting from the combination of a nonmetallic element with a metallic element. And example is NaCl, which results of combining sodium (a metal) with chloride (a non metal).

*Combining ions* Ionic compounds are the result of combining two ions: a positive (cation) and a negative (anion) ions. Each ion has a charge, depending on its location on the table. When combining two atoms you first need to arrange the ions starting from positive and followed by negative. The charges of an ion would become the coefficient of the other ion. For example  $\text{Mg}^{2+}$  and  $\text{N}^{3-}$  are combined as  $\text{Mg}_3\text{N}_2$ :



Another example would be the combination of  $\text{Na}^+$  and  $\text{O}^{2-}$  that would be  $\text{Na}_2\text{O}$ . You need to simplify the indexes of the formula by diving by the smallest one, always using integer values. For example,  $\text{Mg}^{2+}$  and  $\text{O}^{2-}$  give  $\text{Mg}_2\text{O}_2$  that should be written as MgO



Another example that involves simplifying the formula is the chemical resulting of combining  $\text{Ca}^{2+}$  and  $\text{C}^{4-}$ . After combining the charges we obtain  $\text{Ca}_4\text{C}_2$  that needs to be simplified dividing by the smallest number leading to  $\text{Ca}_2\text{C}$ .

55

### Sample Problem 2

Combine the following ions or give the ions given the final compound:

Ions	Combination
$\text{Li}^+$ and $\text{O}^{2-}$	
$\text{Ca}^{2+}$ and $\text{O}^{2-}$	
	$\text{Li}_3\text{N}$
	$\text{Mg}_2\text{C}$

### SOLUTION

The result of combining  $\text{Li}^+$  and  $\text{O}^{2-}$  is  $\text{Li}_2\text{O}$ . For  $\text{Ca}^{2+}$  and  $\text{O}^{2-}$ , the resulting chemical is  $\text{CaO}$ .  $\text{Li}_3\text{N}$  results from the combination of  $\text{Li}^+$  and  $\text{N}^{3-}$ , and  $\text{Mg}_2\text{C}$  results from  $\text{Mg}^{2+}$  and  $\text{C}^{4-}$ .

### STUDY CHECK

Combine the following ions or give the ions given the final compound:  $\text{Na}^+$  and  $\text{F}^-$  and  $\text{Na}_3\text{N}$ .

Answer:  $\text{NaF}$ ;  $\text{Na}^+$  and  $\text{N}^{3-}$ .

*Simple ionic naming (type I ionic)* Type I ionic compounds result from the combination of a metal with given valence (Li, Ca, Mg, etc.) and a non metal. In order to name an ionic compound (type I ionic) you need to (a) use the name of the first element in the compound, (b) use the first syllable of the second element, and (c) finish the name of the molecule in the suffix *-ide*. As an example, the formula  $\text{NaCl}$  is named as sodium chloride and  $\text{MgCl}_2$  is named magnesium chloride. Another example would be:


60

$\text{CaCl}_2$	calcium chloride	$\text{LiO}_2$	lithium oxide
-----------------	------------------	----------------	---------------

65

In order to formulate an ionic compound based on a name, we need to combine both ions by exchanging the valences (the ionic charges). For example,  $\text{MgCl}_2$  results of the combination of  $\text{Mg}^{2+}$  and  $\text{Cl}^-$  so that the number 2 in  $\text{MgCl}_2$  near the Cl atom is coming from the  $\text{Mg}^{2+}$ . In other words:

70



The sign of the charges only indicate which element goes first in the formula: the positive element (cation) first following by the negative element (anion). For example

the result of combining  $\text{Na}^+$  and  $\text{Cl}^-$  is  $\text{NaCl}$  and not  $\text{ClNa}$  as  $\text{Na}$  has positive ionic charge and has to appear first in the formula.

75

### Sample Problem 3

Name or give the formula for the following ionic compounds:

Formula	Name
$\text{MgO}$	
$\text{Mg}_3\text{N}_2$	
	Lithium nitride
	Magnesium carbide

### SOLUTION

The name for  $\text{MgO}$  is magnesium oxide.  $\text{Mg}_3\text{N}_2$  is called magnesium nitride. The formula for Lithium nitride is  $\text{Li}_3\text{N}$  and the formula for Magnesium carbide is  $\text{Mg}_2\text{C}$ , result of simplifying  $\text{Mg}_4\text{C}_2$  dividing by two, the smallest number.

### STUDY CHECK

Name or give the formula for the following ionic compounds: Sodium fluoride and  $\text{Na}_3\text{N}$ .

Answer:  $\text{NaF}$ ; Sodium nitride.

*Complex ionic naming* The ionic chemical  $\text{NaCl}$  results from the combination of  $\text{Na}^+$  and  $\text{Cl}^-$ . The ionic charges of  $\text{Na}$  and  $\text{Cl}$  are given in Figure ?? according to the group. If the ionic chemical contains a transition metal with variable ionic charge, that is, which is not in Figure ?? then the ionic naming becomes a bit more complex. The reason is that one needs to specify the charge of the metal, explicitly in the name of the chemical. An example would be  $\text{NiCl}_2$  named as Nickel(II) chloride or  $\text{Co}_2\text{O}_3$  named as Cobalt(III) oxide.

80

*Formulate complex ionic chemicals* In this section we will learn how to name ionic chemicals containing a metal with several possible charges, that is a metal which is not included in Figure ?. The charge of the metal has to be given in the name. As an example, the formula for Nickel(III) oxide is  $\text{Ni}_2\text{O}_3$ . The reason for the formula is the combination of Nickel(III)  $\text{Ni}^{3+}$  and oxygen  $\text{O}^{2-}$ , that gives  $\text{Ni}_2\text{O}_3$ , after crossing the charges from top to bottom. Another example is Nickel(II) oxide formulated as  $\text{NiO}$ . This results from combining Nickel(II)  $\text{Ni}^{2+}$  and oxygen  $\text{O}^{2-}$  that gives  $\text{Ni}_2\text{O}_2$ . After simplifying one obtains  $\text{NiO}$ .

85

90

*Name complex ionic chemicals* This section covers how to name ionic chemicals containing a metal with variable charge. In this case you need to specify the charge of the metal in the name. In order to calculate this number you will solve a simple math equation. For example, the name of  $\text{Mn}_2\text{O}_3$  is Manganese(III) oxide. How do we get this name? Manganese has several charges as it is not in Figure ?, lets use  $x$  for its charge  $\text{Mn}^x$  and oxygen has a charge of two  $\text{O}^{2-}$ . After combining  $\text{Mn}^x$  and  $\text{O}^{2-}$  the resulting formula would be  $\text{Mn}_2\text{O}_x$ . By comparison with the given formula,  $\text{Mn}_2\text{O}_3$ ,  $x$  has to be three and hence the charge of  $\text{Mn}$  has to be three. Therefore, the final name would be Manganese(III) oxide.

95

100

*Properties of ionic compounds* Ionic compounds normally have high melting points and are solid at normal conditions. An typical ionic compound would be  $\text{NaCl}$ , cooking salt.

*The ionic bond* Atoms of an ionic compound are connected by means of an ionic bond. In an ionic bond, one element gives away electrons (the cation) and the other one receives electrons (the anion). As an example, in the NaCl molecule Na gives away an electron to Cl and the molecule results from the combinations of  $\text{Na}^+$  and  $\text{Cl}^-$ . In an ionic compound the element on the left is positive and the one on the right is negative.

#### Sample Problem 4

Name or give the formula for the following ionic compounds:

Formula	Name
MnO	
$\text{Fe}_3\text{N}_2$	
	Cobalt(II) carbide
	Iron(II) oxide

#### SOLUTION

All the chemicals on this example contain a metal that can have several charges, and hence, we need to specify the ionic charge on the name. MnO results from  $\text{Mn}^x$  and  $\text{O}^{2-}$ . After combining the ions, the formula would be  $\text{Mn}_2\text{O}_x$ , a formula that needs to be compared to MnO. The formulas do not look similar, so let's make them more similar by dividing by two so that  $\text{MnO}_{\frac{x}{2}}$  resembles MnO. By comparing  $x$  has to be 2 and hence the name is Manganese(II) oxide. The name for  $\text{Fe}_3\text{N}_2$  would be Iron(II) nitride. The valence of Iron comes from combining  $\text{Fe}^x$  and  $\text{N}^{3-}$  that gives  $\text{Fe}_3\text{N}_x$ . By comparison with  $\text{Fe}_3\text{N}_2$   $x$  has to be two and the name is Iron(II) nitride. the formula for Cobalt(II) carbide would be  $\text{Co}_2\text{C}$  as Cobalt(II) is  $\text{Co}^{2+}$  and carbide is  $\text{C}^{4-}$ . After combining the ions one obtains  $\text{Co}_4\text{C}_2$  that gives  $\text{Co}_2\text{C}$ . Finally, the formula for Iron(II) oxide is FeO as Iron(II) is  $\text{Fe}^{2+}$  and oxide is  $\text{O}^{2-}$  that gives  $\text{Fe}_2\text{O}_2$  and simplifying one obtains FeO.

#### STUDY CHECK

Name or give the formula for the following ionic compounds: Manganese(IV) oxide and AuCl.

Answer:  $\text{MnO}_2$ ; Gold(I) chloride.

## 1.3 Covalent compounds

Covalent compounds are chemicals resulting from the combination of nonmetallic elements. An example is  $\text{CO}_2$ , which results of combining carbon (a non metal) with oxygen (a non metal).

*Covalent naming* In order to name a covalent compound you need to (a) use the name of the first element in the compound, (b) use the first syllable of the second element, and (c) finish the name of the molecule in the suffix *-ide*. More importantly, you need to use prefixes that indicate the number of atoms in the molecule. See Table ?? for a list of the different equivalencies between prefixes and number. As an example, the formula  $\text{CH}_4$  is named as carbon tetrahydride. Similarly, a covalent chemical name can be translated into a formula (we call this to formulate a chemical with a given name), and the formula for carbon monoxide would be CO. When the vowels *a* and *o* appear together, the first vowel is omitted as in carbon monoxide instead of carbon

~~monoxide~~. Another example would be  $\text{N}_2\text{O}$  named as dinitrogen oxide, and the name sulfur hexafluoride corresponds to the formula  $\text{SF}_6$ . The prefix mono is omitted in the first element of the name, and for example you will not name the chemical  $\text{CO}$  as ~~monocarbon~~ monoxide, you would just say carbon monoxide. A final example of a covalent compound:

125

$\text{N}_2\text{O}_5$	dinitrogen pentoxide	$\text{BCl}_3$	Boron trichloride
------------------------	----------------------	----------------	-------------------

**Table ?? Prefixes used to name covalent compounds**

Prefix	number	Prefix	number
Mono	1	Hexa	6
Di	2	Hepta	7
Tri	3	Octa	8
Tetra	4	Nona	9
Penta	5	Deca	10

#### Sample Problem 5

Name of give the name of the following covalent chemicals:

Formula	Name
$\text{NO}$	
$\text{CS}_2$	
	Sulfur Dioxide
	Nitrogen Trichloride

#### **SOLUTION**

All chemicals in this example are covalent as they result of the combination of nonmetals. In order to name them, we need to use prefixes and finish the suffix with -ide. The first chemical is called nitrogen oxide.  $\text{CS}_2$  is called carbon disulfide. The formula for sulfur dioxide and nitrogen trichloride are respectively  $\text{SO}_2$  and  $\text{NCl}_3$ .

#### **STUDY CHECK**

Name of give the name of the following covalent chemicals:  $\text{SCl}_2$  and diboron trioxide.

Answer: sulfur dichloride and  $\text{B}_2\text{O}_3$ .

130

*Properties of covalent compounds* At normal conditions, covalent compounds may exist as solids, liquids, or gases. Covalent compounds do not exhibit any electrical conductivity, either in pure form or when dissolved in water. A typical covalent compound would be  $\text{H}_2\text{O}$ , water.


*The covalent bond* Atoms in a covalent compound are connected by means of a covalent chemical bond. In a covalent bond, both atoms connected share the electrons. As an example, the  $\text{HCl}$  molecule has an hydrogen and a chlorine atom connected by means of a covalent bond, in which each atoms share the electrons of the bond.

135

## 1.4 Naming acids & bases

In this section we will learn how to name acids and bases. Acids normally have common names (e.g. sulfuric acid) and its naming does not follow modern rules. Names and formulas of acids are listed in tables. Differently, bases (e.g. sodium hydroxide) are named in a standard way.

**Bases or hydroxides** Bases (hydroxides) result from the combination of a metal and the hydroxide anion ( $\text{OH}^-$ ). Examples are  $\text{NaOH}$  or  $\text{Ca}(\text{OH})_2$ . The name of a base starts by the name of the cation finishing by the word *hydroxide*. An example is  $\text{NaOH}$  named as *sodium hydroxide*, or  $\text{Ca}(\text{OH})_2$ , named as *calcium hydroxide*. The word *hydroxide* refers to the  $\text{OH}^-$  ion, and hence Sodium hydroxide results from combining  $\text{Na}^+$  and  $\text{OH}^-$ , and Calcium hydroxide from combining  $\text{Ca}^{2+}$  and  $\text{OH}^-$ . More examples of hydroxides:



Magnesium hydroxide

**Acids** Acids—in particular inorganic acids—are chemicals that normally contain hydrogen at the beginning of its formula. For example,  $\text{HCl}$  or  $\text{H}_2\text{SO}_4$ .  $\text{HCl}$  is an hydracid and is named as *hydrochloric acid*, whereas  $\text{H}_2\text{SO}_4$  is an oxoacid that contains oxygen named as *sulfuric acid*. The names of acids are not standard and they come from common names employed in the field for many years. Table ?? contains a list of the most important oxoacids and hydric acids. More examples of acids:



Nitric acid



Hydrofluoric acid

### Sample Problem 6

Name or give the formula for the following acids and bases. Indicate whether the compound is an acid or a base.

Formula	Acid/Base	Name
HCN		
KOH		
		Carbonic acid
		Lithium hydroxide

### SOLUTION

HCN is an acid named hydrocyanic acid. KOH is a base called potassium hydroxide. The formula for Carbonic acid is  $\text{H}_2\text{CO}_3$ , and Lithium hydroxide is a base with formula  $\text{LiOH}$ .

### STUDY CHECK

Name or give the formula for the following ionic compounds: phosphoric acid and  $\text{Mg}(\text{OH})_2$ .

Answer:  $\text{H}_3\text{PO}_4$ ; magnesium hydroxide.

*Oxidation states of oxoacids* Consider the following set of acids:  $\text{HClO}$ ,  $\text{HClO}_2$ ,  $\text{HClO}_3$  and  $\text{HClO}_4$ . We say Cl in these acids have different oxidation state or different oxidation number. This section will cover the calculation of the oxidation state of the central atom of an oxoacid. 160

Let us address the oxoacid:  $\text{H}\underline{\text{Cl}}\text{O}_3$ . The goal is to calculate the oxidation number of the underline element, Cl. In order to do this we will follow a set of simple rules. First, we will use the valences as the oxidation number of the elements to the right and to the left of the central atom. Then, we will assign an unknown oxidation state of  $x$  to the central atom. After that we will set up a equation so that the sum of all oxidation numbers equals to the charge of the acid, if any. In this formula, we will include the atomic coefficients. In the case of  $\text{H}\underline{\text{Cl}}\text{O}_3$ , the equation would be: 165 170

$$1 + x + 3 \cdot (-2) = 0$$

as the number of oxygens is three, we will have to time by three the valence of oxygen. The number zero results from the charge of the acid. If we solve for  $x$ , we obtain:  $x = 5$ . That is, the oxidation state of Cl on  $\text{H}\underline{\text{Cl}}\text{O}_3$  is 5 and this is represented as  $\text{H}\underline{\text{Cl}}^{\text{V}}\text{O}_3$ .

*Oxidizing and reducing character of oxoacids* The importance of the oxidation state of the central elements of an oxoacid results from the fact that acids with high or low oxidation states, tends to be very reactive, being sometimes capable of completely dissolving metals. We call these oxidizing (or reducing) acids. For example,  $\text{HNO}_3$  and  $\text{H}_2\text{SO}_4$  and both oxidizing acids and these acids will solve for example a piece of copper. Similarly, acids with very small or negative oxidation numbers can be very reactive as well. These acids are called reducing acid sor agents. Let us compare two oxoacids in order to elaborate more on the terminology used to describe redox numbers. For example, let us compare  $\text{H}\underline{\text{Cl}}^{\text{V}}\text{O}_3$  and  $\text{H}\underline{\text{Cl}}^{\text{III}}\text{O}_2$ . We say Cl on  $\text{H}\underline{\text{Cl}}^{\text{V}}\text{O}_3$  has a larger redox number than  $\text{H}\underline{\text{Cl}}^{\text{III}}\text{O}_2$ . We can also say, Cl in  $\text{H}\underline{\text{Cl}}^{\text{V}}\text{O}_3$  is more oxidized than Cl on  $\text{H}\underline{\text{Cl}}^{\text{III}}\text{O}_2$ . Finally, we can also say,  $\text{H}\underline{\text{Cl}}^{\text{V}}\text{O}_3$  is more reducing than  $\text{H}\underline{\text{Cl}}^{\text{III}}\text{O}_2$ . Again, the terms associated with high redox numbers are oxidized and reducing, and the terms associated with low redox numbers are reduced and oxidizing. 175 180 185

It is important to note that ultimately the oxidation state of an element is related to the number of electrons of the element. The more electrons the smaller—the more negative—the oxidation state. In other words, large oxidation states result from losing electrons. 190

#### Sample Problem 7

Calculate the redox number of S in the following acids and indicate the more oxidizing acid:  $\text{H}_2\underline{\text{S}}_2\text{O}_6$  named dithionic acid and  $\text{H}_2\underline{\text{S}}\text{O}_4$  named sulfuric acid.

#### SOLUTION

We will set up the redox formula for the first acid ( $\text{H}_2\underline{\text{S}}_2\text{O}_6$ ), given that the redox number of H is +1 and the redox number of O is -2.

$$2 \cdot 1 + 2 \cdot x + 6 \cdot (-2) = 0$$

Solving for  $x$ :

$$2 + 2 \cdot x - 12 = 0 \quad \text{we have that } x = \frac{12 - 2}{2}$$

The oxidation state of S in  $\text{H}_2\underline{\text{S}}_2\text{O}_3$  is +5. For the second acid ( $\text{H}_2\underline{\text{S}}\text{O}_4$ ):

$$2 \cdot 1 + x + 4 \cdot (-2) = 0$$



Solving for  $x$ :

$$2 + x - 8 = 0 \quad \text{we have that } x = \frac{8 - 2}{1}$$

that gives a redox of 6. If we compare both acids the smaller the redox number the more reduced is the central element and the more oxidizing the acid is. Therefore,  $\text{H}_2\text{S}_2\text{O}_3$  is more oxidizing than  $\text{H}_2\text{SO}_4$ .

### ◆ STUDY CHECK

Calculate the redox number of the following acids:  $\text{H}_2\text{MnO}_4$  and  $\text{H}_2\text{Cr}_2\text{O}_7$ .

Answer: +6.

Table ?? Names of oxoacids and oxosalts (top table) and hyracids (bottom table). Yellow rows need to be remembered.

Element	Oxoacid	Oxoacid Name	Oxoasalt	Oxoasalt Name
Manganese	$\text{HMnO}_4$	Permanganic Acid	$\text{MnO}_4^-$	Permanganate
	$\text{H}_2\text{MnO}_4$	Manganic acid	$\text{MnO}_4^{2-}$	Manganate
Carbon	$\text{H}_2\text{CO}_3$	Carbonic Acid	$\text{CO}_3^{2-}$	Carbonate
Nitrogen	$\text{HNO}_3$	Nitric Acid	$\text{NO}_3^-$	Nitrate
	$\text{HNO}_2$	Nitrous Acid	$\text{NO}_2^-$	Nitrite
Phosphorus	$\text{H}_3\text{PO}_4$	Phosphoric Acid	$\text{PO}_4^{3-}$	Phosphate
Sulfur	$\text{H}_2\text{SO}_4$	Sulfuric Acid	$\text{SO}_4^{2-}$	Sulfate
	$\text{H}_2\text{SO}_3$	Sulfurous Acid	$\text{SO}_3^{2-}$	Sulfite
	$\text{H}_2\text{S}_2\text{O}_2$	Thiosulfurous Acid	$\text{S}_2\text{O}_2^{2-}$	Thiosulfite
	$\text{H}_2\text{S}_2\text{O}_3$	Thiosulfuric Acid	$\text{S}_2\text{O}_3^{2-}$	Thiosulfate
	$\text{H}_2\text{S}_2\text{O}_7$	Disulfuric acid	$\text{S}_2\text{O}_7^{2-}$	Disulfate
	$\text{H}_2\text{S}_2\text{O}_8$	Peroxodisulfuric acid	$\text{S}_2\text{O}_8^{2-}$	Peroxodisulfate
Chlorine	$\text{HClO}_4$	Perchloric Acid	$\text{ClO}_4^-$	Perchlorate
	$\text{HClO}_3$	Chloric acid	$\text{ClO}_3^-$	Chlorate
	$\text{HClO}_2$	Chlorous acid	$\text{ClO}_2^-$	Chlorite
	$\text{HClO}$	Hypochlorous acid	$\text{ClO}^-$	Hypochlorite
Iodine	$\text{HIO}_4$	Periodic Acid	$\text{IO}_4^-$	Periodate
Chromium	$\text{H}_2\text{CrO}_4$	Chromic acid	$\text{CrO}_4^{2-}$	Chromate
	$\text{H}_2\text{Cr}_2\text{O}_7$	Dichromic acid	$\text{Cr}_2\text{O}_7^{2-}$	Dichromate
Boron	$\text{H}_3\text{BO}_3$	Boric acid	$\text{BO}_3^{3-}$	Borate
Hydracid	Hydracid Name	Hydracid	Hydracid Name	
HCl	Hydrochloric acid	HBr	Hydrobromic acid	
HI	Hydroiodic acid	HF	Hydrofluoric acid	
HCN	Hydrocyanic acid	$\text{H}_2\text{S}$	Hydrosulfuric acid	


## 1.5 Naming complex salts & common chemicals

195


At this point we saw the naming and formulation of ionic (e.g.  $\text{NaCl}$ ) and covalent compounds (e.g.  $\text{CO}_2$ ). This section covers the naming of complex salts: oxosalts and hydrosalts. In general, salts (oxosalts or hydrosalts) are the result of mixing an oxoacid and a base. They tend to look more complex than simple ionic or covalent compounds as

they have at least three different elements. An example of oxosalt would be  $\text{CaSO}_4$  called calcium sulfate. An example of hydrosalt would be  $\text{NaHSO}_4$  which is called sodium monohydrosulfate. This section will also cover the naming of hydrates (e.g.  $\text{CaSO}_4 \cdot \text{H}_2\text{O}$ ), that are compounds containing water molecules inside its structure. Before being able to name these complex chemicals it is convenient to practice combining ions, without paying attention to the naming.

*Combining ions* In order to combine two ions, you first arrange the positive ion in the left followed by the negative ion in the right, to then cross the ionic charges from the top of the ion to the bottom of the opposite ion. The positive and negative charges are not carried. If the ions have more than one element we have to use parenthesis. An example would be combining  $\text{Ca}^{2+}$  and  $\text{PO}_4^{3-}$  leading to  $\text{Ca}_3(\text{PO}_4)_2$ :




We would simplify in case the charges compensate with each other. An example would be combining  $\text{Mg}^{2+}$  and  $\text{HPO}_4^{2-}$  leading to  $\text{MgHPO}_4$



*Naming Oxosalts* The names of the oxosalts are constructed by combining the name of the first element—you need to specify its charge in the case of a transition metal element with different possible charges—followed by the name of the oxosalt from Table ?? For example, the name of  $\text{MgSO}_4$  is magnesium sulfate, as  $\text{Mg}^{2+}$  is magnesium and  $\text{SO}_4^{2-}$  is sulfate. Another example is  $\text{Fe}_2(\text{CO}_3)_3$  called Iron(III) carbonate. A final example:

$\text{NO}_3^-$	Nitrate	$\text{LiNO}_3$	Lithium nitrate (oxosalt)
-----------------	---------	-----------------	---------------------------

*Formulating Oxosalts* In the case that you know the name of an oxosalt and you want to obtain its formula, you first need to arrange the positive ion in the left followed by the negative ion in the right, to then cross the ionic charges from the top of the ion to the bottom of the opposite ion. For example, calcium nitrate results from the combination of  $\text{Ca}^{2+}$  calcium and  $\text{NO}_3^-$ , nitrate. By combining the two ions we obtain the final formula as  $\text{Ca}(\text{NO}_3)_2$ :



#### Sample Problem 8

Name of give the name of the following oxosalts:

Formula	Name
$K_2SO_4$	
$Na_2CO_3$	
	Nickel(II) carbonate
	Sodium phosphate

**SOLUTION**

$K_2SO_4$  is named potassium sulfate, as  $K^+$  is potassium and  $SO_4^{2-}$  stands for sulfate.  $Na_2CO_3$  is sodium carbonate. Nickel(II) carbonate is  $NiCO_3$  and sodium phosphate is  $Na_3PO_4$ .

**STUDY CHECK**

Name of give the name of the following oxosalts:  $FeSO_4$  and Iron(III) sulfate.

Answer: Iron(II) sulfate and  $Fe_2(SO_4)_3$ .

230

**Naming Hydrosalts** Hydrosalts are related to oxosalts (e.g.  $Na_2SO_4$ ) and they resemble these chemicals while having hydrogen atoms in their chemical formula, in between the oxosalt cation and anion (e.g.  $NaHSO_4$ ). That is the reason they are called hydrosalts as they are oxosalts with hydrogen. For example,  $NaHSO_4$  is named sodium monohydrogensulfate. In order to understand this name, we will first focus on the second part on the name, monohydrogensulfate that represents the hydrosalt anion.

235

The name monohydrogensulfate ( $HSO_4^-$ ) comes from adding a proton ( $H^+$ ) to a sulfate cation ( $SO_4^{2-}$ ). Mind that protons ( $H^+$ ) are positively charged and therefore if we add a single  $H^+$  to a sulfate cation ( $SO_4^{2-}$ ) the charge will have to decrease a single unit, giving us  $HSO_4^-$ . As we can see, the name of hydrosalt anions are directly related to the oxosalt anion and the number of hydrogens in the hydrosalt name. For example, phosphate ( $PO_4^{3-}$ ) is an oxosalt anion whereas hydrogenphosphate ( $HPO_4^{2-}$ ) and dihydrogenphosphate ( $H_2PO_4^-$ ) are both hydrosalt anions. An explanation about the charges: as phosphate has three negative charges, hydrogenphosphate has to have one less charge (that is 2-) and dihydrogenphosphate has to have two less negative charges (that is -1). Some final hydrosalt anions examples:

240

245

$CO_3^{2-}$	carbonate (oxosalt)	$HCO_3^-$	monohydrogen carbonate (hydrosalt)
$BO_3^{3-}$	borate (oxosalt)	$H_2BO_3^-$	dihydrogen borate (hydrosalt)

Above we saw how to name just the ending of the hydrosalt. Now we can move forward to the naming of hydrosalts. We just need to add the name of the element in the first place, and for example  $NaH_2BO_3$  would be named sodium dihydrogenborate. If the first ion—the cation—is a transition metal cation (a type two cation) we need to include in parenthesis the valence of the cation. For example,  $Fe(H_2BO_3)_2$  would be named iron(II) dihydrogenborate. More examples:

250

$Na_2CO_3$	sodium carbonate	$NaHCO_3$	sodium monohydrogen carbonate (hydrosalt)
------------	------------------	-----------	---

## Sample Problem 9

Name or formulate the following hydrosalts:

Formula	Name
	Magnesium hydrogensulfate
	Sodium hydrogen carbonate
$\text{LiHCO}_3$	
$\text{MgH}_2\text{PO}_4$	

**SOLUTION**

The formula of Magnesium hydrogensulfate is  $\text{Mg}(\text{HSO}_4)_2$  as the formula for monohydrogen sulfate is  $\text{HSO}_4^-$  and the valence of magnesium is  $\text{Mg}^{2+}$ . The formula for Sodium monohydrogen carbonate is  $\text{NaHCO}_3$  as it results from combining  $\text{Na}^+$  and  $\text{HCO}_3^-$ . Mind monohydrogen carbonate results from adding a hydrogen ion  $\text{H}^+$  to a carbonate  $\text{CO}_3^{2-}$  ion. The name for  $\text{LiHCO}_3$  is lithium monohydrogen carbonate, whereas the name for  $\text{MgH}_2\text{PO}_4$  is magnesium dihydrogenphosphate.

**STUDY CHECK**

Name or formulate the following hydrosalts:  $\text{LiHS}_2\text{O}_3$ ,  $\text{LiH}_2\text{PO}_4$  and sodium hydrogenphosphate.


Answer: lithium monohydrogenthiosulfate; Lithium dihydrogenphosphate and  $\text{Na}_2\text{HPO}_3$ .

255

**Hydrates** Some chemicals contain water molecules trapped in its structure and therefore water molecules ( $\text{H}_2\text{O}$ ) are often indicated in chemical formulas. These types of chemicals containing water are called *hydrates*, precisely because hydrate means water. Examples of hydrates are:  $\text{BeSO}_4 \cdot 4 \text{H}_2\text{O}$  or  $\text{CuSO}_4 \cdot 5 \text{H}_2\text{O}$  called respectively beryllium sulfate tetrahydrate and copper(II) sulfate pentahydrate. In order to formulate hydrates you just need to use prefixes such as mono, di, tetra—the same ones we use to name covalent chemicals—to indicate the number of water molecules in the chemical and end the name with *hydrate*. As a note, warming up hydrates (e.g.  $\text{BeSO}_4 \cdot 4 \text{H}_2\text{O}$ ) results on the release of water producing a dehydrated or *anhydrous* compound (e.g.  $\text{BeSO}_4$ ). A final example of hydrate naming:

260

265



(a hydrate)

Sodium sulfate pentahydrate

## Sample Problem 10

Name or formulate the following hydrates:

Formula	Name
	Nickel(II) permanganate dihydrate
	Sodium nitrate monohydrate
$\text{Na}_2\text{CO}_3 \cdot 10 \text{H}_2\text{O}$	
$\text{MgSO}_4 \cdot 7 \text{H}_2\text{O}$	

**SOLUTION**

The formula for Nickel(II) permanganate is  $\text{Ni}(\text{MnO}_4)_2$ , therefore the formula for Nickel(II) permanganate dihydrate is  $\text{Ni}(\text{MnO}_4)_2 \cdot 2 \text{H}_2\text{O}$ . The formula for Sodium nitrate is  $\text{NaNO}_3$ , therefore  $\text{NaNO}_3 \cdot \text{H}_2\text{O}$  is Sodium nitrate monohydrate. The name for  $\text{Na}_2\text{CO}_3 \cdot 10 \text{H}_2\text{O}$  is sodium carbonate decahydrate and  $\text{MgSO}_4 \cdot 7 \text{H}_2\text{O}$  is magnesium sulfate heptahydrate.

**STUDY CHECK**

Name or formulate the following hydrates:  $\text{LiNO}_3 \cdot \text{H}_2\text{O}$ ,  $\text{Na}_3\text{PO}_4 \cdot 3 \text{H}_2\text{O}$  and sodium sulfate tetrahydrate.

Answer: lithium nitrate monohydrate; sodium phosphate trihydrate and  $\text{Na}_2\text{SO}_4 \cdot 4 \text{H}_2\text{O}$ .

*Common naming* Some of the chemicals are normally referred by a common name that does not involve the use of any chemical naming rules. An example would be  $\text{H}_2\text{O}$  normally referred as water instead of its standard name that is dihydrogen oxide. You can find more names in Table ???. Another example:

NaCl	Sodium chloride (standard name)	Table salt (common name)
------	---------------------------------	--------------------------

Table ??? List of common chemicals			
Chemical	Name	Chemical	Name
$\text{H}_2\text{O}$	Water	$\text{Mg}(\text{OH})_2$	Milk of magnesia
$\text{NH}_3$	Ammonia	$\text{N}_2\text{O}$	Laughing gas
$\text{CH}_4$	Methane	$\text{CaCO}_3$	Marble
$\text{CO}_2$	Dry ice	$\text{CaO}$	Quicklime
NaCl	Table salt	$\text{NaHCO}_3$	Baking Soda
$\text{NaHCO}_3$	Sodium Bicarbonate	$\text{MgSO}_4 \cdot 7 \text{H}_2\text{O}$	Epsom Salt

**Sample Problem 11**

Name or formulate the following common chemicals: milk of magnesia and dry ice.

**SOLUTION**

The formula for milk of magnesia is  $\text{Mg}(\text{OH})_2$  (magnesium hydroxide), whereas dry ice is the common name for  $\text{CO}_2$ , carbon dioxide.

**STUDY CHECK**

Name or formulate the following common chemicals: ammonia and methane.

Answer:  $\text{NH}_3$  (nitrogen trihydride) and  $\text{CH}_4$  (carbon tetrahydride).

---



# CHAPTER 1

## IONS & IONIC CHARGES

**1.1** Indicate if the following chemical species represent an atom, anion or a cation: (a)  $\text{Fe}^{2+}$  (b)  $\text{Cl}^-$  (c) Ag

**1.2** Identify the ionic state of the following elements. If needed, indicate the existence of multiple ionic states: (a) H (b) O (c) N (d) F (e) Mn

## COVALENT COMPOUNDS

**1.3** Name or formulate the following covalent compounds: (a) NO (b) Dichlorine monofluoride (c)  $\text{NO}_2$

**1.4** Name or formulate the following covalent compounds: (a) Chlorine Monofluoride (b)  $\text{N}_2\text{O}$  (c) Nitrogen trifluoride

**1.5** Name or formulate the following covalent compounds: (a)  $\text{SO}_3$  (b) Disulfur dichloride (c)  $\text{SO}_2$  (d) Disulfur tetrachloride

**1.6** Name or formulate the following covalent compounds: (a)  $\text{P}_4\text{S}_3$  (b) Sulfur Tetrafluoride (c)  $\text{As}_2\text{O}_5$  (d) Sulfur trioxide

## IONIC COMPOUNDS

**1.7** Name or formulate the following ionic (Type I) compounds: (a) Magnesium iodide (b)  $\text{Ca}_3\text{P}_2$  (c) Lithium nitride (d) MgF

**1.8** Name or formulate the following ionic (Type I) compounds: (a) Magnesium fluoride (b) CaS (c) Barium phosphide (d)  $\text{Mg}_3\text{N}_2$

**1.9** Name or formulate the following ionic (Type II) compounds: (a)  $\text{Fe}_3\text{P}_2$  (b) Copper(II) iodide (c)  $\text{Fe}_3\text{N}_2$  (d) Iron(II) sulfide

**1.10** Name or formulate the following ionic (Type II) compounds: (a)  $\text{Fe}_2\text{S}_3$  (b) Gold(III) chloride (c) FeO (d) Vanadium(V) nitride

**1.11** Name or formulate the following ionic (Type II) compounds: (a)  $\text{FeI}_2$  (b) Lead(IV) sulfide (c)  $\text{FeBr}_2$

**1.12** Name or formulate the following ionic (Type II) compounds: (a) Manganese(IV) oxide (b)  $\text{FeCl}_2$  (c) Copper(I) oxide

## ACIDS AND HYDROXIDES

**1.13** Name or formulate the following acids or bases: (a) HCl (b) Hydrofluoric Acid (c)  $\text{Mg}(\text{OH})_2$

**1.14** Name or formulate the following acids or bases: (a) Sulfuric Acid (b)  $\text{H}_2\text{CO}_3$  (c) Lithium hydroxide

**1.15** From the following chemicals identify acids and bases: (a) KOH (b) LiOH (c)  $\text{CH}_3\text{OH}$

**1.16** From the following chemicals identify acids and bases: (a)  $\text{H}_2\text{SO}_3$  (b)  $\text{NH}_3$  (c)  $\text{Ca}(\text{OH})_2$

**1.17** From the following chemicals identify hydric acids and oxoacids: (a) HF (b)  $\text{H}_2\text{SO}_3$  (c)  $\text{H}_2\text{S}$

**1.18** From the following chemicals identify hydric acids and oxoacids: (a)  $\text{H}_3\text{BO}_3$  (b) HCl (c) HI

**1.19** Identify the redox number of the central atom of the following oxoacids: (a)  $\text{H}_2\text{CrO}_4$  (b)  $\text{H}_2\text{Cr}_2\text{O}_7$  (c)  $\text{HMnO}_4$

**1.20** Identify the redox number of the central atom of the following oxoacids: (a)  $\text{H}_2\text{MnO}_4$  (b)  $\text{HReO}_3$  (c)  $\text{H}_2\text{SiO}_3$

**1.21** Identify the most oxidized acid:  
(a)  $\text{H}_3\text{AsO}_4$  or  $\text{H}_3\text{AsO}_3$  (b)  $\text{H}_2\text{XeO}_4$  or  $\text{H}_4\text{XeO}_6$

**1.22** Identify the most reduced acid:  
(a)  $\text{H}_2\text{RuO}_4$  or  $\text{HRuO}_4$  (b)  $\text{HTcO}_4$  or  $\text{H}_2\text{TcO}_4$

**1.23** Identify the most oxidant acid:  
(a)  $\text{H}_2\text{S}_2\text{O}_6$  or  $\text{H}_2\text{SO}_4$  (b)  $\text{H}_2\text{SeO}_4$  or  $\text{H}_2\text{SeO}_3$



**NAMING OF OXOSALTS**

**1.24** Name or formulate the following (Type I) oxosalts: (a)  $\text{Mg}(\text{NO}_3)_2$  (b) Sodium permanganate (c)  $\text{KMnO}_4$  (d) Calcium carbonate (e)  $\text{Li}_3\text{PO}_4$

**1.25** Name or formulate the following (Type I) oxosalts: (a) Lithium sulfate (b)  $\text{Na}_2\text{CrO}_4$  (c) Lithium sulfite (d)  $\text{Cs}_2\text{Cr}_2\text{O}_7$  (e) Calcium sulfate

**1.26** Name or formulate the following (Type II) oxosalts: (a)  $\text{Cr}_2(\text{SO}_4)_3$  (b) zinc(II) carbonate (c)  $\text{Fe}(\text{MnO}_4)_3$

**1.27** Name or formulate the following (Type II) oxosalts: (a) cobalt(III) carbonate (b)  $\text{Fe}(\text{ClO}_4)_3$  (c) zinc(II) carbonate

**HYDROSALTS, HYDRATES & COMMON CHEMICALS**

**1.28** Name or formulate the following hydrosalts: (a)  $\text{NaHCO}_3$  (b) Calcium Hydrogencarbonate (c)  $\text{Al}(\text{HSO}_4)_3$

**1.29** Name or formulate the following hydrosalts: (a) Sodium dihydrogenphosphate (b)  $\text{LiH}_2\text{PO}_4$  (c) Silver monohydrogenphosphate

**1.30** Name or formulate the following hydrates: (a)  $\text{Al}_2(\text{SO}_4)_3 \cdot 3\text{H}_2\text{O}$  (b) Silver phosphate dihydrate (c)  $\text{KMnO}_4 \cdot 4\text{H}_2\text{O}$  (d) Lithium sulfate tetrahydrate

**1.31** Name or formulate the following compounds: (a)  $\text{MgSO}_4$  (b)  $\text{Ni}(\text{SO}_4)_3$  (c) Cobalt(II) nitrate (d) Cobalt(II) sulfate dihydrate (e)  $\text{KHCO}_3$

**1.32** Name or formulate the following compounds: (a)  $\text{Ca}(\text{NO}_3)_2$  (b)  $\text{Na}(\text{HCO}_3)_2$  (c) Nickel(II) sulfate (d) Nickel(II) sulfate tetrahydrate (e)  $\text{NaH}_2\text{PO}_4$

**GENERAL PROBLEMS**

**1.33** Classify the following chemicals in two groups, justifying your classification: (a)  $\text{NaCl}$  (b)  $\text{CO}_2$  (c)  $\text{FeCl}_3$  (d)  $\text{N}_2\text{O}_3$  (e)  $\text{SO}_3$  (f)  $\text{Ca}_3\text{N}_2$

**1.34** Name the following compounds:

- |                             |                   |
|-----------------------------|-------------------|
| (a) $\text{NaCl}$           | (d) $\text{SrS}$  |
| (b) $\text{Ca}_3\text{N}_2$ | (e) $\text{RbCl}$ |
| (c) $\text{MgI}_2$          | (f) $\text{KF}$   |

**1.35** Combine the following ions:

- |                                    |                                      |
|------------------------------------|--------------------------------------|
| (a) $\text{Na}^+ + \text{Cl}^-$    | (d) $\text{Mg}^{2+} + \text{Cl}^-$   |
| (b) $\text{Na}^+ + \text{Se}^{2-}$ | (e) $\text{Mg}^{2+} + \text{O}^{2-}$ |
| (c) $\text{Na}^+ + \text{P}^{3-}$  | (f) $\text{Mg}^{2+} + \text{N}^{3-}$ |

**1.36** Memorize the following oxoacids:

- (a)  $\text{H}_2\text{SO}_4$  Sulfuric acid  
 (b)  $\text{H}_2\text{CO}_3$  Carbonic acid  
 (c)  $\text{HMnO}_4$  Permanganic acid  
 (d)  $\text{HNO}_3$  Nitric acid  
 (e)  $\text{H}_3\text{PO}_4$  Carbonic acid  
 (f)  $\text{H}_2\text{Cr}_2\text{O}_7$  Dichromic acid

**1.37** Classify the following chemicals in two groups. Justify your classification.

- |                    |                     |                           |
|--------------------|---------------------|---------------------------|
| (a) $\text{NaCl}$  | (c) $\text{FeCl}_3$ | (e) $\text{Li}_3\text{N}$ |
| (b) $\text{MnO}_2$ | (d) $\text{SrO}$    | (f) $\text{NiO}$          |

**1.38** Formulate the following compounds:

- |                        |                         |
|------------------------|-------------------------|
| (a) Copper(I) oxide    | (c) Nickel(III) oxide   |
| (b) Copper(II) nitride | (d) Manganese(IV) oxide |

**1.39** Name the following compounds:

- |                             |                    |
|-----------------------------|--------------------|
| (a) $\text{NiO}$            | (c) $\text{VO}$    |
| (b) $\text{Cr}_2\text{O}_3$ | (d) $\text{MnO}_4$ |

**1.40** Combine the following polyatomic ions:

- |                                      |   |
|--------------------------------------|---|
| (a) $\text{Na}^+ + \text{NO}_3^-$    | (d) $\text{Ca}^{2+} + \text{CO}_3^{2-}$ |
| (b) $\text{Na}^+ + \text{CO}_3^{2-}$ |   |
| (c) $\text{Na}^+ + \text{PO}_4^{3-}$ | (e) $\text{Ca}^{2+} + \text{PO}_4^{3-}$ |

**1.41** Identify the ionic state of the following elements. If needed, indicate the existence of multiple ionic states: (a) Li (b) V (c) Cl (d) S (e) Cr (f) Sr (g) Ni

**1.42** Combine the following ions:

- |                                       |                                       |
|---------------------------------------|---------------------------------------|
| (a) $\text{Cs}^+ + \text{Ni}^-$       | (d) $\text{Li}^+ + \text{Cu}^-$       |
| (b) $\text{Sr}^{2+} + \text{Mn}^{2-}$ |                                       |
| (c) $\text{Be}^{2+} + \text{Co}^{4-}$ | (e) $\text{Mg}^{2+} + \text{Cr}^{-6}$ |

**1.43** Formulate the following compounds:

- (a) Iron(II) nitride
- (b) Copper(I) sulfide
- (c) Chromium(III) iodide
- (d) Palladium(IV) phosphide
- (e) Manganese(VI) oxide

**1.44** Name the following compounds:

- |                             |                              |
|-----------------------------|------------------------------|
| (a) $\text{Ni}_2\text{O}_3$ | (d) $\text{Ni}_3\text{P}_2$  |
| (b) $\text{Fe}_3\text{N}_2$ |                              |
| (c) $\text{Cr}_2\text{O}_3$ | (e) $\text{Ru}_2\text{Se}_3$ |

**1.45** Name the following compounds:

- |                    |                           |
|--------------------|---------------------------|
| (a) $\text{FeO}$   | (e) $\text{MnF}_3$        |
| (b) $\text{CrN}$   | (f) $\text{Cu}_2\text{C}$ |
| (c) $\text{ZnI}_2$ |                           |
| (d) $\text{CoS}$   | (g) $\text{Ag}_2\text{O}$ |

**1.46** Name or formulate the following oxoanions:

- |                        |                         |
|------------------------|-------------------------|
| (a) $\text{ClO}_4^-$   | (e) $\text{NO}_3^-$     |
| (b) $\text{PO}_4^{3-}$ | (f) $\text{CrO}_4^{2-}$ |
| (c) $\text{SO}_4^{2-}$ |                         |
| (d) $\text{CO}_3^{2-}$ | (g) $\text{BO}_3^{3-}$  |

**1.47** Combine the following ions:

- |                                      |  |
|--------------------------------------|--|
| (a) $\text{Na}^+ + \text{PO}_4^{3-}$ | (d) $\text{Ca}^{2+} + \text{CO}_3^{2-}$        |
| (b) $\text{Li}^+ + \text{MnO}_4^-$   | (e) $\text{Cs}^+ + \text{Cr}_2\text{O}_7^{2-}$ |
| (c) $\text{Mg}^{2+} + \text{NO}_3^-$ | (f) $\text{K}^+ + \text{BO}_3^{3-}$            |

**1.48** Name or formulate the following compounds:

- |                              |                                |
|------------------------------|--------------------------------|
| (a) $\text{Na}_2\text{SO}_4$ | (d) $\text{Ca}(\text{NO}_2)_2$ |
| (b) $\text{KNO}_3$           |                                |
| (c) $\text{CaCO}_3$          | (e) $\text{SrSO}_3$            |

**1.49** Name or formulate the following compounds:

- |                                  |                               |
|----------------------------------|-------------------------------|
| (a) $\text{MnSO}_4$              | (d) $\text{V}(\text{NO}_2)_2$ |
| (b) $\text{CuNO}_3$              |                               |
| (c) $\text{Cr}_2(\text{CO}_3)_3$ | (e) $\text{FeSO}_3$           |

**1.50** Name or formulate the following pairs or ions:

- |  |   |
|--|---|
| (a) carbonate and mono-hydrogencarbonate | (d) phosphate and dihydrogenphosphate   |
| (b) sulfate and monohydrogensulfate      | (e) phosphate and monohydrogenphosphate |
| (c) chromate and monohydrogenchromate    | (f) borate and dihydrogenphosphate      |

**Answers 1.1** (a)  $\text{Fe}^{2+}$  (cation) (b)  $\text{Cl}^-$  (anion) (c) Ag (atom) **1.3** (a) NO (nitrogen monoxide) (b) Dichlorine monofluoride ( $\text{Cl}_2\text{F}$ ) (c)  $\text{NO}_2$  (nitrogen dioxide) **1.5** (a)  $\text{SO}_3$  (sulfur trioxide) (b) Disulfur dichloride ( $\text{S}_2\text{Cl}_2$ ) (c)  $\text{SO}_2$  (sulfur dioxide) (d) Disulfur tetrachloride ( $\text{S}_2\text{Cl}_4$ ) **1.7** (a) Magnesium iodide ( $\text{MgI}_2$ ) (b)  $\text{Ca}_3\text{P}_2$  (Calcium phosphide) (c) Lithium nitride ( $\text{Li}_3\text{N}$ ) (d)  $\text{MgF}$  (Magnesium fluoride) **1.9** (a)  $\text{Fe}_3\text{P}_2$  (Iron(II) phosphide) (b) Copper(II) iodide ( $\text{CuI}_2$ ) (c)  $\text{Fe}_3\text{N}_2$  (Iron(II) nitride) (d) Iron(II) sulfide ( $\text{FeS}$ ) **1.11** (a)  $\text{FeI}_2$  (Iron(II) iodide) (b) Lead(IV) sulfide ( $\text{PbS}_2$ ) (c)  $\text{FeBr}_2$  (Iron(II) bromide) **1.13** (a) HCl (hydrochloric acid) (b) Hydrofluoric Acid (HF) (c)  $\text{Mg}(\text{OH})_2$  (magnesium hydroxide) **1.15** (a) KOH (base) (b) LiOH (base) (c)  $\text{CH}_3\text{OH}$  (acid, organic) **1.17** (a) HF (hydracid) (b)  $\text{H}_2\text{SO}_3$  (oxacid) (c)  $\text{H}_2\text{S}$  (hydracid) **1.19** (a)  $\text{H}_2\text{CrO}_4$  redox=6 (b)  $\text{H}_2\text{Cr}_2\text{O}_7$  redox=6 (c)  $\text{HMnO}_4$  redox=7 **1.21** (a)  $\text{H}_3\text{As}^{\text{V}}\text{O}_4$  (b)  $\text{H}_4\text{Xe}^{\text{VIII}}\text{O}_6$  **1.23** (a)  $\text{H}_2\text{S}_2^{\text{V}}\text{O}_6$  (b)  $\text{H}_2\text{Se}^{\text{IV}}\text{O}_3$  **1.25** (a) Lithium sulfate ( $\text{Li}_2\text{SO}_4$ ) (b)  $\text{Na}_2\text{CrO}_4$  (sodium dichromate) (c) Lithium sulfite ( $\text{Li}_2\text{SO}_3$ ) (d)  $\text{Cs}_2\text{Cr}_2\text{O}_7$  (caesium dichromate) (e) Calcium sulfate ( $\text{CaSO}_4$ ) **1.27** (a) cobalt(III) carbonate ( $\text{Co}_2(\text{CO}_3)_2$ ) (b)  $\text{Fe}(\text{ClO}_4)_3$  (iron(III) perchlorate) (c) zinc(II) carbonate ( $\text{ZnCO}_3$ ) **1.29** (a) Sodium dihydrogenphosphate ( $\text{NaH}_2\text{PO}_4$ ) (b)  $\text{LiH}_2\text{PO}_4$  (lithium dihydrogenphosphate) (c) Silver monohydrogenphosphate ( $\text{Ag}_2\text{HPO}_4$ ) **1.31** (a)  $\text{MgSO}_4$  (magnesium phosphate) (b)  $\text{Ni}(\text{SO}_4)_3$  (nickel(III) sulfate) (c) Cobalt(II) nitrate ( $\text{Co}(\text{NO}_3)_2$ ) (d) Cobalt(II) sulfate dihydrate ( $\text{CoSO}_4 \cdot 2\text{H}_2\text{O}$ ) (e)  $\text{KHCO}_3$  (potassium monohydrogencarbonate)