



3dssd+yolov3 | 3dssd | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

3dssd+yolov3 | yolov3 | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

3dssd+yolov3 | 3dssd | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

3dssd+yolov3 | yolov3 | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+dino | centerpoint | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+dino | dino | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+dino | centerpoint | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+dino | dino | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+yolov3 | centerpoint | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+yolov3 | yolov3 | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+yolov3 | centerpoint | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

centerpoint+yolov3 | yolov3 | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+mask-rcnn | mask-rcnn | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+mask-rcnn | pointpillars | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+mask-rcnn | mask-rcnn | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+mask-rcnn | pointpillars | MPS on




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+vit-upernet | pointpillars | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+vit-upernet | vit-upernet | MPS off




Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+vit-upernet | pointpillars | MPS on



Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.

pointpillars+vit-upernet | vit-upernet | MPS on



Three executions pooled into one distribution per condition; all completed non-warmup inferences.
No tail trimming. Bars: median, quartiles, min/max. n = total inference observations.