



Cracking the KubeCon CfP


2024/04/23

CNCJ KubeCon 採択スペシャル at LY Corporation



Cracking とは 🤔

Wh



世界で闘う プログラミング力を鍛える本

—コーディング面接189問とその解法—

Gayle Laakmann McDowell [著]

岡田佑一、小林啓倫 [訳]

CRACKING THE CODING INTERVIEW

189 Programming Questions and Solutions

Gayle Laakmann McDowell



全プログラマー“必読”

Google・Apple・Amazon.. 有名IT企業のコーディング面接での出題から選び抜いた最高の189問を収録。プログラマーとしての技術力をもう一段階上のレベルに引き上げよう。



Let's “crack” the CfP!



自己紹介

Kohei Ota

Senior Field Engineer at Apple

CNCF Ambassador

Co-chair of Cloud Native Community Japan

Owner of SIG-Docs Japanese localization

Twitter: @inductor__


GitHub: @inductor



最近の KubeCon にまつわる数字



KubeCon EU 2023



16,092

ATTENDEES

58% 1ST-TIME ATTENDEES

176

MEDIA +
ANALYSTS

9

CNCF-HOSTED
CO-LOCATED
EVENTS

14

SPONSOR-HOSTED
CO-LOCATED
EVENTS



42%

MEN



6%

WOMEN



0.4%

NON-BINARY/
OTHER GENDERS

51.6% PREFER NOT TO ANSWER

ATTENDEES PER REGION



1767 98 22 210

CFP SUBMISSIONS

MAINTAINER TRACK SESSIONS

KEYNOTES

BREAKOUTS

CFP ACCEPTANCE RATE: 10%

END USER TALKS: 37%

GENDER MINORITY SPEAKERS: 27%

% OF GENDER MINORITY KEYNOTE SPEAKERS: 41%


IN-PERSON DATA

10,507

ATTENDEES



KubeCon EU 2023



直近3回の KubeCon -応募数と採択率-

2,541

CFP SUBMISSIONS

19

KEYNOTES

108

MAINTAINER TRACK
SESSIONS

223

BREAKOUTS

TOP THREE JOB FUNCTIONS

1: DEVOPS/SRE 2: DEVELOPER 3: ARCHITECT
/SYSADMIN

CFP ACCEPTANCE RATE: 9%

END USER TALKS: 41%

GENDER MINORITY SPEAKERS: 25%

% OF GENDER MINORITY KEYNOTE SPEAKERS: 37%

1,767 (10%)

KubeCon EU 2023 🇪🇺

1,871 (11%)

KubeCon NA 2023 🇺🇸

2,541 (9%)

KubeCon EU 2024 🇫🇷



直近3回の KubeCon -応募数と採択率-

2,541

CFP SUBMISSIONS

19

KEYNOTES

TOP THREE JOB FUNCTIONS

1: DEVOPS/SRE 2: DEVELOPER 3: ARCHITECT
/SYSADMIN

CFP ACCEPTANCE RATE: 9%

END USER TALKS: 41%

108

MAINTAINER TRACK
SESSIONS

223

BREAKOUTS

GENDER MINORITY SPEAKERS: 25%

% OF GENDER MINORITY KEYNOTE SPEAKERS: 37%

1,767 (10%)

KubeCon EU 2023 🇪🇺

1,871 (11%)

KubeCon NA 2023 🇺🇸

2,541 (9%)

KubeCon EU 2024 🇫🇷



直近3回の KubeCon -応募数と採択率-

2,541


CFP SUBMISSIONS

108

MAINTAINER TRACK
SESSIONS

GENDER

% OF



1,767 (10%)

KubeCon EU 2023 🇪🇺

1,871 (11%)


KubeCon NA 2023 🇺🇸


2,541 (9%)

KubeCon EU 2024 🇫🇷



2500!?





著作権フリー 🐭 に感謝

みんな 🥐 パリ 🥐 に行きたかったただけ説 🤗

CfP 採択の裏側

誰がどう関わっている？



自己(再)紹介

Kohei Ota

- 2021 KubeCon EU スピーカー
- 2022 KubeCon EU トラックチェア
- 2024 KubeCon EU スピーカー
+ プログラム委員



プログラム委員？？
トラックチェア？？？

KubeCon(コロケ) におけるコミュニティロール

- プログラム委員

カンファレンスのプログラムやアジェンダに含まれる公募セッションを評価し、選択する責任を持つ

- トラックチェア

プログラム委員によって自分のトラックに対して高得点を付けられた上位の公募セッションをレビュー、必要なコメントを提供し、最終的に上位約30%をチェアに提出する責任を持つ

- プログラムチェア(座長)

深い専門知識を活用して公募セッションのレビューと選考プロセスを監督し、委員の意見に基づいてイベントのスケジュールを最終決定、CNCFイベントチームと連携し、現地でイベントを主催する責任を持つ



誰がどうやってなれるの？

KubeCon(コロケ) におけるコミュニティロール

- プログラム委員

CNCFアンバサダーや、参加のプロジェクトメンテナには応募するためのメールが会期ごとに送られる。委員会の多様性を保証し、バイアスを軽減するために、その人々の特定の関心事や専門知識のほか、性別の多様性、地理的多様性、企業の多様性、プロジェクトの多様性を考慮して、多様な背景からプログラムチェアが選ぶ

- トラックチェア

選ばれたプログラム委員のうち、応募フォームに「トラックチェアになってもいい」とチェックを入れた人の中からチェアが選ぶ

- プログラムチェア(座長)

CNCFが選ぶ



KubeCon(コロケ) におけるコミュニティロール

- プログラム委員

CNCFアンバサダーや、参加のプログラムの多様性を保証し、バイアスを軽減するための地理的多様性、企業が多様性、プロジェクトの多様性を確保する

- トラックチェア

選ばれたプログラム委員のうち、各トラックの中からチェアを選ぶ

- プログラムチェア(座長)

CNCFが選ぶ

- これらすべてコミュニティベース
- 毎回同じメンバーではない
- EUとNA（あるいはアジア）でも違う人が選ばれる場合もある
- セッションの公募数は次第に増えている...



1委員がレビューする
セッションの数は？

💀 いっぱい 💀

The smart way to do Call for Papers, Schedule and Speaker Management.

Cloud based, safe and easy. Your speakers will love it, too!

[Start with Your Event](#)[Try Demo Event](#)



sessionize



Organizer



Speaker



Events



My events

+ New event

+ New user group



Lists



Events

My events

Event Name

Active

Archived

KubeCon + CloudNativeCon Europe 2024



sessionize

プログラム委員と
チェア

🗂 Organizer

🎤 Speaker

スピーカー



Events



My events

+ New event

+ New user group



Lists



Events

My events

Event Name

Active

Archived

KubeCon + CloudNativeCon Europe 2024

Evaluation Plans

Your evaluations

You have been chosen for the following evaluations.



Name			Sessions	Progress
Service Mesh Evaluation	Stats & Edit	Closed	0	0%
Security Evaluation	Stats & Edit	Closed	0	0%
SDLC Evaluation	Stats & Edit	Closed	0	0%
Platform Engineering Evaluation	Stats & Edit	Closed	0	0%
Operations + Performance Evaluation	Stats & Edit	Closed	0	0%
Observability Evaluation	Stats & Edit	Closed	0	0%
Networking + Edge + Telco Evaluation	Stats & Edit	Closed	0	0%
ML/AI + Data Processing + Storage Evaluation	Stats & Edit	Closed	0	0%
Emerging & Advanced Evaluation	Stats & Edit	Closed	0	0%
Cloud Native Novice Evaluation	Stats & Edit	Closed	78	100%
Cloud Native Experience Evaluation	Stats & Edit	Closed	0	0%

Evaluation Plans

Your evaluations

You have been chosen for the following evaluations.

Name			Sessions	Progress
Service Mesh Evaluation	Stats & Edit	Closed	0	0%
Security Evaluation	Stats & Edit	Closed	0	0%
SDLC Evaluation	Stats & Edit	Closed	0	0%
Platform Engineering Evaluation	Stats & Edit	Closed	0	0%
Operations + Performance Evaluation	Stats & Edit	Closed	0	0%
Observability Evaluation	Stats & Edit	Closed	0	0%
Networking + Edge + Telco Evaluation	Stats & Edit	Closed	0	0%
ML/AI + Data Processing + Storage Evaluation	Stats & Edit	Closed	0	0%
Emerging & Advanced Evaluation	Stats & Edit	Closed	0	0%
Cloud Native Novice Evaluation	Stats & Edit	Closed	78	100%
Cloud Native Experience Evaluation	Stats & Edit	Closed	0	0%



↑ Top

↓

🔍

Rank	Session	Rating
#1		★ 4.1
#1		★ 4.1
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#3		★ 4.0
#11		★ 3.9
#11		★ 3.9
#11		★ 3.9
#11		★ 3.9
#11		★ 3.9
#11		★ 3.9
#16		★ 3.8

プライバシーを考慮し、削除

公募セッションのレビューに至るまでの流れ

1. アンバサダーやメンテナなどのコミュニティ貢献者に、Google フォームの
リンクを通じて委員会活動への参加依頼が届く 
2. フォームには、レビュー可能なセッションの数（50-100, 100- など）と、
最も関心のあるカテゴリを入力するセクションがある 
3. 特定のカテゴリで選ばれると、受諾のメールが届く  
4. セッションレビューには数週間の時間が与えられる   



(今回の自分の割り当ての場合)
78の公募セッションを見るわけです

Description

Setting Pod resources like CPU/memory correctly is key for running apps on Kubernetes efficiently and reliably. However, knowing what values to set takes much effort. Sometimes, resources are not set at all, while others are set once during initial testing but never updated. The Vertical Pod Autoscaler (VPA) solves this problem by automatically configuring resources based on historical resource usage.

On the other hand, changing resource allocation required Pod recreation since Kubernetes 1.27. This made VPA impractical for workloads where Pod restart is disruptive, resulting in leading to lower availability. With the introduction of the alpha in-place resource resizing, resources can now be updated without recreation, benefiting all workloads.

This talk will explore resource management in Kubernetes, including challenges and current solutions. We will then delve into the benefits of in-place resource resizing. By the end, you'll clearly understand effective Pod resource management.

Track	Cloud Native Novice
Session format	Session Presentation
Level	Beginner
Benefits to the ecosystem	In our upcoming presentation, we will highlight critical aspects of ecosystem optimization, focusing on Vertical Pod Autoscaling (VPA). A surprising number of individuals in our field are not fully aware of the existence or the benefits of VPA. This lack of awareness represents a significant gap in knowledge that our talk intends to address. Additionally, we will delve into the nuances of vertical auto-scaling, a vital component for appropriate resource allocation. Mismanagement in auto-scaling can lead to major failures and system outages, and we plan to discuss strategies to avoid such critical issues. Furthermore, our presentation will explore the complexities of in-place resource resizing. Despite its benefits, this process involves multiple considerations and impacts a range of components, making it challenging to grasp fully. We notice a dearth of detailed explanations on this topic outside of Kubernetes Enhancement Proposals (KEPs), and our talk aims to fill this gap by providing comprehensive insights into the impact and implementation of in-place resource resizing. Through this presentation, we hope to enhance understanding and foster better practices within the ecosystem.

Description

Setting Pod resources like CPU/memory correctly is key for running apps on Kubernetes efficiently and reliably. However, knowing what values to set takes much effort. Sometimes, resources are not set at all, while others are set once during initial testing but never updated. The Vertical Pod Autoscaler (VPA) solves this problem by automatically configuring resources based on historical resource usage.

On the other hand, changing resource allocation required Pod recreation since Kubernetes 1.27. This made VPA impractical for workloads where Pod restart is disruptive, resulting in leading to lower availability. With the introduction of the alpha in-place resource resizing, resources can now be updated without recreation, benefiting all workloads.

This talk will explore resource management in Kubernetes, including challenges and current solutions. We will then delve into the benefits of in-place resource resizing. By the end, you'll clearly understand effective Pod resource management.

Track	Cloud Native Novice
Session format	Session Presentation
Level	Beginner

Benefits to the ecosystem

In our upcoming presentation, we will highlight critical aspects of ecosystem optimization, focusing on Vertical Pod Autoscaling (VPA). A surprising number of individuals in our field are not fully aware of the existence or the benefits of VPA. This lack of awareness represents a significant gap in knowledge that our talk intends to address. Additionally, we will delve into the nuances of vertical auto-scaling, a vital component for appropriate resource allocation. Mismanagement in auto-scaling can lead to major failures and system outages, and we plan to discuss strategies to avoid such critical issues. Furthermore, our presentation will explore the complexities of in-place resource resizing. Despite its benefits, this process involves multiple considerations and impacts a range of components, making it challenging to grasp fully. We notice a dearth of detailed explanations on this topic outside of Kubernetes Enhancement Proposals (KEPs), and our talk aims to fill this gap by providing comprehensive insights into the impact and implementation of in-place resource resizing. Through this presentation, we hope to enhance understanding and foster better practices within the ecosystem.

タイトル

セッションの概要

聴講者にもオンラインで事前公開されるので、
聞き手を集めるために効果的

カテゴリと
レベル感

コミュニティにとっての利益

聴講者には公開されないが、CfPのレビューにおいて
最も重要な「なぜこのトピックを取り上げるべきなのか」
をプログラム委員やチェアにアピールするチャンスの場合

Description

Setting Pod resources like CPU/memory correctly is key for running apps on Kubernetes efficiently and reliably. However, knowing what values to set takes much time. Pod resources are not set at all, while others are set once during initial test. The Vertical Pod Autoscaler (VPA) solves this problem by automatically adjusting resources based on historical resource usage.

On the other hand, changing resource allocation required Pod recreation. This made VPA impractical for workloads where Pod restart is undesirable, leading to lower availability. With the introduction of the alpha in-place resource update, resources can now be updated without recreation, benefiting all workloads. This talk will explore resource management in Kubernetes, including current and upcoming solutions. We will then delve into the benefits of in-place resource resize and clearly understand effective Pod resource management.

Track

Cloud Native Novice

Session format

Session Presentation


Level

Beginner

Benefits to the ecosystem

In our upcoming presentation, we will highlight our work on ecosystem optimization, focusing on Vertical Pod Autoscaling. A surprising number of individuals in our field are unaware of its existence or the benefits of VPA. This lack of awareness is a significant gap in knowledge that our talk intends to address. Additionally, we will delve into the nuances of vertical auto-scaling, a vital component for appropriate resource allocation. Mismanagement in auto-scaling can lead to major failures and system outages, and we plan to discuss strategies to avoid such critical issues. Furthermore, our presentation will explore the complexities of in-place resource resizing. Despite its benefits, this process involves multiple considerations and impacts a range of components, making it challenging to grasp fully. We notice a dearth of detailed explanations on this topic outside of Kubernetes Enhancement Proposals (KEPs), and our talk aims to fill this gap by providing comprehensive insights into the impact and implementation of in-place resource resizing. Through this presentation, we hope to enhance understanding and foster better practices within the ecosystem.

この大量の文章、
最初の数個レビューしてるうちは
まあいいんだけど



**A FEW HOURS
LATER...**



アッアッアッ...

セッション採択の辛いところ

- 見るセッション全てがその個人にとって面白いわけではない
- オープンソースコミュニティにはふさわしくないマーケティング色万歳のセッションもあれば、内容は悪くなさそうなのにもかかわらず説明が不十分なものなどもある
 - 最近だとChatGPT 丸投げとか見てすぐわかる
- 項目の中では“Description”と“Benefits to ecosystem”が最も重要で、書き分けるべきで、なおかつ後者が圧倒的に重要(最も効果的なアピールの場所)なのに、よくわかっていない応募者も多い
- 非英語ネイティブからするといかつい単語をいっぱい使われたり、めちゃんこ長い文章を何十個もレビューし続けるのはけっこう辛い。でかい規模のカンファレンスだから理解はできるんだけど...



The “cracking”



いいセッションとは

いいセッションとは (個人的意見)

いいセッションにはこれがある

- 明確で的確なトピックと、ターゲットにしている聴講者
- (需要が高い or 注目を集めている or 将来性のある)トピックを題材にし、なおかつ公募内容にオリジナリティがある
- なぜそのスピーカーがそのイベントで話すべきなのかがわかりやすく書かれている
- セッションのタイトルが、いい



いいセッションにはこれがある

- 明確で的確なトピックと、ターゲットにしている聴講者
- (需要が高い or 注目を集めている or 将来性のある)トピックを題材にし、なおかつ公募内容にオリジナリティがある
- なぜそのスピーカーがそのイベントで話すべきなのかがわかりやすく書かれている
- セッションのタイトルが、いい
- セッションのタイトルが、いい
- セッションのタイトルが、いい
- セッションのタイトルが、いい



—人人人人人人人人人人人人人人—
> <
> セッションのタイトルが、いい <
> <
—Y^Y^Y^Y^Y^Y^Y^Y^Y^Y^Y^Y^Y^Y^Y^Y^—

タイトル死ぬほど大事!!!

- キャッチーなタイトルはそれだけで目を惹く
- いいセッションタイトルは、見た人の想像力を掻き立てる
- タイトルを見ておっ、って思ったレビュアーは、内容についてもちゃんと見ようという気になりやすい



良くないタイトルの例

- (ただ単に) Cloud Native 101
- Service Mesh 2024
- Introduction to Kubernetes Security
- How to setup a K8s cluster on Raspberry Pi



いいタイトルの例

- To Infinity and Beyond:
Seamless autoscaling with in-place resource resize
for Kubernetes Pods
- Resource Requests and Limits Under the Hood:
The Journey of a Pod Spec
- Reverse Engineering Cloud Native:
the Emergence of OSPO



いいタイトルの例

- To Infinity and Beyond
Seamless autoscaling
for Kubernetes Pods
- Resource Requests
The Journey of a Pod
- Reverse Engineering
the Emergence of OSPO

全部手前味噌です 😂
(実際話したやつ)



手前味噌なんだけど、まあ聞いてくれ

- To Infinity and Beyond:
Seamless autoscaling with in-place resource resize
for Kubernetes Pods
- Resource Requests and Limits Under the Hood
The Journey of a Pod Spec
- Reverse Engineering Cloud Native:
the Emergence of OSPO

目を惹くためのキャッチーな部分

わかりやすく明確なメイントピック



タイトル死ぬほど大事!!!

- キャッチーなタイトルはそれだけで目を惹く
- いいセッションタイトルは、見た人の想像力を掻き立てる
- タイトルを見ておっ、って思ったレビュアーは、内容についてもちゃんと見ようという気になりやすい



タイトル死ぬほど大事!!!

- キャッチーなタイトルはそれだけ
 - いいセッションタイトルは、見た
 - タイトルを見ておっ、って思
- ちゃんと見ようという気になりやすい

レビュアーの心理状態に
つけ込むの、大事



タイトル死ぬほど大事!!!

- キャッチーなタイトルにするのがいい
- いいセッション
- タイトルをちゃんと見



セッションタイトルにメリハリがあると、
中身のDescriptionで伝えたいことの枠組みや
ストーリーも組み立てやすい



まとめ



CfP を出す時に知っておくべきこと

- セッションのレビューはコミュニティの貢献によって成り立っている
- 大量のセッションをレビューするのは、大変
- いいタイトルと、カテゴリに基づいた
明確なターゲットオーディエンスを設定することが大事
- タイトルはマジで大事！！！！！！！！！！



さいごに



このイベントに興味を持ったみなさん
もはや CfP 出す気しかないですね？？？

CfP のレビュー依頼

いつでも受け付けてます。

国際カンファレンスへの挑戦者、求む！



以上です！！！！！！

