

Microlocal Morse Theory and Truncated Microsupport

Toshi2019

March 14, 2025*

Preface

In these notes, We study microlocal Morse theory, which is developed by Guillermou, Kashiwara, and Schapira in [GKS12], but replace microsupports with truncated microsupprts introduced by Kashiwara, Monteiro-Fernandes, and Schapira in [KMS03].

1 Truncated Microsupport

Definition 1.1. (i) Let $F \in D^b(\mathbf{k}_X)$. The closed conic subset $SS_k(F)$ of T^*X is defined by: $p \notin SS_k(F)$ if and only if F satisfies the equivalent conditions in Prop.

(ii) aa

2 Results

Proposition 2.1. Let F in $D^b(\mathbf{k}_M)$, and $\psi: M \rightarrow \mathbf{R}$ be a real-valued function of class C^1 , proper on $\text{supp}(F)$. let $a < b$ be real numbers. We assume $d\psi(x) \notin SS_k(F)$ for $a \leq \psi(x) < b$. For $t \in \mathbf{R}$, we set $M_t := \psi^{-1}([-\infty, t])$. Then, restriction morphisms

$$H^j(M_b; F) \rightarrow H^j(M_a; F)$$

are isomorphic for each $j \leq k$.

Proof. First, we have

$$H^j(M_t; F) \cong H^j \text{R}\Gamma([-\infty, t[; \text{R}\psi_* F)$$

for $t \in I$. Since we assume that $d\psi(x) \notin SS_k(F)$ for $a \leq \psi(x) < b$, and by the formula $SS_k(\text{R}\psi_* F) \subset \psi_\pi \psi_d^{-1} SS_k(F)$, we have

$$(H^j \text{R}\Gamma_{[a, b[} \text{R}\psi_* F)_{\psi(x)} = 0$$

*2025/03/09 first draft

for each $j \leq k$. Therefore, letting $d \in \mathbf{Z}$ be the minimum number that

$$H^d \mathrm{R}\Gamma_{]-\infty, a[}(\mathrm{R}\psi_* F) \neq 0,$$

by the long exact sequence

$$\begin{aligned} 0 &\rightarrow H^d \mathrm{R}\Gamma_{[a, b[}(\mathrm{R}\psi_* F) \rightarrow H^d \mathrm{R}\Gamma_{]-\infty, b[}(\mathrm{R}\psi_* F) \rightarrow H^d \mathrm{R}\Gamma_{]-\infty, a[}(\mathrm{R}\psi_* F) \\ &\rightarrow H^{d+1} \mathrm{R}\Gamma_{[a, b[}(\mathrm{R}\psi_* F) \rightarrow H^{d+1} \mathrm{R}\Gamma_{]-\infty, b[}(\mathrm{R}\psi_* F) \rightarrow H^{d+1} \mathrm{R}\Gamma_{]-\infty, a[}(\mathrm{R}\psi_* F) \\ &\rightarrow \dots \\ &\rightarrow H^k \mathrm{R}\Gamma_{[a, b[}(\mathrm{R}\psi_* F) \rightarrow H^k \mathrm{R}\Gamma_{]-\infty, b[}(\mathrm{R}\psi_* F) \rightarrow H^k \mathrm{R}\Gamma_{]-\infty, a[}(\mathrm{R}\psi_* F) \\ &\rightarrow H^{k+1} \mathrm{R}\Gamma_{[a, b[}(\mathrm{R}\psi_* F) \rightarrow \dots, \end{aligned}$$

we have isomorphisms

$$H^j \mathrm{R}\Gamma_{]-\infty, b[}(\mathrm{R}\psi_* F) \xrightarrow{\sim} H^j \mathrm{R}\Gamma_{]-\infty, a[}(\mathrm{R}\psi_* F) \quad (2.1)$$

for all $j \leq k$. Then we can conclude that

$$H^j(M_b; F) \xrightarrow{\sim} H^j(M_a; F)$$

by applying to the equality (2.1) the functor $\Gamma(]-\infty, b[; \cdot)$ and calculating as follows:

$$\begin{aligned} \Gamma(]-\infty, b[; H^j \mathrm{R}\Gamma_{]-\infty, b[}(\mathrm{R}\psi_* F)) &\cong \Gamma_{]-\infty, b[}(\Gamma(]-\infty, b[; \mathrm{R}^j \psi_* F)) \\ &\cong \Gamma(]-\infty, b[; \mathrm{R}^j \psi_* F) \\ &\cong H^j(\psi^{-1}(]-\infty, b[); F) \\ &\cong H^j(M_b; F) \end{aligned}$$

and

$$\begin{aligned} \Gamma(]-\infty, b[; H^j \mathrm{R}\Gamma_{]-\infty, a[}(\mathrm{R}\psi_* F)) &\cong \Gamma_{]-\infty, a[}(\Gamma(]-\infty, b[; \mathrm{R}^j \psi_* F)) \\ &\cong \Gamma(]-\infty, a[; \mathrm{R}^j \psi_* F) \\ &\cong H^j(\psi^{-1}(]-\infty, a[); F) \\ &\cong H^j(M_a; F). \end{aligned}$$

□

References

- [GKS12] Stéphane Guillermou, Masaki Kashiwara, Pierre Schapira, *Sheaf Quantization of Hamiltonian Isotopies and Applications to Nondisplaceability Problems*, Duke. Math. J. 161, No. 2, pp.201–245, 2012.
- [GP74] Victor Guillemin, Alan Pollack, *Differential Topology*, Prentice-Hall, 1974.
- [KMS03] Masaki Kashiwara, Teresa Monteiro Fernandes, Pierre Schapira, *Truncated Microsupprt and Holomorphic Solutions of D-modules*, Ann. Scient. Éc. Norm. Sup., série 4, tome 36, pp.583–399, 2003.

- [KS90] Masaki Kashiwara, Pierre Schapira, *Sheaves on Manifolds*, Grundlehren der Mathematischen Wissenschaften, 292, Springer, 1990.
- [Hat89] 服部晶夫, 多様体 増補版, 岩波全書 288, 岩波書店, 1989.
- [Sch85] Pierre Schapira, *Microdifferential Systems in the Complex Domain*, Grundlehren der Mathematischen Wissenschaften, 269, Springer, 1985.
- [ST92] Pierre Schapira, Nobuyuki Tose, *Morse Inequalities for $\mathbf{R}$ -constructible Sheaves*, Adv. Math. 93, pp.1–8, 1992.