

# **NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS): 2016**

## **CODEBOOK**

Center for Behavioral Health Statistics and Quality  
Substance Abuse and Mental Health Services Administration

## **Acknowledgements**

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

## **Terms of Use**

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below:

## **Privacy of Study Respondents**

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these datasets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA ([BHSIS\\_HelpDesk@eagletechva.com](mailto:BHSIS_HelpDesk@eagletechva.com)).

## **Public Domain Notice**

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. This publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

## **Recommended Citation**

Substance Abuse and Mental Health Services Administration, *National Mental Health Services Survey (N-MHSS): 2016. Data on Mental Health Treatment Facilities*. BHSIS Series S-98, HHS Publication No. (SMA) 17-5049. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2017.

Authors that use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work ([BHSIS\\_HelpDesk@eagletechva.com](mailto:BHSIS_HelpDesk@eagletechva.com)).

## **Disclaimers**

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.*

## **Violations**

If SAMHSA determines this terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution;
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

# DESCRIPTION OF THE NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS)

The 2016 National Mental Health Services Survey (N-MHSS) conducted from March 2016 through January 2017. The N-MHSS collects information from all known facilities in the United States, both public and private, that provide mental health treatment services to people with mental illness.<sup>1</sup> The Center for Behavioral Health Statistics and Quality (CBHSQ) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs the N-MHSS.

The N-MHSS provides a mechanism for quantifying the dynamic character and composition of the mental health treatment delivery system. It is the only source of national and state-level data on the mental health services delivery system reported by both publicly and privately operated specialty mental health care facilities. The N-MHSS collects data on the location, characteristics, and utilization of organized mental health treatment service providers (for facilities within the scope of the survey) throughout the 50 states, the District of Columbia, and U.S. territories.<sup>2</sup>

The N-MHSS complements, but does not duplicate, the information collected through SAMHSA's survey of substance abuse treatment facilities, the National Survey of Substance Abuse Treatment Services (N-SSATS). The objective of the N-MHSS is to collect data that can be used for multiple purposes:

- Assist SAMHSA and state and local governments in assessing the nature and extent of services provided in state-funded, state-operated, private non-profit, and private for-profit mental health treatment facilities, and in forecasting mental health treatment resource requirements;
- Update SAMHSA's Inventory of Behavioral Health Services (I-BHS), an inventory of all known mental health and substance abuse treatment facilities in the United States, which can be used as a frame for future surveys of these facilities;
- Describe the nature and scope of mental health treatment services and conduct comparative analyses for the nation and states;
- Generate the *National Directory of Mental Health Treatment Facilities*, a compendium of facilities approved by state mental health agencies for the provision of mental health treatment services; and
- Update the information in the mental health component of SAMHSA's online Behavioral Health Treatment Services Locator, which includes a searchable database of some licensed and accredited public and private facilities for the provision of mental health treatment. The Locator is available at: <https://findtreatment.samhsa.gov>

---

<sup>1</sup> Entities responding to the N-MHSS are referred to as "facilities."

<sup>2</sup> In the 2016 N-MHSS, the territories included American Samoa, Guam, Puerto Rico, and the U.S. Virgin Islands.

## Data Collection Procedures for the 2016 N-MHSS

### *Field period and reference date*

The field period for the 2016 N-MHSS, which included mailing and data collection operations, ran from March 28, 2016, through January 17, 2017.

### *Survey universe*

The 2016 N-MHSS survey universe included 15,346 facilities across the United States and its jurisdictions. Most facilities in the 2016 N-MHSS frame were identified from the updated database produced after fielding the 2010 and 2014 N-MHSS, supplemented by the 2015 mental health augmentation and new facilities that states requested be added to the I-BHS.

Below are the major activities undertaken to make sure SAMHSA has the most complete universe of facilities possible:

- The updated survey database is comprised of (1) those facilities that were included in the previous survey and are in-scope, and (2) newly identified facilities that became known during the course of the previous survey and are identified as eligible. Facilities that closed or were subsequently found to be out-of-scope are excluded.
- State mental health authorities (SMHAs) are contacted annually and asked to either (1) update and edit their state listing of known facilities, or (2) submit a new state listing of known facilities, using an online, password-protected site called the Inventory of Behavioral Health Services (I-BHS) that has been used by the state substance abuse agencies (SSAs) for a number of years. The information collected through these state listings is processed and cross-checked with the database of facilities in the I-BHS; newly identified facilities are screened for eligibility before being added to the survey database.
- Augmentation includes a number of activities undertaken by our contractor staff. Contact is made on an annual basis to obtain current facility listings from the American Business Index (ABI), the American Hospital Association (AHA), the U.S. Department of Veterans Affairs (VA), the Centers for Medicare and Medicaid Services (CMS), and a number of national behavioral health organizations/associations, such as the National Council for Community Behavioral Healthcare, the National Association of Psychiatric Health Systems, and the American Association of Children's Residential Centers (AACRC). These listings are cross-checked against the existing I-BHS database and any new facilities are screened (through an augmentation screener questionnaire conducted through phone interview) for eligibility to be included in the database for the upcoming survey. The augmentation screener is also used to screen facilities that were newly identified through the previous survey and through the state listings.

When new, eligible facilities are identified between surveys, they are contacted by telephone to provide basic facility information for a "between survey update." Facilities can be added at any time to SAMHSA's Behavioral Health Treatment Services Locator:

<https://findtreatment.samhsa.gov/>

### *Survey coverage*

The following types of mental health treatment facilities were included in the 2016 N-MHSS:

- *Psychiatric hospitals* are facilities licensed and operated as state/public psychiatric hospitals, or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less than 24-hour care (i.e., outpatient, partial hospitalization), but these additional service settings are not requirements.
- *General hospitals with a separate inpatient psychiatric unit* are licensed general hospitals (public or private) that provide inpatient mental health services in separate psychiatric units. These units must have specifically allocated staff and space for the treatment of persons with mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.
- *Veterans Administration (VA) medical centers* are facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate psychiatric inpatient units, residential treatment programs, and/or psychiatric outpatient clinics.
- *Partial hospitalization/day treatment mental health facilities* provide only partial day mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Outpatient mental health facilities* provide only outpatient mental health services to ambulatory clients, typically for less than three hours at a single visit. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment.
- *Residential treatment centers (RTCs) for children* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for children under age 18. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree. To qualify as an RTC, the primary reason for admission of more than half of the clients must be mental illness or emotional disturbance that can be classified by DSM-III/DSM-III-R, DSM-IV/DSM-IV-TR, DSM-V, or ICD-9-CM/ICD-10-CM codes, other than codes for intellectual disability, developmental disorders, and substance use disorders.
- *Residential treatment centers (RTCs) for adults* are facilities not licensed as psychiatric hospitals that primarily provide individually planned programs of mental health treatment in a residential care setting for adults.
- *Multi-setting mental health facilities*<sup>3</sup> provide mental health services in two or more service settings (non-hospital residential, plus either outpatient and/or day treatment/partial

---

<sup>3</sup> The classification of psychiatric hospital, general hospital, medical center, or residential treatment center—any of which can offer mental health services in two or more service settings—takes precedence over a multi-setting classification.

hospitalization), and are not classified as a psychiatric hospital, general hospital, medical center, or residential treatment center.

- *Community mental health centers (CMHCs)* provide either (1) outpatient services, including specialized outpatient services for children, the elderly, individuals who are chronically mentally ill, and residents of its mental health service area who have been discharged from inpatient treatment at a mental health facility; (2) 24-hour emergency care services; (3) day treatment or other partial hospitalization services, or psychosocial rehabilitation services; or (4) screening for patients being considered for admission to state mental health facilities to determine the appropriateness of the admission. To be classified as a CMHC, a facility must meet applicable licensing or certification requirements for CMHCs in the state in which it is located.
- *Other types of residential treatment facility* refers to facilities not licensed as a psychiatric hospital, whose primary purpose is to provide individually-planned programs of mental health treatment services in a residential care setting, and is not specifically for children or adults only.
- *Other* refers to another type of hospital or mental health facility not defined in the categories above.

### *Exclusions*

The 2016 N-MHSS survey universe excluded: (1) Department of Defense (DoD) military treatment facilities; (2) individual private practitioners or small group practices not licensed as a mental health clinic or center; and (3) jails or prisons. Mental health facilities that had closed since the previous survey were also excluded from the survey.

Facilities were not eligible for inclusion in the survey universe if they only provided one or more of the following services: crisis intervention services, psychosocial rehabilitation, cognitive rehabilitation, intake, referral, mental health evaluation, health promotion, psychoeducational services, transportation services, respite services, consumer-run/peer support services, housing services, and legal advocacy. Residential facilities whose primary function is not to provide specialty mental health treatment services are also not eligible for inclusion in the N-MHSS survey universe.

### **Content**

The 2016 N-MHSS survey instrument was, in its print format, a 14-page document with 38 numbered questions. Topics included:

- Facility type, operation, and primary treatment focus
- Facility treatment characteristics (e.g., settings of care; mental health treatment approaches, supportive services and practices, and special programs offered; crisis intervention team availability; and seclusion and restraint practices)
- Facility operating characteristics (e.g., age groups accepted; services provided in non-English languages; and smoking policy)
- Facility management characteristics (e.g., computerized functionality; licensure, certification, and accreditation; standard operating procedures; and sources of payment and funding)

- Client demographic characteristics

### *Data collection*

Three data collection modes were employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Approximately three weeks before the survey reference date (April 29, 2016), SAMHSA mailed letters to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-MHSS. The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including the questionnaire, SAMHSA cover letter, state-specific letter of support, information on completing the survey on the web, fact sheet of frequently asked questions, and a flyer explaining the question on Internet search engines) was mailed to each facility in April 2016. The web-based survey also became available at the same time. At this point, each facility had the option of completing the questionnaire via the secure survey website or ask for a paper questionnaire to complete and return via postal mail. In September 2016, another, similar packet was sent to non-responding facilities, this time including a copy of the questionnaire and a postage-paid return envelope.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the web was also available. Multiple reminder letters were sent to non-respondents over the course of the data collection period via fax, mail, and e-mail. To increase the survey response rate, state mental health agency representatives were contacted during the data collection period to inform them of their state's progress and to request additional help in encouraging responses. Blaise®-to-web follow-up of non-respondents began in August 2016 and ended in late January 2017.

### *Eligibility and unit response rate*

*Table 1.1* presents a summary of eligibility and response rate information. Of the 15,346 mental health treatment facilities in the survey, 8.9 percent were found to be ineligible for the survey because they did not provide mental health treatment services; had a primary treatment focus of substance abuse services or general health care; provided treatment for incarcerated persons only (i.e., in jails or prisons); were an individual or small group mental health practice not licensed or certified as a mental health center or clinic; or were closed.

Of the 13,983 eligible facilities, 91 percent completed the survey, including 404 facilities that provided administrative services only. Three quarters of the respondents that were eligible for the report (75.5 percent) completed the survey on the web, 1.7 percent through the mail, and 10.9 percent on the telephone.

### **Facility Status and Response Rate**

*Table 1.1* presents a summary of response rate information. There were 18,087 facilities in the survey universe. Of these facilities, 2,080 facilities (11 percent) were found to be ineligible for the survey because they had closed or did not provide substance abuse treatment or detoxification. Of the remaining 16,007 facilities, 14,632 facilities (91 percent) completed the survey and 14,399 (90 percent) were eligible for this report.



**Table 1.1. N-MHSS facilities, by status and mode of response: 2016**

	Number	Percent
<b>Total facilities in survey</b>	<b>15,346</b>	<b>100.0</b>
Closed/ineligible	1,363	8.9
Eligible	13,983	91.1
<b>Total eligible</b>	<b>13,983</b>	<b>100.0</b>
Non-respondents	1,238	8.9
Respondents	12,745	91.1
Excluded from report	573	4.1
Administrative only	404	2.9
Uncategorized roll-ups <sup>1</sup>	169	1.2
Eligible for report	12,172	87.0
<b>Mode of response</b>	<b>12,172</b>	<b>100.0</b>
Internet	9,188	75.5
Mail	208	1.7
Telephone	1,328	10.9

<sup>1</sup> Facilities whose client counts were included in or “rolled into” other facilities’ counts, and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Mental Health Services Survey (N-MHSS), 2016.

## Facility Reporting and Selection for the 2016 N-MHSS Report

Of the 13,983 eligible facilities in the survey, 12,745 (91.1 percent) completed the survey. The facility respondents included 404 facilities that provided administrative services only and 169 uncategorized roll-up facilities; these two groups of facilities are excluded from this report. The excluded facilities and reasons for exclusion fell into two categories:

- (1) A total of 404 administrative-only facilities were excluded. These facilities are included in SAMHSA’s online Behavioral Health Treatment Services Locator; however, given that these facilities did not provide direct mental health treatment services, they were considered out-of-scope for this report.
- (2) An additional 169 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported were excluded from this report.

After the exclusion of the 573 facilities, data from 12,172 eligible respondent facilities were included in this 2016 N-MHSS report.

## Quality Assurance

All mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing plus consistency checks not readily identified by manual review. The web-based questionnaire was

programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses on critical items. The CATI questionnaire was similarly programmed.

### **Response Rates**

The final unit response rate for eligible facilities was 91.1 percent. Extensive follow-up during data collection and careful editing maximized item response; the item response rates averaged approximately 97.6 percent across all 173 separate items.

### **Data Considerations and Limitations**

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2016 N-MHSS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- The N-MHSS is a voluntary survey and while every effort is made to obtain responses from all known mental health treatment facilities within the scope of the survey, some facilities did not respond. There was no adjustment for the 8.9 percent facility non-response.
- The N-MHSS is a point-prevalence survey. It provides information on the mental health treatment system and its clients as of a pre-selected reference date (April 29, 2016). Client counts reported here do not represent annual totals. Rather, the N-MHSS provides a “snapshot” of mental health treatment facilities and clients on an average day or month.
- When possible, we used cold-deck imputation to fill in item non-response. This is a technique that uses historical information from previous surveys to supplement the current data. In the N-MHSS, missing values were imputed using survey data collected in 2015.
- Multiple responses were allowed for certain questionnaire items (e.g., services provided in languages other than English, or type of payment or insurance accepted for mental health treatment services). Tabulations of data for these items include the total number of facilities reporting each response category.

## FREQUENCIES

Note: The number in parentheses that follows each variable's headline description, e.g. "(Q.7)," denotes the corresponding question and response in the [survey instrument](#) from which the variable is drawn.

## **CASEID: Case identification number**

Program generated case (record) identifier.

Variable type: Numeric

## LST: State abbreviations

Value	Label	Frequency	%
AK	Alaska	99	0.8%
AL	Alabama	193	1.6%
AR	Arkansas	235	1.9%
AS	American Samoa	2	0.0%
AZ	Arizona	378	3.1%
CA	California	880	7.2%
CO	Colorado	186	1.5%
CT	Connecticut	233	1.9%
DC	District of Columbia	41	0.3%
DE	Delaware	29	0.2%
FL	Florida	490	4.0%
GA	Georgia	219	1.8%
GU	Guam	2	0.0%
HI	Hawaii	45	0.4%
IA	Iowa	155	1.3%
ID	Idaho	177	1.5%
IL	Illinois	392	3.2%
IN	Indiana	301	2.5%
KS	Kansas	119	1.0%
KY	Kentucky	221	1.8%
LA	Louisiana	187	1.5%
MA	Massachusetts	339	2.8%
MD	Maryland	292	2.4%
ME	Maine	203	1.7%
MI	Michigan	359	2.9%
MN	Minnesota	240	2.0%
MO	Missouri	219	1.8%
MS	Mississippi	181	1.5%
MT	Montana	88	0.7%
NC	North Carolina	304	2.5%
ND	North Dakota	32	0.3%
NE	Nebraska	130	1.1%
NH	New Hampshire	62	0.5%
NJ	New Jersey	318	2.6%
NM	New Mexico	72	0.6%
NV	Nevada	51	0.4%
NY	New York	897	7.4%
OH	Ohio	574	4.7%
OK	Oklahoma	148	1.2%

## LST: State abbreviations

Value	Label	Frequency	%
OR	Oregon	170	1.4%
PA	Pennsylvania	586	4.8%
PR	Puerto Rico	88	0.7%
RI	Rhode Island	62	0.5%
SC	South Carolina	121	1.0%
SD	South Dakota	48	0.4%
TN	Tennessee	292	2.4%
TX	Texas	362	3.0%
UT	Utah	116	1.0%
VA	Virginia	273	2.2%
VI	Virgin Islands	8	0.1%
VT	Vermont	76	0.6%
WA	Washington	283	2.3%
WI	Wisconsin	430	3.5%
WV	West Virginia	113	0.9%
WY	Wyoming	51	0.4%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Variable type: character

### MHINTAKE: Offers mental health intake services (Q.A1)

Value	Label	Frequency	%
0	No	1,378	11.3%
1	Yes	10,794	88.7%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### MHDIAGEVAL: Offers mental health diagnostic evaluation (Q.A1)

Value	Label	Frequency	%
0	No	1,370	11.3%
1	Yes	10,802	88.7%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### MHREFERRAL: Offers mental health information and referral services (Q.A1)

Value	Label	Frequency	%
0	No	2,321	19.1%
1	Yes	9,851	80.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### TREATMT: Offers substance abuse treatment services (Q.A1)

Value	Label	Frequency	%
0	No	5,551	45.6%
1	Yes	6,621	54.4%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### ADMINSERV: Offers administrative services (Q.A1)

Value	Label	Frequency	%
0	No	4,962	40.8%
1	Yes	7,210	59.2%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SETTINGIP: 24-hour hospital inpatient (Q.A3)

Value	Label	Frequency	%
0	No	10,161	83.5%
1	Yes	2,011	16.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SETTINGRC: 24-hour residential (Q.A3)

Value	Label	Frequency	%
0	No	10,082	82.8%
1	Yes	2,090	17.2%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SETTINGDTPH: Partial hospitalization/day treatment (Q.A3)

Value	Label	Frequency	%
0	No	10,305	84.7%
1	Yes	1,867	15.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SETTINGOP: Outpatient (Q.A3)

Value	Label	Frequency	%
0	No	2,976	24.4%
1	Yes	9,196	75.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FACILITYTYPE: Facility type (Q.A4)

Value	Label	Frequency	%
1	Psychiatric hospital	689	5.7%
2	Separate inpatient psychiatric unit of a general hospital	1,161	9.5%
3	Residential treatment center for children	681	5.6%
4	Residential treatment center for adults	930	7.6%
5	Other type of residential treatment facility	55	0.5%
6	Veterans Administration medical center (VAMC)	406	3.3%
7	Community mental health center (CMHC)	2,628	21.6%
8	Partial hospitalization/day treatment facility	419	3.4%
9	Outpatient mental health facility	4,804	39.5%
10	Multi-setting mental health facility	399	3.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 11

Variable type: numeric



### FOCUS: Primary focus (Q.A7)

Value	Label	Frequency	%
1	Mental health treatment	8,182	67.2%
3	Mix of mental health and substance abuse treatment	3,598	29.6%
4	General health care	336	2.8%
5	Other service focus	56	0.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 5

Variable type: numeric

## OWNERSHP: Ownership (Q.A9)

Value	Label	Frequency	%
1	Private-for-profit organization	2,168	17.8%
2	Private non-profit organization	7,709	63.3%
3	Public agency or department	2,295	18.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## PUBLICAGENCY: Public agency or department (Q.A9a)

Value	Label	Frequency	%
1	State mental health authority (SMHA)	465	3.8%
2	Other state government agency or department	465	3.8%
3	Regional/district authority	875	7.2%
4	Tribal government	13	0.1%
5	Indian Health Service	13	0.1%
6	Department of Veterans Affairs	460	3.8%
7	Other	4	0.0%
-2	Logical skip	9,877	81.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1  
Maximum: 7

Variable type: numeric

### RELIG: Facility is affiliated with a religious organization (Q.A10)

Value	Label	Frequency	%
0	No	11,369	93.4%
1	Yes	773	6.4%
-1	Missing	30	0.2%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATPSYCHOTHRPY: Individual psychotherapy (Q.A11)

Value	Label	Frequency	%
0	No	1,159	9.5%
1	Yes	11,011	90.5%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### TREATFAMTHRPY: Couples/family therapy (Q.A11)

Value	Label	Frequency	%
0	No	3,615	29.7%
1	Yes	8,555	70.3%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATGRPTHRPY: Group therapy (Q.A11)

Value	Label	Frequency	%
0	No	1,937	15.9%
1	Yes	10,233	84.1%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATCOGTHRPY: Cognitive behavioral therapy (Q.A11)

Value	Label	Frequency	%
0	No	1,480	12.2%
1	Yes	10,690	87.8%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### TREATDIALTHRPY: Dialectical behavior therapy (Q.A11)

Value	Label	Frequency	%
0	No	6,001	49.3%
1	Yes	6,169	50.7%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATBEHAVMOD: Behavior modification (Q.A11)

Value	Label	Frequency	%
0	No	4,470	36.7%
1	Yes	7,700	63.3%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### TREATDUALMHSA: Integrated dual disorders treatment (Q.A11)

Value	Label	Frequency	%
0	No	5,783	47.5%
1	Yes	6,387	52.5%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATTRAUMATHRPY: Trauma therapy (Q.A11)

Value	Label	Frequency	%
0	No	3,558	29.2%
1	Yes	8,612	70.8%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### TREATACTV TYTHRPY: Activity therapy (Q.A11)

Value	Label	Frequency	%
0	No	6,814	56.0%
1	Yes	5,356	44.0%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATELECTRO: Electroconvulsive therapy (Q.A11)

Value	Label	Frequency	%
0	No	11,591	95.2%
1	Yes	579	4.8%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATTELEMEDINCE: Telemedicine therapy (Q.A11)

Value	Label	Frequency	%
0	No	9,006	74.0%
1	Yes	3,164	26.0%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TREATPSYCHOMED: Psychotropic medication (Q.A11)

Value	Label	Frequency	%
0	No	2,246	18.5%
1	Yes	9,924	81.5%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### TREATOTH: Other (Q.A11)

Value	Label	Frequency	%
0	No	11,867	97.5%
1	Yes	303	2.5%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**NOTREAT: None of these mental health treatment approaches are offered (Q.A11)**

Value	Label	Frequency	%
0	No	12,072	99.2%
1	Yes	98	0.8%
-1	Missing	2	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### ASSERTCOMM: Assertive community treatment (ACT) (Q.A12)

Value	Label	Frequency	%
0	No	10,494	86.2%
1	Yes	1,675	13.8%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHINTCASEMGMT: Intensive case management (ICM) (Q.A12)

Value	Label	Frequency	%
0	No	9,326	76.6%
1	Yes	2,843	23.4%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### MHCASEMGMT: Case management (CM) (Q.A12)

Value	Label	Frequency	%
0	No	4,257	35.0%
1	Yes	7,912	65.0%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### MHCOURTORDERED: Court-ordered outpatient treatment (Q.A12)

Value	Label	Frequency	%
0	No	6,883	56.5%
1	Yes	5,286	43.4%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHCHRONIC: Chronic disease/illness management (CDM) (Q.A12)

Value	Label	Frequency	%
0	No	9,924	81.5%
1	Yes	2,245	18.4%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## ILLNESSMGMT: Illness management and recovery (IMR) (Q.A12)

Value	Label	Frequency	%
0	No	8,937	73.4%
1	Yes	3,232	26.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



## PRIMARYCARE: Integrated primary care services (Q.A12)

Value	Label	Frequency	%
0	No	9,206	75.6%
1	Yes	2,963	24.3%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## DIETEXERCOUNSEL: Diet and exercise counseling (Q.A12)

Value	Label	Frequency	%
0	No	8,447	69.4%
1	Yes	3,722	30.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FAMPSYCHED: Family psychoeducation (Q.A12)

Value	Label	Frequency	%
0	No	4,703	38.6%
1	Yes	7,466	61.3%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHEDUCATION: Education services (Q.A12)

Value	Label	Frequency	%
0	No	8,437	69.3%
1	Yes	3,732	30.7%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHHOUSING: Housing services (Q.A12)

Value	Label	Frequency	%
0	No	9,681	79.5%
1	Yes	2,488	20.4%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## SUPPHOUSING: Supported housing (Q.A12)

Value	Label	Frequency	%
0	No	10,326	84.8%
1	Yes	1,843	15.1%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHPSYCHREHAB: Psychosocial rehabilitation services (Q.A12)

Value	Label	Frequency	%
0	No	7,297	59.9%
1	Yes	4,872	40.0%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### MHVOCREHAB: Vocational rehabilitation services (Q.A12)

Value	Label	Frequency	%
0	No	10,273	84.4%
1	Yes	1,896	15.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



## SUPPEMPLY: Supported employment (Q.A12)

Value	Label	Frequency	%
0	No	10,139	83.3%
1	Yes	2,030	16.7%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FOSTERCARE: Therapeutic foster care (Q.A12)

Value	Label	Frequency	%
0	No	11,556	94.9%
1	Yes	613	5.0%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### MHLEGAL: Legal advocacy (Q.A12)

Value	Label	Frequency	%
0	No	11,540	94.8%
1	Yes	629	5.2%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHEMGY: Psychiatric emergency walk-in services (Q.A12)

Value	Label	Frequency	%
0	No	8,447	69.4%
1	Yes	3,722	30.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHSUICIDE: Suicide prevention services (Q.A12)

Value	Label	Frequency	%
0	No	5,594	46.0%
1	Yes	6,575	54.0%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHCONSUMER: Consumer-run (peer support) services (Q.A12)

Value	Label	Frequency	%
0	No	9,303	76.4%
1	Yes	2,866	23.5%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHTOBACCOUSE: Screening for tobacco use (Q.A12)

Value	Label	Frequency	%
0	No	6,227	51.2%
1	Yes	5,942	48.8%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHTOBACCOCESS: Smoking/tobacco cessation counseling (Q.A12)

Value	Label	Frequency	%
0	No	7,595	62.4%
1	Yes	4,574	37.6%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### MHNICOTINEREP: Nicotine replacement therapy (Q.A12)

Value	Label	Frequency	%
0	No	9,110	74.8%
1	Yes	3,059	25.1%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**SMOKINGCESSATION: Non-nicotine smoking/tobacco cessation medications (by prescription) (Q.A12)**

Value	Label	Frequency	%
0	No	9,552	78.5%
1	Yes	2,617	21.5%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## MHOTH: Other (Q.A12)

Value	Label	Frequency	%
0	No	11,994	98.5%
1	Yes	175	1.4%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### MHNOSVCS: None of these services and practices are offered (Q.A12)

Value	Label	Frequency	%
0	No	11,880	97.6%
1	Yes	289	2.4%
-1	Missing	3	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### CHILDAD: Children (12 or younger) (Q.A13)

Value	Label	Frequency	%
0	No	5,160	42.4%
1	Yes	7,012	57.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### ADOLES: Adolescents (13-17) (Q.A13)

Value	Label	Frequency	%
0	No	4,520	37.1%
1	Yes	7,652	62.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## YOUNGADULTS: Young adults (18-25) (Q.A13)

Value	Label	Frequency	%
0	No	1,642	13.5%
1	Yes	10,530	86.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### ADULT: Adults (26-64) (Q.A13)

Value	Label	Frequency	%
0	No	2,095	17.2%
1	Yes	10,077	82.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### SENIORS: Seniors (65 or older) (Q.A13)

Value	Label	Frequency	%
0	No	2,504	20.6%
1	Yes	9,668	79.4%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SED: Children/adolescents with serious emotional disturbance (SED) (Q.A14)

Value	Label	Frequency	%
0	No	8,703	71.5%
1	Yes	3,462	28.4%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## TAYOUNGADULTS: Transitional age young adults (Q.A14)

Value	Label	Frequency	%
0	No	10,297	84.6%
1	Yes	1,868	15.3%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SPMI: Persons 18 and older with serious mental illness (Q.A14)

Value	Label	Frequency	%
0	No	7,545	62.0%
1	Yes	4,620	38.0%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC63: Seniors or older adults (Q.A14)

Value	Label	Frequency	%
0	No	9,773	80.3%
1	Yes	2,392	19.7%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### ALZHEMENTIA: Persons with Alzheimer's or dementia (Q.A14)

Value	Label	Frequency	%
0	No	11,466	94.2%
1	Yes	699	5.7%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC31: Persons with co-occurring mental and substance use disorders (Q.A14)

Value	Label	Frequency	%
0	No	7,725	63.5%
1	Yes	4,440	36.5%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## SPECGRPEATING: Persons with eating disorders (Q.A14)

Value	Label	Frequency	%
0	No	11,312	92.9%
1	Yes	853	7.0%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



**POSTTRAUM: Persons with a diagnosis of post-traumatic stress disorder (PTSD)  
(Q.A14)**

Value	Label	Frequency	%
0	No	8,809	72.4%
1	Yes	3,356	27.6%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**SRVC116: Persons who have experienced trauma (excluding persons with a PTSD diagnosis) (Q.A14)**

Value	Label	Frequency	%
0	No	8,705	71.5%
1	Yes	3,460	28.4%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### TRAUMATICBRAIN: Persons with traumatic brain injury (TBI) (Q.A14)

Value	Label	Frequency	%
0	No	11,505	94.5%
1	Yes	660	5.4%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC113: Veterans (Q.A14)

Value	Label	Frequency	%
0	No	10,708	88.0%
1	Yes	1,457	12.0%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC114: Active duty military (Q.A14)

Value	Label	Frequency	%
0	No	11,539	94.8%
1	Yes	626	5.1%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC115: Members of military families (Q.A14)

Value	Label	Frequency	%
0	No	11,318	93.0%
1	Yes	847	7.0%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC62: Lesbian,gay,bisexual or transgender clients (LGBT) (Q.A14)

Value	Label	Frequency	%
0	No	10,631	87.3%
1	Yes	1,534	12.6%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC61: Forensic clients (referred from the court/judicial system) (Q.A14)

Value	Label	Frequency	%
0	No	10,503	86.3%
1	Yes	1,662	13.7%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### SRVC32: Persons with HIV or AIDS (Q.A14)

Value	Label	Frequency	%
0	No	11,289	92.7%
1	Yes	876	7.2%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SRVC35: Other special program or group (Q.A14)

Value	Label	Frequency	%
0	No	11,639	95.6%
1	Yes	526	4.3%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 1

Variable type: numeric

**NOSPECGRP: No dedicated or exclusively designed programs or groups are offered (Q.A14)**

Value	Label	Frequency	%
0	No	8,719	71.6%
1	Yes	3,446	28.3%
-1	Missing	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 1

Variable type: numeric

**CRISISTEAM2: Offers a crisis intervention team that handles acute mental health issues at this facility and/or off-site (Q.A15)**

Value	Label	Frequency	%
0	No	6,327	52.0%
1	Yes	5,831	47.9%
-1	Missing	14	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 1

Variable type: numeric

## SIGNLANG: Treatment in sign language (Q.A16)

Value	Label	Frequency	%
0	No	5,924	48.7%
1	Yes	6,085	50.0%
-1	Missing	162	1.3%
-3	Don't know	1	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### LANG: Treatment in language other than English (Q.A17)

Value	Label	Frequency	%
0	No	4,750	39.0%
1	Yes	7,408	60.9%
-1	Missing	14	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**LANGPROV: Who provides treatment services in a language other than English (Q.A17a)**

Value	Label	Frequency	%
1	Staff who speak a language other than English	1,190	9.8%
2	On-call interpreter brought in when needed	3,084	25.3%
3	BOTH staff and on-call interpreter	3,112	25.6%
-1	Missing	22	0.2%
-2	Logical skip	4,764	39.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

### LANG16: Staff provides treatment in Spanish (Q.A17a1)

Value	Label	Frequency	%
0	No	235	1.9%
1	Yes	4,067	33.4%
-2	Logical skip	7,870	64.7%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### LANG\_B: Staff provides treatment in any other languages (Q.A17a2)

Value	Label	Frequency	%
0	No	2,835	23.3%
1	Yes	1,232	10.1%
-2	Logical skip	8,105	66.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG1: Treatment in Hopi (Q.A17b)

Value	Label	Frequency	%
0	No	1,459	12.0%
1	Yes	7	0.1%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG2: Treatment in Lakota (Q.A17b)

Value	Label	Frequency	%
0	No	1,462	12.0%
1	Yes	4	0.0%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### LANG3: Treatment in Navajo (Q.A17b)

Value	Label	Frequency	%
0	No	1,439	11.8%
1	Yes	27	0.2%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG21: Treatment in Ojibwa (Q.A17b)

Value	Label	Frequency	%
0	No	1,463	12.0%
1	Yes	3	0.0%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

#### LANG4: Treatment in Yupik (Q.A17b)

Value	Label	Frequency	%
0	No	1,461	12.0%
1	Yes	5	0.0%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG5: Treatment in other American Indian/Alaska Native language (Q.A17b)

Value	Label	Frequency	%
0	No	1,450	11.9%
1	Yes	16	0.1%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG6: Treatment in Arabic (Q.A17b)

Value	Label	Frequency	%
0	No	1,255	10.3%
1	Yes	211	1.7%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### LANG7: Treatment in any Chinese language (Q.A17b)

Value	Label	Frequency	%
0	No	1,165	9.6%
1	Yes	301	2.5%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG8: Treatment in Creole (Q.A17b)

Value	Label	Frequency	%
0	No	1,200	9.9%
1	Yes	266	2.2%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG24: Treatment in Farsi (Q.A17b)

Value	Label	Frequency	%
0	No	1,263	10.4%
1	Yes	203	1.7%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### LANG9: Treatment in French (Q.A17b)

Value	Label	Frequency	%
0	No	1,112	9.1%
1	Yes	354	2.9%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG10: Treatment in German (Q.A17b)

Value	Label	Frequency	%
0	No	1,328	10.9%
1	Yes	138	1.1%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG22: Treatment in Greek (Q.A17b)

Value	Label	Frequency	%
0	No	1,413	11.6%
1	Yes	53	0.4%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG25: Treatment in Hebrew (Q.A17b)

Value	Label	Frequency	%
0	No	1,337	11.0%
1	Yes	129	1.1%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG26: Treatment in Hindi (Q.A17b)

Value	Label	Frequency	%
0	No	1,262	10.4%
1	Yes	204	1.7%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



## LANG11: Treatment in Hmong (Q.A17b)

Value	Label	Frequency	%
0	No	1,382	11.4%
1	Yes	84	0.7%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG19: Treatment in Italian (Q.A17b)

Value	Label	Frequency	%
0	No	1,356	11.1%
1	Yes	110	0.9%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### LANG23: Treatment in Japanese (Q.A17b)

Value	Label	Frequency	%
0	No	1,380	11.3%
1	Yes	86	0.7%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG12: Treatment in Korean (Q.A17b)

Value	Label	Frequency	%
0	No	1,306	10.7%
1	Yes	160	1.3%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### LANG13: Treatment in Polish (Q.A17b)

Value	Label	Frequency	%
0	No	1,341	11.0%
1	Yes	125	1.0%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG14: Treatment in Portuguese (Q.A17b)

Value	Label	Frequency	%
0	No	1,276	10.5%
1	Yes	190	1.6%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG15: Treatment in Russian (Q.A17b)

Value	Label	Frequency	%
0	No	1,149	9.4%
1	Yes	317	2.6%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LANG20: Treatment in Tagalog (Q.A17b)

Value	Label	Frequency	%
0	No	1,218	10.0%
1	Yes	248	2.0%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### LANG17: Treatment in Vietnamese (Q.A17b)

Value	Label	Frequency	%
0	No	1,255	10.3%
1	Yes	211	1.7%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### LANG18: Treatment in other language (Q.A17b)

Value	Label	Frequency	%
0	No	1,259	10.3%
1	Yes	207	1.7%
-1	Missing	1	0.0%
-2	Logical skip	10,705	87.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### CONTEd: Continuing education requirements for professional staff (Q.A18)

Value	Label	Frequency	%
0	No	700	5.8%
1	Yes	11,396	93.6%
-1	Missing	76	0.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### CASEREV: Regularly scheduled case review with a supervisor (Q.A18)

Value	Label	Frequency	%
0	No	946	7.8%
1	Yes	11,140	91.5%
-1	Missing	86	0.7%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**QUALREV: Regularly scheduled case review by an appointed quality review committee (Q.A18)**

Value	Label	Frequency	%
0	No	3,982	32.7%
1	Yes	8,101	66.6%
-1	Missing	89	0.7%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### OUTFUP: Client outcome follow-up after discharge (Q.A18)

Value	Label	Frequency	%
0	No	5,248	43.1%
1	Yes	6,823	56.1%
-1	Missing	101	0.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### UTREV: Periodic utilization review (Q.A18)

Value	Label	Frequency	%
0	No	1,416	11.6%
1	Yes	10,645	87.5%
-1	Missing	111	0.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### SATSUR: Periodic client satisfaction surveys (Q.A18)

Value	Label	Frequency	%
0	No	686	5.6%
1	Yes	11,394	93.6%
-1	Missing	92	0.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



## SMOKINGPOLICY: Smoking policy (Q.A19)

Value	Label	Frequency	%
1	Not permitted to smoke anywhere	5,907	48.5%
2	Permitted in designated outdoor area(s)	5,263	43.2%
3	Permitted anywhere outside	936	7.7%
4	Permitted in designated indoor area(s)	38	0.3%
5	Permitted anywhere inside	5	0.0%
6	Permitted anywhere without restriction	2	0.0%
-1	Missing	20	0.2%
-5	Refused	1	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1  
Maximum: 6

Variable type: numeric

### USEDSECLUSION: Staff have used seclusion or restraint practices (Q.A20)

Value	Label	Frequency	%
0	No	9,523	78.2%
1	Yes	2,583	21.2%
-1	Missing	66	0.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**ADOPTSECLUSION: Facility has policies to minimize seclusion or restraint  
(Q.A20a)**

Value	Label	Frequency	%
0	No	2,674	22.0%
1	Yes	9,292	76.3%
-1	Missing	205	1.7%
-5	Refused	1	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## INTKE: Intake (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	4,552	37.4%
2	Paper only	984	8.1%
3	Both electronic and paper	6,318	51.9%
-1	Missing	79	0.6%
-6	Not applicable	239	2.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## SCHEDULE: Scheduling appointments (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	6,804	55.9%
2	Paper only	972	8.0%
3	Both electronic and paper	3,634	29.9%
-1	Missing	98	0.8%
-6	Not applicable	664	5.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## ASSESS: Assessment/evaluation (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	6,520	53.6%
2	Paper only	1,009	8.3%
3	Both electronic and paper	3,452	28.4%
-1	Missing	192	1.6%
-6	Not applicable	999	8.2%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## TXPLAN: Treatment plan (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	6,399	52.6%
2	Paper only	1,269	10.4%
3	Both electronic and paper	4,365	35.9%
-1	Missing	93	0.8%
-6	Not applicable	46	0.4%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## PROGRESS: Client progress monitoring (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	7,021	57.7%
2	Paper only	1,055	8.7%
3	Both electronic and paper	3,898	32.0%
-1	Missing	127	1.0%
-6	Not applicable	71	0.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric



### DSCHRG: Discharge (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	6,440	52.9%
2	Paper only	1,030	8.5%
3	Both electronic and paper	4,485	36.8%
-1	Missing	87	0.7%
-6	Not applicable	130	1.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## REF: Referrals (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	3,024	24.8%
2	Paper only	1,879	15.4%
3	Both electronic and paper	6,887	56.6%
-1	Missing	147	1.2%
-6	Not applicable	235	1.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

### LAB: Issue/receive lab results (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	3,054	25.1%
2	Paper only	1,780	14.6%
3	Both electronic and paper	5,422	44.5%
-1	Missing	146	1.2%
-6	Not applicable	1,770	14.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## DISP: Prescribing/dispensing medication (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	3,153	25.9%
2	Paper only	1,487	12.2%
3	Both electronic and paper	5,679	46.7%
-1	Missing	155	1.3%
-3	Don't know	1	0.0%
-6	Not applicable	1,697	13.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1  
Maximum: 3

Variable type: numeric

## MEDINT: Checking medication interactions (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	5,243	43.1%
2	Paper only	905	7.4%
3	Both electronic and paper	4,067	33.4%
-1	Missing	183	1.5%
-3	Don't know	1	0.0%
-6	Not applicable	1,773	14.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1  
Maximum: 3

Variable type: numeric

### HLTHREC: Health records (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	4,120	33.8%
2	Paper only	1,300	10.7%
3	Both electronic and paper	6,090	50.0%
-1	Missing	201	1.7%
-3	Don't know	1	0.0%
-6	Not applicable	460	3.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1  
Maximum: 3

Variable type: numeric

**INTEROP: Collaboration with a client's other providers (such as primary care provider) (Q.A21)**

Value	Label	Frequency	%
1	Computer/Electronic only	1,846	15.2%
2	Paper only	2,296	18.9%
3	Both electronic and paper	7,715	63.4%
-1	Missing	127	1.0%
-6	Not applicable	188	1.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

## BILL: Billing (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	6,515	53.5%
2	Paper only	329	2.7%
3	Both electronic and paper	4,657	38.3%
-1	Missing	179	1.5%
-6	Not applicable	492	4.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric



## SATSURVEY: Client or family satisfaction surveys (Q.A21)

Value	Label	Frequency	%
1	Computer/Electronic only	888	7.3%
2	Paper only	6,602	54.2%
3	Both electronic and paper	4,009	32.9%
-1	Missing	140	1.2%
-6	Not applicable	533	4.4%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 3

Variable type: numeric

### FEESCALE: Sliding fee scale (Q.A22)

Value	Label	Frequency	%
0	No	5,101	41.9%
1	Yes	6,639	54.5%
-1	Missing	25	0.2%
-3	Don't know	1	0.0%
-6	Not applicable	406	3.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### PAYASST: Offer treatment at no charge (Q.A23)

Value	Label	Frequency	%
0	No	5,534	45.5%
1	Yes	6,200	50.9%
-1	Missing	31	0.3%
-3	Don't know	1	0.0%
-6	Not applicable	406	3.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### REVCHK1: Accepts cash or self-payment (Q.A24)

Value	Label	Frequency	%
0	No	1,727	14.2%
1	Yes	10,150	83.4%
-1	Missing	25	0.2%
-3	Don't know	270	2.2%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## REVCHK2: Private health insurance (Q.A24)

Value	Label	Frequency	%
0	No	2,212	18.2%
1	Yes	9,705	79.7%
-1	Missing	20	0.2%
-3	Don't know	235	1.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## REVCHK8: Medicare (Q.A24)

Value	Label	Frequency	%
0	No	3,522	28.9%
1	Yes	8,304	68.2%
-1	Missing	31	0.3%
-3	Don't know	315	2.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## REVCHK5: Medicaid (Q.A24)

Value	Label	Frequency	%
0	No	1,219	10.0%
1	Yes	10,697	87.9%
-1	Missing	26	0.2%
-3	Don't know	230	1.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**REVCHK10: Accepts state-financed health insurance plan other than Medicaid (Q.A24)**

Value	Label	Frequency	%
0	No	3,417	28.1%
1	Yes	7,100	58.3%
-1	Missing	27	0.2%
-3	Don't know	1,628	13.4%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### FUNDSMHA: State mental health agency (or equivalent) funds (Q.A24)

Value	Label	Frequency	%
0	No	3,404	28.0%
1	Yes	6,945	57.1%
-1	Missing	23	0.2%
-3	Don't know	1,800	14.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**FUNDSTATEWELFARE: State welfare or child and family services agency funds  
(Q.A24)**

Value	Label	Frequency	%
0	No	5,138	42.2%
1	Yes	5,177	42.5%
-1	Missing	31	0.3%
-3	Don't know	1,826	15.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### FUNDSTATEJUV: State corrections or juvenile agency funds (Q.A24)

Value	Label	Frequency	%
0	No	6,617	54.4%
1	Yes	3,684	30.3%
-1	Missing	26	0.2%
-3	Don't know	1,844	15.1%
-7	Multiple responses	1	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FUNDSTATEEDUC: State education agency funds (Q.A24)

Value	Label	Frequency	%
0	No	7,520	61.8%
1	Yes	2,204	18.1%
-1	Missing	31	0.3%
-3	Don't know	2,417	19.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### FUNDOTHSTATE: Other state government funds (Q.A24)

Value	Label	Frequency	%
0	No	5,343	43.9%
1	Yes	4,249	34.9%
-1	Missing	25	0.2%
-3	Don't know	2,555	21.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FUNDLOCALGOV: County or local governemnt funds (Q.A24)

Value	Label	Frequency	%
0	No	4,613	37.9%
1	Yes	5,728	47.1%
-1	Missing	32	0.3%
-3	Don't know	1,799	14.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FUNDCSBG: Community Service Block Grants (Q.A24)

Value	Label	Frequency	%
0	No	6,749	55.4%
1	Yes	2,654	21.8%
-1	Missing	25	0.2%
-3	Don't know	2,744	22.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FUNDCMHG: Community Mental Health Block Grants (Q.A24)

Value	Label	Frequency	%
0	No	5,946	48.8%
1	Yes	3,687	30.3%
-1	Missing	29	0.2%
-3	Don't know	2,510	20.6%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



### REVCHK15: Federal military insurance (such as TRICARE) (Q.A24)

Value	Label	Frequency	%
0	No	4,922	40.4%
1	Yes	5,789	47.6%
-1	Missing	27	0.2%
-3	Don't know	1,434	11.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## FUNDVA: United States Department of Veterans Affairs funds (Q.A24)

Value	Label	Frequency	%
0	No	6,907	56.7%
1	Yes	2,700	22.2%
-1	Missing	33	0.3%
-3	Don't know	2,532	20.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### REVCHK17: IHS/Tribal/Urban (ITU) funds (Q.A24)

Value	Label	Frequency	%
0	No	7,060	58.0%
1	Yes	875	7.2%
-1	Missing	57	0.5%
-3	Don't know	4,180	34.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## REVCHK2A: Other (Q.A24)

Value	Label	Frequency	%
0	No	11,955	98.2%
1	Yes	62	0.5%
-1	Missing	17	0.1%
-3	Don't know	138	1.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LICENMH: State mental health authority (Q.A25)

Value	Label	Frequency	%
0	No	3,183	26.2%
1	Yes	8,840	72.6%
-1	Missing	140	1.2%
-3	Don't know	9	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### LICENSED: State substance abuse agency (Q.A25)

Value	Label	Frequency	%
0	No	8,127	66.8%
1	Yes	3,879	31.9%
-1	Missing	159	1.3%
-3	Don't know	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## LICENPH: State department of health (Q.A25)

Value	Label	Frequency	%
0	No	6,239	51.3%
1	Yes	5,723	47.0%
-1	Missing	200	1.6%
-3	Don't know	10	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**LICENSEDFCS: State or local Department of Family and Children's Services  
(Q.A25)**

Value	Label	Frequency	%
0	No	9,329	76.6%
1	Yes	2,649	21.8%
-1	Missing	186	1.5%
-3	Don't know	8	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



## LICENHOS: Hospital licensing authority (Q.A25)

Value	Label	Frequency	%
0	No	10,057	82.6%
1	Yes	1,862	15.3%
-1	Missing	244	2.0%
-3	Don't know	9	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## JCAHO: The Joint Commission (JC) (Q.A25)

Value	Label	Frequency	%
0	No	7,759	63.7%
1	Yes	4,216	34.6%
-1	Missing	189	1.6%
-3	Don't know	8	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

## CARF: Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.A25)

Value	Label	Frequency	%
0	No	9,110	74.8%
1	Yes	2,839	23.3%
-1	Missing	215	1.8%
-3	Don't know	8	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### COA: Council on Accreditation (COA) (Q.A25)

Value	Label	Frequency	%
0	No	10,548	86.7%
1	Yes	1,344	11.0%
-1	Missing	273	2.2%
-3	Don't know	7	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

### CMS: Centers for Medicare and Medicaid Services (CMS) (Q.A25)

Value	Label	Frequency	%
0	No	6,048	49.7%
1	Yes	5,777	47.5%
-1	Missing	338	2.8%
-3	Don't know	9	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**OTHSTATE: Other national organization, or federal, state, or local agency (Q.A25)**

Value	Label	Frequency	%
0	No	11,727	96.3%
1	Yes	384	3.2%
-1	Missing	60	0.5%
-3	Don't know	1	0.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**OTHFAC: Client counts for only this facility, this plus others, none (Q.B1)**

Value	Label	Frequency	%
1	Only this facility	10,212	83.9%
2	This facility plus others	512	4.2%
3	Another facility reports numbers	1,448	11.9%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1  
Maximum: 3

Variable type: numeric

### FACNUM: Number of facilities in client count data (Q.B2)

Value	Label	Frequency	%
1	2 to 5 facility	436	3.6%
2	6 to 10 facilities	62	0.5%
3	11 to 30 facilities	14	0.1%
-2	Logical skip	11,660	95.8%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 1

Maximum: 4

Variable type: numeric



### IPSERV: 24-hour hospital inpatient care offered (Q.B3)

Value	Label	Frequency	%
0	No	10,136	83.3%
1	Yes	2,036	16.7%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**IPTOTAL: Total number of 24-hour hospital inpatient clients (Q.B3a)**

Value	Label	Frequency	%
1	1 to 10	390	3.2%
2	11 to 20	538	4.4%
3	21 to 30	269	2.2%
4	31 to 40	177	1.5%
5	41 to 50	132	1.1%
6	51 to 75	179	1.5%
7	76 to 100	115	0.9%
8	101 to 250	142	1.2%
9	More than 250	59	0.5%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

**IPSEXTOTM: Total male clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	38	0.3%
1	1 to 10	874	7.2%
2	11 to 20	421	3.5%
3	21 to 30	219	1.8%
4	31 to 40	125	1.0%
5	41 to 50	94	0.8%
6	51 to 75	79	0.6%
7	76 to 100	45	0.4%
8	101 to 250	76	0.6%
9	More than 250	30	0.2%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

**IPSEXPERM: Percent of male clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	38	0.3%
1	1-10	3	0.0%
2	11-20	27	0.2%
3	21-30	65	0.5%
4	31-40	225	1.8%
5	41-50	650	5.3%
6	51-75	835	6.9%
7	76-100	158	1.3%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPSEXTOTF: Total female clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	34	0.3%
1	1 to 10	949	7.8%
2	11 to 20	464	3.8%
3	21 to 30	198	1.6%
4	31 to 40	112	0.9%
5	41 to 50	84	0.7%
6	51 to 75	86	0.7%
7	76 to 100	37	0.3%
8	101 to 250	24	0.2%
9	More than 250	13	0.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPSEXPERF: Percent of female clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	34	0.3%
1	1-10	38	0.3%
2	11-20	61	0.5%
3	21-30	133	1.1%
4	31-40	343	2.8%
5	41-50	660	5.4%
6	51-75	656	5.4%
7	76-100	76	0.6%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPAGETOT017: Total clients/patients 0-17 years old at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,440	11.8%
1	1 to 10	199	1.6%
2	11 to 20	173	1.4%
3	21 to 30	77	0.6%
4	31 to 40	44	0.4%
5	41 to 50	21	0.2%
6	51 to 75	25	0.2%
7	76 to 100	8	0.1%
8	101 to 250	10	0.1%
9	More than 250	4	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPAGEPER017: Percent of clients/patients 0-17 years old at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,441	11.8%
1	1-10	59	0.5%
2	11-20	109	0.9%
3	21-30	107	0.9%
4	31-40	94	0.8%
5	41-50	38	0.3%
6	51-75	27	0.2%
7	76-100	126	1.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**IPAGETOT1864: Total clients/patients 18-64 years old at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	249	2.0%
1	1 to 10	439	3.6%
2	11 to 20	501	4.1%
3	21 to 30	264	2.2%
4	31 to 40	138	1.1%
5	41 to 50	96	0.8%
6	51 to 75	130	1.1%
7	76 to 100	45	0.4%
8	101 to 250	104	0.9%
9	More than 250	35	0.3%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPAGEPER1864: Percent of clients/patients 18-64 years old at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	249	2.0%
1	1-10	36	0.3%
2	11-20	40	0.3%
3	21-30	40	0.3%
4	31-40	65	0.5%
5	41-50	102	0.8%
6	51-75	437	3.6%
7	76-100	1,032	8.5%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPAGETOT65: Total clients/patients 65 years and older at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	581	4.8%
1	1 to 10	1,026	8.4%
2	11 to 20	247	2.0%
3	21 to 30	62	0.5%
4	31 to 40	26	0.2%
5	41 to 50	18	0.1%
6	51 to 75	20	0.2%
7	76 to 100	6	0.0%
8	101 to 250	12	0.1%
9	More than 250	3	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPAGEPER65: Percent of clients/patients 65 years and older at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	581	4.8%
1	1-10	417	3.4%
2	11-20	375	3.1%
3	21-30	194	1.6%
4	31-40	88	0.7%
5	41-50	57	0.5%
6	51-75	80	0.7%
7	76-100	209	1.7%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPETHOTHISP: Total Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,360	11.2%
1	1 to 10	509	4.2%
2	11 to 20	61	0.5%
3	21 to 30	24	0.2%
4	31 to 40	11	0.1%
5	41 to 50	13	0.1%
6	51 to 75	14	0.1%
7	76 to 100	2	0.0%
8	101 to 250	6	0.0%
9	More than 250	1	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPETHPERHISP: Percent of Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,362	11.2%
1	1-10	307	2.5%
2	11-20	163	1.3%
3	21-30	71	0.6%
4	31-40	30	0.2%
5	41-50	25	0.2%
6	51-75	28	0.2%
7	76-100	15	0.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	965	7.9%
1	1 to 10	287	2.4%
2	11 to 20	301	2.5%
3	21 to 30	118	1.0%
4	31 to 40	81	0.7%
5	41 to 50	44	0.4%
6	51 to 75	67	0.6%
7	76 to 100	46	0.4%
8	101 to 250	65	0.5%
9	More than 250	27	0.2%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPETHPERNONHISP: Percent of non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	965	7.9%
1	1-10	3	0.0%
2	11-20	4	0.0%
3	21-30	15	0.1%
4	31-40	18	0.1%
5	41-50	26	0.2%
6	51-75	110	0.9%
7	76-100	860	7.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**IPETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	887	7.3%
1	1 to 10	273	2.2%
2	11 to 20	268	2.2%
3	21 to 30	145	1.2%
4	31 to 40	90	0.7%
5	41 to 50	79	0.6%
6	51 to 75	104	0.9%
7	76 to 100	64	0.5%
8	101 to 250	69	0.6%
9	More than 250	22	0.2%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPETHPERUNK: Percent of unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	892	7.3%
1	1-10	88	0.7%
2	11-20	32	0.3%
3	21-30	11	0.1%
4	31-40	11	0.1%
5	41-50	4	0.0%
6	51-75	8	0.1%
7	76-100	955	7.8%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,865	15.3%
1	1 to 10	125	1.0%
2	11 to 20	10	0.1%
4	31 to 40	1	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPRACEPERINDIAN: Percent of American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,869	15.4%
1	1-10	97	0.8%
2	11-20	19	0.2%
3	21-30	8	0.1%
4	31-40	1	0.0%
5	41-50	3	0.0%
7	76-100	4	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPRACETOTASIAN: Total Asian clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,723	14.2%
1	1 to 10	261	2.1%
2	11 to 20	10	0.1%
3	21 to 30	2	0.0%
5	41 to 50	3	0.0%
6	51 to 75	1	0.0%
8	101 to 250	1	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPRACEPERASIAN: Percent of Asian clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,726	14.2%
1	1-10	226	1.9%
2	11-20	37	0.3%
3	21-30	9	0.1%
4	31-40	1	0.0%
5	41-50	2	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPRACETOTBLK: Total Black or African American clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,245	10.2%
1	1 to 10	486	4.0%
2	11 to 20	129	1.1%
3	21 to 30	32	0.3%
4	31 to 40	31	0.3%
5	41 to 50	16	0.1%
6	51 to 75	26	0.2%
7	76 to 100	11	0.1%
8	101 to 250	20	0.2%
9	More than 250	5	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPRACEPERBLK: Percent of Black or African American clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,245	10.2%
1	1-10	156	1.3%
2	11-20	169	1.4%
3	21-30	130	1.1%
4	31-40	105	0.9%
5	41-50	96	0.8%
6	51-75	80	0.7%
7	76-100	20	0.2%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**IPRACETOTHAWPAC: Total Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,931	15.9%
1	1 to 10	66	0.5%
2	11 to 20	2	0.0%
4	31 to 40	1	0.0%
8	101 to 250	1	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

**IPRACEPERHAWPAC: Percent of Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,933	15.9%
1	1-10	58	0.5%
2	11-20	3	0.0%
3	21-30	4	0.0%
4	31-40	2	0.0%
6	51-75	1	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPRACETOTWHIT: Total White clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,020	8.4%
1	1 to 10	391	3.2%
2	11 to 20	255	2.1%
3	21 to 30	99	0.8%
4	31 to 40	62	0.5%
5	41 to 50	36	0.3%
6	51 to 75	58	0.5%
7	76 to 100	24	0.2%
8	101 to 250	43	0.4%
9	More than 250	13	0.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPRACEPERWHIT: Percent of White clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,020	8.4%
1	1-10	9	0.1%
2	11-20	26	0.2%
3	21-30	39	0.3%
4	31-40	67	0.6%
5	41-50	96	0.8%
6	51-75	285	2.3%
7	76-100	459	3.8%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPRACETOTMR: Total mixed race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,765	14.5%
1	1 to 10	206	1.7%
2	11 to 20	17	0.1%
3	21 to 30	5	0.0%
4	31 to 40	4	0.0%
6	51 to 75	2	0.0%
8	101 to 250	2	0.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPRACEPERMR: Percent of mixed race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,767	14.5%
1	1-10	146	1.2%
2	11-20	48	0.4%
3	21-30	24	0.2%
4	31-40	6	0.0%
5	41-50	3	0.0%
7	76-100	7	0.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPRACETOTUNK: Total unknown race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	765	6.3%
1	1 to 10	338	2.8%
2	11 to 20	286	2.3%
3	21 to 30	158	1.3%
4	31 to 40	95	0.8%
5	41 to 50	84	0.7%
6	51 to 75	113	0.9%
7	76 to 100	64	0.5%
8	101 to 250	74	0.6%
9	More than 250	24	0.2%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPRACEPERUNK: Percent of unknown race clients/patients at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	768	6.3%
1	1-10	123	1.0%
2	11-20	49	0.4%
3	21-30	26	0.2%
4	31-40	24	0.2%
5	41-50	7	0.1%
6	51-75	8	0.1%
7	76-100	996	8.2%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**IPLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	211	1.7%
1	1 to 10	720	5.9%
2	11 to 20	481	4.0%
3	21 to 30	197	1.6%
4	31 to 40	113	0.9%
5	41 to 50	75	0.6%
6	51 to 75	103	0.8%
7	76 to 100	51	0.4%
8	101 to 250	34	0.3%
9	More than 250	16	0.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPLEGALPERVOL: Percent of clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	213	1.7%
1	1-10	109	0.9%
2	11-20	103	0.8%
3	21-30	101	0.8%
4	31-40	110	0.9%
5	41-50	171	1.4%
6	51-75	346	2.8%
7	76-100	848	7.0%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPLEGALTOTNONFOREN: Total clients/patients with involuntary (non-forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	557	4.6%
1	1 to 10	704	5.8%
2	11 to 20	298	2.4%
3	21 to 30	134	1.1%
4	31 to 40	78	0.6%
5	41 to 50	50	0.4%
6	51 to 75	69	0.6%
7	76 to 100	40	0.3%
8	101 to 250	55	0.5%
9	More than 250	16	0.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPLEGALPERNONFOREN: Percent of clients/patients with involuntary  
(non-forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	557	4.6%
1	1-10	131	1.1%
2	11-20	206	1.7%
3	21-30	178	1.5%
4	31-40	155	1.3%
5	41-50	165	1.4%
6	51-75	269	2.2%
7	76-100	340	2.8%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**IPLEGALTOTFOREN: Total clients/patients with involuntary (forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	None	1,724	14.2%
1	1 to 10	117	1.0%
2	11 to 20	31	0.3%
3	21 to 30	22	0.2%
4	31 to 40	18	0.1%
5	41 to 50	11	0.1%
6	51 to 75	18	0.1%
7	76 to 100	16	0.1%
8	101 to 250	35	0.3%
9	More than 250	9	0.1%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**IPLEGALPERFOREN: Percent of clients/patients with involuntary (forensic) legal status at this 24-hour hospital inpatient facility (Q.B3b)**

Value	Label	Frequency	%
0	0	1,724	14.2%
1	1-10	66	0.5%
2	11-20	38	0.3%
3	21-30	24	0.2%
4	31-40	28	0.2%
5	41-50	31	0.3%
6	51-75	40	0.3%
7	76-100	50	0.4%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

### IPBEDS: Number of hospital inpatient beds set up/staffed at facility (Q.B3c)

Value	Label	Frequency	%
1	1 to 10	161	1.3%
2	11 to 20	545	4.5%
3	21 to 30	342	2.8%
4	31 to 40	196	1.6%
5	41 to 50	144	1.2%
6	51 to 75	245	2.0%
7	76 to 100	129	1.1%
8	101 to 250	192	1.6%
9	More than 250	47	0.4%
-1	Missing	35	0.3%
-2	Logical skip	10,136	83.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

#### RCSERV: 24-hour residential care offered (Q.B4)

Value	Label	Frequency	%
0	No	10,012	82.3%
1	Yes	2,160	17.7%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric



**RCTOTAL: Total number of 24-hour residential clients (Q.B4a)**

Value	Label	Frequency	%
1	1 to 10	736	6.0%
2	11 to 20	523	4.3%
3	21 to 30	263	2.2%
4	31 to 40	181	1.5%
5	41 to 50	94	0.8%
6	51 to 75	173	1.4%
7	76 to 100	80	0.7%
8	101 to 250	75	0.6%
9	More than 250	15	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

## RCSEXTOTM: Total male clients/patients at this 24-hour residential facility (Q.B4b)

Value	Label	Frequency	%
0	None	221	1.8%
1	1 to 10	957	7.9%
2	11 to 20	403	3.3%
3	21 to 30	199	1.6%
4	31 to 40	122	1.0%
5	41 to 50	75	0.6%
6	51 to 75	94	0.8%
7	76 to 100	34	0.3%
8	101 to 250	29	0.2%
9	More than 250	6	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCSEXPERM: Percent of male clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	221	1.8%
1	1-10	2	0.0%
2	11-20	37	0.3%
3	21-30	48	0.4%
4	31-40	166	1.4%
5	41-50	333	2.7%
6	51-75	732	6.0%
7	76-100	601	4.9%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCSEXTOTF: Total female clients/patients at this 24-hour residential facility  
(Q.B4b)**

Value	Label	Frequency	%
0	None	381	3.1%
1	1 to 10	1,112	9.1%
2	11 to 20	305	2.5%
3	21 to 30	145	1.2%
4	31 to 40	78	0.6%
5	41 to 50	42	0.3%
6	51 to 75	45	0.4%
7	76 to 100	10	0.1%
8	101 to 250	18	0.1%
9	More than 250	4	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCSEXPERF: Percent of female clients/patients at this 24-hour residential facility  
(Q.B4b)**

Value	Label	Frequency	%
0	0	381	3.1%
1	1-10	63	0.5%
2	11-20	115	0.9%
3	21-30	209	1.7%
4	31-40	358	2.9%
5	41-50	393	3.2%
6	51-75	353	2.9%
7	76-100	268	2.2%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCAGETOT017: Total clients/patients 0-17 years old at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,207	9.9%
1	1 to 10	244	2.0%
2	11 to 20	188	1.5%
3	21 to 30	153	1.3%
4	31 to 40	111	0.9%
5	41 to 50	60	0.5%
6	51 to 75	101	0.8%
7	76 to 100	45	0.4%
8	101 to 250	29	0.2%
9	More than 250	2	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCAGEPER017: Percent of clients/patients 0-17 years old at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,207	9.9%
1	1-10	10	0.1%
2	11-20	9	0.1%
3	21-30	19	0.2%
4	31-40	10	0.1%
5	41-50	21	0.2%
6	51-75	63	0.5%
7	76-100	801	6.6%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCAGETOT1864: Total clients/patients 18-64 years old at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	624	5.1%
1	1 to 10	801	6.6%
2	11 to 20	376	3.1%
3	21 to 30	108	0.9%
4	31 to 40	68	0.6%
5	41 to 50	32	0.3%
6	51 to 75	54	0.4%
7	76 to 100	37	0.3%
8	101 to 250	28	0.2%
9	More than 250	12	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric



**RCAGEPER1864: Percent of clients/patients 18-64 years old at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	624	5.1%
1	1-10	126	1.0%
2	11-20	62	0.5%
3	21-30	38	0.3%
4	31-40	38	0.3%
5	41-50	38	0.3%
6	51-75	110	0.9%
7	76-100	1,104	9.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCAGETOT65: Total clients/patients 65 years and older at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,621	13.3%
1	1 to 10	447	3.7%
2	11 to 20	39	0.3%
3	21 to 30	11	0.1%
4	31 to 40	8	0.1%
5	41 to 50	3	0.0%
6	51 to 75	6	0.0%
7	76 to 100	1	0.0%
8	101 to 250	4	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCAGEPER65: Percent of clients/patients 65 years and older at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,621	13.3%
1	1-10	203	1.7%
2	11-20	183	1.5%
3	21-30	49	0.4%
4	31-40	31	0.3%
5	41-50	16	0.1%
6	51-75	16	0.1%
7	76-100	21	0.2%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCETHOTHISP: Total Hispanic clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,248	10.3%
1	1 to 10	763	6.3%
2	11 to 20	67	0.6%
3	21 to 30	31	0.3%
4	31 to 40	16	0.1%
5	41 to 50	6	0.0%
6	51 to 75	9	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCETHPERHISP: Percent of Hispanic clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,249	10.3%
1	1-10	368	3.0%
2	11-20	230	1.9%
3	21-30	130	1.1%
4	31-40	72	0.6%
5	41-50	32	0.3%
6	51-75	26	0.2%
7	76-100	33	0.3%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCETHOTNONHISP: Total non-Hispanic clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	620	5.1%
1	1 to 10	646	5.3%
2	11 to 20	390	3.2%
3	21 to 30	157	1.3%
4	31 to 40	108	0.9%
5	41 to 50	40	0.3%
6	51 to 75	93	0.8%
7	76 to 100	49	0.4%
8	101 to 250	29	0.2%
9	More than 250	8	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCETHPERNONHISP: Percent of non-Hispanic clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	620	5.1%
1	1-10	5	0.0%
2	11-20	15	0.1%
3	21-30	8	0.1%
4	31-40	14	0.1%
5	41-50	38	0.3%
6	51-75	190	1.6%
7	76-100	1,250	10.3%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,414	11.6%
1	1 to 10	284	2.3%
2	11 to 20	131	1.1%
3	21 to 30	80	0.7%
4	31 to 40	61	0.5%
5	41 to 50	34	0.3%
6	51 to 75	68	0.6%
7	76 to 100	32	0.3%
8	101 to 250	29	0.2%
9	More than 250	7	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric



**RCETHERUNK: Percent of unknown ethnicity clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,415	11.6%
1	1-10	49	0.4%
2	11-20	35	0.3%
3	21-30	14	0.1%
4	31-40	10	0.1%
5	41-50	10	0.1%
6	51-75	7	0.1%
7	76-100	600	4.9%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,881	15.5%
1	1 to 10	246	2.0%
2	11 to 20	6	0.0%
3	21 to 30	4	0.0%
4	31 to 40	3	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

**RCRACEPERINDIAN: Percent of American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,882	15.5%
1	1-10	153	1.3%
2	11-20	55	0.5%
3	21-30	20	0.2%
4	31-40	5	0.0%
5	41-50	6	0.0%
6	51-75	7	0.1%
7	76-100	12	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCRACETOTASIAN: Total Asian clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,876	15.4%
1	1 to 10	249	2.0%
2	11 to 20	9	0.1%
3	21 to 30	5	0.0%
4	31 to 40	1	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

**RCRACEPERASIAN: Percent of Asian clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,877	15.4%
1	1-10	209	1.7%
2	11-20	47	0.4%
3	21-30	5	0.0%
4	31-40	2	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCRACETOTBLK: Total Black clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	989	8.1%
1	1 to 10	864	7.1%
2	11 to 20	153	1.3%
3	21 to 30	56	0.5%
4	31 to 40	29	0.2%
5	41 to 50	17	0.1%
6	51 to 75	20	0.2%
7	76 to 100	5	0.0%
8	101 to 250	7	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCRACEPERBLK: Percent of Black clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	989	8.1%
1	1-10	178	1.5%
2	11-20	259	2.1%
3	21-30	170	1.4%
4	31-40	184	1.5%
5	41-50	143	1.2%
6	51-75	146	1.2%
7	76-100	71	0.6%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCRACETOTHAWPAC: Total Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	2,057	16.9%
1	1 to 10	80	0.7%
3	21 to 30	1	0.0%
5	41 to 50	1	0.0%
6	51 to 75	1	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric



**RCRACEPERHAWPAC: Percent of Native Hawaiian or Other Pacific Islander clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	2,058	16.9%
1	1-10	59	0.5%
2	11-20	14	0.1%
3	21-30	3	0.0%
5	41-50	1	0.0%
6	51-75	3	0.0%
7	76-100	2	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCRACETOTWHIT: Total White clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	645	5.3%
1	1 to 10	857	7.0%
2	11 to 20	320	2.6%
3	21 to 30	135	1.1%
4	31 to 40	57	0.5%
5	41 to 50	41	0.3%
6	51 to 75	57	0.5%
7	76 to 100	12	0.1%
8	101 to 250	12	0.1%
9	More than 250	4	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

**RCRACEPERWHIT: Percent of White clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	645	5.3%
1	1-10	31	0.3%
2	11-20	64	0.5%
3	21-30	73	0.6%
4	31-40	155	1.3%
5	41-50	191	1.6%
6	51-75	434	3.6%
7	76-100	547	4.5%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCRACETOTMR: Total mixed race clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,633	13.4%
1	1 to 10	474	3.9%
2	11 to 20	20	0.2%
3	21 to 30	6	0.0%
4	31 to 40	5	0.0%
5	41 to 50	1	0.0%
6	51 to 75	1	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCRACEPERMR: Percent of mixed race clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,633	13.4%
1	1-10	223	1.8%
2	11-20	174	1.4%
3	21-30	51	0.4%
4	31-40	33	0.3%
5	41-50	7	0.1%
6	51-75	8	0.1%
7	76-100	11	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCRACETOTUNK: Total unknown race clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,201	9.9%
1	1 to 10	444	3.6%
2	11 to 20	157	1.3%
3	21 to 30	96	0.8%
4	31 to 40	65	0.5%
5	41 to 50	32	0.3%
6	51 to 75	72	0.6%
7	76 to 100	33	0.3%
8	101 to 250	33	0.3%
9	More than 250	7	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCRACEPERUNK: Percent of unknown race clients/patients at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,201	9.9%
1	1-10	141	1.2%
2	11-20	100	0.8%
3	21-30	49	0.4%
4	31-40	34	0.3%
5	41-50	16	0.1%
6	51-75	17	0.1%
7	76-100	582	4.8%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	295	2.4%
1	1 to 10	800	6.6%
2	11 to 20	441	3.6%
3	21 to 30	194	1.6%
4	31 to 40	134	1.1%
5	41 to 50	55	0.5%
6	51 to 75	117	1.0%
7	76 to 100	50	0.4%
8	101 to 250	44	0.4%
9	More than 250	10	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric



**RCLEGALPERVOL: Percent of clients/patients with voluntary legal status at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	295	2.4%
1	1-10	52	0.4%
2	11-20	32	0.3%
3	21-30	41	0.3%
4	31-40	30	0.2%
5	41-50	59	0.5%
6	51-75	116	1.0%
7	76-100	1,515	12.4%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCLEGALTOTNONFOREN: Total clients/patients with involuntary (non-forensic) legal status at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,544	12.7%
1	1 to 10	293	2.4%
2	11 to 20	105	0.9%
3	21 to 30	65	0.5%
4	31 to 40	36	0.3%
5	41 to 50	27	0.2%
6	51 to 75	37	0.3%
7	76 to 100	16	0.1%
8	101 to 250	13	0.1%
9	More than 250	4	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 9

Variable type: numeric

**RCLEGALPERNONFOREN: Percent of clients/patients with involuntary  
(non-forensic) legal status at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,544	12.7%
1	1-10	51	0.4%
2	11-20	64	0.5%
3	21-30	47	0.4%
4	31-40	56	0.5%
5	41-50	47	0.4%
6	51-75	78	0.6%
7	76-100	253	2.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**RCLEGALTOTFOREN: Total clients/patients with involuntary (forensic) legal status at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	None	1,825	15.0%
1	1 to 10	193	1.6%
2	11 to 20	48	0.4%
3	21 to 30	34	0.3%
4	31 to 40	14	0.1%
5	41 to 50	1	0.0%
6	51 to 75	11	0.1%
7	76 to 100	9	0.1%
8	101 to 250	4	0.0%
9	More than 250	1	0.0%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**RCLEGALPERFOREN: Percent of clients/patients with involuntary (forensic) legal status at this 24-hour residential facility (Q.B4b)**

Value	Label	Frequency	%
0	0	1,825	15.0%
1	1-10	59	0.5%
2	11-20	46	0.4%
3	21-30	36	0.3%
4	31-40	30	0.2%
5	41-50	22	0.2%
6	51-75	30	0.2%
7	76-100	92	0.8%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

## RCBEDS: Number of residential beds set up/staffed at facility (Q.B4c)

Value	Label	Frequency	%
1	1 to 10	634	5.2%
2	11 to 20	549	4.5%
3	21 to 30	263	2.2%
4	31 to 40	221	1.8%
5	41 to 50	115	0.9%
6	51 to 75	171	1.4%
7	76 to 100	96	0.8%
8	101 to 250	81	0.7%
9	More than 250	10	0.1%
-1	Missing	20	0.2%
-2	Logical skip	10,012	82.3%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 9

Variable type: numeric

**OPSERV: Any clients received less than 24-hour mental health services (Q.B5)**

Value	Label	Frequency	%
0	No	2,438	20.0%
1	Yes	9,734	80.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 1

Variable type: numeric

**OPTOTAL: Total number of less than 24-hour clients (Q.B5a)**

Value	Label	Frequency	%
1	1 to 10	456	3.7%
2	11 to 20	491	4.0%
3	21 to 30	445	3.7%
4	31 to 40	342	2.8%
5	41 to 50	356	2.9%
6	51 to 75	611	5.0%
7	76 to 100	547	4.5%
8	101 to 250	1,883	15.5%
9	251 to 500	2,274	18.7%
10	501 to 1000	1,318	10.8%
11	1001 to 1500	391	3.2%
12	More than 1500	448	3.7%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric



**OPSEXTOTM: Total male clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	100	0.8%
1	1 to 10	971	8.0%
2	11 to 20	751	6.2%
3	21 to 30	603	5.0%
4	31 to 40	458	3.8%
5	41 to 50	416	3.4%
6	51 to 75	727	6.0%
7	76 to 100	690	5.7%
8	101 to 250	2,711	22.3%
9	251 to 500	1,243	10.2%
10	501 to 1000	629	5.2%
11	1001 to 1500	151	1.2%
12	More than 1500	112	0.9%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPSEXPERM: Percent of male clients/patients at this less than 24-hour facility  
(Q.B5b)**

Value	Label	Frequency	%
0	0	100	0.8%
1	1-10	42	0.3%
2	11-20	132	1.1%
3	21-30	357	2.9%
4	31-40	1,553	12.8%
5	41-50	3,915	32.2%
6	51-75	2,894	23.8%
7	76-100	569	4.7%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPSEXTOTF: Total female clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	69	0.6%
1	1 to 10	1,027	8.4%
2	11 to 20	784	6.4%
3	21 to 30	600	4.9%
4	31 to 40	450	3.7%
5	41 to 50	418	3.4%
6	51 to 75	723	5.9%
7	76 to 100	604	5.0%
8	101 to 250	2,713	22.3%
9	251 to 500	1,321	10.9%
10	501 to 1000	629	5.2%
11	1001 to 1500	158	1.3%
12	More than 1500	66	0.5%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPSEXPERF: Percent of female clients/patients at this less than 24-hour facility  
(Q.B5b)**

Value	Label	Frequency	%
0	0	69	0.6%
1	1-10	197	1.6%
2	11-20	256	2.1%
3	21-30	303	2.5%
4	31-40	958	7.9%
5	41-50	3,067	25.2%
6	51-75	4,391	36.1%
7	76-100	321	2.6%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPAGETOT017: Total clients/patients 0-17 years old at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	2,811	23.1%
1	1 to 10	880	7.2%
2	11 to 20	622	5.1%
3	21 to 30	449	3.7%
4	31 to 40	394	3.2%
5	41 to 50	345	2.8%
6	51 to 75	622	5.1%
7	76 to 100	508	4.2%
8	101 to 250	1,831	15.0%
9	251 to 500	710	5.8%
10	501 to 1000	265	2.2%
11	1001 to 1500	73	0.6%
12	More than 1500	52	0.4%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPAGEPER017: Percent of clients/patients 0-17 years old at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	2,827	23.2%
1	1-10	822	6.8%
2	11-20	1,016	8.3%
3	21-30	1,163	9.6%
4	31-40	1,313	10.8%
5	41-50	423	3.5%
6	51-75	470	3.9%
7	76-100	1,528	12.6%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPAGETOT1864: Total clients/patients 18-64 years old at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	807	6.6%
1	1 to 10	818	6.7%
2	11 to 20	608	5.0%
3	21 to 30	445	3.7%
4	31 to 40	395	3.2%
5	41 to 50	334	2.7%
6	51 to 75	635	5.2%
7	76 to 100	559	4.6%
8	101 to 250	2,093	17.2%
9	251 to 500	1,655	13.6%
10	501 to 1000	802	6.6%
11	1001 to 1500	221	1.8%
12	More than 1500	190	1.6%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPAGEPER1864: Percent of clients/patients 18-64 years old at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	809	6.6%
1	1-10	545	4.5%
2	11-20	271	2.2%
3	21-30	238	2.0%
4	31-40	407	3.3%
5	41-50	694	5.7%
6	51-75	3,123	25.7%
7	76-100	3,475	28.5%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**OPAGETOT65: Total clients/patients 65 years and older at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	2,918	24.0%
1	1 to 10	2,140	17.6%
2	11 to 20	1,147	9.4%
3	21 to 30	613	5.0%
4	31 to 40	445	3.7%
5	41 to 50	412	3.4%
6	51 to 75	631	5.2%
7	76 to 100	374	3.1%
8	101 to 250	541	4.4%
9	251 to 500	221	1.8%
10	501 to 1000	71	0.6%
11	1001 to 1500	22	0.2%
12	More than 1500	27	0.2%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPAGEPER65: Percent of clients/patients 65 years and older at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	2,963	24.3%
1	1-10	3,972	32.6%
2	11-20	1,582	13.0%
3	21-30	504	4.1%
4	31-40	234	1.9%
5	41-50	98	0.8%
6	51-75	86	0.7%
7	76-100	123	1.0%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPETHTOTISP: Total Hispanic clients/patients at this less than 24-hour facility  
(Q.B5b)**

Value	Label	Frequency	%
0	None	4,444	36.5%
1	1 to 10	2,038	16.7%
2	11 to 20	779	6.4%
3	21 to 30	445	3.7%
4	31 to 40	281	2.3%
5	41 to 50	187	1.5%
6	51 to 75	339	2.8%
7	76 to 100	209	1.7%
8	101 to 250	510	4.2%
9	251 to 500	192	1.6%
10	501 to 1000	99	0.8%
11	1001 to 1500	22	0.2%
12	More than 1500	17	0.1%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPETHPERHISP: Percent of Hispanic clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	4,507	37.0%
1	1-10	2,904	23.9%
2	11-20	805	6.6%
3	21-30	431	3.5%
4	31-40	263	2.2%
5	41-50	186	1.5%
6	51-75	263	2.2%
7	76-100	203	1.7%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPETHTOTNONHISP: Total non-Hispanic clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	3,552	29.2%
1	1 to 10	405	3.3%
2	11 to 20	384	3.2%
3	21 to 30	342	2.8%
4	31 to 40	237	1.9%
5	41 to 50	248	2.0%
6	51 to 75	474	3.9%
7	76 to 100	377	3.1%
8	101 to 250	1,417	11.6%
9	251 to 500	1,063	8.7%
10	501 to 1000	695	5.7%
11	1001 to 1500	204	1.7%
12	More than 1500	164	1.3%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPETHPERNONHISP: Percent of non-Hispanic clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	3,555	29.2%
1	1-10	107	0.9%
2	11-20	113	0.9%
3	21-30	108	0.9%
4	31-40	170	1.4%
5	41-50	208	1.7%
6	51-75	877	7.2%
7	76-100	4,424	36.3%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPETHTOTUNK: Total unknown ethnicity clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	4,034	33.1%
1	1 to 10	943	7.7%
2	11 to 20	491	4.0%
3	21 to 30	341	2.8%
4	31 to 40	270	2.2%
5	41 to 50	233	1.9%
6	51 to 75	331	2.7%
7	76 to 100	278	2.3%
8	101 to 250	672	5.5%
9	251 to 500	1,166	9.6%
10	501 to 1000	468	3.8%
11	1001 to 1500	152	1.2%
12	More than 1500	183	1.5%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPETHPERUNK: Percent of unknown ethnicity clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	4,078	33.5%
1	1-10	1,345	11.0%
2	11-20	304	2.5%
3	21-30	137	1.1%
4	31-40	58	0.5%
5	41-50	37	0.3%
6	51-75	51	0.4%
7	76-100	3,552	29.2%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**OPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	7,313	60.1%
1	1 to 10	1,605	13.2%
2	11 to 20	319	2.6%
3	21 to 30	113	0.9%
4	31 to 40	54	0.4%
5	41 to 50	31	0.3%
6	51 to 75	45	0.4%
7	76 to 100	24	0.2%
8	101 to 250	43	0.4%
9	251 to 500	12	0.1%
10	501 to 1000	3	0.0%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPRACEPERINDIAN: Percent of American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	7,625	62.6%
1	1-10	1,725	14.2%
2	11-20	104	0.9%
3	21-30	32	0.3%
4	31-40	24	0.2%
5	41-50	6	0.0%
6	51-75	10	0.1%
7	76-100	36	0.3%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPRACETOTASIAN: Total Asian clients/patients at this less than 24-hour facility  
(Q.B5b)**

Value	Label	Frequency	%
0	None	6,881	56.5%
1	1 to 10	1,920	15.8%
2	11 to 20	332	2.7%
3	21 to 30	115	0.9%
4	31 to 40	72	0.6%
5	41 to 50	50	0.4%
6	51 to 75	73	0.6%
7	76 to 100	34	0.3%
8	101 to 250	70	0.6%
9	251 to 500	8	0.1%
10	501 to 1000	6	0.0%
12	More than 1500	1	0.0%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPRACEPERASIAN: Percent of Asian clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	7,255	59.6%
1	1-10	2,133	17.5%
2	11-20	119	1.0%
3	21-30	24	0.2%
4	31-40	11	0.1%
5	41-50	2	0.0%
6	51-75	4	0.0%
7	76-100	14	0.1%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPRACETOTBLK: Total Black or African American clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	4,577	37.6%
1	1 to 10	1,613	13.3%
2	11 to 20	691	5.7%
3	21 to 30	421	3.5%
4	31 to 40	295	2.4%
5	41 to 50	221	1.8%
6	51 to 75	369	3.0%
7	76 to 100	250	2.1%
8	101 to 250	701	5.8%
9	251 to 500	255	2.1%
10	501 to 1000	122	1.0%
11	1001 to 1500	30	0.2%
12	More than 1500	17	0.1%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPRACEPERBLK: Percent of Black or African American clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	4,615	37.9%
1	1-10	2,069	17.0%
2	11-20	817	6.7%
3	21-30	530	4.4%
4	31-40	432	3.5%
5	41-50	376	3.1%
6	51-75	460	3.8%
7	76-100	263	2.2%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPRACETOTHAWPAC: Total Native Hawaiian or Other Pacific Islander clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	8,420	69.2%
1	1 to 10	924	7.6%
2	11 to 20	119	1.0%
3	21 to 30	25	0.2%
4	31 to 40	25	0.2%
5	41 to 50	11	0.1%
6	51 to 75	17	0.1%
7	76 to 100	9	0.1%
8	101 to 250	8	0.1%
10	501 to 1000	3	0.0%
12	More than 1500	1	0.0%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPRACEPERHAWPAC: Percent of Native Hawaiian or Other Pacific Islander clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	8,725	71.7%
1	1-10	799	6.6%
2	11-20	23	0.2%
3	21-30	1	0.0%
4	31-40	2	0.0%
5	41-50	1	0.0%
6	51-75	5	0.0%
7	76-100	6	0.0%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**OPRACETOTWHIT: Total White clients/patients at this less than 24-hour facility  
(Q.B5b)**

Value	Label	Frequency	%
0	None	3,966	32.6%
1	1 to 10	618	5.1%
2	11 to 20	449	3.7%
3	21 to 30	355	2.9%
4	31 to 40	291	2.4%
5	41 to 50	250	2.1%
6	51 to 75	403	3.3%
7	76 to 100	327	2.7%
8	101 to 250	1,269	10.4%
9	251 to 500	862	7.1%
10	501 to 1000	543	4.5%
11	1001 to 1500	149	1.2%
12	More than 1500	80	0.7%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPRACEPERWHIT: Percent of White clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	3,968	32.6%
1	1-10	252	2.1%
2	11-20	263	2.2%
3	21-30	294	2.4%
4	31-40	389	3.2%
5	41-50	529	4.3%
6	51-75	1,502	12.3%
7	76-100	2,365	19.4%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPRACETOTMR: Total mixed race clients/patients at this less than 24-hour facility  
(Q.B5b)**

Value	Label	Frequency	%
0	None	6,565	53.9%
1	1 to 10	1,561	12.8%
2	11 to 20	420	3.5%
3	21 to 30	274	2.3%
4	31 to 40	134	1.1%
5	41 to 50	91	0.7%
6	51 to 75	156	1.3%
7	76 to 100	105	0.9%
8	101 to 250	169	1.4%
9	251 to 500	53	0.4%
10	501 to 1000	21	0.2%
11	1001 to 1500	4	0.0%
12	More than 1500	9	0.1%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPRACEPERMR: Percent of mixed race clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	6,652	54.7%
1	1-10	2,099	17.2%
2	11-20	430	3.5%
3	21-30	181	1.5%
4	31-40	68	0.6%
5	41-50	41	0.3%
6	51-75	48	0.4%
7	76-100	43	0.4%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPRACETOTUNK: Total unknown race clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	3,183	26.2%
1	1 to 10	1,143	9.4%
2	11 to 20	564	4.6%
3	21 to 30	410	3.4%
4	31 to 40	276	2.3%
5	41 to 50	241	2.0%
6	51 to 75	390	3.2%
7	76 to 100	322	2.6%
8	101 to 250	867	7.1%
9	251 to 500	1,283	10.5%
10	501 to 1000	504	4.1%
11	1001 to 1500	177	1.5%
12	More than 1500	202	1.7%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPRACEPERUNK: Percent of unknown race clients/patients at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	3,239	26.6%
1	1-10	1,620	13.3%
2	11-20	352	2.9%
3	21-30	202	1.7%
4	31-40	125	1.0%
5	41-50	51	0.4%
6	51-75	96	0.8%
7	76-100	3,877	31.9%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPLEGALTOTVOL: Total clients/patients with voluntary legal status at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	408	3.4%
1	1 to 10	489	4.0%
2	11 to 20	487	4.0%
3	21 to 30	435	3.6%
4	31 to 40	350	2.9%
5	41 to 50	334	2.7%
6	51 to 75	578	4.7%
7	76 to 100	550	4.5%
8	101 to 250	1,812	14.9%
9	251 to 500	2,137	17.6%
10	501 to 1000	1,220	10.0%
11	1001 to 1500	357	2.9%
12	More than 1500	405	3.3%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPLEGALPERVOL: Percent of clients/patients with voluntary legal status at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	409	3.4%
1	1-10	29	0.2%
2	11-20	21	0.2%
3	21-30	27	0.2%
4	31-40	55	0.5%
5	41-50	84	0.7%
6	51-75	329	2.7%
7	76-100	8,608	70.7%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric



**OPLEGALTOTNONFOREN: Total clients/patients with involuntary (non-forensic) legal status at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	7,401	60.8%
1	1 to 10	796	6.5%
2	11 to 20	349	2.9%
3	21 to 30	188	1.5%
4	31 to 40	143	1.2%
5	41 to 50	140	1.2%
6	51 to 75	209	1.7%
7	76 to 100	93	0.8%
8	101 to 250	155	1.3%
9	251 to 500	56	0.5%
10	501 to 1000	23	0.2%
11	1001 to 1500	7	0.1%
12	More than 1500	2	0.0%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPLEGALPERNONFOREN: Percent of clients/patients with involuntary (non-forensic) legal status at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	7,450	61.2%
1	1-10	1,256	10.3%
2	11-20	403	3.3%
3	21-30	140	1.2%
4	31-40	77	0.6%
5	41-50	54	0.4%
6	51-75	71	0.6%
7	76-100	111	0.9%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**OPLEGALTOTFOREN: Total clients/patients with involuntary (forensic) legal status at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	None	7,921	65.1%
1	1 to 10	512	4.2%
2	11 to 20	225	1.8%
3	21 to 30	152	1.2%
4	31 to 40	102	0.8%
5	41 to 50	105	0.9%
6	51 to 75	111	0.9%
7	76 to 100	68	0.6%
8	101 to 250	161	1.3%
9	251 to 500	101	0.8%
10	501 to 1000	75	0.6%
11	1001 to 1500	22	0.2%
12	More than 1500	7	0.1%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

**OPLEGALPERFOREN: Percent of clients/patients with involuntary (forensic) legal status at this less than 24-hour facility (Q.B5b)**

Value	Label	Frequency	%
0	0	7,974	65.5%
1	1-10	816	6.7%
2	11-20	239	2.0%
3	21-30	88	0.7%
4	31-40	46	0.4%
5	41-50	39	0.3%
6	51-75	30	0.2%
7	76-100	330	2.7%
-1	Missing	172	1.4%
-2	Logical skip	2,438	20.0%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0

Maximum: 7

Variable type: numeric

**COD\_PCT: Percent of clients/patients with co-occurring mental and substance use disorders (Q.B6)**

Value	Label	Frequency	%
0	0	1,502	12.3%
1	1-10	1,708	14.0%
2	11-20	1,166	9.6%
3	21-30	1,204	9.9%
4	31-40	937	7.7%
5	41-50	825	6.8%
6	51-60	437	3.6%
7	61-70	437	3.6%
8	71-80	508	4.2%
9	81-90	255	2.1%
10	91-99	77	0.6%
11	100	272	2.2%
-1	Missing	2,828	23.2%
-3	Don't know	16	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 11

Variable type: numeric

**TOTADMIS: Number of mental health treatment admissions in 12-month period (Q.B7)**

Value	Label	Frequency	%
0	None	350	2.9%
1	1 to 10	673	5.5%
2	11 to 20	458	3.8%
3	21 to 30	385	3.2%
4	31 to 40	254	2.1%
5	41 to 50	286	2.3%
6	51 to 75	486	4.0%
7	76 to 100	470	3.9%
8	101 to 250	1,481	12.2%
9	251 to 500	1,489	12.2%
10	501 to 1000	3,707	30.5%
11	1001 to 1500	641	5.3%
12	More than 1500	1,304	10.7%
-1	Missing	188	1.5%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 12

Variable type: numeric

### PERCENTVA: Percent of admissions that are veterans (Q.B8)

Value	Label	Frequency	%
0	0	4,213	34.6%
1	1-10	4,424	36.3%
2	11-20	473	3.9%
3	21-30	135	1.1%
4	31-40	41	0.3%
5	41-50	9	0.1%
6	51-60	4	0.0%
7	61-70	4	0.0%
8	71-80	6	0.0%
9	81-90	3	0.0%
10	91-99	27	0.2%
11	100	261	2.1%
-1	Missing	2,559	21.0%
-3	Don't know	13	0.1%
	<i>Total</i>	<i>12,172</i>	<i>100%</i>

Minimum: 0  
Maximum: 11

Variable type: numeric