




- Piros szöveg

- Sárga szöveg

-

Sötétkék szöveg

- Zöld szöveg/lila szöveg

```
R1 (config)# crypto isakmp key jelszo address  
192.0.2.18
```

```
R1 (config)# crypto isakmp policy 1
```

```
R1 (config-isakmp)# authentication pre-share
```

```
R1(config)# crypto ipsec transform-set TSET esp-aes 256 esp-sha-hmac
```

```
R1(config)# ip access-list extended S2SVPN
```

```
R1(config-ext-nacl)#permit ip 192.168.1.0 0.0.0.255 192.168.2.0 0.0.0.255
```

R1 (config)# crypto map CMAP 1 ipsec-isakmp •

R1 (config-crypto-map)# set peer 192.0.2.18 •

R1 (config-crypto-map)# set transform-set TSET •

R1 (config-crypto-map)# match address S2SVPN

```
R1 (config)# interface Serial0/0/0
```

```
R1 (config-if)# crypto map CMAP
```



```
R2 (config)# crypto isakmp key jelszo address  
192.0.2.14
```

```
R2 (config)# crypto isakmp policy 1
```

```
R2 (config-isakmp)# authentication pre-share
```

```
R2(config)# crypto ipsec transform-set TSET esp-aes 256 esp-sha-hmac
```

```
R2(config)# ip access-list extended S2SVPN
```

```
R2(config-ext-nacl)#permit ip 192.168.2.0 0.0.0.255 192.168.1.0 0.0.0.255
```

```
R2 (config)# crypto map CMAP 1 ipsec-isakmp
```

```
R2 (config-crypto-map)# set peer 192.0.2.14
```

```
R2 (config-crypto-map)# set transform-set
```

```
TSET R2 (config-crypto-map)# match address
```

```
S2SVPN
```

```
R2 (config) # interface Serial0/0/0
```

```
R2 (config-if) # crypto map CMAP
```