

```
cd /tmp
```

```
wget https://raw.githubusercontent.com/MISP/MISP/2.5/INSTALL/INSTALL.debian12.sh
```

```
chmod +x INSTALL.debian12.sh
```

```
root@inplatform:/tmp# ./INSTALL.debian12.sh

MISP

v2.5 Setup on Debian 12
[STATUS] Updating base system...
[OK] Base system update successfully completed.
[STATUS] Installing apt packages (git curl python3 python3-pip python3-virtualenv apache2 zip gcc sudo binutils openssl supervisor)...
[OK] git installation successfully completed.
[OK] curl installation successfully completed.
[OK] python3 installation successfully completed.
```

```
GNU nano 7.2 /etc/apache2/sites-available/misp-ssl.conf

#<VirtualHost _default_:80>
#     ServerAdmin admin@misp.local
#     ServerName misp.local

#     Redirect permanent / https://misp.local

#     LogLevel warn
#     ErrorLog /var/log/apache2/misp.local_error.log
#     CustomLog /var/log/apache2/misp.local_access.log combined
#     ServerSignature Off
# </VirtualHost>

<VirtualHost _default_:8443>
    ServerAdmin admin@misp.local
    ServerName 192.168.20.4
    ServerAlias misp.local
    DocumentRoot /var/www/MISP/app/webroot

    <Directory /var/www/MISP/app/webroot>
        Options -Indexes
        AllowOverride all
        Require all granted
    </Directory>
```

```
GNU nano 7.2 /var/www/MISP/app/Config/config.php

<?php
$config = array (
    'debug' => 0,
    'MISP' =>
        array (
            'baseurl' => 'https://192.168.20.4:8443',
            'footeridleft' => ''
```

Sinon crash car nginx de the hive déjà sur port 80 et 443

```
GNU nano 7.2 /etc/apache2/ports.conf
# If you just change the port or add more ports here, you will likely also
# have to change the VirtualHost statement in
# /etc/apache2/sites-enabled/000-default.conf

#Listen 80

<IfModule ssl_module>
    Listen 8443
</IfModule>

<IfModule mod_gnutls.c>
    Listen 8443
</IfModule>
```

On termine par ce qu'on n'avait pas pu terminer à cause du probleme de redémarrage de apache2

```
root@irplatform:/etc/apache2# chown -R www-data:www-data /var/www/MISP
root@irplatform:/etc/apache2# chown -R www-data:www-data /var/www/MISP/.git
root@irplatform:/etc/apache2# chmod -R 750 /var/www/MISP
root@irplatform:/etc/apache2# chmod -R g+ws /var/www/MISP/app/tmp
root@irplatform:/etc/apache2# chmod -R g+ws /var/www/MISP/app/files
root@irplatform:/etc/apache2# chmod -R g+ws /var/www/MISP/app/files/scripts/tmp
```

systemctl restart apache2

systemctl status apache2

systemctl status mariadb

systemctl status redis-server

Admin Add User

Email

☐ Set password

Organisation

Role

NIDS SID

PGP key

Paste the user's PGP key here or try to retrieve it from the CIRCL key server by clicking on "Fetch PGP key" below.

Fetch PGP key

- ☐ Receive email alerts when events are published
- ☐ Receive email alerts from "Contact reporter" requests
- ☐ Immediately disable this user account
- ☐ Send credentials automatically

Create user

☐	2	ORNAME	User	thehive@user.test	x	x	x	7835776	x	Never	2025-01-14 21:06:57	x	🔍🔍🔍🔍
☐	3	ORNAME	User	cortex@user.test	x	x	x	5219888	x	Never	2025-01-14 21:07:38	x	🔍🔍🔍🔍
☐	4	ORNAME	User	shuffle@user.test	x	x	x	6512004	x	Never	2025-01-14 21:08:18	x	🔍🔍🔍🔍

User admin@admin.test

ID	1
Email	admin@admin.test
Organisation	ORGNAME
Role	admin
TOTP	NoGenerate
Email notifications	Event published notification No
	Daily notifications No
	Weekly notifications No
	Monthly notifications No
Contact alert enabled	No
Invited By	N/A
NIDS Start SID	4000000
PGP key	No
Created	N/A
Last password change	2025-12-20 15:06:17

Download user profile for data portability

Review user logs

Auth keys

Add auth key



Auth keys are used for API access. A user can have more than one authkey, so if you would like to use separate keys per tool that queries MISP, add additional keys. Use the comment field to make identifying your keys easier.

User

thehive@user.test



Comment

thehive connector

Allowed IPs

Expiration (keep empty for indefinite)

YYYY-MM-DD

☒ Read only (it will unset all permissions. This should not be used for sync users)

Submit

Cancel

Auth key created



Please make sure that you note down the auth key below, this is the only time the auth key is shown in plain text, so make sure you save it. If you lose the key, simply remove the entry and generate a new one.

MISP will use the first and the last 4 characters for identification purposes.

oRZOQAALkHsoevk38dyYPib1XXkRkAHR

I have noted down my key, take me back now

Add auth key



Auth keys are used for API access. A user can have more than one authkey, so if you would like to use separate keys per tool that queries MISP, add additional keys. Use the comment field to make identifying your keys easier.

User

cortex@user.test



Comment

cortex analyzer

Allowed IPs

Expiration (keep empty for indefinite)

YYYY-MM-DD

☒ Read only (it will unset all permissions. This should not be used for sync users)

Submit

Cancel

Auth key created



Please make sure that you note down the auth key below, this is the only time the auth key is shown in plain text, so make sure you save it. If you lose the key, simply remove the entry and generate a new one.

MISP will use the first and the last 4 characters for identification purposes.

nKd8EFutX5kmftpITsKIEia6iT23pIgra

I have noted down my key, take me back now

Add auth key



Auth keys are used for API access. A user can have more than one authkey, so if you would like to use separate keys per tool that queries MISP, add additional keys. Use the comment field to make identifying your keys easier.

User

shuffle@user.test



Comment

shuffle connector

Allowed IPs

Expiration (keep empty for indefinite)

YYYY-MM-DD

☒ Read only (it will unset all permissions. This should not be used for sync users)

Submit

Cancel

Auth key created



Please make sure that you note down the auth key below, this is the only time the auth key is shown in plain text, so make sure you save it. If you lose the key, simply remove the entry and generate a new one.

MISP will use the first and the last 4 characters for identification purposes.

lvY1kHNoXMA5FxKfB3o1XHStUx0iqBL3I

I have noted down my key, take me back now

List Feeds

Search Feed Caches

Add Feed

Import Feeds from JSON

Feed overlap analysis matrix

Export Feed settings

Feeds

Generate feed lookup caches or fetch feed data (enabled feeds only)

Load default feed metadataCache all feedsCache feeded/CSV feedsCache MISP feedsFetch and store all feed data

< previousnext >

Default feedsCustom feedsAll feedsEnabled feeds

Enter value to searchFilter

☐	ID	Enabled	Caching	Name	Format	Provider	Org	Source	URL	Headers	Target	Publish	Delta	Override	Distribution	Tag	Visible	Caching	Actions
☐	1	✗	✗	CIRCL OSINT Feed	misp	CIRCL		network	https://www.circl.lu/doc/misp/feed-osint		Feed not enabled	✗	✗	✗	All communities		✗	Not cached	
☐	2	✗	✗	The Botvrij.eu Data	misp	Botvrij.eu		network	https://www.botvrij.eu/data/feed-osint		Feed not enabled	✗	✗	✗	All communities		✗	Not cached	

Page 1 of 1, showing 2 records out of 2 total, starting on record 1, ending on 2

< previousnext >

Load default feed metadata

< previous12345next >last >

Default feedsCustom feedsAll feedsEnabled feeds

Enter value to searchFilter

☐	ID	Enabled	Caching	Name	Format	Provider	Org	Source	URL
☐	1	✗	✗	CIRCL OSINT Feed	misp	CIRCL		network	https://www.circl.lu/doc/misp/feed-osint
☐	2	✗	✗	The Botvrij.eu Data	misp	Botvrij.eu		network	https://www.botvrij.eu/data/feed-osint
☐	3	✗	✗	ELLIO IP Feed (Community version)	freetext	ellio tech		network	https://cdn.ellio.tech/community-feed
☐	4	✗	✗	blockrules of rules.emergingthreats.net	csv	rules.emergingthreats.net		network	https://rules.emergingthreats.net/blockrules/compromised-ips.txt
☐	5	✗	✗	Tor exit nodes	csv	TOR Node List from dan.me.uk - careful, this feed applies a lock-out after each pull. This is shared with the "Tor ALL nodes" feed.		network	https://www.dan.me.uk/torlist/?exit
☐	6	✗	✗	Tor ALL nodes	csv	TOR Node List from dan.me.uk - careful, this feed applies a lock-out after each pull. This is shared with the "Tor exit nodes" feed.		network	https://www.dan.me.uk/torlist/
☐	7	✗	✗	cybercrime-tracker.net - all	freetext	cybercrime-tracker.net		network	https://cybercrime-tracker.net/all.php
☐	8	✗	✗	Phishtank online valid phishing	csv	Phishtank		network	https://data.phishtank.com/data/online-valid.csv
☐	9	✗	✗	ip-block-list - snort.org	freetext	https://snort.org		network	https://snort.org/downloads/ip-block-list
☐	10	✗	✗	diamondfox_panels	freetext	pan-unl42		network	https://raw.githubusercontent.com/pan-unl42/panels/master/panels.txt

Enable selectedDisable selectedEnable caching for selectedDisable caching for selected

Default feedsCustom feedsAll feedsEnabled feeds

abuseFilter

☐	ID	Enabled	Caching	Name	Format	Provider	Org	Source	URL
☒	12	✗	✗	Feodo IP Blocklist	csv	abuse.ch		network	https://feodotracker.abuse.ch/downloads/ipblocklist.csv
☒	34	✗	✗	abuse.ch SSL IPBL	csv	abuse.ch		network	https://sslbbl.abuse.ch/blacklist/sslbblacklist.csv
☒	41	✗	✗	URLHaus Malware URLs	csv	abuse.ch		network	https://urlhaus.abuse.ch/downloads/csv_recent/
☒	61	✗	✗	Malware Bazaar	csv	abuse.ch		network	https://bazaar.abuse.ch/export/txt/md5/recent/

☐	ID	Enabled	Caching	Name	Format	Provider	Org	Source	URL
☒	18	✗	✗	alienvault reputation generic	csv	.alienvault.com		network	https://reputation.alienvault.com/reputation.generic

☐	ID	Enabled	Caching	Name	Format	Provider	Org	Source	URL
☒	1	✗	✗	CIRCL OSINT Feed	misp	CIRCL		network	https://www.circl.lu/doc/misp/feed-osint

Enable Feed(s)


Are you sure you want to enable the selected feeds?

Yes


No

Fetch and store all feed data


Target



Fixed event 1



Fixed event 3



Fixed event 6

Events

« previous123next »

QMy EventsOrg Events

Enter value to search

Event infoFilter

☐	Creator org	Owner org	ID	Clusters	Tags	#Attr.	#Corr.	Creator user	Date	Info	Distribution	AI
☐	X	ORNAME	ORNAME	? 5	osint-source-type="block-or-filter-list"	23953		admin@admin.test	2026-01-15	URLHaus Malware URLs feed	Organisation	1
☐	X	ORNAME	ORNAME	? 3		8795		admin@admin.test	2026-01-15	abuse.ch SSL IPBL feed	Organisation	1
☐	X	ORNAME	ORNAME	? 6	osint-source-type="block-or-filter-list"	623		admin@admin.test	2026-01-15	Malware Bazaar feed	Organisation	1
☐	X	ORNAME	ORNAME	? 2	osint-source-type="block-or-filter-list"	609		admin@admin.test	2026-01-15	alienvault reputation generic feed	Organisation	1
☐	X	ORNAME	ORNAME	? 1		5		admin@admin.test	2026-01-15	Feodo IP Blocklist feed	Organisation	1
☒		ORNAME	ORNAME	? 77	type:OSINT ttp:white malware_classification:malware-category="Ransomware" osint-source-type="blog-post"	6		admin@admin.test	2016-04-08	OSINT - Locky: the encryptor taking the world by storm	All	
☒		ORNAME	ORNAME	-- 126	ttp:white type:OSINT	110	4	admin@admin.test	2016-05-23	OSINT - Operation Ka3chang Resurfaces With New TidePool Malware	All	
☒		ORNAME	ORNAME	125 Tool Turbo Wipbot	ttp:white admiralty-scale:source-reliability="b" https:galaxy:threat-actor="Turbo Group" osint-source-type="technical-report"	51		admin@admin.test	2016-05-23	OSINT - APT Case RUAG Technical Report	All	
☒		ORNAME	ORNAME	-- 16 Threat Actor Packrat	type:OSINT ttp:white	154		admin@admin.test	2015-12-09	OSINT - Packrat: Seven Years of a South American Threat Actor	All	
☒		ORNAME	ORNAME	-- 133	ttp:white type:OSINT estimative-language:likelihood-probability="very-likely"	120	4	admin@admin.test	2016-05-25	OSINT - CVE-2015-2545: overview of current threats	All	
☒		ORNAME	ORNAME	? 67	ttp:white type:OSINT	208		admin@admin.test	2016-03-29	OSINT - In the Shadows: Vavtrak Aims to Get Stealthier by adding New Data Cloaking	All	

alienvault reputation generic feed

Event ID	2
UUID	d3d300fd-dfe6-42e5-bb37-3dd61f081383  
Creator org	ORGNAME
Owner org	ORGNAME
Creator user	admin@admin.test
Protected Event (experimental) 	 Event is in unprotected mode.  Switch to protected mode
Tags	 osint:source-type="block-or-filter-list"   
Date	2026-01-15
Threat Level	? Undefined
Analysis	Completed
Distribution	Your organisation only   
Published	No
#Attributes	609 (0 Objects)
First recorded change	2026-01-15 10:31:22
Last change	2026-01-15 10:31:25
Modification map	
Sightings	0 (0) - restricted to own organisation only. 

 Pivots  Galaxy  Event graph  Event timeline  Correlation graph  Galaxy matrix  Event reports  Attributes  Discussion

 2: alienvault reputat...