7/10/23, 11:40 AM Ontology Browser

Ontologies Classes Object Properties Data Properties Annotation Properties Individuals Datatypes Clouds

## Class: Dosage and Administration ALYMS

## Annotations (1)

• rdfs:comment "Withhold for at least 28 days prior to elective surgery. Do not administer Alymsys for 28 days following major surgery and until adequate wound healing. (2.1) Metastatic colorectal cancer (2.2) 5 mg/kg every 2 weeks with bolus-IFL 10 mg/kg every 2 weeks with FOLFOX4 5 mg/kg every 2 weeks or 7.5 mg/kg every 3 weeks with fluoropyrimidine-irinotecan- or fluoropyrimidineoxaliplatin-based chemotherapy after progression on a first-line bevacizumab product-containing regimen First-line non—squamous non—small cell lung cancer (2.3) 15 mg/kg every 3 weeks with carboplatin and paclitaxel Recurrent glioblastoma (2.4) 10 mg/kg every 2 weeks Metastatic renal cell carcinoma (2.5) 10 mg/kg every 2 weeks with interferon alfa Persistent, recurrent, or metastatic cervical cancer (2.6) 15 mg/kg every 3 weeks with paclitaxel and cisplatin, or paclitaxel and topotecan Platinum-resistant recurrent epithelial ovarian, fallopian tube or primary peritoneal cancer (2.7) 10 mg/kg every 2 weeks with paclitaxel, pegylated liposomal doxorubicin, or topotecan given every week 15 mg/kg every 3 weeks with topotecan given every 3 weeks Administer as an intravenous infusion (2.9)"(xsd:string)

## Superclasses (1)

'\'Alymsys\_(Bevacizumab)\_\''

## Disjoints (8)

Adverse\_Reactions\_ALYMS, Contraindications\_ALYMS, **Dosage\_and\_Administration\_ALYMS**, Dosage\_Forms\_and\_Strengths\_ALYMS, Drug\_Interactions\_ALYMS, Indications\_and\_Usage\_ALYMS, Use in Specific Populations ALYMS, Warnings and Precautions ALYMS

OWL HTML inside