

"Essential Laboratory Chemicals For Scientific Research and Experimentation, Ensuring Accuracy And Precision in Every Precess."

- LABPRO CHEM, Shop No: 198 New Link Road Near Laxmi ind Estate Andheri West Mumbai 400053 Maharashtra (india)
- Mobile No: +91 9167157018 / GSTIN: 27GZCP58548N1ZA / MSME: UDYAM-MH-18-0400921

## **CERTIFICATE OF ANALYSIS**

Product Name: tri-AMMONIUM CITRATE 98.5-101% AR

Catalogue No.: LA0345 CAS No.: 3458-72-8 Batch No.: 164FG

**Date of Manufacture:** June 2025

Date of Expiry: May 2030

| Test Parameters                                   | Specifications                        | Results  |
|---|---------------------------------------|----------|
| Appearance  | White to off-white crystalline powder | Complies |
| Assay (as (NH₄)₃C <sub>6</sub> H₅O <sub>7</sub> ) | 98.5 – 101.0 % (AR Grade)             | 99.6 %   |
| Identification (IR/NMR)                           | Should match reference standard       | Complies |
| Solubility  | Freely soluble in water               | Complies |
| pH (5% solution at 25 °C)                         | 6.5 – 7.5                             | 7.2      |
| Loss on Drying                                    | NMT 1.0 %                             | 0.4 %    |
| Residue on Ignition                               | NMT 0.05 %                            | 0.01 %   |
| Heavy Metals (as Pb)                              | NMT 0.0005 %                          | Complies |
| Chloride (CI)                                     | NMT 0.002 %                           | Complies |
| Sulphate (SO₄)                                    | NMT 0.002 %                           | Complies |

## **Approved By**

(Quality Control Department)

Date: 23/06/2025

AUTH SIGNATORY

Signature:

TESTED BY PREM SINGH

APPROVED BY SHAKIL AHMED