

"Essential Laboratory Chemicals For Scientific Research and Experimentation, Ensuring Accuracy And Precision in Every Precess."

- LABPRO CHEM, Shop No: 198 New Link Road Near Laxmi Ind Estate Andheri West Mumbai 400053 Maharashtra (India)
- Mobile No: +91 9167157018 / GSTIN: 27GZCP58548N1ZA / MSME: UDYAM-MH-18-0400921

CERTIFICATE OF ANALYSIS

Product Name: AMMONIUM CERIC NITRATE 99% AR

Catalogue No.: LA0333 CAS No.: 16774-21-3 Batch No.: 402SF

Date of Manufacture: June 2025

Date of Expiry: May 2030

Test Parameters	Specifications	Results
Appearance	Orange to reddish-orange crystalline powder	Complies
Purity (as (NH₄)₂Ce(NO₃) ₆)	Min. 99% (AR Grade)	99.2%
Identification (Ce test)	Positive	Complies
Solubility	Soluble in water	Complies
pH (5% aqueous solution)	1.5 – 3.0	2.1
Chloride (Cl)	NMT 0.002%	Complies
Sulphate (SO₄)	NMT 0.002%	Complies
Iron (Fe)	NMT 0.0005%	Complies
Heavy Metals (as Pb)	NMT 0.0005%	Complies
Loss on Drying	NMT 0.5%	0.2%

Approved By

(Quality Control Department)

Date: 23/06/2025

FOI LABORD CHEM

Signature:

TESTED BY PREM SINGH

APPROVED BY SHAKIL AHMED