

"Essential Laboratory Chemicals For Scientific Research and Experimentation, Ensuring Accuracy And Precision in Every Precess."

LABPRO CHEM, Shop No: 198 New Link Road Near Laxmi Ind Estate Andheri West Mumbai 400053 Maharashtra (India)

Mobile No: +91 9167157018 / GSTIN: 27GZCP58548N1ZA / MSME: UDYAM-MH-18-0400921

## **CERTIFICATE OF ANALYSIS**

**Product Name:** ALLYLAMINE 99% For Synthesis

Catalogue No.: LA0174

**CAS No.:** 107-11-9 **Batch No.:** 961EG

**Date of Manufacture**: JUNE 2025 **Date of Expiry**: DECEMBER 2030

Test	Specification	Result
Appearance	Clear, colorless liquid	Complies
Assay (GC)	Min. 99.0%	99.2%
Density (at 20°C)	0.850 – 0.860 g/cm³	0.854 g/cm <sup>3</sup>
Boiling Point	55 – 58 °C	56.2 °C
Water Content (KF)	NMT 0.5%	0.2%
Refractive Index (n20/D)	1.390 – 1.396	1.394
Residue on Evaporation	Max. 0.005%	< 0.005%
Identification (IR)	Should comply with reference	Complies

## **Approved By**

(Quality Control Department)

Date: 23/06/2025

AUTH SIGNATORY

Signature:

TESTED BY PREM SINGH

APPROVED BY SHAKIL AHMED