

"Essential Laboratory Chemicals For Scientific Research and Experimentation, Ensuring Accuracy And Precision in Every Precess."

- LABPRO CHEM, Shop No: 198 New Link Road Near Laxmi Ind Estate Andheri West Mumbai 400053 Maharashtra (India)
- Mobile No: +91 9167157018 / GSTIN: 27GZCP58548N1ZA / MSME: UDYAM-MH-18-0400921

CERTIFICATE OF ANALYSIS

Product: ACRYLONITRILE AR

Cat No: LA0112 CAS No: 107-13-1 Batch No: 752UY

Date of Manufacture: JUNE 2025 Date of Expiry: DECEMBER 2030

Parameters	Specification	Result
Appearance	Clear, colorless liquid	Complies
Assay (GC)	≥ 99.5%	99.6%
Water Content (KF)	≤ 0.03%	0.02%
Boiling Point	~77°C	Confirmed
Density (20°C)	0.806–0.808 g/cm³	0.807 g/cm ³
Refractive Index (n20/D)	1.391 – 1.393	1.392
Chloride (Cl ⁻)	≤ 0.001%	<0.001%
Sulphate (SO ₄ ²⁻)	≤ 0.002%	<0.001%
Heavy Metals (as Pb)	≤ 5 ppm	<3 ppm
Inhibitor (MEHQ)	Present (~35 ppm, stabilizer)	Confirmed
Purity Grade	Analytical Reagent (AR) Grade	Confirmed

Approved By

(Quality Control Department)

Date: 23/06/2025

AUTH SIGNATORY

Signature:

TESTED BY PREM SINGH

APPROVED BY SHAKIL AHMED