

"Essential Laboratory Chemicals For Scientific Research and Experimentation, Ensuring Accuracy And Precision in Every Precess."

LABPRO CHEM, Shop No: 198 New Link Road Near Laxmi ind Estate Andheri West Mumbai 400053 Maharashtra (India)

Mobile No: +91 9167157018 / GSTIN: 27GZCP58548N1ZA / MSME: UDYAM-MH-18-0400921

## **CERTIFICATE OF ANALYSIS**

Product: ALIZARIN RED S (pH Indicator) .I. No.: 58005

Cat No: LA0171 CAS No: 130-22-3 Batch No: 813SF

Date of Manufacture: JUNE 2025 Date of Expiry: DECEMBER 2030

| Parameters   | Specification                          | Result    |
|--|--|-----------|
| Appearance   | Orange to red-brown crystalline powder | Complies  |
| Solubility in Water                                      | Soluble                                | Passes    |
| pH Range (Indicator<br>Use)                              | 4.0 – 6.0 (Yellow to Red)              | Confirmed |
| Assay (Dye Content)                                      | ≥ 95%                                  | 96.2%     |
| Absorption Max<br>(λmax)                                 | ~420 nm and ~520 nm in water           | Matches   |
| Chloride (Cl)  | ≤ 0.05%                                | 0.02%     |
| Sulphated Ash<br>(Residue)                               | ≤ 0.5%                                 | 0.3%      |
| Moisture Content   | ≤ 1.0%                                 | 0.4%      |
| Store in a tightly closed container in a cool, dry place |  | Complies  |

| Approved By | Ap | pro | ove | d | By |
|-------------|----|-----|-----|---|----|
|-------------|----|-----|-----|---|----|

(Quality Control Department)

Date: 23/06/2025

FOI LABPRO CHEM

Signature:

TESTED BY PREM SINGH

APPROVED BY SHAKIL AHMED