

Prudentia AI End User Manual

Last updated: 2026-06-30

This manual explains how to use the Prudentia AI web application after it is running. It is written for members, contributors, reviewers, and auditors. If the application itself is not running yet, use the Operator Manual (operator-manual.md) first.

1. What Prudentia AI Does

Prudentia AI is a local enterprise RAG workspace. It lets authorized users:

- Ask evidence-grounded questions over approved documents.
- Inspect citations, excerpts, pages, and source evidence.
- Upload supported files into controlled Knowledge Spaces when permitted.
- Track indexing and review low-confidence OCR when permitted.
- Query approved live SQL Server or PostgreSQL sources when available.
- Generate downloadable DOCX, PDF, or PPTX artifacts from supported prompts.

The application is permission-aware. If a page is not visible in your sidebar, your role or Knowledge Space membership does not include that page.

2. Role Guide

Every account has an account type. The account type controls which pages and actions appear. Knowledge Space membership and clearance level further limit what the user can see inside those pages.

Platform Admin

Why it exists: Owns the whole platform and makes deployment-wide decisions.

Can do:

- Manage all users, including other Platform Admins.
- Manage all Knowledge Spaces and visible documents.
- Configure model providers, runtime roles, ingestion defaults, and vLLM limits.
- Use RAG Evaluation, System Audit, Review Queue, database connectors, uploads, document lifecycle actions, and Query Intelligence.

Cannot do:

- Bypass organizational policy for sharing, retention, or data handling.
- Make vLLM work unless the operator has actually prepared the vLLM services and model cache.

System Admin

Why it exists: Runs global operations without full platform configuration power.

Can do:

- Manage users except Platform Admin accounts.
- Manage Knowledge Spaces, documents, uploads, folder sources, database connectors, review work, audit review, and ingestion recovery.
- Query and upload across the workspace according to global admin access.

Cannot do:

- Access Platform Admin-only Configs.
- Run RAG Evaluation.
- Create, edit, or delete Platform Admin accounts.

User Manager

Why it exists: Creates and maintains accounts without access to document content or system settings.

Can do:

- Open User Management.
- Create and edit allowed user accounts.
- Assign account types, clearance, active state, and Knowledge Space memberships within the manager's own allowed scope.
- Reset passwords for managed users.

Cannot do:

- Query documents.
- Upload files.
- Review OCR.
- View System Audit.
- Change Configs or model settings.

Space Admin

Why it exists: Owns document governance for one or more Knowledge Spaces.

Can do:

- Create, edit, and delete allowed Knowledge Spaces.
- Upload, reingest, restore, trash, and in some cases permanently delete documents inside assigned spaces.
- Manage folder sources and database connector scopes for assigned spaces.
- Query documents and monitor ingestion in assigned spaces.

Cannot do:

- Manage users unless separately assigned a user-management role.
- Change global platform Configs.

- Work outside assigned Knowledge Space and clearance boundaries.

Contributor

Why it exists: Adds and maintains source documents for a team or space.

Can do:

- Query visible indexed documents.
- Upload supported files into writable assigned Knowledge Spaces.
- Track ingestion jobs.
- Reingest, restore, or move writable documents to Trash where permitted.

Cannot do:

- Manage users or Knowledge Spaces.
- Approve database connector scopes.
- View System Audit.
- Review OCR unless also assigned a review-capable role.
- Change platform settings.

Reviewer

Why it exists: Resolves low-confidence OCR or extraction items so documents can finish indexing.

Can do:

- Query visible indexed documents.
- Open Review Queue.
- Compare extracted text with source previews.
- Approve corrected text or reject bad OCR blocks.
- View ingestion status for visible content.

Cannot do:

- Upload or govern documents unless separately granted another role.
- Manage users, spaces, connectors, audit, evaluations, or Configs.

Auditor

Why it exists: Reviews governance activity without editing content or changing system state.

Can do:

- Open System Audit.
- Search, filter, inspect, and export visible audit events.
- View visible document and Knowledge Space metadata where exposed.
- View ingestion activity and health summaries.

Cannot do:

- Query document content in Query Intelligence.
- Upload files.
- Manage users or spaces.
- Review OCR.
- Change documents, connectors, evaluations, or Configs.

Member

Why it exists: Uses approved knowledge for evidence-grounded answers.

Can do:

- Ask questions in Query Intelligence.
- Select a Knowledge Space.
- Use @ tags to scope questions to visible documents.
- Inspect citations and evidence.
- View visible document library metadata and change their own password.

Cannot do:

- Upload, delete, restore, or reingest documents.
- Manage users, Knowledge Spaces, connectors, audit, review, evaluations, or Configs.

3. Before You Start

You need these items:

- The web application URL. Local deployments commonly use `http://localhost:3000`.
- Your email address and password.
- The Knowledge Space you should work in, such as `/finance`, `/legal`, or `/manuals`.
- Any rules from your organization about which documents may be uploaded, queried, downloaded, or shared.

If you cannot sign in or do not know your password, ask a Platform Admin, System Admin, or User Manager to reset your password.

4. Sign In

1. Open the Prudentia AI URL in a browser.
2. Enter your email address and password.
3. Select **Authenticate Session**.
4. If the app sends you to **Account Management**, enter your current password and set a new password of at least 8 characters.
5. Confirm that the sidebar shows the expected Knowledge Space.

Sessions expire after inactivity. If the session timeout dialog appears, choose **Stay signed in** to continue or **Sign out** to end the session. If the session has already expired, sign in again.

5. Main Navigation

The sidebar is organized into four areas:

Area	Pages you may see	Purpose
Operate	System Overview, Query Intelligence, Ingestion Health	Ask questions and monitor system state.
Corpus	Add Files, Folder Sources, Database Connectors, Activity, Document Library	Add, inspect, govern, and track source material.
Evaluate	Review Queue, RAG Evaluation	Review OCR or evaluation quality where permitted.
Govern	System Audit, User Management, Configs	Administrative and governance pages.

Use the account button in the sidebar footer to open **Account Management**, change your password, switch theme, or sign out.

6. Knowledge Spaces

Knowledge Spaces are access scopes for documents and live database sources. A space can represent a team, project, department, or document collection.

Before asking questions or uploading files:

1. Check the active Knowledge Space in the sidebar header.
2. Switch to the correct space if your account has more than one.
3. Confirm that the document count looks reasonable for the work you are doing.

Queries, document lists, uploads, folder sources, and database scopes are all filtered by Knowledge Space and clearance level.

7. Ask Questions

1. Open **Query Intelligence**.
2. Confirm the active Knowledge Space.
3. Choose a source mode:

Mode	Use it when
Auto	You want Prudentia to choose documents, live data, or both.
Documents	The answer must come from indexed files only.
Live DB	The answer should come from approved live SQL data only.
Hybrid	The answer needs both document context and live database facts.

4. Type a focused question.
5. Press **Enter** or select **Send**. Use **Shift+Enter** for a new line.

6. Watch the progress panel while Prudentia routes the query, retrieves evidence, and drafts the answer.
7. Inspect the citations before relying on the answer.

Good questions name the policy, date, person, contract, report, section, or comparison you need. Start a new chat when switching topics so earlier context does not confuse the new question.

8. Scope a Question To Specific Documents

Use @ in the Query Intelligence composer to search documents in the active Knowledge Space. Select one or more documents to narrow retrieval to those files.

Document tags apply to **Auto**, **Documents**, and **Hybrid** questions. They do not apply to **Live DB** only questions.

9. Verify Answers With Evidence

Every important answer should be checked against its evidence.

1. Select a source chip or inline citation.
2. Review the evidence inspector.
3. Confirm the document title, page, excerpt, Knowledge Space, and effective date when available.
4. Treat warnings as review signals. Warnings can mean low faithfulness, degraded retrieval, conflicting sources, or missing highlights.

Evidence can include PDF page highlights, DOCX text excerpts, image evidence, or live database rows. If highlighting is unavailable, open the original source file and compare manually.

10. Chat History And Generated Files

Completed conversations appear in the chat history rail.

- Use **New chat** when changing topics.
- Reopen a saved chat to continue a related task.
- Delete old chats that are no longer useful.
- Generated files appear as download links when a generation job completes.
- If the generation job asks clarification questions, answer them in the job panel before retrying or continuing.

Generated file access follows your account and permission version. Do not share generated files outside the same access and clearance rules as the source documents.

11. Upload Documents

If **Add Files** appears in your sidebar, you can upload supported files into a writable Knowledge Space.

Supported files:

- PDF

- DOCX
- JPG or JPEG
- PNG
- JSON

Each file must be non-empty and no larger than 50 MB.

Upload steps:

1. Open **Document Intake > Add Files**.
2. Select one or more supported files.
3. Choose the writable Knowledge Space.
4. Choose the clearance level. You cannot upload above your own clearance.
5. Choose an ingestion profile:

Profile	Use it when
Fast	The file is mostly native text and speed matters most.
Balanced	The file has mixed layouts or moderate complexity.
High accuracy	The file contains scans, complex tables, or layout-sensitive content.

6. Enable **GraphRAG** only when the document should participate in relationship, theme, risk, trend, or corpus-level analysis.
7. Optionally add effective date, expiry date, description, and supersedes IDs. Supersedes IDs are for single-file replacements.
8. Select **Upload documents**.
9. Watch **Recent upload jobs** for progress and warnings.

If an upload is rejected, check the file type, size, Knowledge Space, clearance, and whether virus scanning is healthy.

12. Track Indexing Activity

Open **Document Intake > Activity** to see upload, folder, restore, and reingest jobs.

Common statuses:

Status	Meaning
Scheduled	Waiting for its planned start time.
Queued	Accepted and waiting for a worker.
Processing	Being parsed, enriched, chunked, embedded, and indexed.
Needs review	Waiting for human OCR or extraction review.
Indexed	Complete and searchable.
Failed	Ingestion stopped with an error.

Status	Meaning
Cancelled	The job was manually stopped.

Users with write access can cancel scheduled, queued, or active jobs. If a job looks stuck, share the job ID, document title, and time observed with an administrator or operator.

13. Browse The Document Library

The Document Library may include:

- **Overview:** summary metrics, attention items, and recent activity.
- **Knowledge Spaces:** folder tree and direct documents in selected spaces.
- **Documents:** searchable table of visible documents.
- **Trash:** soft-deleted documents that authorized users can restore or delete.

Open a document to inspect metadata, summary, topics, entities, cross references, extracted claims, version history, and download links. Available actions depend on your role and access.

14. Review OCR Blocks

If **Review Queue** appears in your sidebar, you can resolve low-confidence OCR or extraction blocks.

1. Open **Review Queue**.
2. Select a pending block.
3. Compare the OCR text with the page preview.
4. Edit **Corrected extraction text**.
5. Select **Approve correction** to save the corrected text, or **Reject block** if the block should not continue.

Approval requires non-empty corrected text. When the queue is clear, the page shows a ready state.

15. Read The System Audit

If **System Audit** appears in your sidebar, use it to review visible authentication, document, ingestion, query, and workspace events.

You can search and filter by category, event type, actor, target, Knowledge Space, and time window. Use **Export CSV** when you need to preserve or share an audit slice according to your organization's policy.

Audit is for review and escalation. It is not an editing surface.

16. Safe Usage Rules

- Do not rely on an important answer without checking citations.
- Use the correct Knowledge Space before querying or uploading.
- Do not upload documents above your clearance or outside your team scope.

- Do not share original files, citations, answers, or generated artifacts beyond the same access rules as the source material.
- When replacing a document, use supersedes metadata so the older version stays auditable.
- Report repeated model, indexing, source viewer, or upload errors with the job ID, document title, and time observed.

17. Troubleshooting

Problem	What to check	What to do
You cannot sign in	Email, password, active account state	Ask an admin to reset your password or reactivate the account.
A page is missing	Role and Knowledge Space memberships	Ask an admin to confirm your permissions.
No documents appear	Active space, clearance, lifecycle filters	Switch spaces or ask an admin to verify access.
You cannot query	Indexed documents, model runtime, selected source mode	Wait for indexing, switch source mode, or report the runtime issue.
No Live DB source appears	Approved catalog for your space and clearance	Ask a connector admin to approve a suitable scope.
Upload is rejected	Type, size, empty file, writable space, virus scan	Use a supported file under 50 MB and select a writable space.
Document says Needs review	Low-confidence OCR paused ingestion	A reviewer must approve or reject the pending block.
Answer has warnings	Low grounding, conflict, degraded retrieval	Inspect citations manually before using the answer.
Source highlight is missing	No page coordinates or exact text match	Open the original source and compare manually.
Graph enrichment is absent	GraphRAG was not selected, disabled, or worker unavailable	Standard retrieval still works; ask an admin if graph analysis is required.

18. Glossary

Term	Meaning
Knowledge Space	A document access scope such as /finance or /manuals.
Clearance	A level that controls whether a user can see a document.
Current document	The active version used for retrieval.
Superseded document	An older version kept for audit and history.
Trash	Soft-deleted documents that can be restored by authorized users.
Ingestion job	The background task that parses, enriches, embeds, and indexes a file.
Citation	A link between an answer claim and supporting source evidence.
Faithfulness	A grounding check that estimates whether an answer is supported by evidence.
Approved database scope	A reviewed set of database tables, columns, relationships, Knowledge Space, and clearance allowed for live read-only SQL.
GraphRAG	Optional graph enrichment for corpus-level themes, relationships, and patterns.