

Table 1. Cholangiocarcinoma sequencing data sources

Cohort^a	Sequencing^{b,c}	Patients^d	Subtype counts iCCA/pCCA/dCCA
Yale (current study)	WXS	18	7/1/10
Chan-On (22)	WXS	4	2/0/0
Borad (23)	WXS	6	6/0/0
Gao (24)	WXS	6	6/0/0
Sia (25)	WXS	8	8/0/0
Nepal (26)	WXS	12	12/0/0
Jiao (27)	WXS	31	31/0/0
TCGA-CHOL (16)	WXS	46	40/0/0
Zhang (35)	WXS	67	24/43/0
Wardell (7)	WXS	96	44/24/28
Zou (29)	WXS	103	103/0/0
Nakamura (30)	WXS	197	124/44/29
Jusakul (17)	WGS	71	54/13/1
	TGS	166	95/61/6
MSK-iCCA (28)	TGS	374	374/0/0
Totals		1,205	930/186/74

^a External cohorts were named after the first author of the reporting publication, except TCGA-CHOL and MSK-iCCA.

^b WXS: whole-exome sequencing; WGS: whole-genome sequencing; TGS: targeted gene sequencing.

^c Variant call and other data were acquired from the cited sources, except that TCGA-CHOL calls were acquired from Genomic Data Commons (75) data release 40.0; Zhang variant calls were acquired from the study authors; Nakamura variant calls and whole-genome Jusakul variant calls were downloaded from UCSC Xena (76); and MSK variant calls were downloaded from cBioPortal (77), project identifier ihch_msk_2021.

^d Patient count includes listed subtype counts and additional extrahepatic samples not specified as pCCA or dCCA.