

[API documentation for viewing scraped data](#)

[Contact the developer](#)

HT

Authorize

Filter by tag

apis

```
GET /apis/collected-links/
```

apis\_collected-links\_list ^ 🔒

### Parameters

Cancel

No parameters

## Execute

Clear

## Responses

Response content type	application/json
-----------------------	------------------

Curl

```
curl -X 'GET' \
'http://0.0.0.0:7001/apis/collected-links/' \
-H 'accept: application/json' \
-H 'X-CSRFToken: w7YuvV2wYr7PQwdNz0kKh1JnSpPLeFzGyAVU4ucqID8ZnA4IwIb8ktfpo65mg9'
```

Request URL

```
http://0.0.0.0:7001/apis/collected-links/
```

Server response

Code	Details
------	---------

200

Response body

```

    {
      "id": 7,
      "name": "SRRI1798712",
      "url": "/samples/bb1bc32-689a-4714-a743-b27ab197656f",
      "folder": "Urinary Tract Infection Microbiome - Neugent et al 2022 - PRJNA801448 - KEPLER"
    },
    {
      "id": 8,
      "name": "SRRI1798710",
      "url": "/samples/16f7fc7b-d557-4b18-b146-6eb2d6911ece",
      "folder": "Urinary Tract Infection Microbiome - Neugent et al 2022 - PRJNA801448 - KEPLER"
    },
    {
      "id": 9,
      "name": "SRRI1798742",
      "url": "/samples/eb3d23f9-24d9-4d82-ba52-d5bf3904b04",
      "folder": "Urinary Tract Infection Microbiome - Neugent et al 2022 - PRJNA801448 - KEPLER"
    },
    {
      "id": 10,
      "name": "SRRI1798739",
      "url": "/samples/55a4ec0a-066c-42a3-b4f9-28031d4a4237",
      "folder": "Urinary Tract Infection Microbiome - Neugent et al 2022 - PRJNA801448 - KEPLER"
    },
    {
      "id": 11,
      "name": "SRRI1798753",
      "url": "/samples/3260088a-2ceb-4d96-933f-4d580916877a",

```

### Response headers

```
allow: GET,POST,HEAD,OPTIONS
content-length: 13748
content-type: application/json
cross-origin-opener-policy: same-origin
date: Wed, 23 Oct 2024 04:58:31 GMT
referrer-policy: same-origin
server: WSGIServer/0.2 CPython/3.8.10
vary: Accept
x-content-type-options: nosniff
x-frame-options: DENY
```

Request duration

30 ms

## Responses

Code	Description
------	-------------

200

Example Value | Model

```

    }
    @JsonInclude(JsonInclude.Include.NON_NULL)
    public class CollectedLinks {
        id Id < integer
        title: Id
        readOnly: true

        name* Name < string
        minLength: 1

        url* Url < string(suri)
        title: Url
        maxLength: 200
        minLength: 1

        folder Folder < string
        title: Folder
        x-nullable: true
    }
}

```

**POST** /apis/collected-links/

apis\_collected-links\_create ✓ 🔒

**GET** `/apis/collected-links/{id}/`

apis collected-links read ^ 🔒

### Parameters

Cancel

Name	Description
------	-------------

Execute Clear

Response content type `application/json`

```
curl -X 'GET' \
'http://0.0.0.0:7801/apis/collected-links/1/' \
-H 'accept: application/json' \
-H 'X-CSRFToken: wY7uvV2y7rPQwdNz0kH1Jn8pPLeFZg5YAVU4ucqID8ZnA4iWzBkftfpo65mg9'
```

```
http://0.0.0.0:7001/apis/collected-links/1/
```

Code	Details
------	---------

Response body

```
{
  "id": 1,
  "name": "SRRI7798759",
  "url": "/samples/19a62107-f9fe-4622-92b3-25b97da67c15",
  "folder": "Urinary Tract Infection Microbiome - Neugent et al 2022 - PRJNA801448 - KEPLER"
}
```

```
allow: GET,PUT,PATCH,DELETE,HEAD,OPTIONS
content-length: 173
content-type: application/json
cross-origin-opener-policy: same-origin
date: Wed, 23 Oct 2024 04:58:45 GMT
referrer-policy: same-origin
server: WSGIServer/0.2 CPython/3.8.10
vary: Accept
x-content-type-options: nosniff
x-frame-options: DENY
```

59 ms

Code	Description
------	-------------

Example Value	Model
10	10
20	20
30	30
40	40
50	50
60	60
70	70
80	80
90	90
100	100

```
CollectedLinks {
  id: integer
    title: Id
    readOnly: true
  name*: string
    title: Name
    minLength: 1
  url*: string(Suri)
    title: Url
    maxLength: 200
    minLength: 1
  folder: string
    title: Folder
    x-nullable: true
}
```

PUT /apis/collected-links/{id}/ apis\_collected-links\_update ✓

PATCH /apis/collected-links/{id}/ apis\_collected-links\_partial\_update ✓

**DELETE** /apis/collected-links/{id}/ apis collected-links delete ▾ 🔒

GET /apis/exported-results/ apis exported-results list ^

**Cancel**

Execute	Clear
---------	-------

Response content type application/json

```
curl -X 'GET' \
  'http://0.0.0.0:7001/apis/exported-results/' \
  -H 'accept: application/json' \
  -H 'X-CSRFToken: wY7uvV2yFr7PQwdNz0kkHlJn8pPLeFzG5yAVU4ucqI08ZnA4IwIb8kftpo65mg9'
```

```
http://0.0.0.0:7001/apis/exported-results/
```

Code	Details
------	---------

Response body

```
{
  "taxonomy_level": "N/A",
  "downloaded_file": null,
  "collected_link": 81
},
{
  "id": 830,
  "result": "Viruses",
  "taxonomy_level": "N/A",
  "downloaded_file": null,
  "collected_link": 2
},
{
  "id": 1,
  "result": "Bacteria",
  "taxonomy_level": "N/A",
  "downloaded_file": "/home/tlabib/Documents/github/cosmosid-scraper-api-zaag/downloads/SRR17798746_kepler-taxonomy-tree_2024-10-20_13_52.tsv",
  "collected_link": 68
},
{
  "id": 2,
  "result": "Bacteria",
  "taxonomy_level": "domain",
  "downloaded_file": "/home/tlabib/Documents/github/cosmosid-scraper-api-zaag/downloads/SRR17798746_kepler-biom_domain_2024-10-20_13_52.tsv",
  "collected_link": 68
},
{
  "id": 3,
  "result": "Bacteria"
```

Response headers

allow: GET,POST,HEAD,OPTIONS  
content-length: 122880  
content-type: application/json  
cross-origin-opener-policy: same-origin  
date: Wed, 23 Oct 2024 05:01:50 GMT  
referrer-policy: same-origin  
server: WSGIServer/0.2 CPython/3.8.10  
vary: Accept  
x-content-type-options: nosniff  
x-frame-options: DENY

Request duration

196 ms

Responses

Code	Description
200	Example Value   Model

▼ [ExportedResults ▼ {

id

ID ▼ integer  
title: ID  
readOnly: true

result\*

Result ▼ string  
title: Result  
minLength: 1

taxonomy\_level\*

Taxonomy level ▼ string  
title: Taxonomy level  
x-nullable: true

downloaded\_file

Downloaded file ▼ string  
title: Downloaded file  
x-nullable: true

url\*

Url ▼ integer  
title: Url

}

POST /apis/exported-results/ apis\_exported-results\_create ▼

GET /apis/exported-results/{id}/ apis\_exported-results\_read ^

Parameters Cancel

Name	Description
id <span>required</span>	A unique integer value identifying this exported results.
integer (path)	<input type="text" value="1"/>

Execute

Clear

Responses Response content type application/json ▼

Curl

```
curl -X 'GET' \
'http://0.0.0.0:7001/apis/exported-results/1/' \
-H 'accept: application/json' \
-H 'X-CSRFToken: w7uvv2wYr7PQndHz0kkH1Jn8pPLeFZg5yAVU4ucqI08ZnA4IwIb8ktfp065mg9'
```

Request URL

```
http://0.0.0.0:7001/apis/exported-results/1/
```

Server response

Code

Details

200

Response body

```
{
  "id": 1,
  "result": "Bacteria",
  "taxonomy_level": "N/A",
  "downloaded_file": "/home/tlabib/Documents/github/cosmosid-scraper-api-zaag/downloads/SRR17798746_kepler-taxonomy-tree_2024-10-20_13_52.tsv",
  "collected_link": 66
}
```

Response headers

allow: GET,PUT,PATCH,DELETE,HEAD,OPTIONS  
content-length: 211  
content-type: application/json  
cross-origin-opener-policy: same-origin  
date: Wed, 23 Oct 2024 05:02:29 GMT  
referrer-policy: same-origin  
server: WSGIServer/0.2 CPython/3.8.10  
vary: Accept  
x-content-type-options: nosniff  
x-frame-options: DENY

Request duration

255 ms

Responses

Code

Description

200

Example Value | Model

ExportedResults ▼ {

id

integer  
title: ID  
readOnly: true

result\*

string  
title: Result  
minLength: 1

taxonomy\_level\*

string  
title: Taxonomy level  
x-nullable: true

downloaded\_file

string  
title: Downloaded file  
x-nullable: true

url\*

integer  
title: Url

}

PUT /apis/exported-results/{id}/ apis\_exported-results\_update ▼

PATCH /apis/exported-results/{id}/ apis\_exported-results\_partial\_update ▼

DELETE /apis/exported-results/{id}/ apis\_exported-results\_delete ▼

POST /auth/login/ auth\_login\_create

Log in a user and return JWT tokens along with user details.

Parameters

Cancel

Name	Description
<b>data</b> <span>required</span> object (body)	Edit Value   Model

```
{  "username": "zaagu2",  "password": "zaagpass"}
```

Cancel

Parameter content type  
application/json

ExecuteClear

Responses

Response content type application/json

Curl

```
curl -X 'POST' \
  'http://0.0.0.0:7001/auth/login/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'x-csrf-token: w7uvV2wYr7PQwdHz0kKH1Jn8pPLeFZgSyAVU4ucqID0ZnA4IwIb8ktfpo65mg9' \
  -d '{
    "username": "zaagu2",
    "password": "zaagpass"
  }'
```

Request URL  
http://0.0.0.0:7001/auth/login/

Server response

Code	Details
200	<div>Response body<pre>{  "data": {    "id": 2,    "username": "zaagu2",    "email": "u2@zaag.com",    "first_name": "",    "last_name": ""  },  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2t1b190eXB1IjoiaWVhZiZKhwIjoxNzI5MjYxODk5LjYxYXQ1OjE3Mjk2MjE1OTk5MjE0aSI6IjE1MTg5NTdhYmMxYTQ5M2ZlbnZlY2VjNTQyNTUzIiwidXNlcn9pZCI6ImNoLjE2R3R0b2R0faiqrtrITtCwco",    "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2t1b190eXB1IjoicmVmcnVzaCIsInV4CiI6MTcyOTc0bnZkS05waWwF0Ijo5NzI5NjYxNTk5LjYxYXQ1OjE3Mjk2MjE1OTk5MjE0aSI6IjE1MTg5NTdhYmMxYTQ5M2ZlbnZlY2VjNTQyNTUzIiwidXNlcn9pZCI6ImNoLjE2R3R0b2R0faiqrtrITtCwco"  }</pre></div> <div>Response headers<pre>allow: POST, OPTIONS content-length: 576 content-type: application/json cross-origin-opener-policy: same-origin date: Wed, 23 Oct 2024 05:33:19 GMT referrer-policy: same-origin server: WSGIServer/0.2 CPython/3.8.10 vary: Accept x-content-type-options: nosniff x-frame-options: DENY</pre></div> <div>Request duration 448 ms</div>

Responses

Code	Description
200	Tokens returned along with user data Example Value   Model <div><pre>{  "data": {    "id": 2,    "username": "zaagu2",    "email": "u2@zaag.com",    "first_name": "",    "last_name": ""  },  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2t1b190eXB1IjoiaWVhZiZKhwIjoxNzI5MjYxODk5LjYxYXQ1OjE3Mjk2MjE1OTk5MjE0aSI6IjE1MTg5NTdhYmMxYTQ5M2ZlbnZlY2VjNTQyNTUzIiwidXNlcn9pZCI6ImNoLjE2R3R0b2R0faiqrtrITtCwco",    "refreshToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2t1b190eXB1IjoicmVmcnVzaCIsInV4CiI6MTcyOTc0bnZkS05waWwF0Ijo5NzI5NjYxNTk5LjYxYXQ1OjE3Mjk2MjE1OTk5MjE0aSI6IjE1MTg5NTdhYmMxYTQ5M2ZlbnZlY2VjNTQyNTUzIiwidXNlcn9pZCI6ImNoLjE2R3R0b2R0faiqrtrITtCwco"  }</pre></div>
401	Invalid credentials

POST /auth/logout/ auth\_logout\_create

POST /auth/register/ auth\_register\_create

Register a new user.

Parameters

Try it out

Name	Description
<b>data</b> <span>required</span>	

object  
(body)

example value | model

UserRegistration

username

string

title: Username

pattern: "[\w.@+-]+"

maxLength: 150

minLength: 1

email

string(email)

title: Email address

maxLength: 254

password

string

title: Password

minLength: 1

Responses

Response content typeapplication/json

Code	Description
201	User created successfully
400	Invalid input

POST

/auth/token/

auth\_token\_create

POST

/auth/token/refresh/

auth\_token\_refresh\_create

Models

CollectedLinks

ExportedResults

UserRegistration

TokenObtainPair

TokenRefresh

INVALID