HTML

Table ~ List
Image ~ Audio ~ Video

Table in HTML are used to present structured data in rows and columns


Tags:

<table>

<tr>

<th>

<td>


<table border="1">
Header Row
<tr>
<th>Header 1</th>
<th>Header 2</th>
<th>Header 3</th>
</tr>
Row 1
<tr>
<td>Row 1, Cell 1</td>
<td>Row 1, Cell 2</td>
<td>Row 1, Cell 3</td>
</tr>
Row 2
<tr>
<td>Row 2, Cell 1</td>
<td>Row 2, Cell 2</td>
<td>Row 2, Cell 3</td>
</tr>
</table>
Header 1
Header 2
Header 3
Row 1, Cell 1
Row 1, Cell 2
Row 1, Cell 3
Row 2, Cell 1
Row 2, Cell 2
Row 2, Cell 3

Border and Background Color

```
<table style="background-color:gold" border="1" >
```

Padding

```
<th style="padding: 10px;">Dish</th>
<th style="padding: 10px;">Price</th>
```

List in HTML is a collection of items

Ordered lists (ol)

```
<ol>
    <li>First item</li>
    <li>Second item</li>
    <li>Third item</li>
</ol>
```

Ordered list types

```
<ol type="1">

<ol type="A">

<ol type="a">

<ol type="I">

<ol type="i">
```

Unordered lists (ul)

```
<ul>
    <li>First item</li>
    <li>Second item</li>
    <li>Third item</li>
</ul>
```

Unordered list types

```
<ul type="disk">

<ul type="circle">

<ul type="square">
```

Nesting list

Nesting means one list *inside* another list

Nesting lists

```
<ol>
  <li>Main item 1</li>
  <li>Main item 2
    <ol>
      <li>Sub-item 1</li>
      <li>Sub-item 2</li>
    </ol>
  </li>
  <li>Main item 3</li>
</ol>
```

Adding Images

```
<img src="path-to-your-image " alt="Description of the image">

<img src="cover.jpg" width="400" height="259" alt="Example Image">
```

Lazy loading is an optimization technique that defers the loading of images until they are about to enter the viewport.

```
<img src="image2.jpg" alt="Second Image" loading="lazy">
```

! do not lazy load the images that are immediately visible when the page loads.

Above the fold refers to the part of a web page that is visible without any scrolling down when the page initially loads.

Below the fold refers to the part of a web page that is only visible after the user scrolls down.

Embedding videos

```
<video>
    <source src="video.mp4" type="video/mp4">
    Your browser does not support the video tag.
</video>
```

Embedding videos (with autoplay)

```
<video width="400" height="223" autoplay muted>
    <source src="video.mp4" type="video/mp4">
    Your browser does not support the video tag.
</video>
```

Embedding videos (with controls)

```
<video width="400" height="223" controls>
    <source src="video.mp4" type="video/mp4">
    Your browser does not support the video tag.
</video>
```

Embedding audio files

```
<audio controls>
    source src="audiofile.mp3" type="audio/mpeg">
    Your browser does not support the audio element.
</audio>
```

Points to remember

- Always use the alt attribute in the <img> tag to provide descriptive text for accessibility and a fallback in case the image fails to load.
- Compressing and resizing images before adding them to the web page to improve load times.
- Choose the appropriate image format:
  - **JPEG** for photographs and images with many colors.
  - **PNG** for images with transparency or sharp edges.
  - **WebP** for modern web usage with smaller file sizes and high quality.
- Consider using lazy loading for images below the fold.
- Avoid using width and height attributes directly in the <img> tag for scaling;
  instead, use CSS to ensure flexibility and responsiveness.