


Full outer Join

A Full outer Join Returns:

- All Matching Rows
- All the Rows that are matching on the common columns are combined into a single row
- All unmatched rows
- Where there's no match we will put a null



Select Col1, Col2, Col3

From table1 AS A

Full outer Join table2 AS B

ON A - common - Column = B - common - Column

Customers

Customer ID	Customer Name	order to customer ID
1	Thabo	
2	Sarah	
3	Leabo	
4	John	

Orders

Order ID	Customer ID	Product
101	1	Laptop
102	2	phone
103	2	Head phone
104	5	Tablet

Select Customer ID

Customer ID
 Customer Name
 order ID
 product
 from Customer AS C
 full outer join order AS O
 on C.Customer ID = O.Customer ID

Customer ID	Customer Name	order ID	product
1	Thabo	101	Laptop
2	Sarah	102	phone
3	Sarah	103	Headphone
4	Lerato	Null	Null
5	John	Null	Null
6	Null	104	Tablet

Removes duplicates (does not remove duplicate)
 → Union and → Union All
 L combine the result of two select statements
 by stacking the rows

- The select statements must have the same number of columns
- The columns must be in the same order
- The columns must have the same data types

Current Students

Student ID	Student Name
1	Thabo
2	Sarah
3	Lerato

New Students

Student ID	Student Name
3	Lerato
4	John
5	Mary

Select Student ID
 Student Name
 From New Students

Current Students

Student ID	Student Name
1	Thabo
2	Sarah
3	Lerato

Select Student
 Student
 From Current
 Union All
 Select

FROM

Select Student ID
Student Name
From New Students

Student ID	Student Name
1	Thabo
2	Seiphi
3	Leanto
4	John
5	Mary

Current Students

Student ID	Student Name
1	Thabo
2	Seiphi
3	Leanto

New Student

Student ID	Student Name
3	Leanto
4	John
5	Mary

Select Student ID
Student Name
From Current Student
Union All
Select Student ID
Student Name
From New Students

Student ID	Student Name
1	Thabo
2	Seiphi
3	Leanto
4	John
5	Mary
3	Leanto