EXP 3

Map Reduce program to process a weather dataset.

Aim:

To implement MapReduce program to process a weather dataset

Procedure:

Step 1: Create Data File:

Create a file named "word_count_data.txt" and populate it with text data that you wish toanalyse.
Login with your hadoop user.

Download the dataset (weather data)

Output:

Step 2: Mapper Logic - mapper.py:

Create a file named "mapper.py" to implement the logic for the mapper. The mapper will read input data from STDIN, split lines into words, and output each word with its count.

```
nano mapper.py
# Copy and paste the mapper.py code
```

```
#!/usr/bin/env python

import sys

# input comes from STDIN (standard input)
# the mapper will get daily max temperature and group it by month. so output will be
(month,dailymax_temperature)
```

```
for line in sys.stdin:
    # remove leading and trailing whitespace
    line = line.strip()
    # split the line into words
    words = line.split()
    #See the README hosted on the weather website which help us understand how each
position represents a column
    month = line[10:12]
    daily_max = line[38:45]
    daily_max = daily_max.strip()
    # increase counters
    for word in words:
        # write the results to STDOUT (standard output);
        # what we output here will be go through the shuffle proess and then
        # be the input for the Reduce step, i.e. the input for reducer.py
        #
        # tab-delimited; month and daily max temperature as output
        print ('%s\t%s' % (month ,daily_max))

        .
```

Step 3: Reducer Logic - reducer.py:

Create a file named "reducer.py" to implement the logic for the reducer. The reducer
will aggregate the occurrences of each word and generate the final output.

```
nano reducer.py

# Copy and paste the reducer.py code
```

reducer.py

```
#!/usr/bin/env python

from operator import itemgetter
import sys
#reducer will get the input from stdid which will be a collection of key, value(Key=month ,
value= daily max temperature)
#reducer logic: will get all the daily max temperature for a month and find max temperature
for the month
#shuffle will ensure that key are sorted(month)
current_month = None
current_max = 0
month = None

# input comes from STDIN
for line in sys.stdin:
```

```python
        # remove leading and trailing whitespace
        line = line.strip()
        # parse the input we got from mapper.py
        month, daily_max = line.split('\t', 1)

        # convert daily_max (currently a string) to float
        try:
            daily_max = float(daily_max)
        except ValueError:
            # daily_max was not a number, so silently
            # ignore/discard this line
            continue

        # this IF-switch only works because Hadoop shuffle process sorts map output
        # by key (here: month) before it is passed to the reducer
        if current_month == month:
            if daily_max > current_max:
                current_max = daily_max
        else:
            if current_month:
                # write result to STDOUT
                print ('%s\t%s' % (current_month, current_max))
            current_max = daily_max
            current_month = month

 # output of the last month
 if current_month == month:
    print ('%s\t%s' % (current_month, current_max))
```

Step 4: Prepare Hadoop Environment:

Start the Hadoop daemons and create a directory in HDFS to store your data.

```
start-all.sh
```

Step 6: Make Python Files Executable:

Give executable permissions to your mapper.py and reducer.py files.

```
chmod 777 mapper.py reducer.py
```

Step 7: Run the program using Hadoop Streaming:

Download the latest hadoop-streaming jar file and place it in a location you can easily access.

Then run the program using

Hadoop Streaming.hadoop fs -

mkdir -p /weatherdata

hadoop fs -copyFromLocal

/home/sx/Downloads/dataset.txt /weatherdatahdfs

dfs -ls /weatherdata

hadoop jar /home/sx/hadoop-3.2.3/share/hadoop/tools/lib/hadoop-streaming-3.2.3.jar \
  -input /weatherdata/dataset.txt \
  -output /weatherdata/output \
  -file "/home/sx/Downloads/mapper.py" \
  -mapper "python3 mapper.py" \
 -file "/home/sx/Downloads/reducer.py" \
  -reducer "python3 reducer.py"

hdfs dfs -text /weatherdata/output/* > /home/sx/Downloads/outputfile.txt

Step 8: Check Output:

Check the output of the program in the specified HDFS output directory.

OUTPUT:

Result:

Thus, the program for weather dataset using Map Reduce has been executed successfully.