


Denoising comparison | $x = 132$

Full slice: box marks detail region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM



(h) BM3D




Denoising comparison | $x = 132$

Detail: same 80 x 80 pixel region


(a) Original




(b) Gaussian




(c) Median



(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D



Denoising comparison | $x = 148$

Full slice: box marks detail region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM



(h) BM3D




Denoising comparison | $x = 148$

Detail: same 80 x 80 pixel region


(a) Original




(b) Gaussian




(c) Median



(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D




Denoising comparison | $y = 22$
Full slice: box marks detail region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D




Denoising comparison | $y = 22$
Detail: same 80 x 80 pixel region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D




Denoising comparison | $y = 38$
Full slice: box marks detail region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D




Denoising comparison | $y = 38$
Detail: same 80 x 80 pixel region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D




Denoising comparison | $z = 114$

Full slice: box marks detail region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM



(h) BM3D




Denoising comparison | $z = 114$

Detail: same 80 x 80 pixel region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D




Denoising comparison | $z = 130$

Full slice: box marks detail region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)




(f) Wavelet



(g) NLM




(h) BM3D




Denoising comparison | $z = 130$

Detail: same 80 x 80 pixel region


(a) Original




(b) Gaussian




(c) Median




(d) Bilateral




(e) TV (Chambolle)



(f) Wavelet



(g) NLM



(h) BM3D

