



Denoising comparison | $x = 60$
Full slice: box marks detail region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D



Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80×80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $x = 60$
Detail: same 80 x 80 pixel region

(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D




Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80 x 80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $x = 100$
Full slice: box marks detail region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D



Same slice and contrast
for all 5 panels.

ROI: $x=60$, $y=3$, 80×80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $x = 100$
Detail: same 80 x 80 pixel region

(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D




Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80 x 80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $x = 160$
Full slice: box marks detail region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D



Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80×80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $x = 160$
Detail: same 80 x 80 pixel region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D




Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80 x 80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $z = 60$
Full slice: box marks detail region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D



Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80×80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $z = 60$
Detail: same 80 x 80 pixel region

(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D




Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80 x 80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $z = 100$ Full slice: box marks detail region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D



Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80×80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $z = 100$
Detail: same 80 x 80 pixel region

(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D




Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80 x 80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $z = 160$
Full slice: box marks detail region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D




Same slice and contrast
for all 5 panels.


ROI: $x=60$, $y=3$, 80×80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.

Denoising comparison | $z = 160$
Detail: same 80 x 80 pixel region


(a) Original




(b) Bilateral




(c) Wavelet



(d) TV (Chambolle)



(e) BM3D



Same slice and contrast
for all 5 panels.

ROI: $x=60$, $y=3$, 80 x 80
Display coordinates (zero-based).
Crop, not segmentation.
No added image smoothing.