

# Clinical module replacement — source and integration pack

27 September 2026. No secrets, .env files, passwords, private keys, database dumps, or live patient data.

We will not delete or change the current Clinical installation. Main's existing units functionality stays in place. The new Clinical module will own its own Unit Management and Conversion Engine.

## Does this pack answer every request?

| # | What you asked                                                                                                        | Status                                                                                                                       |
|---|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| 1 | Latest source for Clinical, HR, Inventory and Main — repo, branch, commit. You already have /var/www/demo-kashtre.    | <b>Yes</b> — table in section 1                                                                                              |
| 2 | Uncommitted demo copies of package-lock.json, bootstrap/cache/.gitignore, and other source since the export           | <b>Yes</b> — where to take them (section 2). Files themselves stay on the demo host, not in this PDF                         |
| 3 | Integration docs, auth, APIs, jobs, and Main/Inventory functions that depend on current Clinical                      | <b>Yes</b> — section 3                                                                                                       |
| 4 | PHP and database versions, app locations, web server, queues, scheduled tasks, build and deploy commands (no secrets) | <b>Yes</b> — section 4                                                                                                       |
| 5 | Access to private repos, permission to create branches and submit changes                                             | <b>Arranged next</b> — send GitHub username (section 5)                                                                      |
| 6 | Confirm demo is isolated from production databases, stock, billing and external services; synthetic test data         | <b>Yes for intent</b> — demo is the test environment with synthetic data. Final isolation check is on the server (section 6) |
| 7 | Dedicated deploy account, backup/restore, credentials on a separate secure channel                                    | <b>Arranged next</b> — procedure is here; credentials not in this file (section 7)                                           |

## 1. Latest source code

| Application | Repository                                                                                                    | Branch | Commit                                                                                                                 |
|-------------|---------------------------------------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------|
| Main        | <a href="https://github.com/TracePeso/kashtre">https://github.com/TracePeso/kashtre</a>                       | demo   | f5a146441c6e78db08daee5ca931e0e644daabfb                                                                               |
| Clinical    | <a href="https://github.com/TracePeso/clinical_module">https://github.com/TracePeso/clinical_module</a>       | main   | 87e4a509c6ba0da75a8a7017ee8ea59635462b76                                                                               |
| HR          | <a href="https://github.com/TracePeso/HR_MODULE">https://github.com/TracePeso/HR_MODULE</a>                   | main   | 56f009c1ffb0981b89e93392517abecf67b9d2a3                                                                               |
| Inventory   | <a href="https://github.com/TracePeso/inventory_module">https://github.com/TracePeso/inventory_module</a>     | main   | Use the Inventory source already taken from the demo host. Push that tree to this repo, then use the resulting commit. |
| AI Gateway  | <a href="https://github.com/TracePeso/Kashtre-AI-gateway">https://github.com/TracePeso/Kashtre-AI-gateway</a> | main   | 153ca155854d486d280d0cffae72417ecc091d1f                                                                               |

Production Main branch is **main** (b41fe604160bb734c6a807c78c2c09dc2eaad593). Do not use production for this replacement work.

You already have the committed source from /var/www/demo-kashtre. Please compare those SHAs with the table and tell us if any differ.

## 2. Uncommitted changes

From the demo host, take the current copies of:

- package-lock.json
- bootstrap/cache/.gitignore

plus any other source edits made since that export. Do not include .env, keys, or database dumps. Those two files also exist on Main demo at the commit in section 1.

### 3. Integration details

---

Documentation (no secrets):

- Main ↔ Clinical: docs/clinical module/MAIN\_TO\_CLINICAL\_INTEGRATION.md in the Main repo
- Inventory / EndStore ↔ Clinical: INTEGRATION\_README.md in the Main repo
- AI Gateway: docs/clinical module/KashTre AI Gateway Integration Specification v1.0.md in the Main repo

#### Authentication

- Clinical → Main: X-Service-Key OR X-API-Key
- Main → Clinical: X-Service-Key plus X-Tenant-Id
- Identity: headers today; JWT is the planned cutover
- HR → Main: X-API-Key OR X-HR-API-Key
- Inventory → Main / Clinical: same service-key pattern (X-Service-Key / module API key)

#### APIs Main exposes to Clinical

- POST /api/v1/events
- POST /api/v1/catalogue/resolve
- GET /api/v1/catalogue/items/{code}
- GET /api/catalogue/items
- GET /api/clients/{id}
- GET /api/queues
- POST /api/events
- GET /api/pharmacy/totes/{ref}
- POST /api/v1/auth/introspect

#### APIs Clinical exposes to Main / Inventory

- POST /api/v1/clinical/pharmacy/totes/staged
- POST /api/v1/clinical/pharmacy/handoff/validate
- POST /api/v1/clinical/encounters/created
- POST /api/v1/clinical/entitlements

#### Background jobs

- Main: NotifyClinicalEncounterCreated, NotifyClinicalToteStaged
- Inventory: BillInventoryUsageToMain, ProcessInventoryMainModuleOutbox (every minute)
- HR: SyncUserToHrModule; hr:refresh-navigation every 4 minutes

#### Main and Inventory functions that depend on the current Clinical application

These must keep working until the replacement implements the same contracts: Clinical UI and /clinical/\* routes, Clinical Module Settings, catalogue lookup, client/queue APIs, EndStore tote stage/validate, encounter notify, LIMS/RIS inbound facts, and consumption facts from Inventory.

Main units stay as they are. Do not delete or change the current Clinical application yet.

### 4. Server and deployment (no secrets)

---

|      |            |
|------|------------|
| Demo | Production |
|------|------------|

|                           |                                                                                                                    |                    |
|---------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------|
| URL                       | https://demo.kashtre.com                                                                                           | live Kashtre       |
| Main location             | /var/www/demo-kashtre                                                                                              | /var/www/my-app    |
| Clinical / HR / Inventory | separate application locations on the demo host                                                                    | separate from demo |
| Main branch               | demo                                                                                                               | main               |
| PHP                       | 8.2+ required; PHP-FPM php8.3-fpm                                                                                  | same               |
| Database                  | MySQL 8.0+                                                                                                         | separate           |
| Web server                | nginx (or equivalent) in front of php8.3-fpm; site root is the application public/ folder                          | same pattern       |
| Queue workers             | Laravel queue worker; restarted with php artisan queue:restart on deploy                                           | same               |
| Scheduled tasks           | Laravel scheduler (cron: php artisan schedule:run). Payments, inventory outbox, HR navigation, visits, time engine | same pattern       |

Demo build / deploy for Main

```
git fetch && git reset --hard origin/demo
composer install --no-dev --optimize-autoloader
npm install && npm run build
php artisan migrate --force
php artisan optimize:clear && php artisan config:cache && php artisan route:cache && php artisan view:cache
php artisan queue:restart
systemctl restart php8.3-fpm
```

Clinical, HR, and Inventory each deploy from their own repository on the demo host with the same shape: install dependencies, build, migrate, recache, restart queues and PHP-FPM. Exact commands for those apps will be shared with the matching repo, without secrets.

5. Private repository access

We will grant your GitHub account access to the TracePeso organisation repositories you need:

- https://github.com/TracePeso/clinical\_module
- https://github.com/TracePeso/HR\_MODULE
- https://github.com/TracePeso/inventory\_module
- https://github.com/TracePeso/Kashtre-AI-gateway

Access will include permission to create branches and open pull requests. Please send the GitHub username to invite. Work against demo/development branches only. Do not push to production main.

6. Test environment

Demo is a separate installation from production (separate application path and Main **demo** branch). It is the intended test environment and already has synthetic demonstration data, not live patients.

We will confirm on the server that demo does not share production databases, stock, billing, or live external services. We will not send database dumps.

7. Deployment access and recovery

We will create a dedicated development/deployment account limited to the demo host and the relevant non-production branches. Credentials will be sent on a **separate secure channel**, not with this document or the source archives.

Backup/restore for demo (outline only):

- Backup: each application’s files excluding .env and logs; MySQL dump of the demo databases only
- Restore: restore files and demo databases, install dependencies, migrate, recache, restart queues

- Never restore a demo dump onto production

Please confirm your GitHub username. Develop against the demo environment and leave the current Clinical application running until we agree a cutover.

This document contains no live patient data, database dumps, .env files, passwords, or private keys.